



## Correction: New horizons on advanced nanoscale materials for Cultural Heritage conservation

Cite this: *Nanoscale Horiz.*, 2024, 9, 2069

Rosangela Mastrangelo, David Chelazzi and Piero Baglioni\*

Correction for 'New horizons on advanced nanoscale materials for Cultural Heritage conservation' by Rosangela Mastrangelo *et al.*, *Nanoscale Horiz.*, 2024, 9, 566–579, <https://doi.org/10.1039/D3NH00383C>.

DOI: 10.1039/d4nh90062f

rsc.li/nanoscale-horizons

The authors regret that some of the diffusion coefficients ( $D$ ) listed in Table 1 in the published article have been attributed to the incorrect gel. The new Table 1 provided below replaces the originally published version and contains the correct diffusion coefficients. These errors do not affect the experimental data, results analysis and conclusions of the work.

**Table 1** Cleaning performances of H-PVA – L1–L3 gels: average greyscale intensity of pixels in the cleaned areas (0: black, 255: white). Diffusion coefficients ( $D$ ) of the dye Alexa Fluor in a tartrazine aqueous solution (free dye) and in TC-PNs with the increasing pore size. The apparent tortuosity,  $\tau_{\text{app}}^2$ , was calculated according to eqn (1)

Gel	Greyscale intensity in the cleaned areas	$D$ ( $\mu\text{m}^2 \text{s}^{-1}$ )	$\tau_{\text{app}}^2$
Free dye	—	$278 \pm 14$	—
H-PVA – L1	$231 \pm 2$	$168 \pm 8$	1.7
H-PVA – L2	$233 \pm 4$	$128 \pm 14$	2.2
H-PVA – L3	$240 \pm 2$	$131 \pm 8$	2.1

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

