RSC Advances



REVIEW

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2024, 14, 1757

One-pot multicomponent polymerization towards heterocyclic polymers: a mini review

Eman S. Alsolami,^a Hajar S. Alorfi,^a Khalid A. Alamry ^b and Mahmoud A. Hussein ^{*} **ab

Multicomponent polymerization (MCP) is an innovative field related to polymer-based chemistry that offers numerous advantages derived from multicomponent reactions (MCRs). One of the key advantages of MCP is its ability to achieve high efficiency. Additionally, MCP offers other advantages, including operational simplicity, mild reaction conditions, and atom economy. MCP is a versatile technique that is used for synthesizing a wide range of analogs from several classes of heterocyclic compounds. The ring structures of heterocyclic polymers give them different mechanical, photophysical, and electrical properties to other types of polymers. Because of their unique properties, heterocyclic polymers have been widely utilized in various significant applications. MCRs are a type of chemical reaction that can be used to synthesize a wide variety of compounds in a single pot, which allows researchers to quickly assemble libraries of compounds. The development of MCPs from MCRs has made it easier to access a library of polymers with tunable structures. However, MCPs related to alkynes or acetylene triple bonds have more potential. In this review study, we provide an overview of the synthesis of heteroatomfunctional polymers and alkyne-based development or other reactions such as Cu-catalyzed, catalystfree, MCCP, MCTPs, green monomers, A³ coupling reactions, Passerini reactions, and sequence- and controlled-multicomponent polymerization. The up-to-date progress provides a convenient and efficient kind of approach related to heteroatoms and MCP synthesis, and perspectives in terms of future directions are also discussed in the study.

Received 25th October 2023 Accepted 11th December 2023

DOI: 10.1039/d3ra07278a

rsc.li/rsc-advances

Introduction

Heterocyclic compounds are one of the largest categories related to organic-anchored substances, and they have a profound effect on human evolution. Some examples of heterocyclic compounds that are essential for human life include glucose, DNA, and vitamins B1, B2, C, and D.¹ Longterm attempts have been made in both the fields related to

academia and industry to synthesize various kind of heterocyclic polymers because of inherent benefits associated with them, including mechanical strength, specific electrical properties and processability. The incorporation of heterocycles into polymers is a rapidly evolving field. However, this field has already made a significant impact on polymer chemistry and materials science, and it is likely to play an even greater role in the future. C. S. Marvel pioneered the synthesis related to polybenzimidazoles by *in situ* producing different heterocycles in polymer backbones in the 1960s, which resulted in advancing the study related to polybenzimidazoles.² Heterocyclic polymers introduce rigidity and strength into the polymer chains, which results in high glass transition temperatures. This makes

Eman S. Alsolami is a PhD candidate in the Chemistry department at King Abdulaziz University. She is working as lecturer at KAU and obtained her master's degree in organic synthesis from King Abdulaziz University in 2018. Her research interests are in the heterocyclic synthesis area, docking and polymer synthesis, characterization and applications in different fields, polymer composite materials, for biological interests.

Hajar S. Alorfi is an associate professor at the Chemistry Department, Faculty of Science, King Abdulaziz University (KAU), Jeddah, Saudi Arabia. She obtained her PhD from KAU in 2015 under the title "Bioactive Metabolites from Saudi Marine Macro-Organisms". Her research interests are based on the biological and pharmacological activities of organic molecules, with a special attention to plant secondary metabolites, the chemistry, and the biological activities of marine natural products. Much wider research into material chemistry has been recently encouraged.

^eChemistry Department, Faculty of Science, King Abdulaziz University, P. O. Box 80203, Jeddah, 21589, Saudi Arabia. E-mail: mahussein74@yahoo.com; maabdo@ kau.edu.sa

^bChemistry Department, Faculty of Science, Assiut University, Assiut, 71516, Egypt

RSC Advances Review

heterocyclic polymers ideal for applications where high thermal stability is required, such as the aerospace industry. The advancement in the fields related to science and technology has resulted in designing and synthesis of various heterocyclic polymers with tailored properties. Heterocyclic polymers display specific thermal, mechanical, and photophysical properties as a result of the electronic effect and ring tension related to heterocyclic structures, this resulted in producing various applications in manufacturing, biological-based materials, organic photovoltaics, and light-emitting diodes, etc.3 Functional polymer science is an interdisciplinary field that encompasses polymer chemistry, materials science, biology, and the environment. It is a relatively new field, having developed in the 1960s.4 Modern functional polymeric materials are capable of conversion of energy, photosensitivity, chemical reactivity, and biological activity. They are crucial for modern industry and technology, with significant attention focused on developing new functional polymers to meet the demands of modern society. Heterocyclic polymers have various potential applications, but their synthesis can be challenging. Direct attachment of all the modified heterocycles to the polymer backbones that utilizes reactive heterocyclic monomers that have been synthesized is considered as a typical synthetic technique. However, the lengthy procedure related to reaction, challenging conditions in term of polymerization, challenges with numerous substituent inclusion, and affordable heterocyclic monomers usually hamper this kind of synthesis technique.5 However, acetylenic polymers, which are synthesized from triple-bond building blocks, possess electronically unsaturated double bonds, fused aromatic rings, or fused

heterocyclic units in their main chain. Consequently, these polymers exhibit great potential as functional materials related to applications of high-technology. Polyacetylene (PA) is considered as the first acetylenic polymer that was discovered. It is also termed as a "synthetic metal" due to it good electron conductivity upon the doping factor. However, significant limitations were encountered during the initial phases of polymer science when attempting to develop polymerization related to carbon-carbon triple-bond. This was due to a number of factors, including acetylenic compounds poor availability, poor solubility and process ability of all resulting polymers. In recent decades, significant progress has been seen in the acetylenic polymerization development. This progress has been driven by advances in alkyne chemistry and materials science. In recent years, the ability to create polymers from alkyne monomers has opened up new possibilities for scientific and technological advancements. Researchers from different disciplines such as fields related to biochemistry, materials science, and engineering, etc. are now actively investigating the potential applications and benefits of these polymers. 6-11 Isocyanides, as a distinctive functional group, exhibit reactivity in tetravalent and divalent carbon forms at extreme resonances. Electrophilic and nucleophilic reactions occur at divalent carbon atoms of isocyanides, leading to their conversion into tetravalent forms through exothermic reactions.12-14 The exceptional ability of isocyanides to construct heterocyclic compounds has attracted considerable attention in the domain of organic synthetic chemistry. The resultant products demonstrate remarkable solubility and stability, thereby presenting immense potential for application in various fields. Isocyanide-based



Khalid A. Alamry

Khalid A. Alamry is a professor of Polymer Chemistry, at Chemistry Department, Faculty of Science, King Abdulaziz University (KAU), Jeddah, Saudi Arabia. He obtained his PhD in Polymer Chemistry from The University of Manchester in UK in 2010. He published around 350 ISI papers in the field of polymer. His research interest in focused on the biopolymers from synthesis to applications for variable applications.



Mahmoud A. Hussein

Mahmoud A. Hussein a professor of Polymer Chemistry, Polymer Chemistry Lab, Chemistry Department, Faculty of Science, Assiut University (AU), Egypt. He obtained his in Organic Polymer Synthesis from Assiut University, Egypt in 2007. He got a position at Chemistry Department, King Abdulaziz University (KAU), Jeddah, Saudi Arabia from 2010-till now. He got a postdoctoral positions

University of Nice Sophia Antipolis, France and University Sains Malaysia, Malaysia. He visited the school of Industrial technology, University Sains Malaysia and Faculty of Engineering, University of Porto (UP) as visiting researcher. He published around 235 ISI papers and numerus number of conference papers (posters and oral). His research interests are in the area of polymer synthesis, characterization and applications in different fields, polymer composites materials, polymer-doped organic and/or inorganic substances for variable industrial as well as biological applications.

multicomponent reactions (IMCRs) have gained recognition as powerful tools in modern chemistry, offering an efficient approach to synthesizing complex scaffolds and diverse chemical entities, including fused, bound, and spacer-linked bisheterocyclic compounds (BHCs). In a comprehensive review by Ishwar Bhat and colleagues, important aspects such as reaction conditions, catalysts, solvents, activation sources, and the number of reported examples, along with their yield ranges, are highlighted. The showcased examples demonstrate the significant advantages of IMCRs, notably their ability to generate a wide array of BHC-containing compounds in a single reaction. Furthermore, IMCRs hold promising prospects for discovering novel BHCs with drug-like and luminescent properties, as well as their utility as building blocks for constructing metal organic frameworks and exploring other innovative applications.15 In addition, Wang et al. review recent advancements in polymerizations involving triple bonds, nitriles, and isonitriles, focusing on in situ reactions for heterocyclic polymer construction, offering promising prospects.16

Besides that, Stiernet and Debuigne review imine-based multicomponent polymerizations (MCPs) for advanced polymer design. They discuss efficiency, versatility, and the ability to create complex structures in one-pot reactions. The review highlights MCPs' maturity for applications in biomedicine, energy, and catalysis, while identifying challenges and future research directions. 17 Also, a new kind of flexible functional films has been made by mixing biopolymers with heteroatom-doped carbon dots (CDs) for use in food monitoring and antioxidant research. The films were prepared through a convenient one-pot synthesis method, utilizing a facile physical compounding strategy in conjunction with the 'cast and peel' technique. 18 MCP is a method that is used for synthesis of various polymers, including block copolymers, graft copolymers, and dendrimers. In addition to being a new research topic, MCP allows for the efficient and facile preparation related to functional polymers with complex but well-defined structures from various monomers through tandem or one-pot procedure.19 Many comprehensive reviews on applications and syntheses of acetylenic polymers have been published in recent years. MCRs are chemical reaction that combines three or more starting materials in a single pot to form a single product.20,21 MCRs are often used in organic synthesis because they can be more efficient and less time-consuming than traditional methods, have made an efficient progress in the past years, this is witnessed by the abundant reviews.22 For the synthesis of different compounds, most popular MCRs include reactions related to Cu-catalyzed, ^{23–26} A³coupling,27 Mannich28-30 and Hantzsch31 reactions have all been extensively researched. MCRs have a number of attractive features that make them well-suited for polymer synthesis. Polymer chemists are working hard to transform.

MCRs into MCPs with the main goal to synthesize polymers effectively with proper structures, ordered sequences related to monomer units, and potential applications.³² All these goals incorporate easy operation, atom economy, high efficiency rate, and little waste production.³³ The restricted availability related to monomers, low molecular weight, and structural flaws that are brought on by various side reactions due to complexity of

reactions provide significant kind of difficulties in MCPs development.34 Despite of all these challenges and difficulties, effective MCPs have been established, this enables the polyester,35 poly(ester ether ketone),36 poly(ester-amide),37 polyether, 38 polyurethane 39 production etc. green monomers are considered as natural reagent having plentiful, affordable, environmentally friendly, nontoxic, renewable, and distinctive characteristics such as oxygen (O_2) , carbon dioxide (CO_2) , and water (H2O), in comparison to the standard kind of monomers that are being used in MCPs. In fact, organisms can easily use MCPs to transform all the green monomers into useful kind of biopolymers present under ambient conditions. Photosynthesis is a process that occurs in plants, algae, and some bacteria, allowing them to convert CO2 and H2O in the form of glucose molecules. These glucose molecules are then polymerized to form polysaccharides. Green monomers are the one that can easily be transformed into functional polymers by the process of simple polymerizations, this draws an inspiration from the wondrous processes related to nature. For example, CO2 is being employed to form polyesters, polycarbonates, and polyurethanes successfully.40-44 However, the addition of different heteroatoms results in producing polymers having intriguing biological or photophysical properties and its use in biomedical science, filed cutting-edge optics, and smart sensing materials, etc. 45-47 In this review, we present the synthesis of heteroatom polymers and alkyne or other reactions development such as Cu-catalyzed, catalyst-free, MCCP, MCTPs, green monomers, A³ coupling reactions, Passerini reactions, sequence-controlled multicomponent polymerization, and Ugi reactions, have gain significant attention due to their ability to offer convenient and efficient approach related to new functional materials synthesis, there is no doubt that MCP is regarded as a powerful tool that plays an important and crucial role in the functional polymers construction to meet the demands related to specialized applications. Furthermore, the advantages and disadvantages of different methods for synthesizing heteroatom-functional alkynes-based polymers are shown in Table 2 at the end of this review. It is clear that these reactions are a powerful tool that is used for functional polymers synthesis. This research offers a distinctive approach by streamlining and expediting the production of intricate heterocyclic polymers by the integration of many monomers within a single reaction step. This novel approach introduces new opportunities for the creation and production of sophisticated materials with customized characteristics and capabilities, leading to significant advancements in diverse scientific and technological fields.

2. The one-pot multicomponent combinatorial synthesis of heterocyclic polymers

2.1 Cu-catalyzed-based acetylenic synthesis of fused heterocyclic polymers

Heterocyclic polymers are a class of polymers that contain one or more than one heteroatom, for instance, oxygen, nitrogen or RSC Advances Review

sulfur, in their backbone.48 These heteroatoms can impart a variety of properties to polymers, including electrical, mechanical, and photophysical properties. The unique properties of heterocyclic polymers make them ideal for various applications, but the synthesis of heterocyclic polymers is an intricate process. Heterocyclic polymers are commonly synthesized using traditional methods that entail the direct attachment of heterocycles to the backbone of polymers. This can be a complicated process, and it is often limited by the following factors: the limited number of heterocyclic monomers and their low cost, complex multi-step processes, difficulties in multiple substituent incorporation, etc. The triple-bond-reliant polymerization process involves polymerizing monomers with triple bonds through a polymer backbone, which can then be utilized to form a heterocycle within the polymer backbone. This strategy offers advantages over traditional methods for synthesizing heterocyclic polymers. Aliphatic and aromatic heterocycles are two categories related to heterocyclic compounds. The most fundamental aliphatic heterocycle is piperidine, with six members, while its aromatic form is pyridine. Derivatives of these heterocycles often change carbon atoms or nitrogen to heteroatoms like nitrogen, sulfur, and oxygen. Six-membered heterocycles have higher stability rates and resistance to ringopening processes.49 Chemists widely prefer the one-pot synthesis strategy for its ability to improve reaction efficiency and yield. This is because all starting materials react in a single reactor, eliminating the need for time-consuming purification of intermediates and tedious synthetic procedures. The method is particularly beneficial for multicomponent one-pot polymerizations, simplifying the process. For example, the copperone-pot three-component catalyzed polymerization (Scheme 1A).50 This method efficiently prepares polymers that contain heteroatom N, O, S, and P with multiple functionalities. Diynes 1a, disulfonyl azides 2b, and iminophosphorane 3c polymerize smoothly under mild conditions at room temperature, producing regular and high molecular weight poly(phosphorus amidine)s P1. These polymers have a maximum weight of 85 600 g mol⁻¹ and a $M_{\rm w}/M_{\rm n}$ ratio of 2.89, with an excellent yield of up to 92%. The model compounds of phosphorus amidine showcase both properties of thermally activated delayed fluorescence, which is normally activated through heat, and aggregation-induced emission (AIE). These distinct features offer exceptional functionalities, which include high refractive indexes, fluorescence, and the ability to detect Pd²⁺ ions sensitively.50 One of the monomers can be subjected to modification, which, results in a straightforward yet a systematic and efficient technique to creating functional polymers containing heterocycles or atoms of S, N, or O was developed.51 These polymers were synthesized in a one-pot reaction involving either of 2-hydroxybenzonitrile 6 or 2-aminobenzonitrile 7, together with divnes 4a-e, disulfonyl azides 5bc, and were catalyzed by copper chloride and trimethylamine at room temperature (Scheme 1B).51 The resulting poly(N-sulfonylimine)s P2 had high molecular weights (up to 37700 g mol⁻¹) and a polydispersity index (PDI) of 2.85, and released only N2 as a byproduct, meeting the principles of green chemistry. The yields were also noteworthy, with successful harvests

Scheme 1 (A) Cu(i)-catalyzed polymerizations of diynes 1a, disulfonyl azides 2b, and iminophosphorane 3c generate polyphosphorus amidines P1. (B) Cu(i)-catalyzed MCPs of diynes 4a–e, disulfonyl azides 5b–c, and 2-hydroxybenzonitrile 6 or 2-aminobenzonitrile 7. (C) Cucatalyzed MCP toward PVSs P4. (D) Cu(i)-catalyzed MCR of alkyne, sulfonyl azide and NH $_4$ Cl.

up to 47 100 g/mol

producing up to 96%. In the MCP reaction, the polymerization of **4b**, **5b**, and 7 was proven to be successful with a yield of 82% within 0.5 hours. This was achieved by substituting 2-hydroxybenzonitrile **6** with 2-aminobenzonitrile **7**. The outcome resulted in the formation of poly(*N*-sulfonylimine)s **P3** that has aminoquinoline, a molecular weight of 32 800 g mol⁻¹, and a PDI of 2.13. The benefits of this polymerization method are

numerous, including its high atom detection efficiency, its resistance to temperature changes, its unique fluorescence, its selectivity in recognizing Ru3+, and its antibacterial qualities. Synthetic polymerization methods that incorporate multiple chalcogen chemical components are scarce due to ineffective synthetic methods. In the realm of polymer chemistry, a noteworthy leap was taken last year. A novel and inventive approach to MCP was introduced, which resulted in the triumphant integration of four separate chalcogens into polymers.⁵² The atoms of chalcogen, especially sulfur, are responsible for the high index of refraction towards poly(vinyl sulfones) (PVSs) P4. The values of PVSs are capable of being altered from 1.8898 to 1.5845 in a span of 400-900 nm by combining different monomers. These polymers have a propensity to imbue and release into the solid state, which could be employed to create fluorescent films that are uniform and intended for use in displays, optical memories, and imaging. They have a capacity for redox reactions and can be augmented through processes of oxidization. The procedure of treating hydrogen peroxide to the selenium in PVSs is effective at removing the metals (Scheme 1c).52 Besides that, Huang et al., (2020), developed a new synthetic technique for the heterogenous O, N, and S advanced functional polymers construction through using inorganic salts NH₄Cl via one-pot click polymerizations of diyne, disulfonyl azide, and NH₄Cl.53 The polymerization process were further catalyzed by CuI and Et₃N and carried out in CH₂Cl₂/tetrahydrofuran at room temperature under a nitrogen atmosphere in the presence of a basic medium, affording poly(sulfonyl amidine)s P5 with high molecular weights (up to 47 100 g mol⁻¹, $M_{\rm w}/M_{\rm p}=3.08$) in excellent yield (up to 96%) (Scheme 1D). Due to the ruthenium amidine moiety coordination action, the P6 usually exhibits impressive fluorescence quenching responses to Ru3+ and mostly functions as an effective fluorescent-based chemosensor. Under the same conditions, this polymer has no fluorescent reaction to other metal ions such as Ag⁺, Au³⁺, Cd^{2+} , Ce^{3+} , Fe^{3+} , Gd^{3+} , Mg^{2+} , Mn^{2+} , Ni^{2+} , Zn^{2+} , and Zr^{4+} , this indicates a high selectivity level toward Ru3+ as shown in Fig. 1A-C. As ruthenium compounds are used as catalysts for material creation, the selective detection of Ru3+ is considered crucial. But more exposure to Ru3+ and direct interaction with individuals can result in serious harm to their health.53 In addition to the previously mentioned click related to polymerizations in alkyne-based MCP, through palladium-catalyzed polycouplings of aryl boronic acids and internal diyne, perfluoroalkyl diodes in THF/H₂O mixtures at 39 °C for 12 h under nitrogen atmosphere, this can effectively produce a series of multi-substituted fluoropolydienes affording high molecular weight $(M_{\rm w}$ up to 69 400, $M_{\rm w}/M_{\rm p}=4.2)$, were formed in high yields (up to 90.3%), furnishing the predominant E-configuration. By using the technique related to spin-coating, polymers can be transformed easily into a thin luminous film, this can be done easily due to AIE feature from the Tetra Phenyl Ethane (TPE) moiety that is inserted in the structures. By using a copper photomask and UV-based light to irradiate the thin layer, a high-resolution 2D fluorescent photopattern was produced

fabricate heteroatom such as S, O, N and P-rich HBPs in situ using multifunctional alkynes 1a, disulfonyl azides 2, and commercially available N-protected isatins 3a act as nucleophiles. The process proceeds smoothly at room temperature or 30 °C with inexpensive catalysis of CuI, LiOH, or Na₂CO₃. After polymerization, HCl was easily be used to protonate the ionized polymer P7*, the resultant poly(N-acylsulfonamide)s P7 show high weight-average molecular weight (M_w up to 30, 600 g mol^{-1} , $M_{\text{w}}/M_{\text{n}} = 1.98$) and well defined structures(Scheme 2A). The polymers demonstrated excellent solubility, excellent filmforming ability, and increased refractivity. When LiOH and HCl were used, they underwent structural-based alterations that gave them reversibly tunable hydrophilicity as well. Notably, when the MCP is being carried out in the process of DMF along with CuI acting as the catalyst and Na₂CO₃, this act as the base, water is also added as the fourth component. Some poly(Nacylsulfonamide)s that contain oxindoles results in vellow to red emission when solid, and they have acceptable thermal stability with T_d values at 319 °C in 5 wt% weight loss under nitrogen gas.55 Han et al. (2018) developed a facile MCP method that uses terminal alkynes, disulfonyl azides, and Schiff bases as monomers. They demonstrated that the MCP method can be used to synthesize polymers with multi-substituted azetidine rings in the backbone. The MCP method that they developed uses terminal alkynes, disulfonyl azides, and Schiff bases as monomers. The monomers are first coupled to form azetidine rings, which are then polymerized using CuI as a catalyst. The polymers that are produced have high molecular weights, and they yield around 88.5% (Scheme 2B). Through an effective reaction related to acid-mediated ring-opening, the azetidine structure's distinctive ring tension enables the polymers to be easily converted into amidine or amide derivatives. This reaction is highly efficient, reaching 100% conversion within 30 minutes. The reaction usually benefits from strong functional group tolerance and good atomic economy. The azetidine structure's distinctive ring tension helps the polymers to be converted into amide and amidine derivative polymers efficiently, this reaches around 100% conversion in around 30 minutes. This characteristic usually broadens the architectures of various polymers, this allows for the construction of functional structures with adjustable properties. The research introduces a novel method for generating azetidine polymers, which is atom-efficient and exhibits strong functional group tolerance, making them easy to build, modify, and functionalize in situ.56 The electron-withdrawing effect related to the carbonyl group activates the isonitrile group in the monomer; as a result, the reaction can easily be achieved and carried out within 2 hours at room temperature. The resulting polyimidazole polymers had high molecular weights (up to 32 500 g mol⁻¹), an increased yield rate (around 94%), with excellent solubility. This polymerization related to single-component has the benefit of being a straightforward synthetic process free from all the influences related to monomer-based ratios.⁵⁷ Cheng and colleagues created another isocyanides polymerization process, the one starting from diisocyanoacetate by combining the compound with dialdehydes in CuCl/triphenylphosphine $(PPh_3)/N,N$ diisopropylethylenediamine (DIEA)

successfully.54 For instance, Xu and co-workers developed

a powerful MCP that provides straightforward access to

RSC Advances




Fig. 1 (A) Relative $PL(I_0/I)$ of P6 in the DMSO/water mixture with 60 vol% water contents versus different metal ions. $I_0 = PL$ intensity without metal ions. Polymer concentration: 6.8 mg L^{-1} . Metal ion concentration: 50 μ M. (B) PL spectra of P6 in the DMSO/water mixture with 60 vol% water contents in the presence of different concentrations of Ru^{3+} . (C) Stern-Volmer plot of relative intensity (I_0/I) vs. Ru^{3+} concentration. $I_0 = PL$ intensity without Ru³⁺. This figure has been adapted/reproduced from ref. 53 with permission from American Chemical Society, copyright 2020.

dichloromethane (DCM) presence. At room temperature, the reaction can easily be completed in 6 hours with an excellent yield (up to 97%) and moderate molecular weights of P8 that contains the oxazoline compounds (Scheme 2C).58 Zheng et al. suggest that 1,4,5-polytriazoles can be synthesized using multicomponent polymerization and interrupted synthesis, employing diynes, diazides, and electrophiles. This method yields high yields, M_n values, and excellent modification efficiency when utilizing Cu(MeCN)₄BF₄ catalyst, in base conditions and DMF serves as a solvent (Scheme 2D). It should be noted that inorganic CuI is not a suitable catalyst for this polymerization due to its poor solubility.⁵⁹ A transition-metalcatalyzed two-component polycouplings method has been developed for the synthesis of functional poly(isoquinoline)s. The method involves polyannulations of internal diynes and Oacyloxime derivative in methanol/THF mixture at 105 °C, with [Cp*RhCl₂]₂ and Cu(OAc)₂H₂O as catalysts and oxidants, producing poly(isoquinoline)s P9 in almost quantitative yields (Scheme 3A). This polymerization is suitable for various functional groups and can be carried out in a monomer nonstoichiometric balance circumstance. Highly poly(isoquinoline)s with tetraphenylethene units generates photopatterns and functions as a sensitive fluorescent

chemosensor for nitro-aromatic explosives. 60 An atomeconomical polymerization method using internal diyne and aryl diacid can produce functional isocoumarin-containing polymers P10. This process can be performed under nitrogen or air without loss of efficiency. In the presence of [Cp*RhCl₂]₂ and Cu(OAc)₂H₂O in dimethylformamide, a polymer with high molecular weight $(M_w \text{ up to } 42\,900, M_w/M_n = 3.99)$ was generated in high isolated yield (Scheme 3B). The polymer exhibits exceptional thermal stability, optical transparency, and filmforming capabilities, with high and UV-tunable refractive indices. It can create a two-dimensional fluorescent photopattern by irradiating a thin film with UV light, resulting in intense emission.61 A cascade oxidative polyannulation approach utilizing convenient diynes and commercially accessible benzoylacetonitrile was developed to generate multisubstituted poly(naphthopyran)s (PNPs) P11a-d/2b. The procedure was catalyzed in DMF at 90 °C by [Cp*RhCl2]2 and Cu(OAc)₂H₂O, resulting in polymers with high molecular weights and atom economy (Scheme 3C). PNP containing tetraphenylethene was emissive in solid state and increased in response to shear force and vapor fuming. PNPs are potential for application in fluorescence detectors for mechanical flaws and volatile organic substances, as well as security materials,

Scheme 2 (A) The Cu(ı)-catalyzed MCP of diyne 1a, disulfonyl azide 2, and N-protected isatin 3a for the synthesis of P7* and P7. (B) Cu(ı)catalyzed MCR toward 2,4-diiminoazetidine derivatives (C) dialdehydes and diisocyanoacetates were polymerized with Cul/PPh₃/DIEA. The polymerization was carried out in DCM under nitrogen at room temperature for 6 h. (D) Multicomponent polymerization towards 1,4,5polytriazoles.

$$A \qquad \qquad \underbrace{ \begin{bmatrix} \mathsf{Cp^*RhC_{l2}}_2 \,,\, \mathsf{K_2CO3} \\ \frac{\mathsf{Cu}(\mathsf{OAc}_2\mathsf{H_2O}}{\mathsf{THF/CH_3OH,(1:1v/v)}} \\ \end{bmatrix}}_{\mathsf{P9}}$$

Scheme 3 (A) A transition-metal-catalyzed two-component polycoupling of internal dignes and an *O*-acyloxime derivative towards poly(isoquinoline)s P9 (B) rhodium and copper-catalyzed oxidative polycoupling of aryl diacid and internal digne-generating isocoumarin-containing polymers P10 (C) a cascade oxidative polyannulation of dignes and benzoylacetonitrile towards multisubstituted poly(naphthopyran)s P11a-d/2b (D) a two-component click polymerization one-pot synthesis using *O*-alkylation, sodium azide, and alkyl/benzyl dibromides produces coumarins containing 1,4-polytriazols P12.

P12

due to their distinctive features.62 In order to synthesize heterocycle-based polymers, novel coumarins containing 1,4polytriazols P12 were synthesized by a two-component click polymerization method. During the process, O-alkylation, sodium azide, and alkyl/benzyl dibromides were use (Scheme 3D). Several high-molecular-weight polymers with good yields were synthesized, resulting in effective dye adsorbents with high selectivity.63 He Junnan, et al. developed Cu(1)-catalyzed MCP using diynes, sulfonyl azides, and a series of tumor microenvironment (TMEs)-responsive, cleavable diols to produce biodegradable poly(N-sulfonylimidate)s that respond differently to tumor microenvironments, exhibiting excellent degradation performance and high molecular weights. The conjugation of tetraphenyl porphyrin to polymer side chains enhances fluorescence intensity and singlet oxygen quantum yield for photodynamic therapy.⁶⁴ Additionally, a new synthetic methodology for imidazole-based cross-conjugated polymers has been developed using bimetallic Cu(I)/Rh(II) relay-catalyzed multicomponent polymerization. This process uses readily available monomers like arvl alkynes, azides, and arvl nitriles. The process starts with Cu-catalyzed azide-alkyne cycloaddition (CuAAC), followed by rhodium-catalyzed ring-opening/ transannulation of triazole intermediates. The new polymers have high molar mass, broad band gaps, and tunable optical making them ideal for organic electronic materials.65

Wang et al. created facile access to diverse functional polymers with multisubstituted small heterocycles for MCP using difunctionalizable alkynes, sulfonyl azides, and Schiff bases. The polymers demonstrated high stereoselectivity and stability, even after treatment with HCl and KOH. The azetidinederivative heterocycles can serve as chemosensors for Pd2+ and Cr₂O₇²⁻ detection.⁶⁶

2.2 Catalyst-free based acetylenic synthesis of fused heterocyclic polymers

Transition-metal-free polymerization is a challenging field that necessitates the development of innovative mechanisms that

don't rely on transition metals. It offers several advantages, including being environmentally friendly, being conducted under milder conditions, saving energy, reducing accident risks, and controlling properties. However, it requires the development of new and innovative polymerization mechanisms.67 Metal-free click polymerization and reversible addition-fragmentation chain-transfer (RAFT) polymerization are common transition methods used to create various polymers due to their cost-effectiveness, safety, and desirable properties, as metal catalysts are expensive, toxic, and their optical and electrical properties are typically affected by metal catalyst residues.68 Seven poly(O-thiocarbamate)s was obtained through this MCP. After optimizing the temperature, solvent, monomer feeding ratio, and concentration of the MCP related to sulfur, diols, diisocyanides, and sodium hydride as a catalyst (Scheme 4A), the outcomes in terms of optimum polymerization were obtained successfully. The MCP reaction was conducted in N,N'-dimethyl formamide (DMF) under nitrogen at 55 °C for 1 hour, with a 4:4:1 monomer ratio of sulfur, sodium hydride, and diol. The reaction produced a soluble polymer with a large molecular weight (M_w) of up to 53 100 g mol⁻¹ in 95% yield. These polymers possess high refractive indices (RIs) above 1.7 have been shown to be promising materials for fluorescent sensing of harmful metal cations. The addition of TPE moieties to polymers enhances their sensitivity and selectivity (P13 and P14) in detecting metal cations like Hg2+, as demonstrated in Fig. 2A and B.69 The structure of MCR, a polymer with similar elemental sulfur in monomers, depends on the reaction conditions. In 2019, Cao et al. reported a catalyst-free MCP of elemental sulfur, dicarboxylic acids, and diamines. This MCP is a one-pot reaction that constructs 12 polythioamides with great structural diversity, large molecular weights (Mw up to 86 200 g mol⁻¹), and excellent yields. The monomers used in this MCP are all commercially available or have abundant natural sources, making it a scalable and economically viable process. The reaction is also relatively mild, taking place at 60 °C in pyridine. Furthermore, the extraction efficiency of Au³⁺ (>99.99%) and Hg²⁺ (86.01%) of P15 and Au³⁺/Hg²⁺ was observed. The results

A S + HO R OH +
$${}^{\circ}C = N^{+} = C - NaH$$

$$B = C = N^{+} - R_{1} - N^{+} = C + \text{EtOOC} - \text{COOEt}$$

$$C = N^{+} - R_{1} - N^{+} = C + \text{EtOOC} - \text{COOEt}$$

$$C = N^{+} - R_{1} - N^{+} = C + \text{EtOOC} - \text{COOEt}$$

Scheme 4 (A) Multicomponent polymerizations of sulfur, diols, and diisocyanides (B) multicomponent spiropolymerization of diisocyanides, activated alkynes, and bis-anhydrides.




Fig. 2 Plots of relative PL intensity *versus* water fractions (by volume) in THF/water mixtures of (A) **P13** and (B) **P14**. Concentration of polymers: 10μ M. Excitation wavelength: 360μ M. This figure has been adapted/reproduced from ref. 69μ M with permission from American Chemical Society, copyright 2021.

indicate that P15 was able to selectively extract Au3+ from a mixed solution of 16 different metal ions with an extraction efficiency greater than 99.99%, whereas the extraction efficiency for Hg²⁺ is only 7.01% and for the other metal ions it is below 1.71%. Regarding the colored solutions, the (Fig. 3A-C) below show that Cr^{3+} , Fe^{3+} , Co^{2+} , Ni^{2+} , and Cu^{2+} showed no significant change, although the color faded for Au3+ exclusively. Polythioamides can, therefore, recover Au³⁺ under practical acidic conditions rapidly, efficiently (>99.99%), selectively, and with increased capacity (0.60 g Au³⁺ per g). Sulfur-containing polymers have a number of potential advantages over traditional polymers, including high performance, economy, and functionality, which have attracted significant interest in recent years. 70 Aromatic polythioamides with intriguing features and a unique ability to coordinate metals are a type of sulfurcontaining polymer that has attracted significant interest in recent years. Polythioamides can, therefore, recover Au³⁺ under practical acidic conditions rapidly, efficiently (>99.99%), selectively, and with increased capacity (0.60 g Au³⁺ per g). Yang Hu et al. (2023) reported the functional aromatic polythioamides synthesis from a wide and economical source of elemental sulfur, aromatic diamines, and aromatic dialdehydes in the presence of potassium hydroxide and pyridine at 110 °C with high molecular weights of up to 54 700 g mol⁻¹ and high yields. The MCP method was utilized to synthesize polythioamides, which are highly effective for gold extractions due to their excellent thermal stability, solubility, and high thin film-light refractivity.71 As well, in a similar manner, MCP of benzoxazine-isocyanide and thioacetamide as a suitable sulfur source at room temperature (RT) generates phenolic linear polythioamides (PTAs). Further, during post-polymerization, polybenzoxazine was also modified to yield a thioamide segmented polymer. Cross-linked polythioesteramide derivatives were established by mixing the representative that produced polythioesteramides with trimesoyl chloride (TMC). Due to various

affinitive units of Pb²⁺ (thioamide, amide, phenolic hydroxyl, tertiary amine, and carboxyl) in a cross-linked polythioesteramide structure, this material was also investigated as a Pb²⁺ electrochemical probe. Through this work, novel PTAs can be produced in mild conditions, modified structurally, and functionally applied in innovative methods.72 There has been a recent interest in the selenium-containing polymers development due to their potential applications in a variety of fields. Wu et al., (2021) synthesize alicyclic poly(oxaselenolane)s from elemental selenium, diisocyanides, and dipropargyl alcohols showing good yields, thermal stability, and processability at room temperature in THF serve as solvent.73 Peng et al.'s (2022) study demonstrated that reaction customization can be utilized to explore one-pot Se-based polymerizations, and selenium (Se) is converted directly into functional polymers with unique heterocycles containing Se. The organic reactions of Se and alkynone were modified, and the reaction conditions, including the base, solvent, temperature, and procedure, were tailored for the synthesis of polymers to use elemental Se as the cheap source for the in situ construction of Se-containing heterocycles in the polymer backbone. In DMF that involves using Cs₂CO₃ as the base, effective transition metal-free room-temperature polymerization of Se and alkynones was quickly established; this yielded well-defined regioselective poly(1,4-diselenin)s with high molecular weights. To efficiently develop aromatic polyselenophene, one-pot cyclization-oxidation and two-step tandem polymerization related to selenium and alkynone were also accomplished. Such polymerizations exhibited high selectivity, increased efficiency levels, and environmental benefits. They also created nonaromatic 1,4-diselenide or aromatic selenophene heterocycles in situ in the polymer main chain under specific circumstances. It also resulted in creating multiple new bonds as well as a heterocycle in each polymer repeating unit. There were two distinct alkyne moieties and Se Poly(1,4-diselenide)s atoms each reaction.




Fig. 3 (A) Selective extraction of Au³⁺ by P15 in an aqueous solution with 16 mixed metal ions. Inset: six colored metal ion solutions before and after the treatment with P11. $[Mn^+]^0 = 100 \text{ mg L}^{-1}$, $VMn^+ = 10 \text{ mL}$, mP11 = 10 mg. (B) The initial concentrations of Ni^{2+} , Cu^{2+} , and Au^{3+} and the selective extraction of Au³⁺ by P15 from the leaching solution of a discarded CPU. (C) The gold recovery process with P15. This figure has been adapted/reproduced from ref. 70 with permission from American Chemical Society, copyright 2020.

straightforwardly changed to polyselenophenes after oxidation, and the different outflow qualities of these polymers enabled constant fluorescence observation at room temperature. Moreover, poly(1,4-diselenin)s and polyselenophenes showed exceptional dissolvability, processability, chemical stability, a unique property in terms of photophysical properties, and a high refractive index (up to 1.8487 at 633 nm). This is possible due to their distinctive structural features, which make them promising useful materials.74 Recently, Zhu et al. (2022) presented a comprehensive investigation on the synthesis of the spiropolymer, incorporating the compound benzophenone. This synthesis was achieved through a metal-free multicomponent spiropolymerization (MCSP) process conducted at room temperature. The reaction involved the combination of diisocyanides, activated alkynes, and bis-anhydrides under conditions that were not excessively harsh (Scheme 4B). It is noteworthy to mention that spiropolymers were obtained with significant yields (up to 92%), exhibiting elevated molecular

weights ($M_{\rm w}$ up to 92 600 g mol⁻¹), and demonstrating notable thermal stability. The compound demonstrates favorable solubility along with aggregation-induced emission properties, which contribute to its notable performance in degrading under UV irradiation. Consequently, it holds promise as a viable component for photoresist materials. These polymers possess an iminofuran ring that is susceptible to degradation when exposed to strong acids. Conversely, some polymers exhibit enhanced degradation efficacy owing to their water solubility. Based on the findings, it can be concluded that they exhibit low cytotoxicity and possess the potential to serve as drug carriers for safeguarding the gastric mucosa against acid-induced release. Hence, this chemical reaction facilitates the expansion of MCSP reactions capable of synthesizing multifunctional spiropolymers, thereby expediting the advancement of polymerization techniques.75 Moreover, Ren et al. (2022) conducted a study wherein they successfully synthesized a range of poly(1,4-dihydropyridine)s (PDHPs). This was achieved through

RSC Advances Review

a metal-free multicomponent polymerization process involving diacetylenic esters, benzaldehyde, and aniline derivatives, all combined in a one-pot reaction. The PDHPs lacking conventional luminescent units were imbued with adjustable triplet energy levels through the phenomenon of through-space conjugation resulting from the formation of various cluster sizes. The presence of large and compact clusters has been observed to significantly enhance the extension of the phosphorescence wavelength. Room-temperature phosphorescence can be achieved by employing benzophenone as a rigid matrix to stabilize the triplet excitons. The nonconjugated polymeric clusters have the ability to exhibit phosphorescent emission with a wavelength of up to 645 nm. An experimental investigation using a combination of static and dynamic laser light scattering techniques to gain a deeper understanding of the structural characteristics of clusters formed within the host matrix melt.76 In addition to this, Dong et al. (2021) performed a study in which they observed a catalyst-free and spontaneous Michael addition polymerization process for nonconjugated poly(β-aminoacrylate)s. This process involved the utilization of terminal diyne, diisocyanates, and imidazoles as monomers and was carried out at room temperature. The poly(β-aminoacrylate) obtained without conventional AIE agents exhibited characteristics, displayed the characteristic behavior of AIE, and demonstrated notable fluorescence properties that were dependent on the excitation wavelength. These observations can be attributed to the emissions triggered by clusterization. The observed increase in the fluorescence quantum yield (ΦF) was directly proportional to the polymer concentration in tetrahydrofuran (THF) solutions. Specifically, the ΦF values increased from 5.54% at a concentration of 10×10^{-6} m to 10.13% at a concentration of 1×10^{-3} m.⁷⁷ Furthermore, a catalyst-free, one-pot multicomponent spiropolymerization technique was developed for synthesizing spiropolymers using diisocyanides and alkynes, with CO2 as the monomer. The resulting spiropolymers have high weight-average molecular weights and a maximum yield of 87.7%, with a spiro structural unit in the main chain, specifically 1,6-dioxospiro4 nonane-3,8diene, accompanied by various types of spacer groups. The newly developed MCS reaction can be considered an atomeconomic polymerization process. It holds promise as an initial step in the synthesis of spiropolymers and exhibits significant potential for various applications in the field of materials science. This mainly reflects that a catalyst-free method has been developed for spiropolymer synthesis, yielding a higher-molecular-weight with potential applications within the materials science field.⁷⁸ Moreover, in the Dong et al. (2022) research study, highly substituted poly(fluoropyrimidine) s were polymerized using diisocyanates, N,N'-diethyl barbituric acid, and dialdehyde without any catalyst. The researchers thoroughly investigated various experimental conditions, including solvents, temperature, and time. Through systematic optimization of these conditions, they succeeded in obtaining polymers with molecular weights as high as 16 400 g mol⁻¹ and achieved excellent yields of up to 84%. The researchers also examined the thermal properties of the polymers and found that the decomposition temperature $(T_d, 5\%)$ is 277 °C.

Additionally, the structure of polyfluoropyrimidines may have been used in biopharmaceuticals.79 In order to synthesize a variety of polythioamides with well-defined structures and high molecular weight, Tang et al. explored this catalyst-free, 100% atom-productive procedure on a mixture of aromatic diynes, sulfur, and aliphatic diamines.80 By applying this catalyst-free method to a mixture of activated diyne, electrophilic styrene, and isocyanide for the preparation of highly substituted poly(cyclopentadiene), under mild conditions. High-molecular-weight polymers that are soluble and thermally stable can be produced in large quantities. A polymer with distinct AIE properties can be formed by adding a tetraphenylethene or triphenylamine moiety to its backbone. Interestingly, AIE polymers can also be produced in situ with monomers other than AIE. A photoresist can also serve as a visualizing agent to stain live cells' lipid droplets specifically.81 The metal-free polycycloaddition technique produces high molecular weights ($M_{\rm w}$ up to 166 000, $M_w/M_p = 3.20$) soluble polytriazoles (PTAs) or neat conditions without protection from oxygen and moisture efficient perfluorophenylazide-alkyne cycloaddition. The solvent used significantly impacts the regularity of the generated PTAs. Polymerizations in aromatic solvents like toluene and benzene yield more 1,4-regioisomers due to the arene-perfluoroarene interaction.82 Metal-free 1,3dipolar polycycloadditions of 4,4'-isopropylidenediphenyl diphenylpropiolate and tetraphenylethene-containing diazides dimethylformamide generate two soluble phenyltriazolylcarboxylate)s (PPTCs) with huge molecular weights. These polymers, which are soluble in organic solvents and have a thermal stability of 5% at temperatures over 375 °C, can be used as fluorescent chemosensors and are highly effective for high-sensitivity explosive detection due to their luminous properties when aggregated.83 Furthermore, the Tang group developed a simple and effective method for thiol-yne click polymerization without external catalysts or heat. They mixed aromatic diynes 15a-e with dithiols 16 and 17 to create functional poly(vinylene sulfide)s (PVSs) with high molecular weight. PVSs with high regioregularity were only produced during polymerization. The molecular weight decreased dramatically when c-terpinene was added, indicating freeradical polymerization. PVSs are highly refractive in the 400-1600 nm wavelength region.84 These methods are utilized to generate heterocyclic heteroatom polymers.

2.3 Multicomponent cyclopolymerization (MCCP) based acetylenic synthesis of fused heterocyclic polymers

Multicomponent cyclopolymerization (MCCP) offers advantages over other polymerization methods, including *in situ* fabrication of new ring units and one-pot heterocyclic polymer synthesis. It is widely used in coatings, photoelectric materials, controlled drug release, and gene transport processes, making it an effective and efficient method. In 2021, Wang *et al.* reported one-pot catalyst-free synthesis producing a series of soluble PMDs as poly(maleimide)s with excellent $M_{\rm w}$ values and high yields via activated alkynes, diisocyanides, and diisocyanates at 80 °C after 6 h (Scheme 5A). All these polymers have

A
$$O = C_{N-R_1-N^+=C^++R_2OOC} - COOR_{2+DHC-R_3-CHO} - COOR_{2+DH$$

Scheme 5 (A) Multicomponent cyclopolymerization of diisocyanatos, activated alkynes and diisocyanide (B) multicomponent cyclopolymerizations of diisocyanides, activated alkynes, and 1,4-dibromo 2,3-butanedione towards poly(iminofuran)s. (C) Synthetic route to poly(amine-furan-arylene)s.

outstanding capabilities related to film-forming, good thermal stability with T_d up to 312 °C, and high refractive indices (RI) with values that range from 1.614 to 1.710 at 632.8 nm in their high-superiority thin films.85 In their study, Zhu Guinan, et al. offered MCCP of diisocyanides, activated alkynes, and 1,4dibromo-2,3-butanedione 6 with a catalyst-free process, taking place in the presence of toluene under air for 6 h at a temperature of 100 °C. High-molecular-weight poly(iminofuran)s (PIFs) with well-defined structures were produced in situ in good yields (up to 89.5%) and at $M_{\rm w}$ up to 19 600 g mol $^{-1}$ (Scheme 5B). The resilience related to this MCP was demonstrated by investigating various monomers that were present under optimal circumstances. The normalized UV absorption spectra of PIFs were then measured in THF due to the conjugated architecture of C=C that was connected to C=N in their backbone chains. It shows peaks related to absorption wavelength that were caused by the carbonyl group's $n-\pi^*$ transition additionally, clustertriggered emission characteristics can be observed with polymers under UV irradiation. Thin films are usually made from PIFs that degrade quickly. Furthermore, the produced polymers that contain carboxylate and bromomethyl side chain decorations can easily be post-functionalized to establish polymers with star branched and biomedical constructed carriers, among other multifunctional materials. PIFs containing iminofuran rings have a prospective use in bioimaging functioning and therapeutics. They are also considered ideal lithographic materials, as they are easily degraded into low-molecular-weight volatile compounds when they are exposed to UV light.86 Fu and Weiqiang et al. used a catalyst free of diisocyanide, dialkylacetylene dicarboxylates, and dialdehyde to efficiently perform a mechanistic polymerization in toluene, resulting in

high molecular weight poly(amine-furan-arylene)s. Modified furan-containing polymers give high atom economy with increased thermal stability and properties related to film processing (Scheme 5C).⁸⁷ In the same manner, photodegradable poly(furan-amine)s (PFAs) series were synthesized from diisocyanide, dialkylacetylene dicarboxylates, and aromatic dialdehyde at 100 °C for 6 hours without inert gas protection. These PFAs have high refractive indices in the visible light range (400 nm to 800 nm) and can easily degrade into volatile products or residual fragments under ultraviolet light. Furan rings significantly degrade PFAs under UV irradiation, reducing over 90% of the film thickness.⁸⁸

2.4 Green monomers based acetylenic synthesis of fused heterocyclic polymers

As a natural, abundant, nontoxic, and environmentally friendly reagent, green monomers serve as a great resource to allow polymers to be created that will have functional properties.89 Monomers with triple bonds consist of alkynes, cyanides, and isocyanides, etc. The chemical properties of triple-bond monomers differ greatly from those of vinyl monomers.90 There have been numerous organic reactions using CO2 and triple-bond compounds; despite this, a few polymerizations have been investigated.91 The isocyanide monomer is a significant triplebond monomer that can be utilized to create innovative CO2based polymers. For example, Liu et al. (2021) developed a new multicomponent polymerization of CO₂, diisocyanides, and bis(2iodoaniline)s to synthesize new heterocyclic polymers (Scheme 6A). The polymers also had solubility and were thermally stable, and they self-assembled into spheres having a size range of around 200-1000 nm due to the interactions of hydrogen

$$D = \begin{pmatrix} R_2 \\ R_1 \end{pmatrix} + \begin{pmatrix} O_2 \\ (balloon) \end{pmatrix} Pd(OAc)_2, ZnCl_2 \\ (balloon) Perfluorodecain, DMAc \end{pmatrix} R_2 + \begin{pmatrix} R_2 \\ R_1 \end{pmatrix} + \begin{pmatrix} R_2 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_1 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_2 \\ R_1 \end{pmatrix} + \begin{pmatrix} R_1 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_2 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_1 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_1 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_2 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_1 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_2 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_2 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_1 \\ R_2 \end{pmatrix} + \begin{pmatrix} R_2 \\$$

$$E \xrightarrow{\text{Ar} - \text{Ar} - \text{S} - \text{Ar} - \text{S} - \text{Ar} - \text{S} - \text{Ar} - \text{S} - \text{N}_3 + \text{H}_2\text{O} + \xrightarrow{\text{OH}} \xrightarrow{\text{green one-pot}} \xrightarrow{\text{rin air}} \xrightarrow{\text{in air}} \xrightarrow{\text{NH} - \text{S} - \text{Ar}} \xrightarrow{\text{NH} - \text{S} - \text{Ar}$$

Scheme 6 Synthesis of heterocyclic polymers derived from green monomers (CO₂), (O₂), (H₂O) and triple-bond monomers.

bonding related to amide groups present in the main chains. The polymers also had AIE features, which made them fluorescent probes that could be used to sensitively detect Au(III) ions. The MCP was performed under 1 atm level of CO_2 in a N,N-dimethylacetamide (DMAc) solution present at 80 °C for 18 h using $PdCl_2$ and PPh_3 as the catalyst precursors. P^2 A lower reactivity was

observed for internal alkyne monomers when compared to terminal alkyne monomers. Recently, Song *et al.*⁹³ succeeded in polymerizing CO_2 and internal alkyne monomers using a CuI/7-methyl-1,5,7-triazabicyclo[4.4.0]dec-5-ene (MTBD) catalytic system (Scheme 6B). Carboxylation, cyclization, and esterification are considered three sequential processes that are mostly

combined in the procedure. The MCTP reactions can easily be carried out in DMAc at atmospheric pressure, and the resultant poly(β-alkoxyacrylate)s usually exhibit increased temperatures related to the decomposition process and good thermal stability. Up to 96% of them were obtained with high yields. Such products also demonstrate the effect related to polymerization-induced emission (PIE) and the ability of non-luminescent monomers to become poly(alkoxyacrylate)s that are active in AIE.93 In addition, the polymerization of CO2 and internal alkyne monomers toward poly(2-pyrones) was demonstrated via Tsuda et al. In a mixture of THF and MeCN, nickel(0) complexes catalyzed the polymerization. The R9 group in the diynes is required to be aromatic or aliphatic, containing more than 5 carbon atoms, to avoid the intramolecular cyclization process. Under similar conditions, CO₂ reacts with the cyclodivne monomer to form ladder poly(2pyrone) (Scheme 6C). The resulting poly(2-pyrone) has outstanding heat resistance, and under nitrogen gas, its decomposition temperature exceeds 420 °C.94 It is vital to utilize O2 efficiently as a monomer in the production of functional products. Oin et al. synthesized soluble poly(tetrasubstituted furan)s in N,N-dimethylacetamide and perfluorodecalin using Pd(OAc)₂/ $ZnCl_2$. High yields of weight-average molecular weights (M_w) were obtained (Scheme 6D), with two-photon absorption crosssections up to 1570 g. These polymers have applications in optoelectronics and biology.95 Tang et al. (2017) described their work using MCP to synthesize polymers from a green monomer, diyne, disulfonyl azide, water, and ethanol. They found that this reaction could be catalyzed by using copper iodide (CuI) and triethylamine (Et₃N) at room temperature. The resulting polymers had high molecular weights (up to 83 900 g mol⁻¹) and good yields (up to 96%). The first attempt to polymerize diyne, disulfonyl azide, and water resulted in insoluble products. This was likely due to the extensive hydrogen bond formation that was present between the polymer chains, which caused them to crosslink. Adding alcohol to the mixture of reactions helped improve the polymer solubility by decreasing the hydrogen bonds. This was because the alcohol molecules could compete with the polymer chains for the hydrogen bonds, which weak-

2.5 Multicomponent tandem polymerizations (MCTP) based acetylenic synthesis of fused heterocyclic polymers

ened the interactions between the chains. Additionally, the flex-


ible groups related to ethoxyl in the alcohol molecules also helped

to increase the polymer solubility (Scheme 6E).96

In MCPs, monomers and catalysts are combined in a single reaction system, resulting in a one step process. It is important to prevent interference between the components to minimize unwanted side-reactions. The development of efficient MCP systems is challenging due to the limited range of monomers and reaction options available.⁹⁷ To overcome this limitation and enhance the versatility of MCPs, researchers have introduced multicomponent tandem reactions to improve the versatility of MCPs. These reactions offer high efficiency rates, accept multiple functional groups, and are atom-efficient. Unlike MCPs, MCTPs combine multiple steps in a predetermined order, producing sequential reactions without the

isolation of reactive intermediates.98 For example, to synthesize 12 poly(indolone)s with a distinct architecture and high molecular weights ($M_{\rm w}$ up to 30.4×10^3 g mol⁻¹) in high yields, the MCTPs of N-(2-iodophenyl)-3-phenyl-N-tosylpropiolamide, aromatic terminal alkynes, and diamines were investigated. These polymers exhibit a distinct fluorescence "turn-on" response when exposed to acid (Scheme 7A).99 Recently, various studies have been made on heterocyclic polymers tandem polymerizations, such as poly(tetrahydropyrimidine)s, (PTHPs) that do not require a catalyst. In order to create PTHPs, Wei et al. (2023) examined the catalyst free MCTP creation by using aliphatic diamines, activated alkynes, and formaldehyde. The resultant PTHPs showed the well-defined structures, high molecular weights (up to 57 700 g mol⁻¹), good yields (up to 84%), and satisfactory thermal stability from the MCTP, it was then carried out at 60 °C in the presence of methanol in air (Scheme 7B). Through the MCTP was then distinguished by the use of its available monomers, high efficiency rates, affordability, absence of catalyst and moderate operating conditions. This research has offered a quick and environmentally friendly method to create PTHPs with adjustable anchoring features this study highlights the advantages of the MCTP, including its catalyst-free nature, use of commercially available monomers, and ability to synthesize PTHPs with varying molecular weights and thermal stability.100 It is definitely possible to control polymer sequence structures by adjusting the feeding sequence depending on the reaction preference between the thiol/amino and vinyl/alkynyl groups. By controlling the sequence of alkyne and amine, functional polymers can be prepared easily and efficiently. The amino-yne click polymerization is also compatible with other reactions, which makes it suitable for multicomponent tandem polymerization coupled with ring-closing reactions for the synthesis of poly(aminomaleimide)s (PAMs) with non-traditional intrinsic luminescence characteristics (Scheme 7C). As fluorescent probes for bioimaging, the PAMs exhibited low cytotoxicity.101 Polypyrazoles containing heterocycles have been synthesized through a single-pot, one-step process utilizing the highly efficient MCTP of alkyne, carbonyl chloride, and hydrazines/aromatic diynes through a combination of Sonophashira coupling and Michael addition, resulting in a cyclocondensation reaction. High molecular weight (M_w) up to 19 400 g mol⁻¹ in high yields (Scheme 7D). Excellent solubility, processability, thermal stability, light transparency, refractive, and luminescence behavior are all characteristics of these polymers.102 Additionally, conjugated poly(dienemerocyanine)s with sufficient molecular weights (M_w up to 10.9×10^3 g mol⁻¹) and higher yields (up to 81%) were generated using one-pot MCTPs of alkynes, carbonyl chloride, and Fischer's base (Scheme 7E). Due to the diene merocyanine moiety being susceptible to AIEgen, it inherits polymers with high thermal stability and solubility, along with AIE activity. 103 Wei et al. (2017) highlighted a new method for sequencecontrolled luminescent polyheterocycles synthesis. The method is based on activated internal alkynes, aromatic diamines, and formaldehyde activation. The reaction of MCTP usually proceeds through various steps, incorporating the alkyne-amine click reaction, the imine-formaldehyde

RSC Advances Review



Scheme 7 (A) MCTP of N-(2-iodophenyl)-3-phenyl-N-tosylpropiolamide, terminal diynes and diamines for the construction of poly(indolone)s. Acid-responsive to CF_3SO_3H . This figure has been adapted/reproduced from ref. 99 with permission from American Chemical Society, copyright 2019. (B) MCTP of aliphatic diamines, activated alkyne and formaldehyde. This figure has been adapted/ reproduced from ref. 100 with permission from John Wiley and Sons, copyright 2023. (C) An investigation of the non-traditional intrinsic luminescent poly(aminomaleimide)s (PAMs), fluorescent images of PAMs in solution state and aggregate state, was linked with the merged confocal colocalization images of HeLa cells stained with PAMs. This figure has been adapted/reproduced from ref. 101 with permission from American Chemical Society, copyright 2020. (D) MCTP of aromatic alkynes, carbonyl chloride, and Fischer's base generates poly(diene merocyanine)s. This figure has been adapted/reproduced from ref. 102 with permission from John Wiley and Sons, copyright 2019. (E) Synthetic routes for polypyrazole. This figure has been adapted/reproduced from ref. 103 with permission from American Chemical Society, copyright 2016. (F) MCTP of alkynes, amines, and formaldehyde towards sequence-controlled polymers. This figure has

condensation reaction, and the cyclization reaction. The resulted polymers have increased molecular weights (up to 69 800 g mol⁻¹) and high yields (up to 99%) (Scheme 7F). They demonstrate that the MCTP reaction can be used to synthesize a variety of different polyheterocycles, including tetrahydropyrimidines and dihydropyrroles. The polymers have inherent luminescence, which is due to the presence of the imine groups in the backbone. They also showed that monomers sequences in the polymer can be controlled by the sequence in which the monomers are added to the reaction mixture. 104 Tang et al. investigated MCTPs for the fabrication of conjugated polymers (CPs). They discovered it's possible to produce functional CP materials from MCTPs by using the three-component reaction of alkyne, aryl chloride, and ethyl 2-mercaptoacetate catalyzed by Pd(PPh₃)₂Cl₂ and CuI (Scheme 7G). Under mild room temperature conditions, it produces poly(arylene thiophenylene) with high yields (up to 97%) and molecular weights $(M_{\rm w} \text{ up to } 156\,000 \text{ g mol}^{-1})$. The polymer was utilized as a delicate and specific fluorescent chemosensor for Ru3+, with quenching constants up to 8.8 × 10⁵ L mol⁻¹, demonstrating the effectiveness of MCTPs in combining different processes under agreeable conditions into a single pathway related to polymerization, resulting in a polymer with various topologies.105 Hu and Tang et al. also reported the four-step MCTPs of diyne, guanidine hydrochloride, DMSO, and O2 that result in conjugated poly(pyrimidine)s (Scheme 7H). It is characterized by its well-structured and adjustable components. By combining Glaser coupling-nucleophilic addition-heterocyclization-oxidation reactions. These studies have shown the MCTPs' promising potential, which shows the ability to combine various reactions under favorable conditions into a single polymerization pathway to create polymers with a range of structures. The exploitation of such polymer architectures has significantly increased. 106 Table 1 summarizes heterocyclic polymers constructed by acetylenic multicomponent polymerizations and their applications.

2.6 Multicomponent A³ coupling reactions based acetylenic synthesis of fused heterocyclic polymers

In the past few years, transition metal-catalyzed three-component reactions of aldehydes, alkynes, and amines, also known as A³ coupling, have become a powerful tool in organic synthesis. These reactions produce valuable N-containing heteroatom polymeric propargylamine products using an atom-economic approach. A great number of transition metal catalysts, such as Cu, Ag, and Au, have been used for the A³ coupling process.¹⁰⁷ In order to construct fused-conjugated polymers with imidazo[2,1-b]thiazole units by using MCP

been adapted/reproduced from ref. 104 with permission from American Chemical Society, copyright 2017. (G) Synthetic route toward poly(arylene thiophenylene) by Tandem polymerization. This figure has been adapted/reproduced from ref. 105 with permission from American Chemical Society, copyright 2014. (H) MCTP synthesis of structure-controlled pyrimidine derivatives and poly(pyrimidine)s. This figure has been adapted/reproduced from ref. 106 with permission from American Chemical Society, copyright 2018.


Table 1 Heterocyclic polymers constructed by acetylenic multicomponent polymerizations and their applications

| | | | | Polymerization conditions | conditions | | | |
|--|--|---|---|---------------------------|------------|----------------------------------|--|------|
| Name/structure | Catalyst ligand | Solvent | Base | Temperature | Yield | $M_{ m wt}$ | Applications/properties | Ref. |
| Polytriazoles (1,4,5- PTAs) | $\mathrm{Cu}(\mathrm{MeCN})_4\mathrm{BF}_4$ | DMF | <i>N,N</i> -Diisopropylethylamine | Room temperature | 95% | $280100~{ m g\ mol^{-1}}$ | Laboratory explores macromolecular ligand/metal | 59 |
| Azetidine-derivative heterocycles | CuI | Triethylamine $(\mathrm{Et}_3\mathrm{N})$ | 2,6-Lutidine | Room temperature | %89 | $13600~{ m g\ mol^{-1}}$ | Communications Ion-responsive fluorescence | 99 |
| | | | | | | | chemosensor for Pd^{2+} and $Cr_2O_7^{2-}$ | |
| Coumarin containing 1,4-polytriazoles | Copper(ı) acetate | DMF | $\mathrm{Cs_2CO_3}$ | Room temperature | 83- 93% | 20 080– 46 340 g/ mol | Selective and efficient dye adsorbent | 63 |
| Poly(β-alkoxyactylate)s | CuI | <i>N,N-</i> Dimethylacetamide | 7-Methyl-1,5,7- triazabicyclo[4.4.0]dec- 5-ene (MTBD) | | %96 | $15400~\mathrm{g~mol^{-1}}$ | Undergo the conversion of CO ₂ into luminescent polymers shows aggregation-enhanced emission (AEE) property | 93 |
| Poly(phosphorus amidine)s | CuI | Tetrahydrofuran (THF) | I | Room temperature | 95% | $85600~{ m g\ mol^{-1}}$ | High refractivity with small chromatic dispersions; selective chemosensor for Pd ²⁺ ion | 20 |
| Poly(imidazole)s | $CuTC$, $Rh_2(Oct)_4$ | Chloroform | I | 75 °C | 83- 98% | 375.8 kDa | Optical properties and organic electronic materials | 65 |
| Functional oxazoline- containing polymers | CuI/PPh ₃ /DIEA | Dichloromethane | I | Room temperature | %26 | $11200~\mathrm{g~mol^{-1}}$ | Fluorescent chemosensors for Fe ³⁺ ion detection | 28 |
| Poly(diene merocyanine)s | $Pd(PPh_3)_2Cl_2$, CuI | THF, Et ₃ N | Fischer's base | Ç 08 | 81% | $10900~{ m gmol^{-1}}$ | Aggregation-enhanced emission (AEE) features | 103 |
| Poly(indolone)s | $Pd(PPh_3)_2Cl_2$, CuI | THF | $i\text{-}Pr_2NEt$ | Room temperature | %26 | $30400~{ m g~mol^{-1}}$ | Selective response to CF ₃ SO ₃ H | 66 |
| Poly(arylene thiophenylene) | $\mathrm{Pd}(\mathrm{PPh_3})_2\mathrm{Cl}_2/$ CuI | THF, Et_3N | I | Room temperature | %26 | $156\ 000\ \mathrm{g\ mol^{-1}}$ | Fluorescent chemosensor for Ru³+ | 105 |
| Poly(N-sulfonylimidate) s | Cu(i), TEA | THF | 1 | Room temperature | %96 | $12000~\mathrm{g~mol^{-1}}$ | Responsive to various tumor microenvironment (pH, reducing reagent, ROS) | 64 |
| Poly(pyrimidine)s | CuCl, <i>N,N,N',N'-</i> tetramethyl ethylenediamine | o-DCB or DMSO | CS ₂ CO ₃ | Room temperature | 87% | $25300~\mathrm{g~mol^{-1}}$ | Hydrophobicity; high thermal stability ($T_{\rm d}$ up to 529 °C) | 106 |
| Poly(amine-furan- arylene)s | | Toluene | I | 100 °C | 91.2% | 76 400 g mol ⁻¹ | Black material | 87 |

RSC Advances Review


related to heterocyclic diazoles, dialdehydes, terminal alkynes, or alkynecarboxylic acids, Cai Zhang and coworkers established a straightforward and efficient method. They improved various polymerization parameters, for instance, solvent, concentration of monomer, temperature, and catalyst quantity. It was then discovered that 0.05 M monomer present in the DMSO solvent with 0.2 equivalents of CuI catalyst, agitated at 80 °C for around 72 hours, the best combination used for the reaction. The polymerization process was executed smoothly, producing polymers were furnished with average yields and molecular weights of 5.7×10^4 g mol⁻¹. The resulting polymers, bearing the unique heterocycle section, displayed good solubility, significant optical activity, and low energy bands, indicating their prospective use in the photoelectric area. 108 Further, Yan et al. developed a copper(11)-bipyridine complex immobilized on amphiphilic polystyrene-poly(ethylene glycol) resin in 2019 as a catalyst for the three-component coupling of aldehydes, ketones, amines, and alkynes to produce propargylamines. Propargylamine was produced at a high yield of 96% under solvent-free conditions. Ketones can also be used in place of aldehydes, and the process was tested with various substrates.109 Bukowska et al. (2020) developed a method for synthesizing catalytic systems using a polymer gel with epoxy functionalities. The gel-type microscopic polymer beads were decorated with polyamidoamine-type dendrimers and heterocyclic aldehydes. The A³ coupling reaction of benzaldehyde, morpholine, and phenylacetylene was conducted using these polymeric supports. The polymeric catalysts with 2-pyridinecarboxaldehyde moieties effectively catalyzed these

derivatives, and multiple recycling's of the material did not significantly impact its performance. 110 Zarei et al. synthesized propargylamines on biochar@Cu-Ni nanocatalyst by A3 coupling reactions between aldehydes, amines, and terminal alkynes employing pomegranate shells, biochar was prepared at 500 °C and coated with Cu-Ni nanoparticles. Using nanocatalysts and toluene as solvents, the highest efficiency was achieved at 80 °C. The process of separating and recovering the nano-catalytic components was efficient, cost-effective, and straightforward. The novel feature of the catalyst is its Cu-Ni bimetallic structure, which provides a strong bond to the substrate. Propargylamine synthesis was conducted using an inexpensive, cost-effective catalyst. 111 Furthermore, a new series of polymer-supported Ni(II) complex catalysts with different ligand chain lengths for one-pot multicomponent A³ coupling processes is presented by Shi et al. These catalysts were prepared by a simple two-step process using commercially available polyacrylonitrile fibers. Longer-chain ligands in fibersupported Ni(II) complex catalysts showed higher efficiency than short chains, and their mediated reactions were flexible and smooth. The new fiber catalyst was scalable to the gram scale in a rotary core reactor and exhibited high strength, excellent flexibility, high stability, and recyclability.112 The study presents an efficient and sustainable method for synthesizing various new polymeric propargylamines in high-to-excellent yields. The method involves a three-component coupling of aldehydes or ketones with amines and alkynes, known as A³ or KA² coupling, through employing a variety of monomers. This strategy can be applied to polymer synthesis, resulting in



Scheme 8 (a) Two consecutive multicomponent processes of amine-thiol-ene conjugating and alkyne-azide-amine couple in one pot (b) one-pot sequential reaction and multicomponent polymerization are techniques utilized to create sequence-controlled polymers. This figure has been adapted/reproduced from ref. 122 with permission from American Chemical Society, copyright 2015.

Review **RSC Advances**



Scheme 9 (a) Fabrication monomers to produce functional building blocks. (b) Synthesizing monomers based on predetermined sequence structures. (c) The approach of one-pot polymerization involves the production of polydispersed sequence-controlled polymers. This figure has been adapted/reproduced from ref. 124 with permission from John Wiley and Sons, copyright 2018.

polymers with diverse properties and applications. The method uses a copper catalyst and undergoes a thermal degradation study to ensure high yields.113

Multicomponent passerini reactions for the synthesis of fused heterocyclic polymers

The Passerini reaction is a popular method for synthesizing monomers and functional polymers due to its mild reaction conditions and compatibility with various functional groups. It combines aldehydes, isocyanides, and carboxylic acids, offering a practical approach for functionalizing surfaces with numerous carboxylic acid groups. Commercially available isocyanides can introduce additional functional groups, making MCR an important part of the polymer synthesis portfolio. This process includes tandem and sequential reactions, producing individual products and becoming important components of synthetic combinations.¹¹⁴ Li et al. utilized the passerini reaction to create multiple linear functional poly(esteramide)s, a versatile class of polymers with a wide range of properties. They synthesized poly(esteramide)s with various functional groups, including hydroxyl, carboxyl, and amino groups, which can modify properties like solubility, biocompatibility, and conductivity. 115 The authors successfully oxidized thioanisole and benzylamine using cross-linked polymers with Ru3+ complexes as efficient and recyclable heterogeneous photocatalysts through the Passerini reaction. MCRs are used to modify polymer characteristics due to high atom usage and structural designability.116 Wang et al. modified graphene oxide (GO) surfaces with polymers using the Passerini reaction in 2020 to enhance compatibility with 3D printing resins. Commercial GO was mixed with polymers with aldehyde-end functional groups in isocyanide. Various polymers were attached using grafting methods, with grafting density decreasing with longer chains. After blending with resin, mechanical stability improved by 0.1 wt% compared to unmodified GO.117 Lin et al. (2015) synthesized reduction-sensitive amphiphilic copolymers using a multi-component Passerini reaction between isocyanides, aldehydes, and carboxylic acids into the ester and amide linkages. These polymers self-assemble into micelles in an aqueous solution loaded with curcumin, a powerful anticancer agent. Transmission electron microscopy and dynamic light scattering confirmed the existence of nanoscale polymeric micelles. The polymer is reduction-sensitive, and cells primed with glutathione release curcumin more effectively. Curcumin-loaded micelles display better cellular proliferation inhibition than free curcumin, demonstrating their biocompatibility. In vitro experiments showed the micelles were biocompatible. 118 Deng et al. (2014) developed a multi-component highly branched (HP) synthesis methodology, demonstrating the copolymerization of hexanedioic acid, hexane-1,6-dial, 1,6-diisocyanohexane, and 10-undecenoic acid using a one-pot ABCtype Passerini reaction. The structures were easily controlled, ranging from linear to hyperbranched.119 One area of research that demonstrates efficiency for the incorporation of multicomponent polymerizations involves photochemical processes. The modular nature of MCRs permits the introduction of photoresponsive moieties that may be added to provide a wide range of **RSC Advances**

Table 2 The advantages and disadvantages of different methods for synthesizing heteroatom-functional polymers and developing alkynebased compounds

| Methods | Advantages | Disadvantages | Ref. |
|--|---|--|------|
| Cu-catalyzed multicomponent polymerization | Optimized consumption of starting materials enables diverse synthesis To enhance the selectivity of the process, | Residual copper catalyst removal is problematic and costly in copper-catalyzed reactions | 49 |
| Catalyst-free multicomponent polymerizations | metallic catalysts - Green chemistry enables milder reactions for environmentally friendly synthesis - Energy savings, safety, and controlled properties - Cost-effective process & environmentally benign biodegradable polymer employing active metal free catalyst | - Limited control, slow rates, narrow monomer range, lack of selectivity, optimization difficulties, limited scalability | 70 |
| Multicomponent cyclopolymerization (MCCP) | - A highly effective enhanced structural diversity, efficient utilization of monomers - Simplified reaction steps, and the potential for the synthesis of complex and functional polymeric materials | Limited monomer availability and combinations, reaction optimization Side reactions, reproducibility, and scalability challenges in polymer synthesis | 88 |
| Green monomers-based acetylenic synthesis of fused heterocyclic polymers | - Natural, abundant, nontoxic, and environmentally friendly reagents, cheap, renewable, and sustainable features | Optimize conditions, utilize green monomers, investigate mechanisms, study properties, scale up production | 91 |
| Multicomponent tandem polymerizations (MCTP) | - Step-economic MCTP transforms simple monomers into complex heterocycle- containing polymers, enabling diverse conjugated structures and advanced functionalities | - Low yield, high temperature, long reaction time, non-recyclable catalysts, and environmental concerns | 100 |
| Multicomponent A ³ coupling reactions | - Mild reaction, diverse, and atom-economic incorporation | Reactant selectivity and compatibility influence scalability and reproducibility Extensive experimentation and optimization ensure consistent and efficient large-scale polymer synthesis | 108 |
| Multicomponent passerini reactions | Diverse structures, atom economy, mild conditions, simplified steps, and functional group compatibility | - Monomer availability, side reactions, optimization, structure control, scalability, and reproducibility for successful and controlled synthesis | 114 |
| Sequence-controlled multicomponent polymerization | Precise sequence control, diverse monomer incorporation, orthogonal reactivity, modular approach, and customizable properties | - Synthetic complexity, limited monomer availability, reaction optimization, side reactions, reproducibility, scalability, cost, and efficiency | 121 |

response or modification options. For instance, poly(esteramide)s containing photolabile links in the backbone were produced by the Passerini addition polymerization of adipic 1,6-diisocyanohexane, and photosensitive 2-nitrobenzaldehyde. The polymer backbone was completely broken down after 20 minutes of UV light on the polymer solution because the 2-nitrosobenzyl moiety was cleaved. The dicarboxylic acid in the Passerini-3CR was 3,3*-dithiodipropionic acid, which allowed for redox-initiated breakdown. It was also shown that orthogonal degradation might occur by UV light or redox initiation with dithiothreitol. Block copolymers were produced via the reaction of a monofunctional PEG acid with propargyl isocyanoacetamide and 2-nitrobenzaldehyde in a Passerini-3CR. 120

Sequence-controlled multicomponent polymerization

Sequence-controlled polymer synthesis is a popular research field involving distinct repeating units and functions, such as proteins, DNA, and RNA, which are crucial for functionality and information storage. Special techniques like solid-phase

peptide synthesis have been developed to mimic these polymers. It requires harsh reaction conditions and tedious experimental procedures to achieve solid-phase synthesis. MCPs, however, can combine three or more monomers in one step. MCP offers a novel method for synthesizing sequencecontrolled polymers.121 For example, an innovative approach to generating synthetic sequence-controlled polymers was introduced by Zhang Ze et al. An alkyne, sulfonyl azide, and amine reaction and the conjugation of homocysteine thiolactone with primary amine were catalyzed by Cu in a single reaction pot. Propargyl methacrylate, an alkyne with an orthogonally electron-deficient carbon-carbon double bond, was utilized to integrate multi-component processes. In DMF at room temperature, homocysteine thiolactone was combined with diamine, propargyl methacrylate. The ABCBA segment was formed by adding diamine and p-toluenesulfonyl azide to a reaction solution enriched with 1,4-phenylenediamine and CuCl, with ABCBA, a difunctional monomer, serving as a key component. At 70 °C, the overnight reaction of three

components through a Cu-catalyzed reaction led to the development of a periodic copolymer with a molecular weight of up to 163 200 g mol⁻¹ (Scheme 8a). 122 This has been successfully achieved using a method that combines direct multicomponent polymerization advantages with the limitations of multicomponent reactions, resulting in a more diverse polymer backbone. After investigating, it has been determined that a novel molecule having n-acetylene-units and one secondary amine unit can easily be created in the initial amine-thiol-ene multicomponent reaction by substituting a primary diamine in the multicomponent cascade polymerization system with an amine having $n \ (n \ge 2)$ primary amine groups and a secondary amine group, such as N,N-dimethyldipropylenetriamine. Subsequently, all these resulting molecules undergo reactions with alkyne, secondary amine, and sulfonyl azide, which result in the formation of a polymer with an ABCD sequence structure. Moreover, the addition of various types of amines (Scheme 8b) enables the successful formation of polymers with hyperbranched and core-shell structures as well. 123 Moreover, a recent click reaction based on the sulfur-fluoride exchange reaction (SuFEx) and fluor sulfate and sulfonyl fluoride as sulfonates or sulfonyl fluorides was employed for generating sequence-defined polymers. According to Cangjie Yang et al., 124 the orthogonal click chemistry of SuFEx and Cu-catalyzed Alkyne-azide cycloaddition (CuAAC) combined allows for the production of precision macromolecules with regulated alignment. The potential to produce sequence-defined polymers is further enhanced by the orthogonality of SuFEx and CuAAC click chemistry, which is insensitive to many other reactions with a wide variety of functionalities as illustrated in Scheme 9. Through their two methods, the authors illustrate the orthogonality of click chemistry. (a) Sequence-controlled polydisperse polymers with repeated sequence motifs are created using a stepwise growth polymerization technique. (b) Monodisperse oligomers with predetermined sequences are created by an iterative growth procedure without protective groups. Multiple click response strategies have been used in a variety of industries, including biomimicry, medicine delivery, and information

Taking into consideration the findings of the aforementioned studies, Table 2 displays a summary of the different methods utilized for synthesizing heteroatom-functional polymers and developing alkyne-based compounds, with the advantages and disadvantages of each method provided.

3. Conclusion

encryption.124

To sum up, we have provided an outline of the most recent advances in novel strategies using the fabrication of alkyne monomers regarding heterocyclic polymers with differing structures and functions. In addition, the use of catalyst-free alkynes metathesis polymerization transition-metal catalyst systems is also explored in the study. New metal-free acetylenic monomers offer methods for forming functionally fused or conjugated heterocyclic polymers. Multicomponent polymerization, a straightforward one-pot or sequential process, creates complex but well-defined structures, making it a popular

research area. The development of MCPs involving green monomers presents both opportunities and challenges. Expanding green monomer types, improving polymerization reactions, exploring mechanisms, studying polymer properties, and requiring industry production scale-ups are necessary for the field's growth. Sequence-controlled polymer synthesis is a novel method for multicomponent alkyne polymerization, advancing biomimetic polymers and boosting optimism in the future of acetylene polymer chemistry, influenced by global polymer chemists' achievements. More research is needed to develop approaches based on alkyne polymer chemistry, including alkyne-controlled and living polymerizations, formed polymers with advanced optoelectronic properties, and engineered biopolymers. Alkyne polymerization research is a challenging but rewarding field that benefits various fields like materials science and biochemistry. MCP reactions, which use monomers like alkynes, isocyanides, amines, aldehydes, and ketones, offer several advantages over traditional polymerization methods. They are efficient, atom-economic, and environmentally friendly, making them valuable for developing new materials with diverse applications. However, more work is needed to establish these approaches. Notwithstanding the previously mentioned obstacles and restrictions, there are numerous valuable perspectives and potential future paths that may be seen. The subject of one-pot multicomponent polymerization for the synthesis of heterocyclic polymers shows great promise and offers interesting opportunities for research. Future developments can be driven by focusing on important areas such as the expansion of monomer combinations, precise adjustment of polymer characteristics, implementation of functionalization strategies, investigation of applications, and optimization and scale-up of processes. Further investigation and cooperation in these areas will reveal the complete capabilities of this field, allowing for the creation of innovative materials with customized characteristics for a diverse array of uses.

Conflicts of interest

There are no conflicts to declare.

References

- 1 B. Sillion, Aromatic and heterocyclic polymers- What future?, *High Perform. Polym.*, 1999, **11**(4), 417–436.
- 2 H. Vogel and C. S. Marvel, Polybenzimidazoles, new thermally stable polymers, *J. Polym. Sci.*, 1961, **50**(154), 511–539.
- 3 Y. Liu, J. W. Y. Lam and B. Z. Tang, Conjugated polymers developed from alkynes, *Natl. Sci. Rev.*, 2015, 2(4), 493–509.
- 4 B. C. Anderson, *et al.*, Anionic polymerization of methacrylates. Novel functional polymers and copolymers, *Macromolecules*, 1981, 14(5), 1599–1601.
- 5 T. Han, *et al.*, Facile multicomponent polymerizations toward unconventional luminescent polymers with readily openable small heterocycles, *J. Am. Chem. Soc.*, 2018, **140**(16), 5588–5598.

RSC Advances

- 6 C. Li and Y. Li, The Process of Functional Conjugated Organic Polymers Derived from Triple-Bond Building Blocks, Macromol. Chem. Phys., 2008, 209(15), 1541-1552.
- 7 J. C. Sanchez and W. C. Trogler, Hydrosilylation of diynes as a route to functional polymers delocalized through silicon, Macromol. Chem. Phys., 2008, 209(15), 1527-1540.
- 8 J. Liu, J. W. Y. Lam and B. Z. Tang, Acetylenic polymers: syntheses, structures, and functions, Chem. Rev., 2009, **109**(11), 5799-5867.
- 9 Y. Liu, J. W. Y. Lam and B. Z. Tang, Conjugated polymers developed from alkynes, Natl. Sci. Rev., 2015, 2(4), 493-509.
- 10 A. Qin, Y. Liu and B. Z. Tang, Regioselective Metal-Free Click Polymerization of Azides and Alkynes, Macromol. Chem. Phys., 2015, 216(8), 818-828.
- 11 R. Hu, W. Li and B. Z. Tang, Recent advances in alkyne-based multicomponent polymerizations, Macromol. Chem. Phys., 2016, 217(2), 213-224.
- 12 A. Dömling and I. Ugi, Multikomponentenreaktionen mit isocyaniden, Angew. Chem., 2000, 112(18), 3300-3344.
- 13 A. Dömling and I. Ugi, Multicomponent reactions with isocyanides, Angew. Chem., Int. Ed., 2000, 39(18), 3168-
- 14 J. Zhu, Recent developments in the isonitrile-based multicomponent synthesis of heterocycles, Eur. J. Org Chem., 2003, 2003(7), 1133-1144.
- 15 S. I. Bhat, One-Pot Construction of Bis-Heterocycles through Isocyanide Based Multicomponent Reactions, ChemistrySelect, 2020, 5(27), 8040-8061.
- 16 X. Wang, et al., In Situ Generation of Heterocyclic Polymers by Triple-Bond Based Polymerizations, Macromol. Rapid Commun., 2021, 42(24), 2100524.
- 17 P. Stiernet and A. Debuigne, Imine-based multicomponent polymerization: Concepts, structural diversity applications, Prog. Polym. Sci., 2022, 128, 101528.
- 18 P. Das, et al., Carbon dot biopolymer-based flexible functional films for antioxidant and food monitoring applications, ACS Appl. Polym. Mater., 2022, 4(12), 9323-9340.
- 19 T. Han, et al., Facile multicomponent polymerizations toward unconventional luminescent polymers with readily openable small heterocycles, J. Am. Chem. Soc., 2018, 140(16), 5588-5598.
- 20 R. W. Armstrong, et al., Multiple-component condensation strategies for combinatorial library synthesis, Acc. Chem. Res., 1996, 29(3), 123-131.
- 21 B. H. Rotstein, et al., Small heterocycles in multicomponent reactions, Chem. Rev., 2014, 114(16), 8323-8359.
- 22 V. D. Eycken, V. Erik and U. K. Sharma, Multicomponent Reactions towards Heterocycles, Wiley-VCH Verlag GmbH & Co., Weinheim, 2022.
- 23 I. Bae, H. Han and S. Chang, Highly efficient one-pot synthesis of N-sulfonylamidines by Cu-catalyzed threecomponent coupling of sulfonyl azide, alkyne, and amine, J. Am. Chem. Soc., 2005, 127(7), 2038-2039.
- 24 E. J. Yoo, et al., A facile access to N-sulfonylimidates and their synthetic utility for the transformation to amidines and amides, Org. Lett., 2006, 8(7), 1347-1350.

- 25 E. J. Yoo, et al., Mechanistic studies on the Cu-catalyzed three-component reactions of sulfonyl azides, 1-alkynes and amines, alcohols, or water: dichotomy via a common pathway, J. Org. Chem., 2008, 73(14), 5520-5528.
- 26 J. Y. Kim, S. H. Kim and S. Chang, Highly efficient synthesis of α-amino amidines from ynamides by the Cu-catalyzed three-component coupling reactions, Tetrahedron Lett., 2008, 49(11), 1745-1749.
- 27 V. A. Peshkov, O. P. Pereshivko, V. D. Eycken and V. Erik, A walk around the A 3-coupling, Chem. Soc. Rev., 2012, 41(10), 3790-3807.
- 28 C. Mannich and W. Krösche, kondensationsprodukt aus formaldehyd, ammoniak und antipyrin, Arch. Pharm., 1912, 250(1), 647-667.
- 29 M. Arend, B. Westermann and N. Risch, Modern variants of the Mannich reaction, Angew. Chem., Int. Ed., 1998, 37(8), 1044-1070.
- 30 B. List, The direct catalytic asymmetric three-component Mannich reaction, J. Am. Chem. Soc., 2000, 122(38), 9336-
- Ueber 31 A. Hantzsch, die synthese pyridinartiger verbindungen aus acetessigäther und aldehydammoniak, Justus Liebigs Ann. Chem., 1882, 215(1), 1-82.
- 32 D. Huang, et al., Recent advances in alkyne-based click polymerizations, Polym. Chem., 2018, 9(21), 2853-2867.
- 33 R. Hu, W. Li and B. Z. Tang, Recent advances in alkyne-based multicomponent polymerizations, Macromol. Chem. Phys., 2016, 217(2), 213-224.
- 34 P. Lundberg, et al., Click assisted one-pot multi-step reactions in polymer science: accelerated synthetic protocols, Macromol. Rapid Commun., 2008, 29(12-13), 998-1015.
- 35 O. Kreye, T. Tóth and M. A. R. Meier, Introducing multicomponent reactions to polymer science: Passerini reactions of renewable monomers, J. Am. Chem. Soc., 2011, 133(6), 1790-1792.
- 36 E. Ihara, et al., Three-component polycondensation of bis (diazoketone) with dicarboxylic acids and cyclic ethers: synthesis of new types of poly (ester ether ketone) s, Macromolecules, 2011, 44(15), 5955-5960.
- 37 X.-X. Deng, et al., Sequence regulated poly (ester-amide) s based on Passerini reaction, ACS Macro Lett., 2012, 1(11), 1300-1303.
- 38 L. Niimi, et al., Simultaneous construction of polymer backbone and side chains by three-component polycondensation. synthesis of polyethers with allenyl side chains from dialdehydes, alkylene bis (trimethylsilyl) ethers, and propargyltrimethylsilane, Macromolecules, 2002, 35(9), 3490-3494.
- 39 L. Niimi, et al., Simultaneous construction of the polymer backbone and side chains by three-component polycondensation: The synthesis of polyurethanes with allyl side chains from dialdehydes, alkylene N, N'-bis (trimethylsilyl) carbamates, and allyltrimethylsilane, J. Polym. Sci., Part A: Polym. Chem., 2002, 40(9), 1236-1242.

40 B. Ochiai and T. Endo, Carbon dioxide and carbon disulfide as resources for functional polymers, *Prog. Polym. Sci.*, 2005, **30**(2), 183–215.

- 41 E. J. Beckman, Making polymers from carbon dioxide, *Science*, 1999, **283**(5404), 946–947.
- 42 X.-B. Lu and D. J. Darensbourg, Cobalt catalysts for the coupling of CO 2 and epoxides to provide polycarbonates and cyclic carbonates, *Chem. Soc. Rev.*, 2012, **41**(4), 1462–1484.
- 43 B. Song, A. Qin and B. Z. Tang, New polymerizations based on green monomer of carbon dioxide, *Acta Chim. Sin.*, 2020, 78(1), 9.
- 44 B. Grignard, *et al.*, Advances in the use of CO₂ as a renewable feedstock for the synthesis of polymers, *Chem. Soc. Rev.*, 2019, **48**(16), 4466–4514.
- 45 Z.-X. Wang and S.-N. Ding, One-pot green synthesis of high quantum yield oxygen-doped, nitrogen-rich, photoluminescent polymer carbon nanoribbons as an effective fluorescent sensing platform for sensitive and selective detection of silver (I) and mercury (II) ions, *Anal. Chem.*, 2014, **86**(15), 7436–7445.
- 46 J. J. Griebel, et al., New infrared transmitting material via inverse vulcanization of elemental sulfur to prepare high refractive index polymers, Adv. Mater., 2014, 26(19), 3014– 3018.
- 47 M. Van Dijk, D. T. S. Rijkers, *et al.*, Synthesis and applications of biomedical and pharmaceutical polymers via click chemistry methodologies, *Bioconjugate Chem.*, 2009, **20**(11), 2001–2016.
- 48 J. Xu and N. Hadjichristidis, Heteroatom-containing degradable polymers by ring-opening metathesis polymerization, *Prog. Polym. Sci.*, 2023, 101656.
- 49 X. Wang, *et al.*, In Situ Generation of Heterocyclic Polymers by Triple-Bond Based Polymerizations, *Macromol. Rapid Commun.*, 2021, 42(24), 2100524.
- 50 L. Xu, R. Hu and B. Z. Tang, Room temperature multicomponent polymerizations of alkynes, sulfonyl azides, and iminophosphorane toward heteroatom-rich multifunctional poly (phosphorus amidine) s, *Macromolecules*, 2017, **50**(16), 6043–6053.
- 51 L. Xu, *et al.*, Multicomponent polymerizations of alkynes, sulfonyl azides, and 2-hydroxybenzonitrile/2-aminobenzonitrile toward multifunctional iminocoumarin/quinoline-containing poly (N-sulfonylimine) s, *ACS Macro Lett.*, 2019, **8**(2), 101–106.
- 52 Q. Gao, *et al.*, Three-component regio-and stereoselective polymerizations toward functional chalcogen-rich polymers with AIE-activities, *J. Am. Chem. Soc.*, 2019, **141**(37), 14712–14719.
- 53 Y. Huang, *et al.*, Cu (I)-catalyzed heterogeneous multicomponent polymerizations of alkynes, sulfonyl azides, and NH₄Cl, *Macromolecules*, 2020, 53(23), 10366–10374.
- 54 Q. Gao, *et al.*, Facile Synthesis of Functional Processable Fluoropolydienes by Alkyne-Based Multicomponent Polycouplings, *Macromolecules*, 2020, 53(22), 9859–9868.

- 55 L. Xu, *et al.*, Room temperature multicomponent polymerizations of alkynes, sulfonyl azides, and N-protected isatins toward oxindole-containing poly (N-acylsulfonamide) s, *Polym. Chem.*, 2018, **9**(13), 1674–1683.
- 56 T. Han, *et al.*, Facile multicomponent polymerizations toward unconventional luminescent polymers with readily openable small heterocycles, *J. Am. Chem. Soc.*, 2018, **140**(16), 5588–5598.
- 57 T. Cheng, *et al.*, Single component polymerization of diisocyanoacetates toward polyimidazoles, *Macromolecules*, 2018, **51**(15), 5638–5645.
- 58 T. Cheng, et al., Isocyanoacetate-Aldehyde Polymerization: A Facile Tool toward Functional Oxazoline-Containing Polymers, Macromol. Rapid Commun., 2020, 41(12), 2000179.
- 59 M. Li, *et al.*, Multicomponent Polymerization of Azides, Alkynes, and Electrophiles toward 1, 4, 5-Trisubstituted Polytriazoles, *Macromolecules*, 2022, 55(16), 7240–7248.
- 60 Y. Liu, *et al.*, Polyannulation of internal alkynes and Oacyloxime derivatives to synthesize functional poly (isoquinoline) s, *Polym. Chem.*, 2016, 7(34), 5436–5444.
- 61 T. Han, *et al.*, Functional isocoumarin-containing polymers synthesized by rhodium-catalyzed oxidative polycoupling of aryl diacid and internal diyne, *Polym. Chem.*, 2016, 7(14), 2501–2510.
- 62 Y. Liu, *et al.*, Cascade polyannulation of diyne and benzoylacetonitrile: A new strategy for synthesizing functional substituted poly (naphthopyran) s, *Macromolecules*, 2015, **48**(13), 4241–4249.
- 63 P. Bhaumick and L. H. Choudhury, Multicomponent click polymerization for the synthesis of coumarin containing 1, 4-polytriazoles and their application as dye adsorbent, *Polymer*, 2022, 243, 124580.
- 64 J. He, *et al.*, Multicomponent polymerization toward biodegradable polymers with diverse responsiveness in tumor microenvironments, *Polym. Chem.*, 2020, **11**(6), 1198–1210.
- 65 Y. Wang and Z. Zhang, Multicomponent Synthesis of Imidazole-Based Cross-Conjugated Polymers via Bimetallic Cu (I)/Rh (II) Relay Catalysis, *Macromolecules*, 2022, 55(13), 5422–5429.
- 66 X. Wang, *et al.*, Diversity-Oriented Synthesis of Functional Polymers with Multisubstituted Small Heterocycles by Facile Stereoselective Multicomponent Polymerizations, *Macromolecules*, 2022, 55(11), 4389–4401.
- 67 C.-L. Sun and Z.-J. Shi, Transition-metal-free coupling reactions, *Chem. Rev.*, 2014, 114(18), 9219–9280.
- 68 B. Wei, et al., Metal-free multicomponent tandem polymerizations of alkynes, amines, and formaldehyde toward structure-and sequence-controlled luminescent polyheterocycles, J. Am. Chem. Soc., 2017, 139(14), 5075– 5084.
- 69 J. Zhang, *et al.*, Sulfur conversion to multifunctional Poly (O-thiocarbamate) s through multicomponent polymerizations of sulfur, diols, and diisocyanides, *J. Am. Chem. Soc.*, 2021, 143(10), 3944–3950.

70 W. Cao, *et al.*, Economic sulfur conversion to functional polythioamides through catalyst-free multicomponent polymerizations of sulfur, acids, and amines, *J. Am. Chem. Soc.*, 2019, **142**(2), 978–986.

RSC Advances

- 71 Y. Hu, *et al.*, Economical synthesis of functional aromatic polythioamides from KOH-assisted multicomponent polymerizations of sulfur, aromatic diamines and dialdehydes, *Polym. Chem.*, 2023, **14**(21), 2617–2623.
- 72 C. Li, *et al.*, Polythioamides from multicomponent benzoxazine-isocyanide-chemistry: Room temperature synthesis and post-polymerization to construct functional polythioesteramide, *Eur. Polym. J.*, 2023, **192**, 112065.
- 73 X. Wu, *et al.*, Room-temperature metal-free multicomponent polymerizations of elemental selenium toward stable alicyclic poly (oxaselenolane) s with high refractive index, *J. Am. Chem. Soc.*, 2021, **143**(38), 15723–15731.
- 74 J. Peng, *et al.*, Room temperature polymerizations of selenium and alkynones for the regioselective synthesis of poly (1, 4-diselenin) s or polyselenophenes, *Chem*, 2022, 8(8), 2301–2316.
- 75 G. Zhu, *et al.*, Multicomponent Spiropolymerization of Diisocyanides, Activated Alkynes, and Bis-Anhydrides, *Macromolecules*, 2022, 55(14), 6150–6159.
- 76 Y. Ren, *et al.*, Clusterization-triggered color-tunable room-temperature phosphorescence from 1, 4-dihydropyridine-based polymers, *J. Am. Chem. Soc.*, 2021, **144**(3), 1361–1369.
- etal., Spontaneous multicomponent polymerization of imidazole, diacetylenic esters, and diisocyanates for the preparation of poly $(\beta$ aminoacrylate) with cluster-induced emission S characteristics, Macromolecules, 2020, 53(3), 1054-1062.
- 78 W. Fu, *et al.*, Multicomponent spiropolymerization of diisocyanides, alkynes and carbon dioxide for constructing 1, 6-dioxospiro [4, 4] nonane-3, 8-diene as structural units under one-pot catalyst-free conditions, *Polym. Chem.*, 2018, 9(46), 5543–5550.
- 79 L. Dong, *et al.*, One-pot synthesis of highly substituted poly (furopyrimidine) s via catalyst-free multicomponent polymerizations of diisocyanides, N, N'-dimethylbarbituric acid, and dialdehyde, *RSC Adv.*, 2022, **12**(10), 6347–6351.
- 80 W. Li, *et al.*, Catalyst-free, atom-economic, multicomponent polymerizations of aromatic diynes, elemental sulfur, and aliphatic diamines toward luminescent polythioamides, *Macromolecules*, 2015, **48**(21), 7747–7754.
- 81 X. Liu, *et al.*, Metal-free multicomponent polymerization of activated diyne, electrophilic styrene and isocyanide towards highly substituted and functional poly (cyclopentadiene), *Sci. China: Chem.*, 2023, **66**(3), 863–869.
- 82 Y. Wu, et al., Efficient and Regioselectivity-Tunable Metal-Free Polycycloaddition of Activated Azide and Alkynes, Macromol. Rapid Commun., 2017, 38(4), 1600620.
- 83 W. Yuan, *et al.*, Synthesis of Poly (phenyltriazolylcarboxylate) s with Aggregation-Induced Emission Characteristics by Metal-Free 1, 3-Dipolar Polycycloaddition of Phenylpropiolate and Azides, *Macromol. Rapid Commun.*, 2017, 38(5), 1600745.

- 84 B. Yao, *et al.*, Catalyst-free thiol–yne click polymerization: a powerful and facile tool for preparation of functional poly (vinylene sulfide) s, *Macromolecules*, 2014, 47(4), 1325–1333.
- 85 X. Wang, *et al.*, Multicomponent polymerization of alkynes, isocyanides, and isocyanates toward heterocyclic polymers, *Macromolecules*, 2021, 54(14), 6753–6761.
- 86 G. Zhu, et al., Catalyst-Free Multicomponent Cyclopolymerizations of Diisocyanides, Activated Alkynes, and 1, 4-Dibromo-2, 3-Butanedione: a Facile Strategy toward Functional Polyiminofurans Containing Bromomethyl Groups, Macromol. Rapid Commun., 2021, 42(6), 2000463.
- 87 W. Fu, L. Kong, J. Shi, B. Tong, Z. Cai, J. Zhi and Y. Dong, Synthesis of Poly(amine-furan-arylene)s through a One-Pot Catalyst-Free in Situ Cyclopolymerization of Diisocyanide, Dialkylacetylene Dicarboxylates, and Dialdehyde, *Macromolecules*, 2019, 52(2), 729–737.
- 88 W.-Q. Fu, *et al.*, Synthesis and properties of photodegradable poly (furan-amine) s by a catalyst-free multicomponent cyclopolymerization, *Chin. J. Polym. Sci.*, 2019, 37, 981–989.
- 89 Y. Hu, *et al.*, Aggregation-induced emission polymers, in *Aggregation-Induced Emission (AIE)*, Elsevier, 2022, pp. 45–86.
- 90 Y. Liu, A. Qin and B. Z. Tang, Polymerizations based on triple-bond building blocks, *Prog. Polym. Sci.*, 2018, 78, 92–138.
- 91 Q.-W. Song, Z.-H. Zhou and L.-N. He, Efficient, selective and sustainable catalysis of carbon dioxide, *Green Chem.*, 2017, 19(16), 3707–3728.
- 92 D. Liu, *et al.*, CO₂-Involved and isocyanide-based three-component polymerization toward functional heterocyclic polymers with self-assembly and sensing properties, *Macromolecules*, 2021, 54(9), 4112–4119.
- 93 D. Liu, *et al.*, CO₂-Involved and isocyanide-based three-component polymerization toward functional heterocyclic polymers with self-assembly and sensing properties, *Macromolecules*, 2021, 54(9), 4112–4119.
- 94 T. Tsuda, K. Maruta and Y. Kitaike, Nickel (0)-catalyzed alternating copolymerization of carbon dioxide with diynes to poly (2-pyrones), *J. Am. Chem. Soc.*, 1992, **114**(4), 1498–1499.
- 95 B. Song, *et al.*, Oxygen as a crucial comonomer in alkynebased polymerization toward functional poly (tetrasubstituted furan) s, *Macromolecules*, 2018, 51(18), 7013–7018.
- 96 H. Deng, *et al.*, Multicomponent polymerization: development of a one-pot synthetic route to functional polymers using diyne, N-sulfonyl azide and water/ethanol as reactants, *Polym. Chem.*, 2016, 7(36), 5646–5654.
- 97 E. Balla, *et al.*, Poly (lactic Acid): A versatile biobased polymer for the future with multifunctional properties—From monomer synthesis, polymerization techniques and molecular weight increase to PLA applications, *Polymers*, 2021, 13(11), 1822.

98 C. Zheng, *et al.*, Multicomponent tandem reactions and polymerizations of alkynes, carbonyl chlorides, and thiols, *Macromolecules*, 2015, **48**(7), 1941–1951.

- 99 C. Qi, *et al.*, Direct construction of acid-responsive poly (indolone) s through multicomponent tandem polymerizations, *ACS Macro Lett.*, 2019, **8**(5), 569–575.
- 100 B. Wei, *et al.*, Catalyst-Free Multicomponent Tandem Polymerizations of Aliphatic Amines, Activated Alkyne, and Formaldehyde toward Poly (tetrahydropyrimidine) s, *Macromol. Chem. Phys.*, 2023, **224**(5), 2200399.
- 101 B. He, et al., Catalyst-free multicomponent tandem polymerizations of alkyne and amines toward nontraditional intrinsic luminescent poly (aminomaleimide) s, Macromolecules, 2020, 53(10), 3756– 3764.
- 102 X. Tang, *et al.*, Multicomponent tandem polymerizations of aromatic diynes, terephthaloyl chloride, and hydrazines toward functional conjugated polypyrazoles, *Macromolecules*, 2016, **49**(24), 9291–9300.
- 103 X. Tang, *et al.*, Multicomponent tandem polymerization of aromatic alkynes, carbonyl chloride, and Fischer's base toward poly (diene merocyanine) s, *Chin. J. Chem.*, 2019, 37(12), 1264–1270.
- 104 B. Wei, *et al.*, Metal-free multicomponent tandem polymerizations of alkynes, amines, and formaldehyde toward structure-and sequence-controlled luminescent polyheterocycles, *J. Am. Chem. Soc.*, 2017, **139**(14), 5075–5084.
- 105 H. Deng, *et al.*, One-pot three-component tandem polymerization toward functional poly (arylene thiophenylene) with aggregation-enhanced emission characteristics, *Macromolecules*, 2014, 47(15), 4920–4929.
- 106 W. Tian, R. Hu and B. Z. Tang, One-pot multicomponent tandem reactions and polymerizations for step-economic synthesis of structure-controlled pyrimidine derivatives and poly (pyrimidine) s, *Macromolecules*, 2018, 51(23), 9749–9757.
- 107 I. Jesin and G. C. Nandi, Recent advances in the A³ coupling reactions and their applications, *Eur. J. Org Chem.*, 2019, **2019**(16), 2704–2720.
- 108 R. Dong, *et al.*, Synthesis of fused conjugated polymers containing imidazo [2, 1-b] thiazole units by multicomponent one-pot polymerization, *Polym. Chem.*, 2020, **11**(32), 5200–5206.
- 109 S. Yan, *et al.*, Solvent-Free A³ and KA2 Coupling Reactions with mol ppm Level Loadings of a Polymer-Supported Copper (II)–Bipyridine Complex for Green Synthesis of Propargylamines, *ACS Sustain. Chem. Eng.*, 2019, 7(10), 9097–9102.
- 110 A. Bukowska, *et al.*, Polymer beads decorated with dendritic systems as supports for A 3 coupling catalysts, *Catal. Lett.*, 2021, **151**, 422–434.

- 111 M. Zarei, K. Saidi and H. Sheibani, Preparation and investigation of catalytic activities of Cu-Ni nanoparticles supported on the biochar derived from pomegranate shells in the A3-coupling reactions, *Biomass Convers. Biorefin.*, 2022, 1–13.
- 112 X.-L. Shi, *et al.*, Tuning anion species and chain length of ligands grafted on the fiber for an efficient polymer-supported Ni (II) complex catalyst in one-pot multicomponent A³-coupling, *J. Catal.*, 2019, 372, 321–329.
- 113 D. K. Giannopoulos, *et al.*, A³ polycondensation: A multicomponent step-growth polymerization reaction for the synthesis of polymeric propargylamines, *Eur. Polym. J.*, 2023, **191**, 112056.
- 114 O. Kreye, T. Tóth and M. A. R. Meier, Introducing multicomponent reactions to polymer science: Passerini reactions of renewable monomers, *J. Am. Chem. Soc.*, 2011, 133(6), 1790–1792.
- 115 Q. Li and C. B. Kang, Mechanisms of action for small molecules revealed by structural biology in drug discovery, *Int. J. Mol. Sci.*, 2020, **21**(15), 5262.
- 116 T. A. Bauer, *et al.*, Photocleavable core cross-linked polymeric micelles of polypept (o) ides and ruthenium (ii) complexes, *J. Mater. Chem. B*, 2021, **9**(39), 8211–8223.
- 117 G. Wang, R. Raju, K. Cho, S. Wong, B. G. Prusty and M. H. Stenzel, 3D printed nanocomposites using polymer grafted graphene oxide prepared by multicomponent Passerini reaction, *Polym. Chem.*, 2020, 11(45), 7253–7263.
- 118 W. Lin, *et al.*, Reduction-sensitive amphiphilic copolymers made via multi-component Passerini reaction for drug delivery, *Colloids Surf.*, *B*, 2015, **126**, 217–223.
- 119 X.-X. Deng, *et al.*, Functional highly branched polymers from multicomponent polymerization (MCP) based on the ABC type Passerini reaction, *Polym. Chem.*, 2014, 5(10), 3316–3320.
- 120 L. Li, *et al.*, Facile synthesis of photo-cleavable polymers via Passerini reaction, *Chem. Commun.*, 2013, **49**(76), 8549–8551.
- 121 R. B. Merrifield, Solid phase peptide synthesis. I. The synthesis of a tetrapeptide, *J. Am. Chem. Soc.*, 1963, **85**(14), 2149–2154.
- 122 Z. Zhang, *et al.*, Syntheses of sequence-controlled polymers via consecutive multicomponent reactions, *Macromolecules*, 2015, **48**(11), 3414–3421.
- 123 Z. Zhang, *et al.*, One-pot sequential multicomponent reaction and a multicomponent polymerization method for the synthesis of topologically different polymers, *Polym. Chem.*, 2016, 7(7), 1468–1474.
- 124 C. Yang, J. P. Flynn and J. Niu, Facile Synthesis of Sequence-Regulated Synthetic Polymers Using Orthogonal SuFEx and CuAAC Click Reactions, *Angew. Chem., Int. Ed.*, 2018, 57(49), 16194–16199.