RSC Advances



View Article Online

View Journal | View Issue

PAPER

Check for updates

Cite this: RSC Adv., 2024, 14, 1216

Received 2nd November 2023 Accepted 20th December 2023

DOI: 10.1039/d3ra07464a

rsc.li/rsc-advances

1. Introduction

The combination of 4d and 5d transition metals with low-Z elements (IIIA–VIA) has been proven to be an effective strategy for designing new hard and superhard materials.^{1–3} The idea is that the high electron concentration of transition metals and the directional bonding created by strong hybridizations between d electrons of transition metals and s, p electrons of light (low-Z) elements can effectively withstand both elastic and plastic deformations.⁴ Some promising candidates, such as OsB₂, Ir₄B₅, ReB₂, WB₄, TaC, ReC, ReC₂, Zr₃N₄, and Mo₃N₅ have been experimentally synthesized and studied.^{5–13} First-principles density functional theory (DFT) calculations are a powerful tool for predicting the structural, electronic, elastic, and thermodynamic properties of carbides, nitrides and borides with transition-metal elements in a large region of the periodic table.^{14–23} However, the study of transition-metal

A theoretical investigation on the structural stability, superconductivity, and optical and thermodynamic properties of Ir₂P under pressure†

Xiao-Wei Sun,^{*ab} Meng-Ru Chen, ^[]^a Xi-Long Dou,^b Ning Li,^b Tong Wang^b and Ting Song^b

The potential applications of Ir₂P are promising due to its desirable hardness, but its fundamental properties are still not fully understood. In this study, we present a systematic investigation of Ir₂P's structural, electronic, superconducting, optical, and thermodynamic properties of Ir₂P under pressure. Our calculations show that Ir₂P has a $Fm\bar{3}m$ structure at ambient pressure, which matches well with experimental data obtained from high-pressure synchrotron X-ray diffraction. As pressure increases, a transition from the $Fm\bar{3}m$ to the I4/mmm phase occurs at 103.4 GPa. The electronic structure and electron-phonon coupling reveal that the $Fm\bar{3}m$ and I4/mmm phases of Ir₂P are superconducting materials with superconducting transition temperatures of 2.51 and 0.89 K at 0 and 200 GPa, respectively. The optical properties of Ir₂P indicate that it has optical conductivity in the infrared, visible, and ultraviolet regions. Additionally, we observed that the reflectivity $R(\omega)$ of Ir₂P is higher than 76% in the 25–35 eV energy range at different pressures, which suggests that it could be used as a reflective coating. We also explored the finite-temperature thermodynamic properties of Ir₂P, including the Debye temperature, the first and second pressure derivatives of the isothermal bulk modulus, and the thermal expansion coefficient up to 2000 K using the quasi-harmonic Debye model. Our findings offer valuable insights for engineers to design better devices.

phosphides (TMPs), especially noble-metal phosphides, is relatively limited.

TMPs are a group of compounds that possess unique chemical and physical properties. These properties make them highly attractive for potential applications in various fields, such as photonics, electronics, magnetism, hard materials, and catalysis.24-26 Systematic computational investigations have shown that phosphorus atoms in TMPs play a crucial role in hydrogen evolution reactions.27 Phosphorus atoms with higher electronegativity can draw electrons from metal atoms, and negatively charged phosphate groups can act as a base in electrochemical hydrogen evolution reactions. Generally, TMPs with a higher metal content exhibit more metallic characteristics because metal atoms contribute more electrons to the compound, leading to a lower overall electronegativity and a more metallic nature. Additionally, as the atomic ratio of phosphorus to metal increases, the bonding between the phosphorus and metal atoms becomes weaker, which can also promote metallic behavior.28 Silica-supported palladium and ruthenium phosphide catalysts, such as Pd₃P, Pd₅P₂, Ru₂P, and RuP, were recently synthesized and studied by Bowker et al.29 to investigate the hydrodesulfurization properties of dibenzothiophene. The properties of these phases were compared with those of the sulfides of the noble metals. Although Ir₂P was first reported in 1935 by Blatz et al.,³⁰ there have been comparatively

^aSchool of Mechanical Engineering, Lanzhou Jiaotong University, Lanzhou 730070, PR China. E-mail: sunxw_lzjtu@yeah.net

^bSchool of Mathematics and Physics, Lanzhou Jiaotong University, Lanzhou 730070, PR China

[†] Electronic supplementary information (ESI) available. See DOI: https://doi.org/10.1039/d3ra07464a

few studies of its synthesis routes and crystal structures. Rundqvist et al.³¹ examined the crystal structures of three phosphides, namely, Rh₂P and Ir₂P with the anti-fluorite structure and PtP₂ with the pyrite structure. Raub et al.³² discovered that only the Ir₂P exhibited a metallic behavior among the family of Ir_2X and IrX (where X = P, As, Sb, and Bi) Pt-metal alloys. Sweeney et al.33 explored the feasibility of hydrogen reduction annealing of metal phosphates as a selected pathway to phosphides for rhodium and iridium. Unfortunately, there is limited information available on the high-pressure properties of Ir₂P due to the difficulty in synthesizing it, even though highpressure synthesis is a powerful method for preparing novel materials with unique electrical and mechanical properties. In 2016, Ir₂P was successfully synthesized under high-pressure conditions, and it was found to have an anti-fluorite structure with space group $Fm\bar{3}m$, as determined from synchrotron X-ray diffraction (XRD) pattern analysis. The structure remains stable at room temperature and pressures ranging from 0 to 40.6 GPa. In this structure, each Ir atom is surrounded by four P atoms, forming [IrP4] tetrahedrons, which are located at the edges of the unit cell.³⁴ Research indicates that Ir₂P has a significant bulk modulus (B) (320 and 342 GPa) and a relatively modest shear modulus (G) (42 and 64 GPa) derived from generalized gradient approximation (GGA) and local density approximation (LDA) calculations respectively. This indicates a complex bonding profile for Ir₂P, encompassing metallic, ionic, and covalent characteristics. Subsequently, the ground-state structure of Ir₂P is predicted to be $Fm\bar{3}m$, while the high-pressure structure is expected to be I4/mmm. It was shown that the predicted groundstate structure is consistent with the experimentally obtained structure and its phase transition pressure is 86.4 GPa.35

We have conducted a comprehensive theoretical analysis of Ir_2P , a material about which limited information is available. Our analysis is based on first-principles calculations within the framework of DFT using GGA and LDA. We have optimized its geometric structure and explored its energy-volume equation of state (EOS), as well as delving into its electronic band structures, elastic properties, and superconductivity characteristics. We have also predicted the complex dielectric function, reflectivity, absorption coefficient, optical conductivity, and loss function of Ir₂P to obtain the regular behavior of these optical parameters with pressure. Additionally, we have predicted the finitetemperature thermodynamic properties of cubic Ir₂P, including the isothermal bulk modulus, and its first and second pressure derivatives, thermal expansion coefficient, and Debye temperature at the atomic level by means of density functional total energy calculations in combination with the quasiharmonic Debye (QHD) model. These findings can potentially guide further research and help in the development of practical applications for this material.

2. Theoretical methods

The Vienna *ab initio* Simulation Package (VASP) code, within the framework of DFT, was used to the calculate the mechanical and electronic properties of Ir_2P .³⁶ The interaction between valence electrons and ions in Ir_2P was modeled using the

ultrasoft pseudopotential.37 The exchange and correlation potentials were described by the GGA-PBEsol³⁸ and the LDA,³⁹ respectively. The use of ultrasoft pseudopotentials can provide a more accurate description of the electronic structure of materials, especially for systems with complex valence-electron configurations like Ir and P, where 5d⁷ 6s² and 3s² 3p³ selected should be compatible with the special type of GGA or LDA. After the convergence test, the Brillouin zone integrations for the primitive unit cell of Fm3m and I4/mmm structures were sampled using 12 \times 12 \times 12 and 15 \times 15 \times 18 meshes according to the Monkhorst-Pack method with plane-wave cutoff energies of 600 and 850 eV, respectively.40 The BFGS minimization technique was used in the geometry optimization at different hydrostatic pressures ranging from 0 to 200 GPa, after which elastic constants were calculated.⁴¹ Prior research has suggested that the BFGS minimization technique is capable of providing a fast way of finding the lowest energy structure.

In this study, a convergence threshold was set at 5.0 \times 10^{-7} eV per atom, to determine if the iterative process of updating the electronic wave functions and potentials has reached a stable solution, for the self-consistent progress. The convergence criterion for energy, force, ionic displacement, and stress were set to 5.0 \times 10⁻⁶ eV per atom, 0.01 eV Å⁻¹, 5.0 \times 10⁻⁴ Å, and 0.02 GPa, respectively. When calculating elastic properties, the force on the atom refers to the force applied to the atom during the simulation, while the atomic position displacement refers to the change in the position of the atoms between computational cycles. To prevent excessive strain on the atom and maintain the stability of the simulation, these values are limited to 0.002 eV Å⁻¹ and 1.0×10^{-4} Å, respectively. The maximum strain amplitude is set to be 0.003, which is the maximum amount the atoms can be deformed during the simulation. Six distorted structures were generated within this limit, likely for further analysis or study. These parameters and settings were chosen to ensure that the calculated elastic properties are accurate and reliable, while also maintaining computational efficiency.

The strained energy for cubic and tetragonal Ir₂P is expressed by the law from ref. 42. The mechanical stability criteria obtained from elastic stiffness coefficients can be found in ref. 43 or 44. Currently, the stress–strain method is being used. The phonon dispersions for $Fm\bar{3}m$ and I4/mmm structures were calculated on $2 \times 2 \times 2$ supercells which contain 48 and 96 atoms, respectively, using density-functional perturbation theory (DFPT) method implemented in the PHONOPY code.⁴⁵ The forces result from VASP.

The electron-phonon coupling (EPC) calculations for Ir₂P were performed using the QUANTUM-ESPRESSO package⁴⁶ with ultrasoft pseudopotential for core-valence interaction. The kinetic energy cutoff of 60 Ry was chosen as the plane-wave expansion. The *k* meshes and *q* meshes of $12 \times 12 \times 12$ and $3 \times 3 \times 3$, $24 \times 24 \times 12$ and $3 \times 3 \times 2$ were selected as the first Brillouin zone for $Fm\bar{3}m$ and I4/mmm of Ir₂P, respectively. Taking into account that the EPC parameters λ of I4/mmm for Ir₂P is smaller than 1.5, the superconducting transition temperature (T_c) is estimated through McMillan equation⁴⁷

$$T_{\rm c} = \frac{\omega_{\rm log}}{1.2} \exp\left[-\frac{1.04(1+\lambda)}{\lambda - \mu^*(1+0.62\lambda)}\right],\tag{1}$$

where μ^* is the effective Coulomb pseudopotential, and ω_{\log} is the logarithmic average frequency, which is expressed as

$$\omega_{\log} = \exp\left[\frac{2}{\lambda} \int_{0}^{\infty} \frac{\alpha^{2} F(\omega) \log(\omega)}{\omega} d\omega\right], \qquad (2)$$

where λ is the EPC parameter, defined as

$$\lambda = 2 \int_0^\infty \frac{\alpha^2 F(\omega)}{\omega} \mathrm{d}\omega,\tag{3}$$

The complex dielectric function $\varepsilon(\omega)$ is often used to characterize the optical properties of a material. Due to the metallic nature of Ir₂P, a semi-experiential Drude term and Gaussian smearing of 0.5 eV are used to calculate the frequencydependent dielectric constants⁴⁸

$$\varepsilon(\omega) = \varepsilon_1(\omega) + i\varepsilon_2(\omega). \tag{4}$$

In the formula above, the complex dielectric function, $\varepsilon(\omega)$, is a complex number representing the ratio of the electric field to the electric displacement in a material. The symbol ω refers to the frequency of the incident photon, while $\varepsilon_1(\omega)$ and $\varepsilon_2(\omega)$ refers to the real and imaginary parts of the complex dielectric function, respectively. The $\varepsilon_2(\omega)$ value is calculated from the momentum matrix element between the occupied and unoccupied electronic states, and the $\varepsilon_1(\omega)$ is derived from the imaginary part using the Kramers–Kronig relation.

To study the behavior of Ir_2P under finite temperature conditions, a QHD model was used to determine the Debye temperature, isothermal bulk modulus, and its first and second pressure derivatives, as well as the thermal expansion coefficient. These properties are important thermodynamic characteristics of materials. The GIBBS software program⁴⁹ was used to implement the QHD model.

Since Ir is a metal containing d electrons, we explore the magnetim of the $Fm\bar{3}m$ and I4/mmm phases. We perform energy mapping of all conceivable magnetic configurations and calculate the spin-polarized density of states for both phases, as shown in Fig. S1 and S2.† The absence of a non-zero magnetic moment per Ir atom in the considered magnetic configurations, and the symmetric density of states, confirmed that both phases are nonmagnetic. Therefore, this study does not incorporate spin polarization.

3. Results and discussion

3.1 Structural stability

Fig. 1 shows the enthalpy-pressure curves of Ir_2P for the I4/mmm phase relative to the $Fm\bar{3}m$ phase. It indicates that the $Fm\bar{3}m$ phase is most energetically favorable at ambient pressure. However, as pressure increases, the phase changes to the I4/mmm phase at 103.4 GPa. The crystal structures of Ir_2P are shown in Fig. 2. It can be observed that the $Fm\bar{3}m$ and I4/mmm phase of Ir_2P consist of four and two formula units per unit cell,



Fig. 1 Enthalpy-pressure curve of Ir₂P for *I*4/*mmm* phases relative to $Fm\bar{3}m$ phase.

respectively. In the $Fm\bar{3}m$ structure, the Ir atom is linked to the surrounding four P atoms to form the IrP4 tetrahedron, with an Ir–P bond length of 2.405 Å. In the *I*4/*mmm* structure, the two Ir atoms share four P atoms to form the Ir2P4 regular octahedron, with an Ir–P bond length of 2.466 Å.

Several geometry optimizations were conducted using the LDA and GGA approximations. Fig. 3 shows the dependence of the calculated relative volume on the external pressure up to 80 GPa at zero temperature for Ir_2P . Previous studies have indicated that the pressure dependence of the volume ratio is a more direct measure of compressibility compared to the description of physical properties alone.³⁴ For comparison, the experimental and theoretical data up to 40.6 GPa provided by Wang *et al.*³⁴ are also plotted Fig. 3, along with the theoretical $P-V/V_0$ data of conventional superhard materials such as diamond and *c*-BN⁵⁰ at T = 0 K up to 80 GPa. Our results obtained with DFT calculations match well with that of Wang *et al.*³⁴ Due to the discrepancy between GGA and LDA for exchange-correlation potentials within the DFT framework, the average



Fig. 2 Crystal structures for the (a) $Fm\bar{3}m$ and (b) I4/mmm phases of Ir₂P. The gold and purple spheres represent Ir and P atoms, respectively.



Fig. 3 Comparison of the calculated pressure versus volume ratio of 0 K isotherms for the anti-fluorite structure of Ir_2P with experiments and other theoretical data.

of GGA and LDA values is employed as the rescaled estimate. It is evident from Fig. 3 that the anti-fluorite structured Ir_2P is more compressible than conventional superhard materials, such as *c*-BN and diamond. This implies that the anti-fluorite structure may exhibit a higher degree of flexibility or less resistance to pressure, compared to the conventional superhard materials.

Table 1 lists the parameters of the fitted equation of state (EOS) for Ir_2P with the cubic anti-fluorite structure. These parameters include a_0 , V_0 , K_0 and K'_0 , which were obtained from the 3rd-order Birch–Murnaghan EOS⁵¹ using the Eosfit52 software.⁵² To analyze the results from EOS, we have also included the results from DFT and experiments by Wang *et al.*³⁴ in Table 1. Unfortunately, we cannot compare the results of equilibrium lattice parameter a_0 and equilibrium volume V_0 among studies due to the lack of data. However, the values of bulk modulus K_0 and its first pressure derivative K'_0 obtained from DFT calculations are in very good agreement with the theoretical results and are also comparable to the ones obtained from the X-ray diffraction experiment data of Wang *et al.*³⁴ This indicates that our calculations are accurate, and the methods can be used

Table 1 The calculated equilibrium lattice constant a_0 , equilibrium volume V_{0} , isothermal bulk modulus B_0 and its pressure derivative K'_0 from the 3rd-order Birch–Murnaghan equation for Ir₂P with the anti-fluorite structure compared with the experimental and other theoretical data

Method	a_0 (Å)	V_0 (Å ³)	B_0 (GPa)	$K^{'}{}_{0}$	
DFT-GGA	5.555	171.415	318.010	4.881	This work
DFT-LDA Average	5.483 5.519	164.828 168.122	343.879 330.945	4.895 4.888	This work This work
DFT-GGA DFT-LDA			320 342	5.0 5.0	Ref. 34 Ref. 34
Experiment			306(6)	6.4(5)	Ref. 34

to predict other properties of $\mathrm{Ir}_{2}\mathrm{P}$ with the anti-fluorite structure.

In order to better understand the structural stability of cubic Ir₂P under strain, it is important to calculate the elastic constants of the material. Table 2 presents the calculated elastic constants C11, C12, and C44, G, Young's modulus (E), and Poisson's ratio (v) for Ir_2P with the anti-fluorite structure at zero pressure and zero temperature. The values for E, G, and v are derived according to the Voight-Reuss-Hill averaging scheme.53 For any crystal to be mechanically stable, it must have a positive strain energy.⁵⁴ The elastic constants obtained suggest that the Ir₂P with anti-fluorite structure is mechanically stable. However, despite its elastic stability, Ir₂P with an anti-fluorite structure has smaller B (316.520 and 343.068 GPa), lower G (117.656 and 129.203 GPa), and larger v (0.335 and 0.333) when calculated using GGA and LDA in the DFT framework. This suggests that its mechanical properties are inferior in comparison to conventional superhard materials like diamond and c-BN.50

It is well-documented that GGA in first-principles calculations often overestimates volume and underestimates bulk modulus.55 This shortcoming is also extended to the elastic constant calculations at high pressure, like C_{11} , for the $Fm\bar{3}m$ and I4/mmm phases of Ir_2P , as shown in Fig. 4. It is found that the effect of the pressure on C_{11} (679.459 and 1307.119 GPa for GGA and 739.766 and 1373.326 GPa for LDA calculations at 0 and 80 GPa, respectively), which represents elasticity in length, is much larger than that on C_{12} (135.050 and 360.009 GPa for GGA and 144.719 and 368.275 GPa for LDA calculations at 0 and 80 GPa, respectively) and C44 (61.741 and 117.102 GPa for GGA and 68.134 and 124.536 GPa for LDA calculations at 0 and 80 GPa, respectively), which characterize the elasticity in shape in the pressure range of 0-80 GPa. However, this little discrepancy in the presentation doesn't influence the judgment of the high-pressure structural stability for the cubic Ir₂P. The obtained elastic constants exhibited in Fig. 4(b) show that the I4/mmm phase satisfies the Born criteria for tetragonal crystal systems in the pressure range studied.

It is widely accepted that a stable crystalline structure requires all phonon frequencies to be positive at zero temperature. To ensure this stability, the phonon dispersion calculation has been performed within the finite displacement theory using the PHONOPY code for the $Fm\bar{3}m$ and I4/mmm phases at 0, 100 and 120, 200 GPa, respectively. As demonstrated in Fig. 5, there are no imaginary frequencies present in the entire Brillouin zone at the selected pressures. This finding indicates that both phases are dynamically stable, meaning that the material remains stable under the applied pressure conditions, as there are no negative phonon frequencies that would suggest an instability in the crystalline structure. The absence of imaginary phonon frequencies also confirms that the material's elastic properties are well-defined and robust, rendering it suitable for a wide range of applications.⁵⁴ The phonon spectra of the $Fm\bar{3}m$ and the I4/mmm phases are divided into two modes, low and high frequency modes. Both phases demonstrate notable phononic gaps within the frequency ranges of 6.3-9.9 THz and 8.2-11.9 THz, respectively, along the optical branch at 0 GPa and 120 GPa. These broader phononic gaps separate the optical Table 2 Calculated zero-pressure elastic constants C_{ij} , shear modulus G, Young's modulus E, and Poisson's ratio v for Ir_2P with the anti-fluorite structure

Method	C_{11} (GPa)	C_{12} (GPa)	C_{44} (GPa)	G (GPa)	E (GPa)	υ	
DFT-GGA	679.459	135.050	61.741	117.656	314.055	0.335	This work
DFT-LDA	739.766	144.719	68.134	129.203	344.377	0.333	This work



Fig. 4 The calculated elastic constants for $Fm\bar{3}m$ and I4/mmm phases of Ir_2P as a function of pressure at zero temperature. The dots and lines denote the results coming from GGA and LDA methods, respectively.

phonon modes into high and low-frequency modes. Moreover, both phases exhibit an increasing phononic gap with increasing pressure, with the value increasing from 3.6 (0 GPa) to 5.9 (100

GPa) for the $Fm\bar{3}m$ phase and 3.7 (120 GPa) to 4 (200 GPa) for the *I*4/*mmm* phase. This finding suggests that Ir₂P hold potential as materials for phononic devices, including applications in



Fig. 5 The calculated phonon dispersion curves of Ir_2P for $Fm\bar{3}m$ at (a) 0 and (b) 100 GPa and I4/mmm phases at (c) 120 and (d) 200 GPa, respectively.

phonon waveguides, cavities, and filters.^{56–58} Subsequently, the GGA with a correction of the Perdew–Burke–Ernzerhof version, the PBEsol, which is known to yield better results for solids, is used to investigate the electronic and finite-temperature thermodynamic properties of Ir₂P with the anti-fluorite structure.

3.2 Electronic structure

The band structure and total density of states (TDOS) of $Fm\bar{3}m$ and I4/mmm with and without spin-orbit coupling (SOC) at 0 and 120 GPa are calculated to assess the potential impact of SOC, as shown in Fig. S3.[†] The results indicate that the band structure and TDOS near the Fermi level (E_f) remains essentially unchanged with the inclusion of SOC, suggesting the weak influence of SOC in Ir₂P. Fig. 6 and 7 show their band structure, TDOS and partial density of states (PDOS) without SOC. As shown in Fig. 6, the valence band of the $Fm\bar{3}m$ phase crosses the $E_{\rm f}$ and meets with the conduction band between the G and X points, while for the I4/mmm phase both the valence and conduction bands cross the $E_{\rm f}$. The absence of an energy gap indicates metallic features for both structures, which is consistent with other results.33,34 The calculated PDOS reveals that the Ir-d orbitals near the $E_{\rm f}$ play a leading role in the metallicity of both structures. Moreover, significant orbital hybridization below and above the $E_{\rm f}$ for P-p and Ir-d implies that there are strong interactions between P and Ir atoms. To further investigate their chemical bonding in detail, the electronic localization functions (ELF) of the $Fm\bar{3}m$ and I4/mmmphases in the (110) planes are subsequently calculated at 0 and 120 GPa, respectively, as illustrated in Fig. 7(e) and (f). In both phases, adjacent Ir atoms exhibit metallic bonding, as evidenced by the proximity of the ELF value to 0.5. Conversely, the electrons between neighboring P atoms exhibit high delocalization, signifying a non-bonded state, as indicated by an ELF value close to zero. The ELF analysis reveals the manifestation of polar covalent and metallic bonding between neighboring Ir and P atoms. This is evident in the presence of a local maximum that distinctly favors the P atoms, with an ELF value of about 0.5 near the central region. Further Bader charge analysis reveals that, due to the electronegativity difference between Ir and P atoms in both $Fm\bar{3}m$ and I4/mmm phases, each P atom transfers a charge of 0.210e (0 GPa) and 0.265e (120 GPa) to the Ir atom, respectively. This charge transfer process substantiates the formation of ionic bonds between Ir and P atoms (see Table S1[†]). The analysis above reveals a multifaceted nature of the bond for both phases, encompassing ionic, covalent, and metallic components. Notably, the presence of covalent and ionic bonds contributes to structural stability and imparts excellent mechanical properties to the material. These findings show that Ir₂P is a potential candidate for hard conductors in extreme conditions. With the pressure increase from 0 (120 GPa) to 100 GPa (200 GPa) for the $Fm\bar{3}m$ (I4/mmm) phase, the bond length among atoms in structures decrease monotonously. As a consequence, the number of charge transfers between Ir and P increases (see Table S1[†]), as shown in the band structure that conduction bands move up while valence bands move down. Furthermore, both structures are expected to have superconductivity because they both have steep and flat energy bands near $E_{\rm f}$ and high DOS values at $E_{\rm f}$.

3.3 Superconductivity

The superconductivity of these two structures continues is being investigated based on their electronic structures. The EPC and T_c are calculated and presented in Table 3. The T_c decreases as pressure increases, with the value changing from 2.51 (*Fm* $\bar{3}m$ at 0 GPa) to 0.83 K (*I*4/*mmm* at 200 GPa). To understand the change in superconductivity, the projected phonon densities of states (PHDOS), Eliashberg phonon spectral function $\alpha^2 F(\omega)$ and integrated electron-phonon coupling $\lambda(\omega)$ of the Ir₂P at 0 and 200 GPa are analyzed, as seen Fig. 8. The PHDOS for the *Fm* $\bar{3}m$ and *I*4/*mmm* phases reveal that their high-frequency



Fig. 6 Band structures of (a) $Fm\bar{3}m$ phase at 0 and 100 GPa and (b) I4/mmm phase at 120 and 200 GPa for Ir_2P calculated using GGA with Fermi energy level taken at 0 eV, as shown by the short blue dash line.



Fig. 7 The total and partial density of states of $Fm\bar{3}m$ phase at (a) 0 and (b) 100 GPa as well as I4/mmm phase at (c) 120 and (d) 200 GPa for Ir_2P from GGA calculations with Fermi energy level taken at 0 eV, as shown by the short blue dash line. The electronic local functions of the $Fm\bar{3}m$ and I4/mmm phases in (110) planes at (e) 0 and (f) 120 GPa, respectively.

Table 3 The calculated density of states at Fermi level $N_{\rm Ef}$ (electrons/ eV), electron-phonon coupling parameter λ , logarithmic average phonon frequency $\omega_{\rm log}$ (K) and superconducting critical temperature $T_{\rm c}$ (K) of the *Fm*3*m* and *I*4*/mmm* at different pressure (GPa)

Phase	Pressure	$N_{ m Ef}$	λ	$\omega_{ m log}$	$T_{ m c} \left(\mu^* = 0.1 \right)$	$T_{\rm c} \left(\mu^* = 0.13 \right)$
Fm3m	0	0.91	0.63	94.00	2.51	1.83
I4/mmm	200	0.95	0.38	283.71	0.89	0.35

modes are both associated with the vibrations of P atoms. The low-frequency modes of the former are connected to the vibrations of Ir atoms, while the latter are linked to the coupling of Ir and P atoms. This observation indicates that the phononic gaps displayed in Fig. 5 in both phases arise from the significant mass disparity between the heavy Ir atoms and the lighter P atoms. The relevant parameters are listed in Table 3. For $Fm\bar{3}m$ phase, the λ and the ω_{\log} are 0.63 and 94 K at 0 GPa. From the PHDOS and Eliashberg phonon spectral function $\alpha^2 F(\omega)$ as well as integrated electron-phonon coupling $\lambda(\omega)$ presented in the left panel of Fig. 8, it is clear that the total λ is mainly donated by the Ir atoms, P atoms by only 8%. In comparison, the *I*4/*mmm* phase at 200 GPa has a larger ω_{\log} with a value of 283.7 K, while λ decreases to 0.38. In combination with the electronic structures of both structures [Fig. 7(a) and (d)], one can find that a key factor for small λ is PDOS of Ir atoms at the $E_{\rm f}$, which weakens the $T_{\rm c}$ in *I*4/*mmm* compared to the *Fm*3*m* phase. Specifically, the pressure facilitates charge transfer from Ir to P atoms in the *I*4/*mmm* phase at 200 GPa when comparing to *Fm*3*m* at 0 GPa. As a consequence, the PDOS of Ir atoms at the $E_{\rm f}$ decrease [Fig. 7(a) and (d)], which strengthens the Ir–P bonds, and thus enhances the Ir–P vibration coupling, as shown in PHDOS for *I*4/*mmm* and *Fm*3*m* phase presented in Fig. 8. The resulting smaller λ decreases the $T_{\rm c}$.

3.4 Optical properties

The optical properties of both phases of Ir₂P have been studied by calculating the variation of the dielectric function' $\varepsilon_1(\omega)$ and $\varepsilon_2(\omega)$ with energy at different pressures. The outcomes for the low-energy and high-energy regions are depicted in Fig. 9 and S4,† respectively. Both phases exhibit Drude behavior, which is a characteristic feature of metallic systems, as indicated by substantial negative values of $\varepsilon_1(\omega)$ in the low-energy range



Fig. 8 The projected phonon densities of states PHDOS, Eliashberg phonon spectral function $\alpha^2 F(\omega)$ and integrated electron-phonon coupling $\lambda(\omega)$ of the (a) and (c) $Fm\bar{3}m$ and (b) and (d) I4/mmm.



Fig. 9 Energy dependence of the (a) real part $\varepsilon_1(\omega)$ and (b) imaginary part $\varepsilon_2(\omega)$ of the complex dielectric function for the $Fm\bar{3}m$ and I4/mmm phases of Ir_2P at different pressures. The solid and dashed lines represent the $Fm\bar{3}m$ and I4/mmm phases, respectively.

below 1 eV. Their $\varepsilon_1(\omega)$ curves show a general trend of increasing and then decreasing with rising energy. In the high-energy region, their values become negative, signifying that the material behaves opaquely (see Fig. S4†). All observable peaks of $\varepsilon_2(\omega)$ are within the energy range of 0–5 eV, and above 20 eV, the value of $\varepsilon_2(\omega)$ tends to zero. The $\varepsilon_2(\omega)$ curves of the *Fm*3*m* and *I4/ mmm* phases exhibit peaks at 2.93 and 0.88 eV at 0 and 120 GPa, respectively. Their shift of $\varepsilon_2(\omega)$ towards the high-energy region, indicating a blueshift, with increasing pressure, is associated with the enhancement of electron transition at high pressure.

Fig. 10 and S5† display the optical properties of Ir_2P under pressure in the low-energy and high-energy regions, including the absorption coefficient $\alpha(\omega)$, reflectivity $R(\omega)$, optical conductivity $\sigma(\omega)$, and loss function $L(\omega)$. The starting point of optical absorption coefficient at zero photon energy indicates that Ir₂P has metallicity, which is consistent with its electronic structures (see Fig. 6 and 7). In Fig. 10(a) and S5,† the optical absorption spectra of both structures show a broad, continuous absorption characteristic, distinct from the well-defined absorption peaks in semiconductors or insulators. This is attributed to the continuous band structure of metallic materials, lacking a band gap, which allows electrons to move freely, leading to a more uniform absorption of light. The presence of these inconspicuous absorption peaks is associated with electron transition, as incident light imparts energy to electrons, prompting their transition from the ground state to the excited



Fig. 10 Energy dependence of the (a) absorption coefficient $\alpha(\omega)$, (b) reflectance $R(\omega)$, (c) optical conductivity $\sigma(\omega)$, and (d) loss function $L(\omega)$ for the $Fm\bar{3}m$ and I4/mmm phases of Ir₂P at different pressures. The solid and dashed lines represent the $Fm\bar{3}m$ and I4/mmm phases, respectively.

state. Additionally, their values progressively rise with energy, peaking at 14.9 (0 GPa) and 15.4 eV (120 GPa), respectively, implying the materials' proficiency as ultraviolet absorbers. Their overall absorption region and peaks exhibit an increase with rising pressure. These findings suggest that applying pressure can broaden the photoresponse range of Ir₂P and improve its light absorption in the ultraviolet region [see Fig. $S5(a)^{\dagger}$. Both structures exhibit reflectivity values exceeding 76% in the 25-35 eV, suggesting that Ir₂P can serve effectively as a reflective coating within this energy range [see Fig. S5(b)[†]]. With increasing energy, their optical conductivity initiates an ascent from a photon energy of zero, attributed to the absence of a bandgap in Ir₂P, and culminates in a maximum in the ultraviolet region [see Fig. 10(c) and S5(c)[†]]. The research reveals that Ir2P exhibits optical conductivity across the infrared, visible, and ultraviolet wavelength ranges. Based on Fig. 10(d) and S5(d),† it is evident that the $Fm\bar{3}m$ and I4/mmmphases exhibit smaller loss function in the visible region, and their maximum energy loss peaks occur at 26.2 eV (0 GPa) and 31.3 eV (120 GPa), corresponding to their plasmonic frequencies, respectively. When the incident photon energy surpasses its plasma frequency, the absorption coefficient and reflectivity decrease drastically, and the Ir₂P becomes transparent,

implying that the Ir_2P changes from a metal response to a dielectric response. Moreover, both structures exhibit a blueshift in reflectivity, optical conductivity and loss function with increasing pressure towards the high-energy region.

3.5 Thermodynamic properties

Thermodynamic quantities for the $Fm\bar{3}m$ structure of Ir₂P at different pressures and temperatures have been obtained using the QHD model. The calculated energy-volume points at zero temperature and pressure are used to generate the results shown in Fig. 11. The volume curves become steeper with increasing temperature, indicating that the anti-fluorite structure of Ir₂P is more easily compressed under higher temperatures. The isothermal bulk modulus B increases with increasing pressure but generally decreases with rising temperature when looking at the overall trend of the results (Fig. 11). Upon careful examination, it is discovered that B slightly and linearly decreases with temperature at a constant pressure, and increases with pressure at a fixed temperature. This is consistent with the volume expansion trend. These findings suggest that pressure has a more significant impact on B than temperature for Ir₂P.



Fig. 11 The calculated volume and bulk modulus for the $Fm\bar{3}m$ phase of Ir_2P (a) as a function of pressure at different temperatures and (b) as a function of temperatures at various pressures.

The *B* value of Ir₂P changes regularly with temperature and pressure. However, the first and second pressure derivatives of B, B'_{T} and B''_{T} show some variation with changes in pressure and temperature, as shown in Fig. 12. Li et al.59 noted that the B'_{T} and B''_{T} derived from the three-parameter Vinet or Rose EOS often deviate significantly from experimental observations, indicating the need for further development of the EOS with improved performance. As shown in Fig. 12(a) and (b), B'_{T} increases with the temperature throughout the pressure range of 0–80 GPa, while $B''_{\rm T}$ decreases rapidly at low pressures, and moderately at higher pressures with an increase in temperature. For Ir₂P, reducing pressure has a similar effect on $B'_{\rm T}$ as increasing temperature. When the pressure is less than 30 GPa, $B''_{\rm T}$ changes sharply, and gradually becomes gentler with an increase in pressure, remaining relatively stable after the pressure exceeds 40 GPa. Therefore, under high-pressure conditions, the response of B'_{T} in Ir₂P to temperature change is relatively slow.

In the quasi-harmonic approximation, anharmonicity is limited to thermal expansion. Fig. 13 shows how the volume thermal expansion coefficient α changes with temperature under different pressures. As seen in Fig. 13(a) and (b), α decreases significantly with increasing pressure at various temperatures, and increases with rising temperature at different pressures. This indicates that anharmonic effects have a significant impact on the antifluorite structure of Ir₂P under low-pressure and high-temperature conditions.

Fig. 14 illustrates the relationship between the Debye temperature, pressure and temperature for Ir_2P with the antifluorite structure. As displayed in Fig. 14(a) and (b), it can be observed that θ_D values increase with the rise in pressure. At low pressures, the θ_D value undergoes a significant reduction when the temperature varies from 0 to 2000 K. Nonetheless, as the pressure increases, the extent of this reduction becomes less significant. To the best of our knowledge, this is the first quantitative theoretical prediction for Ir_2P concerning the



Fig. 12 (a) Pressure dependence of the B'_{\top} and B''_{\top} at different temperatures and (b) temperature dependence of the B'_{\top} and B''_{\top} at various pressures for $Fm\overline{3}m$ phase of Ir₂P.



Fig. 13 (a) The pressure-dependent thermal expansion coefficient α at various temperatures and (b) the temperature-dependent α at various pressures for $Fm\overline{S}m$ phase of Ir_2P .



Fig. 14 (a) Pressure dependence of the θ_D at various temperatures and (b) temperature dependence of θ_D at various pressures for $Fm\overline{3}m$ phase of Ir₂P.

pressure and temperature dependence of the Debye temperature. Further research is needed to experimentally confirm these findings.

4. Conclusions

First-principles calculations and the quasi-harmonic approximation were employed to examine the ground-state characteristics and the elastic, electronic, and finite-temperature thermodynamic properties of Ir_2P as a function of pressure and temperature. The study found that the GGA is more suitable than the LDA for describing the ground-state properties of Ir_2P . Good agreement has been achieved with existing experimental and theoretical studies, indicating that the GGA provides a more accurate representation of the material's properties. The analysis of the calculated results indicates that the anti-fluorite structure of Ir₂P is a potential candidate for being one of the hard materials. With further increase in pressure, the $Fm\bar{3}m$ phase changes to the I4/mmm phase at 103.4 GPa. The mechanical and dynamical stabilities of Ir₂P in the studied pressure range are verified by the calculated elastic constants and phonon dispersion curves. The electronic structure and EPC reveal that the $Fm\bar{3}m$ and I4/mmm phases of Ir_2P are superconducting materials with T_c of 2.51 and 0.89 K at 0 and 200 GPa, respectively. Calculated optical properties show that both the $Fm\bar{3}m$ and I4/mmm phases of Ir₂P are photoconductive in the infrared, visible, and ultraviolet regions. More interestingly, both the $Fm\bar{3}m$ and I4/mmm phases of Ir₂P have reflectance higher than 76% in the energy range of 25-35 eV at different pressures, which suggests that both materials can be used as reflective coatings. The pressure and temperature dependencies of the primitive-cell volume, $\theta_{\rm D}$, B, $B'_{\rm T}$, $B''_{\rm T}$, and

 α of $Fm\bar{3}m$ phase were also evaluated within the ranges of 0-80 GPa and 0-2000 K using the QHD model. The fluctuation of $B'_{\rm T}$ and $B''_{\rm T}$, which hold a crucial position in developing approximate EOS, has been forecasted for the anti-fluorite structure of Ir₂P within an expanded pressure and temperature range. The outcomes showed that the two parameters do not reach constant values as presumed in the EOS exploration at high pressures and temperatures. Here, the $B'_{\rm T}$ escalates with the rise in temperature, and the impact of declining pressure is equivalent to that of increasing temperature. Furthermore, for Ir₂P, the $B'_{\rm T}$ at high pressures is a weak function of temperature. Our calculations show that Ir₂P is a hard multifunctional material with superconductivity and excellent photoconductivity and reflectivity.

Conflicts of interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

This study was supported by the Key Natural Science Foundation of Gansu Province (No. 20JR5RA427).

References

- 1 K. Zhao, Q. Wang, W. Li, Q. Yang, H. Yu, F. Han, H. Liu and S. Zhang, *Phys. Rev. B*, 2022, **105**, 094104.
- 2 S. Liu, D. Xu, R. Liu, Z. Yao and P. Wang, *Dalton Trans.*, 2023, **52**, 1000–1008.
- 3 S. B. Schneider, D. Baumann, A. Salamat, Z. Konôpková, H.-P. Liermann, M. R. Schwarz, W. Morgenroth, L. Bayarjargal, A. Friedrich, B. Winkler and W. Schnick, *Chem. Mater.*, 2012, 24, 3240–3246.
- 4 Z. Zhao, K. Bao, D. Li, D. Duan, F. Tian, X. Jin, C. Chen, X. Huang, B. Liu and T. Cui, *Sci. Rep.*, 2014, **4**, 4797.
- 5 R. W. Cumberland, M. B. Weinberger, J. J. Gilman, S. M. Clark, S. H. Tolbert and R. B. Kaner, *J. Am. Chem. Soc.*, 2005, **127**, 7264–7265.
- 6 B. Petermüller, C. Neun, K. Wurst, L. Bayarjargal, D. Zimmer,
 W. Morgenroth, M. Avalos-Borja, I. G. Becerril-Juarez,
 M. J. Mühlbauer, B. Winkler and H. Huppertz, *Inorg. Chem.*, 2018, 57, 10341–10351.
- 7 Y. Wang, J. Zhang, L. L. Daemen, Z. Lin, Y. Zhao and L. Wang, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, 78, 224106.
- 8 M. Xie, R. Mohammadi, Z. Mao, M. M. Armentrout, A. Kavner, R. B. Kaner and S. H. Tolbert, *Phys. Rev. B*, 2012, **85**, 064118.
- 9 E. Bykova, S. V. Ovsyannikov, M. Bykov, Y. Yin, T. Fedotenko, H. Holz, S. Gable, B. Merle, S. Chariton, V. B. Prakapenka, N. Dubrovinskaia, A. F. Goncharov and L. Dubrovinsky, *J. Mater. Chem. A*, 2022, **10**, 20111–20120.
- 10 W. Sun, X. Kuang, H. Liang, X. Xia, Z. Zhang, C. Lu and A. Hermann, *Phys. Chem. Chem. Phys.*, 2020, 22, 5018–5023.

- S. Khandarkhaeva, T. Fedotenko, M. Bykov, E. Bykova, S. Chariton, P. Sedmak, K. Glazyrin, V. Prakapenka, N. Dubrovinskaia and L. Dubrovinsky, *Eur. J. Inorg. Chem.*, 2020, 2020, 2186–2190.
- 12 F. Kawamura, Y. Shibazaki, H. Yusa and T. Taniguchi, *Cryst. Growth Des.*, 2023, 23, 2504–2510.
- 13 T. Sasaki, T. Yamamoto, S. Asano, K. Niwa and M. Hasegawa, *Dalton Trans.*, 2023, **52**, 469–475.
- 14 Y. Jin, W. Huang, J. Zhang, S. Li, S. Cheng, W. Sun, M. Ju and C. Zhang, *Arabian J. Chem.*, 2023, **16**, 104546.
- 15 C. Cui, J. Bi and C. Lu, Cryst. Growth Des., 2022, 22, 6201-6206.
- 16 R. Zhang, D. Legut, Z. Lin, Y. Zhao, H. Mao and S. Veprek, *Phys. Rev. Lett.*, 2012, **108**, 255502.
- 17 K. Zhao, Q. Wang, W. Li, Q. Yang, H. Yu, F. Han, H. Liu and S. Zhang, *Phys. Rev. B*, 2022, **105**, 094104.
- 18 X.-W. Sun, Q.-F. Chen, X.-R. Chen, L.-C. Cai and F.-Q. Jing, *J. Appl. Phys.*, 2011, **110**, 103507.
- 19 Y. Liang, J. Yang, L. Xi, C. Liu, G. Zhang and W. Zhang, *Mater. Today Phys.*, 2018, 7, 54–60.
- 20 Y. Liang, C. Li, W. Guo and W. Zhang, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2009, **79**, 024111.
- 21 M. Kavitha, G. Sudha Priyanga, R. Rajeswarapalanichamy and K. Iyakutti, *J. Phys. Chem. Solids*, 2015, 77, 38–49.
- 22 Y. Li, Y. Gao, B. Xiao, T. Min, Z. Fan, S. Ma and L. Xu, *J. Alloys Compd.*, 2010, **502**, 28–37.
- 23 Q. Wei, C. Zhao, M. Zhang, H. Yan and B. Wei, *Phys. Lett. A*, 2019, **383**, 2429–2435.
- 24 X. Jiang, Q. Xiong, S. Nam, F. Qian, Y. Li and C. M. Lieber, *Nano Lett.*, 2007, 7, 3214–3218.
- 25 K. Y. Yoon, Y. Jang, J. Park, Y. Hwang, B. Koo, J.-G. Park and T. Hyeon, *J. Solid State Chem.*, 2008, **181**, 1609–1613.
- 26 A.-M. Alexander and J. S. Hargreaves, *Chem. Soc. Rev.*, 2010, 39, 4388–4401.
- 27 P. Liu and J. A. Rodriguez, J. Am. Chem. Soc., 2005, 127, 14871–14878.
- 28 Y. Shi and B. Zhang, Chem. Soc. Rev., 2016, 45, 1529-1541.
- 29 R. H. Bowker, M. C. Smith, B. A. Carrillo and M. E. Bussell, *Top. Catal.*, 2012, 55, 999–1009.
- 30 W. Blatz, F. Weibke and E. May, Z. Anorg. Allg. Chem., 1935, 223, 129–143.
- 31 S. Rundqvist, Nature, 1960, 185, 31-32.
- 32 C. J. Raub, W. Zachariasen, T. Geballe and B. Matthias, *J. Phys. Chem. Solids*, 1963, **24**, 1093–1100.
- 33 C. M. Sweeney, K. L. Stamm and S. L. Brock, J. Alloys Compd., 2008, 448, 122–127.
- 34 P. Wang, Y. Wang, L. Wang, X. Zhang, X. Yu, J. Zhu, S. Wang, J. Qin, K. Leinenweber, H. Chen, D. He and Y. Zhao, *Sci. Rep.*, 2016, 6, 21787.
- 35 X. Li, X. Ma, W. Gao and Y. Liu, *Chin. J. High Pressure Phys.*, 2019, 33, 011103.
- 36 G. Kresse and J. Furthmüller, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1996, **54**, 11169.
- 37 D. Vanderbilt, Phys. Rev. B: Condens. Matter Mater. Phys., 1990, 41, 7892.

- 38 J. P. Perdew, A. Ruzsinszky, G. I. Csonka, O. A. Vydrov, G. E. Scuseria, L. A. Constantin, X. Zhou and K. Burke, *Phys. Rev. Lett.*, 2008, **100**, 136406.
- 39 J. P. Perdew and A. Zunger, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1981, 23, 5048.
- 40 H. J. Monkhorst and J. D. Pack, *Phys. Rev. B: Solid State*, 1976, 13, 5188.
- 41 T. H. Fischer and J. Almlof, J. Phys. Chem., 1992, 96, 9768.
- 42 L. Fast, J. Wills, B. Johansson and O. Eriksson, *Phys. Rev. B*, 1995, **51**, 17431.
- 43 C. Asker, L. Vitos and I. A. Abrikosov, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2009, **79**, 214112.
- 44 G. Grimvall, B. Magyari-Köpe, V. Ozoliņš and K. A. Persson, *Rev. Mod. Phys.*, 2012, **84**, 945.
- 45 A. Togo, F. Oba and I. Tanaka, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, **78**, 134106.
- 46 P. Giannozzi, S. Baroni, N. Bonini, M. Calandra, R. Car, C. Cavazzoni, D. Ceresoli, G. L. Chiarotti, M. Cococcioni and I. Dabo, *J. Phys.: Condens. Matter*, 2009, 21, 395502.
- 47 W. McMillan, Phys. Rev., 1968, 167, 331.

- 48 M. Gajdoš, K. Hummer, G. Kresse, J. Furthmüller and F. Bechstedt, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2006, 73, 045112.
- 49 M. Blanco, E. Francisco and V. Luana, *Comput. Phys. Commun.*, 2004, **158**, 57–72.
- 50 Y. Liang and B. Zhang, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2007, **76**, 132101.
- 51 F. Birch, Phys. Rev., 1947, 71, 809.
- 52 R. J. Angel, Rev. Mineral. Geochem., 2000, 41, 35-59.
- 53 R. Hill, Proc. Phys. Soc. A, 1952, 65, 349.
- 54 M. Born and K. Huang, *Dynamical Theory of Crystal Lattices*, Oxford University, New York, 1998.
- 55 J. Muscat, V. Swamy and N. M. Harrison, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2002, 65, 224112.
- 56 M. E. Kilic and K. R. Lee, Phys. Rev. Mater., 2021, 5, 065404.
- 57 M. E. Kilic and K. R. Lee, Carbon, 2021, 174, 368-381.
- 58 M. E. Kilic and K. R. Lee, Carbon, 2022, 195, 154-164.
- 59 J. Li, X. Dai, S. Liang, K. Tai, Y. Kong and B. Liu, *Phys. Rep.*, 2008, **455**, 1–134.