## RSC Advances



## PAPER

Cite this: RSC Adv., 2024, 14, 3489

Received 8th November 2023 Accepted 8th January 2024

DOI: 10.1039/d3ra07639c

rsc.li/rsc-advances

## 1. Introduction

The electrochemical reduction of  $CO<sub>2</sub>$  into hydrocarbon fuels is a promising strategy to reduce societal reliance on fossil fuels and anthropogenic  $CO<sub>2</sub>$  emissions, while meeting global energy demands. To achieve this goal, the design and development of suitable functional materials which can effectively catalyse  $CO<sub>2</sub>$ reduction into fuels using cheap and renewable energy is required.<sup>1</sup>–<sup>3</sup> Homogeneous and heterogeneous catalysts, including transition metal complexes of Pd, Re, Ru, Mn, Fe, Co, Ni and Cu, heterogenized molecular catalysts, nanostructured metals, metal chalcogenides and heteroatom-doped carbons have been explored.<sup>4-6</sup> Multi-carbon products can form efficiently over Cu catalysts, being the preferred metal to promote C–C coupling reactions during  $CO<sub>2</sub>$  electroreduction.<sup>1,4</sup>  $CO<sub>2</sub>$ reduction to multi-carbon products proceeds via a CO

## Cu and Zn promoted Al-fumarate metal organic frameworks for electrocatalytic  $CO<sub>2</sub>$  reduction $\dagger$

Ung Thi Dieu Thuy, D<sup>\*a</sup> Tran Ngoc Huan, \*<sup>b</sup> Sandrine Zanna,<sup>c</sup> Karen Wilson,<sup>d</sup> Adam F. Lee,<sup>d</sup> Ngoc-Diep Le,<sup>b</sup> Jim Mensah,<sup>e</sup> Venkata D. B. C. Dasireddy<sup>d</sup> and Nguyen Quang Liem<sup>\*a</sup>

Metal organic frameworks (MOFs) are attractive materials to generate multifunctional catalysts for the electrocatalytic reduction of  $CO<sub>2</sub>$  to hydrocarbons. Here we report the synthesis of Cu and Zn modified Al-fumarate (Al-fum) MOFs, in which Zn promotes the selective reduction of  $CO<sub>2</sub>$  to CO and Cu promotes CO reduction to oxygenates and hydrocarbons in an electrocatalytic cascade. Cu and Zn nanoparticles (NPs) were introduced to the Al-fum MOF by a double solvent method to promote in-pore metal deposition, and the resulting reduced Cu–Zn@Al-fum drop-cast on a hydrophobic gas diffusion electrode for electrochemical study. Cu-Zn@Al-fum is active for CO<sub>2</sub> electroreduction, with the Cu and Zn loading influencing the product yields. The highest faradaic efficiency (FE) of 62% is achieved at −1.0 V vs. RHE for the conversion of CO<sub>2</sub> into CO, HCOOH, CH<sub>4</sub>, C<sub>2</sub>H<sub>4</sub> and C<sub>2</sub>H<sub>5</sub>OH, with a FE of 28% to  $CH_{4}$ ,  $C_2H_4$  and  $C_2H_5OH$  at pH 6.8. Al-fum MOF is a chemically robust matrix to disperse Cu and Zn NPs, improving electrocatalyst lifetime during CO<sub>2</sub> reduction by minimizing transition metal aggregation during electrode operation. PAPER<br>
Cut and Zn promoted Al-fumarate metal organic<br>
Cut and Zn promoted Al-fumarate metal organic<br>
Cut and Zn promoted Al-fumarate metal organic<br>
Cut and  $\frac{1}{2}$  frameworks for electrocatalytic CO<sub>2</sub> reduction<sup>4</sup><br>
Man

intermediate, which undergoes additional multi-electron reduction, hence many studies target multifunctional catalysts in which a second active site selective for the reduction of  $CO<sub>2</sub>$  to CO, is incorporated alongside Cu. This enables a tandem process in which  $CO<sub>2</sub>$  reduction selectively produces CO for subsequent reduction and/or coupling over Cu sites to produce (oxygenated) hydrocarbons.<sup>5-7</sup> Zn is selective for  $CO_2$  electroreduction to CO,<sup>8</sup> and in combination with Cu facilitates deeper reduction or coupling products (CH<sub>3</sub>OH, CH<sub>4</sub>, C<sub>2</sub>H<sub>4</sub> or  $C_2H_5OH$ ).<sup>9-11</sup>

Metal–organic frameworks (MOFs) are attractive scaffolds that are readily functionalised with metal- or metal oxide-based nanoparticles for diverse applications including adsorption, membrane separation and catalysts.<sup>12-16</sup> The high porosity, large surface area and chemical flexibility of MOFS renders them well-suited for fabricating multifunctional materials,<sup>13,14</sup> with properties are tailored by changing the metal nodes or organic linkers, or introducing metal precursors within the pore network to create highly dispersed metal or metal oxide nanoparticles (NPs) with enhanced catalysis. Stabilization of such dispersed metal and metal oxide NPs may prevent their agglomeration and deactivation. MOFs have found application in electrocatalytic  $CO_2$  reduction,<sup>13,17-20</sup> with Jiang et al. reporting a Ag<sub>2</sub>O/layered ZIF-7 catalyst, comprising Ag<sub>2</sub>O NPs and a ZIF-7 MOF, that affords 81% faradaic efficiency (FE) for  $CO<sub>2</sub>$ electroreduction to CO to at  $-1.2$  V vs. RHE in 0.25 M K<sub>2</sub>SO<sub>4</sub>. This value was much greater than that achieved with either ZIF-7 (25%) or Ag/C (36%) components.<sup>21</sup> Hupp et al. embedded Cu

a Institute of Materials Science, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay, Hanoi, Vietnam. E-mail: dieuthuy@ims.vast.vn; liemnq@vast.vn <sup>b</sup>Laboratoire de Chimie des Processus Biologiques, Collège de France, Sorbonne Université, 11 Place Marcelin Berthelot, 75231 Paris Cedex 05, France. E-mail: ngoc-huan.tran@college-de-france.fr

c Chimie ParisTech, PSL Research University, CNRS, Institut de Recherche de Chimie Paris (IRCP), 11 rue Pierre et Marie Curie, 75005 Paris, France

d School of Environment & Science, Centre for Catalysis and Clean Energy, Griffith University, Gold Coast Campus, QLD 4222, Australia

e Centre for Applied Materials and Industrial Chemistry (CAMIC), RMIT University, Australia

<sup>†</sup> Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d3ra07639c>

NPs within Zr-MOF (NU-1000), obtaining a FE of 28% for  $CO<sub>2</sub>$ electroreduction reaction at −0.82 V vs. RHE, with formate (HCOO<sup>-</sup>) as the major product,<sup>22</sup> while Beobide et al. reported a HKUST-1(Cu,Ru) heterometallic electrocatalyst formed by partially replacing Cu( $\pi$ ) nodes in the MOF with Ru( $\pi$ ) nodes, resulting in a combined FE of  $47\%$  for  $CO<sub>2</sub>$  conversion to methanol and ethanol. However, the latter electrocatalyst deactivated after 60 min of operation to a stable FE of only  $\sim$ 10%.<sup>23</sup>

Metal-doped MOFs are hence promising electrocatalysts for  $CO<sub>2</sub>$  reduction, with multimetallic catalysts desirable to optimize product selectivity. Al-fumarate MOFs exhibit excellent thermal and chemical stability, alongside their high surface area and porosity, $24$  but to our knowledge have not been investigated for  $CO<sub>2</sub>$  electroreduction. Here we explore the utility of Al-fumarate MOFs to: (i) synthesise Cu and Zn doped analogues for the cascade reduction of  $CO<sub>2</sub>$  to CO and subsequent multicarbon products; and (ii) improve active site dispersion and catalyst lifetime. Multimetallic Al-fumarate MOFs (Cu–Zn@Al-fum MOFs) with different metal loadings and Cu : Zn ratios were used to fabricate catalytic gas diffusion electrodes. Electroreduction of  $CO<sub>2</sub>$  was effective at neutral pH, with a FE of 27% to CO, 28% to hydrocarbons (CH<sub>4</sub>, C<sub>2</sub>H<sub>4</sub>,  $C_2H_5OH$ ) and 7% to HCOOH at  $-1.0$  V vs. RHE. RSC Advances<br>
NPs which 23-MOF (RN-1006), chaining a FE of 28% for Co<sub>p</sub> controllation and characterization of Ca-Za@Ad-fum MOF<br>
published on 23 Open access Article is licensed by<br>
published commons are controllated on 22

### 2. Experimental

#### 2.1 Preparation of Al-fum MOF

Al-fum MOF were prepared as follows.<sup>24</sup> In a 500 mL three-neck flask, 0.05 mol of  $Al_2(SO_4)_3 \tcdot 18H_2O$  was dissolved in 150 mL of DI water and heated to 65 °C. A 150 mL mixture containing an aqueous solution of 0.10 mol fumaric acid and 0.21 mol sodium hydroxide was injected into the reaction flask containing the aluminum precursor at 65 °C and stirred vigorously for 1 h. The obtained white suspension was filtered, then washed with DI water and warm ethanol. The washed Al-fum MOF product was dried overnight at 100 °C in air and subsequently at 130 °C in a vacuum oven.

#### 2.2 Fabrication of Cu@Al-fum MOF

1 g of Al-fum MOF was dispersed in 50 mL of  $n$ -hexane and sonicated for 20 min to obtain a white suspension. Next, a certain volume of aqueous 1.45 mM  $Cu(NO<sub>3</sub>)<sub>2</sub>·3H<sub>2</sub>O$  was added gradually under vigorous stirring. After stirring for 8 h, the blue solid was decanted and washed with  $n$ -hexane until the blue color of  $Cu^{2+}$  from the washing solution was clear. This precipitated solid was dried under vacuum at 80 °C overnight to obtain Cu<sup>2+</sup>@Al-fum MOF. Cu<sup>2+</sup>@Al-fum MOF which was then reduced by dispersing in 50 mL of  $CH_2Cl_2$  and stirred vigorously for 30 min under  $N_2$ , prior to dropwise addition of a 25 mL NaBH<sub>4</sub> solution (prepared by dissolving 0.47 g of NaBH<sub>4</sub> in 25 mL of ethanol). The solution changed from light blue to yellow brown and then black as reduction proceeded. The product was collected by centrifugation and purified by dispersing in ethanol five times. The Cu@Al-fum MOF solid

precipitate was dried under vacuum for overnight, and hereafter is termed Cu@Al-fum.

#### 2.3 Fabrication of Cu–Zn@Al-fum MOF

A Cu–Zn@Al-fum MOF was prepared similarly to Cu@Al-fum, except that Cu and Zn precursors were simultaneously introduced into the Al-fum MOF suspension. Briefly, a certain volume of aqueous  $Cu(NO_3)_2$  (1.45 mM) and  $Zn(NO_3)_2$  (3.5 mM) was mixed and added dropwise to a suspension containing 1 g of Al-fum MOF in 50 mL of anhydrous  $n$ -hexane under vigorous stirring. The prepared with 0.6 mL  $Cu^{2+}$  and 1.0 mL  $Zn^{2+}$  sample is termed Cu– Zn@Al-fum. After stirring overnight, the solids were collected, washed by *n*-hexane and dried under vacuum at 80 °C overnight to obtain  $Cu^{2+}-Zn^{2+}$ @Al-fum. The  $Cu^{2+}-Zn^{2+}$ @Al-fum was then dispersed in 50 mL of  $CH_2Cl_2$  and stirred vigorously for 30 min under  $N_2$  prior to reduction with fresh NaBH<sub>4</sub> solution which was added gradually into the reaction flask. The resulting Cu-Zn@Alfum was collected, purified and dried akin to Cu@Al-fum MOF.

#### 2.4 Fabrication of the electrode for  $CO<sub>2</sub>$  electroreduction

The working electrode was prepared by drop-casting aqueous suspensions of Cu@Al-fum MOFs or Cu–Zn@Al-fum MOFs onto a hydrophobic gas diffusion electrode (GDE) (dioxide, AvCarb GDS5130), on a hot plate at 80 °C. The solution for deposition was prepared with 1 mg catalyst (metal-impregnated MOFs) in 150  $\mu$ L ethanol with 5  $\mu$ l Nafion 5% (Sigma-Aldrich). The final 1  $\text{cm}^2$  electrode was dried in air before use.

#### 2.5 Characterization

Morphology, structure and chemical composition of Al-fum MOFs were characterized by a transmission electron microscope (TEM, Hitachi H-7100, Japan), field emission scanning electron microscope (SEM, JEOL JSM-7600F, Japan), and powder X-ray diffraction (XRD, Shimadzu XRD-6000, Japan). Thermal stability was determined by thermogravimetric analysis (TGA, Mettler Toledo TGA/SDTA 851, USA) under a dry nitrogen flow of 30 mL min−<sup>1</sup> , under heating at 5 °C min−<sup>1</sup> from 32 to 700 °C. Brunauer–Emmett–Teller (BET) and Barrett–Joyner–Halenda (BJH) methods were applied to determine the specific surface area and pore size, respectively from  $N_2$  physisorption isotherms (Quantachrome Nova 4200e porosimeter at 77 K). X-ray photoelectron spectra were acquired (Thermo Scientific K-alpha instrument) using a monochromatic Al  $K_{\alpha}$  (1486.7 eV) source and charge neutralizer to investigate surface properties. Bulk Cu and Zn loadings were determined by inductively coupled plasmaoptical emission spectrometry (ICP-OES, PerkinElmer, USA). Electrochemical impedance spectroscopy (EIS, Biologic SP-300) were measured with frequencies ranging from 100 kHz to 0.1 Hz at a potential of  $-1.0$  V vs. RHE in 0.1 M KHCO<sub>3</sub>, and the amplitude of the applied voltage was 10 mV. Gas chromatography (GC, SRI instruments, MG#5 GC) was used to analyze the gaseous products from  $CO<sub>2</sub>$  electroreduction and  $^{1}H$  nuclear magnetic resonance (NMR, Bruker Avance III 300 MHz) was used to analyze liquid products; further details are provided in the ESI.†

#### 2.6 Evaluation of electrocatalytic  $CO<sub>2</sub>$  reduction

CO<sub>2</sub> electroreduction was performed by a chronopotentiostatic method at different potentials, using an H-type electrochemical cell, which consists of two compartments separated by an anion exchange membrane (Dioxide, X37-50 grade T) containing the working, counter and reference electrodes. In the anodic compartment, Pt wire was the anode for the water oxidation reaction. In the cathodic compartment,  $CO<sub>2</sub>$  reduction was performed using catalysts deposited on the GDE in  $0.1 \text{ M }$  KHCO<sub>3</sub> solution-saturated  $CO<sub>2</sub>$  (pH 6.8) with a Ag/AgCl reference electrode. During electrolysis,  $CO<sub>2</sub>$  was continuously bubbled at a flow rate of 7.5 mL  $min^{-1}$ ; the headspace was sampled by online GC for quantification of  $H_2$ , CO, CH<sub>4</sub>, C<sub>2</sub>H<sub>4</sub>, with formate and ethanol quantified by ion chromatography and NMR respectively. Details of FE calculations are presented in the ESI.† Paper<br>
26. Rabuation of electrocatalytic Co<sub>2</sub> reduction<br>
CO<sub>2</sub> decisions Article and the proportional by a decorations are five the provisions of the MD F functions (article is likewise and the common paper and the produ

## 3. Results and discussion

#### 3.1 Morphological and structural characterization

Al-fum with a high specific surface area, porosity and excellent water stability was successfully synthesized by precipitating aluminum sulphate with fumaric acid at 65  $\mathrm{^{\circ}C.^{24}}$  Cu and Cu–Zn NPs analogues were prepared by impregnation of metal salts into the Al-fum MOFs using the double solvent method (Fig. 1).

The composition, texture and structure properties of Al-fum, Cu@Al-fum and Cu-Zn@Al-fum were first determined by ICP and  $N_2$  porosimetry and XRD; the Cu mass and molar loading in Cu@Al-fum was similar to the combined  $\left[ Cu + Zn \right]$  loading in Cu–Zn@Al-fum of ∼3 wt% (Table 1). The BET surface area and

average pore diameter of Al-fum were  $\sim$ 1073 m<sup>2</sup> g<sup>-1</sup> and 1.7 nm respectively, in good agreement with the literature.<sup>24</sup>–<sup>26</sup> Note the average pore diameter is larger than the 0.6 nm of the rhombohedral channels of the MOF framework due to mesoporous intercrystallite voids<sup>27</sup> (with a mode pore diameter of  $\sim$ 8 nm). The pore diameter increases after Cu and Cu/Zn doping, likely due to enlargement of intercrystallite voids. The decrease in surface areas of Cu@Al-fum and Cu–Zn@Al-fum compared to Al-fum is attributed to incorporation of dense Cu and Zn NPs within the low density MOF, and resultant partial micropore blockage. This observation concurs with a previous report of Alfum and CuO/ZnO/AlFum MOFs wherein surface areas decreased from 910 to 416  $\mathrm{m}^2$   $\mathrm{g}^{-1}$ .<sup>28</sup>

The hydrophilicity of Al-fum MOF after Cu and Zn incorporation was evaluated from water adsorption isotherms (Fig.  $S1a<sup>†</sup>$ ). Water adsorption decreased 3.5 times after introducing Cu and Zn into the Al-fum MOF, partly reflecting the lower surface area and pore volume, but also indicative of decreased hydrophilicity.

Fig. 2 shows the XRD patterns of Al-fum, Cu@Al-fum and Cu–Zn@Al-fum, with the former (Fig. 2a) exhibiting diffraction peaks at 2 $\theta$  of ~10.6, 15.2, 21.2, 31.8 and 42.8° corresponding to the (011), (020), (022), (033) and (044) planes of monoclinic Alfum MOF crystals.

Cu@Al-fum and Cu-Zn@Al-fum exhibit similar reflections to Al-fum, suggesting that the former retain the crystalline structure of the parent MOF. No reflections associated with copper oxides were observed (Fig. 2b), however a very weak peak at 42° in Cu@Al-fum is characteristic of copper metal. For Cu– Zn@Al-fum, small reflections at 36.4 $\circ$  and 43.7 $\circ$  are indicative of

> Al  $\Omega$

 $Zn$ 

Cu

Ċ  $H$ 

ó  $\mathcal{C}$ 

 $Cu@Al-fum$ 

 $Cu-Zn@Al-fum$ 

Fig. 1 Schematic of Cu@Al-fum and Cu–Zn@Al-fum MOF synthesis.

 $H_2$ fum



Al-fum

DSM, NaBH

 $C_{u^2}$   $Z_{u^2}$ DSM, NaBH

<sup>a</sup> ICP analysis. <sup>b</sup> Error in S<sub>BET</sub> and pore volume  $\pm 10\%$ . <sup>c</sup> Modal value of mesopore diameter in brackets.



Fig. 2 XRD patterns of (a) Al-fum, (b) Cu@Al-fum and (c) Cu–Zn@Alfum. Inset shows the magnification of the (011) peak.

ZnO (Fig. 2c), although no reflections associated with Zn metal were observed (Zn being more easily oxidized than Cu). The low intensities of Cu and ZnO reflections is consistent with their low loading in the doped MOF.<sup>28</sup> The (011) reflection of the parent Al-fum MOF slightly shifts to lower angle (by  $\sim 0.3^{\circ}$ ) following Cu and Cu-Zn modification (Fig. 2 inset), indicating lattice expansion which we ascribe to lattice stress/strain or defects (dislocations or stacking faults) arising from the incorporation of Cu and Zn NPs into the MOF framework.<sup>29</sup>

SEM and TEM images of Cu–Zn@Al-fum (Fig. 3) and of Cu@Al-fum (Fig. S1b†) reveal aggregates of relatively uniform sheets (average width ∼50–100 nm), similar to the parent Alfum MOF and consistent with previous reports.<sup>24,27</sup> TEM images and EDX elemental maps (Fig. 3, S1b and S2†) evidence <6 nm Cu and Zn NPs uniformly distributed throughout the Alfum MOF, akin to reports of Cu and Zn NPs dispersed in UiO-66 or Ni NPs in Zr MOFs.<sup>30-32</sup>

A survey scan by XPS identified the presence of  $C$ ,  $O$ , Al,  $Cu$ and Zn in Cu@Al-fum and Cu–Zn@Al-fum (Fig. S3a†).



Fig. 3 (Top) SEM and TEM images, and (middle, bottom) EDX elemental maps of Cu–Zn@Al-fum. Arrows in the TEM image indicate <6 nm Cu and/or Zn NPs. FTIR spectra of Al-fum, Cu@Al-fum and Cu–Zn@Al-fum (Fig. 4a) confirmed the molecular components of the MOF framework. Bands at ∼1610 cm<sup>−1</sup>, 1430 cm<sup>−1</sup>, 1158 cm<sup>−1</sup> and 805 cm<sup>−1</sup> are attributed to asymmetric and symmetric stretches of the carboxylate group in fumarate (which coordinates to Al<sup>3+</sup> nodes).<sup>33,34</sup> Bands spanning 720–650 cm<sup>-1</sup> arise from C=C and C–H bending modes of the fumarate framework, while the broad band from 3400–3600 cm<sup>-1</sup> is due to the O–H stretch of in-pore or intercrystallite water. New bands are visible <650 cm<sup>−1</sup> following Cu and Zn doping, attributed to Cu–O stretches in Cu<sub>2</sub>O (expected ∼615–630 cm<sup>−1</sup>) and CuO (expected ∼609–590 cm<sup>−1</sup> and ∼530–508 cm<sup>−1</sup>),<sup>35</sup> and copper coordinated to carboxylate groups (<450 cm<sup>−1</sup>)<sup>36</sup> in addition to Zn–O stretches (expected < $555$  cm $^{-1}$ ). $^{37}$ 

Corresponding high-resolution C 1s XPS spectra (not shown) reveal three peaks with binding energies of 284.6, 286.2 and 288.4-288.8 eV, attributed to C-C/C-H/C=C, C-O and C=O groups, respectively of the fumarate framework.<sup>38</sup>–<sup>40</sup> The Al-fum exhibits Al 2p spin–orbit split peaks at ∼74.4 and 75.5 eV (Fig. S3b†), assigned to AlO(OH) species within the MOF framework,<sup>41</sup> and two O 1s peaks at ∼531.9 eV and 533.2 eV (Fig. S3c†) characteristic of metal and H-bonded oxygen respectively.<sup>42</sup> Small shifts in the principal Al 2p and O 1s peaks to lower binding energy following metal doping (Fig. S3b and  $c<sup>†</sup>$ ) may reflect tensile or compressive strains in the Al-fum MOF framework and a concomitant change in the  $Al^{3+}$  charge density.

Unreduced Cu@Al-fum and CuZn@Al-fum samples exhibit Cu  $2p_{3/2}$  and  $2p_{1/2}$  spin–orbit split peaks at 933.2 and 953.0 eV respectively, which (in conjunction with the absence of a copper satellite) indicates the presence of  $Cu<sup>+</sup>$  species (Fig. S4 $\dagger$ ). Following NaBH4 reduction, the Cu 2p binding energies decreased slightly to 932.6 and 952.4 eV for Cu@Al-fum and 932.8 and 952.7 eV for Cu–Zn@Al-fum (Fig. 4b and S4†) consistent with the formation of some metallic Cu.<sup>43</sup> In both cases, the Auger parameter calculated using the Cu LMM peak ∼918.2 eV kinetic energy (Fig. S5†) was 1851.4 eV, consistent with Cu metal.<sup>44</sup> A similar binding energy red-shift was observed for the Zn 2p spectra following NaBH<sub>4</sub> reduction, from ~1022.3 for Zn<sup>2+</sup> species in  $Cu^{2+}Zn^{2+}$ @Al-fum to 1021.9 eV for Cu–Zn@Al-fum (Fig. 4b and  $S4\dagger$ ). This shift may reflect chemical reduction of  $\text{Zn}^{2+}$  to Zn or electronic perturbation due to alloying with copper.<sup>32</sup> It is challenging to distinguish Zn and ZnO from XPS Paper<br>
Corresponding high-centuration C is XPS spectra (not shown) the to their similar binding energy values,<sup>64</sup> howes the function of the

due to their similar binding energy values,<sup>45</sup> however the formation of Zn NPs in MOF pore networks is known.<sup>46-48</sup>

The porosity of the Al-fum, Cu@Al-fum and Cu–Zn@Al-fum MOFs was analyzed using nitrogen porosimetry (Fig. S6a†), which reveals the parent and metal-impregnated MOF samples exhibit typical I isotherm behavior, indicating the existence of both microporous and mesoporous structures. The BJH pore size distribution (Fig. S6b†) reveals all samples show a broad range of mesopores with a mode of ∼8 nm for Al-fum, increasing to 11 and 19 nm for Cu@Al-fum MOF and Cu– Zn@Al-fum respectively, which are attributed to intercrystallite voids, and is in good agreement with observations from SEM in Fig. 3 and S1b.†

Thermal analysis of Al-fum reveals mass losses at ∼50 °C and 475 °C (Fig. S7†) corresponding to the removal of physisorbed water and adsorbed/coordinated solvent (∼30 wt%) and subsequent decomposition of the fumarate organic linker (∼35 wt%). The residual ∼35 wt% is associated with reactivelyformed alumina. Al-fum is thus thermally stable to 475  $\,^{\circ}$ C, in good agreement with previous reports.24,26,28 Impregnation with Cu and Zn NPs lowers the thermal stability, with the frameworks of Cu@Al-fum and Cu–Zn@Al-fum decomposing at 435 ° C and 447 °C respectively, and new lower temperature mass losses emerging at 320 °C and 340 °C, respectively. We speculate that the presence of metal NPs promotes defect formation (missing  $Al^{3+}$  nodes or fumarate linkers) and/or lattice strain, destabilizing the parent framework, consistent with literature reports.<sup>28</sup> Nevertheless, Cu@Al-fum and Cu–Zn@Al-fum are stable to 320 °C, higher than many MOFs.<sup>49,50</sup>



Fig. 4 (a) FTIR spectra of Al-fum MOFs, and (b) Cu and Zn 2p XP spectra of Cu@Al-fum and Cu–Zn@Al-fum.

#### 3.2 Electrocatalytic reduction of  $CO<sub>2</sub>$

The electrocatalytic reduction of  $CO<sub>2</sub>$  over Al-fum derived catalysts was evaluated using a bespoke H-cell (Fig. S8a†), with two compartments separated by an anion exchange membrane (AEM). To maximize catalytic performance,  $CO<sub>2</sub>$  was injected through a glass frit at the base of cathodic compartment to produce a stream of small bubbles transported to the catalyst deposited on the hydrophobic GDE. All electrocatalysts achieved steady-state operation after 30 min time-on-stream with an example shown for Cu–Zn@Al-fum under the operating potentials studied (Fig. S8b†).

The catalytic performance of Cu–Zn@Al-fum was evaluated by linear sweep voltammetry (LSV) in the presence and absence of  $CO<sub>2</sub>$  (Fig. 5). Under an Ar atmosphere, liquid and gas analysis confirmed that the faradaic current density  $(i)$  was entirely due to the hydrogen evolution reaction (HER), whereas in the

presence of a  $CO_2$ -saturated solution *j* reflects competition between proton and  $CO<sub>2</sub>$  reduction. Hydrogen production was greatly suppressed under a  $CO<sub>2</sub>$  atmosphere, with the chemical selectivity (on a molar basis) to reduced carbon products reaching 50% for Cu–Zn@Al-fum at −1.2 V vs. RHE (Table S1†). A similar switchover from proton reduction under Ar to  $CO<sub>2</sub>$ reduction in a  $CO<sub>2</sub>$  saturated aqueous solution is reported in the literature.<sup>51</sup>–<sup>53</sup> Note that the molar selectivity to reduced carbon products is always lower than the FE, as the latter accounts for the greater number of electrons required to form e.g.  $C_2H_4$  (12) e<sup>−</sup>) than H<sub>2</sub> (2 e<sup>−</sup>). Although the electrolyte pH decreased from 8.3 under Ar to 6.8 for a  $CO<sub>2</sub>$  saturated solution (which could result in a positive shift in potential for  $H_2$  generation),<sup>54</sup> there was no evidence for a systematic increase in  $H<sub>2</sub>$  production at more positive potentials (Fig. 5 and S9†). Literature reports suggest that  $CO<sub>2</sub>$  reduction is more pronounced at lower pH,<sup>51</sup>



Fig. 5 (a) LSV of Cu–Zn@Al-fum/GDE in 0.1 M KHCO<sub>3</sub> aqueous solution saturated with CO<sub>2</sub> or Ar, and FE for reduction products at different cathodic potentials for (b) Cu@Al-fum, and (c) Cu–Zn@Al-fum.  $CO<sub>2</sub>$  was continuously bubbled at 7.5 mL min<sup>-1</sup> during electrolysis.

Table 2 Comparison of electrochemical CO<sub>2</sub> reduction over Cu@Al-fum and Cu–Zn@Al-fum catalysts





Fig. 6 Time-dependent  $CO<sub>2</sub>$  electroreduction over Cu–Zn@Al-fum.

which could result in the higher current density of Cu–Zn@Alfum/GDE under  $CO<sub>2</sub>$  saturation (Fig. 5a). Considering that LSV curves are a convolution of catalyst activity and selectivity, differences between them can only be interpreted following analysis of evolved  $CO<sub>2</sub>$  reduction products, with formation of CO, HCOOH, CH<sub>4</sub>, C<sub>2</sub>H<sub>4</sub> and C<sub>2</sub>H<sub>5</sub>OH confirmed by GC and NMR (Table S1†). Analogous studies for Cu@Al-fum (Fig. 5c) confirmed the production of gaseous CO,  $CH_4$ ,  $C_2H_4$  and  $H_2$  and liquid formate and ethanol (Table S1†). In contrast, Al-fum only produced  $H_2$ , CO and formate (Fig. S9†).

Cu–Zn@Al-fum achieved a higher yield of  $CO<sub>2</sub>$  reduction products than Cu@Al-fum at all applied potentials, reaching an overall FE of 62% for  $CO_2$  reduction products (and 32% FE for  $H_2$ ) at −1.0 V vs. RHE. The total FE of Cu-Zn@Al-fum to CH<sub>4</sub>, C<sub>2</sub>H<sub>4</sub> and  $C_2H_5OH$  (8, 12 and 12 electron reductions, respectively) products alone is <sup>∼</sup>34% (Fig. 5b). These efficiencies (selectivities) for  $CO<sub>2</sub>$  reduction over Cu–Zn@Al-fum at neutral pH compare favorably to literature MOF electrocatalysts (Table 2) prepared by more complex colloidal, atomic layer deposition (ALD) or solvothermal syntheses, which predominantly yield CO.<sup>55</sup> Competition between  $CO<sub>2</sub>$  reduction and  $H<sub>2</sub>$  evolution will always be challenging, but tuning the solution pH could afford higher yields of multicarbon products. For Cu@Al-fum,  $H_2$  production dominated, with a FE >50% at cathodic potentials (Fig. 5c and Table S1 $\dagger$ ), indicating Cu was relatively poor at activating CO<sub>2</sub> under neutral conditions, whereas Cu–Zn@Al-fum exhibited the highest CO yield (Table S1†) consistent with the reported selectivity to this product over Zn electrocatalysts.<sup>12</sup> High rates of CO production over Zn are expected to promote deeper reduction and C–C coupling reactions over proximate Cu sites.<sup>11-13</sup>

Further insight into the conductivity of the Al-fum MOF derived catalysts was obtained from electrochemical impedance spectroscopy (EIS) over the frequency range 100 kHz to 0.1 Hz, at a potential of  $-1.0$  V vs. RHE in 0.1 M KHCO<sub>3</sub> with 10 mV amplitude for the applied voltage. Resulting Nyquist plots for Al-fum, Cu@Al-fum, and Cu-Zn@Al-fum (Fig. S10†) were fitted to a simplied Randles circuit to extract the charge transfer resistance  $(R_{\rm ct},$  Table S2†).<sup>56</sup> The first intercept on the x-axis relates to contact resistance  $(R_s)$ , and includes the electrode, interfacial contact resistance between the current collector and the electroactive material, and the electrolytic solution resistance. Although  $R_s$  values were similar for all catalysts,  $R_{\text{ct}}$ 

decreased significantly after Cu and Zn doping, indicating an increased electrical conductivity.

Durability of the Cu–Zn@Al-fum electrocatalyst was also assessed for  $CO<sub>2</sub>$  electroreduction (Fig. 6): the time-dependent current density increased by  $\sim$ 10–15% after 4 h time-on-stream, while FE for gaseous  $CO<sub>2</sub>$  reduction products remained stable.

## 4. Conclusions

Al-fum, Cu@Al-fum and Cu–Zn@Al-fum MOFs were synthesized and deposited on a hydrophobic gas diffusion electrode as electrocatalysts for  $CO<sub>2</sub>$  reduction in neutral aqueous solutions. Cu and Zn were incorporated into the parent Al-fum MOF by facile co-impregnation of  $Cu^2$  and  $Zn^{2+}$  salts which were subsequently reduced to corresponding metal nanoparticles by NaBH<sub>4</sub>. Co-doping (Cu-Zn@Al-fum) significantly improved  $CO<sub>2</sub>$ electroreduction compared to a singly doped Cu catalyst (Cu@Al-fum) and the Al-fum (which only catalysed proton reduction). Cu-Zn@Al-fum achieved a FE of 62% for  $CO<sub>2</sub>$ reduction to CO (27%), and desirable CH<sub>4</sub>,  $C_2H_4$  and  $C_2H_5OH$ (28%), and HCOO− (7%) products. This excellent selectivity under neutral pH is attributed to its lower hydrophilicity (suppressing proton reduction) and the proximity of Zn and Cu electrocatalyst sites which promote the cascade reduction of  $CO<sub>2</sub>$  to CO and formic acid (over Zn) and subsequent reduction of CO to  $CH<sub>4</sub>$  and multicarbon products (over Cu). The parent Al-fum MOF offers high thermal and chemical stability, and appears an excellent matrix to disperse and stabilize metal NPs during electrochemical operation. This approach should be amenable to diverse Earth abundant metal dopants for  $CO<sub>2</sub>$ electroreduction to valuable fuels and chemicals. Paper<br>  $\frac{1}{2}$  and  $\frac{$ 

## Author contributions

Ung Thi Dieu Thuy: conceptualization, synthesis, analysis, investigation, project administration, writing – review & editing; Tran Ngoc Huan: measure, analysis, writing – review & editing; Sandrine Zanna and Ngoc-Diep Le: measure, analysis; Jim Mensah: characterization and analysis; Venkata D. B. C. Dasireddy: characterization and analysis; Karen Wilson: writing – review & editing; Adam F. Lee: writing – review & editing; Nguyen Quang Liem: conceptualization, writing – review & editing.

## Conflicts of interest

There are no conflicts of interest to declare.

## Acknowledgements

This study was funded by the Vietnam Academy of Science and Technology (code NVCC04.09/22-23). We acknowledge Dr Jampaiah Deshetti for assistance with training on analytical equipment. KW and AFL acknowledge funding from the Australian Research Council Center of Excellence – green electrochemical transformation of  $CO<sub>2</sub>$  (GETCO<sub>2</sub>) – (CE230100017).

# References

- 1 S. Nitopi, E. Bertheussen, S. B. Scott, X. Liu, A. K. Engstfeld, S. Horch, B. Seger, I. E. L. Stephens, K. Chan, C. Hahn, J. K. Nørskov, T. F. Jaramillo and I. Chorkendorff, Chem. Rev., 2019, 119, 7610–7672.
- 2 P. De Luna, C. Hahn, D. Higgins, S. A. Jaffer, T. F. Jaramillo and E. H. Sargent, Science, 2019, 364, eaav3506.
- 3 M. Serafini, F. Mariani, A. Fasolini, E. T. Brandi, E. Scavetta, F. Basile and D. Tonelli, Adv. Funct. Mater., 2023, 33, 2300345.
- 4 H. P. Duong, N.-H. Tran, G. Rousse, S. Zanna, M. W. Schreiber and M. Fontecave, ACS Catal., 2022, 12, 10285–10293.
- 5 X. Lv, Z. Liu, C. Yang, Y. Ji and G. Zheng, Acc. Mater. Res., 2023, 4, 264–274.
- 6 H. Tang, Y. Liu, Y. Zhou, Y. Qian and B.-L. Lin, ACS Appl. Energy Mater., 2022, 5, 14045–14052.
- 7 C. Wang, C. Wang, Z. Xiong, J. Wang, W. Zhang, H. Shi, D. Wang, Y. Gu, Z. Bai, Y. Gao and X. Yan, Mater. Adv., 2022, 3, 4964–4972.
- 8 H. S. Jeon, J. Timoshenko, F. Scholten, I. Sinev, A. Herzog, F. T. Haase and B. Roldan Cuenya, J. Am. Chem. Soc., 2019, 141, 19879–19887.
- 9 I. M. Badawy, A. M. Ismail, G. E. Khedr, M. M. Taha and N. K. Allam, Sci. Rep., 2022, 12, 13456.
- 10 L. Wan, X. Zhang, J. Cheng, R. Chen, L. Wu, J. Shi and J. Luo, ACS Catal., 2022, 12, 2741–2748.
- 11 Y. Baek, H. Song, D. Hong, S. Wang, S. Lee, Y.-C. Joo, G.-D. Lee and J. Oh, J. Mater. Chem. A, 2022, 10, 9393–9401.
- 12 B. Rungtaweevoranit, J. Baek, J. R. Araujo, B. S. Archanjo, K. M. Choi, O. M. Yaghi and G. A. Somorjai, Nano Lett., 2016, 16, 7645–7649.
- 13 T. Stolar, A. Prašnikar, V. Martinez, B. Karadeniz, A. Bjelić, G. Mali, T. Friščić, B. Likozar and K. Užarević, ACS Appl. Mater. Interfaces, 2021, 13, 3070–3077.
- 14 N. Kornienko, Y. Zhao, C. S. Kley, C. Zhu, D. Kim, S. Lin, C. J. Chang, O. M. Yaghi and P. Yang, J. Am. Chem. Soc., 2015, 137, 14129–14135.
- 15 B. An, J. Zhang, K. Cheng, P. Ji, C. Wang and W. Lin, J. Am. Chem. Soc., 2017, 139, 3834–3840.
- 16 D. Yao, C. Tang, A. Vasileff, X. Zhi, Y. Jiao and S.-Z. Qiao, Angew. Chem., Int. Ed., 2021, 60, 18178–18184, DOI: [10.1002/anie.202104747](https://doi.org/10.1002/anie.202104747).
- 17 Y. Song, Y. Wang, J. Shao, K. Ye, Q. Wang and G. Wang, ACS Appl. Mater. Interfaces, 2022, 14, 20368–20374.
- 18 G. Liu, Q. T. Trinh, H. Wang, S. Wu, J. M. Arce-Ramos, M. B. Sullivan, M. Kraft, J. W. Ager, J. Zhang and R. Xu, Small, 2023, 2301379.
- 19 J.-D. Yi, R. Xie, Z.-L. Xie, G.-L. Chai, T.-F. Liu, R.-P. Chen, Y.-B. Huang and R. Cao, Angew. Chem., Int. Ed., 2020, 59, 23641–23648.
- 20 T. Yan, P. Wang and W.-Y. Sun, Small, 2023, 19, 2206070.
- 21 X. Jiang, H. Wu, S. Chang, R. Si, S. Miao, W. Huang, Y. Li, G. Wang and X. Bao, J. Mater. Chem. A, 2017, 5, 19371–19377.
- 22 C.-W. Kung, C. O. Audu, A. W. Peters, H. Noh, O. K. Farha and J. T. Hupp, ACS Energy Lett., 2017, 2, 2394–2401.
- 23 M. Perfecto-Irigaray, J. Albo, G. Beobide, O. Castillo, A. Irabien and S. Pérez-Yáñez, RSC Adv., 2018, 8, 21092-21099.
- 24 N. T. Loan, N. Thi Hiep, T. Thi Thu Huong, U. Thi Dieu Thuy, T. Thi Thuong Huyen, D. Le Hoang Tan and N. Q. Liem, Adv. Nat. Sci.: Nanosci. Nanotechnol., 2022, 13, 045012.
- 25 S. karmakar, J. Dechnik, C. Janiak and S. De, J. Hazard. Mater., 2016, 303, 10–20.
- 26 X. Qian, B. Yadian, R. Wu, Y. Long, K. Zhou, B. Zhu and Y. Huang, Int. J. Hydrogen Energy, 2013, 38, 16710–16715.
- 27 N. Tannert, C. Jansen, S. Nießing and C. Janiak, Dalton Trans., 2019, 48, 2967–2976.
- 28 Z. G. Duma, X. Dyosiba, J. Moma, H. W. Langmi, B. Louis, K. Parkhomenko and N. M. Musyoka, Catalysts, 2022, 12, 1104.
- 29 R. Su, D. Neffati, Y. Zhang, J. Cho, J. Li, H. Wang, Y. Kulkarni and X. Zhang, Mater. Sci. Eng., A, 2021, 803, 140696.
- 30 Y. Zhu, J. Zheng, J. Ye, Y. Cui, K. Koh, L. Kovarik, D. M. Camaioni, J. L. Fulton, D. G. Truhlar, M. Neurock, C. J. Cramer, O. Y. Gutiérrez and J. A. Lercher, Nat. Commun., 2020, 11, 5849. **PSC Arbuness Articles**<br> **References**<br> **References Articles**<br> **References**<br> **References**<br> **References**<br> **References**<br> **References**<br> **References**<br> **References**<br> **References Articles**<br> **References**<br> **References**<br> **References** 
	- 31 Z.-W. Zhao, X. Zhou, Y.-N. Liu, C.-C. Shen, C.-Z. Yuan, Y.-F. Jiang, S.-J. Zhao, L.-B. Ma, T.-Y. Cheang and A.-W. Xu, Catal. Sci. Technol., 2018, 8, 3160–3165.
	- 32 Y. Yang, Y. Xu, H. Ding, D. Yang, E. Cheng, Y. Hao, H. Wang, Y. Hong, Y. Su, Y. Wang, L. Peng and J. Li, Catal. Sci. Technol., 2021, 11, 4367–4375.
	- 33 S. Mohamadian-Kalhor, L. Edjlali, H. Basharnavaz and M. Es'haghi, J. Mater. Eng. Perform., 2021, 30, 720–726.
	- 34 D. Cheng, L. Zhao, N. Li, S. J. D. Smith, D. Wu, J. Zhang, D. Ng, C. Wu, M. R. Martinez, M. P. Batten and Z. Xie, J. Membr. Sci., 2019, 588, 117204.
	- 35 L. Zheng and X. Liu, Mater. Lett., 2007, 61, 2222–2226.
	- 36 R. Nivetha, A. Sajeev, A. Mary Paul, K. Gothandapani, S. Gnanasekar, P. Bhardwaj, G. Jacob, R. Sellappan, V. Raghavan, K. Chandar N, S. Pitchaimuthu, S. K. Jeong and A. Nirmala Grace, Mater. Res. Express, 2020, 7, 114001.
	- 37 A. Ebrahiminezhad, F. Moeeni, S.-M. Taghizadeh, M. Seifan, C. Bautista, D. Novin, Y. Ghasemi and A. Berenjian, Foods, 2019, 8, 88, DOI: [10.3390/foods8030088](https://doi.org/10.3390/foods8030088).
	- 38 S. Motozuka, M. Tagaya, K. Hayashi, T. Kameyama, H. Oguri and Z. Xu, J. Compos. Mater., 2017, 51, 3577–3584.
	- 39 R. Maiti, A. Midya, C. Narayana and S. K. Ray, Nanotechnology, 2014, 25, 495704.
	- 40 T. N. Huan, E. S. Andreiadis, J. Heidkamp, P. Simon, E. Derat, S. Cobo, G. Royal, A. Bergmann, P. Strasser, H. Dau, V. Artero and M. Fontecave, J. Mater. Chem. A, 2015, 3, 3901–3907.
	- 41 F. Zhang, X. Zou, F. Sun, H. Ren, Y. Jiang and G. Zhu, CrystEngComm, 2012, 14, 5487–5492.
	- 42 I. Platzman, R. Brener, H. Haick and R. Tannenbaum, J. Phys. Chem. C, 2008, 112, 1101–1108.
	- 43 A. Radi, D. Pradhan, Y. Sohn and K. T. Leung, ACS Nano, 2010, 4, 1553–1560.
- 44 X. Wang, L. Qu, J. Zhang, X. Peng and M. Xiao, Nano Lett., 2003, 3, 1103–1106.
- 45 W. Luo, J. Zhang, M. Li and A. Züttel, ACS Catal., 2019, 9, 3783–3791.
- 46 Q. Huang, F. Kang, H. Liu, Q. Li and X. Xiao, J. Mater. Chem. A, 2013, 1, 2418–2425.
- 47 S. Ho-Kimura, S. J. Moniz, J. Tang and I. P. Parkin, ACS Sustain. Chem. Eng., 2015, 3, 710–717.
- 48 Z. Zhang and P. Wang, J. Mater. Chem., 2012, 22, 2456–2464.
- 49 C. Healy, K. M. Patil, B. H. Wilson, L. Hermanspahn, N. C. Harvey-Reid, B. I. Howard, C. Kleinjan, J. Kolien, F. Payet, S. G. Telfer, P. E. Kruger and T. D. Bennett, Coord. Chem. Rev., 2020, 419, 213388. Published on 22 January 2024. Download Access Articles. Published on 22 January 2024. Downloaded on 23 January 2024. Downloaded on 23 January 2024. Downloaded on 2024. The method of Nicensed Universed Universed under a Cre
	- 50 S. M. Hwang, S. Y. Choi, M. H. Youn, W. Lee, K. T. Park, K. Gothandapani, A. N. Grace and S. K. Jeong, ACS Omega, 2020, 5, 23919–23930.
	- 51 A. R. Paris and A. B. Bocarsly, ACS Catal., 2017, 7, 6815–6820.
	- 52 Z. Weng, J. Jiang, Y. Wu, Z. Wu, X. Guo, K. L. Materna, W. Liu, V. S. Batista, G. W. Brudvig and H. Wang, J. Am. Chem. Soc., 2016, 138, 8076–8079.
- 53 T. N. Huan, P. Prakash, P. Simon, G. Rousse, X. Xu, V. Artero, E. Gravel, E. Doris and M. Fontecave, ChemSusChem, 2016, 9, 2317–2320.
- 54 N. Sreekantha and K. L. Phani, Chem. Commun., 2014, 50, 11143–11146.
- 55 Y. T. Guntern, J. R. Pankhurst, J. Vavra, M. Mensi, V. Mantella, P. Schouwink and R. Buonsanti, Angew. Chem., Int. Ed., 2019, 58, 12632–12639.
- 56 A. R. C. Bredar, A. L. Chown, A. R. Burton and B. H. Farnum, ACS Appl. Energy Mater., 2020, 3, 66–98.
- 57 Y.-L. Qiu, H.-X. Zhong, T.-T. Zhang, W.-B. Xu, P.-P. Su, X.-F. Li and H.-M. Zhang, ACS Appl. Mater. Interfaces, 2018, 10, 2480–2489.
- 58 Z. Weng, Y. Wu, M. Wang, J. Jiang, K. Yang, S. Huo, X.-F. Wang, Q. Ma, G. W. Brudvig, V. S. Batista, Y. Liang, Z. Feng and H. Wang, Nat. Commun., 2018, 9, 415.
- 59 M. Lee, A. De Riccardis, R. V. Kazantsev, J. K. Cooper, A. K. Buckley, P. W. W. Burroughs, D. M. Larson, G. Mele and F. M. Toma, ACS Appl. Energy Mater., 2020, 3, 1286–1291.
- 60 J. Albo, D. Vallejo, G. Beobide, O. Castillo, P. Castaño and A. Irabien, ChemSusChem, 2016, 10, 1100–1109.