


 Cite this: *RSC Adv.*, 2024, 14, 8016

Correction: The role of PMA in enhancing the surface acidity and catalytic activity of a bimetallic Cr–Mg–MOF and its applications for synthesis of coumarin and dihydropyrimidinone derivatives

 Reda S. Salama,^{*a} Shawky M. Hassan,^b Awad I. Ahmed,^b W. S. Abo El-Yazeed^{bc} and Mohammed A. Manna^{*d}

DOI: 10.1039/d4ra90020k

rsc.li/rsc-advances

 Correction for 'The role of PMA in enhancing the surface acidity and catalytic activity of a bimetallic Cr–Mg–MOF and its applications for synthesis of coumarin and dihydropyrimidinone derivatives' by Reda S. Salama *et al.*, *RSC Adv.*, 2020, 10, 21115–21128, <https://doi.org/10.1039/D0RA03591B>.

The authors regret that an incorrect version of Fig. 4 was included in the original article. The correct version of Fig. 4 is presented below.

^aBasic Science Department, Faculty of Engineering, Delta University for Science and Technology, Gamasa, Egypt. E-mail: reda.salama@deltouniv.edu.eg; dr.reda.salama@gmail.com; Tel: +201061391656

^bChemistry Department, Faculty of Science, Mansoura University, Mansoura, Egypt

^cChemistry Department, College of Sciences and Humanities in Al-Kharj, PrinceSattam Bin Abdulaziz University, Al-Kharj 11942, Saudi Arabia

^dChemistry Department, Faculty of Science, Amran University, Yemen. E-mail: mnaam@yahoo.com; Tel: +967714152023






Fig. 4 SEM images of (A) mixed Cr-Mg-MOF; (B) 25 wt% PMA/Cr-Mg-MOF; (C) 50 wt% PMA/Cr-Mg-MOF and (D) 90 wt% PMA/Cr-Mg-MOF.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

