# Journal of Materials Chemistry A



View Article Online

View Journal | View Issue

## PAPER

Check for updates

Cite this: J. Mater. Chem. A, 2024, **12**, 13890

Received 8th January 2024 Accepted 30th April 2024

DOI: 10.1039/d4ta00153b

## 1. Introduction

Although many metal-ion energy-storage systems are being developed nowadays, lithium-ion batteries are still considered an optimal solution for portable electronics. Besides, they are implemented in electric and hybrid vehicles.<sup>1,2</sup> This can be primarily explained by their high energy density, coulombic efficiency, and low self-discharge. Moreover, a variety of chemical compositions with intercalation properties offer a broad range of working potentials, meeting various practical application requirements.<sup>3,4</sup> Currently, the need for cathode materials with a higher charge and energy density than conventional materials such as Li(Ni,Mn,Co)O<sub>2</sub>, LiFePO<sub>4</sub>, and LiMn<sub>2</sub>O<sub>4</sub> is growing.<sup>5</sup> Li-rich NMC (Ni, Mn, and Co) oxides are considered some of the most promising next-generation cathodes for LIBS.<sup>3</sup>

# Correlation between the cationic composition and anionic electrochemical activity of Li<sub>2</sub>MSeO antiperovskites<sup>†</sup>

Mikhail V. Gorbunov, (1) \*a Oleg Janson, (1) a Max Stöber, a Volodymyr Baran (1) and Daria Mikhailova (1) \*a

Li<sub>2</sub>MChO anti-perovskites have lately attracted much attention as potential electrode materials for Li batteries owing to their high and stable specific capacity. It is rather surprising, because in terms of the structure, metal ions share the same crystallographic site. Since the redox potentials of chalcogenide anions  $S^{2-}$  or  $Se^{2-}$  and transition metal cations are close, anti-perovskites can be classified as bifunctional materials with cationic and anionic electrochemical activity. Their high chemical flexibility combined with redox-active ions make cubic anti-perovskites a rather valuable model system for tuning desired electrochemical properties. Herein, we studied six Li<sub>2</sub>MSeO compounds with Mn, Fe, and Co and their solid solutions in Li cells and tailed their structural and electrochemical behaviour to the cationic composition. Remarkably, a booster property of Co with the highest  $Co^{3+}/Co^{2+}$  potential with regard to an enhanced electrochemical performance was observed for Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO in comparison to Li<sub>2</sub>FeSeO, although only Fe and Se were involved in the redox process while Co remained inactive. In Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO, less-active Mn facilitated the oxidation of Fe and Se, positively influencing the rate capability in comparison to Li<sub>2</sub>Co<sub>0.5</sub>Mn<sub>0.5</sub>SeO. Thus, we found a direct correlation between the  $M^{3+}/M^{2+}$  standard redox potential and the electrochemical activity of Se<sup>2-</sup>.

density, also suggests an electrolyte decomposition issue, which is challenging to overcome.<sup>2</sup>

Among many alternatives, ternary oxide-sulfides of Li and transition metal cations with an anti-perovskite structure and the general formula Li<sub>2</sub>MChO (M = Fe, Co, or Mn) have recently attracted significant attention owing to the possibility of reversible Li (de)intercalation.<sup>6-13</sup> In the anti-perovskite structure (Fig. 1a), Li and M cations share the same crystallographic site, which is occupied by oxygen anions in the conventional CaTiO<sub>3</sub> perovskite structure, whereas larger chalcogenide (S<sup>2-</sup> or Se<sup>2-</sup>) and smaller O<sup>2-</sup> anions occupy Ca and Ti sites, respectively.<sup>7</sup> Generally, the potential application of cubic anti-perovskites is not limited by battery-related research, since they can deliver many valuable properties, including electrocatalytic activity, superconductivity, and piezomagnetism, and these properties are defined by their composition.<sup>6</sup>

Theoretical calculations predict that a significant amount of lithium can be extracted from the  $\text{Li}_2\text{FeSO}$  material before structural collapse occurs, achieving a specific capacity of 275 mA h g<sup>-1.8,10</sup> Additionally, it has been shown that electrochemical properties depend significantly on the nature and ratio of transition metal cations.<sup>9-12</sup> Further, if applied to anti-perovskites analogically to perovskites as a geometrical stability criterion for a cubic structure, Goldschmidt tolerance factor shows a deviation from 1, highlighting the

<sup>&</sup>quot;Leibniz-Institut für Festkörper- und Werkstoffforschung Dresden e. V. Helmholtzstraße 20, 01069, Dresden, Germany. E-mail: m.gorbunov@ifw-dresden.de; d.mikhailova@ ifw-dresden.de

<sup>&</sup>lt;sup>b</sup>Deutsches-Elektronen Synchrotron DESY Notkestraße 85, 22607, Hamburg, Germany † Electronic supplementary information (ESI) available: A detailed description of the experimental procedures and additional data. See DOI: https://doi.org/10.1039/d4ta00153b



Fig. 1 (a) Crystal structure of  $Li_2$ MSeO anti-perovskites (M = 3d transition metals). (b) PXRD patterns of the six studied compounds,  $\lambda = 1.78896$  Å.

intrinsic structural instability of S-containing antiperovskites. From this point of view, the bigger  $Se^{2-}$  anion could enhance the structural stability. Previously, the effect of S-substitution by Se in the Li<sub>2</sub>FeS<sub>1-x</sub>Se<sub>x</sub>O solid solution series was studied,13 and a non-linear change in the electrochemical performance depending on the Se content was observed, highlighting that the Li<sub>2</sub>FeS<sub>0.7</sub>Se<sub>0.3</sub>O composition offered the best rate capability and long-term cyclability. Therefore, it was suggested that the introduction of Se influences the electrochemical performance ambivalently: it enhances the overall structural stability in the pristine and delithiated states, but on the other hand, materials with a high Se amount show higher anionic redox activity, since the standard redox potential of Se is lower than of S (2.370 V and 2.564 V vs. Li, respectively14). This means that for the same amount of Li extracted, in the materials with more Se, charge compensation not only implies the oxidation of  $Fe^{2+}$  to  $Fe^{3+}$ , but also a partial oxidation of Se<sup>2-</sup>. Surely, in this case, the antiperovskite structure may be destroyed. During the following cell discharge, Li<sub>2</sub>Se and polyselenides may be formed, thus initiating a shuttle-effect in the cell during cycling, which is also typical for Li-S15 and Li-Se16 rechargeable batteries.

Although Li<sub>2</sub>FeSeO has a Goldschmidt factor closer to 1 than its Li<sub>2</sub>FeSO analogue, and thus should show higher structural stability, it undergoes severe amorphization upon Li extraction, too.<sup>17</sup> In the present work, we evaluated the impact of Fe, Mn, and Co on the structural stability and anionic redox activity of Li2MSeO anti-perovskites in Li batteries. Differences in the  $M^{3+}/M^{2+}$  redox potentials of the transition metal cations (0.771, 1.542, and 1.920 V for Fe, Mn, and Co, respectively<sup>14</sup>) and in the electronic configurations resulted in different structural behaviours and degree of selenium participation in the charge-compensation mechanism upon (de)lithiation. Hence, the compositions with equal amounts of two different transition metals on the cationic site of the  $Pm\bar{3}m$  anti-perovskite structure were studied. The cationic impact on the structural and electrochemical properties of Li2MSeO anti-perovskites was evaluated for six compounds: Li2FeSeO, Li2MnSeO, Li2CoSeO, Li2Fe0.5Co0.5-SeO, Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO, and Li<sub>2</sub>Co<sub>0.5</sub>Mn<sub>0.5</sub>SeO.

### 2. Results and discussion

#### 2.1. Synthesis and powder X-ray diffraction studies

Powder X-ray diffraction studies (PXRD) proved the high purities of the synthesized materials (Fig. 1b). The unit cell parameters increased linearly with the increase in the average cationic radius of M<sup>2+</sup>, in accordance with Vegard's law,<sup>18</sup> as presented in Table 1. Chemical analysis was performed by applying inductively coupled plasma optical emission spectroscopy (ICP-OES), and revealed Li deficiencies in the obtained samples, which was low in materials with Fe, and more significant in compounds with Mn and Co.

The Goldschmidt tolerance factor<sup>19</sup> was next evaluated referring to ref. 20, and was found to be higher for the Se compounds (~0.896 for Li<sub>2</sub>FeSeO) than for their S counterparts (~0.851 for Li<sub>2</sub>FeSO), indicating there was less structural strain in the anti-perovskites with Se. Furthermore, they exhibited a higher chemical flexibility compared to the anti-perovskites with S. Thus, the row of Li<sub>2</sub>Fe<sub>1-x</sub>M<sub>x</sub>SeO compositions with Fe/M cation mixing could easily be synthetized, whereas, for example, the synthesis of the complete Li<sub>2</sub>Fe<sub>1-x</sub>Co<sub>x</sub>SO series was unsuccessful.

Formation of the cubic  $Pm\bar{3}m$  anti-perovskites proceeded through intermediates, as seen from the *in situ* synchrotron diffraction experiments for Li<sub>2</sub>FeSeO synthesis (Fig. 2). No chemical reactions occurred at temperatures below the melting

Table 1Compositional and structural characterizations of Li2MSeOmaterials (space group  $Pm\bar{3}m$ ). ICP-OES data were normalized on theSe content, and the oxygen content was calculated from the chargedifference

<i>i</i> , A



Fig. 2 In situ observation of Li<sub>2</sub>FeSeO formation.

point of Se at 493 K. Above 500 K,  $Li_2Se$  was first formed as a crystalline phase. Afterwards, the reflections of  $Li_2FeO_2$  (ref. 21) appeared, followed by FeSe and  $Li_2FeSeO$  formation above 612 K, which was significantly lower than the temperature used for the laboratory syntheses (see the ESI†). Between 612 K and 870 K, a continuous growth of  $Li_2FeSeO$  reflections was observed, while those of the intermediate phases decayed. Therefore, the following reaction mechanism is proposed:

$$\begin{array}{l} \text{Li}_2\text{O} + \text{Fe} + \text{Se} \rightarrow 1/2\text{Li}_2\text{Se} + 1/2\text{FeSe} + 1/2\text{Li}_2\text{FeO}_2 \\ \rightarrow \text{Li}_2\text{FeSeO}. \end{array}$$

Starting from 900 K, the reaction with the quartz capillary began, turning the system into an open one.

#### 2.2. DFT calculations

First, we addressed the thermodynamic stability of Li<sub>2</sub>FeSeO. To this end, we calculated the enthalpies of three possible decomposition reactions: (i) into FeSe, Li<sub>2</sub>Se, and Li<sub>2</sub>FeO<sub>2</sub>; (ii) into Li<sub>2</sub>Se, FeSe, Fe, and LiFeO<sub>2</sub>; and (iii) into Fe<sub>7</sub>Se<sub>8</sub>, Fe, and Li<sub>2</sub>O. In the first two cases, Li<sub>2</sub>FeSeO had a lower enthalpy than the sum of the decomposition products (see ESI, S1–S3†). In contrast, the enthalpies of the corresponding reactions for the Li<sub>2</sub>FeSO indicated that both decompositions were energetically favourable; and the current result agrees with the previous DFT study in ref. 8. However, Li<sub>2</sub>FeSeO may decompose into Fe<sub>7</sub>Se<sub>8</sub>, Fe, and Li<sub>2</sub>O, since the energy of Li<sub>2</sub>FeSeO lay at 47 meV per atom above the convex hull. Although this analysis neglected the entropy and kinetic contributions, the sizeable differences in total energies suggest that the substitution of sulfur with selenium significantly stabilizes the crystal structure.

To study how the electronic structure of  $\text{Li}_2\text{MSeO}$  depends on the nature of the d-metal, we calculated the densities of states (DOS) for three pristine  $\text{Li}_2\text{MSeO}$  (M = Fe, Co, Mn) and three mixed (1:1) compounds (Fig. 3).

A straightforward computational analysis was complicated by significant structural and intersite disorder. To keep the problem tractable, we restricted ourselves to a particular arrangement of cations (see ESI† for details), used the experimental unit cell parameters and optimized the internal atomic coordinates by minimizing the total energy as computed with the GGA+U functional. In all the calculations, we kept the Coulomb repulsion and Hund exchange equal to 4 and 1 eV, respectively, and used the fully localized limit for the double-



Fig. 3 Site- and shell-resolved density of states (DOS) for the lowest-energy antiferromagnetic (except for  $Li_2Fe_{0.5}Mn_{0.5}SeO$ , ferrimagnetic) configurations of (a-c)  $Li_2MnSeO$ ,  $Li_2FeSeO$ , and  $Li_2CoSeO$  and (d-f) compounds with a 1:1 ratio of 3d cations. Positive (negative) DOS values indicate spin-up (spin-down) densities. The Fermi level was at zero energy. Insets highlight the DOS near the Fermi level. All the calculations were done using the GGA+U functional with U = 4 eV and J = 1 eV and the fully localized limit for the double-counting correction.

counting correction. The chosen value of U was a compromise between U = 3 eV suggested for  $Mn^{2+,22}$  and U = 5 eV used for Co<sup>2+</sup>.<sup>23</sup> Our analysis shows that for all compositions, the lowestenergy configuration had zero net moment. For all the compounds, we obtained an insulating solution with a band gap ranging from 1.5 to 2 eV. As shown in the insets of Fig. 3, the top edge of the valence band was dominated by the Se 4p contribution. Hence, the occupancy of these states would be altered by the removal of Li atoms, which would be accompanied by a shift in the chemical potential to lower energies. While this behaviour was generally expected for all compositions, the different nature of the d-cations started manifesting itself; if we go deeper into the valence band discussion: the Fe 3d contribution in iron-containing compounds is prominent, and the corresponding Co and Mn contributions in this energy range are much smaller. Based on this observation, we can expect that sizeable delithiation would strongly affect the valence of iron.

While the top of the valence band is always Se-dominated, the bottom of the polarization band is formed by metal d-states and thus depends on the composition: cobalt (if Co is present), iron (if Fe is present and Co is absent), or manganese (only in Li<sub>2</sub>-MnSeO). This indicates that the energy cost of adding an extra electron is smaller for cations with more electrons. This obviously holds only for the shells that are at least half-filled.

For a more detailed analysis, direct DOS calculations of delithiated compositions are necessary. Since the atomic coordinates of such compositions are generally unknown, structural optimizations need to be done prior to DOS calculations. Unfortunately, the sheer amount of possible structural configurations and difficulties in applying DFT+U to doped systems precluded such an analysis here.

#### 2.3. Electrochemical characterization

Galvanostatic cycling of  $Li_2MSeO$  in Li cells revealed noticeable differences in performance, depending on the cationic composition (Fig. 4, and S4<sup>†</sup>). For example,  $Li_2FeSeO$  showed rather high values of specific capacity, in agreement with recently published results,<sup>17</sup> reaching 250 mA h g<sup>-1</sup> at 0.1C current density. However, the capacity decreased rapidly, and



Fig. 4 Rate capability tests of  $Li_2MSeO$  (M = Fe, Co, Mn, or their mixture) in Li cells at 298 K. 1C current density corresponds to the extraction of 1 Li from the formula unit within 1 h.

the rate capability was rather poor. Li<sub>2</sub>FeSeO delivered less than 75 mA h  $g^{-1}$  at a 1C current density; yet its sulfur-based analogue is known for high values around 200 mA h  $g^{-1}$  at the 1C current rate.<sup>10</sup>

 $Li_2MnSeO$  demonstrated stable but moderate characteristics, as well as  $Li_2CoSeO$ . Although the specific capacity of  $Li_2$ -CoSeO was 55 mA h g<sup>-1</sup> at 0.1C, which is the lowest among the studied compositions, it showed a very little dependence on the current density, suggesting enhanced diffusion kinetics.

Mixing the transition metal cations Fe/Co, Fe/Mn, and Co/ Mn resulted in capacity values lying between  $Li_2FeSeO$  and  $Li_2CoSeO$  at 0.1C, but with an unexpected improvement of the rate capability and a self-healing effect, especially for  $Li_2Fe_{0.5}Co_{0.5}SeO$ .

The combination of Co and Fe cations in Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO resulted in the best electrochemical performance among all the studied compositions. This result is rather surprising, because as it was shown earlier by operando XAS studies of Li<sub>2</sub>Fe<sub>0.9</sub>-Co<sub>0.1</sub>SO<sup>12</sup> that the cobalt in cubic anti-perovskites presumably remains inactive. Based on this knowledge, we expected a significant decrease in capacity for the composition with a large amount of Co. Moreover, the material showed even higher values of specific capacity at low current densities after being subjected to higher currents, pointing to some activation processes. The replacement of 50% Fe by Mn (Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO) improved the cycling stability, but reduced the absolute capacity, very similar to what was earlier reported for Li<sub>2</sub>Fe<sub>0.5</sub>-Mn<sub>0.5</sub>SO.<sup>11</sup> However, the Se-material showed a much better rate capability than its S-counterpart. The mixture of Co and Mn led to a weak rate capability and unstable cycling behaviour.

Analysis of the differential capacity plots (Fig. 5) disclosed redox processes at very different cell potentials for these six compositions. The presence of only Fe cations (Li<sub>2</sub>FeSeO, 5a) resulted in three oxidation and reduction peaks between 1.2 and 2.8 V, and a significant cell polarization. Since the observed features became less pronounced with subsequent cycles (the figures are given for the same cells, subjected to various currents), we may suggest partial decomposition of the material occurred, similarly to for Li2FeSO.10 The presence of only Mn (Li<sub>2</sub>MnSeO, 5b) reduced the amount of redox processes and decreased the cell polarization: only one redox peak was visible during charge and discharge cycles between 2.2 and 2.4 V. This behaviour was realized in Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO (5d) as well, highlighting Mn as a dominant cation, which strongly influences the properties of the compound. The Li<sub>2</sub>CoSeO (5c) composition showed two well-defined redox processes at 1.5 and 2 V and two less-pronounced peaks between 2.2 and 2.5 V. In the mixed compounds Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO and Li<sub>2</sub>Co<sub>0.5</sub>Mn<sub>0.5</sub>SeO (5e, f), charge and discharge represented multiple processes.

#### 2.4. Structural behaviour during (de)lithiation

*Operando* X-ray diffraction experiments showed drastic differences in the structural response to lithium removal for all the tested materials. In the case of Li<sub>2</sub>FeSeO, a second isostructural phase was formed upon cell charge (Li removal), which corresponded to the second step of the electrochemical curve. The



Fig. 5 Differential capacity plots for the first charge-discharge cycle of six  $Li_2MSeO$  compositions in Li cells at 298 K: (a-c) M = Fe, Mn, Co, respectively, (d)  $Li_2Fe_{0.5}Mn_{0.5}SeO$ , (e)  $Li_2Fe_{0.5}Co_{0.5}SeO$ , (f)  $Li_2Co_{0.5}Mn_{0.5}SeO$ .

new phase was electrochemically active, showing continuous change in the lattice parameter (Fig. 6a), while the cell metrics of the initial phase did not change up to the "Li<sub>1.5</sub>FeSeO" composition, at which the crystallinity of the material abruptly vanished. After lithiation, the crystallinity was not recovered, probably due to an irreversible structural collapse. This behaviour differs from that of its Li<sub>2</sub>FeSO counterpart, which also became amorphous but did not show any isostructural phase formation upon delithiation.<sup>10</sup>

The replacement of 50% iron by cobalt changed the situation completely (Fig. 6b). First, Li removal/insertion turns into a single-phase process. Second, the material preserved a certain degree of crystallinity even when a high amount of lithium was extracted, making it possible to estimate the cell parameter evolution throughout the whole electrochemical cycle. The relative change of a cell parameter *a* of about 1% after removal of 1 Li per formula unit was the smallest among all the studied  $Pm\bar{3}m$  anti-perovskites. Additionally, the crystallinity was regained almost completely after discharge, pointing to a stabilizing effect of cobalt introduction into the crystal lattice.

The single-phase reaction mechanism of reversible lithium extraction was shown to be a favourable one for enhancing the electrochemical characteristics in our earlier studies on  $\text{Li}_2$ -Fe<sub>0.9</sub>M<sub>0.1</sub>SO anti-perovskites.<sup>12</sup> The current results confirm this finding for the high degree of cationic substitution. Noteworthily, the lattice parameter *a* in Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO changed non-linearly with the Li amount, which resembles the case for the aforementioned Li<sub>2</sub>FeSO and Li<sub>2</sub>Fe<sub>0.9</sub>Co<sub>0.1</sub>SO materials. Such non-linearity may imply a competition between the lattice contraction due to Li removal, and some repulsion in the lattice between negatively charged O<sup>2-</sup> and Se<sup>2-</sup> anions. Additionally, the non-monotonous redox activity of ions may also contribute to the observed phenomenon.

In summary, we can conclude that the replacement of iron by cobalt in cubic anti-perovskites with S or Se enhances their structural stability against delithiation: while the  $Li_2FeSeO$ structure collapsed,  $Li_2Fe_{0.5}Co_{0.5}SeO$  regained its crystallinity after one charge–discharge cycle. The stabilization effect was visible for both a low Co amount of 10% and a high substitution level of 50%, improving the electrochemical performance. However, a complete replacement of Fe by Co resulted in poor capacity values for the material in lithium cells. Yet it provided high stability in the rate capability tests.

The delithiation behaviour of Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO was different as well. Li removal led to the appearance of an isostructural Li<sub>x</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO phase with a significantly smaller cell parameter a, and to a short compositional region with two coexisting phases (Fig. 6c), which was similar to the case for Li removal in its S-counterpart Li2Fe0.5Mn0.5SO.11 There was a hysteresis in the parameter a upon charge and discharge, which probably came from a local structural distortion due to the formation of Jahn-Teller Mn<sup>3+</sup> cations,<sup>24</sup> and a resulting poor kinetics and impeded cation diffusion. Complete replacement of iron by cobalt and manganese (Li2Co0.5Mn0.5SO) caused anisotropic structural strain during Li extraction, followed by a change of the lattice symmetry from the cubic  $Pm\bar{3}m$ to a tetragonal one. This could be concluded by a comparative evaluation of the Bragg reflections of Li2Fe0.5Mn0.5SO and Li2-Co<sub>0.5</sub>Mn<sub>0.5</sub>SO. Whereas a clear splitting was observed for all reflections of Li2Fe0.5Mn0.5SO (two cubic isostructural phases with different cell metrics), in the case of Li<sub>2</sub>Co<sub>0.5</sub>Mn<sub>0.5</sub>SO, the (*hkl*) reflections with h = k = l remained non-split, confirming the symmetry change during delithiation. For example, a different behaviour of the (111) reflection at a partially charged state with 1.75 Li is shown in Fig. 6(d)-(f), and S6.† Detailed analysis enabled a conclusion about a group-subgroup



Fig. 6 (a-c) Contour-plots of the X-ray diffractograms obtained *operando* for  $Li_2FeSeO$ ,  $Li_2Fe_{0.5}Co_{0.5}SeO$ , and  $Li_2Fe_{0.5}Mn_{0.5}SeO$  together with corresponding galvanostatic curves and cell parameter variation. (d and e) Part of the Le Bail fitted patterns for  $Li_{1.75}Fe_{0.5}Mn_{0.5}SeO$  and  $Li_{1.75}-Co_{0.5}Mn_{0.5}SeO$ , showing the change in (111) Bragg reflection in the partially charged state. (f) Cell volume change for  $Li_2Co_{0.5}Mn_{0.5}SeO$ . \* stands for Al mesh.

relationship with the *P4/mmm* space group for the delithiated  $Li_2Co_{0.5}Mn_{0.5}SO$  sample. The symmetry change was probably caused by the emergence of Jahn–Teller  $Mn^{3+}$  cations, as confirmed later by the metal valence sensitive technique. It is worth mentioning that a cubic-to-tetragonal structural transition is well known for Mn-containing materials with a perovskite structure.<sup>25</sup>

The results of *operando* XRD together with the electrochemical properties brought us to an assumption that the significant differences in the structural and electrochemical behaviour of  $Li_2MSeO$  materials may not only originate from the differences in the redox activities of the transition metal cations, but also from the different anionic electrochemical activity of selenium. Since the Se<sup>0</sup>/Se<sup>2-</sup> redox couple of around 2.370 V vs. Li<sup>14</sup> lay within the studied potential window of the cells with a Li<sub>2</sub>MSeO cathode and a Li-metal anode, the oxidation of Se could contribute to the entire cathodic specific capacity. Indeed, the redox activity of Se was already directly confirmed in Li<sub>2</sub>FeS<sub>1-x</sub>Se<sub>x</sub>O in one of our previous works.<sup>13</sup> The presence of transition metal cations with different redox potentials in the structure might influence the anionic redox activity of selenium.

#### 2.5. Evaluation of the charge-compensation mechanism

The redox activities of the cations and Se were tested by applying *operando* X-ray absorption spectroscopy, using synchrotron radiation.

It is well known that an increase in the oxidation state of transition metals leads to a positive shift of the K-edge energy, which depends on the transition metal and its nearest structural surrounding. For Fe, Co, and Mn, the K-edge corresponded to the  $1s \rightarrow 4p$  electron transition and was strongly correlated with the valence state.26 Using reference materials with well-defined valences and similar structural environments allows doing a reliable quantitative analysis. Transition metal cations in a heteroatom environment, like oxide-chalcogenides, represent a special case. The covalency of M-O and M-Se bonds is different due to different overlapping of d- and p-orbitals of the transition metal and the small, less-polarized oxygen anion, or the larger and highly polarized selenium anion. Therefore, the K-edge position and the edge shape for the transition metal cations in oxidechalcogenides may represent rather a superposition of binary oxides and selenides. However, a higher redox activity of cations will similarly result in a higher energy shift of the K-edge. A shift of the K-edge energy must also be observed for selenium anions upon their oxidation.

The K-edge was determined as the position that corresponds to a maximum of the first energy derivative  $dx\mu(E)/dE$ , coinciding with the inflection point of the absorption edge.<sup>27</sup> The oxides FeO, Fe<sub>3</sub>O<sub>4</sub>, Fe<sub>2</sub>O<sub>3</sub>, CoO, Co<sub>3</sub>O<sub>4</sub>, MnO, MnO<sub>2</sub>, and Mn<sub>2</sub>O<sub>3</sub> were used as references to quantitatively estimate the Fe, Co, and Mn oxidation states. In all the pristine anti-perovskites, the Fe, Co, and Mn K-edge positions were very close to the position of the double-charged metal cations in oxides, which confirmed the presence of Fe<sup>2+</sup>, Co<sup>2+</sup>, and Mn<sup>2+</sup> in Li<sub>2</sub>MSeO.

Here, we have to note that evaluation of the oxidation states of transition metal cations using calibration curves is straightforward only for ionic compounds, like oxides. In the case of selenides, a strong overlapping of the Se 4p and M 3d orbitals and lower electronegativity of Se result in a high covalency grade of the M–Se bonding. Moreover, the closeness of the redox potentials of Se<sup>2–</sup> and the transition metal cations Fe and Mn complicates the situation additionally. Therefore, we could not use the calibration line directly, as was done for sulfur-based anti-perovskites,<sup>11</sup> and in our opinion, it is more correct to discuss the shifts of the corresponding transitions on the energy grid.

Upon battery charge and discharge, a reversible oxidation of iron in all three Fe-containing compositions was detected, since the K-edge reversibly shifted to higher energy values and back during (de)lithiation (Fig. 7 and S7-S11<sup>†</sup>). The energy difference between the Fe K-edges of FeO (Fe<sup>2+</sup>) and Fe<sub>2</sub>O<sub>3</sub> (Fe<sup>3+</sup>) was close to 4 eV (a, b). Panel (c) depicts the shift  $\Delta E_{\text{Fe K-edge}} = E_{\text{current}} - E_{\text{current}}$ E<sub>pristine</sub> of the Fe K-edge depending on the Li-amount extracted from the structure during battery charge (as the amount of current flowing through the cell). The  $\Delta E_{\text{Fe K-edge}}$  values for Li2FeSeO and Li2Fe0.5Mn0.5SeO were very close, reaching 1.5 eV at a total Li amount x(Li) of 1.5. However, at the same x(Li)value, the  $\Delta E_{\text{Fe K-edge}}$  of Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO of 2.5 eV was much higher, pointing to a noticeably stronger oxidation of Fe in this material. The pre-edge feature in the range of 7711-7715 eV, which corresponds to a 1s  $\rightarrow$  3d electron transition, revealed a local structural distortion of the octahedral Fe environment in all six materials (Fig. 7, S12, and Table S13<sup>†</sup>). According to the dipole selection rules, this transition is prohibited for the ideal octahedral symmetry of Fe.28 The disorder in local coordination of Fe increased on charge and decreases on discharge. Therefore, the local structure of Fe remained mostly preserved despite the irreversible amorphization of Li2FeSeO material during charge, as observed by operando XRD.

The electrochemical activity of Mn and Co in the materials was evaluated as well. Similar to our previous studies on Li2-Fe<sub>0.9</sub>Co<sub>0.1</sub>SO,<sup>12</sup> Co did not show any redox activity in Li<sub>2</sub>CoSeO under extraction of about 0.25 Li per formula unit. Cobalt was also inactive in Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO and Li<sub>2</sub>Mn<sub>0.5</sub>Co<sub>0.5</sub>SeO, since there was no noticeable shift in the Co K-edge. In contrast, Mn was redox-active in Li2MnSeO, showing a K-edge shift of about 2 eV upon the extraction of 0.5 Li per formula unit, see Fig. S7.† Such an energy shift would correspond to Mn<sup>2.5+</sup>. However, Mn was less active in Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO, having a shift in energy of only 0.7 eV upon the extraction of 0.6 Li per formula unit, which resembles our previous investigations of its S-counterpart:11 similar to Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SO, upon Li removal from Li<sub>2</sub>Fe<sub>0.5</sub>-Mn<sub>0.5</sub>SeO, Fe was oxidized first, while Mn started to participate in the redox process later, when a significant amount of Li was already extracted. As is known, the Co<sup>3+</sup>/Co<sup>2+</sup> pair has the highest redox potential in various classes of materials, such as LiMPO<sub>4</sub> olivines<sup>26</sup> or Li<sub>2</sub>MP<sub>2</sub>O<sub>7</sub> pyrophosphates,<sup>27</sup> followed by the  $Mn^{3+}/Mn^{2+}$  and  $Fe^{3+}/Fe^{2+}$  pairs. This tendency is sustained in anti-perovskites as well, because Co with its high redox potential remains inactive in the potential window of 1.2-3.0 V



Fig. 7 Operando XAS of Li<sub>2</sub>FeSeO in the Fe K-edge region on (a) charge and (b) discharge. (c) Relative energy shift of Fe K-edge in ironcontaining compounds. Calibration lines for the oxidation states of transition metals are available in the ESI.<sup>†</sup>

#### Paper

 $\nu$ s. Li, while Fe and Mn are involved in the redox process. Among Co, Fe, and Mn metals, Co has the highest electronegativity (1.88, 1.83, and 1.55 Pauling units, respectively).<sup>28</sup> Therefore, Co–Se bonds are more covalent than other M–Se bonds, thus reducing the electron density on Se (negative inductive effect), which may be compensated by metals with a lower electronegativity. With the presence of Co in the compositions Li<sub>2</sub>Fe<sub>0.5</sub>-Co<sub>0.5</sub>SeO and Li<sub>2</sub>Mn<sub>0.5</sub>Co<sub>0.5</sub>SeO, both Fe and Mn showed higher redox activity than without it. Therefore, although Co was redoxinactive, it seemed to boost the redox activity of the other transition metal cations.

Further, we analysed the Se K-edge spectra for all the compounds, which confirmed the strong redox activity of Se, visible as an edge shift upon (de)lithiation, see Fig. 8 and S7-S12.<sup>†</sup> Here, we would like to highlight a note of caution. In the literature, there is a confusion regarding the definition of the Se K-edge. Some authors assume a 1s  $\rightarrow$  4p electron transition around 12 658-12 660 eV as the K-edge, as for elemental Se.<sup>29</sup> Other works, however, argue for this transition at much higher energy values of 12664-12665 eV, as reported for example for Li<sub>2</sub>Se or FeSe.<sup>30</sup> Lastly, several works discuss a 1s  $\rightarrow$ 5p electron transition as the true K-edge with a 1s  $\rightarrow$  4p transition as a pre-edge.<sup>31</sup> We find this definition as the most reasonable, since this is the only possible transition for negatively charged Se<sup>2-</sup> in typical ionic compounds. Indeed, the participation of Se<sup>2-</sup> anions in ionic metal-selenium bonds would result in fully occupied 4p orbitals, suppressing the 1s  $\rightarrow$ 4p transition significantly.<sup>31</sup>

Therefore, the K-edge energy position for Se was set as a maximum of the first derivative  $dx\mu(E)/dE^{24}$  at energies around 12 662–12 664 eV, according to prior work.<sup>32</sup> We also recorded a spectrum of FeSe as a reference compound having the same formal oxidation state as Se<sup>2-</sup>, which however differed from the spectra of the anti-perovskites regarding the shape and position of the K-edge (Fig. 8). A more intense pre-edge feature of FeSe with the maximum at 12 658.8 eV is an indication of a higher density of unoccupied states in the Se 4p band and, therefore, more covalent Se–Fe bonding compared to in anti-perovskites. Analysis of the Se K-edge spectra of Li<sub>2</sub>MSeO led to the following conclusions.

For all materials, a small pre-edge feature was clearly visible at about 12 662 eV due to the  $1s \rightarrow 4p$  electron transition, in agreement with a partially covalent character of M–Se bonds. This tiny pre-edge was also observed in our earlier studies on Li<sub>2</sub>FeS<sub>1-x</sub>Se<sub>x</sub>O compounds.<sup>13</sup> The intensity of this pre-edge peak correlated with the transition metal electronegativity and the covalency grade of the M–Se bonding. Thereby, Li<sub>2</sub>MnSeO, Li<sub>2</sub>-Mn<sub>0.5</sub>Fe<sub>0.5</sub>SeO, and Li<sub>2</sub>Co<sub>0.5</sub>Mn<sub>0.5</sub>SeO compounds, containing the most electropositive Mn cations (1.55 Pauling units), showed a small pre-edge feature, detectable as a poorly resolved peak in  $dx\mu(E)/dE$  derivative plots. In contrast, the pre-edge was much more pronounced in Li<sub>2</sub>CoSeO with less electropositive Co cations (1.88 Pauling units), and, therefore, with a more covalent character of M–Se bonding.

With Li extraction, the pre-edge grew (Fig. 8b, see Li<sub>2</sub>FeSeO for example). Three effects can contribute here: (i) the amount of ionic Li–Se bonds was decreased, and the covalent M–Se bonds became more and more dominant; (ii) a strengthening of the overlap between Fe 3d and Se 4p orbitals due to the oxidation of Fe<sup>2+</sup>, <sup>31,33</sup> and (iii) the oxidation of selenium itself, making  $1s \rightarrow 4p$  electron jump more probable. The pre-edge decreased when lithium was re-inserted into the materials (see the ESI†). The oxidation of Se was also proven by the Se K-edge shift to higher energies during charging.<sup>34</sup> After a whole charge-discharge cycle, a small energy shift remained, pointing to only a partially reversible Se redox activity.

We compared the relative energy shift of the Se K-edge in all  $Li_2MSeO$  compounds upon Li extraction (Fig. 8c). Depending on the results, two groups of anti-perovskites could be selected: (1)  $Li_2FeSeO$  and  $Li_2MnSeO$  with a low energy shift of the Se K-edge, and (2)  $Li_2Fe_{0.5}Mn_{0.5}SeO$ ,  $Li_2Fe_{0.5}Co_{0.5}SeO$ ,  $Li_2Co_{0.5}Mn_{0.5}SeO$ , and  $Li_2CoSeO$  with a significant Se K-edge shift. This finding suggest a lower Se redox activity in  $Li_2FeSeO$  and  $Li_2MnSeO$  during delithiation, being in line with the high redox activity of Mn and Fe cations in these materials. In contrast, an equimolar combination of Mn and Fe, Mn and Co, Fe and Co in the structure, or the presence of only Co led to a very high redox activity of Se, visible as a larger shift of the Se K-edge to higher energies for the same amount of Li removed.

The high Se activity in all the Co-containing materials was correlated with the high  $\text{Co}^{3+}/\text{Co}^{2+}$  standard electrochemical potential and its redox inactivity in anti-perovskites: for the same delithiation state, the charge compensation will not be realized by the second transition metal only, obviously leading to the oxidation of Se as well.

 ${\rm Li_2Fe_{0.5}Mn_{0.5}SeO}$  with a high Se activity seemed to be an exception, since the redox activity of Se in compounds with only Fe and with only Mn was low. Probably, a higher redox potential



Fig. 8 XAS in the Se K-edge region for Li<sub>2</sub>MSeO compounds: (a) comparative image of Se K-edge for pristine anti-perovskites and Se standards, (b) *operando* XAS of Li<sub>2</sub>FeSeO during charge, (c) relative shift of Se K-edge from its initial position for Li<sub>2</sub>MSeO anti-perovskites during delithiation.

of  $Mn^{2+}$  forced the oxidation of  $Fe^{2+}$  and  $Se^{2-}$  similarly as for  $Co^{2+}$  in Co-compositions. Note that there is an intrinsic misfit of metal-oxygen bonds: in  $Li_2Fe_{0.5}Mn_{0.5}SeO$ , Mn–O became shorter and Fe–O longer than in the individual compounds. Due to the reduced amount of Fe cations in  $Li_2Fe_{0.5}Mn_{0.5}SeO$  compared to  $Li_2FeSeO$ , charge compensation upon Li extraction was partially realized by the oxidation of Se anions.

Among  $Li_2MSeO$  with M as Fe, Mn, Co, or their mixture, only  $Li_2FeSeO$  became irreversibly amorphous upon delithiation. In order to clarify the reason, we studied the local environment for Fe and Se ions by analysing the Fe and Se K-edge XAFS spectra at different states of charge, see Table 2.

In the pristine Li<sub>2</sub>FeSeO, the nearest coordination of Fe consisted of oxygen anions with an Fe-O bond length of 1.97(4) Å, while the second coordination sphere contained Li, Fe, and Se with the same distances to Fe of 2.8(1) Å. In the charged state, the Fe-O distance became shorter (1.86(4) Å), in accordance with the oxidation of Fe. In the second coordination sphere, the distance to Se became significantly shorter, reflecting the oxidation of Fe as well (and eventually of Se). The distance to the neighbouring Fe and Li shortened less. After subsequent Li insertion, the Fe-O bond length returned to the initial value, but the difference between Fe-Se and Fe-(Fe, Li) distances remained, pointing towards a distortion of the crystal structure. The Fe-Se distance of 2.79(8) Å was rather close to the Fe-Se bond length in FeSe of 2.74 Å.35 The changes in the Se local surrounding were more significant and can explain the amorphization phenomenon. The first coordination sphere contained Li and Fe. In the charged state, the distance Se-(Fe, Li) was reduced to 2.46(9) Å, which was higher than the Fe-Se distance of 2.31(4) Å from Fe-EXAFS due to the longer Se-Li bond length.

After discharge, the insertion of an additional Se–Se pathway in the structural model was needed for a proper description of the Fourier-transformed XAFS function. The new Se–Se distance of 2.4(1) Å was close to the bond length of 2.373 Å in elemental Se.<sup>36</sup> Thus, a continuous structure decomposition with the formation of Se-islands probably occurred upon the cycling of Li<sub>2</sub>FeSeO due to the oxidation of both Fe and Se at charging. This process was less pronounced in compounds with other transition metal cations.

Table 2 Local Interatomic distances in Li <sub>x</sub> reseo obtained from XAFS			
x in Li <sub>x</sub> FeSeO	1st coordination shell	2nd coordination shell	
2.00 (pristine)	<b>Fe</b> – O; 1.97(4) Å	<b>Fe</b> – (Li, Fe, Se); 2.8(1) Å	
0.77 (charged)	Fe – O; 1.86(4) Å	<b>Fe</b> – Se; 2.31(4) Å	
		Fe – (Li, Fe); 2.64(8) Å	
1.98 (discharged)	Fe – O; 1.94(7) Å	Fe – Se; 2.85(2) Å	
		<b>Fe</b> – (Li, Fe); 2.79(8) A	
2.00 (pristine)	<b>Se</b> – (Li, Fe); 2.79(8) Å	<b>Se</b> – O; 3.5(1) Å	
0.99 (charged)	<b>Se</b> – (Li, Fe); 2.46(9) Å	<b>Se</b> – O; 3.3(1) Å	
1.99 (discharged)	<b>Se</b> – (Li, Fe); 2.78(8) Å	<b>Se</b> – O; 3.4(1) Å	
	Se – Se; 2.4(1) Å		

<sup>*a*</sup> Calculations were done for both Fe and Se K-edges. The absorbing element is highlighted. The results for the remaining compounds are available in Table S13.

Both the cationic and anionic activities of anti-perovskites were confirmed by DFT calculations. There was a big contribution of the Se 4p orbitals to the density of states close to the Fermi level for all the materials. Therefore, delithiation must necessarily result in the oxidation of selenium. Further, we calculated the formal electron densities of M 3d, Se 4p, and O 2p orbitals for the pristine and delithiated states. For the latter, the structural model was the same as for the pristine materials (the cell parameters were taken from the operando data), but the number of electrons per unit cell was reduced accordingly. Upon oxidation, the electron densities decreased for all the orbitals, thus confirming the covalent character of the chemical bonds. However, the electron density loss was different, showing the highest value in Se 4p followed by Mn 3d, Fe 3d, and Co 3d in the compounds with one and two transition metal cations. Calculations of the Li insertion (electron addition) into stoichiometric Li2MSeO led to unexpected conclusions. Thus, Li insertion into Li2Fe0.5Co0.5SeO resulted first in filling the Co 3d orbitals followed by Fe 3d orbitals. In the case of Li<sub>2</sub>Fe<sub>0.5</sub>-Mn<sub>0.5</sub>SeO, the Fe 3d orbitals would be filled first, while in Li<sub>2</sub>-Co<sub>0.5</sub>Mn<sub>0.5</sub>SeO, the Co 3d would be occupied first, followed by Mn 3d. Therefore, although these values were quite rough estimations, we confirmed the redox bifunctionality of Li2MSeO compounds, and their tunability.

## 3. Conclusion

Before summing up the outcomes, we would like to specify the following. To make our article more laconic, we put the comprehensive description of theoretical calculations and experimental procedures into the ESI.<sup>†</sup> Maintaining scientific ethics, we encourage readers to check the works in ref. 37-53 which are directly referred to in the ESI.† The impact of transition metal cations Fe, Mn, and Co in the Li<sub>2</sub>MSeO structure on the electrochemical behaviour in Li half-cells was evaluated. The redox potential and electronegativity of the transition metal are crucial parameters for the electrochemical properties. Among materials with a single transition metal, Li<sub>2</sub>FeSeO with the lowest redox potential of the transition metals showed the highest capacity at low currents, but a poor rate capability and was unstable upon cycling. In contrast, a small, but stable and almost current-independent capacity was observed for Li2-CoSeO with the highest redox potential of Co, while the properties of Li2MnSeO lay between the Fe- and Co compounds. In Li<sub>2</sub>FeSeO and Li<sub>2</sub>MnSeO, both M<sup>2+</sup> and Se<sup>2-</sup> ions participated in the redox process, while in Li2CoSeO, only Se oxidation/ reduction compensated the charge during battery operation, and the Co cations remained inactive. Interestingly, pure anionic redox led to a rather stable electrochemical cycling at various current densities, unlike for any cases of simultaneous cationic and anionic oxidation observed for the studied systems.

The electrochemical process becomes more complex with two transition metal cations in the structure. In this case, the highest specific capacity and satisfactory rate capability were found for  $Li_2Fe_{0.5}Co_{0.5}SeO$ . Here, Co served as a structural stabilizer and "booster" for the redox activities of Fe and Se,

#### Paper

remaining inactive upon battery operation. The activity of Se was comparable with Li<sub>2</sub>CoSeO, while the activity of Fe was even higher than in Li<sub>2</sub>FeSeO.Unfortunately, it was not possible to clarify a direct impact of selenium redox activity on the unit cell metrics, since the materials showed completely different structural behaviours upon delithiation. Thus, Li<sub>2</sub>FeSeO suffered from structural collapse, while Li<sub>2</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>SeO and Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO remained crystalline after the first cycle; however, the delithiation mechanisms were different (single-phase *vs.* two-phase), whereas an *operando* study of Li<sub>2</sub>Co<sub>0.5</sub>-Mn<sub>0.5</sub>SeO revealed tetragonal distortion, causing most likely kinetical complications for lithium (de)intercalation.

The combination of Co and Mn in Li2MSeO is rather unfavourable, since upon Li extraction, besides Se oxidation,  $Mn^{2+}$  was mostly oxidized to  $Mn^{3+}$ , leading to a noticeable structural distortion due to the Jahn-Teller effect, and impeded Li diffusion. The mixture of Fe and Mn led to unexpected results: in Li<sub>2</sub>Fe<sub>0.5</sub>Mn<sub>0.5</sub>SeO, the capacity was only moderately aggravated with the current. Probably, due to a higher  $Mn^{2+}/$  $Mn^{3+}$  redox potential than that of Fe<sup>2+</sup>/Fe<sup>3+</sup>, whereby Mn cations mainly stabilized the crystal structure upon the oxidation of Fe and Se. We believe that the knowledge of synergistic effects in various cationic compositions may be transferred to other systems with similar crystal structures and relatively low operation voltages, giving some hints for their compositional design. Furthermore, the pure anionic redox activity in antiperovskites represents an interesting direction for future studies of current-independent electrochemical performance.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

This work was funded by the IFW Dresden excellence program, German Federal Ministry of Education and Research (BMBF) in the project HeNa (03XP0390C), and by German Research Foundation (DFG) in the project KIBSS (448719339). The authors acknowledge Andrea Voss and Anne Voidel (IFW Dresden) for performing the ICP-OES analysis. This research has benefitted from beamtime allocation at beamlines P02.1, P64 and P65 at the PETRA III synchrotron (DESY, Hamburg, Germany), and BL04 at the ALBA Cells synchrotron (Barcelona, Spain).

## References

- 1 J. B. Goodenough and K.-S. Park, *J. Am. Chem. Soc.*, 2013, **135**, 1167.
- 2 D. Larcher and J.-M. Tarascon, Nat. Chem., 2015, 7, 19.
- 3 T. Kim, W. Song, D.-Y. Son, L. K. Ono and Y. Qi, *J. Mater. Chem. A*, 2019, 7, 2942.
- 4 M. A. Pellow, C. J. M. Emmott, C. J. Barnhart and S. M. Benson, *Energy Environ. Sci.*, 2015, **8**, 1938.
- 5 A. Manthiram, J. C. Knight, S. T. Myung, S. M. Oh and Y. K. Sun, *Adv. Energy Mater.*, 2016, **6**, 1501010.

- 6 J. A. Dawson, T. Farmprikis and K. Johnston, *J. Mater. Chem. A*, 2021, **9**, 18746.
- 7 K. T. Lai, I. Antonyshyn, Y. Prots and M. Valldor, *J. Am. Chem. Soc.*, 2017, **139**(28), 9645.
- 8 Z. Lu and F. Ciucci, J. Mater. Chem. A, 2018, 6, 5185.
- 9 K. T. Lai, I. Antonyshyn, Y. Prots and M. Valldor, *Inorg. Chem.*, 2018, 57(21), 13296.
- D. Mikhailova, L. Giebeler, S. Maletti, S. Oswald,
   A. Sarapulova, S. Indris, Z. Hu, J. Bednarick and
   M. Valldor, ACS Appl. Energy Mater., 2018, 1, 6593.
- M. V. Gorbunov, S. Carocci, S. Maletti, M. Valldor, T. Doert, S. Hampel, I. G. Gonzalez Martinez, D. Mikhailova and N. Gräßler, *Inorg. Chem.*, 2020, 59(21), 15626.
- 12 M. V. Gorbunov, S. Carocci, I. G. Gonzalez Martinez, V. Baran and D. Mikhailova, *Front. Energy Res.*, 2021, **9**, 657962.
- 13 M. A. A. Mohamed, M. V. Gorbunov, M. Valldor, S. Hampel, N. Gräßler and D. Mikhailova, J. Mater. Chem. A, 2021, 9, 23095.
- 14 Handbook of Chemistry and Physics, ed. W. M. Haynes, D. R. Lide and T. J. Bruno, Boca Raton, London, New York, 2015, pp. 5–80.
- 15 K. Zhu, C. Wang, Z. Chi, F. Ke, Y. Yang, A. Wang, W. Wang and L. Miao, *Front. Energy Res.*, 2019, 7, 123.
- 16 A. Eftekhari, Sustainable Energy Fuels, 2017, 1, 14.
- M. A. A. Mohamed, L. Singer, H. Hahn, D. Djendjur,
  A. Özkara, E. Thauer, I. G. Gonzalez-Martinez,
  M. Hantusch, B. Büchner, S. Hampel, R. Klingeler,
  N. Gräßler and J. Pow, *Sources*, 2023, 558, 232547.
- 18 L. Vegard, Z. Phys., 1921, 5, 17.
- 19 V. M. Goldschmidt, Naturwiss., 1926, 14(21), 477.
- 20 R. D. Shannon, Acta Crystallogr., 1976, 32, 751.
- 21 L. Chuan-Jin, Z. Feng and Z. Zi-Zhong, Acta Phys. Sin., 2019, 68(15), 157201.
- 22 M. Aykol and C. Wolverton, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2014, **90**, 115105.
- 23 D. Mikhailova, C. Y. Kuo, P. Reichel, A. A. Tsirlin,
  A. Efimenko, M. Rotter, M. Schmidt, Z. Hu, T. W. Pi,
  L. Y. Jang, Y. L. Soo, S. Oswald and L. H. Tjeng, *J. Phys. Chem. C*, 2014, 118(10), 5463.
- 24 I. B. Bersuker, *The Jahn–Teller Effect*, Cambridge University Press, Cambridge, 2006, p. 35.
- 25 H. Somaily, S. Kolesnik, J. Mais, D. Brown, K. Chapagain,
  B. Dabrowski and O. Chmaissem, *Phys. Rev. Mater.*, 2018,
  2, 054408.
- 26 M. Newville, *Fundamentals of XAFS, Rev. 1.7*, University of Chicago, Chicago, IL, 2004.
- 27 M. L. Baker, M. W. Mara, J. J. Yan, K. O. Hodgson, B. Hedman and E. I. Solomon, *Coord. Chem. Rev.*, 2017, 345, 182.
- 28 A. Mauger and C. M. Julien, Batteries, 2018, 4(3), 39.
- 29 M. Tamaru, P. Barpanda, Y. Yamada, S. Nishimura and A. Yamada, *J. Mater. Chem.*, 2012, 22, 24526.
- 30 L. Pauling, *The Nature of the Chemical Bond*, Cornell University Press, New York, 3rd edn, 1960.
- 31 Y. Cui, J. Lu, T. Bolin, Y. Ren, W. Wenig, C. Sun, V. A. Maroni, S. M. Heald and K. Amine, *J. Am. Chem. Soc.*, 2013, 135(21), 8047.

- 32 B. Joseph, A. Iadecola, L. Simonelli, Y. Mizuguchi, Y. Takano, T. Mizokawa and N. L. Saini, *J. Phys.: Condens. Matter*, 2010, 22, 485702.
- 33 J. T. Henthorn, R. J. Arias, S. Koroidov, T. Kroll, D. Sokaras,
  U. Bergmann, D. C. Rees and S. DeBeer, *J. Am. Chem. Soc.*,
  2019, 141(34), 13676.
- 34 A. L. Ryser, D. G. Strawn, M. A. Marcus, S. Fakra, J. L. Johnson-Maynard and G. Möller, *Environ. Sci. Technol.*, 2006, 40, 46.
- 35 M. M. Srivastava and O. N. Srivastava, *Acta Crystallogr. A*, 1975, **31**, 82.
- 36 P. Cherin and P. Unger, *Inorg. Chem.*, 1967, 6, 1589.Following references were cited in the ESI:†
- 37 K. Koepernik and H. Eschrig, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1999, **59**, 1743.
- 38 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, 77, 38.
- 39 A. Jain, S. P. Ong, G. Hautier, W. Chen, W. D. Richards, S. Dacek, S. Cholia, D. Gunter, D. Skinner, G. Ceder and K. A. Persson, *APL Mater.*, 2013, 1, 011002.
- 40 A. M. Abakumov, D. Batuk, J. Hadermann, M. G. Rozova, D. V. Sheptyakov, A. A. Tsirlin, D. Niermann, F. Waschkowski, J. Hemberger, G. Van Tendeloo and E. V. Antipov, *Chem. Mater.*, 2011, 23, 255.
- 41 S. Reschke, A. A. Tsirlin, N. Khan, L. Prodan, V. Tsurkan, I. Kézsmárki and J. Deisenhofer, *Phys. Rev. B*, 2020, 102, 094307.

- 42 L. Wang, T. Maxisch and G. Ceder, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2006, 73, 195107.
- 43 H. M. Rietveld, J. Appl. Crystallogr., 1969, 2, 65.
- 44 A. Le Bail, H. Duroy and J. L. Fourquet, *Mater. Res. Bull.*, 1988, **23**(3), 447.
- 45 V. Petricek, M. Dusek and L. Palatinus, *Z. Kristallogr.*, 2014, 229(5), 345.
- 46 A.-C. Dippel, H.-P. Liermann, J. T. Walter, H. Schulte-Schrepping, O. Seeck and H. Franz, J. Synchrotron Radiat., 2015, 22(3), 675.
- 47 J. Filik, A. W. Ashton, P. C. Y. Chang, P. A. Chater, S. J. Day, M. Drakopoulos, M. W. Gerring, M. L. Hart, O. V. Magdysyuk, S. Michalik, A. Smith, C. C. Tang, N. J. Terrill, M. T. Wharmby and H. Wilhelm, *J. Appl. Crystallogr.*, 2017, 50, 959.
- 48 M. Faraday, Philos. Trans. R. Soc., 1834, 124, 77.
- 49 F. Fauth, I. Peral, C. Popescu and M. Knapp., *Powder Diffr.*, 2013, 28, 360.
- 50 M. Herklotz, J. Weiß, E. Ahrens, M. Yavuz, L. Mereacre, N. Kiziltas-Yavuz, C. Dräger, H. Ehrenberg, J. Eckert, F. Fauth, L. Giebeler and M. Knapp, *J. Appl. Crystallogr.*, 2016, 49, 340.
- 51 W. A. Caliebe, V. Murzin, A. Kalinko and M. Görlitz, *AIP Conf. Proc.*, 2019, **2054**, 060031.
- 52 E. Welter, R. Chernikov, M. Herrmann and R. Nemausat, *AIP Conf. Proc.*, 2019, **2054**, 040002.
- 53 B. Ravel and M. Newville, J. Synchrotron Radiat., 2005, 12, 537.