Journal of Materials Chemistry A



PAPER

View Article Online
View Journal | View Issue



Cite this: J. Mater. Chem. A, 2024, **12**, 23035

double perovskite nanocrystals for selective photocatalytic CO₂ reduction† Razi Ahmad,*a Yu Zhang,a Jan Navrátil, ab Piotr Błoński, ab Lukáš Zdražil, af Lukáš Zdražil, ab Piotr Błoński, ab

Band engineering in iron and silver co-doped

Razi Ahmad,*^a Yu Zhang,^a Jan Navrátil, ^{Dab} Piotr Błoński, ^{Dae} Lukáš Zdražil, ^{Daf} Sergii Kalytchuk, ^{Da} Alberto Naldoni,*^{ac} Andrey L. Rogach, ^{Dae} Michal Otyepka, ^{Dae} Radek Zboril ^{D*af} and Štěpán Kment ^{D*af}

Double metal cation halide perovskites are promising alternatives to lead halide perovskites due to their exceptional compositional flexibility and stability. However, their utilization in solar-light harvesting applications has been hindered by their large band gap and the complexity of producing doped or alloyed materials with desirable optoelectronic properties. In this study, we report the colloidal synthesis of iron-doped $Cs_2NalnCl_6$ double perovskite nanocrystals (NCs), leading to a significant extension of the absorption edge from 330 nm to 505 nm. We also demonstrate that simultaneous doping with Fe^{3+} and Ag^+ ions allows significant reduction of the optical band gap and precise tuning of electronic band structures of the resulting NCs. The enhanced absorption in the visible region is attributed to the substitution of In-5s by the Fe-3d state, while the introduction of the Ag 4d state upshifts the valence band maximum, inducing a transformative change in the band structure, as confirmed by density functional theory (DFT) calculations. Remarkably, by precisely controlling the band positions of the Fe^{3+} -doped $Cs_2Ag_{0.5}Na_{0.5}lnCl_6$ NCs, we accomplished the selective photocatalytic reduction of CO_2 into CH_4 , making them readily available for solar-energy conversion technologies.

Received 29th January 2024 Accepted 18th July 2024

DOI: 10.1039/d4ta00676c

rsc.li/materials-a

Introduction

Solution-processable hybrid lead halide perovskites have garnered unprecedented attention in the realm of low-cost optoelectronic devices, thanks to their remarkable optical and electronic properties.¹ These materials exhibit a large absorption coefficient, high charge carrier mobility, long diffusion length, and useful defect tolerance, leading to significant advancements in optoelectronic devices like solar cells and light-emitting diodes.².³ However, the practical utilization of

lead-based perovskite materials faces two major obstacles: poor long-term stability and toxicity concerns.4 Consequently, significant efforts have been dedicated to the exploration of stable and environmentally benign materials, aiming to achieve optical and electronic properties comparable to those of lead halide perovskites.5-10 Among these, lead-free halide double perovskites (DPs) with a formula $A_2M^IM^{III}X_6$ (where $A = Cs^+$, and $X = Cl^-$, Br^- , I) can be formed by heterovalent substitution of Pb^{2+} cations with a pair of monovalent $(M^{I} = Na^{+}, K^{+}, Ag^{+})$ and trivalent (MIII = Bi3+, Sb3+, In3+) cations. They have attracted considerable attention due to several desirable features, including superior material stability, less toxic elements, compositional flexibility, and attractive optoelectronic properties.⁹⁻¹¹ Specifically, Cs₂AgBiX₆ (X = Br, Cl), Cs₂AgInCl₆, and Cs2NaInCl6 have been recognized as promising candidates across a diverse spectrum of applications. These encompass solar cells, photocatalysis, light-emitting diodes, luminescent solar concentrators, and scintillators. 12-16 In particular, Cs2-AgBiBr₆ is the only example of DP that has been extensively investigated as a lead-free light absorber layer in perovskite solar cells and as a photocatalyst for CO2 reduction, H2 production and organic synthesis. 13,17-22 However, Cs2AgBiBr6 DP has an indirect band gap, which is not ideal for optoelectronic and photocatalytic applications as both photons and phonons are involved in the optical absorption and recombination processes, which results in relatively weak oscillator

[&]quot;Regional Centre of Advanced Technologies and Materials, Czech Advanced Technology and Research Institute, Palacký University Olomouc, Šlechtitelů 27, Olomouc, 783 71, Czech Republic. E-mail: razi.ahmad@upol.cz; radek.zboril@upol.cz; stepan.kment@ upol.cz

^bDepartment of Physical Chemistry, Faculty of Science, Palacký University Olomouc, 17. listopadu 1192/12, 779 00 Olomouc, Czech Republic

Department of Chemistry, NIS Centre, University of Turin, Turin 10125, Italy. E-mail: alberto.naldoni@unito.it

^aDepartment of Materials Science and Engineering, Center for Functional Photonics (CFP), City University of Hong Kong, 83 Tat Chee Avenue, Hong Kong SAR, China ^aTT4Innovations, VŠB – Technical University of Ostrava, 17. listopadu 2172/15, 708 00 Ostrava-Poruba, Czech Republic

Nanotechnology Centre, Centre for Energy and Environmental Technologies, VŠB– Technical University of Ostrava, 17. listopadu 2172/15, 708 00 Ostrava-Poruba, Czech Republic

[†] Electronic supplementary information (ESI) available. See DOI: https://doi.org/10.1039/d4ta00676c

strength for optical absorption and low photoluminescence (PL) quantum yields (QY), respectively. Thus, despite the commendable material stability and direct band gap characteristics exhibited by $Cs_2AgInCl_6$ and $Cs_2NaInCl_6$, these DP materials are not suitable for solar cells and photocatalysis application due to a large (~ 4 eV) and parity-forbidden band gap.

Previous studies have demonstrated that doping and/or alloying are promising strategies to significantly alter the optical and electronic properties of DPs. 14,23,24 For example, Sb3+, Sn²⁺, Cu⁺ and Fe³⁺ doping of Cs₂AgBiBr₆ DP materials has been used to enhance their light absorption capability, resulting in a broadband absorption range from the visible to the NIR region.²⁵⁻²⁸ Similarly, Fe³⁺ has been incorporated into Cs₂-AgInCl₆ DPs, demonstrating extended absorption near ≈800 nm.^{29,30} Nevertheless, the majority of doping strategies aimed at enhancing light absorption have been predominantly focused on single crystals or microcrystals of DPs. Consequently, the optoelectronic and photocatalytic applications of doped/alloyed DPs have been hindered due to their limited solubility in common organic solvents, which is highly desirable for thin-film processing via the spin/dip coating method and to obtain stable colloidal dispersions for photocatalysis. In this regard, the colloidal synthesis of doped/alloyed DP nanocrystals (NCs) is an attractive strategy to overcome these limitations and make them available for solar-energy conversion technologies. 13,19,31

In the case of DP NCs, however, there remains a necessity to implement doping strategies for the purpose of fine-tuning their electronic and optical properties. For instance, diverse transition metals and lanthanide ions have been introduced into Cs₂MInCl₆ (M = Ag, Na) chloride-based DP NCs to improve their PLQYs, with the aim of utilizing them in light emitting diodes.31-38 Another challenging aspect of compositional engineering for DP NCs involves the precise control over the doping concentration. Ning et al. used a Bi: Fe molar ratio of 3:2 to achieve only 1.4% Fe doping in Cs₂AgBiBr₆ single crystals.³⁹ In another report by Liu et al., approximately 1% of Fe ions w.r.t. Bi ions were successfully incorporated into the Cs₂AgBiBr₆ lattice, when equimolar ratio of Fe and Bi precursors were used during synthesis.27 Han et al. emphasized the formidable challenge associated with synthesizing Fe-based DP NCs using a colloidal route, an attempt that ultimately yielded unsuccessful results.40 The formation of the desired composition and phase of DP NCs requires precise control on growth kinetics. In other words, the fast reaction kinetics along with balanced reactivity of precursors during nucleation and growth is critical to achieve the desired composition of DP NCs.36,41 In this context, the utilization of a highly reactive halide source could be advantageous to initiate the prompt nucleation and growth processes that may result in the desired chemical composition and optoelectronic properties.

Herein, we introduce the colloidal synthesis of Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x=0, 0.5 and 1) DP NCs, and demonstrate their application in photocatalytic CO_2 reduction. Iron doping significantly extends the absorption edge of $CsNaInCl_6$ NCs from 330 nm to 505 nm. Moreover, simultaneous doping by Fe^{3+}

and Ag⁺ allows for significant reduction in the optical band gap and electronic band structure tuning of CsNaInCl6 NCs. Electron paramagnetic resonance (EPR) measurements reveal that iron is incorporated in the Fe³⁺ state, which apparently replaces In³⁺ sites in the host DP NCs. Importantly, the Fe³⁺-doped DP NCs tolerated polar solvents during the purification process, which is highly desirable for their application in thin-film devices and photocatalysis. The purified NCs exhibited high colloidal and structural stability under ambient conditions due to efficient surface passivation with dual cationic ligands. The Fe- and Ag- co-doped Cs2NaInCl6 DP NCs are explored for photocatalytic CO2 reduction and demonstrate selective reduction of CO2 into CH4 due to favourable energetic band edge positions. We employed density functional theory (DFT) calculations to substantiate that by co-doping Cs₂NaInCl₆ DPs with iron and silver, we can significantly enhance their light absorption, enhance charge separation efficiency, and adjust the reduction potentials. Furthermore, this compositional modification boosts CO2 adsorption and activation, so these synergistic improvements are crucial for the selective reduction of CO2 to methane (CH4). Our findings introduce a new approach for the design and synthesis of highly stable lead-free DP NCs that can be processed and employed in a variety of optoelectronic applications, including photocatalysis.

Experimental section

Materials

Cesium carbonate (99.99%), silver nitrate (99.9%), indium(III) acetate (99.99%), iron(III) acetylacetonate (99.99%), 1-octadecene (ODE, 90%), oleic acid (OA, 90%), oleylamine (OLA, 90%), trioctylphosphine (TOP, 90%), benzoyl chloride (98%), and methyl acetate (99.5%) were purchased from Sigma Aldrich; sodium acetate (99%) was purchased from Alfa Aesar. All chemicals were used without any further purification.

Synthesis of $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs

In a typical synthesis of $Cs_2NaInCl_6$ NCs, cesium carbonate (0.3 mmol), sodium acetate (0.3 mmol), indium(III) acetate (0.3 mmol), ODE (10 mL), OA (1 mL), and OLA (0.5 mL) were loaded in a four-neck flask under a N_2 atmosphere. The reaction mixture was heated to 110 °C under continuous stirring for 20 min. At this stage all precursors were fully dissolved and the solution became optically clear, then 0.3 mL TOP was injected into the hot reaction mixture and the solution was kept for another 10 min under N_2 protection. Next, the temperature of the solution was increased to 140 °C and 300 μ L benzoyl chloride was swiftly injected into the hot reaction mixture which initiated a prompt nucleation and growth process, indicating the formation of $Cs_2NaInCl_6$ NCs. After 5 s, the reaction mixture was rapidly cooled down in an ice-water bath.

Cs₂Ag_{0.5}Na_{0.5}InCl₆ alloyed NCs were synthesized by a similar procedure as mentioned above, with slight modifications. In brief, 0.3 mmol of cesium carbonate, 0.3 mmol indium(III) acetate, 0.15 mmol sodium acetate, and 10 mL of ODE together with 1 mL OA and 0.5 mL OLA were heated to 110 °C under

vigorous stirring in a N₂ atmosphere. Once the reaction solution became clear and transparent, 0.3 mL TOP followed by premixed Ag-TOP solution (0.15 mmol AgNO3 in 0.15 mL TOP) was sequentially injected into the hot reaction mixture and the solution was kept for another 10 min under N₂ protection. For the synthesis of Cs₂AgInCl₆ NCs, sodium acetate was completely replaced by Ag-TOP solution (0.3 mmol AgNO₃ in 0.3 mL TOP). Finally, the reaction flask was heated to 140 °C and 300 µL of neat benzoyl chloride was swiftly injected into the hot reaction mixture which resulted in prompt nucleation and growth of NCs. After 5 s, the reaction flask was rapidly cooled down in an ice-water bath.

Synthesis of Fe³⁺-doped Cs₂Ag_xNa_{1-x}InCl₆ (x = 0, 0.5 and 1) NCs

 Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs were synthesized by the same procedure mentioned above by the substitution of indium(III) acetate with iron(III) acetylacetonate, while amounts of the other precursors and synthesis conditions remained the same. In the precursor solution, 25% and 50% iron(III) acetylacetonate substitute an equimolar amount of indium(III) acetate, while the total amount of iron(III) acetylacetonate and indium(III) acetate was fixed to 0.3 mmol. Upon benzoyl chloride injection, the color of reaction mixture was rapidly changed from dark red to yellow or yellow-orange or orange-red color depending upon the Na/Ag composition,

indicating the formation of Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x =0, 0.5 and 1) NCs.


Photocatalytic CO₂ reduction experiments

The CO₂ reduction experiments were performed in a sealed Pyrex bottle loaded with an ethyl acetate/isopropanol mixture. In a typical reaction, 3 mg of extensively washed and dried NC powder were dispersed in a solvent mixture of 24 mL ethyl acetate and 1 mL of isopropanol. The reactor was purged with CO2 for about 30 min in order to eliminate air and to form a saturated CO₂ atmosphere. The photocatalytic reaction was initiated by illuminating the reactor with a light source of intensity 150 mW cm⁻² using a solar simulator equipped with an AM 1.5G filter. The photocatalytic reaction was performed for 6 h at room temperature. The photocatalytic reaction products were quantified through headspace gas analysis by gas chromatography with a flame ionization detector.

Results and discussion

Synthesis and purification of iron and silver co-doped double perovskite nanocrystals

 Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) DP NCs were synthesized based on a previously developed colloidal hot injection approach with slight modifications (see the schematic illustration of the synthesis procedure in Scheme 1).35,36 This approach relies on the use of strongly coordinated silver-



Scheme 1 Schematic illustration of the colloidal synthesis of Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}lnCl_6$ (x=0, 0.5 and 1) DP nanocrystals.

trioctylphosphine (Ag-TOP) and benzoyl chloride as the alternative silver and chloride source, respectively, along with an additional TOP ligand. The Ag-TOP precursor is a better choice to prevent the reduction of silver ions by oleylamine (OLA) into metallic silver.35 On the other hand, benzoyl chloride is well known for strong reactivity toward nucleophilic compounds (amines and carboxylic acids) in which the reactive CO-Cl bonds can interact with amines and/or carboxylic acids and release HCl. Moreover, TOP can facilitate the nucleophilic reaction with benzoyl chloride or HCl that results in the formation of phosphonium chloride intermediates which can serve as both halide sources and surface capping ligands.³⁶ In a typical synthesis of Fe3+-doped Cs2NaInCl6 DP NCs, cesium carbonate, sodium acetate, indium(III) acetate, and iron(III) acetylacetonate along with oleic acid (OA), OLA and 1-octadecene (ODE) were mixed and heated at 110 °C under N2 protection for 20 min so that the precursors were completely dissolved (Scheme 1a). After that, 300 µL of TOP was injected into the hot reaction solution, and the solution was kept for another 10 min. Subsequently, the temperature of the reaction mixture was increased to 140 °C (Scheme 1b). Finally, 300 μL of neat benzoyl chloride was injected into the hot reaction solution and the color of precursor solution was rapidly changed from dark red to yellow indicating the prompt nucleation and growth of the DP NCs (Scheme 1c). After 5 s, the mixture was rapidly immersed in an ice-cooled water bath to quench the reaction. The Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ and Cs₂AgInCl₆DP NCs were synthesized following the same approach, by simply replacing the sodium precursor with a silver precursor. The detailed description of the synthetic procedures and the purification method are provided in the Experimental section and Fig. S1 (ESI†). The following samples were prepared: Fe³⁺-doped Cs₂-NaInCl₆, as well as Fe³⁺ and Ag⁺ co-doped DP denoted as Fe³⁺doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ and Fe³⁺-doped Cs₂AgInCl₆ DP NCs, respectively. They were labelled as Cs₂NaInCl₆: y% Fe, Cs₂-Ag_{0.5}Na_{0.5}InCl₆: y% Fe, and Cs₂AgInCl₆: y% Fe, where y% (25% and 50%) is the molar ratio of the iron precursor relative to that of the indium precursor used during synthesis. It is important to note that the 25% and 50% are nominal amounts of Fe, which are very different from the actual amount of the incorporated Fe³⁺-dopant, as will be discussed later on.

Crystal structure, morphology, and elemental composition

The crystal structure and phase purity of undoped, Fe^{3+} -doped, and Fe^{3+}/Ag^{+} co-doped DP NCs were investigated by X-ray diffraction (XRD) measurements (Fig. 1a). All the observed diffraction peaks in both Fe^{3+} -doped and undoped samples match well with the corresponding bulk reflections of Cs_2 -NaInCl₆ and do not contain any impurities. Upon closer examination of the (044) diffraction peak (right panel in Fig. 1a), a noticeable shift towards a higher diffraction angle is observed after the incorporation of Fe^{3+} ions due to the lattice shrinkage. The observed lattice shrinkage can be attributed to the smaller ionic radius of Fe^{3+} (0.64 Å) compared to In^{3+} (0.81 Å), providing clear evidence of the successful incorporation of Fe^{3+} ions into the host DP structure.

Regarding Fe³⁺/Ag⁺ co-doped samples, XRD patterns of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ (Fig. S2†) NCs show a similar trend and do not contain any impurity peaks, confirming the preservation of the cubic DP structure. The only exception is observed for 50% Fe-doped Cs₂AgInCl₆ NCs (Fig. S3†), where the synthesis does not yield pure phase NCs. This can be attributed to the distinct growth kinetics and some saturation limits in terms of the actual concentration of the iron ions doped into the host DP structure (as will also be discussed later).

The actual amount of the Fe³⁺-dopant in $Cs_2Ag_{1-x}Na_xInCl_6$ ($x=0,\ 0.5,\ 1$) NCs was retrieved by inductively coupled plasma mass spectrometry (ICP-MS) measurements. The ICP-MS results (Tables S1–S3†) reveal that the Fe amount present in the host DP significantly varies for different DP systems. The $Cs_2NaInCl_6$ NCs accommodated a maximum concentration of Fe while the lowest amount of Fe can be incorporated into $Cs_2AgInCl_6$, under similar reaction conditions. In particular, for a nominal 25% Fe feeding during the synthesis, the actual atomic concentrations of the Fe dopant (related to In) in $Cs_2NaInCl_6$, $Cs_2Ag_{0.5}Na_{0.5}InCl_6$, and $Cs_2AgInCl_6$ are 8.1%, 3.4% and 0.8%, respectively. Notably, the actual contents of Na in the $Cs_2Ag_{0.5}Na_{0.5}InCl_6$ DP NCs (Table S2†) are in close agreement with the amount of Na precursor that was used in the reaction.

Next, EPR measurements were performed at room temperature to gain insight on the spin state of iron in the host NCs. EPR spectra (Fig. 1b) of Fe³+-doped (25% feeding concentration) $Cs_2Ag_xNa_{1-x}InCl_6$ (x=0, 0.5 and 1) NCs show a strong resonance signal from all samples located at $g\sim 2.03$, ascribed to paramagnetic Fe³+ ions.³9 In contrast, EPR spectra (Fig. S4†) of undoped $Cs_2NaInCl_6$ NCs do not show any resonance signal in the probed range of magnetic fields. Thus, the absence of any resonance signal in the EPR spectrum of undoped $Cs_2NaInCl_6$ NCs clearly validates that the strong resonance signal in all Fe³+doped systems indeed originated from the presence of paramagnetic Fe³+ ions.

X-ray photoelectron spectroscopy (XPS) was performed to study the chemical composition of DP NCs. Full range survey and high-resolution XPS spectra for Cs 3d, Ag 3d, Na 1s, In 4d, Cl 3p and Fe 2p of iron doped (25% of Fe feeding with respect to In, which was hereafter used as the benchmark for all the following key measurements) $Cs_2Ag_{1-x}Na_xInCl_6$ (x=0,0.5,1) NCs are shown in Fig. S5a–c and S6a–f,† respectively. The XPS spectra of Fe³⁺-doped $Cs_2NaInCl_6$ NCs confirm the presence of all constituent elements in the expected oxidation states. However, in the XPS spectrum of Fe³⁺-doped $Cs_2Ag_{0.5}Na_{0.5}InCl_6$ and $Cs_2AgInCl_6$, the presence of iron could not be verified, which may be due to the low concentration of Fe at the surface of the NC film which may be beyond the detection limit of XPS as previously reported by other research groups. ^{27,30,39}

The shape and size of the undoped and Fe^{3+} -doped Cs_2Ag_x - $Na_{1-x}InCl_6$ (x=0, 0.5 and 1) NCs were investigated by transmission electron microscopy (TEM). The TEM images of undoped (Fig. 1c, f and i) and 25% Fe^{3+} doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x=0, 0.5 and 1) NCs are presented in Fig. 1d, g and j. These images confirm the formation of uniform size NCs with a well-defined cubic morphology, and an average edge size of 8–12 nm. Notably, the cubic-shape morphology of doped NCs is still




Fig. 1 (a) XRD patterns of undoped and Fe $^{3+}$ -doped Cs₂NaInCl₆ NCs, with the corresponding reflections of bulk Cs₂NaInCl₆ (labeled as Std). The right panel shows an enlarged view of the (044) diffraction peaks of the DP samples. (b) EPR signals of Fe³⁺-doped Cs₂Ag_xNa_{1-x}InCl₆ (x = 0, 0.5and 1) NCs with a nominal 25% Fe amount, measured at room temperature. (c-k) TEM images of Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs. (I) High-angle annular dark-field (HAADF) image of Fe^{3+} -doped Cs_2 NaInCl₆ NCs with a nominal iron concentration of 50% and (m-q) STEM-EDS elemental mapping of Cs, Na, In, Cl, and Fe elements which show their homogeneous distribution within the cubic NCs.

retained even for 50% Fe³⁺ doping. However, the size distribution becomes broader and, in the case of Cs2AgInCl6 NCs, larger aggregates of the NCs are clearly visible (Fig. 1e, h and k). The morphology and elemental analysis of Cs2NaIn0.5Fe0.5Cl6 NCs were also investigated by high-angle annular dark-field (HAADF) scanning TEM (STEM) imaging and STEM-energy dispersive Xray spectroscopy (EDS) elemental mapping. The HAADF-STEM image (Fig. 11) further confirms the cubic shape of Cs₂NaIn_{0.5}-Fe_{0.5}Cl₆ NCs, while STEM-EDS elemental mapping (Fig. 1m-q) demonstrates a homogeneous distribution of Cs, Na, In, Cl and Fe elements across the Cs₂NaIn_{0.5}Fe_{0.5}Cl₆ NCs. Additionally, the high-resolution TEM (HRTEM) image and the corresponding fast Fourier transform (FFT) (inset) of a single Cs2NaInCl6 NC

(Fig. S7a†) reveal high crystallinity with a lattice spacing of 0.372 nm, corresponding to the (220) crystal plane. In the Fe³⁺doped Cs₂NaInCl₆ NCs, the lattice spacing of the (220) plane slightly decreases to 0.370 nm and 0.367 nm for 25% and 50% Fe³⁺-doped Cs₂NaInCl₆ NCs (Fig. S7a-c†), respectively. This is ascribed to the substitution of larger In³⁺ by smaller Fe³⁺ ions. The decrease in the lattice spacing is in agreement with the shift of the diffraction peak towards a higher diffraction angle in the XRD patterns (Fig. 1a). The decrease in the lattice spacing of Fe³⁺-doped Cs₂NaInCl₆ NCs further corroborates the successful incorporation of Fe3+ ions. Similar trends were also observed in Fe^{3+} -doped $Cs_2Ag_{0.5}Na_{0.5}InCl_6$ NCs (Fig. S7d-f†).

Optical properties of undoped and Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ ($x=0,\ 0.5$ and 1) NCs

To explore the effect of iron and silver co-doping on the optical properties of $Cs_2NaInCl_6$ DP NCs, we performed UV-vis absorbance, steady-state PL, and time-resolved PL measurements on both undoped and Fe-doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x=0,0.5 and 1) NCs. As shown in Fig. 2a and e, both $Cs_2NaInCl_6$ and $Cs_2Ag_InCl_6$ NCs exhibit featureless absorption with the onset near 330 and 350 nm, respectively, in agreement with previous reports. S5,36 In contrast to this, $Cs_2Ag_{0.5}Na_{0.5}InCl_6$ NCs show a clear excitonic absorption peak (Fig. 2c) at 330 nm which is attributed to the breaking of the parity-forbidden transition upon partial Na

substitution with Ag.¹⁴ Interestingly, Fe³⁺-doped Cs₂NaInCl₆ NCs (Fig. 2a) display a dramatic shift of the optical band edge reaching towards 505 nm, and consequently the colour of their colloidal solution (inset of Fig. 2a) turns from colourless to yellow. Tauc plots (Fig. 2b) show that the optical band gap decreased from 4.29 eV for the undoped Cs₂NaInCl₆ NCs to 2.88 eV for the 25% Fe doped Cs₂NaInCl₆ NCs, in agreement with recently reported bulk and single crystal Fe³⁺-doped DP systems.^{27,30} On the other hand, Fe³⁺-doped Cs₂AgInCl₆ NCs (Fig. 2e) exhibit an obvious red-shift in the absorption edge, while in the case of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs (Fig. 2c) the absorption edge lies in between that of Fe³⁺-doped Cs₂-NaInCl₆ NCs and Fe³⁺-doped Cs₂AgInCl₆ NCs, respectively.




Fig. 2 UV-vis absorption spectra of undoped and Fe^{3+} -doped (a) $Cs_2NalnCl_6$, (c) $Cs_2Ag_{0.5}Na_{0.5}lnCl_6$, and (e) $Cs_2AglnCl_6$ NCs, respectively. (Inset) Photographs of the undoped sample (left) and the Fe^{3+} -doped sample (right) with a nominal iron concentration of 25%. Tauc plots of undoped and Fe^{3+} -doped samples with a nominal iron concentration of 25%. (b) $Cs_2NalnCl_6$, (d) $Cs_2Ag_{0.5}Na_{0.5}lnCl_6$, and (f) $Cs_2AglnCl_6$ NCs, respectively.

According to Tauc plots of Cs2AgInCl6 NCs and Cs2Ag0.5Na0.5-InCl₆ NCs, the band gap is reduced from 4.1 to 2.7 eV and from 4.17 to 2.84 eV upon Fe³⁺-doping (Fig. 2f and d), respectively. We note that for all samples with nominal 50% Fe doping, the absorption intensity (Fig. 2a, c and e) increases, while the absorption onset and the band gap (Fig. S8a-c†) remain unchanged.

Fig. S9a† shows steady state PL spectra of undoped Cs₂Ag_x- $Na_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs with different x values. The PL spectra of Cs2NaInCl6 NCs display a narrow emission band centered at 427 nm, while Cs2AgInCl6 NCs exhibit broadband emission with the PL maximum located at 580 nm. The PL signal of Cs₂NaInCl₆ NCs originates from defect related states, while the broadband emission from Cs2AgInCl6 NCs can be assigned to the emission via recombination of self-trapped excitons (STEs).35,36 Both NCs and bulk DP materials commonly display a very week PL signal due to the presence of parity-forbidden transitions. 14 In the case of Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs, the intensity of the broadband emission is significantly enhanced compared to that of Cs2AgInCl6 NCs due to the breaking of parity-forbidden transitions upon partial Na alloying. 14 Upon nominal 25% Fe³⁺ doping, the PL spectra of Cs₂- $Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs exhibited distinct features compared to those of the respective undoped or exclusively Agalloyed counterparts. The PL spectra (Fig. S10a†) of Fe³⁺-doped Cs₂NaInCl₆, Cs₂Ag_{0.5}Na_{0.5}InCl₆, and Cs₂AgInCl₆ NC solutions exhibit PL maxima at 455, 468, and 503 nm, respectively. It can be seen that the broadband features of STE emission from undoped samples have disappeared upon Fe doping, and a relatively sharp PL peak emerged in all samples. These results indicate that the observed PL signals from the Fe-doped samples do not originate from STEs but rather may result from recombination of free-excitons via sub-band gap states.³⁰

Next, time-resolved PL (TRPL) measurements were carried out in order to understand the charge recombination dynamics of Fe-doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs using the time correlated single photon counting technique. The TRPL spectra and their fitted kinetic parameters for all undoped and Fe-doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5 and 1) NCs are presented in Fig. S9b, c, S10b and Tables S4, S5,† respectively. The TRPL spectra of Cs2NaInCl6 NCs (Fig. S9c†) reveal an average PL lifetime of 6.4 ns. On the other hand, both Cs₂AgInCl₆ and Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs (Fig. S9b†) exhibit a much longer PL lifetime of about 2.9 µs and 4.2 µs, respectively, as expected for STE emission. 14,35 The increase in PL intensity and PL lifetime of Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs can indeed be attributed to the improvement in radiative recombination of STEs enabled by breaking of parity-forbidden transitions upon Na-alloying into Cs₂AgInCl₆ NCs. Next, we analyzed the PL decay profiles of all Fe³⁺-doped NCs (see extracted parameters in Table S5†), and found out average PL lifetimes of 6.2, 6.8, and 4.7 ns for Fe³⁺doped Cs2NaInCl6, Cs2Ag0.5Na0.5InCl6, and Cs2AgInCl6 NCs, respectively. All the Fe3+-doped NCs exhibit fast recombination carrier dynamics relative to undoped samples, with nanosecond PL lifetimes, most likely because the STEs can effectively dissociate to free electrons and holes. These results suggest that iron and silver co-doping is advantageous in order to

manipulate the optoelectronic properties of DP NCs for use as photoactive materials in solar cells or photocatalysis where specific energies of band levels as well as charge separation are required.

Analysis of the optical properties of iron and silver co-doped **DPs by DFT calculations**

To explain the optical properties of Fe-doped DP NCs, we used DFT calculations with the implementation of the Heyd, Scuseria, and Ernzerhof (HSE03) hybrid functional, 42,43 coupled with optical-transition calculations obtained by solving the Bethe-Salpeter equation (BSE)44-46 (see Table S8 in the ESI†). The calculated optical band gap of 4.43 eV for pristine Cs₈- $Na_4In_4Cl_{24}$ agrees well with the experimental data (4.29 eV). Fedoping reduces the band gap to approximately 2.85-3.12 eV depending on the Fe3+ electronic configuration, but it remains insensitive to the Fe³⁺ feeding amount in the range of 25–50%. The degree of band gap reduction caused by Fe doping is influenced by the geometry and spin state of Fe. Fe³⁺ ions in a 3d⁵ valence configuration in an octahedral ligand field have either a high spin or a low spin state, while the actual spin state depends on the relative strengths of crystal field splitting and electron-electron repulsion. The high-spin isomer of Fe3+ $(t_{2g}^3 e_g^2)$ in the DP-NCs leads to better agreement with the experimental values (Table S8†). Fe³⁺ doping creates intra-gap states, which can occur in either both spin channels (in the low-spin configuration) or in the minority spin channel (in the highspin configuration), as illustrated in Fig. S22.† The band structure shown in Fig. S23† reveals that these states are strongly localized on Fe atoms and remained nearly independent of the Fe doping amount. Experimental measurements have shown that substituting Ag for Na in pristine Cs₈Na₄In₄-Cl₂₄ does not lead to a significant reduction of the band gap, which varies from 4.29 eV (undoped system) to 4.17 and 4.10 eV for Cs2Ag0.5Na0.5InCl6 and Cs2AgInCl6, respectively (Fig. 2b, d and f). A similar trend is observed in the DFT calculations, which suggests the strong impact of Ag alloying on the electronic structure of Cs₈Na₄In₄Cl₂₄ (Fig. S24 and S25†). As the degree of Ag incorporation increases, the electronic band gap narrows in a similar manner to the optical band gaps, resulting from the upshift/downshift of the valence/conduction band edges with each additional Ag⁺ ion. Ag⁺ ions, similar to Fe³⁺ ions, are situated within the octahedral ligand field of the six Cl atoms, which causes Ag⁺ 4d orbital splitting into two energy levels: the lower energy t_{2g} and the higher-lying e_g . However, the states introduced by the Ag⁺ dopant are unlikely to contribute to light absorption near the absorption edge, because the optical transition edge is located directly below the hybridized states of Ag and Cl. In contrast, the introduction of Fe³⁺ into Cs₂AgInCl₆ and Cs2Ag0.5Na0.5InCl6 significantly decreases the band gap to 2.93-3.28 eV, which is consistent with the experimental observations (Fig. 2). Furthermore, electronic structure calculations (Fig. 3) indicated that Ag doping results in an upshift of the valence band edge (VBE), primarily composed of Cl and Ag states (or Cl in the case of Cs2NaInCl6), as well as the conduction band edge (CBE), whose orbital composition depends on the




Fig. 3 Spin-resolved electronic band structure of optimized low-spin $Cs_8Na_4ln_3Fe_1Cl_{24}$ with a constant In/Fe ratio, and the effect of Ag-doping on this system (a and f). The relaxed reference system without Fe, $Cs_8Na_2Ag_2ln_4Fe_0Cl_{24}$, is also included for comparison. The colors in panels (a and f) conform to the bounding boxes of the corresponding DOS plots shown in (b-e and g-j), where the valence and conduction band edges are marked with bold lines. The DOS plots (see also Fig. S26†) of $Cs_8Na_4Ag_0ln_3Fe_1Cl_{24}$ (b and g), $Cs_8Na_2Ag_2ln_4Fe_0Cl_{24}$ (c and h), $Cs_8Na_2Ag_2ln_3Fe_1Cl_{24}$ (d and i), and $Cs_8Na_0Ag_4ln_3Fe_1Cl_{24}$ (e and j) are shown, and the transitions (corresponding to the optical band gap) are marked by arrows. The edges of these transitions are indicated by dashed horizontal lines. The electronic band structure and the DOS plots for the high-spin configuration of the same systems are presented in Fig. S27.†

spin channel. Specifically, for the spin-down channel, the CBE is formed by electronic states of Cl, In, and Ag, while for the spin-up channel, it is formed by Fe and less significantly by Cl. In Cs₂NaInCl₆, the VBE is contributed to by Cl and Fe in the spin-down channel, and by Cl in the spin-up channel, while the CBE is formed by Fe and Cl/Fe, respectively.

The analysis of the band gap and the atom-resolved density of states (DOS) shown in Fig. 3 leads to the conclusion that the optical transitions do not occur from the VBEs but instead from the Cl states located directly below the hybridized Ag and Cl VBE states. This same conclusion can be drawn for the high-spin configurations of the same system (Fig. S27†). The transition leads to the d-orbitals of Fe atoms, which is crucial for the photocatalysis of CO_2 reduction as will be thoroughly discussed below.

Stability of Fe³⁺-doped Cs₂Ag_xNa_{1-x}InCl₆ ($x=0,\,0.5$ and 1) NCs

Ensuring the long-term material stability of DP NCs is of utmost importance for their practical applications. We conducted a thorough examination of long-term colloidal, structural, and morphological stability of Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x=0, 0.5 and 1) NCs. In our case, the extensively washed Fe^{3+} (with

a nominal 25% Fe amount) doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x=0, 0.5,and 1) NCs, displayed remarkable long-term colloidal, structural, and morphological stability when stored under ambient conditions. The photographs of both fresh and aged samples of Fe^{3+} -doped (25% Fe) $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5, and 1) NCs, presented in the insets of Fig. S11a, S12a and S13a† show no signs of sedimentation; they appear identical even after 30 days of storage under ambient conditions. Furthermore, the absorption spectra (Fig. S11a, S12a and S13a†) of both fresh and aged Fe^{3+} -doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5, and 1) NCs remain unchanged, indicating consistent optical properties over the storage period. The XRD patterns (Fig. S11b, S12b and S13b†) of the aged samples also exhibit minimal changes, attested to the sustained structural integrity of the NCs during storage under ambient conditions. Additionally, the TEM images (Fig. S11c, S12c and S13c†) of the aged Fe³⁺-doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0, 0.5, and 1) NCs reveal their preserved cubic morphology, devoid of any signs of aggregation or degradation. This provides further evidence of their exceptional long-term structural stability. However, Fe3+-doped Cs2Agx- $Na_{1-x}InCl_6$ (x = 0.5 and 1) NCs synthesized with a 50% Fe^{3+} loading exhibited relatively poor colloidal stability. Specifically, in the case of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs, a small amount of yellow-orange precipitate was observed at the bottom

of the vial after 30 days of storage under ambient conditions (inset of Fig. S12d†). Despite this sedimentation, the shape of the absorption spectra (Fig. S11d and S12d†), crystal structure (Fig. S11e and S12e†), and cubic morphology (Fig. S11f and S12f†) of both Fe³⁺-doped Cs₂NaInCl₆ and Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs, synthesized with a 50% Fe³⁺ loading, remained preserved. In contrast, Fe³⁺-doped Cs₂AgInCl₆ NCs synthesized with a 50% Fe³⁺ loading exhibited poor colloidal and structural stability, as evidenced by complete precipitation at the bottom of the vial within a few days of storage under ambient conditions (inset of Fig. S13d†). This instability in Fe³⁺-doped Cs₂AgInCl₆ NCs with a 50% nominal Fe³⁺ loading is also reflected in their irregular morphology (Fig. S13f†) along with the presence of impurity phases (Fig. S13e†), which likely resulted in poorly capped NCs. Overall, the colloidal and structural stability of Fe³⁺-doped $Cs_2Ag_xNa_{1-x}InCl_6$ (x = 0.5 and 1) NCs varied depending on the Fe³⁺ loading, with the 50% nominal Fe³⁺ loading showing adverse effects on the stability of Cs2Ag0.5Na0.5InCl6 and Cs2-AgInCl₆ NCs, but not significantly affecting Cs₂NaInCl₆ NCs. These findings underscore the importance of carefully optimizing the doping concentration to achieve the desired stability and performance of these NCs in potential optoelectronic applications.

Surface chemistry

Next, our investigation delved deeper into understanding the factors contributing to the remarkable stability observed in extensively washed Fe³⁺-doped DP NCs. It is widely recognized that the binding of capping ligands to the surface of colloidal NCs plays a pivotal role in achieving high-quality products with high colloidal and structural stability during the extraction and purification process. Given the uniform shape and size, as well as the colloidal and structural stability observed in both fresh and aged samples, we hypothesized that the superior quality and stability of the DP NCs could be attributed to efficient surface passivation through robust surface capping ligands. To research the surface chemistry and nature of ligands bound to the surface of iron-doped DP NCs, we conducted ¹H and ³¹P nuclear magnetic resonance (NMR) measurements. Fig. S14a† displays the ¹H NMR spectra of extensively washed Fe³⁺ (with a 25% nominal Fe³⁺ loading) doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs, showing several broad signals corresponding to bound ligands and characteristic sharp signals from the solvents used during the purification process and for dispersing the DP NCs. Importantly, the extensively washed NCs showed no sharp signals from unwanted organic residues, such as unbound ligands and octadecene. However, the intense and broad signals at 5.53 ppm from alkene protons of OA and/or OLA remained preserved, suggesting that either OLA or OA, or both are strongly bound to the surface of the NCs. Furthermore, the NMR spectra revealed the presence of characteristic broad peaks of oleylammonium ions at 7.5 and 4.1 ppm, corresponding to the α -proton (-NH³⁺) and β -proton nearest to the amine group (CH₂-N), respectively, which verifies the binding of OLA to the NC surface. Additionally, the presence of a broad peak at 2.2 ppm corresponding to the proton (1) of OA, which is

unique for OA, further supports the binding of OA to the NC surface. Hence, the presence of broad peaks from alkene protons along with the unique peaks of both OLA and OA in extensively washed samples clearly demonstrates that both oleylammonium and oleate ligands are bound together to the surface of the NCs. According to our previous reports on TOPbased synthesis of DP NCs, the in situ generated phosphonium species, which can be formed by a nucleophilic reaction between TOP and benzoyl chloride, serve as highly reactive halide sources and surface capping ligands.35,36 To further investigate the possible binding of phosphonium cations to the surface of iron-doped DP NCs, we performed 31P NMR spectroscopy measurements. The ³¹P NMR spectra (Fig. S14b†) of extensively washed NCs exhibited a broad signal at 35.2 ppm, accompanied by a small peak at 10.2 ppm, which correspond to benzovl trioctylphosphonium and trioctylphosphonium cations, respectively.36 Moreover, the broadened peaks at 35.2 ppm and 10.2 ppm in the ³¹P NMR spectra (Fig. S14b†), along with the broadened peak of aromatic protons from the benzovl group at 8.2 ppm in the ¹H NMR spectra (Fig. S14a†), suggest the binding of benzoyl trioctylphosphonium and trioctylphosphonium cations at the Cl sites of the iron-doped DP NCs. Thus, NMR results confirm that the extensively washed iron-doped DP NCs are effectively passivated by robust cationic ligands, such as oleylammonium and phosphonium species, together with oleate anions. This combined surface passivation approach contributes to the high colloidal and structural stability observed in extensively washed Fe³⁺-doped DP NCs.

Photocatalytic CO2 reduction

The combination of a suitable band gap and exceptional material stability in Fe-doped Cs2AgInCl6, Cs2NaInCl6, and Cs₂Ag_{0.5}Na_{0.5}InCl₆ DP NCs has sparked our interest in exploring their potential for photocatalytic CO₂ reduction. The reactions were carried out in a CO2 saturated ethyl acetate/isopropanol solvent mixture under simulated solar light illumination with an intensity of 150 mW cm⁻² (AM 1.5G). Ethyl acetate was chosen as the reaction medium due to high solubility of CO2 and excellent stability of DP NCs in this solvent, while isopropanol served as a hole scavenger and a proton source. 47,48 We started from the comparison of the photocatalytic activity of nominal 25% Fe-doped DP NCs. Notably, although the detected photocatalytic CO2 reduction products were CH4 and CO for all the tested photocatalysts, we registered a marked difference in both the product yield and selectivity (Fig. 4a). In particular, Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ DP NCs offer the highest activity with a CH₄ yield of 18.3 μ mol g⁻¹ and CO yield of 1.1 μ mol g⁻¹, with a remarkable selectivity toward CH4 formation. In addition, as compared to the recently reported photocatalysts based on lead-free perovskites for CO₂ reduction (Table S6, ESI†), Fe³⁺doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs show comparable performance to most of them towards solar-light-driven CO2 reduction to CH₄. To validate the role of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs in photocatalytic CO2 reduction into CH4 and CO products, three control experiments (Fig. S15a†) were conducted under different experimental conditions. The first and second control




Fig. 4 (a) Comparison of photocatalytic CO_2 reduction performances after a 6 h reaction of Fe^{3+} -doped $Cs_2Ag_{0.5}Na_{0.5}lnCl_6$, $Cs_2AglnCl_6$, and $Cs_2NalnCl_6$ NCs with a nominal iron concentration of 25%. (b) Product yield of the $Cs_2Ag_{0.5}Na_{0.5}lnCl_6$ NCs with various nominal amounts of Fe^{3+} (with respect to In) from photocatalytic CO_2 reduction after 6 h of the reaction. (c) Valence band XPS spectrum and (d) schematic illustration of the energy band structures of Fe^{3+} -doped $Cs_2NalnCl_6$, $Cs_2Ag_{0.5}Na_{0.5}lnCl_6$, and $Cs_2AglnCl_6$ NCs with a nominal iron concentration of 25%, respectively. The energy band structures were constructed on the basis of UV-vis and VB XPS results. (e) Transient photocurrent response recorded at $-0.4 \, V_{Ag/AgCl}$ under chopped AM 1.5G illumination. (f) Nyquist plots obtained under illumination with a light intensity of 150 mW cm $^{-2}$ at a bias of $-0.4 \, V_{Ag/AgCl}$.

experiments were performed without light (in the dark) and without a catalyst, respectively, and no hydrocarbon products were detected, indicating that the presence of both light irradiation and a photocatalyst is essential for $\rm CO_2$ reduction. The third control experiment was conducted similar to the standard photocatalytic $\rm CO_2$ reduction but under an argon atmosphere instead of $\rm CO_2$. The result shows (Fig. S15a†) that an insignificant amount of products was detected, which could be originated from the partial photooxidation of ethyl acetate and/or

residual organic ligands bound to the surface of NCs, which is in agreement with the previous studies reported for perovskite NC based $\rm CO_2$ reduction by several groups. $^{13,48-53}$ Additionally, the products of photocatalytic $\rm CO_2$ reduction were further verified by an isotope labelling experiment. As shown in Fig. S15b,† following the photocatalytic reaction in a $^{13}\rm CO_2$ atmosphere, the mass spectra revealed a major signal of $^{13}\rm CH_4$ (m/z=17) and a trace of $^{13}\rm CO$ (m/z=29). These results affirm that the $\rm CH_4$ indeed originated from the photocatalytic

reduction of CO2 over the photocatalyst. On the other hand, Fe³⁺-doped Cs₂AgInCl₆ and Cs₂NaInCl₆ NCs demonstrate much lower catalytic performance, resulting in a CH₄ yield of 2.52 and 1.28 μmol g⁻¹, respectively. Undoped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs (Fig. 4b) produce only a trace amount of CH_4 (0.61 μ mol g⁻¹) and CO (2.02 μ mol g⁻¹) products. The poor photocatalytic performance of the undoped sample is attributed to the large band gap (4.17 eV) and thus poor light absorption capabilities. In contrast, 50% nominal Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs were significantly active but lower (Fig. 4b) in comparison with the 25% nominal Fe³⁺-doped sample, probably due to their poor quality and stability (see stability discussion in the ESI†). Thus, our results demonstrate that Fe³⁺ doping not only improves the light absorption capability of DP NCs but also regulates their photocatalytic performance towards selective reduction of CO₂ into CH₄. Moreover, to investigate the stability of the Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs, a cyclic experiment was carried out under similar reaction conditions. As shown in Fig. S16,† no obvious decay of the product yield was observed after three cycles of repeated photocatalytic reaction. Remarkably, both the double perovskite crystal structure (Fig. S17a†) and the cubic morphology (Fig. S17b†) of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs are preserved after the photocatalytic reaction, demonstrating superior material stability.

To explore the reasons for the different performances of photocatalytic CO2 reduction, we analysed the energy band alignment and band gap of Fe-doped Cs2NaInCl6, Cs2Ag0.5-Na_{0.5}InCl₆, and Cs₂AgInCl₆ NCs. The XPS valence band (VB) edges versus Fermi level of nominal 25% Fe³⁺-doped Cs₂-NaInCl₆, Cs₂Ag_{0.5}Na_{0.5}InCl₆, and Cs₂AgInCl₆ NCs is located at 2.70, 2.28, and 1.89 eV, respectively (Fig. 4c). The optical band gap of the Fe³⁺-doped NCs calculated from the Tauc plots is 2.88, 2.84 and 2.70 eV, respectively. The corresponding conduction band (CB) positions are calculated using the equation $E_{\rm CB} = E_{\rm VB} - E_{\rm g}$ and on the basis of these values, their band energy alignment with respect to the CH4 and CO redox potentials is plotted in Fig. 4d. The CB position of Fe³-doped Cs₂NaInCl₆ NCs is located at -0.18 eV, which makes it energetically unfavourable for CO2 reduction, thus explaining the poor photocatalytic activity of this material. On the other hand, although Fe3+-doped Cs2AgInCl6 NCs show favourable CB positions for the formation of both CH₄ and CO, the poor light absorption capabilities in the visible region could be the reason resulting in their poor performance. The strong light absorption in the visible region along with the suitable CB position of Fe³⁺doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs make them efficient for selective photocatalytic CO2 reduction. DFT calculations (Fig. 3) show that Ag doping induces an upshift of the edges of optical transitions. The CB edges are primarily formed by the localized Fe states, whose positions are influenced by the level of Ag doping. The VB states formed by Ag and Cl states do not participate in the optical transition, and the edge is placed directly below these states. With increasing doping, the CB edge shifts up along with the optical transition edges, resulting in the band gap remaining nearly unchanged. Besides electronic arguments, therefore, the simultaneous presence of Na, Ag, and Fe, i.e. the NC chemical composition, is crucial to facilitate the activation of CO2 and its transformation into CH4.

In order to further probe the enhanced photocatalytic CO₂ reduction ability of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs, CO₂ adsorption/desorption measurements were performed. The CO₂ adsorption/desorption isotherms are shown in Fig. S18.† It can be seen that Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs exhibit higher CO₂ adsorption capacity (5.1 cm³ g⁻¹) than undoped Cs₂Ag_{0.5}-Na_{0.5}InCl₆ NCs (2.9 cm³ g⁻¹). The enhanced CO₂ adsorption by Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs could be possibly assigned to the presence of extra adsorption sites induced by interstitial iron dopants. According to the previous reports, CO2 molecules generally adsorb on the metal centres of perovskite materials,54 and thus the introduction of iron dopants would manipulate the active sites for CO₂ adsorption and iron could act as active adsorption sites along with other metal ions. Next, photoelectrochemical characterization studies were performed to investigate the photogenerated charge separation and transfer behaviour of the three photocatalysts. The transient photoresponse curve shown in Fig. 4e demonstrated that the photocurrent of the samples was repeatable. In comparison to the Fe³⁺-doped Cs₂NaInCl₆ and Cs₂AgInCl₆ NCs, the Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs show significantly higher photocurrent density, indicating efficient separation of photogenerated charge carriers. Furthermore, the interfacial charge transfer resistance of the three catalysts was investigated by using electrochemical impedance spectra. The Nyquist plot (Fig. 4f) of Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs has a smaller radius than that of Fe3+-doped Cs2NaInCl6 and Cs2AgInCl6 NCs, implying a lower interfacial charge transfer resistance in Fe³⁺-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆ NCs. Thus electrochemical analysis clearly demonstrates the efficient separation and transfer of photogenerated charge carriers in Fe3+-doped Cs2Ag0.5Na0.5InCl6 NCs which further validates their efficient photocatalytic activity.

To shed more light on the mechanism behind the selective reduction of CO2 to CH4, a computational analysis of the possible reaction pathway on (Fe³⁺-doped) Cs₈Na₂Ag₂In₃Fe₁Cl₂₄ has been conducted and compared to that of the undoped system Cs₈Na₂Ag₂In₄Fe₀Cl₂₄. The energy profile, expressed in terms of the change in Gibbs energy, is illustrated in Fig. 5a. For the Fe3+-doped system, the reaction initiates with the adsorption of a CO₂ molecule at the Fe³⁺ ion, followed by the successive addition of H atoms, and the removal of the resulting H2O by-product. The change in Gibbs free energy (ΔG) of *CO₂ formation for an iron-doped system is lower than that of the undoped counterpart, implying that CO2 adsorption and activation on the surface of an Fe³⁺-doped system is more favourable compared to that of the undoped system (Fig. S28†). Moreover, the transformation of adsorbed CO2 (*CO2) into OCOH* on the Fe³⁺-doped surface is an easy step and requires a small energy barrier of 0.08 eV. This could be attributed to the stronger binding of OCOH* through an interaction with the surface Fe atom. In particular, the formation energy of OCOH* is 2.29 eV for the undoped surface, which is much higher than that of the Fe³⁺-doped surface ($\Delta G = -0.21$ eV). Thus, our result indicates that the hydrogenation of *CO2 to the OCOH* intermediate is much easier on the Fe³⁺-doped surface. However,




Fig. 5 (a) Energy profile for the reduction of CO_2 at a Fe^{3+} ion located on $Cs_8Na_2Ag_2ln_3Fe_1Cl_{24}$, with each value calculated using a step-by-step procedure within the hybrid-DFT framework including the DFT-D3 vdW correction described in Computational methods (ESI).† The Gibbs energies are relative to the Gibbs energy of a free CO_2 molecule and free surface. For comparison on the $Cs_8Na_2Ag_2ln_4Fe_0Cl_{24}$ surface, see Fig. S28.† Charge density plot of (b) Fe-doped and (c) pristine $Cs_4NaAgln_2Cl_6$ surfaces corresponding to a CO_2 adsorption distance of 3.9 Å above the surfaces. Slightly negative values are caused by integrations within the PAW spheres.

protonation of OCOH* and conversion into *CO is an endothermic process that requires an energy input to overcome the barrier of 1.19 eV. In contrast, downhill free energy profiles of the continuous protonation of OCOH* intermediates suggest that conversion of OCOH* to OCHOH* is an exothermic reaction which could further drive the continuous protonation of CO₂. Nevertheless, the formation of HOCH* intermediates is the rate-limiting step for further protonation processes, but the hydrogenation of HOCH* to HOCH₂* and finally to CH₄ is thermodynamically spontaneous. According to the previous reports,⁵⁵⁻⁵⁹ the selective reduction of CO₂ into CH₄ generally proceeds on the catalyst surface through a series of protoncoupled photogenerated electron transfer processes *via* the

formation of several key intermediates such as OCOH*, HCO* and HOCH $_2^*$. The ΔG value of two key intermediates (OCOH*, and HOCH $_2^*$) for selective conversion of CO $_2$ to CH $_4$ over an Fe $_2^*$ -doped surface is $_2$ 0.21 eV for OCOH* and $_2$ 0.93 eV for HOCH $_2^*$ which is substantially lower than that over the undoped surface (2.29 eV for OCOH* and 1.43 eV for HOCH $_2^*$). In general, lowering the free energy of key intermediates can concurrently reduce the activation energy barrier of the reaction, thereby enhancing the efficiency of CO $_2$ reduction. Moreover, the calculated charge distribution at a CO $_2$ adsorption distance of 3.9 Å above the surfaces (Fig. 5b and c) reveals only a slight difference in the vicinity of the Fe dopant, with a smaller gradient between Fe and Cl than that in the undoped surface.

Consequently, CO₂ tends to adsorb parallel to the surface on an Fe-doped system, favouring a slightly lower charged underlying atom for bonding. However, the change in Gibbs energy along the reaction profile shown in Fig. 5a indicates that the stabilization of the first intermediate in the subsequent steps is of greater significance. The results of DFT calculations clearly demonstrate that the Fe³-doped surface dramatically improves CO₂ adsorption and activation, reducing the barrier for the formation of key intermediates for selective reduction of CO2 to CH₄.

Conclusions

In summary, we successfully synthesised a series of Fe³⁺-doped and Fe³⁺/Ag⁺ co-doped lead-free DP NCs. The incorporation of iron into Cs2NaInCl6 NCs results in extended visible light absorption, broadening the absorption edge from 330 nm to 505 nm, and reducing the band gap from 4.29 eV to 2.88 eV. The resulting absorption spectra are characterized by strong excitonic optical transitions. The presence of Fe and Ag, Na coalloying enables a proper band energy alignment with the redox potential energy levels of CO and CH4 produced during photocatalytic CO2 reduction. This results in a stable and optimized photocatalyst (Fe-doped Cs₂Ag_{0.5}Na_{0.5}InCl₆) showing 94% methane selectivity for the reduction of CO₂. Our findings open up a reliable pathway to enhance the light absorption properties of lead-free DP NCs and to tune their band energy alignment and surface chemistry for selective photocatalytic reactions. Furthermore, our synthetic methodology holds great potential for the development of stable and lead-free light absorber materials for solution-processed photovoltaic and optoelectronic applications.

Data availability

The authors confirm that the data supporting the findings of this study are available within the article [and/or] its ESI.†

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

RA and SK gratefully acknowledge support by the Czech Science Foundation, project GA CR 23-07971S. The work was further supported by the project Operational Programme Research, Development and Education - European Regional Development Fund, Project No. CZ.02.1.01/0.0/0.0/15_003/0000416 of the Ministry of Education, Youth and Sports of the Czech Republic, and by the Croucher Foundation of Hong Kong. RZ and SK acknowledge the funding from the Czech Science Foundation, project GA CR - EXPRO, 19-27454X. This work was also supported by the experimental and theoretical studies of nearinfrared-emitting and chiral carbon dot luminophores project - from Moravian-Silesian Region, contract no. 00734/2023/RRC and European Union under the REFRESH - Research Excellence

for Region Sustainability. The authors would also like to acknowledge High-tech Industries project number CZ.10.03.01/ 00/22_003/0000048 via the Operational Programme and ERDF/ ESF project TECHSCALE (CZ.02.01.01/00/22_008/0004587). The IT4Innovations National Supercomputing Center is gratefully acknowledged for providing generous computational resources supported by the Ministry of Education, Youth and Sports of the Czech Republic through the e-INFRA CZ (No. 90254). JN acknowledges support by Palacký University Olomouc (project IGA_PrF_2024_017). LZ acknowledges the support from the Horizon Europe project HORIZON-WIDERA-2022-TALENTS "APPROACH" (No. 101120397).

References

- 1 Z. Xiao, Z. Song and Y. Yan, Adv. Mater., 2019, 31, 1803792.
- 2 H. Min, D. Y. Lee, J. Kim, G. Kim, K. S. Lee, J. Kim, M. J. Paik, Y. K. Kim, K. S. Kim, M. G. Kim, T. J. Shin and S. Il Seok, Nature, 2021, 598, 444-450.
- 3 Y.-H. Kim, S. Kim, A. Kakekhani, J. Park, J. Park, Y.-H. Lee, H. Xu, S. Nagane, R. B. Wexler, D.-H. Kim, S. H. Jo, L. Martínez-Sarti, P. Tan, A. Sadhanala, G.-S. Park, Y.-W. Kim, B. Hu, H. J. Bolink, S. Yoo, R. H. Friend, A. M. Rappe and T.-W. Lee, Nat. Photonics, 2021, 15, 148-155.
- 4 A. Swarnkar, V. K. Ravi and A. Nag, ACS Energy Lett., 2017, 2, 1089-1098.
- 5 T. C. Jellicoe, J. M. Richter, H. F. J. Glass, M. Tabachnyk, Brady, S. E. Dutton, A. Rao, R. H. Friend, D. Credgington, N. C. Greenham and M. L. Böhm, J. Am. Chem. Soc., 2016, 138, 2941-2944.
- 6 C. C. Stoumpos, L. Frazer, D. J. Clark, Y. S. Kim, S. H. Rhim, A. J. Freeman, J. B. Ketterson, J. I. Jang and M. G. Kanatzidis, J. Am. Chem. Soc., 2015, 137, 6804-6819.
- 7 B.-W. Park, B. Philippe, X. Zhang, H. Rensmo, G. Boschloo and E. M. J. Johansson, Adv. Mater., 2015, 27, 6806-6813.
- 8 B. Saparov, F. Hong, J.-P. Sun, H.-S. Duan, W. Meng, S. Cameron, I. G. Hill, Y. Yan and D. B. Mitzi, Chem. Mater., 2015, 27, 5622-5632.
- 9 A. H. Slavney, T. Hu, A. M. Lindenberg and H. I. Karunadasa, J. Am. Chem. Soc., 2016, 138, 2138-2141.
- 10 G. Volonakis, M. R. Filip, A. A. Haghighirad, N. Sakai, B. Wenger, H. J. Snaith and F. Giustino, J. Phys. Chem. Lett., 2016, 7, 1254-1259.
- 11 J. Zhou, Z. Xia, M. S. Molokeev, X. Zhang, D. Peng and Q. Liu, J. Mater. Chem. A, 2017, 5, 15031-15037.
- 12 E. Greul, M. L. Petrus, A. Binek, P. Docampo and T. Bein, J. Mater. Chem. A, 2017, 5, 19972-19981.
- 13 L. Zhou, Y.-F. Xu, B.-X. Chen, D.-B. Kuang and C.-Y. Su, Small, 2018, 14, 1703762.
- 14 J. Luo, X. Wang, S. Li, J. Liu, Y. Guo, G. Niu, L. Yao, Y. Fu, L. Gao, Q. Dong, C. Zhao, M. Leng, F. Ma, W. Liang, L. Wang, S. Jin, J. Han, L. Zhang, J. Etheridge, J. Wang, Y. Yan, E. H. Sargent and J. Tang, *Nature*, 2018, 563, 541–545.
- 15 L. Zdražil, S. Kalytchuk, M. Langer, R. Ahmad, J. Pospíšil, O. Zmeškal, M. Altomare, A. Osvet, R. Zbořil, P. Schmuki, C. J. Brabec, M. Otyepka and Š. Kment, ACS Appl. Energy Mater., 2021, 4, 6445-6453.

- 16 W. Zhu, W. Ma, Y. Su, Z. Chen, X. Chen, Y. Ma, L. Bai, W. Xiao, T. Liu, H. Zhu, X. Liu, H. Liu, X. Liu and Y. Yang, Light: Sci. Appl., 2020, 9, 112.
- 17 Z. Dong, S. Su, Z. Zhang, Y. Jiang and J. Xu, *Inorg. Chem.*, 2023, **62**, 1752–1761.
- 18 Z. Zhang, Q. Sun, Y. Lu, F. Lu, X. Mu, S.-H. Wei and M. Sui, *Nat. Commun.*, 2022, **13**, 3397.
- 19 R. Ahmad, G. V. Nutan, D. Singh, G. Gupta, U. Soni, S. Sapra and R. Srivastava, *Nano Res.*, 2021, **14**, 1126–1134.
- 20 Y. Jiang, K. Li, X. Wu, M. Zhu, H. Zhang, K. Zhang, Y. Wang, K. P. Loh, Y. Shi and Q.-H. Xu, ACS Appl. Mater. Interfaces, 2021, 13, 10037–10046.
- 21 S. Kumar, I. Hassan, M. Regue, S. Gonzalez-Carrero, E. Rattner, M. A. Isaacs and S. Eslava, *J. Mater. Chem. A*, 2021, **9**, 12179–12187.
- 22 M. Yu, N. Wang, K. Lin, D. Song, J. Chen, T. Liang, J. Sun, K. Pan and H. Fu, *J. Mater. Chem. A*, 2023, 11, 4302–4309.
- 23 K. Du, W. Meng, X. Wang, Y. Yan and D. B. Mitzi, Angew. Chem., 2017, 129, 8270–8274.
- 24 Y. Liu, P. Jain, I. J. Cleveland, M. Tran, S. Sarp, K. Sandrakumar, R. S. Rodriguez and E. S. Aydil, *J. Mater. Chem. A*, 2023, 11, 21099–21108.
- 25 K. P. Lindquist, S. A. Mack, A. H. Slavney, L. Leppert, A. Gold-Parker, J. F. Stebbins, A. Salleo, M. F. Toney, J. B. Neaton and H. I. Karunadasa, *Chem. Sci.*, 2019, **10**, 10620–10628.
- 26 F. Ji, Y. Huang, F. Wang, L. Kobera, F. Xie, J. Klarbring, S. Abbrent, J. Brus, C. Yin, S. I. Simak, I. A. Abrikosov, I. A. Buyanova, W. M. Chen and F. Gao, *Adv. Funct. Mater.*, 2020, 30, 2005521.
- 27 G. Liu, Z. Zhang, C. Wu, Y. Zhang, X. Li, W. Yu, G. Yao, S. Liu, J. Shi, K. Liu, Z. Chen, L. Xiao and B. Qu, *Adv. Funct. Mater.*, 2022, 32, 2109891.
- 28 Z. Li, S. R. Kavanagh, M. Napari, R. G. Palgrave, M. Abdi-Jalebi, Z. Andaji-Garmaroudi, D. W. Davies, M. Laitinen, J. Julin, M. A. Isaacs, R. H. Friend, D. O. Scanlon, A. Walsh and R. L. Z. Hoye, J. Mater. Chem. A, 2020, 8, 21780–21788.
- 29 F. Ji, F. Wang, L. Kobera, S. Abbrent, J. Brus, W. Ning and F. Gao, *Chem. Sci.*, 2021, **12**, 1730–1735.
- 30 H. Yin, Y. Xian, Y. Zhang, W. Chen, X. Wen, N. U. Rahman, Y. Long, B. Jia, J. Fan and W. Li, *Adv. Funct. Mater.*, 2020, 30, 2002225.
- 31 Z. Liu, Y. Sun, T. Cai, H. Yang, J. Zhao, T. Yin, C. Hao, M. Chen, W. Shi, X. Li, L. Guan, X. Li, X. Wang, A. Tang and O. Chen, *Adv. Mater.*, 2023, 35, 2211235.
- 32 F. Locardi, M. Cirignano, D. Baranov, Z. Dang, M. Prato, F. Drago, M. Ferretti, V. Pinchetti, M. Fanciulli, S. Brovelli, L. De Trizio and L. Manna, *J. Am. Chem. Soc.*, 2018, **140**, 12989–12995.
- 33 Y. Liu, Y. Jing, J. Zhao, Q. Liu and Z. Xia, *Chem. Mater.*, 2019, 31, 3333–3339.
- 34 F. Locardi, E. Sartori, J. Buha, J. Zito, M. Prato, V. Pinchetti, M. L. Zaffalon, M. Ferretti, S. Brovelli, I. Infante, L. De Trizio and L. Manna, ACS Energy Lett., 2019, 4, 1976–1982.
- 35 R. Ahmad, L. Zdražil, S. Kalytchuk, A. Naldoni, E. Mohammadi, P. Schmuki, R. Zboril and Š. Kment, Appl. Mater. Today, 2022, 26, 101288.

- 36 R. Ahmad, L. Zdražil, S. Kalytchuk, A. Naldoni, A. L. Rogach, P. Schmuki, R. Zboril and Š. Kment, ACS Appl. Mater. Interfaces, 2021, 13, 47845–47859.
- 37 H. Arfin, J. Kaur, T. Sheikh, S. Chakraborty and A. Nag, *Angew. Chem., Int. Ed.*, 2020, **59**, 11307–11311.
- 38 Y. Zhang, Z. Zhang, W. Yu, Y. He, Z. Chen, L. Xiao, J. Shi, X. Guo, S. Wang and B. Qu, *Advanced Science*, 2022, 9, 2102895.
- 39 W. Ning, J. Bao, Y. Puttisong, F. Moro, L. Kobera, S. Shimono, L. Wang, F. Ji, M. Cuartero, S. Kawaguchi, S. Abbrent, H. Ishibashi, R. De Marco, I. A. Bouianova, G. A. Crespo, Y. Kubota, J. Brus, D. Y. Chung, L. Sun, W. M. Chen, M. G. Kanatzidis and F. Gao, *Sci. Adv.*, 2020, 6, eabb5381.
- 40 P. Han, C. Luo, W. Zhou, J. Hou, C. Li, D. Zheng and K. Han, J. Phys. Chem. C, 2021, 125, 11743-11749.
- 41 S. E. Creutz, E. N. Crites, M. C. De Siena and D. R. Gamelin, *Nano Lett.*, 2018, **18**, 1118–1123.
- 42 J. Heyd, G. E. Scuseria and M. Ernzerhof, *J. Chem. Phys.*, 2003, **118**, 8207–8215.
- 43 J. Heyd and G. E. Scuseria, *J. Chem. Phys.*, 2004, **121**, 1187–1192.
- 44 E. E. Salpeter and H. A. Bethe, *Phys. Rev.*, 1951, **84**, 1232–1242.
- 45 S. Albrecht, L. Reining, R. Del Sole and G. Onida, *Phys. Rev. Lett.*, 1998, **80**, 4510–4513.
- 46 M. Rohlfing and S. G. Louie, *Phys. Rev. Lett.*, 1998, **81**, 2312–2315
- 47 S. Shyamal, S. K. Dutta and N. Pradhan, *J. Phys. Chem. Lett.*, 2019, **10**, 7965–7969.
- 48 Y. Jiang, H. Chen, J. Li, J. Liao, H. Zhang, X. Wang and D. Kuang, *Adv. Funct. Mater.*, 2020, **30**, 2004293.
- 49 F. Luo, M. Liu, M. Zheng, Q. Li, H. Wang, J. Zhou, Y. Jiang, Y. Yu and B. Jiang, *J. Mater. Chem. A*, 2023, **11**, 241–250.
- 50 Y.-F. Xu, M.-Z. Yang, B.-X. Chen, X.-D. Wang, H.-Y. Chen, D.-B. Kuang and C.-Y. Su, *J. Am. Chem. Soc.*, 2017, 139, 5660–5663.
- 51 J.-N. Huang, Y.-J. Dong, H.-B. Zhao, H.-Y. Chen, D.-B. Kuang and C.-Y. Su, *J. Mater. Chem. A*, 2022, **10**, 25212–25219.
- 52 Z. Liu, H. Yang, J. Wang, Y. Yuan, K. Hills-Kimball, T. Cai, P. Wang, A. Tang and O. Chen, *Nano Lett.*, 2021, 21, 1620– 1627.
- 53 G. Yin, X. Qi, Y. Chen, Q. Peng, X. Jiang, Q. Wang, W. Zhang and X. Gong, *J. Mater. Chem. A*, 2022, **10**, 22468–22476.
- 54 S. S. Bhosale, A. K. Kharade, E. Jokar, A. Fathi, S. Chang and E. W.-G. Diau, *J. Am. Chem. Soc.*, 2019, **141**, 20434–20442.
- 55 X. Li, Y. Sun, J. Xu, Y. Shao, J. Wu, X. Xu, Y. Pan, H. Ju, J. Zhu and Y. Xie, *Nat. Energy*, 2019, 4, 690–699.
- 56 Y. Chai, Y. Kong, M. Lin, W. Lin, J. Shen, J. Long, R. Yuan, W. Dai, X. Wang and Z. Zhang, *Nat. Commun.*, 2023, 14, 6168.
- 57 Z. Zhang, D. Li, Z. Dong, Y. Jiang, X. Li, Y. Chu and J. Xu, Sol. RRL, 2023, 7, 2300038.
- 58 J. Qian, H. Hu, Y. Liang and Z. Zhang, *Appl. Surf. Sci.*, 2024, **648**, 159084.
- 59 Q. Sun, J. Xu, F. Tao, W. Ye, C. Zhou, J. He and J. Lu, *Angew. Chem.*, *Int. Ed.*, 2022, **61**, e202200872.