



Cite this: *J. Mater. Chem. A*, 2024, **12**, 15858

## Rethinking the existence of hexagonal sodium zirconate $\text{CO}_2$ sorbent<sup>†</sup>

Ribooga Chang, <sup>a</sup> Ashok S. Menon, <sup>b</sup> Erik Svensson Grape, <sup>c</sup> Peter Broqvist, <sup>d</sup> A. Ken Inge <sup>c</sup> and Ocean Cheung <sup>\*a</sup>

Sodium zirconate (sodium zirconium oxide;  $\text{Na}_2\text{ZrO}_3$ ) is a widely investigated carbon dioxide ( $\text{CO}_2$ ) sorbent. Since it was first discussed in the 1960s,  $\text{Na}_2\text{ZrO}_3$  has been reported to adopt monoclinic, hexagonal, and cubic structures, and it is widely believed that the  $\text{CO}_2$  capture performance of  $\text{Na}_2\text{ZrO}_3$  is related to its crystal structure. Researchers have relied on the differences in the relative intensities of two peaks ( $2\theta \sim 16.2^\circ$  and  $38.7^\circ$ ) in the powder X-ray diffraction (PXRD) pattern to determine the phase of this compound. However, to date, a defined crystal structure of hexagonal  $\text{Na}_2\text{ZrO}_3$  has remained elusive. Our findings show that the current literature discussion on the structure of  $\text{Na}_2\text{ZrO}_3$  is misleading. With the use of 3D electron diffraction (3D ED), and PXRD, we prove that hexagonal  $\text{Na}_2\text{ZrO}_3$  does not exist. The so-called hexagonal  $\text{Na}_2\text{ZrO}_3$  is actually  $\text{Na}_2\text{ZrO}_3$  with three different types of disorder. Furthermore, the two PXRD peaks ( $2\theta \sim 16.2^\circ$  and  $38.7^\circ$ ) cannot be used to distinguish the different phases of  $\text{Na}_2\text{ZrO}_3$ , as the change in the PXRD pattern is related to the extent of structure disorder. Finally, we also show that the  $\text{CO}_2$  uptake properties of  $\text{Na}_2\text{ZrO}_3$  are not related to the differences in crystal structures, but rather to the  $\text{Na}^+$  site occupancy differences in different  $\text{Na}_2\text{ZrO}_3$  samples. In order to further develop applications of  $\text{Na}_2\text{ZrO}_3$ , as well as other mixed-metal oxides, their structures, and the existence of any disorder, need be understood using the methods shown in this study.

Received 12th March 2024  
Accepted 20th May 2024

DOI: 10.1039/d4ta01681e  
[rsc.li/materials-a](http://rsc.li/materials-a)

## Introduction

Sodium zirconate (sodium zirconium oxide;  $\text{Na}_2\text{ZrO}_3$ ) is a widely investigated mixed-metal oxide carbon dioxide ( $\text{CO}_2$ ) sorbent.<sup>1</sup> It has a theoretical maximum  $\text{CO}_2$  uptake of 23.8 wt% and good cyclic stability,<sup>2,3</sup> it can also take up  $\text{CO}_2$  across a wide temperature range (150 °C to 800 °C).<sup>4–7</sup> Generally,  $\text{Na}_2\text{ZrO}_3$  is produced by solid-state synthesis using  $\text{Na}_2\text{CO}_3$  and  $\text{ZrO}_2$ , neither of which react with  $\text{CO}_2$  individually. The resulting  $\text{Na}_2\text{ZrO}_3$  captures  $\text{CO}_2$  using the molten salt effect (Fig. 1),<sup>8–10</sup> which arises from the mobility of  $\text{Na}^+$  within  $\text{Na}_2\text{ZrO}_3$ . Once the  $\text{Na}^+$  on the surface of the particle reacts with  $\text{CO}_2$ , a carbonate layer forms. The high mobility of  $\text{Na}^+$  within the particle allows for further reactions between the carbonate layer and the inner core. The carbonate layer can then “migrate” toward the core of the particle to enable further reaction between  $\text{CO}_2$  and  $\text{Na}^+$  on

the surface.<sup>7,11,12</sup> Previous literature suggests that the  $\text{CO}_2$  uptake and thermodynamic stability of the different phases of  $\text{Na}_2\text{ZrO}_3$  vary depending on their crystal structures.<sup>7,13,14</sup> For high-temperature (>650 °C)  $\text{CO}_2$  capture, it is generally believed that hexagonal  $\text{Na}_2\text{ZrO}_3$  has the highest carbonation/calcination cyclic stability, while monoclinic  $\text{Na}_2\text{ZrO}_3$  possesses the highest  $\text{CO}_2$  uptake.<sup>14,15</sup>

The different phases of  $\text{Na}_2\text{ZrO}_3$  reported in the literature are monoclinic (ICDD 00-035-0770 and 04-009-1070), hexagonal (ICDD 00-021-1179) and cubic (ICDD 04-006-4959, 04-011-5935, and 04-011-5936). Monoclinic and cubic  $\text{Na}_2\text{ZrO}_3$  obtained by solid-state synthesis were reported by Claverie *et al.* in 1966.<sup>16</sup> In




Fig. 1 Reaction scheme of  $\text{CO}_2$  capture (carbonation) mechanism of  $\text{Na}_2\text{ZrO}_3$ .

<sup>a</sup>Division of Nanotechnology and Functional Materials, Department of Materials Science and Engineering, Uppsala University, Ångström Laboratory, Box 35, Uppsala SE-751 03, Sweden. E-mail: ocean.cheung@angstrom.uu.se

<sup>b</sup>WMG, University of Warwick, Coventry CV4 7AL, UK

<sup>c</sup>Department of Materials and Environmental Chemistry, Stockholm University, SE-10691, Sweden

<sup>d</sup>Department of Chemistry – Ångström Laboratory, Uppsala University, Box 538, 75121 Uppsala, Sweden

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4ta01681e>

1968, Ampian<sup>17</sup> indexed the PXRD pattern of  $\text{Na}_2\text{ZrO}_3$  to a unit cell with  $a = b = 18.612 \text{ \AA}$ ,  $c = 10.965 \text{ \AA}$ ,  $\alpha = \beta = 90^\circ$ ,  $\gamma = 120^\circ$  with extinction conditions consistent with the hexagonal space groups  $P6_3$ ,  $P6_3/m$  or  $P6_322$  (although no structure was reported then or has been since). This form is referred to as “hexagonal  $\text{Na}_2\text{ZrO}_3$ ” as discussed above. The monoclinic and hexagonal forms of  $\text{Na}_2\text{ZrO}_3$  are often considered to have very similar peak positions in their PXRD patterns.<sup>7,18</sup> However,  $\text{Na}_2\text{ZrO}_3$  with a hexagonal space group should yield extra PXRD peaks over the monoclinic  $\text{Na}_2\text{ZrO}_3$ , but this is not discussed in the literature. Until now, researchers have solely relied upon the differences in the relative peak intensities of two PXRD peak to distinguish between monoclinic and hexagonal  $\text{Na}_2\text{ZrO}_3$ .<sup>7,14,15,18</sup> It is believed that for monoclinic  $\text{Na}_2\text{ZrO}_3$ , the PXRD peak at  $2\theta \sim 38.7^\circ$  ( $d = \sim 2.3 \text{ \AA}$ , Cu  $\text{K}\alpha$  radiation) has the highest relative intensity, while for the hexagonal  $\text{Na}_2\text{ZrO}_3$  the PXRD peak at  $2\theta \sim 16.2^\circ$  ( $d = \sim 5.4 \text{ \AA}$ ) has the highest relative intensity.<sup>7,14,15,18</sup> The intensities of other peaks have not been considered in phase identification. Furthermore, there are inconsistencies in the literature regarding the relative intensities of the two peaks at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$ , as well as on how the  $\text{Na}_2\text{ZrO}_3$  phases can be identified.<sup>7,14,15,18</sup> For example,  $\text{Na}_2\text{ZrO}_3$  samples from different studies have been identified as hexagonal simply because the highest relative peak intensity was observed at  $2\theta \sim 16.2^\circ$  (relative intensity ratio:  $I/I_{\max} = 1$ ), even though the peak at  $2\theta \sim 38.7^\circ$  showed a range of different relative intensities, *i.e.*  $I/I_{\max}$  ranging from 0.52 to 0.98.<sup>14,15,18</sup>

Despite the wide consensus about the phase identification of  $\text{Na}_2\text{ZrO}_3$  using PXRD peak intensities, surprisingly little information is available on (1) why the expected extra PXRD peaks for the hexagonal  $\text{Na}_2\text{ZrO}_3$  are not observed nor discussed and (2) how the differences of these phases relate to their  $\text{CO}_2$  uptake properties. Through the use of a wide range of characterization techniques, we provide some crucial new understanding about the structure–property relationships of different variants of  $\text{Na}_2\text{ZrO}_3$  that are commonly discussed in the literature.

## Results and discussion

We synthesized two  $\text{Na}_2\text{ZrO}_3$  samples by solid-state synthesis ( $\text{Na}_2\text{CO}_3 : \text{ZrO}_2 = 1.5 : 1$  at  $900^\circ\text{C}$  under  $100\%$   $\text{N}_2$  for two and five hours) according to literature procedures and obtained two samples that had highest relative PXRD peak intensities at different  $2\theta$  (Fig. 2a and b): one sample at  $2\theta = 16.2^\circ$  ( $d = \sim 5.4 \text{ \AA}$ , Cu  $\text{K}\alpha$  radiation) and the other at  $2\theta = 38.7^\circ$  ( $d = \sim 2.3 \text{ \AA}$ ). As per the existing literature, these two samples were identified as monoclinic (Fig. 2a, **NZO-M**) and hexagonal (Fig. 2b, **NZO-H**).<sup>7,15,18</sup> Note that the PXRD patterns showed that the samples did not contain other peaks apart from  $\text{Na}_2\text{CO}_3$ ,  $\text{ZrO}_2$  and  $\text{Na}_2\text{ZrO}_3$ . The excess Na : Zr ratio ( $1.5 : 1$ ) used in the synthesis of  $\text{Na}_2\text{ZrO}_3$  here is in-line with synthesis methods presented in various literature (with up to  $2 : 1$  reported earlier).<sup>18–21</sup> To the best of our knowledge, there is no literature evidence that suggests the excess Na changes the inherent structure of  $\text{Na}_2\text{ZrO}_3$ . Also note that the syntheses were repeated a number of times to ensure reproducibility of the representative PXRD patterns. In order to investigate the structure of the hexagonal




Fig. 2 PXRD patterns of (a) NZO-M and (b) NZO-H synthesized with  $\text{Na}_2\text{CO}_3 : \text{ZrO}_2 = 1.5 : 1$  mol ratio and collected with Cu  $\text{K}\alpha$  radiation (both PXRD patterns of NZO-M and NZO-H have  $\text{Na}_2\text{CO}_3$  peaks). (c) TEM image of the NZO-H and (d) 3D ED data of NZO-H viewed slightly off-axis from  $c^*$ , showing well-resolved reflections (black) that can be indexed to a trigonal cell ( $a = b = 3.393 \text{ \AA}$ ,  $c = 17.029 \text{ \AA}$ ), as well as streaks (gray) along the  $c^*$ -axis.

$\text{Na}_2\text{ZrO}_3$ , 3D electron diffraction (3D ED) was performed on **NZO-H** as shown in Fig. 2c. Surprisingly, the reconstructed 3D ED data of **NZO-H**, as depicted in Fig. 2d, exhibited a combination of distinct reflections, as well as lines of clear diffuse scattering along  $c^*$ . The presence of diffuse scattering indicates structural disorder, specifically stacking faults in the structure that may arise from the non-periodic arrangement of  $\text{Na}^+$  and  $\text{Zr}^{4+}$  in alternating layers along the stacking direction. The distinct 3D ED reflections alone were indexed with the unit cell parameters  $a = b = 3.393 \text{ \AA}$ ,  $c = 17.029 \text{ \AA}$ ,  $\alpha = \beta = 90^\circ$ ,  $\gamma = 120^\circ$ , and systematic absences suggested  $\bar{R}\bar{3}m$  space group symmetry. Generally, stacking disorder affects relative PXRD peak intensities and peak shapes.<sup>22</sup> The presence of disorder also meant that structure solutions of these samples could not be determined using the 3D ED data. The distinct reflections and lines of diffuse scattering in the 3D ED data prompted us to further investigate these structures. Based on the 3D ED data, the structure was able to be established using three elements of Na, Zr, and O. The  $\text{Na}^+$  and  $\text{Zr}^{4+}$  cations are octahedrally coordinated to  $\text{O}^{2-}$  anions, and the structure is composed of alternating  $\text{Na}^+$  and  $\text{Na}^+ + \text{Zr}^{4+}$  cation layers. The existence of mixed-metal cation layers is common in mixed-metal oxides with a general formula of  $\text{A}_2^{1+}\text{B}^{4+}\text{O}_3$  ( $\text{A}^+ = \text{Li}^+$ ,  $\text{Na}^+$ ,  $\text{K}^+$ , *etc.*;  $\text{B}^{4+} = \text{Mn}^{4+}$ ,  $\text{Ti}^{4+}$ , *etc.*).<sup>22–25</sup> In the  $\text{Na}^+ + \text{Zr}^{4+}$  mixed-metal layers, the  $\text{Na}^+$  and  $\text{Zr}^{4+}$  cations form a hexagonal arrangement to minimize the coulombic repulsion between the cations (Fig. 3a and b).<sup>26</sup>




Fig. 3 Structures and various stacking sequences of  $\text{Na}_2\text{ZrO}_3$  and related  $\text{A}_2^{1+}\text{B}^{4+}\text{O}_3$  compounds (a) the average structure ( $a = b = 3.393 \text{ \AA}$ ,  $c = 17.029 \text{ \AA}$ ) of  $\text{Na}_2\text{ZrO}_3$  (b) a single ordered  $\text{Na}^+ + \text{Zr}^{4+}$  layer (c) a simplified single  $\text{Na}^+ + \text{Zr}^{4+}$  layer (d) stacking of two  $\text{Na}^+ + \text{Zr}^{4+}$  layers (e–h) various stacking sequences with four different space groups:  $\text{C}2/m$ ,  $\text{C}2/c$ ,  $\text{P}3_112$ , or  $\text{P}3_212$ .

This ordered arrangement gives rise to superstructure reflections in the 3D ED and PXRD patterns that cannot be indexed by hexagonal  $\text{R}\bar{3}m$  space group symmetry. The crystallographic sites in this layer are occupied by  $\text{Na}^+$  and  $\text{Zr}^{4+}$  with a ratio of 1 : 2. The  $\text{Na}^+ + \text{Zr}^{4+}$  layers can be stacked in the ways as shown in Fig. 3e–h (arrows show the layer numbers) with no other stacking possibilities. These stacking sequences, if they were to be perfectly ordered throughout a material, would have the monoclinic space groups  $\text{C}2/m$  and  $\text{C}2/c$  and the trigonal space groups  $\text{P}3_112$  and  $\text{P}3_212$ . Some of these  $\text{Na}_2\text{ZrO}_3$  stacking sequences and space groups have been observed previously for other mixed-metal oxides, such as  $\text{C}2/c$  in  $\text{Li}_2\text{TiO}_3$  and  $\text{C}2/m$  in  $\text{Li}_2\text{MnO}_3$ .<sup>27</sup> However, none of the simulated PXRD patterns of these four idealized  $\text{Na}_2\text{ZrO}_3$  structures exhibit its highest relative peak intensity at  $2\theta = 16.2^\circ$  (ESI Fig. S1†). We therefore considered if stacking faults (or disorder) could play a role in the relative peak intensities of these two peaks. Previous studies have reported the presence of stacking faults in similar mixed-metal oxides, such as  $\text{Na}_2\text{HfO}_3$  and  $\text{Li}_2\text{MnO}_3$ .<sup>22–24,28</sup> Indeed, the streaks seen in the 3D ED data of **NZO-M** and **NZO-H** (Fig. 2d) point to disorder in the stacking of the  $\text{Na}^+ + \text{Zr}^{4+}$  layers. As a first step, we simulated the diffraction pattern of  $\text{Na}_2\text{ZrO}_3$  with 0 to 100% stacking faults using the software DIFFaX (sections in SI2.1 and SI2.2†).<sup>29,30</sup> We observed changes in the peak shapes and relative intensities of the superstructure reflections with different levels of stacking faults as shown in Fig. 4a and b, especially for the five peaks at  $2\theta = 18.2^\circ$ ,  $19.0^\circ$ ,  $21.2^\circ$ ,  $24.4^\circ$ , and  $28.4^\circ$  (020,  $-110$ ,  $-111$ ,  $0-21$ , and  $1-11$ , as per the  $\text{C}2/m$  symmetry, respectively). Increased stacking faults generally led to broadening of these peaks, with the 020 reflection showing a distinct asymmetric character. In the experimental PXRD

patterns of **NZO-M** and **NZO-H** (Fig. 1), the peaks at  $18.2^\circ$  and  $19.0^\circ$  show noticeable peak asymmetry.

Qualitatively, the PXRD patterns of **NZO-M** and **NZO-H** suggest that these two samples had 30–50% and over 60% stacking faults, respectively. Similar asymmetric PXRD peaks have been observed in other studies on  $\text{Na}_2\text{ZrO}_3$ , suggesting that stacking faults were also present in  $\text{Na}_2\text{ZrO}_3$  in those studies.<sup>2–7,13–15,18,19,25,31</sup> Despite obvious changes with the PXRD patterns due to stacking faults, the relative intensities of the peaks at  $2\theta = 16.2^\circ$  and  $38.7^\circ$  were unaffected in the simulated PXRD patterns of  $\text{Na}_2\text{ZrO}_3$  with different degrees of stacking faults.

Apart from stacking faults, we considered two other types of disorder that may affect the PXRD pattern of  $\text{Na}_2\text{ZrO}_3$ . The first type of disorder is the effect of cation site mixing, where the  $\text{Na}^+$  and  $\text{Zr}^{4+}$  occupancies of the two sites (in the mixed-metal layer) are interchanged. We systematically simulated the PXRD patterns of  $\text{Na}_2\text{ZrO}_3$  with 10% to 50% site mixing (Fig. 4c and d) using DIFFaX. Again, changes in the intensities of the five peaks between  $2\theta = 18.2^\circ$  and  $28.4^\circ$  (the same  $2\theta$  range as for stacking faults) were observed. The peak intensities decreased with increased cation site mixing. However, no change in the peak shape was observed, in contrast to what was observed for stacking faults.

The second type of disorder is related to  $\text{Na}^+$  site occupancy (along with  $\text{O}^{2-}$  site occupancy, with the  $\text{Na}^+$  and  $\text{O}^{2-}$  site vacancy ratio set to 2 : 1), which is influenced by the presence or formation of  $\text{Na}_2\text{CO}_3$  during the solid-state synthesis, and the product of carbonation. The simulated PXRD patterns of monoclinic  $\text{Na}_2\text{ZrO}_3$  ( $\text{C}2/m$ ) with varied  $\text{Na}^+$  occupancies were obtained using the software Diamond. The location of the  $\text{Na}^+$




Fig. 4 Simulated PXRD patterns ( $\lambda = 1.54056 \text{ \AA}$ ) of  $\text{Na}_2\text{ZrO}_3$  with 0 to 100% stacking faults with a (a)  $2\theta$  range from  $10^\circ$  to  $80^\circ$ , (b)  $2\theta$  range from  $17^\circ$  to  $29^\circ$ , and (c) simulated PXRD patterns of  $\text{Na}_2\text{ZrO}_3$  with varied cation site mixing from 0 to 50% with a  $2\theta$  range.

site has two possibilities:  $\text{Na}^+$  sites in the Na layer, and  $\text{Na}^+$  sites in the  $\text{Na}^+ + \text{Zr}^{4+}$  layer. We varied the  $\text{Na}^+$  site occupancy of these two sites independently in our simulations, but we are aware that changes in  $\text{Na}^+$  site occupancy are likely to happen simultaneously at both sites. The  $\text{Na}^+$  site occupancy of the Na layer had a noticeable effect on the relative intensity of the PXRD peak at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$ . As shown in Fig. 5a and b, when the  $\text{Na}^+$  site occupancy of the Na layer was reduced from 100% to 0%, the relative intensity of the peak at  $2\theta \sim 16.2^\circ$  increased and the opposite was true for the peak at  $2\theta \sim 38.7^\circ$  (Fig. S19–S29†). At below 50%  $\text{Na}^+$  site occupancy of the Na layer, the relative intensity of the peak at  $2\theta \sim 16.2^\circ$  became higher than the peak at  $2\theta \sim 38.7^\circ$  (Table 1). These simulations suggested that when the  $\text{Na}^+$  site occupancy of the Na layer is below 50%, the PXRD pattern of  $\text{Na}_2\text{ZrO}_3$  would resemble what is typically considered as hexagonal  $\text{Na}_2\text{ZrO}_3$  in the literature (according to the relative intensities of these two peaks). On the other hand, varying the  $\text{Na}^+$  site occupancy of the  $\text{Na}^+ + \text{Zr}^{4+}$  layer did not affect the relative intensity of the peaks at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$  (Fig. S30–S41†).

As demonstrated, a number of factors could affect the PXRD pattern, and especially the relative peak intensities and peak shapes of  $\text{Na}_2\text{ZrO}_3$ . We therefore propose that the commonly

adopted method for phase identification of  $\text{Na}_2\text{ZrO}_3$  (by comparing the relative peak intensities of the two peaks) should be reconsidered for two reasons: (1) disordered  $\text{Na}_2\text{ZrO}_3$ , which has superstructure reflections, cannot be indexed using a hexagonal space group (2) the changes in the relative peak intensities of the peaks at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$  are, in fact, related to the  $\text{Na}^+$  site occupancy of the Na layer, rather than the existence of hexagonal  $\text{Na}_2\text{ZrO}_3$ . In addition, when examining the PXRD patterns of  $\text{Na}_2\text{ZrO}_3$  samples, the relative peak intensities and shapes of the peaks between  $2\theta = 18.2^\circ$  and  $28.4^\circ$  provide an indication of the number of stacking faults and the level of cation site mixing disorder. According to our findings, these types of disorders are common in  $\text{Na}_2\text{ZrO}_3$ , especially as the common synthesis method for  $\text{Na}_2\text{ZrO}_3$  is high-temperature solid-state synthesis, which can yield metastable or non-equilibrium structures. Even though solid-state synthesis has several advantages, such as low cost, simplicity, and low by-product production, obtaining a homogeneous product is often challenging. Furthermore, various synthesis conditions such as the  $\text{Na}_2\text{CO}_3 : \text{ZrO}_2$  ratio, synthesis temperature and time, could affect the magnitude of disorder.<sup>18</sup> Solid-state synthesis has been frequently adopted in previous studies on  $\text{Na}_2\text{ZrO}_3$   $\text{CO}_2$  sorbents where the differences between




Fig. 5 Simulated PXRD patterns of monoclinic  $\text{Na}_2\text{ZrO}_3$  ( $\text{C}2/\text{m}$ ) with 100% to 0%  $\text{Na}^+$  site occupancy of the Na layer with (a)  $2\theta$  range from  $10^\circ$  to  $50^\circ$  and (b)  $2\theta$  range from  $15^\circ$  to  $38^\circ$  (the  $\text{O}^{2-}$  site occupancies were set at 2:1 for  $\text{Na}^+ : \text{O}^{2-}$ ).

Table 1 Relative peak intensities of the two peaks at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$  with the  $\text{Na}^+$  site occupancy changing from 100% to 0%

$\text{Na}^+$ site occupancy (%)	$2\theta$ peak position [ $^\circ$ ]	
	16.2	38.7
100%	0.56	1.00
90%	0.64	1.00
80%	0.74	1.00
70%	0.85	1.00
60%	0.98	1.00
50%	1.00	0.89
40%	1.00	0.68
30%	1.00	0.78
20%	1.00	0.59
10%	1.00	0.52
0%	1.00	0.45

“monoclinic” and “hexagonal”  $\text{Na}_2\text{ZrO}_3$  has been often discussed. In this study, we have repeated the synthesis a number of times to ensure that the presented PXRD patterns are reproducible.

Based on disorder simulations, we show that the presumption that monoclinic and hexagonal  $\text{Na}_2\text{ZrO}_3$  are distinct crystal structures is not accurate. The difference in relative peak intensities in the PXRD pattern of the so-called hexagonal

$\text{Na}_2\text{ZrO}_3$  is in fact related to  $\text{Na}^+$  site occupancy of the Na layer and varying levels of disorder. Our findings also support the fact that the monoclinic and the hexagonal structures cannot have the same reflections. If the monoclinic and the hexagonal  $\text{Na}_2\text{ZrO}_3$  were to exist as distinct structures, there would be a different number of peaks in PXRD patterns for each structure due to the different number of reflections.

We further examined the effect of disorder on the  $\text{CO}_2$  uptake properties of the **NZO-M** and **NZO-H** we synthesized (Fig. 2). After synthesis, both **NZO-M** and **NZO-H** underwent a single  $\text{CO}_2$  carbonation/calcination cycle. After the sample had gone through one carbonation/calcination cycle, we noted a mass increase of 8 wt% on the calcined sample (Fig. S42†). This mass increase suggests that some minor amounts of the  $\text{Na}_2\text{CO}_3$  formed during the initial carbonation step could not be calcined, regardless of the calcination time. The presence of  $\text{Na}_2\text{CO}_3$  on the calcined NZO samples implies that the  $\text{Na}^+$  and  $\text{O}^{2-}$  contents in the  $\text{Na}_2\text{ZrO}_3$  part of the sorbent (Fig. 1) decreased (*i.e.* to give reduced  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancy) and calcination at  $900^\circ\text{C}$  and extended calcination times were unable to fully reverse the carbonation reaction. Interestingly, the relative peak intensities of the peaks at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$  on **NZO-M** changed after one carbonation/calcination cycle (Fig. S43†). The PXRD pattern of **NZO-M** after the carbonation/calcination cycle resembled the PXRD pattern of **NZO-H**, or the so-called hexagonal  $\text{Na}_2\text{ZrO}_3$  (calcined **NZO-H**). The changes in relative peak intensities of the two PXRD peaks suggested that after one cycle, there was a decrease in  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancy in **NZO-M** due to the formation of  $\text{Na}_2\text{CO}_3$ . We observed the same minor weight increase related to  $\text{Na}_2\text{CO}_3$  as well as the same changes in the PXRD pattern after carbonation/calcination cycles for calcined  $\text{Na}_2\text{ZrO}_3$  synthesised with  $\text{Na}_2\text{CO}_3 : \text{ZrO}_2$  ratios varying from 0.75, 1, 1.25 and 1.5, all of which showed similar PXRD pattern to **NZO-M** directly after solid-state synthesis (Fig. S44 and S45†).

**NZO-M** and **NZO-H** underwent 20 carbonation/calcination cycles (at  $750^\circ\text{C}$  and  $900^\circ\text{C}$ , respectively, with one hour equilibrium time) as shown in Fig. 6. These experiments were carried out under pure gas conditions with no contact to




Fig. 6  $\text{CO}_2$  capture properties over 20 carbonation/calcination cycles on the synthesized **NZO-M** and **NZO-H**.



ambient air or moisture. The  $\text{CO}_2$  uptake of **NZO-M** and **NZO-H** at the end of the first cycle was 11.35 and 13.25 wt% (2.58 and 3.01 mmol g<sup>-1</sup>), respectively. This confirms that **NZO-M** (*i.e.*, the monoclinic phase in the literature) does indeed have higher  $\text{CO}_2$  uptake than the disordered **NZO-H** at the first cycle. However, the  $\text{CO}_2$  uptake for both samples fluctuated at the end of the subsequent few cycles. Above 13th cycles, the  $\text{CO}_2$  uptake appeared to have stabilized. At the 20th cycle, the  $\text{CO}_2$  uptake of **NZO-M** and **NZO-H** was comparable at 16.90 and 17.87 wt% (3.84 and 4.06 mmol g<sup>-1</sup>), respectively (note that small difference in the  $\text{CO}_2$  uptake was also related to synthesis batch variations, which was previously discussed<sup>24</sup>).

These observations could be explained as follows:

(1) Directly after synthesis, different degrees of  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancies were available to **NZO-M** and **NZO-H**, with **NZO-H** having a lower  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancy than **NZO-M**. Consequently, **NZO-M** had more  $\text{Na}^+$  and  $\text{O}^{2-}$  available to react with  $\text{CO}_2$  to form  $\text{Na}_2\text{CO}_3$  than **NZO-H**.

(2) After the first cycle, the  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancies of both samples decreased, due to the formation of  $\text{Na}_2\text{CO}_3$  that did not revert after calcination as discussed earlier – evident from the changes in relative intensities of the PXRD peaks at  $2\theta \sim 16.2^\circ$  and  $38.7^\circ$ . This may also be the reason for the fluctuating  $\text{CO}_2$  uptake of **NZO-M** and **NZO-H** up to 10 cycles.

(3) After a number of cycles (*i.e.* ~13), the decrease in the  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancies stabilized for both **NZO-H** and **NZO-M** and therefore, the  $\text{CO}_2$  uptake also stabilized. The two sorbents both stabilized to the same level of  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancy.

(4) According to Fig. 6, the  $\text{CO}_2$  uptake over 20 cycles exhibited less variation for **NZO-H** than **NZO-M**, likely due to a lower  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancy on **NZO-H** than **NZO-M** before the first carbonation/calcination cycle. In other words, **NZO-H** began as a compound more similar to the stabilized form of  $\text{Na}_2\text{ZrO}_3$  than **NZO-M**.

In particular, point 4 above echoes the general conclusion from other studies that the “hexagonal”  $\text{Na}_2\text{ZrO}_3$  has higher cyclic stability than monoclinic  $\text{Na}_2\text{ZrO}_3$ . Other changes, such as increased levels of stacking faults or cation site mixing disorder could also take place during the carbonation/calcination cycles, but such changes could not be easily identified with the analysis done in this study. Energy-dispersive X-ray spectroscopy of scanning transmission electron microscopy (STEM-EDS) on a single particle of the  $\text{Na}_2\text{ZrO}_3$ , or particles of comparable size and chemical compositions, may provide information at an atomic scale that will be valuable for the further development of  $\text{Na}_2\text{ZrO}_3$  as a  $\text{CO}_2$  sorbent. However, the variations in the chemical composition between different batches of the same synthesis may make accurate estimates of the elemental compositions of the samples challenging. In order to confirm that the difference in the initial  $\text{CO}_2$  capture capacities of **NZO-H** and **NZO-M** was related mainly to  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancy and less likely be related to the differences in layer stacking sequences, we performed density functional theory (DFT) calculations (see computational details in ESI†) to investigate the thermodynamic stability of the different space groups with different layer stacking sequences using a  $2 \times 3 \times 2$  supercell with 144 atoms (24 formula units). The lattice

constants of the created supercell were optimized with all distances in Ångstrom (Å) and angles in degrees (°). The calculated formula unit energies ( $E_{\text{DFT}}$ ) at 0 K of  $C2/c$ ,  $C2/m$ ,  $P3_112$ , and  $P3_212$  were -41.676, -41.675, -41.676, and -41.676 eV, respectively. The values were all very close to each other, indicating that the differences in thermodynamic stability between the perfectly monoclinic  $C2/c$  (or  $C2/m$ ) and other possible structures of  $\text{Na}_2\text{ZrO}_3$  is minimal. The similar  $E_{\text{DFT}}$  of these four different models also suggests that the formation of defect structures is neither energetically demanding nor favourable. The similar predicted  $E_{\text{DFT}}$  of the various idealized structures with the different space groups, as well as the inhomogeneous nature of solid-state synthesis, even under identical synthesis conditions, would explain why stacking faults commonly exist in  $\text{Na}_2\text{ZrO}_3$ . In addition, sol-gel and soft chemistry methods also reveal similar PXRD patterns to those from solid-state synthesis, influenced by the disordered stacking faults.<sup>19,20</sup>

## Conclusion

Despite the general assumption that the  $\text{Na}_2\text{ZrO}_3$   $\text{CO}_2$  sorbent exists with monoclinic, hexagonal and cubic crystal structures, hexagonal  $\text{Na}_2\text{ZrO}_3$  does not exist, according to our investigation. The so-called hexagonal  $\text{Na}_2\text{ZrO}_3$  (and also to a certain extent the monoclinic  $\text{Na}_2\text{ZrO}_3$ ) is in fact disordered  $\text{Na}_2\text{ZrO}_3$  with (1) stacking faults, (2) cation site mixing disorder, and (3) incomplete  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancies. The typically observed variations in the  $\text{CO}_2$  uptake and cyclic stability between samples of  $\text{Na}_2\text{ZrO}_3$  are related to differences in  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancies, and not differences in crystal structure. In this study of  $\text{Na}_2\text{ZrO}_3$ , the  $\text{Na}^+$  and  $\text{O}^{2-}$  site occupancies changed during initial carbonation/calcination cycles and stabilized at a certain level (approximately 50%) after 13 cycles and the  $\text{CO}_2$  uptake also stabilized.  $\text{Na}_2\text{ZrO}_3$  with low  $\text{Na}^+$  and  $\text{O}^{2-}$  initial site occupancies (considered previously “hexagonal  $\text{Na}_2\text{ZrO}_3$ ”) is closer to the stabilized form and shows lower variation in the cyclic  $\text{CO}_2$  uptake than  $\text{Na}_2\text{ZrO}_3$  with high  $\text{Na}^+$  and  $\text{O}^{2-}$  initial site occupancies. This increased understanding of  $\text{Na}_2\text{ZrO}_3$  is essential for not only reducing efforts to control structures, but also further development of these sorbents, as well as a greater understanding of the properties of similar mixed-metal oxide materials.

## Experimental

### Synthesis of sodium zirconate (sodium zirconium oxide; $\text{Na}_2\text{ZrO}_3$ )

Zirconium oxide ( $\text{ZrO}_2$ , 98%) and sodium carbonate ( $\text{Na}_2\text{CO}_3$ , anhydrous for analysis EMSURE®ISO) were purchased from Sigma-Aldrich.  $\text{Na}_2\text{ZrO}_3$  was synthesized *via* a solid-state reaction using a Mettler Toledo thermogravimetric analyzer (Schwerzenbach, Switzerland). In order to produce the so-called monoclinic phase (**NZO-M**), the  $\text{Na}_2\text{CO}_3$ :  $\text{ZrO}_2$  molar ratio was fixed at 1.5 : 1 and the synthesis mixture was heated to 900 °C at a heating rate of 5 °C min<sup>-1</sup> under a 100 mL min<sup>-1</sup> flow of 100% nitrogen ( $\text{N}_2$ ) for two hours. In the case of the so-called



hexagonal phase (**NZO-H**), the  $\text{Na}_2\text{CO}_3 : \text{ZrO}_2$  ratio was fixed at 1.5 : 1 and the same synthesis conditions were used but the synthesis time was increased to five hours. Slight variations from the stated stoichiometry is expected on different samples due to experimental errors and the nature of solid-state synthesis, as discussed previously.<sup>24</sup>

### Characterization of sodium zirconate (sodium zirconium oxide; $\text{Na}_2\text{ZrO}_3$ )

PXRD patterns of the synthesized  $\text{Na}_2\text{ZrO}_3$  were collected using a Bruker D8 powder diffractometer (Karlsruhe, Germany with  $\text{Cu K}\alpha$  radiation ( $\lambda = 1.54 \text{ \AA}$ ), 40 mA, and 40 kV) at a  $2\theta$  range between 10 and 60° with a 0.01° step size at ambient temperature. The synthesized  $\text{Na}_2\text{ZrO}_3$  was examined using a JEOL JEM-2100 TEM equipped with a Timepix detector from Amsterdam Scientific Instruments at 98 K. Scanning electron microscopy (SEM) images of **NZO-M** and **NZO-H** were collected on a Zeiss Merlin Field Emission Scanning Electron Microscope (Oberkochen, Germany) with an acceleration voltage of 2.5 kV and a probe current of 80 pA. The samples were coated by gold/palladium sputter coater (Polaron SC7640, Thermo VG Scientific) for 20 s under 20 mA before imaging.

### Author contributions

Ribooga Chang: material synthesis, formal analysis, investigation, disorder simulation, visualization, writing – original draft. Ashok S. Menon: disorder simulation, writing. Erik Svensson Grape: 3D ED analysis, writing. Peter Broqvist: DFT calculation, writing. A. Ken Inge: disorder simulation, investigation, writing. Ocean Cheung: writing & editing, supervision.

### Conflicts of interest

There are no conflicts to declare.

### Acknowledgements

E. S. G. and A. K. I. acknowledge support from the Swedish Foundation for Strategic Research (SSF). RC and OC acknowledge support from the Swedish Research Council (Grant no. 2020-04029), Swedish Research Council for Sustainable Development (FORMAS, Grant No. 2018-00651), and the Swedish Foundation for Strategic Environmental Research (Mistra) (Project Name: Mistra TerraClean, Project number 2015/31). Funding from the National Strategic e-Science program eSSENCE is greatly acknowledged (P. B.) The simulations were performed on resources provided by the Swedish National Infrastructure for Computing (SNIC) at UPPMAX and NSC. A. S. M. would like to acknowledge to Faraday Institution FutureCat consortium for their support (FIRG017).

### References

- 1 R. Chang, X. Wu, O. Cheung and W. Liu, *J. Mater. Chem. A*, 2022, **10**, 1682–1705.
- 2 F. Bamiduro, G. Ji, A. P. Brown, V. A. Dupont, M. Zhao and S. J. Milne, *ChemSusChem*, 2017, **10**, 2059–2067.
- 3 H. G. Jo, H. J. Yoon, C. H. Lee and K. B. Lee, *Ind. Eng. Chem. Res.*, 2016, **55**, 3833–3839.
- 4 P. Sánchez-Camacho, I. C. Romero-Ibarra and H. Pfeiffer, *J. CO<sub>2</sub> Util.*, 2013, **3–4**, 14–20.
- 5 I. Alcérreca-Corte, E. Fregoso-Israel and H. Pfeiffer, *J. Phys. Chem. C*, 2008, **112**, 6520–6525.
- 6 J. A. Mendoza-Nieto, H. Martínez-Hernández, H. Pfeiffer and J. F. Gómez-García, *J. CO<sub>2</sub> Util.*, 2022, **56**, 101862.
- 7 G. Ji, M. Z. Memon, H. Zhuo and M. Zhao, *J. Chem. Eng.*, 2017, **313**, 646–654.
- 8 K. Zhang, X. S. Li, H. Chen, P. Singh and D. L. King, *J. Phys. Chem. C*, 2016, **120**, 1089–1096.
- 9 Y. Xia, Z. Z. Fang, P. Sun, Y. Zhang, T. Zhang and M. Free, *J. Mater. Sci.*, 2017, **52**, 4120–4128.
- 10 K. Baek, W. C. Jeon, S. Woo, J. C. Kim, J. G. Lee, K. An, S. K. Kwak and S. J. Kang, *Nat. Commun.*, 2020, **11**, 456.
- 11 T. Zhao, M. Rønning and D. Chen, *J. Energy Chem.*, 2013, **22**, 387–393.
- 12 I. Alcérreca-Corte, E. Fregoso-Israel and H. Pfeiffer, *J. Phys. Chem. C*, 2008, **112**, 6520–6525.
- 13 M.-d. Lorena and P. Heriberto, *J. Phys. Chem. C*, 2012, **116**, 9675–9680.
- 14 T. Zhao, E. Ochoa-Fernández, M. Rønning and D. Chen, *Chem. Mater.*, 2007, **19**, 3294–3301.
- 15 H. R. Radfarnia and M. C. Iliuta, *Sep. Purif. Technol.*, 2012, **93**, 98–106.
- 16 J. Claverie, C. Foussier and P. Hagenmuller, *Bull. Soc. Chim. Fr.*, 1966, **244**, DOI: [10.1039/c6ee00633g](https://doi.org/10.1039/c6ee00633g).
- 17 S. G. Ampian, *J. Am. Ceram. Soc.*, 1968, **51**, 607–608.
- 18 S. Munro, M. Åhlén, O. Cheung and A. Sanna, *Chem. Eng. J.*, 2020, **388**, 124284.
- 19 D. Zhou, Y. Wang, M. Z. Memon, W. Fu, Z. Wu, S. Sheng, H. Zhang and G. Ji, *Carbon Capture Sci. Technol.*, 2022, **3**, 100050.
- 20 G. Ji, M. Z. Memon, H. Zhuo and M. Zhao, *Chem. Eng. J.*, 2017, **313**, 646–654.
- 21 K. M. Ooi, S. P. Chai, A. R. Mohamed and M. Mohammadi, *Asia-Pac. J. Chem. Eng.*, 2015, **10**, 565–579.
- 22 A. S. Menon, D. O. Ojwang, T. Willhammar, V. K. Peterson, K. Edström, C. P. Gomez and W. R. Brant, *ACS Appl. Mater. Interfaces*, 2020, **12**, 5939–5950.
- 23 G. Lang, *Z. Anorg. Allg. Chem.*, 1966, **348**, 246–256.
- 24 R. Chang, E. Svensson Grape, T. Clairefond, E. Tikhomirov, A. K. Inge and O. Cheung, *J. Mater. Chem. A*, 2023, **11**, 7617–7628.
- 25 A. López-Ortiz, N. G. P. Rivera, A. R. Rojas and D. L. Gutierrez, *Sep. Sci. Technol.*, 2005, **39**, 3559–3572.
- 26 G. M. Kanyolo, T. Masese, N. Matsubara, C.-Y. Chen, J. Rizell, Z.-D. Huang, Y. Sassa, M. Måansson, H. Senoh and H. Matsumoto, *Chem. Soc. Rev.*, 2021, **50**, 3990–4030.
- 27 K. Kataoka, Y. Takahashi, N. Kijima, H. Nagai, J. Akimoto, Y. Idemoto and K.-i. Ohshima, *Mater. Res. Bull.*, 2009, **44**, 168–172.
- 28 T. J. Bastow, M. E. Hobday, M. E. Smith and H. J. Whitfield, *Solid State Nucl. Magn. Reson.*, 1994, **3**, 49–57.

29 M. M. J. Treacy, J. M. Newsam and M. W. Deem, *Proc. R. Soc. London, Ser. B*, 1991, **433**, 499–520.

30 M. M. J. Treacy, J. M. Newsam and M. W. Deem, *DIFFaX v 1.812*, <http://www.public.asu.edu/~mtreacy/DIFFaX.html>.

31 J. A. Mendoza-Nieto, S. Tehuacanero-Cuapa, J. Arenas-Alatorre and H. Pfeiffer, *Appl. Catal., B*, 2018, **224**, 80–87.

