


 Cite this: *Chem. Commun.*, 2025, 61, 7337

 Received 2nd January 2025,
Accepted 4th April 2025

DOI: 10.1039/d5cc00004a

rsc.li/chemcomm

Tailoring nanoporous aluminosilicates with well-defined Al(OSi)₄ sites using dimethylsilanol-modified cage siloxanes and ammonium cations†

 Takuya Hikino,^a Hikaru Mochizuki,^b Takamichi Matsuno,^{bcd}
Kazuyuki Kuroda^{bcd} and Atsushi Shimojima^{ib*}

The precise synthesis of nanoporous aluminosilicates with well-defined Al(OSi)₄ sites was achieved using rigid cage siloxanes. Organic ammonium cations served not only as counterions for the negatively charged framework but also as modulators of pore characteristics. Treatment with an aqueous NH₄Cl solution generated Brønsted acid sites. This work paves the way for designing nanoporous aluminosilicate materials.

Porous aluminosilicates, such as zeolites and Al-containing mesoporous silica, possess a variety of potential applications, including catalysis, adsorption, and ion exchange.^{1,2} The AlO₄ tetrahedra in the frameworks provide Brønsted acid sites, and their environment, location, and distribution are key factors, especially for catalytic functions.^{3,4} Zeolites possess well-defined crystalline frameworks; however, precise control of the Al sites in the frameworks is challenging, mainly because of the complex crystallization mechanism under hydrothermal conditions. Extensive research has also been conducted on the preparation of mesoporous aluminosilicates,^{5–7} typically by the sol–gel process using silica and alumina precursors with surfactant templates;^{6,7} however, most of the conventional materials have amorphous frameworks with uncontrolled Al sites. Additionally, six-coordinated, extra-framework Al species are easily formed due to the rearrangement of the Si–O–Si and Si–O–Al bonds upon calcination at a high temperature.⁸

Non-hydrolytic condensation reactions are useful for the selective formation of Si–O–Al bonds. Well-defined Al(OSi)₄ sites can be formed through the reaction of silanol groups with alkylaluminum or aluminum chloride in the presence of amines.^{9,10} Imaizumi *et al.* reported the synthesis of zeolite¹¹ and amorphous porous aluminosilicate¹² using a bicyclic aluminosilicate precursor, (PyH⁺)[Al{Ph₂Si(OSiPh₂O)₂}₂][–] (PyH⁺ = pyridinium cation). In these reports, however, it is unclear whether the local structure of the Al sites in the precursor was retained in the final products because of the hydrothermal treatment at high pH conditions and/or calcination at a high temperature to cleave the Si–C bonds for intermolecular linking. To overcome these obstacles, the design of building block molecules and the development of methods to construct porous frameworks under milder conditions are essential.

Rigid cage-type siloxane structures, such as double *n*-membered ring (*dnr*) structures (*n* = 4 and 6), are useful building blocks for constructing nanoporous materials with molecularly designed siloxane frameworks.^{13–16} Al-incorporated cage siloxanes have attracted attention as precursors of porous aluminosilicate.^{17,18} Recently, a d4r-type aluminosilicate compound, TMA₄[Al₄Si₄O₁₂(OH)₈]·13H₂O (TMA = tetramethylammonium cation), was used for the synthesis of an LTA-type zeolite with a Si/Al ratio of 1.¹⁸ However, the formation process is not entirely clear as it still relies on hydrothermal treatment similar to the conventional zeolite synthesis. Additionally, cage-type aluminosilicate compounds available as building blocks are very limited, as compared to Al-free cage-type silicates, making variation of the framework structures difficult.

A promising approach to address the aforementioned issues is the use of cage siloxane building blocks having functional groups that can selectively form Si–O–Al bonds under mild conditions. This makes the formation process clearer, as the bond cleavage that occurs under hydrothermal conditions can be avoided, allowing precise control of the aluminosilicate framework. Recently, Kejik *et al.* reported the reaction of a trimethyltin-modified d4r siloxane (Si₈O₁₂(OSnMe₃)₈) with a pyridine–trimethylaluminum complex (Py·AlMe₃) at 100 °C to

^a Department of Advanced Science and Engineering, Faculty of Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku-ku, Tokyo 169-8555, Japan


^b Department of Applied Chemistry, Faculty of Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku-ku, Tokyo 169-8555, Japan.
E-mail: shimojima@waseda.jp

^c Kagami Memorial Research Institute for Materials Science and Technology, Waseda University, 2-8-26 Nishiwaseda, Shinjuku-ku, Tokyo 169-0051, Japan

^d Waseda Research Institute for Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku-ku, Tokyo 169-8555, Japan

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d5cc00004a>





Scheme 1 Synthesis of nanoporous aluminosilicates through a condensation reaction of dimethylsilanol-modified cage siloxane with AlMe_3 in the presence of amines. In the dotted frame, triethylamine is shown as an example.

form porous networks with Si–O–Al bonds.¹⁹ The resulting materials were primarily composed of 4-coordinated $\text{Al}(\text{OSi})_4$ sites with some $\text{Al}(\text{OSi})_3\text{Py}$ and unreacted SiOSnMe_3 groups. The structure of the Al sites was not fully defined due to uncertainty regarding the number of coordinated cages.

Herein, we report a direct synthetic approach to nanoporous aluminosilicates with well-defined $\text{Al}(\text{OSi})_4$ sites through the non-hydrolytic condensation reaction of dimethylsilanol-modified d4r siloxane compound ($\text{D4R-SiMe}_2\text{OH}$) with AlMe_3 in the presence of various amines at 40 °C (Scheme 1). The type of amine was found to affect both the Al environment and pore characteristics. Using piperidine, a porous aluminosilicate with a pore size ranging from micro to meso scale and with a higher surface area than the previously reported materials^{12,19} was obtained. Moreover, ion-exchange treatment of the resulting porous materials with NH_4^+ suggested the formation of Brønsted acid sites. These findings pave the way for the truly modular synthesis of nanoporous aluminosilicates with controlled framework structures.

$\text{D4R-SiMe}_2\text{OH}$ was synthesized by oxidation of dimethylsilylated d4r siloxane ($\text{Si}_8\text{O}_{12}(\text{OSiMe}_2\text{H})_8$) (see ESI† for details).¹³ AlMe_3 was added to the mixture of $\text{D4R-SiMe}_2\text{OH}$ and amines in THF under N_2 atmosphere. The molar ratio of $\text{D4R-SiMe}_2\text{OH}$ to AlMe_3 and amines was 1 : 2 : 2, ensuring that all SiOH groups can form Si–O–Al bonds. The amines used were triethylamine (TEA), pyridine (Py), and piperidine (Pip). After the addition of AlMe_3 , gelation occurred, and the volatile components were removed under reduced pressure, resulting in white solids. The samples were denoted as Al-D4R-TEA, Al-D4R-Py, and Al-D4R-Pip.

In the Fourier transform infrared (FT-IR) spectra of Al-D4R-TEA, Al-D4R-Py, and Al-D4R-Pip (Fig. S1, ESI†), the intensity of the Si–OH vibration band at 890 cm^{-1} decreased, and a new band assignable to Si–O–Al bonds appeared at 960 cm^{-1} ,^{10,20} suggesting that the reaction between the silanol groups and AlMe_3 progressed. The ^{29}Si magic-angle spinning (MAS) NMR spectra of the samples (Fig. 1(A)) showed signals corresponding to the Q^4 [$\text{Si}(\text{OSi})_4$] site at around -107 ppm , with no signal attributed to the Q^3 [$\text{Si}(\text{OSi})_3\text{OH}$] site, confirming




Fig. 1 (A) ^{29}Si MAS NMR spectra and (B) ^{27}Al MAS NMR spectra of (a) Al-D4R-TEA, (b) Al-D4R-Py, and (c) Al-D4R-Pip.

the retention of the cage siloxane structure. The signal at -20 ppm is assignable to the $\text{D}^2(1\text{Al})$ site [$\text{SiOSiMe}_2\text{OAl}$] as its chemical shift is slightly upfield from that of the $\text{D}^2(0\text{Al})$ site [$\text{SiOSiMe}_2\text{OSi}$] (-17.5 ppm).¹⁵ A similar difference in chemical shifts was also reported for the [$\text{SiOSiPh}_2\text{OAl}$] and [$\text{SiOSiPh}_2\text{OSi}$] sites.^{9,21,22} A small D^1 signal of unreacted dimethylsilanol groups [$\text{SiOSiMe}_2\text{OH}$] (-10 ppm) were observed for Al-D4R-TEA. Fig. 1(B) shows the ^{27}Al MAS NMR spectra. In all samples, signals attributed to 4-coordinated Al species (AlO_4) and 6-coordinated Al species (AlO_6) were observed at 57 and 5 ppm, respectively. The $\text{AlO}_4/(\text{AlO}_4 + \text{AlO}_6)$ ratios were 0.95, 0.87, and 0.91 for Al-D4R-TEA, Al-D4R-Py, and Al-D4R-Pip, respectively. The differences are discussed later in relation to the elemental analysis.

The ^{13}C cross-polarization (CP)/MAS NMR spectra of Al-D4R-TEA, Al-D4R-Py, and Al-D4R-Pip (Fig. S2, ESI†) showed the signals derived from TEA, Py, and Pip, respectively. In the ^1H MAS NMR spectra (Fig. S3, ESI†), and the protons of ammonium cations were observed at 7.9 ppm²³ for all samples. FT-IR spectra of Al-D4R-TEA and Al-D4R-Pip (Fig. S1, ESI†) showed broad bands around 1450 cm^{-1} , which might be attributed to the N–H bending vibration of organic ammonium cations.²⁴ Focusing on the bands derived from Py, the two bands around 1450 and 1550 cm^{-1} in the spectrum of Al-D4R-Py can be attributed to the ring vibration of Py coordinated to Lewis acid sites and the N–H bending vibration of Py adsorbed on Brønsted acid sites, respectively.^{25,26}

The elemental analysis (Table 1) confirmed that the Al/Si ratios of the samples were consistent with the starting mixtures ($\text{Al/Si} = 0.125$). The higher Al/N ratios (> 1.0) are possibly due to the formation of 4-coordinated Al species having two bridging siloxy groups (di- μ -oxo Al species)²⁷ and 6-coordinated Al

Table 1 $\text{AlO}_4/(\text{AlO}_4 + \text{AlO}_6)$ ratios, Al/Si ratios, Al/N ratios, BET areas, and pore volumes of (a) Al-D4R-TEA, (b) Al-D4R-Py, and (c) Al-D4R-Pip

Sample	$\text{AlO}_4/(\text{AlO}_4 + \text{AlO}_6)$ ratio ^a	Al/Si ratio ^b	Al/N ratio ^b	BET area [$\text{m}^2\text{ g}^{-1}$]	Pore volume [$\text{cm}^3\text{ g}^{-1}$]
Al-D4R-TEA	0.95	0.12	3.1	103	0.094
Al-D4R-Py	0.87	0.13	1.2	269	0.48
Al-D4R-Pip	0.91	0.13	2.0	358	0.34

^a Calculated from ^{27}Al MAS NMR spectra. ^b Calculated from elemental analysis data (Table S1, ESI).



species, followed by volatilization of residual amines during the drying process. The presence of di- μ -oxo Al species was supported by the high $\text{AlO}_4/(\text{AlO}_4 + \text{AlO}_6)$ ratios in the ^{27}Al NMR spectra, despite the high Al/N ratios, which is based on the assumption that the di- μ -oxo Al species exhibit a similar ^{27}Al NMR chemical shift to the $\text{Al}(\text{OSi})_4$ species. The lowest Al/N ratio in Al-D4R-Py was attributed to undergoing stoichiometric reactions and/or the formation of AlMe_3 and a pyridine complex,²⁸ which might be less prone to volatilization during the drying process.

The powder X-ray diffraction (XRD) patterns showed broad peaks at $d = 1.20$ nm (Fig. S4, ESI[†]), which possibly correspond to the average distance between the adjacent d4r units in the cross-linked networks. Similar peaks are generally observed for the porous materials prepared by cross-linking of d4r siloxane compounds.^{14,15}

Fig. 2(A) shows the N_2 adsorption–desorption isotherms of the samples. The pre-treatment of the sample did not affect the organic species in the samples, as revealed by the FT-IR spectra of Al-D4R-Py (Fig. S5, ESI[†]). The use of Py and Pip resulted in higher Brunauer–Emmett–Teller (BET) areas and larger pore volumes in comparison to the use of TEA (Table 1). The BET area values were higher than the previously reported Al-containing d4r-based porous materials ($126 \text{ m}^2 \text{ g}^{-1}$).¹⁹ The pore size distributions of Al-D4R-Py and Al-D4R-Pip, calculated by the Saito–Foley (SF) method (Fig. 2(B)), indicate the presence of micropores and those calculated using the Barrett–Joyner–Halenda (BJH) method (Fig. 2(C)) reveal the existence of mesopores. A potential correlation exists between the porosity and structural characteristics of the amines. Py and Pip are more rigid than TEA in terms of the number of rotational bonds, which may have facilitated the formation of voids between the cage siloxane units.

The ion exchange behaviors of these porous materials for replacing organic ammonium cations with NH_4^+ were investigated as a potential step toward the formation of Brønsted acid sites. Al-D4R-TEA, Al-D4R-Py, and Al-D4R-Pip were stirred in a biphasic mixture of a saturated aqueous solution of ammonium chloride and diethyl ether, recovered by filtration, and air-dried at 100°C to yield white powders (denoted as Al-D4R-TEA-ex, Al-D4R-Py-ex, and Al-D4R-Pip-ex, respectively). The ^1H MAS NMR and ^{13}C CP/MAS NMR analyses revealed that

the triethylammonium cation was decreased in Al-D4R-TEA-ex and that PyH^+ and piperidinium cations disappeared in Al-D4R-Py-ex and Al-D4R-Pip-ex, respectively (Fig. S6 and S7, ESI[†]). On the other hand, the signal of the proton from the ammonium cations was still observed at ~ 8 ppm by ^1H NMR.²³ These results indicate the replacement of the protonated amines with NH_4^+ . The progress of ion-exchange was also supported by elemental analysis and ^{29}Si MAS NMR measurement (calculation details are shown in ESI[†], Section 3).

The FT-IR spectra of Al-D4R-TEA-ex, Al-D4R-Py-ex, and Al-D4R-Pip-ex (Fig. S8, ESI[†]) showed the bands of the d4r units (around 560 cm^{-1}).²⁰ The bands derived from N–H bending vibration at 1450 cm^{-1} also supported the presence of NH_4^+ .²⁹ The ^{29}Si MAS NMR spectra of these samples exhibited small Q^3 signals (shoulders at around -100 ppm), indicative of partial cleavage of the Si–O–Si bonds (Fig. S9, ESI[†]). The D/Q ratio of Al-D4R-Py-ex and Al-D4R-Pip-ex decreased after ion exchange (Table S2, ESI[†]). This phenomenon can be attributed to nucleophilic attack on Si by water, resulting in the formation and subsequent volatilization of low molecular weight D unit oligomers. The ^{27}Al MAS NMR spectra (Fig. S10, ESI[†]) indicated that the $\text{AlO}_4/(\text{AlO}_4 + \text{AlO}_6)$ ratios became lower after the ion-exchange treatment (Table S3, ESI[†]), which was attributed to the partial cleavage of the $\text{Al}(\text{OSi})_4$ sites by hydrolysis.

From the results of elemental analysis, the Al/Si ratios slightly increased after ion-exchange (Table S1, ESI[†]), which is consistent with the decrease of the D units in the framework. The AlO_4/N ratio (Table S4, ESI[†]) increased after the ion-exchange treatment, which might be due to ion-exchange between the organic ammonium cation and H^+ in the weakly acidic ammonium chloride solution. Evidence for the formation of Brønsted acid sites was demonstrated by the adsorption of trimethylphosphine oxide (TMPO). The ^{31}P MAS NMR spectra of the TMPO-adsorbed samples (Fig. S11, ESI[†]) showed signals at approximately 66 and 44 ppm, which can be attributed to TMPO adsorbed at a Brønsted acid site and physisorbed TMPO, respectively.^{30,31} The signal at 43 ppm (Fig. S11(a), ESI[†]) might be attributed to crystalline TMPO.³² The chemical shift of 66 ppm is comparable to that observed for zeolite HY and Al-SBA-15.^{33,34} The ^1H MAS NMR spectra of the TMPO-adsorbed samples are shown in Fig. S12 (ESI[†]). The methyl groups of TMPO appear at 2.2 ppm, while signals corresponding to Brønsted acid sites and those covered with TMPO³⁵ were observed at around 3 and 5 ppm, respectively, for Al-D4R-Py-ex and Al-D4R-Pip-ex. The ^{27}Al MAS NMR spectra of TMPO-adsorbed samples (Fig. S13, ESI[†]) showed the formation of three-coordinated Al species, likely due to the cleavage of $\text{SiOHAl}(\text{OSi})_3$ into SiOH and $\text{Al}(\text{OSi})_3$. This suggests the inherent weakness of the Al–O bond in SiOHAl , enabling its dissociation upon TMPO adsorption. The XRD patterns of the ion-exchange samples are shown in Fig. S14, ESI[†]. The broadening of the peaks reflecting d4r arrangements indicates a potential correlation with structural disorder, as evidenced by NMR analysis (Fig. S9, ESI[†]). The N_2 adsorption–desorption isotherms of ion-exchanged samples (Fig. S15 and Table S5, ESI[†]) demonstrated that the BET areas and pore volumes decreased




Fig. 2 (A) N_2 adsorption–desorption isotherms of (a) Al-D4R-TEA, (b) Al-D4R-Py, and (c) Al-D4R-Pip. (B) and (C) Pore size distributions of (a) Al-D4R-Py and (b) Al-D4R-Pip (B: SF method, C: BJH method).



