

Nanoscale Advances

Volume 7
Number 18
21 September 2025
Pages 5439–5830

rsc.li/nanoscale-advances



ISSN 2516-0230

PAPER

Hiroi Sei, Kouki Oka *et al.*
Zeolitic imidazolate framework-22: high hydrophilicity, water
resistance, and proton conduction

Cite this: *Nanoscale Adv.*, 2025, 7, 5501

Zeolitic imidazolate framework-22: high hydrophilicity, water resistance, and proton conduction

Hiroi Sei, *^a Hitoshi Kasai ^a and Kouki Oka *^{abc}

Among metal–organic frameworks (MOFs), zeolitic imidazolate frameworks (ZIFs) enable precise design of pore structures, and most of them exhibit high water resistance. However, no hydrophilic ZIF that maintains water resistance and adsorbs water vapor in low-pressure range has been achieved. In the current work, as a MOF with both high structural stability and hydrophilicity, we focused on ZIF-22 that contains one polar uncoordinated *N*-heteroatom in its organic linker. ZIF-22 exhibited high water resistance due to presence of an appropriate number (one) of uncoordinated *N*-heteroatoms. The added polarity from *N*-heteroatoms allowed ZIF-22 to exhibit the highest hydrophilicity among ZIFs. Furthermore, ZIF-22 exhibited the highest proton conductivity ($1.77 \times 10^{-3} \text{ S cm}^{-1}$ at 363 K and 95% RH) among ZIFs without acidic groups or guest proton carriers. These findings provide a design strategy of MOFs that achieve hydrophilization while maintaining water resistance and broaden their application range in aqueous environments.

Received 17th July 2025
Accepted 1st August 2025

DOI: 10.1039/d5na00686d

rsc.li/nanoscale-advances

Introduction

Metal–organic frameworks (MOFs) enable the design of various porous structures *via* the combination of metal ions and organic linkers,¹ and therefore various applications such as the separation of gas molecules,^{2–4} sensing,^{5–7} catalytic reactions,⁸ and proton conduction,^{9,10} have been developed. In most applications, water and moisture are present in the environment, and contact with water is unavoidable; therefore, functionalization in aqueous environments is an important research topic.^{11,12} However, water tends to undergo hydrolysis of coordination bonds between metal ions and organic linkers and usually reduces the structural stability of MOFs.^{13–15} Therefore, for the functional development in aqueous environments, construction of water-resistant MOFs is essential. Furthermore, in water-resistant MOFs, the ease of access of water molecules to the pores influences their performance;^{16,17} therefore, their hydrophilicity is also important. The hydrophilicity of MOFs is evaluated *via* the adsorption properties of water vapor in the low-pressure range¹⁸ and increases with a lower pore filling pressure.

Zeolitic–Imidazolate Frameworks (ZIFs) are cage-like MOFs composed of metal ions and imidazole derivatives;¹⁹ the coordination bond is relatively strong;²⁰ therefore, a number of ZIFs

exhibit water resistance,^{21,22} and their functional development in aqueous environments is expected.^{20,23,24} Furthermore, the molecular design of imidazole derivatives²⁵ enables more precise control of pore sizes (windows and inner pores) among MOFs *via* the network topology that is the style of linkage between metal ions and organic linkers, and porous structures based on more than 40 different network topologies^{19,26} have been reported as ZIFs.^{22,25} However, most water-resistant ZIFs adsorb little water vapor even near the saturated pressure^{21,27,28} and exhibit very strong hydrophobicity. The strong hydrophobicity of ZIFs reduces the uptake of water molecules into the pores, which causes poor performances^{29,30} and limits the applications of ZIFs in aqueous environments.

Toward hydrophilization of ZIFs, the introduction of polar functional groups into imidazole derivatives has been attempted.³¹ Although ZIF-90 had protic aldehyde groups at the 2-position on imidazolate and formed the same SOD topology as the strongly hydrophobic ZIF-8, owing to the reduction in the hydrophobicity of ZIFs by the aldehyde groups, ZIF-90 dramatically adsorbed water vapor at 0.3–0.4 P/P_0 ,²⁷ and amphiphilicity was reported.³² However, the introduction of other polar functional groups, such as nitro and amino groups, into ZIFs decreases the pK_a of the organic linker, weakens the coordination bond between the metal ion and imidazole, and usually reduces water resistance.³³ Therefore, ZIFs with hydrophilicity and water resistance are few, and highly hydrophilic ZIFs that can adsorb water vapor in the low-pressure range ($0 < P/P_0 < 0.1$) have not been achieved.

In MOFs, the introduction of uncoordinated *N*-heteroatom sites, such as the N atom of pyridine, does not change the pore volume but provides polarity to the pore surface, which

^aInstitute of Multidisciplinary Research for Advanced Materials, Tohoku University, 2-1-1 Katahira, Aoba-ku, Sendai, Miyagi 980-8577, Japan. E-mail: hiroi.sei.a8@tohoku.ac.jp; oka@tohoku.ac.jp

^bCenter for the Promotion of Interdisciplinary Education and Research, Kyoto University, Yoshida-honmachi, Sakyo-ku, Kyoto 606-8501, Japan

^cCarbon Recycling Energy Research Center, Ibaraki University, Hitachi, 4-12-1 Nakanarusawacho, Ibaraki 316-0033, Japan



improves hydrophilicity.^{34,35} Prof. B. Li *et al.* introduced three types of hydrophilic groups—amino groups (UiO-66-NH₂), hydroxy groups (UiO-66-OH), and *N*-heteroatom sites (UiO-66-N)—into UiO-66 and reported that UiO-66-N adsorbed water vapor at the lowest pressure among them; therefore, *N*-heteroatom sites enhanced the hydrophilicity more than the other functional groups.³⁴ In contrast, an increase in the number of *N*-heteroatoms in an organic linker decreases the p*K*_a,³⁶ which weakens the coordination bonds and reduces the water resistance of the MOFs.^{37–39} Thus, when MOFs are hydrophilized through the introduction of uncoordinated *N*-heteroatom sites, the number of *N*-heteroatoms should be optimized to maintain water resistance, but hydrophilicity and water resistance have not been investigated simultaneously.

In the current work, to elucidate an appropriate number of uncoordinated *N*-heteroatoms in ZIFs, we focused on ZIF-20 (ref. 40) and ZIF-22 (ref. 40) which have the same network topology (LTA) but different numbers of uncoordinated *N*-heteroatoms in the organic linker (Fig. 1a). The previous paper⁴¹ shows that ZIF-20, which uses purine with two uncoordinated *N*-heteroatoms as an organic linker, changed its structure upon exposure to water and exhibited low water resistance (Fig. 1a). The current work demonstrated that ZIF-22 with one uncoordinated *N*-heteroatom in an organic linker (Fig. 1b) possessed an appropriate number of uncoordinated *N*-heteroatoms; therefore, maintained structural stability and had a polar pore surface, which led to the achievement of both water resistance and high hydrophilicity (Fig. 1b).

Results and discussion

ZIF-22 was prepared according to Prof. D. W. Park *et al.*⁴² (see SI: preparation of ZIF-22). ZIF-20 was also prepared according to

Prof. O. M. Yaghi *et al.*⁴⁰ (see SI: preparation of ZIF-20). The powder X-ray diffraction (PXRD) pattern of the crystal immediately following formation was identical to the simulated pattern of ZIF-22 (Fig. S1), which indicated the successful construction of ZIF-22. ZIF-22 was activated by evacuation *in vacuo* at 80 °C for 3 h after drying with supercritical CO₂ fluid. The FT-IR spectrum of activated ZIF-22 (Fig. S2, red) showed no peak corresponding to the C=O stretching mode of DMF (Fig. S2, black, 1660 cm⁻¹) or the C–N stretching mode of the uncoordinated organic linker (Fig. S2, blue, 1124 cm⁻¹). Moreover, NMR measurements (Fig. S3) of activated ZIF-22 confirmed that the organic solvents used for its preparation were removed, which supported that ZIF-22 was sufficiently activated. The activated ZIF-22 showed a 13% weight loss (Fig. S4) up to 400 °C, but no organic solvents or uncoordinated organic linkers were present, which indicated that the weight loss was caused by water. Furthermore, the PXRD pattern of activated ZIF-22 (Fig. S1) was identical to that of ZIF-22 immediately following formation, which indicated that the activated ZIF-22 maintained its original structure.

We performed N₂ and CO₂ gas adsorption measurements of ZIF-22 and its porosity was examined. The N₂ adsorption capacities of ZIF-22 were 3.1 mL g⁻¹ (77 K, *P*/*P*₀ = 0.9) and 0.017 mL g⁻¹ (298 K, *P*/*P*₀ = 0.9), which indicated that ZIF-22 scarcely adsorbed N₂ (Fig. S5). This indicated that the window of ZIF-22 (3.0 Å)⁴³ was narrower than the kinetic diameter of N₂ (3.8 Å),² and therefore N₂ did not pass through the window by molecular sieving effect. In contrast, the kinetic diameter of CO₂ (3.3 Å)² was larger than the size of the window, but ZIF-22 adsorbed 11 mL g⁻¹ CO₂ at 298 K (Fig. S5a). Previous investigation⁴⁴ reported that in the case of ZIF-8, a representative ZIF, due to the rotation of the organic linker, the effective window size (4.0 to 4.2 Å)⁴⁴ was larger than that of the window (3.4 Å)⁴⁴ that was determined by crystal structure. This indicates that, in the case of ZIF-22, the rotation of the organic linker enables the adsorption of CO₂ with a slightly smaller kinetic diameter than the effective window size of ZIF-22. From the above, activated ZIF-22 maintained its porosity.

ZIF-22 immediately following formation was soaked in pure water at 298 K for 7 days, and its water resistance was examined. As shown in Fig. 2a, the PXRD pattern of ZIF-22 after soaking in water was identical to that obtained immediately following formation. Previous papers^{45,46} indicated that hydrolysis of ZIFs formed Zn–OH bonds, and the bond formation increased the binding energy of Zn in X-ray photoelectron spectroscopy (XPS). However, Zn 2p_{3/2} XPS spectra (Fig. S6) showed that the peak of Zn in ZIF-22 after soaking in water was identical to that in activated ZIF-22, and therefore, the hydrolysis of ZIF-22 did not occur. These PXRD patterns and XPS spectra exhibited their high water resistance. A previous investigation⁴¹ reported that in LTA-type ZIF-20 using purine as the organic linker, the structure was changed *via* water soaking, and therefore the water resistance was low. As ZIF-22 has the same network topology as ZIF-20,⁴⁰ the difference in water resistance can be attributed to the strength of the coordination bonds between the Zn ions and organic linkers. The lower p*K*_a of the organic linker decreases the basicity and electron density of the




Fig. 1 (a) Schematic representation of the structure of LTA-type ZIF-20 and ZIF-22, and the chemical structure of their organic linkers. (b) Water-resistant and hydrophilic ZIF-22 composed of 5-azabenzimidazole with a lower number of hydrophilic uncoordinated *N*-heteroatom sites than that of ZIF-20.






Fig. 2 (a) PXRD patterns of ZIF-22: simulation (black), immediately following formation of ZIF-22 (red), and after soaking of ZIF-22 in water (298 K) for 7 days (blue). (b) Water adsorption isotherms of ZIF-22 at 298 K. Filled symbols: adsorption process, open symbols: desorption process. P denotes the pressure at adsorption and P_0 denotes the condensation pressure of the adsorbate at the measurement temperature. (c) Distribution map of water uptakes at 0.9 P/P_0 with corresponding water uptakes at 0.1 P/P_0 in ZIFs.

conjugate base, which usually weakens the coordination bond between the metal ion and the organic linker.³⁷ The $\text{p}K_{\text{a}}$ values of the organic linkers and benzimidazole with no uncoordinated N -heteroatom were determined by density-functional-theory (DFT) calculations. As shown in Table S1, the $\text{p}K_{\text{a}}$ value decreased with increasing number of N atoms, and the $\text{p}K_{\text{a}}$ value of purine ($\text{p}K_{\text{a}}$ (calc.) = 8.0) was lower than that of 5-azabenzimidazole ($\text{p}K_{\text{a}}$ (calc.) = 10.5). Conjugated bases of organic linkers with high electronegativities exhibit high basicities and electron densities, resulting in the formation of strong coordination bonds.³⁷ In XPS measurement, the formation of chemical bonds with electronegative atoms shifts the binding energy of core electrons to a higher value.^{47,48} Zn 2 $p_{3/2}$ XPS spectra (Fig. S7) that relate to their coordination bonds showed that the binding energy of ZIF-22 (1021.9 eV) was higher than that of ZIF-20 (1021.6 eV), which indicated that the electronegativity of 5-azabenzimidazolate was higher than that of purinate, and the Zn–N bond of ZIF-22 was stronger than that of ZIF-20. Therefore, in the case of ZIF-20, the presence of many N atoms (two uncoordinated heteroatoms per organic linker) in purine reduced the $\text{p}K_{\text{a}}$ and weakened the coordination bond between the Zn ions and the organic linker; therefore, its water resistance was reduced. In contrast, because ZIF-22 contains only one uncoordinated N -heteroatom in 5-azabenzimidazole, the

coordination bond is not significantly weakened; therefore, ZIF-22 exhibited water-resistance.

The water vapor adsorption property of ZIF-22 was measured to examine its hydrophilicity. In the case of ZIF-20, previous papers^{41,49} indicated that the structure collapsed upon water soaking, and therefore the water vapor adsorption property of ZIF-20 could not be measured. Fig. 2b showed the adsorption isotherm of water vapor at 298 K. ZIF-22 adsorbed 9.6 mmol g^{-1} of water vapor at 0.9 P/P_0 and exhibited a type-II isotherm where an adsorption uptake was increased from 0 P/P_0 . A previous investigation⁵⁰ reported that ZIF-76, which uses nonpolar imidazole and 5-chlorobenzimidazole as organic linkers and has the same LTA topology as ZIF-22, adsorbed only 1.8 mmol g^{-1} of water vapor at 0.9 P/P_0 and began adsorption only near the saturated pressure ($0.8 < P/P_0 < 0.9$) and had hydrophobicity. Therefore, the polarity of the uncoordinated N -heteroatom sites on the pore surface of ZIF-22 enhanced its hydrophilicity.

The hydrophilicity of MOFs increases with a lower pore filling pressure for water vapor;¹⁸ therefore, we compared the adsorption uptakes for water vapor at 0.1 P/P_0 in reported ZIFs (Table S2). As shown in Fig. 2c, the adsorption uptake of ZIF-22 for water vapor at 0.1 P/P_0 (2.7 mmol g^{-1}) was the highest among the reported ZIFs, which indicated that ZIF-22 is the most hydrophilic among them. The pore filling pressure of ZIF-



22 ($<0.1 P/P_0$) was lower than that of representative water-stable MOFs like **UiO-66** ($0.36 P/P_0$)⁵¹ and **MIL-101** ($0.46 P/P_0$),⁵¹ which indicated that **ZIF-22** was more hydrophilic than their MOFs. Furthermore, the water vapor adsorption isotherm of **ZIF-22** was measured continuously (Table S3). The adsorption isotherm of the first measurement (Fig. 2b, black) was identical to that of the second measurement (Fig. 2b, red), and the adsorption uptake did not decrease. In the **PXRD** pattern of **ZIF-22** (Fig. S8) after water vapor adsorption, the peak positions remained unchanged. Moreover, the CO_2 adsorption capacity of **ZIF-22** after water vapor adsorption was almost the same as that of **ZIF-22** before water vapor adsorption (Table S4). Therefore, both the **PXRD** and adsorption measurements demonstrated the high water resistance of **ZIF-22**. These results supported the idea that one uncoordinated *N*-heteroatom in the organic linker of **ZIF-22** provided polarity on the pore surface without significantly weakening the coordination bond between the Zn ion and the organic linker, which resulted in both water resistance and hydrophilicity.

ZIF-22 accommodated many water molecules that act as proton sources and mediated proton transfer into the pores; therefore, proton conduction was expected. As shown in Fig. 3, the proton conductivity of the pelletized **ZIF-22** was measured by electrochemical impedance spectroscopy (EIS). Proton conductivity was determined *via* fitting analysis, which assumed the equivalent circuit shown in Fig. S9. As shown in Fig. 3a, at 298 K and 95% RH, the Nyquist plot of **ZIF-22** displayed a semicircle at high frequencies, and the proton conductivity of **ZIF-22** was $5.54 \times 10^{-8} \text{ S cm}^{-1}$. From the direct current (DC) resistance measurement (Fig. S10), the DC electrical conductivity of **ZIF-22** at 298 K was $8.34 \times 10^{-12} \text{ S cm}^{-1}$. This conductivity was four orders of magnitude lower than $5.54 \times 10^{-8} \text{ S cm}^{-1}$, which confirmed that the observed conduction was due to proton conduction at 298 K and 95% RH. In the **PXRD** pattern of **ZIF-22** (Fig. S11) after the impedance measurement, the peak intensity was lower than that before the measurement, but the peak positions remained unchanged. Moreover, Zn $2p_{3/2}$ XPS spectra (Fig. S6) showed that the peak of Zn in **ZIF-22** after the impedance measurement was identical to that in activated **ZIF-22**, and therefore, the hydrolysis of **ZIF-22**

did not occur during the impedance measurement. These results indicated that the porous structure was maintained.

Because the proton conductivity usually increases with increasing temperature⁵² as shown in Fig. 3a and Fig. S12, we measured the proton conductivities of **ZIF-22** at different temperatures (298, 303, 323, 333, 343, 353, and 363 K). As shown in Table S5, the proton conductivity of **ZIF-22** dramatically increased with increasing temperature from $5.54 \times 10^{-8} \text{ S cm}^{-1}$ at 298 K to $1.77 \times 10^{-3} \text{ S cm}^{-1}$ at 363 K. This proton conductivity was the highest among **ZIFs** without acidic groups or guests as proton carriers (Table S6). Previous paper⁵³ indicated that in proton conductive MOFs, the high proton conductivity is above $10^{-3} \text{ S cm}^{-1}$. Therefore, the proton conductivity of **ZIF-22** ($1.77 \times 10^{-3} \text{ S cm}^{-1}$ at 363 K and 95% RH) is comparable to other MOFs with high proton conductivities. The window sizes of both **ZIF-22** (3.0 \AA)⁴³ and **ZIF-8** (3.4 \AA),²⁹ representative **ZIFs**, are relatively similar to the size of a H_3O^+ ion (2.0 \AA),⁵⁴ and **ZIF-22** has a narrower window than that of **ZIF-8**. The narrow window would disrupt the dispersion of H_3O^+ ions. Therefore, in the case of proton conduction with a vehicle mechanism^{9,55} where H_3O^+ ions directly move in the pore, the structure of **ZIF-22** is more unfavorable for proton conduction. However, the proton conductivity of **ZIF-22** ($1.8 \times 10^{-3} \text{ S cm}^{-1}$ at 363 K and 95% RH) was higher than that of hydrophobic **ZIF-8** ($4.6 \times 10^{-4} \text{ S cm}^{-1}$ at 367 K and 98% RH),²⁹ which supported that uncoordinated *N*-heteroatoms in **ZIF-22** accommodated more water molecules into the pore, increased the number of proton carriers, and enhanced proton conductivity. **ZIF-90** adsorbs water vapor at $0.9 P/P_0$ (Table S2) as well as **ZIF-22**, but the size of the inner pore of the cage (11.2 \AA)⁵² is smaller than that of **ZIF-22** (18.2 \AA). A larger pore size is favorable for proton conduction at high temperature and humidity,⁵⁶ which supported the idea that the proton conductivity of **ZIF-22** was higher than that of **ZIF-90** ($1.9 \times 10^{-4} \text{ S cm}^{-1}$ at 373 K and 98% RH).⁵⁷

As shown in the Arrhenius plots in Fig. 3b, the activation energy was 1.6 eV, larger than 0.4 eV, which indicated that proton conduction in **ZIF-22** mainly follows a vehicle mechanism. Previous investigation²⁹ reported that the narrow window (3.4 \AA) of **ZIF-8** disturbed proton transfer and resulted in the high activation energy (1.1 eV) of proton conduction. Therefore,



Fig. 3 Impedance spectra (a) and Arrhenius plots of conductivity (b) for the disk-shaped pellets of **ZIF-22** under 95% RH at 298, 303, 323, 333, 343, 353, and 363 K.



the narrower window (3.0 Å) of ZIF-22 disrupted the dispersion of H₃O⁺ ions, which resulted in high activation energy.

Conclusions

The effects of introducing uncoordinated *N*-heteroatom sites on both hydrophilicity and water resistance were simultaneously investigated, and an optimized number of *N*-heteroatoms to achieve both high hydrophilicity and maintenance of structural stability was revealed in MOFs for the first time. ZIF-22, with one polar uncoordinated *N*-heteroatom in the organic linker, maintained its crystal structure even after soaking in water (298 K) for 7 days, which exhibited high water resistance. Furthermore, ZIF-22 adsorbed 9.6 mmol g⁻¹ ($P/P_0 = 0.9$) of water at 298 K, and water vapor adsorption commenced at 0 P/P_0 , which indicated that ZIF-22 was the most hydrophilic among ZIFs. Moreover, ZIF-22 accommodated more water molecules (2.9 water molecules/Zn(5-azabenzimidazole)₂) into the pores, and therefore, exhibited a proton conductivity of 1.77×10^{-3} S cm⁻¹ (363 K, 95% RH). These findings provide a design strategy of MOFs that achieve hydrophilization while maintaining water resistance and broaden their application range in aqueous environments.

Author contributions

K. O. conceived and supervised the project. H. S. and K. O. designed the research and performed synthesis, characterization, proton conductivity measurements, and other major experiments. H. S. and K. O. wrote the initial draft of the paper, and all authors contributed to the editing of the paper. All authors have approved the final version of the manuscript.

Conflicts of interest

There are no conflicts of interest to declare.

Data availability

Supplementary information including details of materials, instruments, experimental procedures, and DFT calculations is available. See DOI: <https://doi.org/10.1039/d5na00686d>.

Acknowledgements

This work was partially supported by Grants-in-Aids for Scientific Research (No. JP23K17945, JP23H03827, and JP24K01552) from MEXT (Tokyo, Japan). In addition, this work is partially based on results obtained from a project, JPNP14004, commissioned by the New Energy and Industrial Technology Development Organization (NEDO). Moreover, this work was partially supported by the Environment Research and Technology Development Fund (JPMEERF20241RA4) of the Environmental Restoration and Conservation Agency provided by Ministry of the Environment of Japan and the Research Grant against Global Warming of the Ichimura Foundation for New Technology. K. Oka also acknowledges support from the Shorai

Foundation for Science and Technology, TEPCO Memorial Foundation, Amano Industry Technology Laboratory, Sugiyama Houkokuai, Yamada Science Foundation, Kenjiro Takayanagi Foundation, Kansai Research Foundation for Technology Promotion, Yashima Environment Technology Foundation, JACI Prize for Encouraging Young Researcher, Iketani Science and Technology Foundation, and the Foundation for Interaction in Science & Technology. H. Sei acknowledges support from Takahashi Industrial and Economic Research Foundation, Amano Institute of Technology, Yashima Environment Technology Foundation, JKA and its promotion funds from KEIRIN RACE.

Notes and references

- O. M. Yaghi, M. O'Keeffe, N. W. Ockwig, H. K. Chae, M. Eddaoudi and J. Kim, *Nature*, 2003, **423**, 705–714.
- J. R. Li, R. J. Kuppler and H. C. Zhou, *Chem. Soc. Rev.*, 2009, **38**, 1477–1504.
- B. R. Pimentel, A. Parulkar, E. K. Zhou, N. A. Brunelli and R. P. Lively, *ChemSusChem*, 2014, **7**, 3202–3240.
- M. Ahlen, O. Cheung and C. Xu, *Dalton Trans.*, 2023, **52**, 1841–1856.
- L. E. Kreno, K. Leong, O. K. Farha, M. Allendorf, R. P. Van Duyne and J. T. Hupp, *Chem. Rev.*, 2012, **112**, 1105–1125.
- J. K. Zaręba, M. Nyk and M. Samoć, *Adv. Optical Mater.*, 2021, **9**, 2100216.
- R. Sakthivel, T. Y. Liu and R. J. Chung, *Environ. Res.*, 2023, **216**, 114609.
- J. Lee, O. K. Farha, J. Roberts, K. A. Scheidt, S. T. Nguyen and J. T. Hupp, *Chem. Soc. Rev.*, 2009, **38**, 1450–1459.
- D. W. Lim and H. Kitagawa, *Chem. Rev.*, 2020, **120**, 8416–8467.
- B.-X. Han, Y.-F. Jiang, X.-R. Sun, Z.-F. Li and G. Li, *Coord. Chem. Rev.*, 2021, **432**, 213754.
- C. Wang, X. Liu, N. Keser Demir, J. P. Chen and K. Li, *Chem. Soc. Rev.*, 2016, **45**, 5107–5134.
- J. Canivet, A. Fateeva, Y. Guo, B. Coasne and D. Farrusseng, *Chem. Soc. Rev.*, 2014, **43**, 5594–5617.
- L. Huang, H. Wang, J. Chen, Z. Wang, J. Sun, D. Zhao and Y. Yan, *Microporous Mesoporous Mater.*, 2003, **58**, 105–114.
- S. S. Kaye, A. Dailly, O. M. Yaghi and J. R. Long, *J. Am. Chem. Soc.*, 2007, **129**, 14176–14177.
- P. Küsgens, M. Rose, I. Senkovska, H. Fröde, A. Henschel, S. Siegle and S. Kaskel, *Microporous Mesoporous Mater.*, 2009, **120**, 325–330.
- F. Yang, H. Huang, X. Wang, F. Li, Y. Gong, C. Zhong and J.-R. Li, *Cryst. Growth Des.*, 2015, **15**, 5827–5833.
- M. Gorbounov, P. Halloran and S. Masoudi Soltani, *J. CO₂ Util.*, 2024, **86**, 102908.
- N. C. Burtch, H. Jasuja and K. S. Walton, *Chem. Rev.*, 2014, **114**, 10575–10612.
- H. Wang, X. Pei, M. J. Kalmutzki, J. Yang and O. M. Yaghi, *Acc. Chem. Res.*, 2022, **55**, 707–721.
- Z. Mo, D. Tai, H. Zhang and A. Shahab, *Chem. Eng. J.*, 2022, **443**, 136320.



- 21 N. T. Nguyen, H. Furukawa, F. Gandara, H. T. Nguyen, K. E. Cordova and O. M. Yaghi, *Angew. Chem., Int. Ed.*, 2014, **53**, 10645–10648.
- 22 K. S. Park, Z. Ni, A. P. Cote, J. Y. Choi, R. Huang, F. J. Uribe-Romo, H. K. Chae, M. O'Keeffe and O. M. Yaghi, *Proc. Natl. Acad. Sci. U. S. A.*, 2006, **103**, 10186–10191.
- 23 M. Shams, M. H. Dehghani, R. Nabizadeh, A. Mesdaghinia, M. Alimohammadi and A. A. Najafpoor, *J. Mol. Liq.*, 2016, **224**, 151–157.
- 24 L. Mu, B. Liu, H. Liu, Y. Yang, C. Sun and G. Chen, *J. Mater. Chem.*, 2012, **22**, 12246–12252.
- 25 J. Yang, Y. B. Zhang, Q. Liu, C. A. Trickett, E. Gutierrez-Puebla, M. A. Monge, H. Cong, A. Aldossary, H. Deng and O. M. Yaghi, *J. Am. Chem. Soc.*, 2017, **139**, 6448–6455.
- 26 R. Freund, S. Canossa, S. M. Cohen, W. Yan, H. Deng, V. Guillermin, M. Eddaoudi, D. G. Madden, D. Fairen-Jimenez, H. Lyu, L. K. Macreadie, Z. Ji, Y. Zhang, B. Wang, F. Haase, C. Woll, O. Zaremba, J. Andreo, S. Wuttke and C. S. Diercks, *Angew. Chem., Int. Ed.*, 2021, **60**, 23946–23974.
- 27 K. Zhang, R. P. Lively, M. E. Dose, A. J. Brown, C. Zhang, J. Chung, S. Nair, W. J. Koros and R. R. Chance, *Chem. Commun.*, 2013, **49**, 3245–3247.
- 28 R. P. Lively, M. E. Dose, J. A. Thompson, B. A. McCool, R. R. Chance and W. J. Koros, *Chem. Commun.*, 2011, **47**, 8667–8669.
- 29 P. Barbosa, N. C. Rosero-Navarro, F.-N. Shi and F. M. L. Figueiredo, *Electrochim. Acta*, 2015, **153**, 19–27.
- 30 M. Sadakiyo, T. Kuramoto, K. Kato and M. Yamauchi, *Chem. Lett.*, 2017, **46**, 1004–1006.
- 31 M. Gao, J. Wang, Z. Rong, Q. Shi and J. Dong, *RSC Adv.*, 2018, **8**, 39627–39634.
- 32 S. Calero and P. Gómez-Álvarez, *J. Phys. Chem. C*, 2015, **119**, 23774–23780.
- 33 S. Bhattacharyya, R. Han, W.-G. Kim, Y. Chiang, K. C. Jayachandrababu, J. T. Hungerford, M. R. Dutzer, C. Ma, K. S. Walton, D. S. Sholl and S. Nair, *Chem. Mater.*, 2018, **30**, 4089–4101.
- 34 F.-F. Lu, X.-W. Gu, E. Wu, B. Li and G. Qian, *J. Mater. Chem. A*, 2023, **11**, 1246–1255.
- 35 A. Dey, S. K. Konavarapu, H. S. Sasmal and K. Biradha, *Cryst. Growth Des.*, 2016, **16**, 5976–5984.
- 36 M. P. Suh, H. J. Park, T. K. Prasad and D. W. Lim, *Chem. Rev.*, 2012, **112**, 782–835.
- 37 P. Lu, Y. Wu, H. Kang, H. Wei, H. Liu and M. Fang, *J. Mater. Chem. A*, 2014, **2**, 16250–16267.
- 38 M. Dinca, W. S. Han, Y. Liu, A. Dailly, C. M. Brown and J. R. Long, *Angew. Chem., Int. Ed.*, 2007, **46**, 1419–1422.
- 39 A. Demessence, D. M. D'Alessandro, M. L. Foo and J. R. Long, *J. Am. Chem. Soc.*, 2009, **131**, 8784–8786.
- 40 H. Hayashi, A. P. Cote, H. Furukawa, M. O'Keeffe and O. M. Yaghi, *Nat. Mater.*, 2007, **6**, 501–506.
- 41 B. Seoane, J. M. Zamaro, C. Téllez and J. Coronas, *RSC Adv.*, 2011, **1**, 917–922.
- 42 G.-Y. Hwang, R. Roshan, H.-S. Ryu, H.-M. Jeong, S. Ravi, M.-I. Kim and D.-W. Park, *J. CO₂ Util.*, 2016, **15**, 123–130.
- 43 A. Huang, H. Bux, F. Steinbach and J. Caro, *Angew. Chem., Int. Ed.*, 2010, **49**, 4958–4961.
- 44 C. Zhang, R. P. Lively, K. Zhang, J. R. Johnson, O. Karvan and W. J. Koros, *J. Phys. Chem. Lett.*, 2012, **3**, 2130–2134.
- 45 G. Liu, J. Yang, Y. Zhao and X. Xu, *RSC Adv.*, 2022, **12**, 4408–4416.
- 46 H. Zhang, M. Zhao, Y. Yang and Y. S. Lin, *Micropor. Mesopor. Mater.*, 2019, **288**, 109568.
- 47 S. Tardio and P. J. Cumpson, *Surf. Interface Anal.*, 2017, **50**, 5–12.
- 48 M. Jacquemin, M. J. Genet, E. M. Gaigneaux and D. P. Debecker, *ChemPhysChem*, 2013, **14**, 3618–3626.
- 49 J. I. Deneff, K. S. Butler, P. G. Kotula, B. E. Rue and D. F. Sava Gallis, *ACS Appl. Mater. Interfaces*, 2021, **13**, 27295–27304.
- 50 C. Byrne, M. Mazaj and N. Z. Logar, *Mater. Chem. Phys.*, 2025, **332**, 130143.
- 51 M. J. Kalmutzki, C. S. Diercks and O. M. Yaghi, *Adv. Mater.*, 2018, **30**, e1704304.
- 52 T. Ami, K. Oka, S. Kitajima and N. Tohnai, *Angew. Chem., Int. Ed.*, 2024, **63**, e202407484.
- 53 F. Xiang, S. Chen, Z. Yuan, L. Li, Z. Fan, Z. Yao, C. Liu, S. Xiang and Z. Zhang, *JACS Au*, 2022, **2**, 1043–1053.
- 54 Y. Marcus, *J. Chem. Phys.*, 2012, **137**, 154501.
- 55 I. Nicotera, V. Kosma, C. Simari, G. A. Ranieri, M. Sgambetterra, S. Panero and M. A. Navarra, *Int. J. Hydrog. Energy*, 2015, **40**, 14651–14660.
- 56 Y. Ma, J. Liu, W. Yan, X. Li, X. Liu, L. Guo, P. Gong, X. Zheng and Z. Liu, *Microporous Mesoporous Mater.*, 2024, **367**, 112974.
- 57 Y. X. Lian, S. S. Liu, J. J. Sun, P. Luo, X. Y. Dong, X. F. Liu and S. Q. Zang, *Dalton Trans.*, 2022, **51**, 14054–14058.

