

Nanoscale

Accepted Manuscript



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this *Accepted Manuscript* with the edited and formatted *Advance Article* as soon as it is available.

You can find more information about *Accepted Manuscripts* in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.

Reduced Ceria Nanofilms from Structure Prediction


Sergey M. Kozlov,^a Ilker Demiroglu,^a Konstantin M. Neyman^{*a,b} and Stefan T. Bromley^{*a,b}

^a *Departament de Química Física and Institut de Química Teòrica i Computacional (IQTCUB), Universitat de Barcelona, 08028 Barcelona, Spain*

^b *Institució Catalana de Recerca i Estudis Avançats (ICREA), 08010 Barcelona, Spain*

Experimentally, Ce₂O₃ films are used to study cerium oxide in its fully or partially reduced state, as present in many applications. We have explored the space of low energy Ce₂O₃ nanofilms using structure searching and *ab initio* density functional calculations, yielding more than 30 distinct nanofilm structures. Our results firstly help to rationalize the roles of thermodynamics and kinetics in the preparation of reduced ceria nanofilms with different bulk crystalline structures (e.g. A-type or bixbyite) depending on the support used. We further predict a novel, as yet experimentally unresolved, nanofilm which has a structure that does not correspond to any previously reported bulk A₂B₃ phase and which has an energetic stability between that of A-type and bixbyite. To assist identification and fabrication of this new Ce₂O₃ nanofilm we calculate some observable properties and propose supports for its epitaxial growth.

Keywords: Ce₂O₃ nanofilms; epitaxial growth; structure prediction; simulated mechanical annealing; DFT calculations



TOC graphic

* Corresponding authors: e-mail: konstantin.neyman@icrea.cat (KMN); s.bromley@ub.edu (STB)

Cerium oxide (ceria) may gradually change its stoichiometry between CeO_2 and Ce_2O_3 depending on the environment. This makes it a key reducible oxide in numerous technological applications (e.g. gas sensors, fuel cells, catalysis).¹⁻³ Nanostructuring dramatically affects reducibility of CeO_2 , facilitating the formation of O vacancies.⁴⁻⁶ The latter results in the increased catalytic activity of noble metals supported on CeO_2 and, in particular, on nanostructured CeO_2 .^{1,7} Since stoichiometric cerium dioxide is present only at oxidizing conditions and/or moderate temperatures, there is a growing interest in (partially) reduced forms of ceria. Recently, ultrathin supported nanoscale films of crystalline stoichiometric cerium sesquioxide Ce_2O_3 have been prepared on various substrates.^{8,9} Such nanofilms provide well-defined model systems for studying the reactivity of ceria in extremely reducing conditions⁸ and have potential applications as high-k transistor gate dielectrics.⁹ Curiously, many of these nanofilms do not possess the hexagonal A-type structure, which is generally thought to be the thermodynamically stable bulk Ce_2O_3 polymorph.

Generally, for many oxide materials reduction of their thickness to only a few monolayers has opened up a wealth of new technological opportunities in diverse application areas.¹⁰ In only a few cases, however, are supported oxide nanofilms found to possess well-ordered atomic structures unlike that of the corresponding most stable bulk crystalline phase (e.g. Al_2O_3 ,¹¹ SiO_2 ,^{12,13} MgO ,¹⁴ ZnO ¹⁵). These nanofilms can be divided into two types: (i) non-stoichiometric films (e.g. oxides of Al,¹¹ Si¹²), where chemical bonds of a noticeable strength form with a strongly interacting support, or (ii) stoichiometric films, essentially without chemical bonds with the support (e.g. MgO ,¹⁴ ZnO ,¹⁵ SiO_2 ¹³). In all these cases *ab initio* calculations have been indispensable in confirming,^{11,12,16} and even predicting¹⁷ the atomic structure of the nanofilms. Although, in a real experimental set-up, oxide nanofilms are almost always grown on a support, computationally, via modelling free-standing sheets, one can enquire into the *inherent* stability of different nanofilm structures independently of a specific support. For known stoichiometric oxide nanofilms, the interactions with the support tend to be weak and the nanofilm structures can be well-described by free-standing sheet models.¹⁶⁻¹⁸ Note that even for nanofilms that weakly interact with the support epitaxial matching between the nanofilm and the support is generally observed. Comparison of free-standing models with experimental data can help to determine to what extent the observed polymorph is the result of: (i) intrinsic nanoscale structural/energetic tendencies of the material or (ii) experimental conditions (e.g. epitaxy with a specific support, metastability of obtained structures, etc.).

Herein we use a powerful structure search method and accurate electronic structure calculations to systematically explore the stabilities and structures of a range of free-standing stoichiometric Ce_2O_3 nanofilms in order to understand the experimental observations. Specifically, we address the issue of thermodynamic versus kinetic stability in experimentally prepared Ce_2O_3 nanofilms. Moreover, we predict new low energy Ce_2O_3 nanofilms that may be prepared in the future.

Diminution of inorganic materials to the nanoscale often induces one or more alternative atomic orderings relative to the most stable bulk crystal.¹⁹ In order to test this possibility for reduced ceria we explored the space of stable Ce_2O_3 nanofilm structures with ~ 1 nm thickness, i.e. containing four monolayers (MLs). Here, we define monolayers based on the number of cerium atoms, i.e. the O-Ce-O-Ce-O unit found in the vertical stacking of atomic layers in A-type $\text{Ce}_2\text{O}_3(001)$ is counted as 2 ML. We employed the simulated mechanical annealing (SMA) technique²⁰⁻²² for searching the space of low energy film structures. Following the experimental observation of structural relaxation via application of mechanical stress (termed mechanical annealing²³) in submicrometre atomic systems, the SMA method consists of cyclically gradually compressing and stretching the simulated Ce_2O_3 nanofilms laterally (by up to $\pm 30\%$) in a step-wise fashion. After each application of stress/strain to the nanofilm structure (achieved through systematically varying the cell parameters) all atomic positions are optimised. Upon these optimisations the atomic positions sometimes relaxed to give a new polymorph. We repeatedly applied the SMA stretching and compressing procedure to the Ce_2O_3 nanofilms for every new polymorphic structure found until no further structural changes occurred. To reduce the bias on the choice of initial nanofilm structure, we repeated the above process starting from three distinct archetypal A_2O_3 sesquioxide polymorphs: corundum, A-type, and bixbyite. Due to high computational cost of following this protocol directly with *ab initio* methods we initially performed the SMA search with suitable classical interatomic potentials (IPs)²⁴⁻²⁶ using the GULP²⁷ code. From this search, ten of the resulting lowest energy nanofilm structures were then optimised using density functional theory (DFT) calculations. As detailed below (see also Supporting Information, Figures S1, S2) both the lattice parameters and the relative energies calculated using IPs and DFT schemes correlate with one another very well. This excellent correspondence is in line with our previous experience in modelling stoichiometric^{4,28} and reduced ceria nanoparticles,²⁶ giving us confidence in using the IPs for our SMA searches.

In all reported periodic DFT calculations for both nanofilm and bulk structures, the unit cell parameters and all atomic positions were locally optimized (forces < 0.2 eV nm^{-1}) with

the PW91²⁹ form of the generalized gradient approximation (GGA) functional using the VASP code.³⁰ An onsite Coulombic correction ($U_{\text{eff}} = U - J$)^{31,32} was applied to obtain a localized description of Ce 4f-electrons, resulting in a GGA+U corrected functional. Following previous studies,^{4,5} a U_{eff} value of 4 eV was used. The suggestion that a LDA+U description of the relative stabilities of Ce₂O₃ polymorphs may provide a better match to experiment than a GGA+U approach³³ is briefly discussed below. The projector augmented wave approach^{34,35} was used to describe the effect of core electrons on valence states, with the latter represented by a plane wave basis with a 600 eV cut-off. Nanofilms were separated by over 1 nm in the *c*-stacking direction to avoid spurious periodic interactions. Reciprocal space *k*-point sampling was achieved through appropriate Monkhorst-Pack grids³⁶ (see Table 1). Tests showed that all nanofilm energies were converged to <0.5 kJ mol⁻¹ per Ce₂O₃ with respect to *k*-point sets and completeness of the plane wave basis.

Bulk calculations. The hexagonal A-type phase is generally thought to be the most thermodynamically stable bulk phase of Ce₂O₃.³⁷ Our GGA+U calculations, however, predict the A-type structure to be higher in energy than the cubic bixbyite structure ($E_{\text{rel}} = 19.9$ kJ mol⁻¹ per Ce₂O₃, see Table 1). Using a similar calculation set-up, an apparent improvement in the treatment of reduced ceria via the use of an LDA+U approach with respect to GGA+U one has been noted previously.³³ Our DFT calculations using the Local Density Approximation with a Hubbard U correction (LDA+U, with $U = 6$ eV) bring the energies of the two phases closer whereby the A-type phase becomes only 0.5 kJ mol⁻¹ per Ce₂O₃ less stable than bixbyite. We note that the lower relative energetic stability of bixbyite in ref 33 can be probably ascribed to the known problem of the presence of many meta-stable self-consistent electronic solutions to Kohn-Sham equations for reduced cerium oxide. These solutions differ by the shape and symmetry of occupied *f*-orbitals of Ce³⁺ cations, which may be sub-optimal in the electrostatic Madelung potential of the crystal.³⁸ We found that, for bixbyite especially, occupied *f*-orbitals would often converge to be f_{z^3} -like, instead of more stable f_{xyz} -like ones, significantly affecting the calculated total energy of the system.³⁹ In general, due to their more refined account of electron density variations, GGA functionals have proven to be superior to LDA functionals for calculating the relative stability of different oxide polymorphs when the coordination environment of the constituent atoms varies (e.g. SiO₂,⁴⁰ HfO₂⁴¹). Specifically, GGA functionals help to correct the tendency of LDA functionals to overstabilise polymorphic structures that have more bonds per atom. In the present study when going from bixbyite to A-type, the average bonding coordination

environment of Ce increases from six to seven; this may rationalize the increased relative stabilization of A-type in LDA+U calculations with respect to GGA+U treatments. The advantage of a GGA-based approach over LDA is expected to be more pronounced for structures with less homogeneous electron densities, in situations where bonds are being stretched, or for terminated structures.

Although in the case of the relative bulk energetics of bixbyite versus A-type polymorphs, GGA+U appears to overcompensate the failings of LDA+U, in principle GGA+U should provide an improved description of Ce_2O_3 systems. One way to assess this assertion is to compare the GGA+U results with those from computationally intensive calculations employing hybrid functionals; the current DFT benchmark standard for periodic systems like ceria.³ Using the hybrid HSE06 functional⁴² we find bixbyite to be more stable than A-type by 25 kJ mol^{-1} per Ce_2O_3 unit, confirming the energetic ordering calculated using GGA+U approach.

Considering the above mentioned arguments, in this work where we report the calculated properties of strained surface-terminated nanostructures, which possess novel polymorphic structures with variable bonding coordination, we preferred GGA+U over LDA+U.

Nanofilm calculations. The strain versus total energy curves resulting from the SMA searches for low energy Ce_2O_3 four ML nanofilms using IPs are shown in Fig. 1a. These searches revealed more than 30 distinct nanofilm structures of which ten with the lowest energy were further optimized using DFT calculations. Results for six of them, A-type, bixbyite and nanofilms 1 to 4 (NF1-NF4), as well as for A-type and bixbyite bulks are presented in Table 1. Bixbyite, as a four ML nanofilm, is still predicted by our GGA+U calculation to be more stable than the corresponding A-type nanofilm. However, its stability with respect to A-type decreases to 11.1 kJ mol^{-1} from 19.9 kJ mol^{-1} per Ce_2O_3 in the bulk. This reduction in polymorphic energy differences when going from bulk to nanofilm appears to be a general phenomenon that has been predicted to occur for a number of materials.⁴³ The new nanofilms NF1-NF4 found in our SMA searches all have energies slightly higher than the bixbyite nanofilm by $5.5 - 26.2 \text{ kJ mol}^{-1}$ per Ce_2O_3 . It is of note that the four nanofilms, NF1-NF4, have structures which do not correspond to any known bulk crystalline A_2O_3 polymorph. The 4 ML NF1 nanofilm is particularly interesting as it is the only new film that is predicted to be more energetically stable than the A-type 4 ML nanofilm. We note that this prediction is also confirmed by our calculations using the hybrid HSE06 functional. In Figure 2 we show the structures of the NF1, bixbyite and A-type 4 ML nanofilms. For these three nanofilms we have performed GGA+U calculations under externally applied stress or strain

(within the plane of each nanofilm) and generated three characteristic curves of relative energy *versus* the in-plane a lattice parameter per Ce_2O_3 unit (see Figure 1b). The shapes and relative positions of the three curves in Figure 1b match quite well with the corresponding IP-based curves (see highlighted curves in Figure 1a). Although the DFT-calculated energetic ordering of the nanofilms is generally well reproduced by the IP calculations, the latter results span a twice larger energy range. This finding is fully in line with a combined IP and GGA+U study of partially reduced ceria nanoclusters.²⁶ We note that according to the IP data bixbyite films are more stable than A-type and NF1 films even at their points of minimum energy. For the DFT calculations, however, the NF1 and A-type energy minima lay outside of the energy *versus* strain curve of bixbyite. This finding suggests that by using substrates with different lattice parameters one could favour the epitaxial growth of a particular nanofilm structure.

Experimentally, a few Ce_2O_3 nanofilm structures have already been produced on different substrates. In Figure 1b we include the in-plane lattice parameters of a selection of surfaces that have been employed to grow supported Ce_2O_3 nanofilms, as calculated using GGA-based DFT. For the Cu(111) surface, 2.5 ML fluorite $\text{CeO}_2(111)$ nanofilms were grown with a 2:3 epitaxy. Upon heating to 1070 K these nanofilms could be transformed into Ce_2O_3 nanofilms with the A-type structure while retaining a very similar epitaxial matching.⁴⁴ From a thermodynamical perspective, such a transition is in agreement with our calculations (Figure 1b) where the Cu(111) surface and A-type films have closely matching lattice parameters (after multiplying the lattice parameter of the A-type film by 3/2). Using metallic Ce as a reducing agent, and annealing under slightly milder thermal conditions (900 K), similar Cu(111)-supported 4 ML CeO_2 films could be reduced to Ce_2O_3 nanofilms exhibiting the bixbyite structure.⁹ Here, assuming no structural relaxation of the Cu(111) surface and perfect 3:2 epitaxy, we predict that a suitably contracted free-standing 4 ML bixbyite nanofilm would be moderately metastable (+6 kJ mol^{-1} per Ce_2O_3) relative to an A-type nanofilm with the same lattice parameter (see Figure 1b). We thus suggest that the observation of bixbyite films grown at relatively moderate temperature on Cu(111) does not necessarily require their preferential energetic stability on the support. Rather, it can be due to kinetics whereby the preparation retains much of the original fluorite structure of the CeO_2 precursor. Bixbyite Ce_2O_3 nanofilms of 2-5 ML have also been grown on Cl-passivated Si(111) surfaces by Flege et al.⁸ For such a situation we predict an even smaller metastability of 4 ML bixbyite films (+2 kJ mol^{-1} per Ce_2O_3) with respect to A-type. This very small calculated energy difference points again to kinetic stabilization of these experimentally

observed bixbyite nanofilms. For the significantly larger lattice parameter of Rh(111), supported CeO₂ nanofilms with 1-6 ML thicknesses have been shown to decompose at temperatures 700-800 °C to give a reduced ceria islands and a (4×4) Low-Energy Electron Diffraction (LEED) pattern.⁴⁵ Although in ref 45 this LEED pattern is ascribed to Ce-Rh alloy formation, with hindsight, another interpretation of such a measurement may be the emergence of the bixbyite structure. In Figure 1b we see that such an interpretation is consistent with the calculated small energetic preference for 3:2 epitaxial 4 ML bixbyite nanofilms on Rh(111).

Although we are aware of no reports directly identifying our predicted NF1 nanofilm we can see from Figure 1b that supports with a larger lattice parameter than those cited above for ultrathin films would be required to produce NF1. For instance, Re(0001) or Pt(111) with calculated a_0 of 278 and 282 pm, respectively. In fact, reduced ceria films have been prepared on Re(0001),⁴⁶ but, as far as we are aware, only with relatively large thicknesses (>20 ML) of limited relevance to the present study. On the Pt(111) surface, reduction of 1-2 ML CeO₂ nanofilms with 4:3 epitaxy has led to novel nanofilms with, as yet, undetermined structures.^{47,48} Assuming a 3:2 epitaxy, our calculations indicate that the Pt(111) surface should thermodynamically favour the formation of the 4 ML NF1 nanofilm relative to bixbyite and A-type. In ref. 47 a strongly reduced 2 ML CeO₂ nanofilm is found to exhibit an unresolved structure with a $9/4(\sqrt{3}\times\sqrt{3})R30^\circ$ periodicity (with respect to Pt) which is consistent with that of NF1 (see Figure 2). Similarly to the structure of NF1, the 1 ML Ce₂O₃ nanofilm reported in ref. 48 has a hexagonal unit cell with a lattice constant that is approximately twice that of A-type (see Table 1). Additionally, scanning tunneling microscopy of this latter nanofilm shows protruding add-atoms at three-fold coordinated sites covering. This observation is in line with the curious structure of NF1, which displays protruding oxygen atoms at three-fold coordinated sites, albeit with a higher density than that observed in experiment. The finding that the adatoms in the experimentally prepared 1 ML nanofilm are disordered whereas those in NF1 are ordered may be a reflection of experimental conditions (e.g. finite temperatures, 1 ML versus 4ML) or again kinetic limitations.

In order to encourage further experimental work to better characterize such reduced ceria nanofilms, in Table 2 we present some calculated properties of NF1 to help distinguish it from A-type and bixbyite nanofilms. Firstly, in line with its relatively larger in-plane lattice parameter, both the Ce and O atoms in the NF1 nanofilm have lower average coordination numbers than in A-type and bixbyite nanofilms. With respect to conductivity, GGA+U band

gaps ($O2p - Ce4f+5d$) are rather similar, ~ 3.9 eV, in the considered bulk structures and A-type film. However, in bixbyite and NF1 films these band gaps are reduced to ~ 2.7 eV, which could be explained by the presence of five-coordinated Ce ions. In fact, under-coordinated Ce ions were already shown to reduce the band gap in CeO_2 nanoparticles and concomitantly greatly increase their reducibility.⁴⁹ As these properties are amenable to measurement (e.g. via EXAFS, PES), we hope that our predicted new NF1 nanofilm will be identified in future experimental studies.

CONCLUSIONS

To summarise, using simulated mechanical annealing searches and density functional calculations we identify a range of new low energy 4 ML Ce_2O_3 nanofilm structures. We find that our calculations of energetic stability versus in-plane lattice parameter are consistent with stability of experimentally observed nanofilm phases depending on the substrates used to prepare them. Further, we propose a new energetically stable NF1 film structure and suggest suitable substrates that would favor its growth. We note that our predicted NF1 nanofilm appears to have some structural properties consistent with those reported for reduced ceria films on Pt(111) surfaces. Finally, we present specific calculated properties of the NF1 nanofilm that should assist in its experimental identification.

Electronic supplementary information (ESI) available: Graph of IP versus DFT relative energies for nanofilms, GGA+U calculated lattice parameters and atomic coordinates of NF1-4 nanofilms. See DOI: 10.1039/XXXXX

ACKNOWLEDGMENTS

SMK thanks the Spanish MEDU for FPU grant AP2009-3379. This study has been supported by grants of the Spanish Ministry of Economy and Competitiveness (CTQ2012-34969; MAT2012-30924), the European Union FP7 Program under grant agreement number 310191, the Generalitat de Catalunya (2014SGR97; XRQTC) and by the COST Action CM1104. We also acknowledge use of supercomputing resources provided by the Red Española de Supercomputación.

Table 1. In-plane film lattice parameter (a_0 in pm), relative energies (E_{rel} , with respect to bixbyite, per Ce_2O_3 unit, in kJ mol^{-1}), Monkhorst-Pack k -point mesh, and thicknesses (in pm) of optimised Ce_2O_3 bulk polymorphs and nanofilms from GGA+U calculations.

System	a_0	a_0 per unit	E_{rel}	k -points	Thickness
Bulk					
A type	391 ^a	391	19.9	5×5×5	∞
bixbyite	1130	399	0	3×3×3	∞
Film					
A type	384	384	11.1	3×3×1	1081
bixbyite	1587	397	0	1×1×1	1186
NF1	713×707 ^b	~410	5.5	5×5×1	1129
NF2	1364	394	20.8	3×3×1	1147
NF3	1383×1379 ^b	~399	26.2	3×3×1	1150
NF4	1407	406	22.2	3×3×1	1118

^a The experimental value is 389 pm.³⁷

^b Two lattice parameters are given for films with distorted hexagonal structure.

Table 2. Calculated GGA+U energy gap values $\Delta\varepsilon$ (in eV) between the highest occupied (HO) and the lowest unoccupied (LU) states of Ce and O and average coordination numbers of Ce, $N(\text{Ce})$, in bulk and 4 ML nanofilm structures.^a

System	$\Delta\varepsilon(\text{HO}_{\text{Ce}}-\text{HO}_{\text{O}})$	$\Delta\varepsilon(\text{HO}_{\text{Ce}}-\text{LU}_{\text{O}})$	$\Delta\varepsilon(\text{HO}_{\text{O}}-\text{LU}_{\text{Ce}})$	$N(\text{Ce})^b$
A-type bulk	1.4	2.0	3.9	7.00
bixbyite bulk	1.8	1.7	3.8	6.00
A-type film	1.4	2.3	4.1	6.50
bixbyite film	1.1	0.8	2.7	5.63
NF1 film	1.4	1.0	2.7	5.50

^a Note that the presented GGA+U absolute band gap values $\Delta\varepsilon(\text{HO}_{\text{O}}-\text{LU}_{\text{Ce}})$ are expected to be notably underestimated with respect to both those from hybrid-functional DFT calculations and experimental data.³

^b Average coordination numbers of O are 1.5 times smaller than $N(\text{Ce})$.




Figure 1. Results of a) the IP-based SMA search, and b) GGA+U calculations for films with: A-type (circles), bixbyite (squares) and NF1 (triangles), NF2-4 (diamonds), corundum (black, no symbol) and other structures (brown, no symbol). Energies (relative to that of the optimized bixbyite nanofilm) and lattice parameters are given per Ce₂O₃ unit. Solid lines in b) are parabolic fits to the data points to guide the eye. Vertical dotted lines in b) indicate GGA-calculated lattice parameters of possible supports for nanofilm growth (multiplied by 3/2 for transition metals).




Figure 2. Top and side views of A-type, bixbyite and NF1 Ce_2O_3 nanofilms of 4 ML thickness. O atoms are displayed as red spheres and Ce^{3+} ions as grey spheres. Atoms with darker colors are located in surface layers. Employed unit cells are denoted by black lines.

References

- 1 C. Sun, H. Li and A. Chen, *Energy Environ. Sci.*, 2012, **5**, 8475–8505.
- 2 Catalysis by Ceria and Related Materials. ed. A. Trovarelli and P. Fornasiero, 2nd Ed., Imperial College Press, London, 2013.
- 3 J. Paier, C. Penschke and J. Sauer, *Chem. Rev.*, 2013, **113**, 3949–3985.
- 4 A. Migani, G. N. Vayssilov, S. T. Bromley, F. Illas and K. M. Neyman, *Chem. Commun.*, 2010, **46**, 5936–5938.
- 5 A. Migani, G. N. Vayssilov, S. T. Bromley, F. Illas and K. M. Neyman, *J. Mater. Chem.*, 2010, **20**, 10535–10546.
- 6 S. M. Kozlov and K. M. Neyman, *Phys. Chem. Chem. Phys.*, 2014, **16**, 7823–7829.
- 7 S. Carrettin, P. Concepción, A. Corma, J. M. López Nieto and V. F. Puntes, *Angew. Chem. Int. Ed.*, 2004, **43**, 2538–2540.
- 8 J. I. Flege, B. Kaemena, S. Gevers, F. Bertram, T. Wilkens, D. Bruns, J. Bätjer, T. Schmidt, J. Wollschläger and J. Falta, *Phys. Rev. B*, 2011, **84**, 235418.
- 9 V. Stetsovych, F. Pagliuca, F. Dvořák, T. Duchoň, M. Vorokhta, M. Aulická, J. Lachnitt, S. Schernich, I. Matolínová, K. Veltruská, T. Skála, D. Mazur, J. Mysliveček, J. Libuda and V. Matolín, *J. Phys. Chem. Lett.*, 2013, **4**, 866–871.
- 10 *Oxide Ultrathin Films: Science and Technology*, ed. G. Pacchioni and S. Valeri, Wiley-VCH, Weinheim, 2011.
- 11 G. Kresse, M. Schmid, E. Napetschnig, M. Shishkin, L. Köhler and P. Varga, *Science*, 2005, **308**, 1440–1442.
- 12 J. Weissenrieder, S. Kaya, J.-L. Lu, H.-J. Gao, S. Shaikhutdinov, H.-J. Freund, M. Sierka, T. K. Todorova and J. Sauer, *Phys. Rev. Lett.*, 2005, **95**, 076103.
- 13 D. Löffler, J. J. Uhlrich, M. Baron, B. Yang, X. Yu, L. Lichtenstein, L. Heinke, C. Büchner, M. Heyde, S. Shaikhutdinov, H.-J. Freund, R. Włodarczyk, M. Sierka and J. Sauer, *Phys. Rev. Lett.*, 2010, **105**, 146104.
- 14 M. Kiguchi, S. Entani, K. Saiki, T. Goto and A. Koma, *Phys. Rev. B*, 2003, **68**, 115402.
- 15 C. Tusche, H. L. Mayerheim and J. Kirschner, *Phys. Rev. Lett.*, 2007, **99**, 026102.
- 16 J. Goniakowski, C. Noguera and L. Giordano, *Phys. Rev. Lett.*, 2004, **93**, 215702.
- 17 C. L. Freeman, F. Claeysens, N. L. Allan and J. H. Harding, *Phys. Rev. Lett.*, 2006, **96**, 066102.
- 18 S. Tosoni, B. Civalleri and P. Ugliengo, *J. Phys. Chem. C*, 2010, **114**, 19984–19992.
- 19 A. Navrotsky, *Proc. Nat. Acad. Sci.*, 2004, **101**, 12096–12101.
- 20 W. Sangthong, J. Limtrakul, F. Illas and S. T. Bromley, *Nanoscale*, 2010, **2**, 72–77.
- 21 N. Krainara, J. Limtrakul, F. Illas and S. T. Bromley, *Phys. Rev. B*, 2011, **83**, 233305.
- 22 N. Krainara, J. Limtrakul, F. Illas and S. T. Bromley, *J. Phys. Chem. C*, 2013, **117**, 22908–22914.

-
- 23 Z. W. Shan, R. K. Mishra, S. A. Syed Asif, O. L. Warren and A. M. Minor, *Nat. Mater.* 2007, **7**, 115–119.
- 24 T. X. T. Sayle, S. C. Parker and C. R. A. Catlow, *J. Chem. Soc., Chem. Commun.*, 1992, 977–978.
- 25 J. C. Conesa, *Surf. Sci.*, 1995, **339**, 337–352.
- 26 A. Migani, K. M. Neyman, F. Illas and S. T. Bromley, *J. Chem. Phys.*, 2009, **131**, 064701.
- 27 J. D. Gale, *Z. Krist.*, 2005, **220**, 552–554.
- 28 A. Migani, K. M. Neyman and S. T. Bromley, *Chem. Commun.*, 2012, **48**, 4199–4201.
- 29 J. P. Perdew and Y. Wang, *Phys. Rev. B*, 1992, **45**, 13244–13249.
- 30 G. Kresse and J. Hafner, *Phys. Rev. B*, 1993, **47**, 558–561.
- 31 V. I. Anisimov, F. Aryasetiawan and A. I. Lichtenstein, *J. Phys.: Condens. Matter*, 1997, **9**, 767–808.
- 32 S. L. Dudarev, G. A. Botton, S. Y. Savrasov, C. J. Humphreys and A. P. Sutton, *Phys. Rev. B*, 1998, **57**, 1505–1509.
- 33 J. L. F. Da Silva, *Phys. Rev. B*, 2007, **76**, 193108.
- 34 P. E. Blöchl, *Phys. Rev. B*, 1994, **50**, 17953–17979.
- 35 G. Kresse and D. Joubert, *Phys. Rev. B*, 1999, **59**, 1758–1775.
- 36 H. J. Monkhorst and J. D. Pack, *Phys. Rev. B*, 1976, **13**, 5188–5192.
- 37 H. Bärnighausen and G. Schiller, *J. Less-Common Met.*, 1985, **110**, 385–390.
- 38 H. Jiang, P. Rinke and M. Scheffler, *Phys. Rev. B*, 2012, **86**, 125115.
- 39 As an example, we note that the energy associated with improper *f*-orbital symmetry can be up to ~0.5 eV per Ce₂O₃, when the symmetry of all orbitals in the cell are erroneous.
- 40 D. R. Hamann, *Phys. Rev. B*, 1996, **76**, 660–663.
- 41 J. Kang, E.-C. Lee and K. J. Chang, *Phys. Rev. B*, 2003, **68**, 054106.
- 42 J. Heyd, G. E. Scuseria and M. Ernzerhof, *J. Chem. Phys.*, 2003, **118**, 8207.
- 43 I. Demiroglu and S. T. Bromley, *Phys. Rev. Lett.*, 2013, **110**, 245501.
- 44 V. Matolín, J. Libra, I. Matolínová, V. Nehasil, L. Sedláček and F. Šutara, *Appl. Surf. Sci.*, 2007, **254**, 153–155.
- 45 S. Eck, C. Castellarin, S. Surnev, M. G. Ramsey and F. P. Netzer, *Surf. Sci.*, 2002, **520**, 173–185.
- 46 W. Xiao, Q. Guo and E. G. Wang, *Chem. Phys. Lett.*, 2003, **368**, 527–531.
- 47 P. Luches, F. Pagliuca and S. Valeri, *Phys. Chem. Chem. Phys.*, 2014, **16**, 18848–18857.
- 48 U. Berner and K.-D. Schierbaum, *Phys. Rev. B*, 2002, **65**, 235404.
- 49 M. A. Sk, S. M. Kozlov, K. H. Lim, A. Migani and K. M. Neyman, *J. Mater. Chem. A*, 2014, **2**, 18329–18338.