

RSC Advances




This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. This *Accepted Manuscript* will be replaced by the edited, formatted and paginated article as soon as this is available.

You can find more information about *Accepted Manuscripts* in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



The ultrasonic irradiation of an aqueous solution containing a silver ammonia complex ($\text{Ag}(\text{NH}_3)_2\text{OH}$) and graphene oxide (GO) is a simple strategy for producing rGO uniformly decorated with ultrafine AgNPs with a narrow size distribution.

83x35mm (300 x 300 DPI)

One-pot sonochemical synthesis of reduced graphene oxide uniformly decorated with ultrafine silver nanoparticles for non-enzymatic detection of H₂O₂ and optical detection of mercury ions

A. Moradi Golsheikh^{1,2*}, N.M. Huang^{1*}, H.N. Lim³, Rozalina Zakaria⁴,

¹Low Dimensional Materials Research Centre (LDMRC), Physics Department, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

²Nanotechnology Laboratory, Esfarayen University of Technology, Esfarayen 9661998195, North Khorasan, Iran

³Department of Chemistry, Faculty of Science, University Putra Malaysia, 43400 UPM Serdang, Selangor Darul Ehsan, Malaysia

⁴Photonics Research Centre, Physics Department, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

*Corresponding author: huangnayming@um.edu.my and amir_moradi_g@ymail.com Tel: +6012-2091008 Fax: +603-7967 4146

Abstract

Reduced graphene oxide (rGO) uniformly decorated with silver nanoparticles (AgNPs) was synthesized through the simple ultrasonic irradiation of an aqueous solution containing a silver ammonia complex (Ag(NH₃)₂OH) and graphene oxide (GO). The results of X-ray diffraction, Fourier-transform infrared transmission spectroscopy, X-ray photoelectron spectroscopy and Raman spectroscopy confirmed the simultaneous formation of cubic-phase

AgNPs and the reduction of GO through the ultrasonication process. The size of the nanoparticles could be tuned by adjusting the volume ratio of the precursors and the ultrasonic irradiation time. Transmission electron microscope images showed a uniform distribution of ultrafine spherical AgNPs with a narrow size distribution on the rGO sheets, which could only be achieved using the silver ammonia complex, rather than silver nitrate, as the precursor. The average particle size of the silver with the narrowest size distribution was 4.57 nm. The prepared AgNPs-rGO modified glassy carbon electrode exhibited notable electrocatalytic activity toward the non-enzymatic detection of H₂O₂ with a wide linear range of 0.1–70 mM ($R^2 = 0.9984$) and a detection limit of 4.3 μ M. Furthermore, the prepared AgNPs-rGO composite was employed for the spectral detection of Hg²⁺ ions and showed a detection limit of 20 nM.

1. Introduction

Graphene, a one-atom-thick sheet of sp²-bonded carbon atoms, has unique electronic, mechanical and thermal properties.¹⁻³ Thus, it has potential applications in many advanced technologies, including nanoelectronics, sensors, capacitors and composites.⁴⁻⁷ At present, graphene nanosheets are prepared using a variety of techniques, including the micromechanical exfoliation of graphite, chemical vapour deposition, electrochemical reduction of graphene oxide (GO), epitaxial growth and thermal or chemical reduction of graphite oxide.^{1, 8-12} Recently, a sonochemical method was reported as a facile, fast and cost-effective route for the reduction of GO to form graphene nanosheets.¹³

Graphene's favourable characteristics, including its high electrical conductivity, large surface-to-volume ratio and excellent chemical tolerance, render it a distinguishable matrix for composites. In view of this, metal-nanoparticle-decorated graphene composites have been the focus of research in recent years because of their multifunctional abilities. Among these, silver-

nanoparticle (AgNP)-decorated graphene composites are consistently some of the most frequently researched composites because they are effective in various applications, including surface-enhanced Raman scattering (SERS) substrates, glucose sensors and hydrogen peroxide sensors.¹⁴⁻¹⁶ These AgNP-decorated graphene composites are prepared using different strategies: 1) the in-situ reduction of silver ions on the surface of GO and simultaneous reduction of GO to graphene,^{16, 17} 2) in-situ reduction of silver ions on the surface of pre-formed reduced GO^{18, 19} and 3) decoration of pre-formed reduced GO with pre-synthesized AgNPs.^{15, 20} The latter two strategies involve multiple steps, which make the preparation process complex. In addition, AgNP-decorated graphene composites normally require chemical reducing and/or stabilizing agents (such as ethylene glycol,²¹ hydrazine,²² and poly(diallyldimethylammonium chloride) (PDDA)²³), some of which are toxic.

In recent years, a sonochemical method has proven to be a versatile and promising technique for the synthesis of a variety of nanostructures such as metals,²⁴⁻²⁶ metal oxides^{27, 28} and metal sulphides.^{28, 29} The chemical effects of ultrasound irradiation arise from the acoustic cavitation phenomenon. When a liquid is irradiated with ultrasound, bubbles are created, which allow the ultrasonic energy to accumulate during growth. The unstable gas-liquid interface subsequently collapses, releasing the stored energy within a very short time. These cavitation implosions generate localized hotspots with a high temperature of 5000 K, pressure of 1000 bar and heating and cooling rate of 10^{10} K/s.³⁰ These extreme conditions are suitable for reducing GO and metal ions. Recently, a sonochemical strategy has been used for the synthesis of graphene-based inorganic nanocomposites such as metals,^{31, 32} bimetal³³ and metal oxides.³⁴⁻³⁶ Herein, we report a fast, one-step, cost-effective and environmentally friendly synthesis of rGO

uniformly decorated with ultrafine AgNPs using a sonochemical method that does not involve chemical reducing and/or stabilizing agents.

2. Experimental

2.1 Materials

Graphite flakes were purchased from Ashbury Inc. (NJ, USA). Sulphuric acid (H_2SO_4 , 98%), potassium permanganate (KMnO_4 , 99.9%), hydrogen peroxide (H_2O_2 , 30%), hydrochloric acid (HCl , 37%) and sodium hydroxide (NaOH , 99.99%) were purchased from Merck. Silver nitrate (AgNO_3 , 99.7%) was purchased from System, Malaysia. An ammonia solution (NH_3 , 25%) was obtained from Sigma-Aldrich. Distilled water was used throughout the sample preparation.

2.2 Preparation of AgNPs-rGO composite

GO was prepared using a simplified Hummers' method.³⁷ A silver-ammonia [$\text{Ag}(\text{NH}_3)_2\text{OH}$] solution was prepared by adding ammonia (1 w/v%) to a silver nitrate solution (50 mM) until the complete absence of precipitates was observed. The concentration of the obtained $\text{Ag}(\text{NH}_3)_2\text{OH}$ was approximately 40 mM. The freshly prepared $\text{Ag}(\text{NH}_3)_2\text{OH}$ solution was mixed with an aqueous solution of GO (1.0 mg/mL) at GO-to- $\text{Ag}(\text{NH}_3)_2\text{OH}$ volume ratios of 8, 4 and 2 (the samples were labelled AgNPs-rGO-1, AgNPs-rGO-2 and AgNPs-rGO-3, respectively) and stirred for 5 min to ensure homogeneity. The resulting solutions were exposed to acoustic cavitation by using an ultrasonic horn (Misonix Sonicator S-4000, USA, 20 kHz) immersed directly into the solutions at a 60% amplitude for 5 min, with a 3 s pulse and 5 s relaxation cycle. The products were centrifuged and washed with distilled water three times and were finally redispersed in water. To investigate the effect of the ultrasonic irradiation time,

AgNPs-rGO-4 and AgNPs-rGO-5 were prepared by using ultrasonic irradiation times of 15 and 30 min, respectively, for the same solution as AgNPs-rGO-2. The ultrasonic reaction was conducted without cooling. Thus, temperatures of approximately 65, 75 and 80 °C were achieved at the end of the 5, 15 and 30 min reaction times, respectively. For comparison, AgNPs-rGO-6 was prepared under the same conditions as AgNPs-rGO-2 using an AgNO₃ solution (0.04 M) instead of the Ag(NH₃)₂OH solution (0.04 M).

2.3 Preparation of modified electrode

A glassy carbon electrode (GCE) was polished using 1.0- and 0.3- μ m alumina powders and then sonicated in ethanol and distilled water for 1 min each. Finally, the electrode was dried in a stream of nitrogen, and 5 μ L of a suspension of the AgNPs/rGO composite was dropped onto the pre-cleaned GCE and allowed to dry in air at room temperature. An electrochemical sensing application of AgNPs-rGO was conducted on a potentiostat/galvanostat (Versastat 3 Applied Research Princeton, USA) using a three-electrode system, with a modified GCE (with an active area of 0.07 cm²) as the working electrode, a platinum wire as the counter electrode and a saturated calomel electrode (SCE) as the reference electrode.

2.4 Spectral detection of Hg²⁺ ions

The spectral detection of Hg²⁺ ions using the AgNPs/rGO composite was performed using a UV–visible spectrometer (Thermo Scientific Evolution). The absorption spectra of the AgNPs/rGO composite were recorded after adding different concentrations of Hg²⁺ ions from 0.1 to 100 μ M. To monitor the absorption spectra, a freshly prepared solution of Hg²⁺ ions was added to 4 mL of the AgNPs/rGO composite, shaken well, and allowed a constant resting time (8 min). For selective detection, 100 μ M of the analyte (Hg²⁺, Fe²⁺, K⁺, Mn²⁺, Pb²⁺, Zn²⁺, Cd²⁺, Cu²⁺ and Ni²⁺ ions) was added to the AgNPs/rGO composite, and the changes in the absorption

spectra were recorded. The limits of detection (LODs) for both hydrogen peroxide and mercury ions were calculated using the following equation:

$$\text{LOD}=3S/b \quad (1)$$

where S is the standard deviation of the blank, and b is the slope of the calibrated curve.

2.5 Characterization

The crystal phase, morphology and microstructure of the samples were characterized using the X-ray powder diffraction (XRD; Philips X'pert system using Cu K α radiation), a UV-visible spectrometer (Thermo Scientific Evolution), a high-resolution transmission electron microscope (HRTEM, JEOL JEM-2100F), a Fourier-transform infrared spectrometer (FTIR; Perkin Elmer System 2000 series spectrophotometer, USA), X-ray photoelectron spectroscopy (XPS) (measurements were taken using synchrotron light at beamline no. 3.2 of the Siam Photon Laboratory in the Synchrotron Light Research Institute, Thailand) and a Raman spectrometer (Renishaw inVia Raman microscope using laser excitation at $\lambda = 514$ nm).

3. Results and Discussion

Figure 1 shows the XRD patterns of pristine GO (a), a sample holder (b) and AgNPs-rGO prepared at different reaction times (c–e) (5, 15 and 30 min, respectively). The pristine GO has a sharp peak at 10.8° , which is assigned to the (002) inter-planar spacing of 0.82 nm.³⁸ Meanwhile, the XRD pattern of the sample holder has a broad peak at about $2\theta = 13^\circ$, which is observed in the XRD patterns of all the samples. As shown in Figure 1(c–e), the XRD patterns of AgNPs-rGO composites exhibit broad peaks at 38.1° , 44.3° , 64.2° and 77.6° , which can be indexed to the (111), (200), (220) and (311) planes of the cubic Ag crystal, respectively (PDF card no: 00-

004-0783). The calculated lattice spaces of the (111), (200), (220) and (311) planes are 2.36, 2.05, 1.44 and 1.23 Å, respectively. The average crystallite sizes of the AgNPs-rGO composites prepared at 5, 15 and 30 min, calculated using the size strain plot method,³⁹ are 5.6, 6.6 and 8.3 nm, respectively. As the ultrasonic irradiation time increases, the intensity of the peaks and the average crystallite size increase, indicating the formation of AgNPs with a larger average size. Meanwhile, the (002) peak of GO disappeared after the sonication process. This is attributed to the growth of AgNPs on the surface of the graphene sheets, which prevented the restacking of the graphene sheets.³⁸




Figure 1. XRD patterns of pristine GO (a), sample holder (b) and AgNPs-rGO prepared at different ultrasonic irradiation times: 5 min (c), 15 min (d) and 30 min (e).

Figure 2A shows the UV–Vis absorption spectra of GO and AgNPs-rGO. In the UV–Vis spectrum of GO, two characteristic peaks can be observed at 229 and 304 nm, which are attributed respectively to $\pi - \pi^*$ transitions of aromatic C=C bonds and $n - \pi^*$ transitions of C=O bonds.⁴⁰ After ultrasonic irradiation of the $\text{Ag}(\text{NH}_3)_2\text{OH}$ and GO solution, those peaks

disappeared, and two new peaks appeared at 251 and 396 nm, which correspond to the reduction in GO and surface plasmon resonance (SPR) of the spherical AgNPs, respectively.^{41, 42} The inset of Figure 2A shows a photograph of the solution of $\text{Ag}(\text{NH}_3)_2\text{OH}$ and GO before and after ultrasonic irradiation treatment, in which the colour changes from yellow brown to black. Figure 2B (a–d) shows the effect of the ultrasonic irradiation time on the formation of the AgNPs-rGO composites. After 5 min of ultrasonic irradiation, a slight absorption band at 396 nm appears. Meanwhile, the peak can be clearly observed at 15 min, indicating the presence of spherical AgNPs. A further increase in the reaction time induced a heightened peak intensity at 396 nm and the “red enlargement” of this peak. The enhanced peak intensity and broadness imply the increased concentration of silver, which is attributed to the increased amount and size of the AgNPs, as proven in the subsequent discussion on the morphology of the composite observed using the HRTEM.




Figure 2. (A) UV–Vis absorption spectra of GO and AgNPs-rGO (inset shows photograph of solution of GO and $\text{Ag}(\text{NH}_3)_2\text{OH}$ before and after ultrasonic irradiation) and (B) time evolution of UV–Vis absorption spectra of AgNPs-rGO.

Figure 3 shows the FTIR spectra of pristine GO (a) and AgNPs-rGO composites that were prepared at different ultrasonic irradiation times (b–d) (5, 15 and 30 min, respectively). For

GO, the broad peak centred at 3227 cm^{-1} is attributed to the O-H stretching vibrations, whereas the peaks at 1735 , 1626 , 1381 and 1225 cm^{-1} are assigned to the C=O stretching, sp^2 -hybridized C=C group and O-H bending, C-OH stretching and C-O-C stretching, respectively.⁴³ Meanwhile, the peaks at 1169 and 1046 cm^{-1} can be attributed to the C-O vibration of the epoxy or alkoxy groups.⁴⁴ For the AgNPs-rGO composites, the peak at 1597 cm^{-1} is assigned to the sp^2 -hybridized C=C group. The peak at 1169 cm^{-1} for GO is absent for the AgNPs-rGO composites, and the intensity of the peaks, related to the oxygen-containing groups, decreases for the AgNPs-rGO composites, indicating the reduction of GO during the ultrasonic irradiation process. In addition, Figure 3 shows that the peak intensity of the oxygen-containing groups decreases gradually with an increase in the ultrasonic irradiation time, which indicates the stepwise removal of oxygen-containing groups.




Figure 3. FTIR spectra of pristine GO (a) and AgNPs-rGO prepared at different ultrasonic irradiation times: 5 min (b), 15 min (c) and 30 min (d).

The XPS spectra further proved the reduction of GO after ultrasonic treatment. As shown in Figure 4a, the C1 band of pristine GO can be fitted to four deconvoluted components, centred

at 284.5, 286.2, 287.8 and 289 eV, which are assigned to the non-oxygenated ring C, the C in C-O, the C in C=O and the C in C(O)O, respectively.^{45, 46} In comparison to the pristine GO, the C1 band of the AgNPs-rGO composites shows that the peak intensity of the oxygenated carbonaceous bands decreased, indicating the reduction of GO after ultrasonic treatment. In addition, the peak intensity of the oxygenated carbonaceous bands gradually decreases with an increase in the ultrasonic irradiation time, which is consistent with the FTIR results.




Figure 4. XPS spectra of pristine GO (a) and AgNPs-rGO prepared at different ultrasonic irradiation times: 5 min (b), 15 min (c) and 30 min (d).

Figure 5 shows the Raman spectra for pristine GO (a) and the AgNPs-rGO composites with different ultrasonic irradiation times (b–d) (5, 15 and 30 min, respectively). The Raman spectrum of GO shows two peaks at 1350 and 1603 cm^{-1} , which correspond to the well-known D

and G bands, respectively. The D band is ascribed to the breathing mode of A_{1g} symmetry, involving phonons near the K zone boundary. Meanwhile, the G band is assigned to the E_{2g} mode of sp^2 -bonded carbon atoms.⁴⁷ The D and G band positions and intensity ratios of $I(D)/I(G)$ for the GO and AgNPs-rGO composites, prepared at different ultrasound irradiation times, are summarized in Table 1. In comparison to the pristine GO, the Raman spectra of the AgNPs-rGO composites show that the G band shifted to lower wavenumbers, which can be attributed to the reduction in GO during the ultrasonic irradiation process.^{48, 49} In addition, the intensity ratio of $I(D)/I(G)$ for an AgNPs-rGO composite decreases with an increase in the ultrasonic irradiation time to 15 min compared to that of GO, which can be attributed to the formation of sp^2 bonds during the ultrasonic irradiation process.⁵⁰ However, when the ultrasonic irradiation time was further increased to 30 min, the intensity ratio of $I(D)/I(G)$ increased to a slightly higher value of 0.95, compared to that of GO (0.91), which can be assigned to the formation of further defects in the rGO sheets. A possible explanation is that the prolonged reaction time is conducive to the increased formation of AgNPs on the rGO, thus overriding the sp^2 hybridized carbon. Moreover, the intensity peaks of the D and G bands were enhanced in the case of AgNPs-rGO as a result of the SERS effect of the AgNPs. It is well-known that electromagnetic and chemical enhancements are the origins of the SERS effect. Electromagnetic enhancement can be associated with the excitation of localized surface plasmon resonances (LSPR) of noble metal nanoparticles (such as Ag and Au), with a large enhancement factor (up to 10^{12}), whereas chemical enhancement can be attributed to the formation of charge-transfer complexes through chemical interaction, with a minor enhancement factor (up to 100).^{51, 52} As shown in Figure 5, the intensity peaks of the D and G bands for the AgNPs-rGO composite increased from 1.3 to 4 times compared to that of

GO with the increase in the ultrasonic irradiation time, which indicates the increase in AgNPs on the surface of the graphene nanosheets as the ultrasonic irradiation time increased.⁵²




Figure 5. Raman spectra of pristine GO (a) and AgNPs-rGO prepared at different ultrasonic irradiation times: 5 min (b), 15 min (c) and 30 min (d).

Table 1. D and G peak positions and intensity ratios of I(D)/I(G) (obtained by Raman analysis) of GO and AgNPs-rGO composites prepared at different ultrasonic irradiation times.

	GO	AgNPs-rGO (5 min)	AgNPs-rGO (15 min)	AgNPs-rGO (30 min)
D band (cm ⁻¹)	1350	1360	1363	1360
G band (cm ⁻¹)	1603	1594	1593	1591
I(D)/I(G)	0.91	0.88	0.87	0.95

Figure 6 shows the typical TEM images and size distribution histograms of the AgNPs-rGO prepared by using solutions with GO (1.0 mg/mL) to $\text{Ag}(\text{NH}_3)_2\text{OH}$ (0.04 M) volume ratios of 8 (a and b), 4 (c and d) and 2 (e and f), as well as a solution with a GO (1.0 mg/mL) to AgNO_3 (0.04 M) volume ratio of 4 (g and h) at an ultrasonic irradiation time of 5 min. As shown in Figure 6a and b, ultrafine spherical AgNPs with a mean size of 4.56 nm and a narrow size distribution are anchored and well distributed on the surface of the rGO sheets. Figure 6(c–f) shows that the increased amount of $\text{Ag}(\text{NH}_3)_2\text{OH}$ is commensurate with the mean size and size distribution. The type of Ag precursor appears to affect the size and coverage density of the nanoparticles on the surface of the graphene. When AgNO_3 was used as a precursor of Ag, the mean particle size increased to 9.96 nm, and the size distribution widened, as shown in Figure 6g and h. Moreover, the density of the particles was reduced tremendously compared to those prepared by using $\text{Ag}(\text{NH}_3)_2\text{OH}$ as the precursor of Ag, as a result of the clumping of nanoparticles. This implies that the ammonia molecules acted somewhat as a template for the nucleation and growth of AgNPs at a constraint geometry. The ammonia molecules critically controlled the particle size and size distribution of the AgNPs.











Figure 6. TEM images and size distribution diagrams of AgNPs-rGO prepared using solutions with GO (1.0 mg/mL) to $\text{Ag}(\text{NH}_3)_2\text{OH}$ (0.04 M) volume ratios of 8 (a and b), 4 (c and d) and 2 (e and f), as well as solution with GO (1.0 mg/mL) to AgNO_3 (0.04 M) volume ratio of 4 (g and h), with same ultrasonic irradiation time of 5 min.

Figure 7 shows typical TEM images and size distribution diagrams of the AgNPs-rGO prepared by using the solution with the GO (1.0 mg/mL) to $\text{Ag}(\text{NH}_3)_2\text{OH}$ (0.04 M) volume ratio of 4 at different ultrasonic irradiation times of 15 min (a and b) and 30 min (c and d). As shown in Figure 7, as the ultrasonic irradiation time increases from 5 min to 15 and 30 min, the mean size increases from 5.67 nm to 7.82 and 12.68 nm, respectively, and the size distribution broadens. Figure 7e shows an HRTEM image of AgNPs anchored on the surface of the rGO sheet. The measured lattice fringe spaces of 0.23 and 0.20 nm are attributed to the (111) and (200) planes of silver crystal, respectively. In retrospect, the planes identified by TEM agree with those deduced from XRD.




Figure 7. TEM images and size distribution diagrams of AgNPs-rGO prepared by using solution with GO (1.0 mg/mL) to $\text{Ag}(\text{NH}_3)_2\text{OH}$ (0.04 M) volume ratio of 4 at different ultrasonic irradiation times of 15 min (a and b) and 30 min (c and d), and HRTEM image of AgNPs anchored on surface of graphene sheet (e).

The formation mechanism of the AgNPs-rGO *via* a sonochemical reaction is shown in Figure 8. Dispersed GO sheets in water are negatively charged as a result of the ionization of the

carboxyl and hydroxyl groups on the surface of the GO (Figure 8a).⁵³ This causes the positively charged $[\text{Ag}(\text{NH}_3)_2]^+$ ions to be adsorbed on the negatively charged GO sheets by electrostatic attraction (Figure 8b). When an aqueous solution is irradiated with ultrasound, bubbles are created and accumulate ultrasonic energy while growing. Rapid collapse of the bubbles leads to the creation of localized hotspots with a high temperature of 5000 K, pressure of 1000 bar and heating and cooling rate of 10^{10} K/s. Under these conditions, highly reactive H and OH radicals can be generated by the pyrolysis of water molecules.²⁵



The generated H^\bullet radicals act as reducing species, resulting in reduction mechanisms:^{25, 31}



or



and



The GO and adsorbed $[\text{Ag}(\text{NH}_3)_2]^+$ or Ag^+ ions are simultaneously reduced to graphene and AgNPs by the ultrasonic irradiation process (Figure 8c). In addition, GO is a thermally unstable material above 200 °C. Hence, the high temperature generated during ultrasonic irradiation could reduce GO to graphene.^{13, 54} When the concentration of the $[\text{Ag}(\text{NH}_3)_2]^+$ ions or the ultrasonic irradiation time increased, the free $[\text{Ag}(\text{NH}_3)_2]^+$ or Ag^+ ions in the aqueous solution continued to grow on the previously formed AgNPs, as well as nucleating on the rGO sheets, which explained the increased particle size and density on the rGO sheets. As can be seen in Figure 6, the sonochemical reaction can be enhanced by using the silver ammonia complex instead of silver nitrate. The two plausible reasons are given as follows: 1) the negatively charged GO is

enhanced through neutralization by the alkaline $\text{Ag}(\text{NH}_3)_2\text{OH}$ to attract more $[\text{Ag}(\text{NH}_3)_2]^+$ ions than AgNO_3 , leading to the creation of more initial nucleation sites;¹⁷ and 2) the ammonia can scavenge the OH radicals that are produced from pyrolysis to provide a reducing condition.⁵⁵




Figure 8. Schematic illustration of formation mechanism for AgNPs-rGO composite via ultrasonic irradiation.

AgNPs are typically known to exhibit high catalytic activity for the reduction of hydrogen peroxide. To investigate the effect of the ultrasonication time on the electrocatalytic activity of the AgNPs-rGO towards hydrogen peroxide reduction, cyclic voltammetry (CV) measurements of the AgNPs-rGO/GCE electrodes prepared at different ultrasonication times were conducted in a 0.2 M phosphate buffer solution (PBS) at pH 6.5 in the presence of 1 mM H_2O_2 . As shown in Figure 9, all the AgNPs-rGO/GCE electrodes exhibited a notable cathodic peak for the reduction of H_2O_2 in comparison to the bare GCE. As can be seen in Figure 9, the

catalytic activity of the AgNPs-rGO/GCE electrode was enhanced by an increase in the ultrasonication time used to prepare the composite from 5 min to 15 min. A plausible reason is that a higher-density of AgNPs could be achieved on the surface of rGO by increasing the ultrasonication time, which enhanced the electrocatalytic activity of the composite. In addition, a further increase in the ultrasonication time to 30 min decreased the electrocatalytic activity of the composite towards the reduction of H_2O_2 . A plausible reason is that, although a higher density of AgNPs could be achieved on the surface of the rGO, it consisted of larger AgNPs. These results are consistent with those of a previous study,³³ which implied that the electrocatalytic activity of silver nanoparticles decreased with increasing particle size and increased with increasing particle density. The reduction peak of all the AgNPs-rGO/GCE electrodes shifted to a positive potential as the size and density of the AgNPs increased.^{33, 56}




Figure 9. CV values of various electrodes in 0.2 M PBS (pH 6.5) in presence of 1.0 mM H_2O_2 : (a) bare GCE and AgNPs-rGO/GCE prepared by using different ultrasonication times of (b) 5 min, (c) 15 min and (d) 30 min.

Figure 10 shows the amperometric current–time response of the AgNPs-rGO-4/GCE electrode at -0.4 V in an N_2 -saturated 0.2 M PBS buffer (pH: 6.5) upon successive step changes in the H_2O_2 concentration. When an aliquot of H_2O_2 was injected in the stirring PBS solution, the reduction current rapidly changed to reach a steady-state value within 3 s, indicating a fast amperometric response behaviour. The inset shows the corresponding calibration curve of the AgNPs-rGO-4/GCE electrode. The current response of the AgNPs-rGO-4/GCE electrode is estimated to be linear within the H_2O_2 concentration range of 0.1 to 70 mM ($R^2 = 0.9984$), whereas the limit of detection is estimated to be 4.3 μ M, based on a signal-to-noise ratio of three. The relative standard deviation (RSD) of the current response to 5 mM H_2O_2 at -0.4 V is 5.6% for five successive measurements. Based on the results of a comparative analysis of different types of electrodes listed in Table 2, the present AgNPs-rGO/GCE electrode is demonstrated to be capable of affording a favourable detection limit and linear range for sensing H_2O_2 .




Figure 10. Steady-state response of AgNPs-rGO-4/GCE to successive injections of H_2O_2 into stirred 0.2 M PBS (pH 6.5) with applied potential of -0.4 V. The inset is the corresponding calibration curve.

Table 2. Comparison of results from this work and literature regarding performance of H₂O₂ assays.

Type of electrode	Limit of detection (μM)	Linear range (mM)	References
Ag NPs-MWCNT/Au electrode	0.5	0.05-17	57
Ag NPs-GN-R/GCE	28	0.1-40	22
AgNP-PMPD/GCE	4.7	0.1-30	58
MnO ₂ NWs-Ag/GCE	0.24	0.1-4	59
AgNP/GO/ssDNA/AuE	1.9	0.1-20	60
GN-AgNWs/GCE	9.3	0.02-5.34	32
Ag NPs-NFs/GCE	62	0.1-80	61
AgNPs-rGO/ITO	5	0.1-100	16
AgNP/rGO-benzylamine/GCE	31.3	0.1-100	15
PDDA-rGO/AgNPs/GCE	35	0.1-41	23
Ag NPs/3DG	14.9	0.03-16.21	62
AgNPs/rGO/GCE	4.3	0.1-70	This work

In order to evaluate the sensitivity and application of the AgNPs-rGO composite to the determination of Hg²⁺ ions, the UV–vis absorbance peak related to the surface plasmon resonance (SPR) of silver nanoparticles was monitored during the addition of different concentrations of an aqueous solution of Hg²⁺ ions at room temperature. As shown in the inset of Figure 11a, the colour of AgNPs/rGO gradually changes from brown-yellow to colourless with the increase in the Hg²⁺ ion concentrations. Figure 11a shows the UV–vis absorbance values for the AgNPs-rGO composite in the absence and presence of different concentrations of Hg²⁺ ions, where the intensity of the absorbance peak decreases with an increasing concentration of Hg²⁺ ions. Accompanied by the extinction intensity of the peak, the SPR peak position shifts toward shorter wavelengths. This phenomenon can be explained by the redox reaction between the Hg²⁺ ions and Ag atoms. Because the redox potential of the Hg²⁺/Hg⁰ (0.85 V) is higher than that of the Ag⁺/Ag⁰ (0.8 V), Hg²⁺ ions oxidize the metallic Ag atoms, which produces metallic Hg atoms and Ag⁺ ions. According to the previous reports, the blue shift in the SPR peak can be

related to the adsorption of Hg onto Ag NPs.^{63, 64} Figure 11b shows a calibration curve related to the difference in the absorbance peak of the AgNPs-rGO composite, which is subject to the concentration of Hg^{2+} ions. The intensity of the absorbance peak rapidly decreases with an increase in the concentration of Hg^{2+} ions up to 10 μM . Above this concentration, the intensity of the absorbance peak slowly decreases with good linearity. A plausible reason for the two linear ranges is that with the increase in the Hg^{2+} ion concentration above 10 μM , the formation of a metallic Hg layer around the Ag nanoparticles may occur, which decreases the sensitivity and produces the second linear range.⁶⁴ The estimated limit of detection is 20 nM, based on a signal-to-noise ratio of three. Further experiments were carried out to investigate the selective sensing of Hg^{2+} ions by AgNPs-rGO in the presence of other environmentally relevant metal ions (Fe^{2+} , K^+ , Mn^{2+} , Pb^{2+} , Zn^{2+} , Cd^{2+} , Cu^{2+} and Ni^{2+}). As shown in Figure 11c, the SPR peak of AgNPs/rGO was dramatically quenched only by the addition of Hg^{2+} , and no significant changes in the SPR peak were observed by the addition of other metal ions, which demonstrated the selective sensing ability of the prepared AgNPs/rGO composite toward Hg^{2+} ions.




Figure 11. (a) Absorbance responses of AgNPs-rGO composite for different concentrations of Hg^{2+} ions from 0.1 to 100 μ M. The inset shows the gradual colour change of the AgNPs-rGO

solution with the increase in the Hg^{2+} ion concentration. (b) The corresponding calibration curve for the Hg^{2+} ion detection. (c) The relative absorbance change in AgNPs-rGO in the presence of Hg^{2+} ions and some other common metal ions.

4. Conclusion

The ultrasonic irradiation of an aqueous solution containing a silver ammonia complex ($\text{Ag}(\text{NH}_3)_2\text{OH}$) and graphene oxide (GO) is a simple strategy for producing rGO uniformly decorated with ultrafine AgNPs with a narrow size distribution. It was established that the silver ammonia complex is the key to the successful synthesis of well-formed composites. The particle size of the AgNPs embedded on the rGO sheets could be easily tuned by adjusting the ultrasonic radiation time or the amount of $\text{Ag}(\text{NH}_3)_2\text{OH}$. The prepared AgNPs-rGO composite exhibited a promising potential application to the enzyme-less electrochemical detection of hydrogen peroxide and the SPR optical sensing of mercury ions.

Acknowledgment

This work was supported by the UMRG Program Grant (RP007C/13AFR) by University of Malaya and a High Impact Research Grant from the Ministry of Higher Education of Malaysia (UM.C/625/1/HIR/MOHE/SC/21).

References

- 1 K. S. Novoselov, A. K. Geim, S. V. Morozov, D. Jiang, Y. Zhang, S. V. Dubonos, I. V. Grigorieva and A. A. Firsov, *Science*, 2004, 306, 666-669.
- 2 C. Lee, X. Wei, J. W. Kysar and J. Hone, *Science*, 2008, 321, 385-388.
- 3 A. A. Balandin, S. Ghosh, W. Bao, I. Calizo, D. Teweldebrhan, F. Miao and C. N. Lau, *Nano Letters*, 2008, 8, 902-907.

- 4 S. Gilje, S. Han, M. Wang, K. L. Wang and R. B. Kaner, *Nano Letters*, 2007, 7, 3394-3398.
- 5 M. Zhou, Y. Zhai and S. Dong, *Analytical Chemistry*, 2009, 81, 5603-5613.
- 6 C. Liu, Z. Yu, D. Neff, A. Zhamu and B. Z. Jang, *Nano Letters*, 2010, 10, 4863-4868.
- 7 X. Huang, X. Qi, F. Boey and H. Zhang, *Chemical Society Reviews*, 2012, 41, 666-686.
- 8 A. Guermoune, T. Chari, F. Popescu, S. S. Sabri, J. Guillemette, H. S. Skulason, T. Szkopek and M. Sijaj, *Carbon*, 2011, 49, 4204-4210.
- 9 H.-L. Guo, X.-F. Wang, Q.-Y. Qian, F.-B. Wang and X.-H. Xia, *ACS Nano*, 2009, 3, 2653-2659.
- 10 C. Berger, Z. Song, X. Li, X. Wu, N. Brown, C. Naud, D. Mayou, T. Li, J. Hass, A. N. Marchenkov, E. H. Conrad, P. N. First and W. A. de Heer, *Science*, 2006, 312, 1191-1196.
- 11 H. C. Schniepp, J.-L. Li, M. J. McAllister, H. Sai, M. Herrera-Alonso, D. H. Adamson, R. K. Prud'homme, R. Car, D. A. Saville and I. A. Aksay, *The Journal of Physical Chemistry B*, 2006, 110, 8535-8539.
- 12 S. Stankovich, D. A. Dikin, R. D. Piner, K. A. Kohlhaas, A. Kleinhammes, Y. Jia, Y. Wu, S. T. Nguyen and R. S. Ruoff, *Carbon*, 2007, 45, 1558-1565.
- 13 K. Krishnamoorthy, G.-S. Kim and S. J. Kim, *Ultrasonics Sonochemistry*, 2013, 20, 644-649.
- 14 Y. Zhang, S. Liu, L. Wang, X. Qin, J. Tian, W. Lu, G. Chang and X. Sun, *RSC Advances*, 2012, 2, 538-545.
- 15 S. Liu, J. Tian, L. Wang and X. Sun, *Carbon*, 2011, 49, 3158-3164.

- 16 A. Moradi Golsheikh, N. M. Huang, H. N. Lim, R. Zakaria and C.-Y. Yin, *Carbon*, 2013, 62, 405-412.
- 17 Y. Zhang, X. Yuan, Y. Wang and Y. Chen, *Journal of Materials Chemistry*, 2012, 22, 7245-7251.
- 18 J. Li and C.-y. Liu, *European Journal of Inorganic Chemistry*, 2010, 2010, 1244-1248.
- 19 J. Ma, J. Zhang, Z. Xiong, Y. Yong and X. S. Zhao, *Journal of Materials Chemistry*, 2011, 21, 3350-3352.
- 20 J. Liu, S. Fu, B. Yuan, Y. Li and Z. Deng, *Journal of the American Chemical Society*, 2010, 132, 7279-7281.
- 21 B. Yu, J. Feng, S. Liu and T. Zhang, *RSC Advances*, 2013, 3, 14303-14307.
- 22 S. Liu, J. Tian, L. Wang, H. Li, Y. Zhang and X. Sun, *Macromolecules*, 2010, 43, 10078-10083.
- 23 X. Liu, X. Xu, H. Zhu and X. Yang, *Analytical Methods*, 2013, 5, 2298-2304.
- 24 S. K. Tripathy, A. Mishra, S. K. Jha, R. Wahab and A. A. Al-Khedhairi, *Analytical Methods*, 2013, 5, 1456-1462.
- 25 V. G. Pol, D. N. Srivastava, O. Palchik, V. Palchik, M. A. Slifkin, A. M. Weiss and A. Gedanken, *Langmuir*, 2002, 18, 3352-3357.
- 26 M. Darroudi, A. Khorsand Zak, M. R. Muhamad, N. M. Huang and M. Hakimi, *Materials Letters*, 2012, 66, 117-120.
- 27 A. Khorsand Zak, W. H. a. Majid, H. Z. Wang, R. Yousefi, A. Moradi Golsheikh and Z. F. Ren, *Ultrasonics Sonochemistry*, 2013, 20, 395-400.
- 28 J. Geng, X.-D. Jia and J.-J. Zhu, *CrystEngComm*, 2011, 13, 193-198.

- 29 Y. Wu, X. Hao, J. Yang, F. Tian and M. Jiang, *Materials Letters*, 2006, 60, 2764-2766.
- 30 J. H. Bang and K. S. Suslick, *Advanced Materials*, 2010, 22, 1039-1059.
- 31 K. Vinodgopal, B. Neppolian, I. V. Lightcap, F. Grieser, M. Ashokkumar and P. V. Kamat, *The Journal of Physical Chemistry Letters*, 2010, 1, 1987-1993.
- 32 S. Chandra, S. Bag, R. Bhar and P. Pramanik, *J Nanopart Res*, 2011, 13, 2769-2777.
- 33 S. Anandan, A. Manivel and M. Ashokkumar, *Fuel Cells*, 2012, 12, 956-962.
- 34 Q.-P. Luo, X.-Y. Yu, B.-X. Lei, H.-Y. Chen, D.-B. Kuang and C.-Y. Su, *The Journal of Physical Chemistry C*, 2012, 116, 8111-8117.
- 35 G. Park, L. Bartolome, K. G. Lee, S. J. Lee, D. H. Kim and T. J. Park, *Nanoscale*, 2012, 4, 3879-3885.
- 36 S. Zhu, J. Guo, J. Dong, Z. Cui, T. Lu, C. Zhu, D. Zhang and J. Ma, *Ultrasonics Sonochemistry*, 2013, 20, 872-880.
- 37 N. M. Huang, H. N. Lim, C. H. Chia, M. A. Yarmo and M. R. Muhamad, *International journal of nanomedicine*, 2011, 6, 3443-3448.
- 38 G. Xie, J. Cheng, Y. Li, P. Xi, F. Chen, H. Liu, F. Hou, Y. Shi, L. Huang, Z. Xu, D. Bai and Z. Zeng, *Journal of Materials Chemistry*, 2012, 22, 9308-9314.
- 39 M. A. Tagliente and M. Massaro, *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 2008, 266, 1055-1061.
- 40 J. I. Paredes, S. Villar-Rodil, A. Martínez-Alonso and J. M. D. Tascón, *Langmuir*, 2008, 24, 10560-10564.
- 41 B. Su, D. Tang, Q. Li, J. Tang and G. Chen, *Analytica Chimica Acta*, 2011, 692, 116-124.
- 42 A. M. Abdel-Mohsen, R. Hrdina, L. Burgert, G. Krylová, R. M. Abdel-Rahman, A. Krejčová, M. Steinhart and L. Beneš, *Carbohydrate Polymers*, 2012, 89, 411-422.

- 43 C. Cheng, S. Nie, S. Li, H. Peng, H. Yang, L. Ma, S. Sun and C. Zhao, *Journal of Materials Chemistry B*, 2013.
- 44 V. H. Pham, T. V. Cuong, S. H. Hur, E. Oh, E. J. Kim, E. W. Shin and J. S. Chung, *Journal of Materials Chemistry*, 2011, 21, 3371-3377.
- 45 D. R. Dreyer, S. Park, C. W. Bielawski and R. S. Ruoff, *Chemical Society Reviews*, 2010, 39, 228-240.
- 46 S. Pei, J. Zhao, J. Du, W. Ren and H.-M. Cheng, *Carbon*, 2010, 48, 4466-4474.
- 47 A. C. Ferrari and J. Robertson, *Physical Review B*, 2000, 61, 14095-14107.
- 48 T. N. Lambert, C. A. Chavez, B. Hernandez-Sanchez, P. Lu, N. S. Bell, A. Ambrosini, T. Friedman, T. J. Boyle, D. R. Wheeler and D. L. Huber, *The Journal of Physical Chemistry C*, 2009, 113, 19812-19823.
- 49 A. M. Golsheikh, N. M. Huang, H. N. Lim, C. H. Chia, I. Harrison and M. R. Muhamad, *Chemical Engineering Journal*, 2013, 218, 276-284.
- 50 M. Shi, J. Shen, H. Ma, Z. Li, X. Lu, N. Li and M. Ye, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 2012, 405, 30-37.
- 51 G. Baker and D. Moore, *Anal Bioanal Chem*, 2005, 382, 1751-1770.
- 52 Z. Xu, H. Gao and H. Guoxin, *Carbon*, 2011, 49, 4731-4738.
- 53 D. Li, M. B. Muller, S. Gilje, R. B. Kaner and G. G. Wallace, *Nat Nano*, 2008, 3, 101-105.
- 54 K. Krishnamoorthy, M. Veerapandian, R. Mohan and S.-J. Kim, *Appl. Phys. A*, 2012, 106, 501-506.
- 55 L. Huang, L. Li, W. Dong, Y. Liu and H. Hou, *Environmental Science & Technology*, 2008, 42, 8070-8075.

- 56 F. W. Campbell, S. R. Belding, R. Baron, L. Xiao and R. G. Compton, *The Journal of Physical Chemistry C*, 2009, 113, 9053-9062.
- 57 W. Zhao, H. Wang, X. Qin, X. Wang, Z. Zhao, Z. Miao, L. Chen, M. Shan, Y. Fang and Q. Chen, *Talanta*, 2009, 80, 1029-1033.
- 58 J. Tian, H. Li, W. Lu, Y. Luo, L. Wang and X. Sun, *Analyst*, 2011, 136, 1806-1809.
- 59 Q. Han, P. Ni, Z. Liu, X. Dong, Y. Wang, Z. Li and Z. Liu, *Electrochemistry Communications*, 2014, 38, 110-113.
- 60 W. Lu, G. Chang, Y. Luo, F. Liao and X. Sun, *J Mater Sci*, 2011, 46, 5260-5266.
- 61 J. Tian, S. Liu and X. Sun, *Langmuir*, 2010, 26, 15112-15116.
- 62 B. Zhan, C. Liu, H. Shi, C. Li, L. Wang, W. Huang and X. Dong, *Applied Physics Letters*, 2014, 104, -.
- 63 A. Henglein and C. Brancewicz, *Chemistry of Materials*, 1997, 9, 2164-2167.
- 64 T. Morris, H. Copeland, E. McLinden, S. Wilson and G. Szulczewski, *Langmuir*, 2002, 18, 7261-7264.