



**Perfluorocarbon-loaded polydopamine nanoparticles as
ultrasound contrast agents**

Journal:	<i>Nanoscale</i>
Manuscript ID	NR-ART-03-2018-002605.R2
Article Type:	Paper
Date Submitted by the Author:	08-Jun-2018
Complete List of Authors:	Xie, Yijun; University of California San Diego Wang, James; University of California, San Diego, Department of NanoEngineering Wang, Zhao; Northwestern University, Chemistry Krug, Kelsey; University of California San Diego, Chemistry and Biochemistry Rinehart, Jeffrey; University of California, San Diego, Department of Chemistry and Biochemistry; UC San Diego



Journal Name

ARTICLE

Perfluorocarbon-loaded polydopamine nanoparticles as ultrasound contrast agents

Yijun Xie,^{a,b} James Wang,^{a,c} Zhao Wang,^{a,d} Kelsey A. Krug,^a and Jeffrey D. Rinehart^{*a,b}

Received 00th January 20xx,
Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

www.rsc.org/

A versatile platform for the development of new ultrasound contrast agents is demonstrated through a one-pot synthesis and fluorination of submicron polydopamine (PDA-F) nanoparticles. The fluorophilicity of these particles allows loading with perfluoropentane (PFP) droplets that display strong and persistent ultrasound contrast in aqueous suspension and ex vivo tissue samples. Contrast under continuous imaging by color Doppler persists for 1 h in 135 nm PDA-F samples, even at maximum clinical imaging power (MI = 1.9). Additionally, use of a Cadence Contrast Pulse Sequence (CPS) results in a non-linear response suitable for imaging at 0.5 mg/mL. Despite the PFP volatility and the lack of a hollow core, PDA-F particles display minimal signal loss after storage for over a week. The ability to tune size, metal-chelation, and add covalently-bound organic functionality offers myriad possibilities for extending this work to multimodal imaging, targeted delivery, and therapeutic functionality.

Introduction

Medical ultrasound imaging is an essential modern diagnostic technique due to its affordability, lack of ionizing radiation, portability, tissue penetration, and real-time display. It serves as a valuable complement to more costly imaging modalities such as magnetic resonance imaging (MRI), positron emission tomography (PET), and computed tomography (CT).¹⁻³ As in many other medical imaging methods, ultrasound can be enhanced through the introduction of a contrast agent. These agents generate contrast against surrounding tissue via a non-linear resonance interaction with the impinging ultrasound waves and thus do not require magnetic or radioactive properties to achieve strong signal to noise ratios. In fact, the current clinically-employed ultrasound agents are all inert low-boiling perfluorocarbons (PFC) stabilized within simple phospholipid or protein coatings.^{2, 4} Under ultrasonic stimulation, these PFC droplets undergo large pressure changes resulting in a transition to a gaseous microbubble which can provide contrast under various ultrasound modalities.⁵ Additionally, these microbubbles can potentially re-condense and provide long-term imaging through

subsequent cavitation oscillations.⁶ The large size of current ultrasound contrast agents (1-5 μm) is advantageous because it allows for high PFC-loading; however, it also restricts particle circulation time, displays poor accumulation and retention in target tissues, and only generates strong contrast at low frequencies, thus limiting resolution.⁶ To improve upon these properties, a range of inorganic ultrasound contrast agents have been developed with better size control including hollow/porous silica,^{1, 7-15} carbon nanotubes,¹⁶ calcium carbonate nanoparticles,¹⁷ and others.^{18, 19} The rigid shell structure of these materials allows for robust particles of sub-micron diameter and can encapsulate PFC in a more stable fashion. While structurally versatile, many inorganic contrast agents have limited size tunability due to the need for thin shells, and, in some cases, biocompatibility is limited or unknown. Ideally, an ultrasound contrast agent combines the biocompatibility of commercial organic structures with the structural versatility of the inorganic materials. One such approach is with polymer nanoparticles such as polydopamine (PDA), which is structurally very similar to naturally occurring melanin.²⁰ Many studies have demonstrated the biocompatibility of PDA, and coatings of PDA are frequently used to enhance the biocompatibility of other materials.²¹⁻²³ Furthermore, the chemical functionality present in PDA allows for a range of modifications via covalent bond formation and metal chelation leading to applications in MRI contrast,^{21, 24-27} drug delivery,²⁸ cell imaging,²⁹ and photothermal therapeutics.^{30, 31} It is also tolerant of acidic and basic environments, forms stable aqueous suspensions, and can be synthesized at sub-micron sizes. While it lacks native ultrasound contrast and it is neither porous or fluorophilic enough to encapsulate or adsorb PFC, functionalization with fluorinated molecules has been demonstrated to facilitate the

^a Department of Chemistry and Biochemistry, University of California, San Diego, La Jolla, CA 92093, USA.

Email: jrinehart@ucsd.edu

^b Materials Science and Engineering Program, University of California, San Diego, La Jolla, CA 92093, USA.

^c Department of NanoEngineering, University of California, San Diego, La Jolla, CA 92093, USA.

^d Department of Chemistry, Northwestern University, Evanston, IL 60208, USA

† Footnotes relating to the title and/or authors should appear here.

Electronic Supplementary Information (ESI) available: [details of any supplementary information available should be included here]. See DOI: 10.1039/x0xx00000x

uptake of PFC in other polymer nanoparticles.^{32–34} Herein, we demonstrate that $< 0.5 \mu\text{m}$ fluorine-functionalized PDA nanoparticles (PDA-F NPs) are capable of stabilizing perfluoropentane (PFP, b.p. = 29.2 °C) droplets under aqueous conditions for use in color Doppler and cadence contrast pulse sequencing (CPS) ultrasound imaging.

Results and discussion

Without significant porosity or fluorophilicity, PDA is predicted to show minimal uptake of PFCs and therefore minimal ultrasound contrast. Control samples of fluorine-free PDA were synthesized by previously described methods. Briefly, dopamine was dissolved in the mixture of ethanol and water under alkaline conditions and allowed to react for 24 h with stirring.³⁵ The dopamine polymerization process is briefly described in Scheme S1. Typical transmission electron microscopy (TEM) and scanning electron microscopy (SEM) images are shown in Fig. 1 and Fig. S1. By varying the dopamine hydrochloride (DA) concentration of the starting solution, particles of 74 ± 10 , 174 ± 28 , and 350 ± 40 nm (PDA-74, PDA-174, and PDA-350, respectively) were obtained as determined by transmission electron microscopy (TEM) (Fig. 1(a–c)). Fluorine-functionalized PDA (PDA-F) NPs were similarly prepared with the only variation being an *in situ* Michael addition reaction commonly shown to functionalize catechols with thiol and amino groups under mild alkaline conditions.^{31, 36, 37} Specifically, perfluorodecanethiol was added after 9 h of reaction time such that the growing PDA incorporated the perfluorinated side-chain as has been demonstrated previously for the synthesis of superhydrophobic surfaces.^{38, 39} PDA-F NPs of 41 ± 14 , 135 ± 28 , and 242 ± 33 nm PDA-F (PDA-41-F, PDA-135-F, and PDA-242-F, respectively) were synthesized to allow comparison to unfluorinated PDA of roughly equivalent size (Fig. 1(d–f); Fig. S1(d–f), Supporting information). The presence of C–F bonds at the particle surface was confirmed by X-ray photoelectron spectroscopy (XPS) on all three PDA-F samples.⁴⁰ (Fig. S2). Energy dispersive X-ray spectra (EDS) was used to quantify S and F content of PDA-F NPs (Fig. S3). PDA-135-F and PDA-242-F show ~ 8 wt% F with a S ratio roughly corresponding to that expected for the perfluorodecanethiol unit. However, PDA-41-F has far higher F and S content, consistent with the low-density interparticle linking structures visible by TEM. Interestingly, direct addition of perfluorodecanethiol prior to PDA nucleation did not result in any particle formation, likely due to excessive termination of the polymer growth sites by the thiol.

Alterations in the particle morphology between PDA and PDA-F can be observed by TEM, with interparticle polymeric linkages clearly forming in the case of PDA-41-F. To examine the extent of these linkages, Dynamic Light Scattering (DLS) was employed to determine the average hydrodynamic radius (R_{hyd}) of PDA-41-F ($R_{\text{hyd}} = 220$ nm), PDA-135-F ($R_{\text{hyd}} = 250$ nm), and PDA-242-F ($R_{\text{hyd}} = 400$ nm) suspensions. These results corroborate the TEM data wherein PDA-41-F displays significant covalent interparticle linkage while both PDA-135-F and PDA-242-F show little to no linkage or aggregation (Fig.

S4). Zeta potentials of PDA-41-F, PDA-135-F, and PDA-242-F were -9.6 ± 1.3 , -13.7 ± 0.7 and -23.8 ± 1.4 mV, respectively, showing




Fig. 1 TEM images of (a) PDA-74, (b) PDA-174, (c) PDA-350, (d) PDA-41-F, (e) PDA-135-F, and (f) PDA-242-F.

moderate stability in aqueous solution. Even the largest of our particles are significantly smaller than current clinical ultrasound contrast agent sizes ($R_{\text{hyd}} = 1\text{--}7 \mu\text{m}$)⁴¹ thus increasing their potential for cell permeability and use in extravascular space.

To function as an ultrasound contrast agent, PDA-F requires enough fluorophilicity to nucleate a liquid droplet of low boiling point PFC. Similar to other ultrasound agents, PDA-F can then generate contrast from a phase shift of the probe ultrasound pulse. Uniquely, our PFC droplet is external to the stabilizing unit (PDA-F) instead of being encapsulated by it as in all other ultrasound agents reported to date. Loading of PDA-F with perfluoropentane (PFP, $T_b = 29.2$ °C) was achieved by suspending the NPs in 200 μL of PFP liquid, sonicating for 30 s, and allowing the residual to evaporate. Dynamic Light Scattering (DLS) data of PFP-loaded PDA-F demonstrates an increase in hydrodynamic radius size compared with pure PDA-F samples, consistent with PFP-loading on the surface (Fig. S5).

Subsequent to exposure to PFP, both PDA and PDA-F samples were examined using two ultrasound imaging modes: Color Doppler and Contrast Pulse Sequencing (CPS). Unlike standard B mode imaging, CPS does not show contrast in the absence of an effective contrast agent and color Doppler will only show contrast in a flowing medium. Color Doppler signal is a result of cavitation and release of PFP gas which can then be imaged as blue- or redshifted signal from the moving gas.⁸ Color Doppler imaging was performed on stable aqueous suspensions of 0.5 mg/mL PDA and PDA-F at an optimized frequency ($f = 7$ MHz) with a clinically-safe Mechanical Index ($MI \leq 1.9$). Color Doppler of PDA-F reveals a far stronger response than the unfluorinated PDA NPs (Fig. 2a–c). The drastic increase in signal upon fluorination of the polymer NPs indicates a much higher uptake of PFP in PDA-F samples. Control experiments on aqueous dispersions of 0.5 mg/mL PDA-74, PDA-174 and PDA-350 without PFP treatment reveal

that pure PDA particles do not show color Doppler signal above background (Fig. S6).

One factor of particular importance in color Doppler imaging is the temporal persistence of signal. We found that all three




Fig. 2 Color Doppler imaging of (a) PDA-74, (b) PDA-174, (c) PDA-350, (d) PDA-41-F, (e) PDA-135-F, and (f) PDA-242-F at MI=1.9.

PDA-F sizes show significant color Doppler signal persistence (Fig. 2d-f), with PDA-135-F providing approximately 1 h of imaging time (Fig. 3d and Fig. S7). Although the color Doppler signal is difficult to quantify, continuous imaging for 1 h is not achievable with current commercial ultrasound contrast agents.^{7, 42} By comparison, commercially-available Definity samples (Perflutren Lipid Microspheres) retain a color Doppler signal for approximately 5 min (Fig. S7c).

Given the long imaging times, testing of stability of PFC loading allows for delayed imaging and periodic imaging without reintroduction of contrast agent. To demonstrate the long-term stability of PFP-loaded PDA-F particles, PDA-135-F was charged with PFP and stored at 4 °C for one week. Color Doppler imaging reveals a strong signal roughly equivalent to that of freshly prepared samples (Fig. 4).

To provide a more quantitative analysis of the ultrasound contrast ability of pure PDA and PDA-F NPs, CPS imaging was performed as a function of MI (Fig. 5). CPS signal is achieved via a non-linear response designed to improve specificity to the contrast agent. CPS brightness quantification was adapted from Liberman *et al.*⁴³ Briefly, the gold specks in the CPS correspond to echo decorrelation events and signal generation from PFP gas. An average brightness was determined from the signal intensity of a fixed region of interest. In parallel to the color Doppler results, PDA-F demonstrates strong contrast compared to unfluorinated PDA samples (Fig. 5). In fact, there is no significant contrast difference between PDA samples and deionized water (Fig. S8), confirming PFP as the source of the CPS contrast. Unlike commercial ultrasound agents, the CPS signal was found to increase continuously with increasing MI, up to 1.9. These results indicate the robust nature of PFP

adhesion to PDA-F NPs, despite its volatility. Particles of the intermediately-sized PDA-135-F shows the highest contrast intensity among three PDA-F samples, with approximately twice the brightness of PDA-41-F and PDA-242-F (Fig. 3a-c). The CPS signal of our PDA-F is also comparable to the commercial agent




Fig. 3 Quantitative plot of brightness on CPS imaging versus MI for (a) PDA-74 & PDA-41-F, (b) PDA-174 & PDA-135-F, (c) PDA-350 & PDA-242-F, (d) Color Doppler signal detected at (a) beginning and 1 h for PDA-135-F

Definity (Fig. S9) as well as promising new contrast agents such as perfluorocarbon-loaded hollow silica.⁸ We also note that quantitative CPS analysis (Fig. 4c) shows that after one-week, PDA-135-F particles still retain 96% of the brightness of freshly prepared samples (Fig. 4b).

To investigate whether the morphology of PDA-F was impacted by ultrasound imaging, TEM images were collected of the samples after ultrasound imaging at MI = 1.9 immediately. Although aggregation is observed, the PDA-F NPs remain intact, with no evidence of broken or deformed particles (Fig. 6).

PDA has been demonstrated to be a robust material under a wide range of conditions, including those relevant to *in vivo* ultrasound. In fact, natural melanin is a ubiquitous polymeric




Fig. 4 One-week shelf life test of PDA-135-F for (a) Color Doppler imaging, (b) CPS imaging, and (c) quantitative plot on brightness of CPS imaging versus MI.




Fig. 5 CPS imaging of (a) PDA-74, (b) PDA-174, (c) PDA-350, (d) PDA-41-F, (e) PDA-135-F, and (f) PDA-242-F at MI=1.9.

biomaterial that shares many structural characteristics with PDA. Preliminary *in vitro* cytotoxicity of PDA-41-F, PDA-135-F, and PDA-242-F ($c = 10$ to $500 \mu\text{g/mL}$) was assessed by incubation with HCT116 cells for 24 h. Analysis via MTS ((3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfophenyl)-2H-tetrazolium)) assay indicates cell viability greater than 90% for all samples at all concentrations (Fig. S10).

As an additional probe of the biological stability and bioimaging capability of PDA-F, an *ex vivo* imaging study was performed in fresh porcine liver tissue (Fig. 7). Liver tissue was chosen because hepatic clearance plays a major role in nanoparticle biomedical applications.⁴⁴ Furthermore, liver is highly vascularized and can be used as an easily accessible preliminary demonstration for tissue compatibility of the PDA nanoparticles. PDA-F was injected 2 cm into three separate tissue locations and immediately imaged via color Doppler, giving signal persistence roughly equivalent to that observed *in vitro*. It has been demonstrated that at an MI of 1.9, PDA-F was visible via color Doppler at up to 2 cm tissue depth. Although commercial microbubbles usually operate at a lower MI via bubble oscillation, the PDA-F nanoparticles generated ultrasound signal from surface condensed PFP that was phase changed under ultrasound insonation, which may require a higher ultrasound




Fig. 6 TEM of PDA-F samples after ultrasound imaging measurement for (a) PDA-41-F, (b) PDA-135-F, and (c) PDA-242-F at MI=1.9




Fig. 7 Color Doppler imaging of (a) PDA-41-F, (b) PDA-135-F, (c) PDA-242-F in fresh porcine liver at MI=1.9. (d) The photograph of the fresh pork liver; PDA-41-F, PDA-135-F, and PDA-242-F was injected into the position of A, B, C, respectively.

pressure (MI = 1.9). Nevertheless, the unique mosaic pattern of the color Doppler signal generated from the PDA-F remains an obvious contrast to B-mode ultrasound signal from the liver tissue. The signal footprint on the Doppler graph was on average 4 cm^3 , (40 times the initial injection volume of $100 \mu\text{L}$), demonstrating effective tissue perfusion in the liver. Additionally, *in vivo* blood flow patterns typically exhibit solid color Doppler signals due to their fixed directional flow. As a result, PDA-F perfused tissue, or potentially tumors, can be easily identified via ultrasound imaging.

Conclusions

Perfluorodecanethiol-functionalized PDA NPs (PDA-F NPs) have been demonstrated to load the perfluorocarbon PFP and function as stable, bright, long-lived contrast agents in two clinically-relevant ultrasound modalities: Color Doppler and CPS. A series of PDA-F NPs with size from 70 nm to 350 nm were synthesized with 170 nm PDA-F NPs demonstrating the best signal to noise ratio and longevity. Compared with commercial contrast agents, PDA-135-F NPs show favorable color Doppler imaging lifetime ($\sim 1 \text{ h}$) and comparable CPS signal, despite being volumetrically two orders of magnitude smaller. Even more intriguing may be their facile synthetic tunability. Not only does this offer the possibility to improve upon their contrast characteristics, but also (1) size can be

tuned across a wide range allowing for variable extravasation, passive targeting of cells, and increased retention time, (2) surface functionality can be tuned to allow specific targeting of biomolecules in vivo, and (3) chelation of metals at the catechol units of PDA can be tuned to install multi-functionality such as MRI contrast.^{21, 24-27}

Experimental

Materials

Dopamine hydrochloride (99%) and Tris(hydroxymethyl)aminomethane (Tris, 99%) were purchased from Alfa Aesar. 1H,1H,2H,2H-Perfluorodecanethiol (97%) was purchased from Sigma-Aldrich. Perfluoropentane (PFP) was purchased from Strem Chemicals. Ethanol (100%) was obtained from Fisher Scientific. All chemicals and solvents were used without further purification. Fresh pork liver for ex vivo tissue imaging was purchased from 99 Ranch Market and used as received.

Characterization

TEM images were collected on an FEI Tecnai G2 Spirit TEM operating at 120 kV. SEM images and elemental composition were collected on an FEI Quanta 250 SEM equipped with a Thermo Fisher Scientific Energy-dispersive X-ray spectroscopy (EDS) detector. Size of dispersed PDA and PDA-F nanoparticles in aqueous solution and zeta potentials were determined by Dynamic Light Scattering (DLS) measured with a Malvern Zetasizer Nano ZS90. XPS data were collected on a Thermo Scientific ESCALAB 250 Xi spectrometer using monochromated Al K α radiation. The carbon 1s peak at 284.8 eV was used for calibration. Ultrasound data were collected on a Siemens Sequoia 512 with an Acuson 15L8 transducer.

Synthesis of PDA NPs

Unfluorinated PDA NPs were synthesized according to a previously reported method.³⁵ For the synthesis of PDA-174, dopamine hydrochloride (30 mg) was dissolved in a solution of ethanol (20 mL) and water (15 mL) with magnetic stirring. Tris solution (30 mg in 10 mL H₂O) was added and the solution was stirred continuously for 24 h at room temperature. The resulting colloidal black suspension was separated by centrifugation and washed with DI water three times. PDA-74 and PDA-350 NPs were prepared similarly with 20 mg and 40 mg of dopamine hydrochloride, respectively.

Synthesis of PDA-F NPs

For the synthesis of PDA-135-F NPs, dopamine hydrochloride (30 mg) was dissolved in an ethanol (20 mL) and H₂O (15 mL) mixture with magnetic stirring. Tris (30 mg in 10 mL H₂O) was added and the system stirred continuously for 9 h. To the resulting black colloidal suspension, 1H,1H,2H,2H-Perfluorodecanethiol (50 μ L) was added and stirring was continued for another 15 h. The product was separated by centrifugation and washed with DI water three times. PDA-41-

F and PDA-242-F NPs were prepared by identical methods with 20 mg and 40 mg of dopamine hydrochloride, respectively.

Preparation of PFP loaded PDA and PDA-F NPs

PFP loaded PDA NPs were prepared through a typical immersion method.³³ Particles were freeze dried at -55 °C and 0.04 mbar for 12 h. The subsequent PDA or PDA-F NPs (~1 mg) were dispersed in PFP (200 μ L) and sonicated for 30 s. DI water (2 mL) was added to the mixture and another sonication cycle was performed (30 s).

Ultrasound experiments

Aqueous dispersions of PFP-loaded PDA or PDA-F NPs (0.5 mg/mL) were used for all ultrasound experiments. Imaging experiments were performed in both color Doppler and CPS modes. To determine the MI dependence, images were acquired continuously with the increase of MI from 0.06 to 1.9 over the course of 10 s. CPS imaging was performed at 7 MHz and the image brightness was quantified by averaging pixel brightness over the entire sample using Matlab R2016b. Imaging lifetimes were determined by continuous color Doppler imaging at 1.9 MI until the signal fell to the level of the DI water signal intensity.

Ex vivo porcine liver ultrasound experiments

PFP-loaded PDA-F NPs (4 mg/mL) were injected into fresh pork liver tissue (21 cm \times 14 cm) with 100 μ L volume. Color Doppler images were acquired continuously with the increase of MI from 0.06 to 1.9 immediately after injection. Signal acquisition across MI range allows for the determination of the minimum MI required to generate color Doppler signal in tissue.

In vitro cytotoxicity assay

In vitro cytotoxicity of PDA-F was performed on HCT116 cell lines using the MTS assay. HCT116 colorectal carcinoma cells were plated at 2.5×10^3 cells/well in DMEM (Eagle's minimal essential medium) high glucose (Corning) + 10% FBS (fetal bovine serum). Cell were grown for 24 h and then treated with aqueous suspensions of PDA-F ($c = 0$ to 500 μ g/mL). After incubation for 24 h, cells were washed twice with PBS (phosphate-buffered saline) and additional medium (100 μ L) was added to each well, followed by CellTiter Aqueous One Solution (Promega, 20 μ L). After 3 h at 37 °C, the number of viable cells was determined by comparison of absorbance readings at $\lambda = 490$ nm (test wavelength) and $\lambda = 690$ nm (reference wavelength).

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors acknowledge generous support from Air Force Office of Scientific Research MURI FA9550-18-1-0142. The

authors also acknowledge Dr. Michael D. Burkart at UCSD for assistance with the cell experiments and Dr. Nathan C. Gianneschi at Northwestern University, Dr. Andrew C. Kummel at UCSD for advice and discussions related to the manuscript. The user facilities provided by the National Center for Microscopy and Imaging Research (NCMIR) and Nano3 were utilized for this work.


References

1. A. Yildirim, R. Chattaraj, N. T. Blum, G. M. Goldscheitter and A. P. Goodwin, *Adv. Healthcare Mater.*, 2016, **5**, 1290-1298.
2. E. G. Schutt, D. H. Klein, R. M. Mattrey and J. G. Riess, *Angew. Chem., Int. Ed.*, 2003, **42**, 3218-3235.
3. J. R. Lindner, *Nat. Rev. Drug Discovery*, 2004, **3**, 527.
4. T. L. Szabo, *Diagnostic ultrasound imaging: inside out*, Academic Press, 2nd edn., 2013.
5. A. H. Lo, O. D. Kripfgans, P. L. Carson, E. D. Rothman and J. B. Fowlkes, *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 2007, **54**, 933-946.
6. M. L. Fabiilli, K. J. Haworth, N. H. Fakhri, O. D. Kripfgans, P. L. Carson and J. B. Fowlkes, *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 2009, **56**, 1006-1017.
7. J. Wang, C. V. Barback, C. N. Ta, J. Weeks, N. Gude, R. F. Mattrey, S. L. Blair, W. C. Trogler, H. Lee and A. C. Kummel, *IEEE Trans. Med. Imaging*, 2017, **37**, 222-229.
8. A. Liberman, J. Wang, N. Lu, R. D. Viveros, C. A. Allen, R. F. Mattrey, S. L. Blair, W. C. Trogler, M. J. Kim and A. C. Kummel, *Adv. Funct. Mater.*, 2015, **25**, 4049-4057.
9. X. Wang, H. Chen, Y. Chen, M. Ma, K. Zhang, F. Li, Y. Zheng, D. Zeng, Q. Wang and J. Shi, *Adv. Mater.*, 2012, **24**, 785-791.
10. Y. Chen, H. Chen, Y. Sun, Y. Zheng, D. Zeng, F. Li, S. Zhang, X. Wang, K. Zhang, M. Ma, Q. He, L. Zhang and J. Shi, *Angew. Chem., Int. Ed.*, 2011, **50**, 12505-12509.
11. M. Ma, H. Xu, H. Chen, X. Jia, K. Zhang, Q. Wang, S. Zheng, R. Wu, M. Yao, X. Cai, F. Li and J. Shi, *Adv. Mater.*, 2014, **26**, 7378-7385.
12. L. An, H. Hu, J. Du, J. Wei, L. Wang, H. Yang, D. Wu, H. Shi, F. Li and S. Yang, *Biomaterials*, 2014, **35**, 5381-5392.
13. X. Wang, H. Chen, K. Zhang, M. Ma, F. Li, D. Zeng, S. Zheng, Y. Chen, L. Jiang, H. Xu and J. Shi, *Small*, 2014, **10**, 1403-1411.
14. X. Wang, H. Chen, Y. Zheng, M. Ma, Y. Chen, K. Zhang, D. Zeng and J. Shi, *Biomaterials*, 2013, **34**, 2057-2068.
15. A. Yildirim, R. Chattaraj, N. T. Blum and A. P. Goodwin, *Chem. Mater.*, 2016, **28**, 5962-5972.
16. H. Wu, H. Shi, H. Zhang, X. Wang, Y. Yang, C. Yu, C. Hao, J. Du, H. Hu and S. Yang, *Biomaterials*, 2014, **35**, 5369-5380.
17. Q. Feng, W. Zhang, X. Yang, Y. Li, Y. Hao, H. Zhang, L. Hou and Z. Zhang, *Adv. Healthcare Mater.*, 2017, **7**, 1700957-n/a.
18. X. Jia, X. Cai, Y. Chen, S. Wang, H. Xu, K. Zhang, M. Ma, H. Wu, J. Shi and H. Chen, *ACS Appl. Mater. Interfaces*, 2015, **7**, 4579-4588.
19. H. S. Min, S. Son, T. W. Lee, H. Koo, H. Y. Yoon, J. H. Na, Y. Choi, J. H. Park, J. Lee, M. H. Han, R.-W. Park, I.-S. Kim, S. Y. Jeong, K. Rhee, S. H. Kim, I. C. Kwon and K. Kim, *Adv. Funct. Mater.*, 2013, **23**, 5518-5529.
20. Y. Liu, K. Ai and L. Lu, *Chem. Rev.*, 2014, **114**, 5057-5115.
21. Z. Wang, F. Carniato, Y. Xie, Y. Huang, Y. Li, S. He, N. Zang, J. D. Rinehart, M. Botta and N. C. Gianneschi, *Small*, 2017, **13**, 1701830-n/a.
22. Q. Wu, M. Niu, X. Chen, L. Tan, C. Fu, X. Ren, J. Ren, L. Li, K. Xu, H. Zhong and X. Meng, *Biomaterials*, 2018, **162**, 132-143.
23. K.-Y. Ju, J. W. Lee, G. H. Im, S. Lee, J. Pyo, S. B. Park, J. H. Lee and J.-K. Lee, *Biomacromolecules*, 2013, **14**, 3491-3497.
24. M. F. Casula, E. Conca, I. Bakaimi, A. Sathya, M. E. Materia, A. Casu, A. Falqui, E. Sogne, T. Pellegrino and A. G. Kanaras, *Phys. Chem. Chem. Phys.*, 2016, **18**, 16848-16855.
25. R. Ge, M. Lin, X. Li, S. Liu, W. Wang, S. Li, X. Zhang, Y. Liu, L. Liu, F. Shi, H. Sun, H. Zhang and B. Yang, *ACS Appl. Mater. Interfaces*, 2017, **9**, 19706-19716.
26. Z. Wang, Y. Xie, Y. Li, Y. Huang, L. R. Parent, T. Ditri, N. Zang, J. D. Rinehart and N. C. Gianneschi, *Chem. Mater.*, 2017, **29**, 8195-8201.
27. Y. Li, Y. Xie, Z. Wang, N. Zang, F. Carniato, Y. Huang, C. M. Andolina, L. R. Parent, T. B. Ditri, E. D. Walter, M. Botta, J. D. Rinehart and N. C. Gianneschi, *ACS Nano*, 2016, **10**, 10186-10194.
28. J. Cui, Y. Yan, G. K. Such, K. Liang, C. J. Ochs, A. Postma and F. Caruso, *Biomacromolecules*, 2012, **13**, 2225-2228.
29. X. Chen, Y. Yan, M. Müllner, M. P. van Koeverden, K. F. Noi, W. Zhu and F. Caruso, *Langmuir*, 2014, **30**, 2921-2925.
30. Y. Liu, K. Ai, J. Liu, M. Deng, Y. He and L. Lu, *Adv. Mater.*, 2013, **25**, 1353-1359.
31. Z.-H. Miao, H. Wang, H. Yang, Z.-L. Li, L. Zhen and C.-Y. Xu, *ACS Appl. Mater. Interfaces*, 2015, **7**, 16946-16952.
32. Y. Huang, A. M. Vezeridis, J. Wang, Z. Wang, M. Thompson, R. F. Mattrey and N. C. Gianneschi, *J. Am. Chem. Soc.*, 2017, **139**, 15-18.
33. G. Picheth, S. Houvenagel, C. Dejean, O. Couture, R. Alves de Freitas, L. Moine and N. Tsapis, *Acta Biomater.*, 2017, **64**, 313-322.
34. K. Astafyeva, L. Somaglino, S. Desgranges, R. Berti, C. Patinote, D. Langevin, F. Lazeyras, R. Salomir, A. Polidori, C. Contino-Pepin, W. Urbach and N. Taulier, *J. Mater. Chem. B*, 2015, **3**, 2892-2907.
35. Q. Yue, M. Wang, Z. Sun, C. Wang, C. Wang, Y. Deng and D. Zhao, *J. Mater. Chem. B*, 2013, **1**, 6085-6093.
36. L. Q. Xu, W. J. Yang, K.-G. Neoh, E.-T. Kang and G. D. Fu, *Macromolecules*, 2010, **43**, 8336-8339.
37. Y. Cao, X. Zhang, L. Tao, K. Li, Z. Xue, L. Feng and Y. Wei, *ACS Appl. Mater. Interfaces*, 2013, **5**, 4438-4442.
38. L. Zhang, J. Wu, Y. Wang, Y. Long, N. Zhao and J. Xu, *J. Am. Chem. Soc.*, 2012, **134**, 9879-9881.
39. B. Wang, Y. Liu, Y. Zhang, Z. Guo, H. Zhang, J. H. Xin and L. Zhang, *Adv. Mater. Interfaces*, 2015, **2**, 1500234-n/a.
40. G. M. Veith and N. J. Dudney, *J. Electrochem. Soc.*, 2011, **158**, A658-A663.
41. N. Deshpande, A. Needles and J. K. Willmann, *Clin. Radiol.*, 2011, **65**, 567-581.
42. S. Garg, A. A. Thomas and M. A. Borden, *Biomaterials*, 2013, **34**, 6862-6870.
43. A. Liberman, H. P. Martinez, C. N. Ta, C. V. Barback, R. F. Mattrey, Y. Kono, S. L. Blair, W. C. Trogler, A. C. Kummel and Z. Wu, *Biomaterials*, 2012, **33**, 5124-5129.

Journal Name

ARTICLE

44. M. Longmire, P. L. Choyke and H. Kobayashi, *Nanomed.*, 2008, **3**, 703-717.



One-pot synthesis and functionalization of melanin-like polydopamine nanoparticles creates a tunable platform for new ultrasound contrast agents.