


Cite this: *RSC Adv.*, 2021, **11**, 13799

Received 17th March 2021

Accepted 1st April 2021

DOI: 10.1039/d1ra02102h

rsc.li/rsc-advances

Anisotropic crystallite size distributions in LiFePO₄ powders†

Alexander Bobyl *^a and Igor Kasatkin ^b

The anisotropic crystallite sizes in high-performance LiFePO₄ powders were measured by XRD and compared with the particle sizes found by TEM image analysis. Lognormal particle size distribution functions were determined for all three main crystallographic axes. A procedure was developed to determine the fraction of the composite particles which consists of several crystallites and contains small- and large-angle boundaries. In a sample with the most anisotropic crystallites (ratio of volume-weighted mean crystallite sizes $\bar{L}_{V[001]}/\bar{L}_{V[010]} = 1.41$) the number of the composite particles was at least 30%.

Introduction

The efficiency of LiFePO₄ cathodes and oxides in general can be improved by controlling the size and morphology of particles.^{1–4} A decrease in the particle size shortens the Li diffusion length and the discharge–charge time.^{5,6} This time also depends on the mechanism of the new phase nucleation on the particle surface,⁷ on the nucleation rate⁸ and on the time of the LiFePO₄/FePO₄ phase boundary motion in the particle. The latter depends on the structural defects in the particles: intrinsic,⁹ impurity and isovalent¹ defects, deformations and 3D structuring of the phase boundary, and stress/deformation relationships.^{10,11} Composite particles have mechanically stable non-coherent boundaries between misoriented mosaic blocks;¹² conglomerates are formed by ordered¹³ or chaotically disordered nanocrystallites,¹⁴ secondary phase particles are segregated on larger LiFePO₄ particles.¹⁵ The conglomerates, even as large as 100 μm, may disintegrate and completely disappear upon additional chemically active annealing.¹⁴ As a rule, a mosaic microstructure negatively affects the ionic conductivity.¹⁶ However, a higher coefficient of diffusion along the block boundary in the particles LiCoO₂ (ref. 17) and LiMn₂O₄^{4,18} was theoretically and experimentally studied.

Currently, the emerging new technologies based on computer tomographic procedures using a synchrotron¹⁹ or an X-ray probe²⁰ allow obtaining three-dimensional (3D) images of the particle distribution in the ready-made battery electrodes. Nevertheless, the methods for determining size distributions of anisotropic particles and crystallites along their crystallographic axes remain topical. These methods include X-ray

diffraction (XRD) microstructure analysis and statistical analysis of transmission electron microscopy (TEM) images. Note that XRD determines a coherent length (volume- or area-weighted mean length of the elementary columns – along certain crystallographic directions in anisotropic case, or averaged over all directions), commonly called coherent domain size or crystallite size, while TEM gives the size of particles which may consist of several crystallites. When these sizes are compared, the following problems arise:

(1) Determining size distribution functions for anisotropic crystallites, such as LiFePO₄, on the basis of XRD has not yet become a common practice, even though it was possible in isotropic case for crystallites with high lattice symmetry.^{21–25}

(2) Microscopic studies provide two sets of sizes (L_s , the width, and L_b , the length) measured in ensembles of differently oriented particles. A procedure is required for sorting particles in those ensembles.

(3) Presence of mosaic blocks and fused particles is obvious in some cases,^{12–18,26–31} but detection of small-angle and other boundaries separating the coherent domains requires laborious (HR)TEM studies, which can hardly be compared in statistical reliability with XRD studies.

(4) The coherently scattering domain size determined with XRD is always smaller than the particle size measured with TEM, even in a perfect crystal: each shape of a 3D crystallite predefines a certain column length distribution function. The relation between the sizes is as simple as $L_{XRD} = 2/3D_{TEM}$ or $L_{XRD} = 3/4D_{TEM}$ (depending on the weighting scheme) for spherical particles only. Other microstructural features and defects can complicate the situation. Generalized scheme has been developed for converting the number, surface and volume weighted particle densities.²⁵

In this work we combined TEM and XRD measurements to determine the size distribution functions of anisotropic LiFePO₄ particles and crystallites along their crystallographic axes.

^aIoffe Institute, Politeknicheskaya ul. 26, St. Petersburg, 194021, Russia. E-mail: bobyl@theory.ioffe.ru

^bSt. Petersburg State University, Universitetskaya nab. 7–9, St. Petersburg, 199034, Russia

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1ra02102h



Table 1 Crystallite sizes along the main axes $\bar{L}_{V[hkl]}$ for the sample no. 1–5. $\bar{V}$ and $\bar{V}_{\text{exp}}$, $\bar{V}_{\text{cal}}$ – average crystallite sizes and particle volumes, respectively; $\bar{L}_{\text{Ss,b}}$ and $\bar{L}_{\text{Vs,b}}$ – surface- and volume-averaged sizes, respectively ($\bar{L}_{\text{Ss,b}} = \bar{L}_{\text{Ss,b}}^3 / \bar{L}_{\text{Ss,b}}^2$, $\bar{L}_{\text{Vs,b}} = \bar{L}_{\text{Vs,b}}^4 / \bar{L}_{\text{Ss,b}}^3$); $\bar{L}_{\text{Rs,b}}$ and $\bar{L}_{\text{Cs,b}}$ recalculated sizes from XRD studies (see Approach #2 and 3, respectively)

Sm.	$\bar{L}_{V[100]}$, nm	$\bar{L}_{V[010]}$, nm	$\bar{L}_{V[001]}$, nm	$\bar{V} = \bar{L}_{V[100]} \times \bar{L}_{V[010]} \times \bar{L}_{V[001]} \times 10^6$, nm ³	$\bar{V}_{\text{exp}} = \bar{L}_{\text{S}}^2 \times \bar{L}_{\text{b}} \times 10^6$, nm ³	$\bar{V}_{\text{exp}} = \bar{L}_{\text{Ss}}^2 \times \bar{L}_{\text{Sb}} \times 10^6$, nm ³	$\bar{V}_{\text{exp}} = \bar{L}_{\text{Vs}}^2 \times \bar{L}_{\text{Vb}} \times 10^6$, nm ³	$\bar{V}_{\text{cal}} = \bar{L}_{\text{Rs}}^2 \times \bar{L}_{\text{Rb}} \times 10^6$, nm ³	$\bar{V}_{\text{cal}} = \bar{L}_{\text{Cs}}^2 \times \bar{L}_{\text{Cb}} \times 10^6$, nm ³
1	145(26)	131(13)	185(17)	3.5	1.57	4.6	6.9	2.48	3.36
2	150(10)	142(3)	158(11)	3.38	1.13	6.0	10.8	2.38	3.26
3	66(5)	82(5)	89(7)	0.49	0.70	5.7	14.4	1.86	0.45
4	230(20)	261(8)	242(30)	14.5	5.28	55	103	17.4	13.0
5	141(5)	146(15)	165(7)	3.1	1.47	5.1	8.7	2.63	3.12

Experimental results

The following highly effective LiFePO₄ powders were examined: no. 1, P2, Phostech Lithium;³² no. 2, P1, Phostech Lithium;³² no. 3, SPBGTI;³³ no. 4, Golden Light Energy; no. 5, OCELL Technologies. The powders had specific capacities ranging from 145 to 170 mA h g^{−1} at 0.1C.^{34,35}

XRD studies

The methodology developed in ref. 36–38 and implemented in the MAUD software^{39,40} was used for anisotropic refinement of the crystallite size and strain values along the coordinate directions. X-Ray powder diffraction data were collected at 305 K with a Bruker D8 Discover diffractometer operating in a parallel-beam linear-focus mode at $2\theta = 15\text{--}125^\circ$. The primary beam was conditioned with a double-bounce channel-cut Ge220 monochromator to provide CuK α_1 radiation with a wavelength of 1.54056 Å. The specimens were prepared by dry compaction of the powders into a “zero-background” single-crystal silicon cuvette (Bruker). The data collection time was optimized to maximize StN ratio and ensure a stable refinement. The Caglioti coefficients of the instrumental profile function were refined by fitting the data for a LaB₆ powder specimen (NIST SRM 660c) prepared and scanned under the same conditions. All of the samples were composed of phase-pure orthorhombic LiFePO₄ with only trace amounts of impurities (<0.5%) ignored during the refinement. The refinements converged with $R_{\text{wp}} < 9\%$. XRD scans of the samples are located in the ESI section.† The refinement was repeated several times from different starting conditions; the values of error reported in Table 1 (in parentheses) characterize the reproducibility. It contains the volume-averaged crystallite sizes along $\bar{L}_{V[hkl]}$ axes.

TEM studies

For TEM studies, the powders were sonicated in a mixture of distilled water and ethyl alcohol (~5–10%) for 5–10 min to separate coalescent particles. The resulting suspension was deposited on a Cu supporting grid covered with a 2–3 nm thin amorphous carbon film. The samples were examined with a JEM TEM at an accelerating voltage of 200 kV. The images were recorded with a 2048 × 2048 pixels Gatan CCD camera. In high-resolution mode the point resolution was 0.14 nm. At least 20 non-overlapping images were recorded for each sample at a magnification of 5000×. The samples contained amorphous carbon and graphene layers covering the LiFePO₄ particles. The ordered and amorphous carbon shells were 5 nm and up to 20 nm thick, respectively. Fig. 1 shows fragments of TEM images of LiFePO₄ powders for the samples no. 1 and 2, which demonstrated the maximum and minimum size anisotropy, respectively (see Table 1). The quantitative data (Fig. 2) used to construct the particle size distribution histograms were obtained with the Image Tool 2.0 software. The standard errors of the mean particle size were in the range of 1–3 nm.

Analysis of experimental results

Determination of particle size distribution functions along the crystallographic axes [100], [010], [001] requires several steps of XRD and TEM data processing. For our measurements we used a series of powders with the largest differences in the mean particle sizes. First, the degrees of particle anisotropy and size variance were evaluated. The following 3 Approaches were tried.

Approach #1

From both XRD and TEM the volume-averaged crystallite and particle sizes, respectively, can be extracted. If the fraction of




Fig. 1 TEM images of LiFePO₄ powders in the samples: (a) no. 1, (b) no. 2. The measured width L_{S} and length L_{b} of the particle are shown with arrows. (c)–(e), (f) – fused and mosaic particles, respectively. The arrows show the boundaries between the blocks.






Fig. 2 Width L_s and length L_b of LiFePO_4 particles in sample no. 1. The corresponding frequency histograms are fitted with lognormal and Gaussian functions (solid and dashed lines, respectively).

mosaic particles is not large, we can assume that all particles have identical shapes, intermediate between that of a rectangular parallelepiped^{13,41} with truncated edges and of a 3-axis ellipsoid.²⁹ In any case the axes are aligned with the main crystallographic directions. For simplicity, we consider them to be parallelepipeds. Then the mean volume of crystallites is easily obtained by $\bar{V} = \bar{L}_V$ $_{[100]} \times \bar{L}_V$ $_{[010]} \times \bar{L}_V$ $_{[001]}$. In Table 1 the arithmetic $\bar{L}_s^2 \times \bar{L}_b$, surface- $\bar{L}_{ss}^2 \times \bar{L}_{sb}$ and volume-weighted $\bar{L}_{vs}^2 \times \bar{L}_{vb}$ mean values are listed. It was assumed that the smaller size of a particle seen in a TEM image was equal to its size along the viewing direction.

It can be seen in Table 1 that the sample no. 3 has the minimum crystallite volume of $0.49 \times 10^6 \text{ nm}^3$, sample no. 1, 2, 5 have the medium values of about $3 \times 10^6 \text{ nm}^3$; and the sample no. 4 has the largest volume of $14.5 \times 10^6 \text{ nm}^3$. These values correlate with the arithmetic mean particle volumes. However, for comparability of TEM and XRD sizes, both should have the same weighting scheme – volume-averaged. In that case no correlation is observed. Even though this approach failed in our study, it can be applicable for particles with a plate-like and needle-like shape.^{42,43}

Approach #2

Using TEM measurements, we first calculate the volume of each particle, $V_i = L_{is} \times L_{ib}$, and then determine the average volume $\bar{V}$. Further, by calculating the ratio $R = \bar{L}_b / \bar{L}_s$, we can determine the values of $\bar{L}_{Rs}$ and $\bar{L}_{Rb}$ as

$$\bar{L}_{Rs} = \sqrt[3]{\bar{V}} / R. \quad (1)$$

This improves the correlation, especially for the sample no. 3, as seen from Table 1. However, the volumes obtained for the rest of the samples appear smaller than the crystallite volume, which is obviously nonsense, since a coherent domain cannot be larger than a particle size.

Approach #3

To determine the parameters of the particle size distribution functions in LiFePO_4 powders along the crystallographic axes




Fig. 3 Geometric model of a particle with its edge lengths approximately corresponding to those found in the sample no.1: $L_{[001]} > L_{[100]} > L_{[010]}$.

[100], [010], [001], the results of XRD measurements are used to estimate the orientation fractions in the ensembles of L_s and L_b . Those fractions are further used to decompose L_s and L_b into components. We continue assuming a rectangular parallelepiped shape of particles (Fig. 3). Using the crystallite sizes measured along the main axes with XRD (Table 1) we estimate the fractions of particle orientations in the ensembles of L_b and L_s and use the recalculated values $\bar{L}_{Cb}$ and $\bar{L}_{Cs}$ (Table 1) to compare the particle volumes. To estimate $\bar{L}_{Cb}$ and $\bar{L}_{Cs}$ we assume that the probability of a crystal facet to be aligned with the object plane of the microscope is proportional to its area. For example, the normalized probability for the (100) facet is given by

$$P_{(100)} = \bar{L}_{V[010]} \times \bar{L}_{V[001]} / (\bar{L}_{V[010]} \times \bar{L}_{V[001]} + \bar{L}_{V[100]} \times \bar{L}_{V[010]} + \bar{L}_{V[100]} \times \bar{L}_{V[001]}). \quad (2)$$

In the sample no. 1 the average crystallite sizes are unequal: $\bar{L}_{[001]} > \bar{L}_{[100]} > \bar{L}_{[010]}$. We assume that $\bar{L}_{Cb}$ for the particle length consists of two parts: one with the size $\bar{L}_{V[001]}$ and the probability $P_{(100)} + P_{(010)}$, and the other with the size $\bar{L}_{V[010]}$ and probability $P_{(001)}$. Similarly, the $\bar{L}_{Cs}$ for the particle width consists of two parts: with the size $\bar{L}_{V[100]}$ and the probability $P_{(001)} + P_{(010)}$ and with the size $\bar{L}_{V[010]}$ and probability $P_{(100)}$. The values of $\bar{L}_{Cb}$, $\bar{L}_{Cs}$ and the relative fractions R_b , R_s are further used for decomposing the experimental size distribution functions. For the sample no. 1 we can obtain the following values:

$$\begin{aligned} \bar{L}_{Cb} &= \bar{L}_{V[001]}(P_{(100)} + P_{(010)}) + \bar{L}_{V[010]} \times P_{(001)} = 184.7 \times 0.727 \\ &\quad + 145.4 \times 0.273 = 174.1 \text{ nm}, \\ R_b &= 0.727/0.273 = 2.66 \end{aligned} \quad (3)$$

and

$$\begin{aligned} \bar{L}_{Cs} &= \bar{L}_{V[100]}(P_{(001)} + P_{(010)}) + \bar{L}_{V[010]} \times P_{(100)} = 131.3 \times 0.619 \\ &\quad + 145.4 \times 0.320 = 136.7 \text{ nm}, \\ R_s &= 0.619/0.320 = 1.934. \end{aligned} \quad (4)$$

It can be seen in Table 1 that the volumes calculated by using $\bar{L}_{Cb}$ and $\bar{L}_{Cs}$ are close to those calculated from the XRD measurements: the difference is within 10%. Considering the errors of XRD crystallite size determination (Table 1) this can be






Fig. 4 Comparison $\bar{L}_{Rs}$, $\bar{L}_{Rb}$ and $\bar{L}_{Cb}$, $\bar{L}_{Cs}$ calculated by Approaches #2 and #3, respectively. The dashed line corresponds to their equality. The sizes of the points correspond approximately to the errors in the calculations (<10%) which result from the experimental errors.

seen as quite an acceptable agreement. It is essential that the volume-weighted XRD sizes are used here: this ultimately accounts for the rather small error in $\bar{L}_{Cb}$ and $\bar{L}_{Cs}$. It should be kept in mind that these values are not equal to the parameters of the distribution functions shown in Fig. 2. As discussed below, they are easily calculated from the experimental distributions of L_b , L_s .

Thus, the main result of the Approach #1 is the validation of XRD measurements and simulations. Fig. 4 illustrates the results of the Approach #2. Although there are significant deviations for the samples with the minimum and maximum average particle sizes, the possibility to rapidly check the adequacy of TEM measurements is certainly useful. Finally, with the Approach #3 the results of XRD measurements are used to determine the fractions R_b and R_s of the orientations [010], [001] and [010], [100] in the distributions of L_b and L_s , respectively. Below we describe their decomposition into two components with the [010] direction being common for both. It should

be noted that the types of the size distribution functions along the axes can only be obtained from TEM measurements.

Decomposition of the experimental distributions of L_b , L_s into the distributions of $L_{[100]}$, $L_{[010]}$, $L_{[001]}$

Fig. 2 shows that the distribution histograms of L_s and L_b are well fitted by lognormal function with mean xc

$$p = \frac{A}{\sqrt{2\pi}wx} e^{-\frac{\left[\ln \frac{x}{xc}\right]^2}{2w^2}}, \quad (5)$$

where w – standard deviation. According to,^{44,45} this is a consequence of critical nucleus size existence during nucleation of crystals. Fig. 5 shows the results and the parameters of the L_s and L_b distributions decomposed into the components.

To make decomposition unique, the following assumptions were taken:

- (1) if the L_s and L_b distributions follow lognormal functions, then their components are also lognormal;
- (2) the particle growth rate is independent of its size, but depends on the facet orientation and on the technological conditions, e.g., on the stock composition.⁴² This allows using the averaged values of the fractions R_s and R_b for all points of the L_s and L_b distributions, respectively. For example, in Fig. 5a the following equation is satisfied:

$$R_s = A_1/A_2 = 69071/35714 = 1.934, \quad (6)$$

which corresponds to the value given above in eqn (4);

- (3) the coherent domain size is strictly smaller than the particle size due to the possible existence of a mosaic substructure, coalescence of crystallites, internal boundaries with or without amorphous layers. Therefore, the cumulative curves (sums of the components) may not coincide with the functions which approximate the experimental histograms (log N exp in Fig. 5);

- (4) the volume-averaged sizes $\bar{L}_V$ can be calculated using $L_{[hkl]}$ obtained from the decomposition of the TEM size distributions L_s и L_b . According to,^{22–24} the volume-averaged size is equal to




Fig. 5 L_s (a) and L_b (b) particle size distribution histograms in sample no. 1 (black points) decomposed into the components. The basic parameters of the resulting LogNormal functions are shown in the insets using the notation of eqn (5).

	Decomposition L_b			Decomposition L_s		
	L_b	Peak 1, $L_{[001]}$	Peak2, $L_{[010]}$	L_s	Peak1, $L_{[010]}$	Peak2, $L_{[100]}$
$\sum L_b, \sum L_s, \sum L_{[hkl]}, \text{ nm}$	1235500	734193	237773	719260	446604	285178
$\bar{L}_b, \bar{L}_s, \bar{L}_{[hkl]}, \text{ nm}$	167.0	130.3	112.6	97.2	86.9	111.6
$\bar{L}^4_{[hkl]}, \text{ nm}^4$		5.7664×10^8	2.6617×10^8		1.2787×10^8	6.5295×10^{11}
$\bar{L}^3_{[hkl]}, \text{ nm}^3$		3.1290×10^6	1.8365×10^6		0.9746×10^6	1.7839×10^6
$\bar{L}_{V[hkl]} = \bar{L}^4_{[hkl]} / \bar{L}^3_{[hkl]}, \text{ nm}$		184.29	144.93		131.20	143.20
XRD sizes						
$\bar{L}_{V[hkl]}, \text{ nm}$		184.7	145.4		131.3	145.4

RSC Adv., 2021, 11, 13799-13805 | 13803




Fig. 7 Deviations of the cumulative curve from the experimental ones (LogN Exp): (a) L_b , (b) L_s . The dashed curves – decomposition of the difference curve.

Conclusions

XRD and TEM data were combined to obtain the size distribution functions of LiFePO_4 particles along the [100], [010] and [001] crystallographic directions.

Information on the anisotropy of size-distribution functions can be used to analyze the relations between the battery capacity and the charge–discharge rate.^{5,6} The fraction of composite (fused) particles consisting of several crystallites can be used to estimate the ion diffusion length along the block boundaries; the activation energy of such diffusion may differ significantly from the bulk values.^{4,16,27,47}

The frequency distribution functions of different particle dimensions L_s and L_b can be decomposed into the components $L_{[hkl]}$ by careful accounting for the anisotropy of crystallites extracted from XRD measurements.

The cumulative $L_{[hkl]}$ curves obtained by summation of the components do not coincide with the experimental curves. The difference between these curves (Fig. 7) can be used to estimate quantitatively the percentage of mosaic particles. In our case large composite particles of LiFePO_4 powders registered by TEM with at least 30% amount are recorded by XRD as smaller crystallites with at least 45% amount.

Possible ways of using the obtained results are described in the ESI section,[†] available from the article site or from the author.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

We express our sincere gratitude to R. A. Suris for his advice and helpful discussions at his seminar. XRD studies were carried in X-ray diffraction Resource Center of St. Petersburg State University. TEM studies were performed with the equipment of the Center for Collective Use “Materials Science and Diagnostics in Advanced Technologies” at the Omsk Regional Center for Collective Use.

References

- 1 Z. Ahsan, B. Ding, Z. Cai, C. Wen, W. Yang, Y. Ma and S. Zhang, *J. Electrochem. Energy Convers. Storage*, 2021, **18**, 010801.
- 2 H. Dong and G. M. Koenig, *CrystEngComm*, 2020, **22**, 1514.
- 3 W. Jiang, M. Wu, F. Liu, J. Yang and T. Feng, *RSC Adv.*, 2017, **7**, 44296.
- 4 C. Schwab, A. Höweling, A. Windmüller, J. Gonzalez-Julian, S. Möller, J. R. Binder, S. Uhlenbruck, O. Guillon and M. Martin, *Phys. Chem. Chem. Phys.*, 2019, **21**, 26066.
- 5 R. Tian, S. H. Park, P. J. King, G. Cunningham, J. Coelho, V. Nicolosi and J. N. Coleman, *Nat. Commun.*, 2019, **10**, 1933.
- 6 N. E. Galushkin, N. N. Yazvinskaya and D. N. Galushkin, *J. Electrochem. Soc.*, 2020, **167**, 120516.
- 7 D. A. Cogswell and M. Z. Bazant, *Electrochem. Commun.*, 2018, **95**, 33.
- 8 S. Y. Vassiliev, E. E. Levin, D. E. Presnov and V. A. Nikitina, *J. Electrochem. Soc.*, 2019, **66**, A829.
- 9 L. Hong, K. Yang and M. Tang, *Comput. Mater. Sci.*, 2019, **5**, 118.
- 10 K. Yang and M. Tang, *J. Mater. Chem.*, 2020, **A8**, 3060.
- 11 L. Hong, L. Liang, S. Bhattacharyya, W. Xing and L. Q. Chena, *Phys. Chem. Chem. Phys.*, 2016, **18**, 9537.
- 12 X. Mu, A. Kobler, D. Wang, V. S. K. Chakravadhanula, S. Schlabach, D. V. Szabo, P. Norby and C. Kubel, *Ultramicroscopy*, 2016, **170**, 10.
- 13 J. Zhu, J. Fiore, D. Li, N. M. Kinsinger, Q. Wang, E. DiMasi, J. Guo and D. Kisailus, *Cryst. Growth Des.*, 2013, **13**, 4659.
- 14 M. Lachal, R. Bouchet, A. Boulineau, S. Surble, C. Rossignol, F. Alloin and S. Obbade, *Solid State Ionics*, 2017, **300**, 187.
- 15 N. V. Kosova and O. A. Podgornova, *Chim. Techno Acta*, 2015, **4**, 326.
- 16 A. M. Abakumov, S. S. Fedotov, E. V. Antipov and J. M. Tarascon, *Nat. Commun.*, 2020, **11**, 4976.
- 17 H. Moriwake, A. Kuwabara, C. A. J. Fisher, R. Huang, T. Hitosugi, Y. H. Ikuhara, H. Oki and Y. Ikuhara, *Adv. Mater.*, 2013, **25**, 618.



- 18 S. Han, J. Park, W. Lu and A. M. Sastry, *J. Power Sources*, 2013, **240**, 155.
- 19 Z. Jiang, J. Li, Y. Yang, L. Mu, C. Wei, X. Yu, P. Pianetta, K. Zhao, P. Cloetens, F. Lin and Y. Liu, *Nat. Commun.*, 2020, **11**, 2310.
- 20 X. Lu, A. Bertei, D. P. Finegan, C. Tan, S. R. Daemi, J. S. Weaving, K. B. O'Regan, T. M. M. Heenan, G. Hinds, E. Kendrick, D. J. L. Brett and P. R. Shearing, *Nat. Commun.*, 2020, **11**, 2079.
- 21 L. Lutterotti and P. Scardi, *J. Appl. Crystallogr.*, 1990, **23**, 246.
- 22 J. I. J. Langford and A. J. C. Wilson, *J. Appl. Crystallogr.*, 1978, **11**, 102.
- 23 M. Leoni and P. Scardi, *J. Appl. Crystallogr.*, 2004, **37**, 629.
- 24 M. Leoni, *Int. Tables Crystallogr.*, 2019, 524.
- 25 U. Frank, S. E. Wawra, L. Pflug and W. Peukert, *Part. Part. Syst. Charact.*, 2019, **36**, 1800554.
- 26 A. R. Balakrishna, Y. M. Chiang and W. C. Carter, *Phys. Rev. Mater.*, 2019, **3**, 065404.
- 27 J. Kuriplach, A. Pulkkinen and B. Barbiellini, *Condens. Matter*, 2019, **4**, 80.
- 28 Y. Wen, D. Xiao, X. Liu and L. Gu, *NPG Asia Mater.*, 2017, **9**, e360.
- 29 T. Azib, S. Ammara, S. Nowak, S. Lau-Truing, H. Groult, K. Zaghib, A. Mauger and C. M. Julien, *J. Power Sources*, 2012, **217**, 220.
- 30 C. E. Kril and R. Birringer, *Philos. Mag. A*, 1998, **77**, 621.
- 31 I. A. Ivanishcheva, A. V. Ivanishchev and A. Dixit, *Monatsh. Chem.*, 2019, **150**, 489.
- 32 T. Lahrs, *International power supply conference and exhibition, French Riviera 2009*, pp.1–27.
- 33 E. N. Kudryavtsev, R. V. Sibiryakov, D. V. Agafonov, V. N. Naraev and A. V. Bobyl, *Russ. J. Appl. Chem.*, 2012, **85**, 879.
- 34 A. S. Kamzin, A. V. Bobyl, E. M. Ershenko, E. I. Terukov, D. V. Agafonov and E. N. Kudryavtsev, *Phys. Solid State*, 2013, **55**, 1385.
- 35 E. Ershenko, A. Bobyl, M. Boiko, Y. Zubavichus, V. Runov, M. Trenikhin and M. Sharkov, *Ionics*, 2017, **23**, 2293, DOI: 10.1007/s11581-017-2068-z.
- 36 N. C. Popa, *J. Appl. Crystallogr.*, 1998, **31**, 176.
- 37 D. Balzar and N. C. Popa, Crystallite size and residual strain/stress modeling in Rietveld refinement. p 125-146, *Diffraction analysis of the microstructure of materials*, ed. E. J. Mittemeijer and P. Scardi. Springer-Verlag Berlin Heidelberg, 2004, p. 549.
- 38 N. C. Popa and G. A. Lungu, *J. Appl. Crystallogr.*, 2013, **46**, 391.
- 39 L. Lutterotti, S. Matthies and H. R. Wenk, *Newsletter*, 1999, **21**, 14.
- 40 P. Boullay, L. Lutterotti, D. Chateignera and L. Sicard, *Acta Crystallogr., Sect. A: Found. Adv.*, 2014, **70**, 448.
- 41 D. Jugović, M. Mitrić, M. Kuzmanović, N. Cvjetičanin, S. Marković, S. Škapin and D. Uskoković, *Powder Technol.*, 2012, **219**, 128.
- 42 Y. Zhang, J. A. Alarco, A. S. Best, G. A. Snook, P. C. Talbota and J. Y. Nerkara, *RSC Adv.*, 2019, **9**, 1134.
- 43 J. Song and M. Z. Bazant, *J. Electrochem. Soc.*, 2013, **160**, A15.
- 44 A. N. Kolmogorov, *Dokl. Akad. Nauk SSSR*, 1941, **31**, 99.
- 45 R. B. Bergmann and A. Bill, *J. Cryst. Growth*, 2008, **310**, 3135.
- 46 Y. Jiang, P. Yan, M. Yu, J. Li, H. Jiao, B. Zhou and M. Sui, *Nano Energy*, 2020, **78**, 105364.
- 47 A. V. Bobyl, M. E. Gaevski, S. F. Karmanenko, R. N. Kutt, R. A. Suris, I. A. Khrebtov, A. D. Tkachenko and A. I. Morosov, *J. Appl. Phys.*, 1997, **82**, 1274.

