

**Platinum-complexed phosphorous-doped carbon nitride for electrocatalytic hydrogen evolution**

Journal:	<i>Journal of Materials Chemistry A</i>
Manuscript ID	TA-ART-07-2021-006240.R1
Article Type:	Paper
Date Submitted by the Author:	03-Sep-2021
Complete List of Authors:	Nichols, Forrest; University of California Santa Cruz, Chemistry and Biochemistry Liu, Qiming; University of California Santa Cruz, Chemistry and Biochemistry Sandhu, Jasleen; University of California Santa Cruz, Chemistry and Biochemistry Azhar, Zahra; University of California Santa Cruz, Chemistry and Biochemistry Cazares, Rafael; University of California Santa Cruz, Chemistry and Biochemistry Mercado, Rene; University of California Santa Cruz Division of Physical and Biological Sciences, Chemistry and Biochemistry Bridges, Frank; University of California Santa Cruz, Physics Department Chen, Shaowei; University of California Santa Cruz, Department of Chemistry and Biochemistry

ARTICLE

Platinum-complexed phosphorous-doped carbon nitride for electrocatalytic hydrogen evolution

Forrest Nichols,^a Qiming Liu,^a Jasleen Sandhu,^a Zahra Azhar,^a Rafael Cazares,^a Rene Mercado,^a Frank Bridges,^b Shaowei Chen^{*,a}

Received 00th January 20xx,
Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

Sustainable hydrogen gas production is critical for future fuel infrastructure. Here, a series of phosphorous-doped carbon nitride materials were synthesized by thermal annealing of urea and ammonium hexafluorophosphate, and platinum was atomically dispersed within the structural scaffold by thermal refluxing with Zeise's salt forming Pt-N/P/Cl coordination interactions, as manifested in X-ray photoelectron and absorption spectroscopic measurements. The resulting materials were found to exhibit markedly enhanced electrocatalytic activity towards the hydrogen evolution reaction (HER) in acidic media, as compared to the P-free counterpart. This was accounted for by P doping that led to a significantly improved charge carrier density within C₃N₄, and the sample with the optimal P content showed an overpotential of only -22 mV to reach the current density of 10 mA cm⁻², lower than that of commercial Pt/C (-26 mV), and a mass activity (7.1 mA μg_{Pt}⁻¹ at -70 mV vs reversible hydrogen electrode) nearly triple that of the latter. Results from the present study highlight the significance of P doping in the manipulation of the electronic structures of metal/carbon nitride nanocomposites for high-performance HER electrocatalysis.

Introduction

Globally, renewable electricity is projected to reach 33% of the total installed power capacity by 2025, surpassing electricity produced by coal and becoming the largest segment of electricity generation around the world.¹ With renewable electricity on the rise, electrochemical water splitting for hydrogen generation provides a promising technology for sustainable energy storage and conversion.^{2, 3} Currently, more than 95% of the world's hydrogen gas is produced through steam methane reforming, which produces a significant amount of carbon dioxide byproduct.⁴ Acceptance of electrochemical water splitting as a viable means for hydrogen gas generation will require improvements in electrocatalyst design and usage of platinum within the material to lower device costs and hydrogen gas conversion efficiencies, as platinum remains the catalyst of choice towards the hydrogen evolution reaction (HER), in particular, in acidic media.⁵⁻⁷ Numerous routes have been taken to achieve this goal including the use of platinum oxide particles,^{8, 9} manipulation of nanoparticle morphologies,^{10, 11} and decreased particle size down to the single platinum atom regime.^{12, 13}

Significant improvement in Pt mass efficiency can be achieved through the utilization of Pt single atom sites because of

maximal surface exposure and utilization of Pt within the catalyst materials.¹³⁻²² For instance, Cheng et al.¹² recently deposited Pt single atoms on nitrogen-doped carbon nanosheets by utilizing an atomic layer deposition (ALD) approach, and the resulting Pt single atom catalysts (SAC) showed a mass activity of 10.1 mA μg_{Pt}⁻¹ in a 0.5 M H₂SO₄ electrolyte, 37 times that of Pt/C (0.27 mA μg_{Pt}⁻¹), at the applied potential of -50 mV vs reversible hydrogen electrode (RHE). Fang and associates recently deposited Pt single atoms onto a nitrogen-doped carbon framework of approximately 300 nm in diameter also through an ALD process, and the catalyst exhibited a low overpotential (η₁₀) of -19 mV to reach the current density of 10 mA cm⁻² in a 0.5 M H₂SO₄ electrolyte. Operando synchrotron X-ray absorption spectroscopy studies revealed partial release of the Pt single atoms resulting in undercoordination. Further analysis by extended X-ray absorption fine structure (EXAFS) measurements and theoretical simulations suggested that a high 5d orbital occupancy, close to zero valency of Pt, was responsible for the high HER activity.

However, recent reports have shown Pt in a lower orbital occupancy, such as Pt oxide, can facilitate HER efficiently as well. For example, Yu and colleagues recently reported on Pt-O as a superior active site to Pt⁰ for HER with the use of a platinum tungsten oxide (PtW₆O₂₄) spherical particles of ca. 20 nm in diameter.²³ The material was prepared from a mixture of Na₂Pt(OH)₆ and Na₂WO₄ followed by collection of precipitates and washing. Electrochemical measurements revealed a mass activity of 20.175 mA μg_{Pt}⁻¹ for HER at the overpotential of -70 mV in 0.5 M H₂SO₄, significantly better than commercial Pt/C (20 wt%, 0.398 mA μg_{Pt}⁻¹). Cao and co-workers¹⁰ employed a

^a Department of Chemistry and Biochemistry, University of California, 1156 High Street, Santa Cruz, California 95064, United States. * E-mail: shaowei@ucsc.edu

^b Department of Physics, University of California, 1156 High Street, Santa Cruz, California 95064, United States

Electronic Supplementary Information (ESI) available: additional experimental data. See DOI: 10.1039/x0xx00000x

one-pot synthesis route using $\text{Pt}(\text{acac})_2$ and $\text{Ni}(\text{acac})_2$ metal precursors and produced Pt-Ni branched nanocages of approximately 200 nm in diameter with a thinner branching morphology spreading out from the center (50 nm), which exhibited a mass activity nearly 2.5-fold higher than commercial Pt/C. These findings confirm that Pt does not need to possess high orbital occupancy to efficiently catalyse HER. To this end, an array of interesting Pt-based catalysts can be devised for the efficient evolution of hydrogen through unique synthetic methods beyond the ALD process.

Note that ALD, used in these previous studies for the synthesis of Pt-based SAC, requires the use of sophisticated and expensive instrumentation. It would be of great significance to develop low-cost, effective procedures for the preparation of Pt SAC. A range of synthetic approaches toward Pt SAC have been studied and well documented in recent reviews.^{24, 25} These synthetic approaches include wet-chemistry, ALD, pyrolysis of metal-organic frameworks, electrodeposition, high-temperature atom trapping from bulk particles, and vacancy/defect immobilization methods. For example, Wang and colleagues demonstrated an electro-filtration strategy to synthesize Pt single atom sites using a Pt foil and graphite carbon paper. In this electroplating strategy Pt single atoms were created through oxidation of the Pt foil counter electrode followed by Pt single atom deposition onto the carbon paper working electrode. A graphene oxide membrane was used as a filter between the counter and working electrodes to control the Pt single atom diffusion rate and prevent Pt particle formation. Scalability of this process is of somewhat concern since production of the Pt SAC is limited by the size of the electrochemical cell and working electrode.

In recent studies,^{16, 26} it was observed that ion complexation by simple thermal refluxing can be exploited to effectively embed isolated metal centers within the structural skeleton of graphitic carbon nitride (C_3N_4) by taking advantage of the pyridine-like nitrogen moieties, where the incorporation of metal centers was found to lead to charge redistribution and enhanced electrical conductivity of the semiconducting C_3N_4 matrix. For example, Zeng and colleagues reported on the synthesis of single-atom Pt confined by interlayer C_3N_4 for efficient photocatalytic hydrogen evolution.²⁷ The synthesis process involved mixing of potassium-intercalated C_3N_4 with $\text{Pt}(\text{NH}_3)_4\text{Cl}_2$ in deionized water under vigorous stirring at room temperature over a 24 h period. Incorporation of Pt single atoms into the C_3N_4 framework significantly improved the photocatalytic hydrogen evolution efficiency to 22.65 $\text{mmol}(\text{H}_2) \text{g}^{-1} \text{h}^{-1}$ with an 8.7 wt% Pt loading. The semiconductor properties of C_3N_4 are ideal for such photocatalytic processes; however, this leads to poor electron carrier capabilities when applied to electrocatalysis. Fortunately, deliberate modifications to the carbon nitride framework can be made to improve the electrocatalytic efficiency of C_3N_4 . One such modification involves heteroatom doping within the C_3N_4 framework to improve electrical conductivity of the support material.²⁸⁻³⁰ For example, Zhang and co-workers developed a phosphorous-doped C_3N_4 solid which demonstrated enhanced electrical conductivity.²⁹ Experimentally, 1-butyl-3-methylimidazolium

hexafluorophosphate was added as a phosphorous source during the polycondensation of dicyandiamide (DCDA) forming P-doped C_3N_4 , which was confirmed in spectroscopic and electrochemical measurements. Such P-doped C_3N_4 materials have been implemented for electrochemical applications. Qiu and co-workers reported on a three-dimensional P-doped C_3N_4 for enhanced metal-free oxygen reduction reaction (ORR) applications, which was prepared by polycondensation of DCDA and nitrilotris(methylene)-triphosphoric acid as a phosphorous source at 600 °C. P-doping was seen to substantially improve the ORR half-wave potential and limiting current, likely due to improved electrical conductivity as found in electrochemical impedance measurements. Notably, heteroatom doping of semiconductor materials is well studied as a tool for tuning the band gap structure,³¹⁻³³ where doping of higher periodic elements typically leads to a narrower band gap and lower highest occupied molecular orbital (HOMO) levels.³⁴ Thus, the larger atomic size of phosphorous, versus carbon and nitrogen, is anticipated to lead to improved conformation and conductivity of C_3N_4 . This is the primary motivation of the present study.

Herein, P-doped C_3N_4 was first prepared via a facile thermal annealing procedure using urea and ammonium hexafluorophosphate as the precursors, into which were then embedded Pt metal centers by thermal refluxing with Zeise's salt forming Pt-N/P/Cl coordination bonds, as attested in spectroscopic measurements. Mott-Schottky analysis showed that P doping led to a marked improvement of the charge carrier density and electrical conductivity. Electrochemical tests demonstrated that the resulting PtCNP nanocomposites outperformed the P-free counterparts, and the sample with the optimal P content showed an η_{10} of only -22 mV, lower than that of commercial Pt/C (-26 mV), and a mass activity ($7.1 \text{ mA } \mu\text{g}_{\text{Pt}}^{-1}$ at -70 mV vs RHE) nearly triple that of the latter. The results suggest that P-doped C_3N_4 may be used as a unique structural scaffold to optimize the use of Pt for HER electrocatalysis.

Experimental Section

Chemicals

Urea ($\text{CO}(\text{NH}_2)_2$, certified ACS, Fisher Chemicals), potassium trichloro(ethylene)platinate(II) hydrate (Zeise's salt, $\text{KPtCl}_3(\text{C}_2\text{H}_4)$, Sigma Aldrich), ammonium hexafluorophosphate (NH_4PF_6 , Acros Organics), potassium hydroxide (KOH, Fisher Chemicals), platinum on carbon (Pt/C, nominally 20 wt.%, Alfa Aesar), carbon black (Vulcan XC 72R), and Nafion 117 (Sigma Aldrich) were used as received. All solvents were obtained through typical commercial sources and used as received, too. Water was supplied with a Barnstead Nanopure water system (18.3 $\text{M}\Omega \text{ cm}$).

Synthesis of (phosphorous-doped) polymeric carbon nitride

P-doped C_3N_4 was synthesized by a modified method from previous reports,²⁹ as illustrated in Scheme 1. Briefly, urea (10 g) was ground to a fine powder with a designated amount of NH_4PF_6 (i.e., 0.5, 1.0, 2.5, or 5 g), and the mixture was placed in

a crucible, covered, heated in air to 300 °C at a rate of 2 °C min⁻¹ and held at 300 °C for 3 h. The resulting white solid was ground to a fine powder, heated again in air to 520 °C at a rate of 2 °C min⁻¹ and held at this temperature for 4 h. The produced yellow solid was collected, washed with Nanopure water, and dried in a vacuum oven overnight, affording P-doped C₃N₄ that was referred to as CNP₁, CNP₂, CNP₃, and CNP₄, respectively. Undoped C₃N₄ was produced in the same manner but without the addition of NH₄PF₆.^{9, 35}

Scheme 1. Schematic of the synthetic procedure of PtCNP.



Synthesis of platinum-carbon nitride nanocomposites

Platinum was incorporated into the carbon nitride scaffold obtained above by following a procedure used for the synthesis of platinum bipyridine complexes (Scheme 1).³⁶ Briefly, the P-doped C₃N₄ prepared above (50 mg) was dispersed in a mixture of acetone (4 mL) and isopropanol (1 mL) by sonication for 1 h. In a separate vial, Zeise's salt (50 mg) was dissolved in acetone (5 mL) under magnetic stirring in an ice bath. KOH (20 mg) was dissolved in a minimum amount of water and added to the Zeise's salt solution under stirring for 40 min, where KCl salt precipitates could be seen accumulated on the walls of the glass vial. The carbon nitride dispersion was immersed into an ice bath under vigorous stirring for 10 min, into which was added the Zeise's salt solution. After magnetic stirring for 40 min, the resulting mixture was centrifuged at 6000 rpm for 10 min, and the precipitate was collected and washed 5 times with acetone to remove any unreacted platinum salts and contaminants. It should be noted that the colour of the supernatant changed from light yellow to clear after the subsequent washes, indicating a saturated loading of platinum into carbon nitride and the subsequent removal of unreacted metal salt upon washing. The material was dried in a vacuum oven overnight, affording platinum containing carbon nitrides, which were denoted as PtCNP₁, PtCNP₂, PtCNP₃, PtCNP₄, respectively. The P-free sample (PtCN) was prepared in the same manner except that undoped C₃N₄ was used instead of P-doped C₃N₄.

Characterization

Scanning electron microscopic (SEM) images were collected on a Thermo Scientific Apreo scanning electron microscope with high/low-vacuum compatibility and a 400 nA beam current equipped with an Oxford instruments energy dispersive X-ray spectroscopy (EDS) attachment. Transmission electron microscopy (TEM) and scanning transmission electron microscopy (STEM) measurements were carried out on a JOEL JEM 2100F microscope. X-ray diffraction (XRD) patterns were acquired with a Rigaku Smartlab Diffractometer, where the samples were deposited on an Al plate and the measurements were conducted at a step of 0.02° and a scan rate of 3° min⁻¹. X-ray photoelectron spectroscopy (XPS) measurements were performed with a Phi 5400/XPS instrument equipped with an Al K_α source operated at 350 W and 10⁻⁹ Torr. X-ray absorption

spectroscopy (XAS) measurements were carried out at 10 K on beamline 4-1 at the Stanford Synchrotron Radiation Light source using an Oxford liquid helium cryostat. Inductively coupled plasma-optical emission spectrometry (ICP-OES) measurements were conducted with a SPECTROBLUE SOP instrument.

Electrochemistry

Electrochemical measurements were performed with a CHI 710 workstation, and electrochemical impedance measurements were carried out with a Gamry Reference 600 instrument. A glassy carbon electrode (5.60 mm in diameter, 0.246 cm²) was used as the working electrode, while a Ag/AgCl (1.0 M KCl) electrode and graphite rod were used as the reference and counter electrodes, respectively. The Ag/AgCl electrode was calibrated versus a RHE and all potentials in the present study were referenced to this RHE, unless specified otherwise. To prepare the catalyst ink, 2 mg of the nanocomposites obtained above was mixed with carbon black (3 mg) and sonicated for 10 min in isopropanol (1 mL), followed by the addition of Nafion (40 μL) and sonicated for an additional 20 min. 30 μL of the prepared ink was dropcast onto the surface of the glassy carbon electrode and dried at room temperature, corresponding to a catalyst mass loading of 0.244 mg cm⁻². Finally, 6 μL of Nafion (20 wt.%) in isopropanol was added to the prepared catalyst surface and allowed to dry, before the electrode was immersed into an electrolyte solution for data collection.

Results and discussion




Figure 1. (a) SEM image of the PtCNP₂ sample, with the EDS elemental maps shown at the bottom for C, N, P, Pt, Cl, and O. (b) High-magnification SEM image for the red box area in panel (a). (c, d) TEM images of PtCNP₂. Scale bars are (a) 5 μm, (b) 1 μm, (c) 50 nm and (d) 10 nm.


The material structures were first characterized by electron microscopic measurements. From the SEM images in Figure 1a and 1b, one can see that PtCNP₂ exhibits a flaky morphology that closely resembles that of typical polymeric carbon nitride,^{29, 35} and the wrinkled, porous nature of the material likely arose from oxygen-containing gases generated during the polymerization of the urea precursor resulting in punctures and holes in the material matrix. The corresponding EDS elemental maps are depicted directly below panel (a), where one can

readily see an even distribution of all elements characterized including C, N, O, P, Pt, and Cl. The porous, layered structure of the composite is also evident in the TEM images shown in Figure 1c-1d. Notably, no particulates can be resolved in the TEM images of the sample, suggesting successful atomic dispersion of Pt within the C_3N_4 skeletons. Similar structural characteristics can also be seen with other samples in the series, as manifested in both SEM (Figure S1) and TEM measurements (Figure S2).

The sample structures were then examined by XRD measurements. From Figure S3, one can see that in addition to the diffraction patterns of the Al plate (substrate), the PtCN, PtCN₁ and PtCN₂ composites all exhibited a small peak at $2\theta = 27^\circ$, consistent with results reported previously for orthorhombic polymeric carbon nitride materials.³⁵ Notably, this peak shifted to a somewhat smaller angle of ca. 26° in PtCN₃ and became significantly broadened in PtCN₄, likely due to the doping of larger-sized P into the C_3N_4 framework which resulted in deterioration of the material crystallinity at high P concentration. Furthermore, no diffraction features of Pt, PtO, or PtO₂ can be resolved in any of the samples, in agreement with the results from SEM and TEM measurements which suggested the absence of metal (oxide) nanoparticles.

The elemental composition and valence state was then investigated by XPS measurements. From the survey spectra in Figure S4a, the PtCN₁ samples can be seen to entail a series of well-defined peaks, at ca. 75 eV for Pt 4f electrons, 133 eV for P 2p, 200 eV for Cl 2p, 285 eV for C 1s, 400 eV for N 1s, and 530 eV for O 1s. PtCN exhibited a similar profile except for the P 2p peak. Based on the integrated peak areas, the elemental compositions of the samples were then estimated and listed in Table S1. One can see that the C:N atomic ratios of the samples all deviated appreciably from the theoretical value of 0.75 for pristine C_3N_4 , likely the result of a combined contribution of structural defects and heteroatom doping.^{37, 38} Notably, with increasing P doping, the C:N ratio increases accordingly in the order of PtCN (0.86) < PtCN₁ ≈ PtCN₂ (0.96) < PtCN₃ (1.04) < PtCN₄ (2.75), likely due to the incorporation of oxygen and phosphorous into carbon nitride replacing nitrogen. In fact, one can see that the oxygen content increased from 3.71% for PtCN to 6.38%, 4.73%, 13.19%, and 55.53 % for PtCN₁, PtCN₂, PtCN₃, and PtCN₄, respectively; and the corresponding phosphorous content was found to increase from 0% to 1.31%, 1.11%, 6.32%, and 11.03%. The corresponding Pt contents were estimated to be 0.73, 1.69, 1.69, 1.58 and 0.32 at% (or 9.72, 19.52, 19.59, 17.45, and 3.38 wt%), which were substantially higher than those obtained in ICP-OES measurements (1.8, 1.8, 5.1, 0.6, and 0.8 wt%). As XPS is a surface probing technique, this suggests enrichment of Pt on the carbon nitride surface. This follows reasonably from the catalyst preparation methods, where the Pt salt could only complex at the surface upon contact with the previously prepared C_3N_4 . Note that preventing the incorporation of Pt toward the inside of the C_3N_4 support is beneficial for electrocatalysis as only the surface Pt will be involved in electrochemical processes, thereby improving mass activity of the electrocatalysts (vide infra). Furthermore, high doping levels of P appeared to hinder Pt incorporation, likely due to the highly defective scaffold, and

CNP₂ represented the optimal structure for Pt complexation. Notably, the Cl:Pt ratios of all but PtCN₄ were found to be close to 1:1, at 0.79 for PtCN, 0.95 for PtCN₁, 1.02 for PtCN₂, and 0.74 for PtCN₃, suggesting that the incorporation of Pt into the nanocomposites was due to partial replacement of the original



Cl ligands of the Zeise's salt precursor (which features a Cl:Pt ratio of 3) (Scheme 1).

Figure 2. High resolution XPS spectra of the (a) C 1s, (b) N 1s, (c) Pt 4f, and (d) P 2p electrons of the PtCN, PtCN₁, PtCN₂, PtCN₃, and PtCN₄ samples.

Further structural insights were obtained in high-resolution XPS analysis. Figure 2a depicts the C 1s spectra of the sample series, where two major components can be deconvoluted for all samples at ca. 288.0 and 284.5 eV, due to the sp^2 hybridized carbon within the carbon nitride matrix (C-N=C) and defected carbon (Csp³), respectively.³⁹⁻⁴¹ Interestingly, the ratio between the areas of these two peaks decreased from 4.14 for PtCN to 1.99 for PtCN₁, 2.07 for PtCN₂, 1.16 for PtCN₃, and 0.3 for PtCN₄, again, suggesting the formation of an increasingly defective C_3N_4 skeleton with increasing phosphorous doping. Additionally, for the PtCN₁ samples, a third peak can be resolved at ca. 286 eV, which can be ascribed to C-P bond, signifying successful P doping of C_3N_4 .^{28, 42}

The corresponding N 1s spectra are shown in Figure 2b, where two major components can be resolved, C-N=C at ca. 398.4 eV and tertiary N-(C)₃ at ca. 399 eV.³⁹⁻⁴¹ The exact binding energy of C-N=C varied slightly, 398.49 eV for PtCN, 398.21 eV for PtCN₁, 398.36 eV for PtCN₂, 398.29 eV for PtCN₃, and 398.47 eV for PtCN₄. For tertiary N-(C)₃, the binding energy was very close among the P-free PtCN (399.05 eV), and low-P PtCN₁ (398.86 eV) and PtCN₂ (398.99 eV), whereas for PtCN₃ and PtCN₄ that contained a high P dopant concentration, the binding energy was substantially higher at 399.62 and 399.78 eV, respectively. This suggests that at low P doping, the C_3N_4 skeleton structure remained largely intact, whereas at high

doping, the matrix became increasingly defective, as manifested in XRD measurements (Figure S3).

The high-resolution scans of the Pt 4f region are depicted in Figure 2c. In all samples, deconvolution yields two doublets, where the major one at ca. 72.5/75.8 can be ascribed to the $4f_{5/2}/4f_{7/2}$ electrons of Pt(II), whereas the minor one at 74.3/77.6 eV to those of Pt(IV) (Table S2).⁹ One can see that the $4f_{7/2}$ binding energy of both Pt(II) and Pt(IV) in the PtCNP series diminished somewhat, as compared to those of P-free PtCN, implying that P doping led to electron enrichment of the Pt centres, and there appears a volcano variation of the binding energies with P dopant concentration, with PtCNP₂ at the maxima (72.54 and 74.34 eV). A reverse trend is observed in the binding energy of the P 2p electrons (Figure 2d), where PtCNP₂ exhibited the lowest binding energy (132.88 eV) of the $2p_{3/2}$ electrons (Table S3). This suggests a possible interaction between Pt and P within the P-doped samples, and such an interaction (charge transfer) was the strongest in PtCNP₂ among the series. Note that the binding energy of 132.88 eV is consistent with that observed for P-C bond, again, confirming the successful doping of P into the C₃N₄ structure.⁴³

Figure S4b depicts the corresponding high-resolution Cl 2p spectra, where the Cl $2p_{3/2}$ binding energy can be identified at 198.00, 197.74, 197.79, 197.83, and 198.15 eV for PtCN, PtCNP₁, PtCNP₂, PtCNP₃, and PtCNP₄ (Table S3), respectively. These binding energies are consistent with those observed for Pt-Cl containing complexes reported previously in the literature.^{44, 45}

Further insights into the Pt electronic state and coordination structures were obtained through XAS measurements in the range of 11.5 to 12.0 keV corresponding to the Pt L3 edge. Figure 3a depicts the X-ray absorption near edge structures (XANES) for the sample series, the Zeise's salt precursor (orange curve), and a Pt foil (cyan curve). The obtained data were reduced and analysed using the RSXAP package.⁴⁶ The Pt foil (cyan curve) can be seen to exhibit a strong absorption peak at 11.566 keV, which is referred to as the white line and attributed to the Pt $2p \rightarrow 5d$ transition (L3 edge).^{47, 48} The white line peak position for the Zeise's salt occurs at 11.567 keV, and the remaining samples exhibit a peak position of 11.568 keV. The white line amplitude in this region typically increases with decreasing 5d orbital occupancy (i.e., increasing average valence state). One can see that the white line amplitude increases in the order of Pt foil < Zeise's salt < PtCNP₁ \approx PtCNP₂ \approx PtCNP₃ \approx PtCNP₄ < PtCN (inset to Figure 3a). This suggests (i) a non-metallic valence state of Pt in the PtCN and PtCNP samples, and (ii) a somewhat lower Pt valence state in PtCNP than in PtCN.⁴⁸⁻⁵⁰ These findings are consistent with results from XPS measurements (Table S2). At higher energies, one can see that the PtCN and PtCNP samples exhibited a very similar extended X-ray absorption fine structure (EXAFS), which was very similar to that of the Zeise's salt but markedly different from that of the Pt foil. This can also be manifested in the corresponding R-space profiles in Figure 3b, where the same Fourier transform range ($3.5\text{-}12 \text{ \AA}^{-1}$) was used for the samples. A plot of the k space for the sample series can be seen in Figure S5. The R-space plots depict a clear change in the Pt environment in PtCN and PtCNP, with a smaller amplitude (increasing disorder), as compared to

the two reference samples of Zeise's salt (orange curve) and Pt foil (cyan curve). Note that the peak structure near 2.4 \AA , corresponding to the Pt-Pt pairs within the Pt foil (cyan curve), is not found in any of the other samples, whereas the primary peak near 1.9 \AA in Zeise's salt (orange curve) corresponding to Pt-Cl pairs is shifted to a lower R position for the PtCN and PtCNP samples and becomes broadened. Of note, the PtCN and PtCNP samples exhibit very similar R-space spectra with a broad peak near 1.7 \AA , suggesting a consistent coordination environment around the Pt centres.




Figure 3. (a) Normalized Pt L3 edge XANES for the sample series in comparison to Pt Zeise's salt precursor (orange) and Pt foil (cyan). All edge steps are normalized to an edge height of 1. The energy range selected to normalize the edge is 11.7-12.0 keV. Measurements were performed at a temperature of 10K to reduce thermal disorder within samples. Inset is the zoom in of the white line region. (b) Pt L3 edge r-space EXAFS data for the sample series and two reference samples, Pt Zeise's salt (orange) and Pt Foil (cyan). The FT window is from 3.5 to 12.0 \AA^{-1} , rounded using a Gaussian function of width, 0.2 \AA^{-1} . The fast-oscillating function is the real part R of the FT, and the amplitude is $(R^2+I^2)^{1/2}$, whereas I is the imaginary part of the FT. Samples have been shifted vertically for better comparison.




Figure 4. Ball and stick model representations of the fitting structures for (a) PtCN and (b) PtCNP₂. Coordination to the centre Pt atom indicates first and second shell atoms used for fitting. Atoms are colour coded with carbon (brown), nitrogen (gray), platinum (cyan), chlorine (green), and phosphorous (light red). EXAFS fitting results shown in R-space for (c) PtCN and (d) PtCNP₂. Raw R-space data is shown in solid with fits shown in gray circles. Fittings are performed in the R range of 1.3 to 2.5 Å.

Table 1. Bond length (*r*), coordination number (CN) and the Debye-Waller parameter (σ^2) from fitting of the EXAFS data in Figure 4.

Sample	Pt-N/C			Pt-Cl/P			Pt-N/C			Pt-N/C			Pt-N/C		
	<i>r</i> (Å)	CN	σ^2	<i>r</i> (Å)	CN	σ^2	<i>r</i> (Å)	CN	σ^2	<i>r</i> (Å)	CN	σ^2	<i>r</i> (Å)	CN	σ^2
PtCN	2.01	4.0	0.0066	2.31	0.75	0.0026	2.53	4.0	0.0059	3.54	19.5	0.040	4.14	12.70	0.024
PtCNP ₂	2.03	4.0	0.0092	2.31	1.65	0.014	2.52	4.0	0.0060	3.51	14.1	0.035	4.15	9.02	0.014

The EXAFS spectra were then fitted to quantify the bond lengths and coordination numbers using the rsFit function within the REXAFS software. The FEFF7 software was used to calculate the theoretical functions for each Pt pair (Pt-N/C, Pt-Cl/P).⁵² The samples were fitted using four Pt-N/C paths and one Pt-Cl/P path created from the atomic positions in the structures depicted in Figure 4a and 4b with distances from Pt of 2.0 Å (Pt-N), 2.5 Å (Pt-N/C), 3.5 Å (Pt-N/C), 4.1 Å (Pt-N/C), and 2.3 Å (Pt-Cl/P), respectively. The structure for fittings was created using a heptazine-based carbon nitride matrix. Pt was introduced into the gap between three tris-s-tiazine structures with the inclusion of one remaining Cl, and P was incorporated by replacement of a nearby N and bonded to C within the carbon nitride framework, as is consistent with the XPS findings (Figure 2). The structure was relaxed using density functional theory to minimize the geometric strain. The coordinates of each atom within the relaxed structure were used as input to FEFF7 to create the 5 Pt paths used for EXAFS fittings. The first path arises from the 4 nearest N neighbors to Pt, shown by direct bonds in Figure 4a and 4b. the second path arises from the next nearest neighbors to Pt, one Cl for structure 4a and one Cl and one P in structure 4b. As PtCN contained no P, P is absent in the structure used for PtCN fittings (Figure 4a). Paths 3, 4, and 5 arise from C and N atoms farther away from the central Pt atom, between 2.5 and 4.1 Å. These atoms are not directly bonded to Pt, but nonetheless are responsible for some structure in the

raw spectra for each sample. At farther distances from Pt there will be more possible neighbors and therefore we see an increase in the coordination number at these distances. The number of neighbors in the first Pt-N/C path of both fittings was fixed at 4 to be consistent with the structures in Figure 4a and 4b. The number of neighbors in all other paths were allowed to vary. The Debye-Waller parameter (σ^2) for all paths remained low between 0.003 and 0.04. Fittings were performed in the R range of 1.3 to 3.7 Å for both samples, and the results are shown graphically in Figure 4c and 4d, respectively (also listed in Table 1). Due to the proximity of the atomic number of C (6), N (7), P (15), and Cl (17), a Pt-N and Pt-C paths are indistinguishable from one another through EXAFS fitting. Similarly, Pt-Cl and Pt-P paths are also indistinguishable. Therefore, the coordination number estimated from the fitting for a given path represents the sum of either Pt-C/Pt-N or Pt-Cl/Pt-P coordination. From the fitting results, the Pt-N/C bond length (*r*) for the first shell atoms was estimated to be 2.01 Å for PtCN and 2.03 Å for PtCNP₂, both with a coordination number of ca. 4, suggesting a slightly stronger bonding interaction in the former, in agreement with the somewhat higher binding energy of the Pt 4f electrons in XPS measurements (Table S2). This bond length is consistent with the proposed structure and the expected bond length of a Pt-N coordination complex. Meanwhile, the Pt-Cl/P bond length showed identical bond lengths of 2.31 Å, with the respective coordination number of 0.75 and 1.65. As mentioned earlier in

XPS measurements, the atomic ratio of Cl:Pt was ca. 0.79 for PtCN (Table S1), very consistent with the coordination number of 0.75, suggesting the formation of a single Pt-Cl bond in PtCN. In XPS measurements, PtCNP₂ showed a Cl:Pt ratio of 1.02, indicating also a single Pt-Cl coordination. Thus, the Pt-Cl/P coordination number of 1.65 in PtCNP₂ suggests that additional coordination most likely arose from a Pt-P environment.

Note that EXAFS fittings in Figure 4c and 4d were performed on the first primary peak beginning at 1.3 Å and extended to the structure near 3.7 Å using three additional Pt-N/C paths in 9–19 atom clusters, consistent with the structures depicted in Figure 4a and 4b. The results show no interaction between Pt-Pt neighbours and hence the absence of metallic Pt or PtO_x, which is consistent with atomic dispersion of Pt within the sample, as suggested in TEM measurements (Figure 1 and S2). Thus, based on the XPS and EXAFS fitting results, two structural models were constructed for PtCN and PtCNP₂, as depicted in Figure 4a and 4b, respectively, involving PtN₄Cl and PtN₄PtCl nearest neighbours. Note there are several equivalent ways to place P on one of the nearby N/C sites.

The electrocatalytic activity towards HER was then analysed and compared in acidic media. Note that cyclic voltametric measurements of PtCNP₂ within the potential range of 0 to +1.2 V in a N₂-saturated H₂SO₄ solution reveals no noticeable hydrogen adsorption-desorption feature (Figure S6), further confirming the absence of Pt and PtO_x nanoparticles within the

sample (vide ante). Figure 5a depicts the HER polarization curves in N_2 -saturated 0.5 M H_2SO_4 of the various catalysts loaded onto a glassy carbon electrode. Notably, the metal-free C_3N_4 and CNP_2 exhibit only a minimal HER activity, which was then markedly improved with the incorporation of Pt forming PtCN and PtCNP. In fact, one can see that PtCNP₂ even outperformed commercial Pt/C catalyst. This can be readily seen in Figure 5b, where the η_{10} was estimated to be -383 mV for PtCN, -116 mV for PtCNP₁, -22 mV for PtCNP₂, -217 mV for PtCNP₃, -304 mV for PtCNP₄, and -26 mV for Pt/C. That is, P-doping significantly enhanced the HER activity of PtCN, and PtCNP₂ stood out as the best HER catalyst among the series, with a performance even better than that of Pt/C. Further contrast is observed in Figure 5c depicting the mass activity (MA, by normalizing the HER current to the Pt mass determined by ICP-OES measurements) obtained at -0.070 V vs RHE, which is 0.028 $mA \mu g_{Pt}^{-1}$ for PtCN, 0.771 $mA \mu g_{Pt}^{-1}$ for PtCNP₁, 7.1 $mA \mu g_{Pt}^{-1}$ for PtCNP₂, 0.226 $mA \mu g_{Pt}^{-1}$ for PtCNP₃, 0.05 $mA \mu g_{Pt}^{-1}$ for PtCNP₄, and 2.387 $mA \mu g_{Pt}^{-1}$ for Pt/C. Again, PtCNP₂ possessed the best performance, with the MA nearly triple that of Pt/C.




Figure 5. (a) HER polarization curves on various electrocatalysts in 0.5M H_2SO_4 at the rotation rate of 1600 rpm, potential sweep rate of 10 mV/s and 85% iR compensation. (b) Corresponding η_{10} from the HER polarization curves in panel (a). (c) Mass activity at -0.07 V vs RHE per μg of Pt calculated from ICP-OES measurements. (d) Tafel plots derived from panel (a). Note the overlapping data points between the Pt/C and PtCNP₂ samples.

Figure 5d depicts the Tafel plots for the various samples. Based on linear regression, the Pt-free samples can be seen to display a high Tafel slope of 265.4 $mV \text{ dec}^{-1}$ for C_3N_4 (grey) and 390.8 $mV \text{ dec}^{-1}$ for CNP_2 (red), which became substantially reduced for the PtCN and PtCNP samples, 65.7 $mV \text{ dec}^{-1}$ for PtCN, 47.3 $mV \text{ dec}^{-1}$ for PtCNP₁, 31.2 $mV \text{ dec}^{-1}$ for PtCNP₂, 88.2 $mV \text{ dec}^{-1}$ for PtCNP₃, 95.7 $mV \text{ dec}^{-1}$ for PtCNP₄, and 31.5 $mV \text{ dec}^{-1}$ for Pt/C. That is, PtCNP₂ exhibited the lowest Tafel slope (even slightly lower than that of Pt/C), suggesting most favorable electron-transfer kinetics. This also suggests that the Tafel or recombination reaction is the rate determining step,⁵¹ as observed with commercial Pt/C, in which two adsorbed hydrogen join at the surface of the electrocatalyst and desorb to form molecular hydrogen.

Electrochemical impedance measurements were then carried out to evaluate the HER charge-transfer resistance (R_{ct}). Figure 6a depicts the Nyquist plots produced at the overpotential of -10 mV in 0.5 M H_2SO_4 , which were fitted by using EC-Lab's software V11.10 with the equivalent circuit shown in the figure inset (R_1 is the solution resistance, R_{ct} is the charge-transfer resistance, C is the double-layer capacitance, and W_d is the Warburg diffusion term). At the selected overpotential, R_{ct} was found to vary significantly among the samples, 2926 Ω for PtCN, 102.6 Ω for PtCNP₁, 19.3 Ω for PtCNP₂, 5862 Ω for PtCNP₃, and 6851 Ω for PtCNP₄, consistent with their HER activity as manifested in the HER polarization curves (Figure 5a).




Figure 6. (a) Nyquist plots for the sample series produced from electrochemical impedance measurements at -10 mV overpotential. Inset is the Randle's equivalent circuit where R_1 is the solution resistance, R_{ct} is the charge-transfer resistance, C is the double-layer capacitance, and W_d is the Warburg diffusion term. (b) Mott-Schottky measurements for the sample series performed in 0.1 M Na_2SO_4 . Potentials are vs an Ag/AgCl reference electrode. Regression taken within the linear portion of each sample is shown as a black solid line. Y-axis on the left correspond to samples PtCN, PtCNP₁, and PtCNP₃ while y-axis on the right corresponds to PtCNP₂ and PtCNP₄.

To gain further insight into the charge-transfer capability of the samples, Mott-Schottky analysis was performed in 0.1 M Na_2SO_4 . From Figure 6b, all samples can be seen to possess a positive slope along the linear region of each curve, suggesting n-type semiconductor behavior.²⁶ The flat band potential (E_{fb}) for PtCN was calculated to be -0.92 V vs Ag/AgCl and an anodic shift was observed upon phosphorous doping to -0.61 V for PtCNP₁ and -0.60 V for PtCNP₂, whereas a further increase of

the phosphorous dopant concentration was found to result in a slight cathodic shift of E_{fb} to -0.65 V for PtCNP₃ and -0.68 V for PtCNP₄. Note that the formal potential for hydrogen evolution (H^+/H_2) is -0.59 V vs Ag/AgCl in 0.1 M Na_2SO_4 .²⁶ A positive shift toward -0.59 V found in the PtCNP₁ and PtCNP₂ samples suggests a narrowing of the energy barrier, while the slight negative shift in PtNP₃ and PtCNP₄ suggests a broadening of the energy barrier. These findings are consistent with the HER polarization curves in Figure 5a and the electrocatalytic activity trend observed. Furthermore, the charge carrier density (N_d) of the catalyst can be calculated by $N_d = \frac{e}{e\epsilon\epsilon_0m}$, where e is the elementary charge of an electron (1.602×10^{-19} C), ϵ is the dielectric constant (10),⁵² ϵ_0 is the permittivity in a vacuum (8.85×10^{-12} Fm⁻¹), and (m) is the slope of the Mott-Schottky linear regression. N_d was calculated to be 8.66×10^{16} for PtCN, 4.30×10^{16} for PtCNP₁, 6.60×10^{17} for PtCNP₂, 6.55×10^{17} for PtCNP₃, and 6.32×10^{16} for PtCNP₄. That is, PtCNP₂ possessed the highest charge carrier density (with PtCNP₃ being the close second) among the sample series, which is nearly 10 times that of PtCN. These results suggest phosphorous doping within the carbon nitride framework reaches an optimum level for charge carrier density for PtCNP₂, in coincidence with the best HER activity.

Conclusions

In summary, a series of phosphorous-doped carbon nitride materials were synthesized by thermal annealing of urea and NH_4PF_6 . A facile chelation procedure was exploited for the complexation of isolated Pt centers into the carbon nitrile matrix using of an activated Pt(II) Zeise's salt as the precursor. XPS and XAS measurements confirmed the atomic dispersion of Pt into the structural scaffold with Pt-N/P/Cl coordination. The resulting materials were found to exhibit remarkable electrocatalytic activity towards HER in acidic media, and the results suggest that P doping was critical in enhancing the electrical conductivity and HER electron-transfer kinetics of the composite catalysts. Among the series, the PtCNP₂ sample was found to possess the best HER electrocatalytic performance, with a mass activity almost three-times that of commercial Pt/C benchmark. This was coincident with the highest charge carrier density and lowest charge-transfer resistance. Results from the present study highlight the unique advantage of P doping in manipulating the electronic properties and enhancing the electrocatalytic activity of metal-carbon nanocomposites for electrocatalysis in important electrochemical energy technologies.

Author Contributions

S. C. conceived the study. F. N. carried out the majority of the work. J. S., Z. A., and R. C. assisted in data acquisition. Q. M. L. assisted in result analysis and theoretical simulations. R. M. performed the XPS work. F. N. collected and analyzed the XAS data under the supervision of F. B. All authors contributed to result discussion and writing of the paper.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work is supported, in part, by the National Science Foundation (CHE-2003685 and CHE-1900235). TEM and XPS studies were carried out at the National Center for Electron Microscopy and Molecular Foundry, Lawrence Berkeley National Laboratory, which is supported by the Office of Science, Office of Basic Energy Sciences, of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231. XAS experiments were performed at the Stanford Synchrotron Radiation Lightsource (SSRL), which is supported by the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences, under Contract DE-AC02-76SF00515. We would like to thank Brandon Cheney for the assistance collecting SEM and EDS mapping results. We also thank Jeremy Barnett for the assistance with sample preparation and XRD data collection using the Rigaku Smartlab Diffractometer that was funded by NSF MRI grant number 1126845.

References

- <https://www.iea.org/reports/renewables-2020>
- J. Greeley, T. F. Jaramillo, J. Bonde, I. B. Chorkendorff and J. K. Nørskov, *Nat Mater*, 2006, **5**, 909-913.
- D. Voiry, H. Yamaguchi, J. Li, R. Silva, D. C. B. Alves, T. Fujita, M. Chen, T. Asefa, V. B. Shenoy and G. Eda, *Nat Mater*, 2013, **12**, 850-855.
- K. Liu, C. Song and V. Subramani, *Hydrogen and syngas production and purification technologies*, John Wiley & Sons, 2010.
- A. Eftekhari, *Int J Hydrogen Energy*, 2017, **42**, 11053-11077.
- B. D. Adams and A. C. Chen, *Mater today*, 2011, **14**, 282-289.
- Z. Zhao, H. Liu, W. Gao, W. Xue, Z. Liu, J. Huang, X. Pan and Y. Huang, *J Am Chem Soc*, 2018, **140**, 9046-9050.
- J. Liu, Y. Li, X. Zhou, H. Jiang, H. G. Yang and C. Li, *J Mater Chem A*, 2020, **8**, 17-26.
- F. Nichols, J. E. Lu, R. Mercado, R. Dudschus, F. Bridges and S. W. Chen, *Chem Eur J*, 2020, **26**, 4136-4142.
- Z. M. Cao, H. Q. Li, C. Y. Zhan, J. W. Zhang, W. Wang, B. B. Xu, F. Lu, Y. Q. Jiang, Z. X. Xie and L. S. Zheng, *Nanoscale*, 2018, **10**, 5072-5077.
- X. Tian, X. Zhao, Y. Su, L. Wang, H. Wang, D. Dang, B. Chi, H. Liu, E. J. Hensen and X. W. D. Lou, *Science*, 2019, **366**, 850-856.
- N. Cheng, S. Stambula, D. Wang, M. N. Banis, J. Liu, A. Riese, B. W. Xiao, R. Y. Li, T.-K. Sham and L.-M. Liu, *Nat Commun*, 2016, **7**, 13638.
- X. P. Yin, H. J. Wang, S. F. Tang, X. L. Lu, M. Shu, R. Si and T. B. Lu, *Angew Chem Int Edit*, 2018, **57**, 9382-9386.
- B. Z. Lu, L. Guo, F. Wu, Y. Peng, J. E. Lu, T. J. Smart, N. Wang, Y. Z. Finfrock, D. Morris, P. Zhang, N. Li, P. Gao, Y. Ping and S. W. Chen, *Nat Commun*, 2019, **10**, 631.
- Q. M. Liu, Q. X. Li and S. W. Chen, *Curr Op Electrochem*, 2020, **21**, 46-54.
- Y. Peng, B. Z. Lu, L. M. Chen, N. Wang, J. E. Lu, Y. Ping and S. W. Chen, *J Mater Chem A*, 2017, **5**, 19499-19499.
- Y. Wang, H. Su, Y. He, L. Li, S. Zhu, H. Shen, P. Xie, X. Fu, G. Zhou, C. Feng, D. Zhao, F. Xiao, X. Zhu, Y. Zeng, M. Shao, S. W.

- Chen, G. Wu, J. Zeng and C. Wang, *Chem Rev*, 2020, **120**, 12217-12314.
- 18 B. Lu, Q. Liu, F. Nichols, R. Mercado, D. Morris, N. Li, P. Zhang, P. Gao, Y. Ping and S. W. Chen, *Research*, 2020, **2020**, 9167829.
- 19 W. Y. Zhu and S. W. Chen, *Electroanalysis*, 2020, **32**, 2591-2602.
- 20 J. Peng, Y. Chen, K. Wang, Z. Tang and S. W. Chen, *Int J Hydrogen Energy*, 2020, **45**, 18840-18849.
- 21 B. Lu, Q. Liu and S. W. Chen, *ACS Catal*, 2020, **10**, 7584-7618.
- 22 Q. M. Liu, Y. Peng, Q. X. Li, T. He, D. Morris, F. Nichols, R. Mercado, P. Zhang and S. W. Chen, *ACS Appl Mater Interfaces*, 2020, **12**, 17641-17650.
- 23 F.-Y. Yu, Z.-L. Lang, L.-Y. Yin, K. Feng, Y.-J. Xia, H.-Q. Tan, H.-T. Zhu, J. Zhong, Z.-H. Kang and Y.-G. Li, *Nat Commun*, 2020, **11**, 490.
- 24 Z. H. Pu, I. S. Amiin, R. L. Cheng, P. Y. Wang, C. T. Zhang, S. C. Mu, W. Y. Zhao, F. M. Su, G. X. Zhang, S. J. Liao and S. H. Sun, *Nano-Micro Lett*, 2020, **12**, 21.
- 25 J. Kim, H. E. Kim and H. Lee, *ChemSusChem*, 2018, **11**, 104-113.
- 26 Y. Peng, W. Z. Pan, N. Wang, J. E. Lu and S. W. Chen, *ChemSusChem*, 2018, **11**, 130-136.
- 27 Z. Zeng, Y. Su, X. Quan, W. Choi, G. Zhang, N. Liu, B. Kim, S. Chen, H. Yu and S. Zhang, *Nano Energy*, 2020, **69**, 104409.
- 28 H. Yan, C. Tian, L. Wang, A. Wu, M. Meng, L. Zhao and H. Fu, *Angew Chem Int Edit*, 2015, **127**, 6423-6427.
- 29 Y. J. Zhang, T. Mori, J. H. Ye and M. Antonietti, *J Am Chem Soc*, 2010, **132**, 6294-+.
- 30 S. Guo, Z. Deng, M. Li, B. Jiang, C. Tian, Q. Pan and H. Fu, *Angew Chem Int Edit*, 2016, **128**, 1862-1866.
- 31 J. P. Paraknowitsch and A. Thomas, *Energy Environ Sci*, 2013, **6**, 2839-2855.
- 32 X. W. Wang, G. Z. Sun, P. Routh, D. H. Kim, W. Huang and P. Chen, *Chem Soc Rev*, 2014, **43**, 7067-7098.
- 33 S. B. Yang, L. J. Zhi, K. Tang, X. L. Feng, J. Maier and K. Mullen, *Adv Funct Mater*, 2012, **22**, 3634-3640.
- 34 Z. F. Hu, Z. R. Shen and J. C. Yu, *Green Chem*, 2017, **19**, 588-613.
- 35 A. Lazauskas, J. Baltrusaitis, L. Puodziukynas, M. Andrulevicius, G. Bagdziunas, D. Volyniuk, S. Meskinis, G. Niaura, T. Tamulevicius and V. Jankauskaite, *Carbon*, 2016, **107**, 415-425.
- 36 M. Benedetti, C. R. Girelli, D. Antonucci, S. A. De Pascali and F. P. Fanizzi, *Inorg. Chim. Acta*, 2014, **413**, 109-114.
- 37 H.-X. Han and B. J. Feldman, *Solid State Commun*, 1988, **65**, 921-923.
- 38 K. Ogata, J. F. D. Chubaci and F. Fujimoto, *J Appl Phys*, 1994, **76**, 3791-3796.
- 39 V. N. Khabashesku, J. L. Zimmerman and J. L. Margrave, *Chem Mater*, 2000, **12**, 3264-3270.
- 40 Q. J. Xiang, J. G. Yu and M. Jaroniec, *J Phys Chem C*, 2011, **115**, 7355-7363.
- 41 S. C. Yan, Z. S. Li and Z. G. Zou, *Langmuir*, 2010, **26**, 3894-3901.
- 42 C. Lv, Q. Yang, Q. Huang, Z. Huang, H. Xia and C. Zhang, *J Mater Chem A*, 2016, **4**, 13336-13343.
- 43 H. Wu, Z. Chen, Y. Wang, E. Cao, F. Xiao, S. Chen, S. Du, Y. Wu and Z. Ren, *Energy Environ Sci*, 2019, **12**, 2697-2705.
- 44 C. Andersson and R. Larsson, *Chem Scripta*, 1977, **11**, 140-144.
- 45 D. T. Clark, D. Briggs and D. B. Adams, *J Chem Soc Dalton Trans*, 1973, 169-172.
- 46 C. H. Booth, See: <http://lise.lbl.gov/RSAXP/>. 2010.
- 47 J. A. Horsley, *J Chem Phys*, 1982, **76**, 1451-1458.
- 48 A. N. Mansour, J. W. Cook Jr and D. E. Sayers, *J Phys Chem*, 1984, **88**, 2330-2334.
- 49 D. Friebel, D. J. Miller, C. P. O'Grady, T. Anniyev, J. Bargar, U. Bergmann, H. Ogasawara, K. T. Wikfeldt, L. G. M. Pettersson and A. Nilsson, *Phys Chem Chem Phys*, 2011, **13**, 262-266.
- 50 H. Yoshida, S. Nonoyama, Y. Yazawa and T. Hattori, *Phys Scr*, 2005, **2005**, 813.
- 51 M. Zeng and Y. Li, *J Mater Chem A*, 2015, **3**, 14942-14962.
- 52 F. H. Abd El-kader, M. A. Moharram, M. G. Khafagia and F. Mamdouh, *Spectrochim Acta A: Mol Biomol Spectrosc*, 2012, **97**, 1115-1119.