



Cite this: *RSC Adv.*, 2019, 9, 10289

# ZnO decorated Sn<sub>3</sub>O<sub>4</sub> nanosheet nano-heterostructure: a stable photocatalyst for water splitting and dye degradation under natural sunlight

Sagar D. Balgude,<sup>ab</sup> Yogesh A. Sethi,<sup>a</sup> Bharat B. Kale,<sup>ID</sup><sup>a</sup> Dinesh P. Amalnerkar<sup>c</sup> and Parag V. Adhyapak<sup>ID</sup><sup>\*a</sup>

Herein, a facile hydrothermally-assisted sonochemical approach for the synthesis of a ZnO decorated Sn<sub>3</sub>O<sub>4</sub> nano-heterostructure is reported. The phase purity of the nano-heterostructure was confirmed by X-ray diffraction and Raman spectroscopy. The morphological analysis demonstrated a nanosheet-like structure of Sn<sub>3</sub>O<sub>4</sub> with a thickness of 20 nm, decorated with ZnO. The optical band gap was found to be 2.60 eV for the ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructure. Photoluminescence studies revealed the suppression of electron-hole recombination in the ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructure. The potential efficiency of ZnO@Sn<sub>3</sub>O<sub>4</sub> was further evaluated towards photocatalytic hydrogen production *via* H<sub>2</sub>O splitting and degradation of methylene blue (MB) dye. Interestingly, it showed significantly superior photocatalytic activity compared to ZnO and Sn<sub>3</sub>O<sub>4</sub>. The complete degradation of MB dye solution was achieved within 40 min. The nano-heterostructure also exhibited enhanced photocatalytic activity towards hydrogen evolution (98.2 μmol h<sup>-1</sup>/0.1 g) *via* water splitting under natural sunlight. The superior photocatalytic activity of ZnO@Sn<sub>3</sub>O<sub>4</sub> was attributed to vacancy defects created due to its nano-heterostructure.

Received 29th January 2019  
 Accepted 17th March 2019

DOI: 10.1039/c9ra00788a

[rsc.li/rsc-advances](http://rsc.li/rsc-advances)

## 1 Introduction

Recently, the discharge of industrial wastewater containing organic contaminants has led to serious environmental hazards. Commonly, biologically non-degradable waste water effluents contain synthetic pigments, organic dyes and phenolic contaminants, which cause a serious problem to aquatic life. Moreover, the higher stability of modern synthetic organic contaminants hampers orthodox biological treatments/methods and results in ineffectual degradation for the removal of these organic contaminants.<sup>1,2</sup> Broadly, there are two approaches for the removal of toxic contaminants from waste water. (i) Contaminants are degraded and broken down into harmless moieties.<sup>3</sup> (ii) Contaminants are removed *via* an adsorption technique.<sup>4</sup> The first approach is more effective, in which reactive oxygen species are generated using a suitable semiconducting photocatalyst by advanced oxidation processes (AOP).<sup>5-7</sup> TiO<sub>2</sub> and ZnO are the most commonly used semiconductor photocatalysts due to their high efficiency in the

degradation of organic pollutants under UV irradiation.<sup>8-10</sup> However, these photocatalysts also possess some limitations, such as being excited only by ultraviolet light or the recombination rates of photogenerated holes and electrons being high, which consequently restrict their application due to their low utilization of solar energy.<sup>11,12</sup> Therefore, several ideas have been put forward by researchers to promote the photocatalytic activity by the effective utilization of solar light energy. These efforts include increasing the hole concentration through doping, varying the particle size to enhance the surface area, mixing the semiconductor catalyst with suitable metal/metal oxide nanomaterials and the development of new photocatalysts with a narrow band gap.<sup>13-17</sup> Among these techniques, the fabrication of composite materials based on two different metal oxides with variable band gap energies provides an effective way to tackle the above-mentioned issues.<sup>18-22</sup> In this regard, there are various reports available on different coupled metal oxides, such as SnO<sub>2</sub>-ZnO, TiO<sub>2</sub>-WO<sub>3</sub>, CZTS-TiO<sub>2</sub>, Bi<sub>2</sub>O<sub>3</sub>/Bi<sub>5</sub>O<sub>7</sub>NO<sub>3</sub>, ZnO-SnO<sub>2</sub> and TiO<sub>2</sub>-SnO<sub>2</sub>.<sup>23-28</sup>

Recently, heterovalent tin oxide (Sn<sub>3</sub>O<sub>4</sub>) with various nano-morphs, including nanosheets, nanoflowers, nanobelts, nanolayers, *etc.*, has been used as a potential catalyst due to its narrow band gap and chemical stability.<sup>29-32</sup> The photocatalytic performance of pristine Sn<sub>3</sub>O<sub>4</sub> is believed to be due to the variable oxidation state of Sn: *i.e.* Sn<sup>2+</sup> and Sn<sup>4+</sup>.<sup>32</sup> Reports in the

<sup>a</sup>Centre for Materials for Electronics Technology, Panchawati, Pashan Road, Pune 411008, India. E-mail: [adhyapak@cmet.gov.in](mailto:adhyapak@cmet.gov.in)

<sup>b</sup>D. Y. Patil College of Engineering, Ambi, Pune-410507, India

<sup>c</sup>Institute of Nano Science and Technology, Hanyang University, Seoul-04763, South Korea



literature have demonstrated the moderate photocatalytic activity of  $\text{Sn}_3\text{O}_4$  materials for  $\text{H}_2$  evolution and dye degradation under visible light. However, to achieve efficient  $\text{H}_2$  evolution under visible light,  $\text{Sn}_3\text{O}_4$  materials are often utilized along with a noble metal as a co-catalyst.<sup>29</sup> This limits their widespread use as low-cost materials. Thus, facile synthetic methods operating under milder reaction conditions for the fabrication of  $\text{Sn}_3\text{O}_4$ -based nanomaterials that operate under sunlight/visible light irradiation are highly desirable. ZnO with its wide band gap (3.2 eV) could be a good alternative for band coupling with  $\text{Sn}_3\text{O}_4$  to realize the effective separation and transfer of photo-generated  $\text{h}^+$  and  $\text{e}^-$ . Considering the above facts, we are reporting a combined hydrothermal and sonochemical method for the synthesis of a  $\text{ZnO@Sn}_3\text{O}_4$  composite for the first time. To the best of our knowledge, this is the first report highlighting a  $\text{ZnO@Sn}_3\text{O}_4$  composite operable under visible light.

We have synthesized pristine ZnO,  $\text{Sn}_3\text{O}_4$  and  $\text{ZnO@Sn}_3\text{O}_4$  composites. The as-synthesized samples were characterized using different physicochemical techniques and further utilized for their photocatalytic performance for the degradation of methylene blue (MB) dye and  $\text{H}_2$  evolution under sunlight irradiation.

## 2 Experimental

### Chemicals

All of the chemicals were of analytical grade and used as received. Stannous oxalate ( $\text{SnC}_2\text{O}_4$ ) was purchased from Otto Chemicals; disodium succinate hexahydrate was purchased from Central Drug House (P) Ltd; zinc acetate dihydrate ( $\text{Zn}(\text{CH}_3\text{COO})_2 \cdot 2\text{H}_2\text{O}$ ), sodium hydroxide (NaOH) and absolute ethanol were purchased from Merck (India).

### Synthesis of nanocrystalline $\text{Sn}_3\text{O}_4$

In the synthesis of  $\text{Sn}_3\text{O}_4$ , initially, aqueous solutions of 10 mL (0.01 M) of stannous oxalate and 10 mL (0.02 M) of disodium succinate hexahydrate were mixed together using a magnetic stirrer to form a homogeneous mixture. To this solution, aq. NaOH solution (0.5 M) was added dropwise over a period of 30 min to attain a final pH of  $\sim 12$ . After complete addition, a white precipitate was formed. This precipitate was then transferred to a Teflon-lined stainless-steel autoclave and hydrothermally treated at  $180^\circ\text{C}$  for 24 h. After 24 h, the autoclave was cooled down naturally to room temperature. The final yellow product in the form of a precipitate was centrifuged and washed with ethanol and water several times and then dried at  $60^\circ\text{C}$  in an oven for 12 h.

### Synthesis $\text{ZnO@Sn}_3\text{O}_4$

0.15 g of as-synthesized  $\text{Sn}_3\text{O}_4$  was well dispersed homogeneously in a (1 : 1) water : ethanol mixture. To this dispersion, 0.05 g of zinc acetate dihydrate was added to form a homogeneous solution. This was followed by the addition of 0.2 M NaOH solution to adjust the final pH to 10. The resulting solution was then sonochemically treated with an ultrasound probe (Sonics Vibra-Cell, USA) for 4 h (operated with 5 s pulse

ON and 2 s pulse OFF at an amplitude of 35%). The obtained precipitate was then centrifuged, washed and dried at  $60^\circ\text{C}$  for 12 h. The %wt compositions of the obtained nano-heterostructure material were 15% ZnO and 85%  $\text{Sn}_3\text{O}_4$ . For comparison, pure ZnO was also synthesized by following the same procedure as above without the addition of  $\text{Sn}_3\text{O}_4$ .

### Physicochemical characterization

The structural analysis and phase purity of the ZnO,  $\text{Sn}_3\text{O}_4$  and  $\text{ZnO@Sn}_3\text{O}_4$  samples were carried out using powder X-ray diffraction analysis (XRD) (Rigaku Miniflex X-ray diffractometer) with Cu K $\alpha$  irradiation at  $\lambda = 1.5406 \text{ \AA}$ . Raman spectra were recorded on a Jobin Yvon T64000 triple grating spectrometer equipped with a liquid nitrogen cooled charge coupled device. The photoluminescence (PL) spectra were recorded on an F-2500 fluorescence spectrophotometer. For the PL measurements, water suspensions of the samples were excited at a wavelength of 350 nm. The surface morphologies of the as-prepared samples were investigated by field emission scanning electron microscopy (FESEM) using a JEOL-JSM Model 6700F. The field emission transmission electron microscopy (FETEM) images of the as-synthesized products were obtained on a JEOL, JEM-2200 FS transmission electron microscope equipped with a field emission gun. The particle size distribution measurements of the as-prepared samples were done using a PSS-NICOMP particle size analyser (Santa Barbara, California, USA). UV-visible absorption spectra were obtained by a JASCOV-570 UV-visible spectrophotometer. The spectral changes in the concentration of MB during photocatalytic degradation were also studied using the same spectrophotometer.

### Photocatalytic $\text{H}_2$ generation from water

The as-synthesized photocatalysts were tested for  $\text{H}_2$  evolution from the splitting of water. Typical experiments were carried using a 250 mL round bottomed flask containing 100 mL of double distilled water and 25 mL of methanol as a sacrificial reagent. Then, 100 mg of catalyst was added to this solution. The dissolved oxygen was removed from the reaction mixture by purging with argon. The photocatalytic  $\text{H}_2$  evolution was studied under solar light irradiation. The progress of the reaction was monitored by measuring evolved gas with the help of a eudiometer connected to a round bottomed flask. During experiments, the amount of gas evolved as a function of time was noted and the data was used for further calculations. The quantification of the hydrogen gas evolved was analyzed by gas chromatography operated using a  $5 \text{ \AA}$  capillary column and a thermal conductivity detector.

### Photocatalytic degradation of MB dye

The photocatalytic activities of the as-synthesized photocatalysts were evaluated by degradation of a representative organic dye, methylene blue, under sunlight irradiation. A 250 mL Pyrex beaker was used for the photodegradation experiments. 50 mg of catalyst was added to 100 mL of an aqueous solution of 10 ppm MB dye and the mixture was initially stirred in the dark for 1 h to achieve adsorption-



desorption equilibrium of the MB dye with the photocatalysts. After 1 h, the mixture was exposed to sunlight for photo-degradation. At regulated intervals of time, 5 mL of reaction mixture was collected, centrifuged to remove the catalyst and then analysed using a UV-visible spectrometer. The progress of the reaction was monitored by observing changes in the intensity of the maximum absorption of the MB dye at 662 nm.

### 3 Results and discussion

The crystal structures and phase purity of as-synthesized ZnO, Sn<sub>3</sub>O<sub>4</sub> and ZnO@Sn<sub>3</sub>O<sub>4</sub> products were examined by powder XRD, as shown in Fig. 1. Curve (a), the X-ray diffractogram of pristine ZnO, shows diffraction peaks at 31.2°, 34.4°, 36.6°, 47.2°, 56.4°, 62.7°, 66.3°, 67.5° and 69.2° corresponding to the (100), (002), (101), (102), (110), (103), (200), (112) and (201) planes of the hexagonal wurtzite phase of ZnO (JCPDS card no. 89-0510).<sup>32</sup> Curve (b), the X-ray diffractogram of as-synthesized Sn<sub>3</sub>O<sub>4</sub>, corresponds to the (101), (111), (122), (130), and (132) reflection planes, attributed to the triclinic phase (JCPDS card no. 16-0737).<sup>23</sup> The XRD pattern of the as-synthesized ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructure is depicted in Fig. 1(c). It can be seen that the XRD pattern exhibits diffraction peaks corresponding to both ZnO and Sn<sub>3</sub>O<sub>4</sub>, indicating the formation of a ZnO phase along with Sn<sub>3</sub>O<sub>4</sub>. No other impurity peaks were detected.

The XRD data were further utilized for determining the crystallite size using the Debye-Scherrer formula. The estimated crystallite sizes were found to be 48.6, 36.2 and 34.4 for pristine ZnO, Sn<sub>3</sub>O<sub>4</sub> and ZnO@Sn<sub>3</sub>O<sub>4</sub> nanostructures, respectively.

The as-synthesized ZnO, Sn<sub>3</sub>O<sub>4</sub> and ZnO@Sn<sub>3</sub>O<sub>4</sub> samples were further analyzed by Raman spectroscopy and the results are shown in Fig. 2. Curve (a) represents the Raman spectrum of pristine ZnO. From the spectrum, the vibrational peaks appearing at 332, 438 and 698 cm<sup>-1</sup> for ZnO can be clearly seen. The most intense peak located at 438 cm<sup>-1</sup> is characteristic of the E2 mode of the hexagonal wurtzite structure.<sup>33</sup>




Fig. 1 X-ray diffraction patterns (XRD) of (a) ZnO, (b) Sn<sub>3</sub>O<sub>4</sub> and (c) ZnO@Sn<sub>3</sub>O<sub>4</sub>.






Fig. 2 Room temperature Raman spectra of (a) ZnO, (b) Sn<sub>3</sub>O<sub>4</sub> and (c) ZnO@Sn<sub>3</sub>O<sub>4</sub>.

The other modes with frequencies of 332 and 698 cm<sup>-1</sup> are due to multiphonon scattering processes and cannot be explained within the framework of bulk single phonon modes.<sup>33</sup> For pristine Sn<sub>3</sub>O<sub>4</sub> (curve (b)), the two sharp peaks at 135 and 168 cm<sup>-1</sup> are characteristic peaks of triclinic Sn<sub>3</sub>O<sub>4</sub>. However, the weak peak at 243 cm<sup>-1</sup> may be due to the oxidation of the sample.<sup>30</sup> Curve (c) shows the Raman spectrum of ZnO@Sn<sub>3</sub>O<sub>4</sub>, which exhibits mixed peaks for Sn<sub>3</sub>O<sub>4</sub> and ZnO. This confirms that all of the samples exhibit crystalline peaks and that these results are in good accordance with the XRD results.

Based on the above characterization features, a mechanism of the formation of ZnO@Sn<sub>3</sub>O<sub>4</sub> has been proposed. Sn<sub>3</sub>O<sub>4</sub> was well dispersed homogeneously in a 1:1 ethanol:water mixture. Zn<sup>2+</sup> and OH<sup>-</sup> ions were provided by zinc acetate and sodium hydroxide, respectively, which reacted to form a stable Zn(OH)<sub>4</sub> complex. Under sonochemical treatment, the sonolysis of water generates various radicals, such as <sup>•</sup>H, <sup>•</sup>OH, <sup>•</sup>OH<sub>2</sub> and <sup>•</sup>O<sub>2</sub><sup>-</sup>. The <sup>•</sup>O<sub>2</sub><sup>-</sup> plays an important role in the formation of ZnO nanostructures. The formation reactions of ZnO are represented by eqn (1)–(3):<sup>34</sup>



The morphological analysis of ZnO, Sn<sub>3</sub>O<sub>4</sub> and ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructures was further analyzed by FESEM and the results are depicted in Fig. 3. From Fig. 3(a) and (b), it can be seen that pristine ZnO exhibits a hexagonal rod-like morphology with a width ranging from 50–180 nm to 200–400 nm in length. The FESEM analysis of pristine Sn<sub>3</sub>O<sub>4</sub>, as depicted in Fig. 3(c) and (d), reveals that it consists of irregularly-shaped sheets with a thickness of about 20 nm, with some flat nanocrystals deposited on them. Fig. 3(e) and (f) show that in the FESEM analysis of as-synthesized ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructures, the morphology was retained. However, sheet-






Fig. 3 FESEM images of (a and b) ZnO, (c and d)  $\text{Sn}_3\text{O}_4$ , (e and f)  $\text{ZnO@Sn}_3\text{O}_4$ , respectively.

like nanostructures with deposited ZnO nanocrystals of reduced size were observed for these composites. The reduced size of the nanosheets and deposited nanocrystals might be attributed to ultrasound irradiation during the sonochemical synthesis.

The crystallinity and heterojunction of the as-synthesized samples were confirmed using field emission transmission electron microscopy (FETEM). Fig. 4 shows the FETEM images of  $\text{ZnO@Sn}_3\text{O}_4$ . Fig. 4(a) and (b) reveal a sheet-like morphology with the thickness of the nanosheet less than 30 nm and some nanocrystals of ZnO present on the  $\text{Sn}_3\text{O}_4$  nanosheets. Fig. 4(c) represents the SAED pattern of the sample, which clearly shows the polycrystalline nature of  $\text{ZnO@Sn}_3\text{O}_4$ . Further, from the HRTEM image of the  $\text{ZnO@Sn}_3\text{O}_4$  (Fig. 4(d)), the close connection/binding of ZnO and  $\text{Sn}_3\text{O}_4$  can be clearly seen. The lattice fringes obtained from different regions with lattice spacings of 0.33 and 0.25 nm can be assigned to the (111) plane of triclinic  $\text{Sn}_3\text{O}_4$  and the (002) plane of wurtzite ZnO, respectively.

Fig. 5 shows the elemental mapping of the  $\text{ZnO@Sn}_3\text{O}_4$  nanostructures. From the figure, the signals pertaining to Zn, Sn and O have a uniform spatial distribution. For further confirmation of the uniform distribution of Zn, Sn and O in  $\text{ZnO@Sn}_3\text{O}_4$  nanosheets, spot EDS analysis was carried out and the results are shown in Fig. 5(b)–(f). In the figures, no peaks corresponding to any impurities can be observed and the stoichiometric ratios used for Zn and Sn were found to be in good agreement with those used in the synthetic architecture during the synthesis.




Fig. 4 TEM (a and b), SAED pattern (c), HRTEM (d) images of  $\text{ZnO@Sn}_3\text{O}_4$ , respectively.

From Fig. 6, it can be seen that pristine ZnO (curve (a)) and  $\text{Sn}_3\text{O}_4$  (curve (b)) exhibit absorption onsets at 391 nm and 445 nm, respectively. Whereas  $\text{ZnO@Sn}_3\text{O}_4$  (curve (c)) exhibits absorption onsets at 392 nm and 460 nm. These can be attributed to the presence of both  $\text{Sn}_3\text{O}_4$  and ZnO in the nanostructures.<sup>35</sup> This data was further utilized for the determination of band gaps of the as-synthesized materials. The corresponding Tauc plot is shown in the inset of Fig. 6. From the figure the estimated band gap energies of ZnO,  $\text{Sn}_3\text{O}_4$  and  $\text{ZnO@Sn}_3\text{O}_4$  were found to be 3.36 eV, 2.77 eV and 2.60 eV, respectively. These results further demonstrated that the band gap of pristine  $\text{Sn}_3\text{O}_4$  can be fine-tuned simply by coupling with ZnO.




Fig. 5 (a) TEM image of  $\text{ZnO@Sn}_3\text{O}_4$  for EDS; (b–f) EDS element mapping data of Zn, Sn and O elements for  $\text{ZnO@Sn}_3\text{O}_4$ , respectively.








Fig. 9 (a) Plot of change in absorbance vs. irradiation time in the presence of ZnO,  $\text{Sn}_3\text{O}_4$ , P25 and  $\text{ZnO}@ \text{Sn}_3\text{O}_4$ ; (b) spectral changes of degradation of MB dye in the presence of  $\text{ZnO}@ \text{Sn}_3\text{O}_4$ ; (c) pseudo-first-order kinetic plots of  $\ln(C_0/C_t)$  vs. irradiation time for the degradation of methylene blue (MB) using ZnO,  $\text{Sn}_3\text{O}_4$ , P25 and  $\text{ZnO}@ \text{Sn}_3\text{O}_4$ .

and  $h^+$  recombination achieved due to the coupling of ZnO and  $\text{Sn}_3\text{O}_4$ .

Further, the experimental data was utilized for studying the photodegradation kinetics. The corresponding plots of  $\ln C_0/C_t$  vs. irradiation time are depicted in Fig. 9(c). The rate constants for the ZnO, P25,  $\text{Sn}_3\text{O}_4$  and  $\text{ZnO}@ \text{Sn}_3\text{O}_4$  samples were found to be 0.0128, 0.0131, 0.0149 and 0.0178  $\text{min}^{-1}$ , respectively. Thus, the maximum photodegradation rates (*i.e.* 0.0178  $\text{min}^{-1}$  with excellent linear correlation (Table 1)) were demonstrated by the  $\text{ZnO}@ \text{Sn}_3\text{O}_4$  photocatalyst, suggesting pseudo first-order kinetics.

Considering the narrow band gap of as-synthesized  $\text{ZnO}@ \text{Sn}_3\text{O}_4$ , these samples were also studied for photocatalytic hydrogen production *via*  $\text{H}_2\text{O}$  splitting. Fig. 10 depicts a plot of hydrogen production from water with respect to time using the ZnO,  $\text{Sn}_3\text{O}_4$  and  $\text{ZnO}@ \text{Sn}_3\text{O}_4$  nano-heterostructures both in the dark and under solar light. The maximum hydrogen evolution (98.2  $\mu\text{mol h}^{-1}/0.1 \text{ g}$ ) was obtained using the  $\text{ZnO}@ \text{Sn}_3\text{O}_4$  nanoparticles, and it was considerably higher than in previous reports.<sup>28,38</sup> The results demonstrate that the  $\text{ZnO}@ \text{Sn}_3\text{O}_4$  nano-heterostructures could split water under sunlight conditions. These excellent characteristics of  $\text{ZnO}@ \text{Sn}_3\text{O}_4$  can be ascribed to the strong absorption of solar

Table 1 Summary of the pseudo-first-order kinetics for the photocatalytic degradation of methylene blue (MB) using ZnO,  $\text{Sn}_3\text{O}_4$ , P25 and  $\text{ZnO}@ \text{Sn}_3\text{O}_4$

Catalyst	$R^2$	$k$ ( $\text{min}^{-1}$ )
ZnO	0.973	0.0128
P25 ( $\text{TiO}_2$ )	0.974	0.0131
$\text{Sn}_3\text{O}_4$	0.986	0.0149
$\text{ZnO}@ \text{Sn}_3\text{O}_4$	0.998	0.0178




Fig. 10 Hydrogen production as a function of irradiation time in the presence of ZnO,  $\text{Sn}_3\text{O}_4$  and  $\text{ZnO}@ \text{Sn}_3\text{O}_4$ .

light due to the narrow band gap, which facilitates electron-hole pair formation and their transportation to the surface of the catalyst where adsorbed  $\text{H}_2\text{O}$  can be split into  $\text{H}_2$  and  $\text{O}_2$ .

A possible mechanism for the degradation of methylene blue and hydrogen production by ZnO decorated  $\text{Sn}_3\text{O}_4$  nano-heterostructures can be elucidated with the help of two probable schemes, as illustrated in Fig. 11. The band alignment in ZnO and  $\text{Sn}_3\text{O}_4$  is suitable for a 'type II' heterostructure system.<sup>31,39,43</sup> In the first probable mechanism, as shown in Fig. 11(a), in step (i), upon sunlight irradiation, photoexcitation of ZnO and  $\text{Sn}_3\text{O}_4$  can take place, forming  $e^-/h^+$  pairs. The electrons in the VB of both ZnO and  $\text{Sn}_3\text{O}_4$  migrate to their respective CBs. In step (ii), as the CB of  $\text{Sn}_3\text{O}_4$  is situated at a more negative energy potential ( $-0.58 \text{ eV}$ ) than the CB of ZnO ( $-0.39 \text{ eV}$ ), the photoinduced electrons migrate from the CB of  $\text{Sn}_3\text{O}_4$  to the CB of ZnO. Whereas the VB of ZnO is situated at a more positive energy potential ( $+2.97 \text{ eV}$ ) than the VB of  $\text{Sn}_3\text{O}_4$  ( $+2.74 \text{ eV}$ ), so the holes migrate from the VB of ZnO to the VB of  $\text{Sn}_3\text{O}_4$ . As a result, the photoinduced electrons accumulating in the CB of ZnO and the holes in the VB of  $\text{Sn}_3\text{O}_4$  are well separated from each other. The potential energy value for the oxygen reduction reaction is  $-0.17 \text{ eV}$ .

In the second probable mechanism, the Z-scheme heterostructure<sup>40,41</sup> can give a good interpretation of all the experimental results (Fig. 11(b)). For ZnO, the photoinduced  $e^-/h^+$  in









Fig. 11 Schematic diagram of electron transfer in the  $\text{ZnO}@ \text{Sn}_3\text{O}_4$ .



ZnO tend to recombine and few of them take part in the photocatalytic reaction, resulting in a relatively low activity. For the ZnO decorated Sn<sub>3</sub>O<sub>4</sub> nano-heterostructures Sn<sub>3</sub>O<sub>4</sub> can significantly prolong the light utilization from UV to visible light. Under sunlight irradiation, the photoinduced h<sup>+</sup> are retained in the VB of ZnO, but the e<sup>-</sup> migrate from the CB of ZnO to the VB of Sn<sub>3</sub>O<sub>4</sub>. This mechanism can maintain at least a half of the photoinduced e<sup>-</sup>/h<sup>+</sup> separated on opposite sides of the nano-heterostructure. Then, the e<sup>-</sup> originating in the CB of Sn<sub>3</sub>O<sub>4</sub> (-0.58 eV) can easily reduce O<sub>2</sub> to O<sub>2</sub><sup>-</sup> since their potential is more negative than that of ZnO. Meanwhile, the h<sup>+</sup> in the VB of ZnO (+2.97 eV) have a higher ability to oxidize OH<sup>-</sup> into ·OH radicals. These photogenerated radicals can then bring about the degradation of MB dye molecules or H<sub>2</sub>O splitting. The overall mechanism is represented by following reactions.<sup>42,43</sup>



The higher activity of the nano-heterostructures is also evidenced by the decline in the PL peak intensity. This shows the inhibition of electron-hole recombination, which was responsible for enhanced photocatalytic activity. The synthesized ZnO, Sn<sub>3</sub>O<sub>4</sub> and ZnO@Sn<sub>3</sub>O<sub>4</sub> could not split water under dark conditions, either. However, under sunlight light irradiation a significant amount of H<sub>2</sub> was produced from water splitting by the synthesized Sn<sub>3</sub>O<sub>4</sub> and ZnO@Sn<sub>3</sub>O<sub>4</sub>. Further, the stability of ZnO@Sn<sub>3</sub>O<sub>4</sub> was tested by repeating the experiments using the same ZnO@Sn<sub>3</sub>O<sub>4</sub> photocatalyst after recycling (Fig. 12). In




Fig. 12 Photocatalytic H<sub>2</sub> evolution cycle of ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-structures under sunlight irradiation.

a nutshell, the ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructures were observed to be good stable photocatalysts under natural sunlight.

## 4 Conclusions

A novel, highly efficient ZnO@Sn<sub>3</sub>O<sub>4</sub> nano-heterostructure photocatalyst obtained by a facile hydrothermal assisted sonochemical method has been demonstrated. Considering that the absorption edge of ZnO@Sn<sub>3</sub>O<sub>4</sub> is well within the visible region, the photocatalytic degradation of methylene blue (MB) and hydrogen production from H<sub>2</sub>O under sunlight were performed. The prepared ZnO@Sn<sub>3</sub>O<sub>4</sub> sample showed excellent photocatalytic activity for methylene blue degradation and for hydrogen production (98.2 µmole h<sup>-1</sup>/0.1 g) under natural sunlight. A suitable mechanism of the photocatalytic process was proposed. This study opens up a new possibility in the investigation of ZnO@Sn<sub>3</sub>O<sub>4</sub> nanostructures and promotes their practical applications in environmental issues.

## Conflicts of interest

There are no conflicts of interest to declare.

## Acknowledgements

SDB would like to thank Dr Abhay Pawar, Principal, D. Y. Patil college of Engineering, Pune, for encouragement and support. BBK is thankful to the Ministry of Electronics and Information Technology (MeitY), New Delhi & C-MET, Pune, for providing research facilities. PVA is grateful to ISRO, Bengaluru and VSSC, Thiruvananthapuram for financial support.

## References

- H. Fang, K. V. S. Rao, S. Madapusi, R. Dharmarajan and N. Ravi, *Appl. Catal., A*, 2009, **359**, 25–40.
- M. R. Hoffmann, S. T. Martin, W. Choi and D. W. Bahenemann, *Chem. Rev.*, 1995, **95**, 69.
- S. Jian-Wen, C. Hao-Jie, Z. Xu, C. Shaohua, C. Jinsheng, X. Bin, Y. Weiya, L. Wang and F. Ming-Lai, *Appl. Catal., A*, 2012, **435**, 86–92.
- U. G. Akpan and B. H. Hameed, *J. Hazard. Mater.*, 2009, **170**, 520–529.
- D. F. Ollis, *Environ. Sci. Technol.*, 1985, **19**, 480–484.
- X. B. Chen and S. S. Mao, *Chem. Rev.*, 2007, **107**, 2891–2959.
- J. Li, W. Ma, Y. Huang, X. Tao, J. Zhao and Y. Xu, *Appl. Catal., B*, 2004, **48**, 17–24.
- P. Xu, G. M. Zeng, D. L. Huang, C. L. Feng, S. Hu, M. H. Zhao, C. Lai, Z. Wei, C. Huang and G. X. Xie, *Sci. Total Environ.*, 2012, **424**, 1–10.
- T. J. Liu, Q. Wang and P. Jiang, *RSC Adv.*, 2013, **3**, 12662–12670.
- M. Yasui, K. Katagiri, S. Yamanaka and K. Inumaru, *RSC Adv.*, 2012, **2**, 11132–11137.
- J. H. Li, W. Zhao, Y. Guo, Z. B. Wei, M. S. Han, H. He, S. G. Yang and C. Sun, *Appl. Surf. Sci.*, 2015, **351**, 270–279.



- 12 I. H. Chowdhury, S. Ghosh and M. K. Naskar, *Ceram. Int.*, 2016, **42**, 2488–2496.
- 13 D. Vione, C. Minero, V. Maurino, M. E. Carlotti, T. Picatonotto and E. Pelizzetti, *Appl. Catal., B*, 2005, **58**, 79–88.
- 14 X. W. Zhang and L. C. Lei, *Appl. Surf. Sci.*, 2008, **254**, 2406–2412.
- 15 T. Soltani and M. H. Entezari, *Ultrason. Sonochem.*, 2013, **20**, 1245–1253.
- 16 S. Park, J. Park, R. Selvaraj and Y. Kim, *J. Ind. Eng. Chem.*, 2015, **31**, 269–275.
- 17 B. Qin, Y. B. Zhao, H. Li, L. Qiu and Z. Fan, *Chin. J. Catal.*, 2015, **36**, 1321–1325.
- 18 T. K. Jana, A. Pal and K. Chatterjee, *J. Alloys Compd.*, 2014, **583**, 510–515.
- 19 J. Chen, W. Liao, Y. Jiang, D. Yu, M. Zou, H. Zhu, M. Zhang and M. Du, *Nanomater. Nanotechnol.*, 2016, **6**, 1–8.
- 20 A. Sadollahkhani, O. Nur, M. Willander, I. Kazeminezhad, V. Khranovskyy, M. O. Eriksson, R. Yakimova and P. O. Holtz, *Ceram. Int.*, 2015, **41**, 7174–7184.
- 21 K. Ravichandran, N. Chidhambaram and S. Gobalakrishnan, *J. Phys. Chem. Solids*, 2016, **93**, 82–90.
- 22 S. Xu, L. Fu, T. S. H. Pham, A. Yu, F. Han and L. Chen, *Ceram. Int.*, 2015, **41**, 4007–4013.
- 23 M. T. Uddin, Y. Nicolas, C. Olivier, T. Toupance, L. Servant, M. M. Müller, H.-J. Kleebe, J. Ziegler and W. Jaegermann, *Inorg. Chem.*, 2012, **51**, 7764–7773.
- 24 J. Yang, X. Zhang, H. Liu, C. Wang and Y. Liu, *Catal. Today*, 2013, **201**, 195–202.
- 25 M. Covei, P. Dana, C. Bogatu and A. Duta, *Catal. Today*, 2019, **321**, 172–177.
- 26 T. A. Gadhi, S. Hernández, M. Castellino, P. Jagdale, A. Hernández-Gordillo, T. Alberto and N. Russo, *Catal. Today*, 2019, **321**, 135–145.
- 27 M. Huang, J. Yu, B. Li, C. Deng, L. Wang, W. Wu, L. Dong, F. Zhang and M. Fan, *J. Alloys Compd.*, 2015, **629**, 55–61.
- 28 M. A. Behnajady and Y. Tohidi, *Synthesis, Photochem. Photobiol.*, 2014, **90**, 51–56.
- 29 M. Manikandan, T. Tanabe, P. Li, S. Ueda, G. V. Ramesh, R. Kodiyath, J. Wang, T. Hara, A. Dakshanamoorthy, S. Ishihara, K. Ariga, J. Ye, N. Umezawa and H. Abe, *ACS Appl. Mater. Interfaces*, 2014, **6**, 3790–3793.
- 30 Y. He, D. Li, J. Chen, Y. Shao, J. Xian, X. Zheng and P. Wang, *RSC Adv.*, 2014, **4**, 1266.
- 31 G. Chen, S. Ji, Y. Sang, S. Chang, Y. Wang, H. Pin, J. Claverie, H. Liu and G. Yu, *Nanoscale*, 2015, **7**, 3117–3125.
- 32 S. D. Balgude, Y. A. Sethi, B. B. Kale, N. R. Munirathnam, D. P. Amalnerkar and P. V. Adhyapak, *RSC Adv.*, 2016, **6**, 95663–95669.
- 33 K. L. Foo, U. Hashim, K. Muhammad and C. H. Voon, *Nanoscale Res. Lett.*, 2014, **9**, 429.
- 34 S. S. Warule, N. S. Chaudhari, B. B. Kale and M. A. More, *CrystEngComm*, 2009, **11**, 2776–2783.
- 35 P. V. Adhyapak, S. P. Meshram, D. P. Amalnerkar and I. S. Mulla, *Ceram. Int.*, 2014, **40**, 1951–1959.
- 36 P. Senthil Kumar, M. Selvakumar, S. Ganesh Babu, S. Induja and S. Karuthapandian, *J. Alloys Compd.*, 2012, **701**, 562–573.
- 37 P. V. Adhyapak, S. P. Meshram, A. A. Pawar, D. P. Amalnerkar, U. P. Mulik and I. S. Mulla, *Ceram. Int.*, 2014, **40**, 12105–12115.
- 38 L. Xu, Y. Zhou, Z. Wu, G. Zheng, J. He and Y. Zhou, *J. Phys. Chem. Solids*, 2017, **106**, 29–36.
- 39 X. Yu, L. Wang, J. Zhang, W. Guo, Z. Zhao, Y. Qin, X. Mou, A. Li and H. Liu, *J. Mater. Chem. A*, 2015, **3**, 19129–19136.
- 40 W. Yu, J. Chen, T. Shang, L. Chen, L. Gu and T. Peng, *Appl. Catal., B*, 2017, **15**, 693–704.
- 41 W. Yu, D. Xu and T. Peng, *J. Mater. Chem. A*, 2015, **3**, 19936–19947.
- 42 S. Balgude, Y. Sethi, B. Kale, D. Amalnerkar and P. Adhyapak, *Mater. Chem. Phys.*, 2019, **221**, 493–500.
- 43 M. A. Mahadalkar, S. W. Gosavi and B. B. Kale, *J. Mater. Chem. A*, 2018, **6**, 16064–16073.

