



Cite this: *Chem. Commun.*, 2023, 59, 13579

Received 17th September 2023,
Accepted 25th October 2023

DOI: 10.1039/d3cc04616h

rsc.li/chemcomm

Transient absorption spectroscopy reveals that slow bimolecular recombination in SrTiO₃ underpins its efficient photocatalytic performance†

Anna A. Wilson,^a Lucy Hart,^a Thomas Shalvey,^b Michael Sachs,^a Weidong Xu,^a Benjamin Moss,^a Eva Mazzolini,^a Asim Mumtaz^c and James R. Durrant^{a,d}

The charge carrier dynamics of SrTiO₃ are measured by ultrafast transient absorption spectroscopy, revealing bimolecular recombination kinetics that are at least two magnitudes slower than alternative metal oxides. This slow recombination is associated with its high dielectric constant, and suggested to be central to SrTiO₃'s high performance in photocatalytic systems.

SrTiO₃ is a central component of several state-of-the-art particulate systems for unassisted photocatalytic water splitting, offering impressive activity alongside scalability and stability when modified by doping or co-catalyst addition.^{1–4} Recently, Domen and co-workers fabricated photocatalysts comprised of Al³⁺ doped SrTiO₃ particles modified with a RhCrO_x co-catalyst, to safely and stably split water for over 1000 hours.^{3,4} With the selective photodeposition of metal oxide based co-catalysts, to catalyse the hydrogen/oxygen evolution reactions and enhance stability,^{4,5} an apparent quantum yield (AQY) of 93% was achieved at 365 nm.² This near-unity AQY is indicative of remarkably efficient preservation and utilisation of photogenerated charges to drive the desired catalytic reactions.

Charge carrier dynamics are a key determinant of efficiency in most photocatalysts, with bulk recombination often being the dominant loss pathway. Considering the imbalance between the timescales of fast recombination processes (ps–μs) that result in significant losses to photogenerated charge carriers,^{6–9} and slow interfacial water splitting reactions (μs–s), materials that suppress fast recombination are essential to achieve high water

splitting activity. The near-unity AQY achieved by SrTiO₃-based photocatalysts, without applied bias or scavengers, suggests that the intrinsic properties of SrTiO₃ suppress recombination losses and enable the lifetime gain required. Several studies have focused on SrTiO₃ recombination kinetics on slower (μs–s) timescales, or on the tracking of water oxidation reaction intermediates.^{10–13} Previous ultrafast studies of SrTiO₃ have reported charge lifetimes on ns timescales,^{14–16} with Yamada *et al.*¹⁸ highlighting the dominance of Auger, and absence of bimolecular, recombination in SrTiO₃ single crystals under high intensity laser excitation. However, apart from a study by Kato *et al.* comparing single crystal and powder SrTiO₃ (highlighting the role of defect states in slowing recombination),¹⁶ they lack a comprehensive investigation of the wavelength and intensity dependence of the decay kinetics.^{14,15} More importantly for understanding the success of SrTiO₃ as a photocatalyst, there have been no direct comparisons of the charge carrier recombination kinetics between SrTiO₃ and alternative photocatalytic materials.

Herein, we employ transient absorption spectroscopy (TAS), to investigate the ultrafast charge carrier dynamics of thin SrTiO₃ films on ps–ns timescales (see ESI† for details of fabrication and characterisation). Through spectral deconvolution and kinetic analysis, the wavelength dependent decay kinetics and the temporal spectral evolution is investigated, with the relaxation of charges and recombination of the resulting localised states assigned to distinct spectral components. Most notably, intensity dependent bimolecular decays are measured and compared to other metal oxides for the first time, to reveal significantly slower bimolecular recombination in SrTiO₃ and aid explanation of its state-of-the-art performance.

The ultrafast TAS spectrum is comprised of features in the visible and NIR regions (Fig. 1), assigned to hole and electron species respectively.^{11,12,16–19} Two features are present in the NIR, where one grows over the first 10 ps as the other decays. The decay kinetics are highly wavelength dependent and decelerate with decreasing probe wavelengths (Fig. S5, ESI†). Consequently, the spectrum blue shifts on ps timescales following photoexcitation.

^a Department of Chemistry and Centre for Processable Electronics, Imperial College London, London, W12 0BZ, UK. E-mail: j.durrant@imperial.ac.uk


^b Stephenson Institute for Renewable Energy, Department of Physics, University of Liverpool, Liverpool, L69 7ZF, UK

^c School of Physics, Electronics & Technology, University of York, Heslington, York, YO10 5DD, UK


^d Specific IKC, Faculty of Science and Engineering, Swansea University, Swansea, SA2 7AX, UK

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d3cc04616h>





Spectral deconvolution in the NIR (900–1350 nm) extracts two components (C1 and C2 hereafter, Fig. 2). C1 and C2 are dominant above and below ~ 1100 nm respectively and their spectral contributions are consistent across the range of excitation intensities used (Fig. S6a, ESI[†]). C1 exhibits an immediate decay following excitation (Fig. 2 inset), with intensity independent kinetics that are indicative of a monomolecular first-order process (Fig. S6b, ESI[†])¹⁸ and in agreement with the intensity independence of the as-measured kinetics > 1100 nm (Fig. S7,



The initial decay of C1 is assigned to charge localisation,^{17,20,21} most likely associated with shallow charge trapping.^{17,20,21} This is consistent with its monomolecular kinetics, and with the concomitant rise of C2, which we assigned to the resultant localised charges. Charge trapping of free carriers into defects has been reported to occur in 20 ps in SrTiO₃,¹⁶ and into shallow trap states in 10 ps in TiO₂,^{22,23} which is consistent with our assignment. Meanwhile, polaron formation in metal oxides is expected to occur on faster timescales (0.1–1 ps),^{17,24} thus polaron formation is the less likely origin of the slow rise herein. Both C1 and C2 are dominant in the NIR, associated with electrons in metal oxides.^{11,12,17–19} Thus, the charges undergoing this trapping process are assigned primarily to electrons.

Following the slow rise of C2, decay kinetics accelerate with increasing excitation intensities exceeding $\sim 0.22 \text{ mJ cm}^{-2}$ (Fig. S6c, ESI[†]). An analogous intensity dependence is observed for the as-measured kinetics probed from 500–1100 nm (Fig. S7, ESI[†]). This is characteristic of bimolecular recombination being the dominant decay process,^{21,25} noting that at the excitation densities employed herein, Auger recombination is unlikely to be significant loss pathway.¹⁴ The intensity independence observed at excitation intensities below $\sim 0.22 \text{ mJ cm}^{-2}$ is assigned to pseudo-first order recombination, due to the photogenerated charge density being below the dark intrinsic doping density, as explored further below.¹⁸ The intensity dependent kinetics exhibit power law decays (Fig. S9, ESI[†]) that continue to ms timescales (Fig. S10, ESI[†]). The C2 power law exponent of ~ 0.17 (Fig. S9, ESI[†]) is indicative of trapping–detrapping limited bimolecular recombination, due to a degree of disorder in the material that is common in metal oxides.^{23,26–28} This further supports the assignment of the rise of C2 (and decay of C1) to shallow charge trapping. Fig. 3 illustrates the charge localisation into shallow trap states over the first ~ 10 ps and their subsequent recombination on ns timescales.

A direct comparison of the SrTiO₃ bimolecular recombination kinetics observed herein to metal oxides commonly employed in photocatalytic applications (TiO₂, BiVO₄ and α -Fe₂O₃) is shown in






Fig. 4 Comparison of the decay kinetics of SrTiO₃ to other metal oxides (anatase TiO₂, BiVO₄ and α -Fe₂O₃, at photogenerated charge densities of 10^{18} cm⁻³) and MAPbI₃ (at a photogenerated charge density of 10^{17} cm⁻³).

Fig. 4. This reveals significantly slower kinetics in SrTiO₃ that are similar to that of MAPbI₃ (as explored later in the discussion), with the slow recombination kinetics observed herein supported by the observation of even longer lifetimes in single crystal SrTiO₃ morphologies.¹⁴ The slower recombination of SrTiO₃ was quantified by calculating approximate bimolecular rate constants (Table 1), using the charge lifetimes ($t_{50\%}$) and photogenerated charge densities at a given excitation intensity (Fig. S11 and Table S1, ESI[†]). The bimolecular rate constant of SrTiO₃ estimated from C2 and the as-measured decays are notably slow (10^{-11} cm³ s⁻¹), being two magnitudes slower than that calculated for TiO₂ and BiVO₄ (10^{-9} cm³ s⁻¹) and three magnitudes slower than α -Fe₂O₃ (10^{-8} cm³ s⁻¹) (we note that potential contributions from Auger recombination would be unlikely to significantly alter this order of magnitude comparison). Although we are only comparing a single morphology of each metal oxide in this case, the bimolecular recombination rate has been shown to be largely independent of morphology.¹⁸ The slower bimolecular recombination in SrTiO₃ indicates a lower loss of photogenerated charges on fast timescales and therefore, a greater yield of charges available to participate in the interfacial water splitting reactions on slower timescales.

In addition to the bimolecular rate constant, the intrinsic doping density was estimated from the intensity dependent decays of C2 (Fig. S6c (ESI[†]) and Table 1), with the parameters used included in Table S2 (ESI[†]). At photogenerated charge densities lower than the intrinsic doping density, photogenerated charges predominantly recombine with the intrinsic charge carriers, leading to intensity independent pseudo-first order

recombination. When the photogenerated charge density exceeds the intrinsic doping density, photogenerated charges predominantly recombine with each other *via* non-linear processes such as bimolecular recombination. Therefore, the photogenerated charge density from which clear intensity dependence is observed is taken as an approximate indicator of the intrinsic doping density, with contributions from the electronic doping density (*i.e.* the majority carrier density) and shallow chemical dopants that can mediate bimolecular recombination. The intrinsic doping densities thus estimated for all four metal oxides are of equivalent magnitude ($\sim 10^{18}$ cm⁻³, Table 1), and in the range of doping densities reported previously for anatase TiO₂ and BiVO₄ (10^{16} – 10^{19} cm⁻³),^{29,30} and α -Fe₂O₃ (10^{17} – 10^{20} cm⁻³).^{31,32} The similar order of magnitude doping density of SrTiO₃ compared to other metal oxides, indicates that its notably slow recombination does not result from a unique doping density. A possible explanation for the remarkably low bimolecular rate constant of SrTiO₃, is its high dielectric constant. As the dielectric constant increases, Coulomb interactions are screened and the probability of photogenerated charges recombining is decreased.³³ Consequently, an increase in dielectric constant can decrease bimolecular recombination rates and increase lifetimes, as has been observed in perovskite and organic photovoltaics.^{33–35} With the dielectric constant of SrTiO₃ (~ 300)^{36–39} being significantly higher than that of anatase TiO₂ (13–45),⁴⁰ BiVO₄ (32–86)^{41–43} and α -Fe₂O₃ (18–26),⁴⁴ increased dielectric screening effects in SrTiO₃ may play a key role in suppressing recombination and enhancing charge lifetimes, thus explaining the slower rate of bimolecular recombination. Alternatively, defects in SrTiO₃ have also been shown to have a critical role in enabling long lifetimes on ns–ms timescales.^{12,16} However, as defects are prevalent in metal oxides and not unique to SrTiO₃,²⁰ their presence alone is insufficient explanation of the notably slower recombination kinetics.

Intriguingly, MAPbI₃ (a high performance photovoltaic material that shares the perovskite crystal structure of SrTiO₃)^{45–47} exhibits similar bimolecular decay kinetics to SrTiO₃ (Fig. 4), with a reported bimolecular rate constant in the range of 10^{-11} – 10^{-10} cm³ s⁻¹ that is similar to that calculated for SrTiO₃.^{9,48–50} With both SrTiO₃ and MAPbI₃ employed in state-of-the-art devices for their respective applications, it is interesting to note that compared to their counterparts they both exhibit notably higher dielectric constants and thus charge screening effects.⁴⁵ These effects are recognised as an influential factor in perovskite photovoltaics,^{33,45} but are often overlooked in photocatalysts despite the important role they could play.

In summary, we have measured the charge carrier dynamics of SrTiO₃ on fast (ps–ns) timescales, to reveal significantly slower bimolecular decay kinetics than other metal oxides commonly employed in photocatalytic applications. This is quantified by estimating a bimolecular rate constant for SrTiO₃, which is at least two magnitudes lower than the other metal oxides studied. As significant losses to the yield of useful photogenerated charges occurs *via* fast recombination processes, the slow bimolecular recombination of SrTiO₃ maximises the yield of photogenerated charges available to catalyse slow interfacial water splitting reactions. Due to the recognised effects of dielectric screening, the

Table 1 Comparison of the bimolecular rate constants obtained in this work, for SrTiO₃, anatase TiO₂, BiVO₄ and α -Fe₂O₃. In addition to the range of intrinsic doping densities reported in the literature and calculated herein

| | Bimolecular rate constant (cm ³ s ⁻¹) | Intrinsic doping density (cm ⁻³) | Ref. |
|--|--|--|-----------|
| SrTiO ₃ | 10^{-11} | 10^{18} | |
| TiO ₂ | 10^{-9} | 10^{16} – 10^{19} | 29 |
| BiVO ₄ | 10^{-9} | 10^{18} | 30 |
| α -Fe ₂ O ₃ | 10^{-8} | 10^{17} – 10^{20} | 31 and 32 |



high dielectric constant of SrTiO₃ is proposed as an explanation for its low bimolecular rate constant. It is evident herein that the intrinsic properties of SrTiO₃ enable suppressed recombination and enhanced lifetimes, without applied bias or scavengers. This is an integral feature of overall photocatalytic water splitting materials, and together with the chemical flexibility and tunability of its perovskite structure, aids explanation of the prevalence of SrTiO₃ in state-of-the-art systems.

For this work A. W. thanks the EPSRC for DTP funding and J. R. D. thanks the EPSRC ATIP project (EP/TO28513/1).

Conflicts of interest

There are no conflicts of interest to declare.

Notes and references

- Q. Wang, T. Hisatomi, Q. Jia, H. Tokudome, M. Zhong, C. Wang, Z. Pan, T. Takata, M. Nakabayashi, N. Shibata, Y. Li, I. D. Sharp, A. Kudo, T. Yamada and K. Domen, *Nat. Mater.*, 2016, **15**, 611–615.
- T. Takata, J. Jiang, Y. Sakata, M. Nakabayashi, N. Shibata, V. Nandal, K. Seki, T. Hisatomi and K. Domen, *Nature*, 2020, **581**, 411–414.
- Y. Goto, T. Hisatomi, Q. Wang, T. Higashi, K. Ishikiriyama, T. Maeda, Y. Sakata, S. Okunaka, H. Tokudome, M. Katayama, S. Akiyama, H. Nishiyama, Y. Inoue, T. Takewaki, T. Setoyama, T. Minegishi, T. Takata, T. Yamada and K. Domen, *Joule*, 2018, **2**, 509–520.
- T. Minegishi, H. Nishiyama, T. Hisatomi, M. Yoshida, H. Lyu, M. Katayama, K. Domen, Y. Goto, K. Asakura, Y. Sakata, T. Yamada, T. Higashi and T. Takata, *Chem. Sci.*, 2019, **10**, 3196–3201.
- K. Maeda, K. Teramura, D. Lu, N. Saito, Y. Inoue and K. Domen, *J. Phys. Chem. C*, 2007, **111**, 7554–7560.
- R. Godin and J. R. Durrant, *Chem. Soc. Rev.*, 2021, **50**, 13372–13409.
- R. Godin, A. Kafizas and J. R. Durrant, *Curr. Opin. Electrochem.*, 2017, **2**, 136–143.
- E. V. Peán, S. Dimitrov, C. S. De Castro and M. L. Davies, *Phys. Chem. Chem. Phys.*, 2020, **22**, 28345–28358.
- C. L. Davies, M. R. Filip, J. B. Patel, T. W. Crothers, C. Verdi, A. D. Wright, R. L. Milot, F. Giustino, M. B. Johnston and L. M. Herz, *Nat. Commun.*, 2018, **9**, 1–9.
- J. J. M. Vequizo, S. Nishioka, J. Hyodo, Y. Yamazaki, K. Maeda and A. Yamakata, *J. Mater. Chem. A*, 2019, **7**, 26139–26146.
- R. Chen, D. Zhang, Z. Wang, D. Li, L. Zhang, X. Wang, F. Fan and C. Li, *J. Am. Chem. Soc.*, 2023, **145**, 4667–4674.
- A. Yamakata, J. J. M. Vequizo and M. Kawaguchi, *J. Phys. Chem. C*, 2015, **119**, 1880–1885.
- D. M. Herlihy, M. M. Waegle, X. Chen, C. D. Pemmaraju, D. Prendergast and T. Cuk, *Nat. Chem.*, 2016, **8**, 549–555.
- Y. Yamada, H. Yasuda, T. Tayagaki and Y. Kanemitsu, *Appl. Phys. Lett.*, 2009, **95**, 121112.
- D. H. K. Murthy, H. Matsuzaki, Q. Wang, Y. Suzuki, K. Seki, T. Hisatomi, T. Yamada, A. Kudo, K. Domen and A. Furube, *Sustainable Energy Fuels*, 2018, **3**, 1–10.
- K. Kato and A. Yamakata, *J. Phys. Chem. C*, 2020, **124**, 11057–11063.
- E. Pastor, J. S. Park, L. Steier, S. Kim, M. Grätzel, J. R. Durrant, A. Walsh and A. A. Bakulin, *Nat. Commun.*, 2019, **10**, 1–7.
- M. Sachs, E. Pastor, A. Kafizas and J. R. Durrant, *J. Phys. Chem. Lett.*, 2016, **7**, 3742–3746.
- M. Sachs, J. S. Park, E. Pastor, A. Kafizas, A. A. Wilson, L. Francàs, S. Gul, M. Ling, C. Blackman, J. Yano, A. Walsh and J. R. Durrant, *Chem. Sci.*, 2019, **10**, 5667–5677.
- S. Corby, R. R. Rao, L. Steier and J. R. Durrant, *Nat. Rev. Mater.*, 2021, **6**, 1136–1155.
- J. Nelson and R. E. Chandler, *Coord. Chem. Rev.*, 2004, **248**, 1181–1194.
- Y. Tamaki, A. Furube, R. Katoh, M. Murai, K. Hara, H. Arakawa and M. Tachiya, *C. R. Chim.*, 2006, **9**, 268–274.
- J. Tang, J. R. Durrant and D. R. Klug, *J. Am. Chem. Soc.*, 2008, **130**, 13885–13891.
- J. S. Pelli Cresi, L. Di Mario, D. Catone, F. Martelli, A. Paladini, S. Turchini, S. D'Addato, P. Luches and P. O'Keeffe, *J. Phys. Chem. Lett.*, 2020, **11**, 5686–5691.
- T. M. Clarke, F. C. Jamieson and J. R. Durrant, *J. Phys. Chem. C*, 2009, **113**, 20934–20941.
- M. Barroso, S. R. Pendlebury, A. J. Cowan and J. R. Durrant, *Chem. Sci.*, 2013, **4**, 2724–2734.
- S. R. Pendlebury, X. Wang, F. Le Formal, M. Cornuz, A. Kafizas, S. D. Tilley, M. Grätzel, J. R. Durrant and F. Formal, *J. Am. Chem. Soc.*, 2014, **136**, 9854–9857.
- A. J. Cowan, W. Leng, P. R. F. Barnes, D. R. Klug and J. R. Durrant, *Phys. Chem. Chem. Phys.*, 2013, **15**, 8772–8778.
- A. Kafizas, X. Wang, S. R. Pendlebury, P. Barnes, M. Ling, C. Sotelo-Vazquez, R. Quesada-Cabrera, C. Li, I. P. Parkin and J. R. Durrant, *J. Phys. Chem. A*, 2016, **120**, 715–723.
- Y. Ma, S. R. Pendlebury, A. Reynal, F. Le Formal and J. R. Durrant, *Chem. Sci.*, 2014, **5**, 2964–2973.
- Z. Luo, C. Li, S. Liu, T. Wang and J. Gong, *Chem. Sci.*, 2016, **8**, 91–100.
- Y. Liang, C. S. Enache and R. Van De Krol, *Int. J. Photoenergy*, 2008, **2008**, 739864.
- R. Su, Z. Xu, J. Wu, D. Luo, Q. Hu, W. Yang, X. Yang, R. Zhang, H. Yu, T. P. Russell, Q. Gong, W. Zhang and R. Zhu, *Nat. Commun.*, 2021, **12**, 2479.
- Z. Fu, X. Zhang, H. Zhang, Y. Li, H. Zhou and Y. Zhang, *Chin. J. Chem.*, 2021, **39**, 381–390.
- G. Zhang, T. M. Clarke and A. J. Mozer, *J. Phys. Chem. C*, 2016, **120**, 7033–7043.
- N. F. Muhamad, R. A. Maulat Osman, M. S. Idris and M. N. Mohd Yasin, *EPJ Web Conf.*, 2017, **162**, 2–5.
- B. Pongthippitak, P. Wongtha, P. Reabroy, P. Kunsuwan and S. Thoutom, *J. Phys.: Conf. Ser.*, 2018, **1144**, 012162.
- M. Marques, L. K. Teles, V. Anjos, L. M. R. Scolaro, J. R. Leite, V. N. Freire, G. A. Farias and E. F. Da Silva, *Appl. Phys. Lett.*, 2003, **82**, 3074–3076.
- R. M. Doughty, B. Hodges, J. Dominguez, R. Han, Z. Zhao, S. Assavachin and F. E. Osterloh, *J. Phys. Chem. C*, 2020, **124**, 18426–18435.
- M. Dou and C. Persson, *J. Appl. Phys.*, 2013, **113**, 083703.
- S. Sarkar and K. K. Chattopadhyay, *Phys. E*, 2012, **44**, 1742–1746.
- K. H. Ye, X. Yu, Z. Qiu, Y. Zhu, X. Lu and Y. Zhang, *RSC Adv.*, 2015, **5**, 34152–34156.
- D. K. Zhong, S. Choi and D. R. Gamelin, *J. Am. Chem. Soc.*, 2011, **133**, 18370–18377.
- R. A. Lunt, A. J. Jackson and A. Walsh, *Chem. Phys. Lett.*, 2013, **586**, 67–69.
- J. Y. Kim, J. W. Lee, H. S. Jung, H. Shin and N. G. Park, *Chem. Rev.*, 2020, **120**, 7867–7918.
- N. J. Jeon, H. Na, E. H. Jung, T. Y. Yang, Y. G. Lee, G. Kim, H. W. Shin, S. Il Seok, J. Lee and J. Seo, *Nat. Energy*, 2018, **3**, 682–689.
- X. Zheng, B. Chen, J. Dai, Y. Fang, Y. Bai, Y. Lin, H. Wei, X. C. Zeng and J. Huang, *Nat. Energy*, 2017, **2**, 1–9.
- L. M. Pazos-Outón, T. P. Xiao and E. Yablonovitch, *J. Phys. Chem. Lett.*, 2018, **9**, 1703–1711.
- J. G. Labram and M. L. Chabiny, *J. Appl. Phys.*, 2017, **122**, 065501.
- C. Wehrenfennig, G. E. Eperon, M. B. Johnston, H. J. Snaith and L. M. Herz, *Adv. Mater.*, 2014, **26**, 1584–1589.

