Nanoscale



PAPER View Article Online
View Journal | View Issue



Cite this: Nanoscale, 2016, 8, 3685

$Pt_{74}Ag_{26}$ nanoparticle-decorated ultrathin MoS_2 nanosheets as novel peroxidase mimics for highly selective colorimetric detection of H_2O_2 and glucose†

Shuangfei Cai, Qiusen Han, Cui Qi, Zheng Lian, Xinghang Jia, Rong Yang* and Chen Wang*

To extend the functionalities of two-dimensional graphene-like layered compounds as versatile materials, the modification of transition metal dichalcogenide nanosheets such as MoS_2 with metal nanoparticles is of great and widespread interest. However, few studies are available on the preparation of bimetallic nanoparticles supported on MoS_2 . Herein, a facile and efficient method to synthesize MoS_2 –PtAg nanohybrids by decorating ultrathin MoS_2 nanosheets with octahedral $Pt_{74}Ag_{26}$ alloy nanoparticles has been reported. The as-prepared MoS_2 – $Pt_{74}Ag_{26}$ nanohybrids were investigated as novel peroxidase mimics to catalyze the oxidation of classical peroxidase substrate 3,3',5,5'-tetramethylbenzidine (TMB) in the presence of H_2O_2 , producing a blue colored reaction and exhibiting typical Michaelis–Menten kinetics. MoS_2 – $Pt_{74}Ag_{26}$ has a higher affinity for H_2O_2 than horseradish peroxidase (HRP) and a higher v_{max} value with TMB as the substrate than MoS_2 . The improved catalytic activity of hybrids for colorimetric reactions could be attributed to the synergistic effects of octahedral $Pt_{74}Ag_{26}$ nanoparticles and ultrathin MoS_2 nanosheets as supports. Meanwhile, the generation of active oxygen species ('OH) by H_2O_2 decomposition with MoS_2 – $Pt_{74}Ag_{26}$ was responsible for the oxidation of TMB. On the basis of these findings, a colorimetric method based on MoS_2 – $Pt_{74}Ag_{26}$ nanohybrids that is highly sensitive and selective was developed for glucose detection. Lower values of the limit of detection (LOD) were obtained, which is more sensitive than MoS_2 nanosheets.

Received 14th November 2015 Accepted 14th January 2016 DOI: 10.1039/c5nr08038j

www.rsc.org/nanoscale

1. Introduction

Since the pioneering discovery of monolayer graphene in 2004, 1 increasing attention has been paid to other two-dimensional (2D) layered materials, such as layered transition metal dichalcogenides (LTMDs). $^{2-4}$ One of the typical materials is mono- and few-layer molybdenum disulfide (MoS $_2$), which has received significant attention because of its tunable energy bandgap and natural richness. $^{5-7}$

Owing to abundant active edges and a large specific surface area, graphene-like MoS₂ provides a promising support material for potential catalytic performance. To potentially extend the functionalities of 2D MoS₂ as versatile materials, modifying MoS₂ with 0D metal nanoparticles (NPs) to form 2D–0D multifunctional hybrid materials is of great and widespread interest. Many monometallic NPs, such as Au,⁸ Ag,⁹

CAS Key Lab for Biological Effects of Nanomaterials and Nanosafety, National Center for Nanoscience and Technology, Beijing 100190, P. R. China.

 $\hbox{\it E-mail: yangr@nanoctr.cn, wangch@nanoctr.cn}$

†Electronic supplementary information (ESI) available. See DOI: 10.1039/c5nr08038j

Pd, ¹⁰ Pt, ¹¹ Ni ¹² and Co¹³ NPs have been successfully decorated on 2D MoS₂ nanosheets. These MoS₂–NP hybrid materials not only enhance the intrinsic properties of the materials but also bring novel properties and functions, thus providing great opportunities in developing novel optical biosensors and advanced electrocatalysts for energy conversion. So far, however, the studies on the preparation of bimetallic NPs (BNPs) supported on MoS₂ are extremely rare.

BNPs consist of two metals and often display enhanced catalytic performance than their monometallic counterparts because of a synergistic effect. Among them, Pt-based BNPs are presently being widely used as essential catalytic substances in various fields owing to the modified geometric and electronic structures of Pt. For example, PtAg NPs have been used in methanol oxidation reactions due to their high electrocatalytic activity. Recently, many groups have started to work on MoS₂–BNP nanostructures. Ma's group has reported improved hydrazine oxidation activities using a NiFe alloy supported on MoS₂ by electrodeposition and electroplating approaches. ¹⁴ In spite of effectiveness of an *in situ* growth method of BNPs on MoS₂, to develop a simple method for dispersing BNPs on MoS₂ is highly appealing. Fan's group has

Paper Nanoscale

prepared MoS₂ nanosheet supported AuPd BNPs with a coreshell structure by a co-reduction method and the resulting MoS₂–AuPd exhibited excellent peroxidase-like activity. ¹⁵ Although this method is facile, the lack of a stabilizer often leads to aggregation of the products. Most recently, Wang's group employed a seeded growth strategy to achieve the controllable synthesis of Au@Pt core–shell nanodendrites on MoS₂ nanosheets, which displayed much higher electrocatalytic activity and stability than MoS₂–Pt or the commercial Pt/C catalyst. ¹⁶ Until now, the facile preparation of MoS₂–BNP hybrids with high-quality and different heterostructures still remains a challenge.

The accurate detection of H₂O₂ and glucose is of critical significance in many fields involving food, chemistry, biology, clinical control, and environmental protection.¹⁷ Presently, colorimetric methods for H₂O₂ and glucose detection are particularly attractive for point-of-care applications because of their low cost, simplicity, and practicality.¹⁸ In this contribution, we report a facile and efficient method to synthesize MoS2-PtAg nanohybrids by decorating ultrathin MoS2 nanosheets with octahedral Pt74Ag26 alloy NPs. MoS2 nanosheets prepared by liquid exfoliation were functionalized with polyallylamine hydrochloride (PAH), and then the MoS2-PtAg nanohybrids were obtained through a hydrothermal synthesis. This approach may represent a significant step toward the missing link between the synthesis of high-quality MoS2-BNP nanohybrids and their multiple promising applications, as firstly exemplified by the detection of H₂O₂ and glucose in this study.

Results and discussion

2.1 Preparation and characterization of MoS_2 -PtAg hybrid nanomaterials

A schematic illustration of the synthesis of MoS_2 -PtAg hybrid nanomaterials is illustrated in Fig. 1 and detailed in the




Fig. 1 Schematic illustration of synthesis of MoS₂–PtAg hybrid nanomaterials.

Experimental section. In a typical experiment, the MoS₂ nanosheets were prepared *via* a liquid exfoliation method. Briefly, commercial MoS₂ powder was first ground and then intercalated with concentrated H₂SO₄, which breaks the van der Waals interaction forces in bulk MoS₂. Subsequently, the H₂SO₄-intercalated intermediate was collected by centrifugation and repeatedly washed with ultrapure water to remove residual H₂SO₄. After that, the obtained intermediate was functionalized with a highly hydrophilic surfactant PAH through physical adsorption in water under bath sonication conditions, followed by probe sonication treatment to give MoS₂-PAH nanosheets.

Among the various known strategies for the fabrication of ultrathin MoS₂ nanosheets, the mechanical exfoliation¹⁹ process is simple, but limited by the low yield; chemical vapour deposition (CVD)²⁰ yields large flake sizes but often at the cost of crystalline quality and thickness control; the chemical exfoliation²¹ process gives large quantities of nanosheets but requires relatively higher reaction temperature (e.g. 100 °C), long duration (e.g. 3 days) and a lack of controllability over the degree of lithium insertion; the electrochemical exfoliation²² process requires sophisticated instrumentation, that is, a lithium ion battery in an Ar-filled glove box connected to a battery test system. Moreover, the lithium intercalation-exfoliation process often results in a crystalline structure transformation from 2H-MoS2 (hexagonal, semiconducting) to 1T-MoS₂ (octahedral, metallic). Specifically, the lithium intercalated compound Li_xMoS₂ is extremely sensitive to air, flammable, and the metallic Li violently reacts with H2O to produce H2 gas during the exfoliation process, which is dangerous. A relatively new approach is the liquid exfoliation²³ process by direct sonication in commonly used solvents involving N-methylpyrrolidone (NMP) and isopropyl alcohol (IPA), which was initially proposed by Coleman et al. in 2011. Unlike the lithium intercalation-exfoliation process, the crystalline structure of MoS₂ can be well retained by liquid exfoliation. Herein, we used a modified liquid exfoliation method to obtain MoS₂ nanosheets. Compared to the reported routes for preparing ultrathin MoS₂ nanosheets, the procedure presented here is simple, economical and safe. Thus, it could potentially be scaled up to produce large quantities of exfoliated MoS₂ nanosheets.

The obtained MoS₂-PAH nanosheets were first characterized by atomic force microscopy (AFM). The AFM image in Fig. S1a† and the line profile in the inset of Fig. S1a† reveal that they are very thin (below 2 nm), which is less than 3 layers. The scanning electron microscopy (SEM) image in Fig. S1b† indicates the size of MoS₂-PAH nanosheets is at the nanoscale. The morphology of the obtained MoS₂-PAH nanosheets was further characterized by high-resolution transmission electron microscopy (HRTEM). The corresponding fast Fourier transform (FFT) pattern (inset in Fig. S1c†) illustrates the hexagonal lattices of MoS₂, which is consistent with the typical hexagonal atomic structure of 2H-MoS₂. Additionally, the magnified image (Fig. S1d†) of a representative monolayer MoS₂-PAH clearly shows the hexagonal lattices of the

Nanoscale Paper

obtained nanosheets with a lattice constant of 0.315 nm.²⁵ The crystalline structure of the as-prepared MoS2-PAH nanosheets was further measured by powder X-ray diffraction (XRD). All the peaks shown in Fig. S1e† exhibit the characteristics of the hexagonal MoS₂ (JCPDS no. 03-065-7025) and no other impurities were found, revealing the high purity of the as-obtained product. The surface groups of the as-prepared MoS2-PAH nanosheets were detected by Fourier transform infrared (FT-IR) spectroscopy. As shown in Fig. S1f,† the N-H stretch (around 3400 cm⁻¹), CH₂ vibrations (about 2900 cm⁻¹), N-H asymmetric bending (about 1610 cm⁻¹) and C-H bending (around 1510 cm⁻¹) confirm the successful modification of PAH molecules on MoS₂.

The composition and the chemical state of the as-prepared MoS₂-PAH nanosheets were confirmed by X-ray photoelectron spectroscopy (XPS). A typical XPS survey spectrum of the asprepared MoS₂-PAH nanosheets shows the peaks attributed to O, N, C, Mo, Cl and S elements (Fig. S2a†). The calculated atomic ratio between Mo and S from XPS is about 1:2.4, which is close to the stoichiometric MoS₂. The high-resolution Mo 3d XPS spectra can be fitted well into two individual doublets (Fig. S2b†). The two peaks at 232.7 eV and 229.5 eV are attributed to the Mo 3d_{3/2} and Mo 3d_{5/2} binding energies for Mo⁴⁺, respectively.^{26,27} Meanwhile, the S 2p spectrum shows two peaks located at 163.5 eV and 162.3 eV (Fig. S2c†), which are characteristic of the S $2p_{1/2}$ and S $2p_{3/2}$ components of MoS₂, respectively. ^{26,27} The as-prepared MoS₂-PAH nanosheets exhibited good dispersibility in ultra-pure water. The zeta potential measurement of MoS2-PAH nanosheets indicates they are highly positively charged when dispersed in ultrapure water below pH 8 (Fig. S2d†).

Hydrothermal synthesis for BNPs has significant economic and environmental advantages, and is the most common "bottom-up" method. To prepare the MoS2-PtAg hybrid nanomaterials, H₂PtCl₆·6H₂O and AgNO₃ as metal precursors were reduced by HCHO under hydrothermal conditions and PtAg alloys were formed on the MoS2-PAH nanosheets. The as-prepared MoS2-PtAg nanohybrids were characterized in detail. Fig. 2a shows a typical TEM image of the as-prepared MoS₂-PtAg nanohybrids with a Pt/Ag feeding molar ratio of 3:1. One can see that PtAg NPs are regularly octahedral and well dispersed on the MoS₂-PAH nanosheets (Fig. S3a-e†). The average size of PtAg NPs is about 13 nm with narrow size distribution (Fig. S3f†). As one of the simplest Platonic solids, the octahedron is one end of the growth morphologies of Platonic solids with 8 equilateral triangle faces.²⁸ The HRTEM image in Fig. 2b shows the lattice fringes with an inter-fringe distance of 0.23 nm, which is between the distance of the face-centered cubic (fcc) Pt (0.226 nm, JCPDS no. 04-0802) and Ag (0.236 nm, JCPDS no. 04-0783) in the (111) plane. The result indicates the formation of a fcc PtAg nano-octahedron, which has high symmetry with the {111} lattice facet as the basal surface. 29-31 Owing to different radii, Ag and Pt atoms are compressed and stretched during the formation process of a fcc PtAg nano-octahedron, respectively, resulting in the corresponding change in the interatomic distance, thus the inter-




Fig. 2 Representative TEM image (a), HRTEM image (b), XRD pattern (c), EDX spectrum (d), high-angle annular dark-field scanning transmission electron microscope (HAADF-STEM) image (e), elemental maps for Mo (f), S (g), Pt (h) and Ag (i), peak-fitting XPS spectra of Mo 3d (j), S 2p (k), Pt 4f (l) and Ag 3d (m) regions of as-prepared MoS2-PtAg hybrid nanomaterials. The Cu, C, O in TEM-based EDX pattern (d) originated from carbon film supported by copper grids.

fringe distance of PtAg is between Pt and Ag in the (111) plane. The lattice spacing of 0.27 nm belongs to the (100) plane of MoS₂ ³² and is also observed in the same image. As shown in Fig. 2c, the crystalline structure of the MoS₂-PtAg nanohybrids was further examined by XRD. Diffraction peaks at 2θ values of 39.6°, 46.1°, 67.2° and 81.0° can be assigned to the (111), (200), (220) and (311) crystal planes of a PtAg fcc structure, respectively. The diffraction peaks positioned between the standard peaks of Pt (JCPDS no. 04-0802) and Ag (JCPDS no. 04-0783), demonstrating the formation of a bimetallic phase of Pt and Ag. The energy dispersive X-ray (EDX) analysis of MoS₂-PtAg shows that both the signals of Mo, S, Pt and Ag can be easily detected from these samples (Fig. 2d). The analysed atomic ratio (Pt/Ag) by inductively coupled plasma optical emission spectroscopy (ICP-OES) is 74:26, which is very close to the Pt/Ag feeding ratio of 3:1. According to the analysed ICP result, the loading amount of Pt74Ag26 NPs on MoS2-PAH nanosheets is 29.0 wt%, which is slightly lower than the calculated value owing to the loss during the repeated washing and dissolving process. To further investigate the nanostructure of MoS₂-PtAg, the element distributions of Mo, S, Pt and Ag in the hybrid material were studied by using a high-angle

Paper Nanoscale

annular dark-field scanning transmission electron microscope (HAADF-STEM). From the representative STEM image (Fig. 2e) and its corresponding Mo, S, Pt and Ag elemental maps (Fig. 2f-i), it can be seen that both Pt and Ag are evenly distributed in each individual NP. The chemical state of the as-prepared MoS₂-PtAg was confirmed by XPS. The high-resolution Mo 3d XPS spectrum can be deconvoluted into four single peaks (Fig. 2j). The two peaks at 232.4 eV (3d_{3/2}) and 229.3 eV $(3d_{5/2})$ binding energies are attributed to Mo⁴⁺, while the shoulder at 235.0 eV are likely assigned to Mo6+.27,33 Meanwhile, a peak at 226.2 eV corresponding to the S 2s line of MoS₂ can be found. Additionally, the S 2p spectrum shows two peaks located at 163.4 eV and 162.2 eV (Fig. 2k), which are characteristic of the S 2p_{1/2} and S 2p_{3/2} components of MoS₂, respectively.^{26,27} The XPS spectrum of Pt 4f (Fig. 2l) displays two peaks at 74.0 eV ($4f_{5/2}$) and 70.7 eV ($4f_{7/2}$), which is indicative of elemental Pt^{0.34} From the fitting curves, the calculated percentage of Pt⁰ species is about 83.4%. The Ag 3d spectrum of the sample (Fig. 2m) consists of two individual peaks at 373.6 eV $(3d_{3/2})$ and 367.6 eV $(3d_{5/2})$, which can be assigned to the Ag⁰.35 The calculated percentage of Ag⁰ species is about 84.8% from the fitting curves. The above results indicate that the ultrathin MoS2-PAH nanosheets are successfully decorated with octahedral Pt74Ag26 alloy NPs.

To understand the formation mechanism of MoS2-PtAg nanohybrids, a series of control experiments were carried out. Under the standard reaction conditions, the use of Pt precursor alone gave spherical Pt NPs supported on the MoS₂ nanosheets (Fig. S4a†). However, replacing the Pt precursor with a Ag precursor failed to synthesize the corresponding MoS₂-Ag nanohybrids, suggesting that a Ag precursor alone cannot be reduced under the present conditions. Moreover, using different Pt/Ag feeding molar ratios, various nanohybrids of MoS2-PAH nanosheet-supported octahedral PtAg NPs (Fig. S4b-4d†) can be obtained. Obviously, the introduction of Ag⁺ species into the reaction system can favor the formation of octahedral PtAg NPs. It is noted that the use of a large amount of Ag precursors in excess of Pt precursors brings about a low yield of the final products, leading to a low loading of octahedral PtAg NPs on MoS₂ nanosheets (Fig. S4d†). It is known that the standard reduction potential (E) for Pt^{2+}/Pt (1.18 V) is more positive than that of the Ag⁺/Ag (0.80 V) pair in the same coordination environment, Pt ions with high standard reduction potential could be reduced first. Meanwhile, the overlapped elemental maps of Pt and Ag (Fig. S5d†) reveal these two elements are uniformly distributed in each individual NP, suggesting the continuous addition of Pt and Ag atoms during the formation of a PtAg nano-octahedron. In addition, the EDX line scanning profile across a single Pt-Ag NP (Fig. S5e†) clearly shows Pt and Ag content change synchronously, verifying the structure of the alloy. The selected PtAg NP contains 74% of Pt and 26% of Ag, which is in good agreement with the ICP-OES result. Based on the above result and discussion, we speculate that the Pt nanocrystals as seeds were first formed on the MoS₂ nanosheets. With the quick diffusion of Ag⁺ ions at high temperature, they were adsorbed strongly

on the Pt {100} facets, followed by the reduction by the preformed Pt seeds. As more and more Ag atoms continuously deposited on the Pt {100} facets, ³⁶ active Ag atoms from the corners of the reaction intermediates were selectively removed by the oxidative etching process of dissolved oxygen in the reaction system. ^{37,38} With the periodic deposition of Pt and Ag atoms as well as the re-oxidation of the Ag atoms on the growing intermediates, an octahedral PtAg NP enclosed by {111} facets was formed.

2.2 Peroxidase-like activity of MoS₂-PtAg hybrid nanomaterials

To investigate the catalytic activity of the as-prepared hybrid nanomaterials, 3,3′,5,5′-tetramethylbenzidine (TMB), 2,2-azino-bis(3-ethylbenzothiazoline-6-sulfonic acid) (ABTS) and o-phenylenediamine (OPD) are chosen as chromogenic substrates to study the oxidase-like or peroxidase-like activities of MoS₂-Pt₇₄Ag₂₆. In the presence of H₂O₂, MoS₂-Pt₇₄Ag₂₆ nanohybrids can catalyze the oxidation of TMB, ABTS and OPD, producing the typical blue color for TMB, green color for ABTS and yellow color for OPD (Fig. 3), while the control experiments without MoS₂-Pt₇₄Ag₂₆ or without H₂O₂ showed negligible color variation (Fig. S6†). This result clearly indicates that MoS₂-Pt₇₄Ag₂₆ has a peroxidase-like activity.

To study the interaction between the as-prepared ultrathin MoS₂ nanosheets and PtAg NPs, several control experiments were performed. Compared to the MoS₂ nanosheets and unsupported Pt₇₃Ag₂₇ NPs (Fig. S7†), MoS₂-Pt₇₄Ag₂₆ hybrids display enhanced catalytic activity with the example of TMB oxidation (Fig. S8a†). Different from MoS₂ alone, MoS₂-Pt₇₄Ag₂₆ not only has larger surface area, but also provides abundant active sites for the adsorption of TMB molecules. Accordingly, lone-pair electrons can be readily transferred from the amino groups of TMB molecule to the hybrids, which gives rise to an increase in electron density and mobility in the




Fig. 3 The color change and corresponding reaction schemes for the oxidation of TMB, ABTS and OPD catalyzed by the as-prepared $MoS_2-Pt_{74}Ag_{26}$.

hybrids for electron transfer from hybrids to H₂O₂, leading to the reduction of H₂O₂ to H₂O and the reaction rate of TMB oxidation by H₂O₂ increases. The effect of Pt/Ag ratios of MoS₂-PtAg on their catalytic oxidation capability is also investigated. Fig. S8b† shows that MoS2-Pt74Ag26 has the highest activity with the maximum absorbance at 652 nm. Thus, MoS₂-Pt74Ag26 is chosen as a typical enzyme mimetic for further studies. It has been found that MoS2-Pt74Ag26 has good storage stability. When it has been stored in water at room temperature for 2 months, no obvious decrease in response to H₂O₂ is observed (Fig. S8c†). MoS₂-Pt₇₄Ag₂₆ also has good reusability after repeated cycles of H2O2 sensing as shown in Fig. S8d.† There is no apparent difference in morphology and size between the as-prepared hybrids and the recycled hybrids (Fig. S9†), indicating the stability of hybrids. The good stability and reusability of MoS2-Pt74Ag26 makes it suitable and practi-

2.3 Reaction mechanism

cal for a broad range of applications.

Nanoscale

Similar to HRP, the catalytic activities of MoS2-PtAg show temperature, pH and H₂O₂ concentration dependence (Fig. S10†). MoS2-Pt74Ag26 displays high catalytic activity at different pH values (3.0-6.0) and a wide range of temperatures (20-70 °C), while the catalytic activity of HRP was largely inhibited after incubation at pH below 4.0 or at temperature higher than 50 °C. 39 Thus, the robustness of MoS2-Pt74Ag26 makes it potentially applicable under harsh conditions. For the catalytic oxidation of TMB by MoS2-Pt74Ag26, the optimal pH is 4.0 and an optimal temperature is 50 °C. The peroxidase-like activity MoS2-Pt74Ag26 is further investigated by the steady-state kinetic experiments. By monitoring the absorbance change at 652 nm for 30 min, typical Michaelis-Menten curves with TMB and H₂O₂ are obtained, respectively (Fig. 4a and b). Michaelis-Menten constant (K_m) and maximum initial rate (v_{max}) are obtained using the Lineweaver-Burk plot (Fig. 4c and d).




Fig. 4 Steady-state kinetic analysis using Michaelis–Menten model (a, b) and Lineweaver–Burk model (c, d) for $MoS_2-Pt_{74}Ag_{26}$. The concentration of H_2O_2 was 1 mM and TMB concentration was varied (a, c). The concentration of TMB was 1 mM and H_2O_2 concentration was varied (b, d).

Table 1 Comparison of the apparent Michaelis–Menten constant (K_m) and maximum reaction rate (v_{max}) between MoS₂–Pt₇₄Ag₂₆ and HRP as well as MoS₂ nanosheets

Catalyst	Substrate	$K_{\rm m}$ [mM]	$v_{\rm max} = [10^{-8} \ { m M \ s^{-1}}]$	Ref.
MoS ₂ -Pt ₇₄ Ag ₂₆	TMB	25.71	7.29	This work
	H_2O_2	0.386	3.22	
HRP	TMB	0.434	10	40
	H_2O_2	3.7	8.71	
MoS ₂ nanosheets	TMB	0.525	5.16	41
	H_2O_2	0.0116	4.29	

The apparent $K_{\rm m}$ value indicates the affinity of the substrates to enzymes and a lower value means a higher affinity. Table 1 lists the $K_{\rm m}$ and $\nu_{\rm max}$ values for MoS₂–Pt₇₄Ag₂₆, HRP and MoS₂ nanosheets. Compared to HRP, the $K_{\rm m}$ value for MoS₂–Pt₇₄Ag₂₆ with H₂O₂ as the substrate is lower, suggesting MoS₂–Pt₇₄Ag₂₆ has higher affinity for H₂O₂ than HRP. This can be understood since a HRP molecule contains only one iron ion which decomposes H₂O₂, while the surface of the mono-layer MoS₂ structure is decorated with lots of Pt₇₄Ag₂₆ NPs. The lower affinity for TMB can also guarantee more active sites would be available for H₂O₂. Meanwhile, the $\nu_{\rm max}$ value for MoS₂–Pt₇₄Ag₂₆ with TMB as the substrate was higher than MoS₂ alone. The synergistic effects of octahedral Pt₇₄Ag₂₆ NPs and ultrathin MoS₂ nanosheets as catalytic supports resulted in the improved catalytic activity of hybrids for colorimetric reactions.

The hydroxyl radical ('OH) as an important intermediate in peroxidase mimic-catalyzed colorimetric detection of H2O2 was studied extensively. 42,43 Here, the 'OH is assessed by adding terephthalic acid (TA) as a fluorescent probe into the H₂O₂/ MoS2-Pt74Ag26 system, where TA easily reacts with 'OH forming highly fluorescent 2-hydroxy terephthalic acid.44 As shown in Fig. S11,† there is negligible fluorescence intensity in the absence of H₂O₂ or MoS₂-Pt₇₄Ag₂₆, while an emission peak at about 440 nm appears after MoS2-Pt74Ag26 is added in the TA solution in the presence of H2O2, which indicates the production of 'OH after the interaction between MoS2-Pt74Ag26 and H2O2. The result shows that MoS2-Pt74Ag26 could decompose H₂O₂ to generate the 'OH radical. To further evaluate the effects of MoS2-Pt74Ag26 on 'OH signal intensity, a series of electron spin resonance (ESR) experiments in the 5,5-dimethyl-1-pyrroline N-oxide (DMPO) spin trap system have been carried out. As shown in Fig. S12,† one can see that there are no apparent 'OH signals in the buffer/TMB/H2O2 system (curve a in Fig. S12†) while, the intensity of 'OH increases in the system of buffer/H₂O₂/MoS₂-Pt₇₄Ag₂₆ as time increases (curves b, c). However, after the addition of TMB to this solution, the signal of 'OH disappeared. Instead, a strong TMB cation radical45 signal can be detected immediately (curve d in Fig. S12†). The above results indicate that MoS2-Pt74Ag26 possesses peroxidase-like activity.

2.4 Detection of H₂O₂ and glucose

Based on the intrinsic peroxidase property of MoS_2 - $Pt_{74}Ag_{26}$, the detection of H_2O_2 and glucose is designed using the blue

Paper Nanoscale

color reaction catalyzed by MoS_2 – $Pt_{74}Ag_{26}$. Fig. 5 shows the dependence of the absorbance at 652 nm on the concentration of H_2O_2 , revealing that the intensity of absorption peak at 652 nm increases with increased H_2O_2 concentration from 1 μM to 1 mM. The upper and lower insets of Fig. 5 show the corresponding photographs of different solutions and the linear calibration plot, respectively. The estimated linear detection range and limit of detection (LOD) at a signal-to-noise ratio of 3 are listed in Table 2.

We also designed a method for the detection of glucose using the MoS_2 – $Pt_{74}Ag_{26}$ -based sensing system (see Experimental section). The dependence of the absorbance at 652 nm on the concentration of glucose from 1 μ M to 1 mM is shown in Fig. 6a. One can see that the intensity of absorbance peak at 652 nm increases with increased glucose concentration. To examine the selectivity of the present assay toward glucose, detection experiments have been performed in the presence of glucose analogue substances including glucose, fructose, lactose and mannitol. A blue color solution was obtained in the presence of glucose, however, no obvious blue color is observed for other compounds although their concentration is 5-fold higher than that of glucose (Fig. 6b, inset). The above observations indicate that our sensing system exhibits excellent selectivity for glucose.




Fig. 5 Dependence of the absorbance at 652 nm on the concentration of $\rm H_2O_2$ from 1 μM to 1 mM. The upper and lower insets show the corresponding photographs of different solutions and linear calibration plot, respectively.

Table 2 Comparison of linear range and LOD of this work with MoS_2 nanosheets as peroxidase mimics for colorimetric detection of H_2O_2 and glucose

	Linear ran (µM) for	Linear range (μM) for		LOD (μM) for	
Peroxidase	H ₂ O ₂	Glucose	H ₂ O ₂	Glucose	Ref.
mimics	detection	detection	detection	detection	
MoS ₂ -Pt ₇₄ Ag ₂₆	1-50	1-10	0.4	0.8	This work
MoS ₂ nanosheets	5-100	5-150	1.5	1.2	




Fig. 6 (a) Dependence of the absorbance at 652 nm on the concentration of glucose from 1 μ M to 1 mM. The upper and lower insets show the corresponding photographs of different solutions and linear calibration plot, respectively. (b) Selectivity analysis of MoS₂–Pt₇₄Ag₂₆/GOx/TMB system for glucose detection by measuring the absorbance at 652 nm (5 mM fructose, 5 mM lactose, 5 mM mannitol, and 1 mM glucose). Error bars represent the standard deviation for three measurements. Inset: photographs of different solutions.

The linear detection range and LOD for the detection of H_2O_2 and glucose are listed in Table 2. Lower LOD values are obtained with MoS_2 - $Pt_{74}Ag_{26}$ as a peroxidase mimic, which indicates more sensitivity than the MoS_2 nanosheets.

3. Conclusions

In summary, novel MoS₂-Pt₇₄Ag₂₆ hybrid nanomaterials composed of octahedral Pt74Ag26 NP decorated ultrathin MoS2 nanosheets have been successfully prepared by a facile and efficient method and investigated as peroxidase mimics. The obtained MoS2-Pt74Ag26 hybrids have long-term stability and good reusability after repeated cycles of H2O2 sensing. MoS2-Pt₇₄Ag₂₆ has higher affinity for H₂O₂ than HRP. Meanwhile, the v_{max} value for MoS_2 -Pt₇₄Ag₂₆ with TMB was higher than MoS₂. The enhanced catalytic activity of hybrid nanomaterials for colorimetric reactions could be attributed to the synergistic effects of octahedral Pt74Ag26 NPs and ultrathin MoS2 nanosheets as catalytic supports. With MoS2-Pt74Ag26 nanohybrids, the production of active oxygen species (OH) by H₂O₂ decomposition was responsible for the oxidation of TMB. On the basis of these findings, a colorimetric method with high sensitivity and selectivity for H₂O₂ and glucose detection has been developed. The detection of H2O2 and glucose are in a linear range from 1×10^{-6} to 5×10^{-5} mol L^{-1} and 1×10^{-6} to 1×10^{-5} mol L^{-1} , respectively, with the detection limit down to 4×10^{-7} mol L⁻¹ for H₂O₂ and $8 \times$ 10^{-7} mol L⁻¹ for glucose. Lower LOD values have been obtained with MoS2-Pt74Ag26 nanohybrids as peroxidase mimics, indicating that nanohybrids are more sensitive than MoS₂ nanosheets. Our approach can be potentially extended to the preparation of a series of other MoS2-PtM nanohybrids (M = Pd, Rh, Au, Cu, Zn, Fe, Co, Ni, etc.) as peroxidase mimics. The present study provides a new avenue for developing highly sensitive sensors for biological and clinical diagnosis applications.

Nanoscale Paper

4. **Experimental section**

4.1 **Materials**

Polyallylamine hydrochloride (molecular weight 120 000 to 200 000), silver nitrate, o-phenylenediamine (OPD), p-mannitol, L-cysteine and MoS₂ powder were supplied from Alfa Aesar. Chloroplatinic acid hexahydrate (H₂PtCl₆·6H₂O) and 2,2'-azinobis(3-ethylbenzo-thiazoline-6-sulfonic acid) diammonium salt (ABTS) were provided by J&K Scientific Ltd (Beijing, China). 3,3',5,5'-Tetramethylbenzidine (TMB) was obtained from Acros. Terephthalic acid was bought from Sinopharm Chemical Reagent Co., Ltd (Shanghai, China). Formaldehyde solution (40%) was purchased from Xilong Chemical Co., Ltd (Shantou, China). H₂O₂ was provided by Beijing Chemical Works (Beijing, China). β-D-Glucose, α-lactose, D-fructose, and glucose oxidase (GOx, 50 KU, from Aspergillus niger) were purchased from Sigma-Aldrich. Other reagents and chemicals were at least analytical reagent grade. Ultrapure water was obtained by using a Milli-Q ultrapure system (18 M Ω cm).

4.2 Preparation of PAH-functionalized MoS₂ nanosheets

PAH-functionalized MoS₂ nanosheets (MoS₂-PAH) were prepared from commercial MoS2 flakes via a simple liquid exfoliation method. Briefly, commercial MoS2 powder (20 mg) was first ground with NaCl in a grinding miller for 2 h. Subsequently, the ground MoS2 flakes were separated by dissolving NaCl with ultrapure water and then centrifuged. After being dried completely, the obtained MoS2 flakes were dispersed in 20 mL of H₂SO₄ (95.0-98.0%) for intercalation at 90 °C overnight. Then the products were collected by centrifugation, repeatedly washed with ultrapure water to remove the residual H₂SO₄, and dispersed into 20 mL of ultrapure water. After that, 80 mg of PAH was added to the obtained dispersion under bath-sonication for 30 min. Then the solution was further probe-sonicated at a power of 325 W for 1 h and centrifuged at 2000 rpm for 10 min. Finally, the supernatant was collected and centrifuged at 12 000 rpm for 10 min to obtain MoS₂-PAH nanosheets.

4.3 Preparation of MoS₂-PtAg

Take the preparation of MoS₂-Pt₇₄Ag₂₆ hybrids for example. After 3 mL of MoS₂-PAH solution (about 0.1 mg mL⁻¹) was dispersed in 1 mL of ultrapure water, the solution was sonicated for 10 min, followed by addition of 0.3 µmol of AgNO3, 0.9 μmol of H₂PtCl₆ and 10 μL of aqueous solution of HCHO solution (40%). Then the resulting mixture was transferred to 10 mL Teflon-lined stainless-steel autoclave and was heated at 180 °C for 4 h. After being cooled to room temperature, the obtained hybrid material was separated by centrifugation at 12 000 rpm for 10 min, washed with ultrapure water, and then dispersed into ultrapure water.

4.4 Characterization

Transmission electron microscopy (TEM) images were obtained using a FEI Tecnai G2 20 S-TWIN transmission electron microscope operating at an accelerating voltage of 200 kV.

Scanning electron microscopy (SEM) images were collected on a Hitachi S-4800 field-emission scanning electron microscope. X-ray powder diffraction (XRD) was performed using a Bruker D8 focus with Cu K α radiation ($\lambda = 1.5406$ Å). High-resolution transmission electron microscopy (HRTEM) images were collected with a FEI Tecnai G2 F20 U-TWIN. Partial HRTEM images were collected on a JEOL JEM 2100F transmission electron microscope. Atomic force microscopy (AFM) characterization was performed on a Shimadzu SPM-9600 microscope. The composition of the products was measured by using a Thermo Scientific iCAP 6300 inductively coupled plasma optical emission spectrometer (ICP-OES). Zeta potential was measured using a Malvern Zetasizer Nano system. UV-Vis absorption spectroscopic measurements were carried out using a PerkinElmer Lambda 950 UV/VIS spectrophotometer. FT-IR spectra were recorded on a PerkinElmer Spectrum One FT-IR spectrometer in the transmission mode using CaF₂. X-ray photoelectron spectra (XPS) were recorded using a Thermo Fisher ESCALAB 250Xi X-ray photoelectron spectrometer. Binding energies (BE) were calibrated by setting the measured BE of C 1s to 284.8 eV. Electron spin resonance (ESR) spectra were recorded at room temperature on a JEOL JES-FA200 ESR spectrometer. DMPO (5,5-dimethyl-1-pyrroline N-oxide) was employed as the radical trap. Fluorometric measurements were carried out by using a Hitachi F-4600 fluorescence spectrophotometer.

4.5 Peroxidase-like activity of MoS₂-PtAg

In the presence of H₂O₂, the activity of MoS₂-Pt₇₄Ag₂₆ was investigated through the oxidation of TMB, ABTS and OPD to generate a colorimetric reaction. The reactions were carried out at room temperature using 18 nmol of MoS2-Pt74Ag26 and 10 μL of H₂O₂ (33 mM) in 300 μL of NaAc buffer (pH 4.0) with 10 μL of substrate (50 mM).

4.6 Steady-state kinetic assays

The steady-state kinetic assays of the catalytic reactions were carried out at 50 °C in the TMB/H₂O₂/MoS₂-Pt₇₄Ag₂₆ reaction system. With TMB as the substrate, the kinetic analysis of MoS2-Pt74Ag26 was performed with constant H2O2 concentration (1 mM) but varied TMB concentrations (0.6 to 8 mM). Meanwhile, with H₂O₂ as the substrate, the kinetic measurement was carried out with constant TMB concentration (1 mM) but varied H₂O₂ concentrations (0.1 to 4 mM).

Absorbance values monitored at 652 nm for all reactions were back-converted to TMB concentration derived oxidation products by the Beer-Lambert Law, $A = \varepsilon bC$; in which the molar absorption coefficient ε was 39 000 M⁻¹ cm⁻¹, vitric cuvettes of path length b was 1 cm. Kinetic parameters were fitted based on the Michaelis-Menten equation:

$$u_0 =
u_{ ext{max}} rac{[ext{S}]}{[ext{S}] + K_{ ext{m}}}$$

where v_0 is the initial conversion rate, which can be calculated by the initial slope of absorbance changes with time, v_{max} is the maximum conversion rate, [S] is the substrate **Paper** Nanoscale

concentration, and $K_{\rm m}$ is the Michaelis constant. The Lineweaver-Burk model $\frac{1}{\nu_0} = \frac{1}{\nu_{max}} + \frac{K_m}{\nu_{max}} \cdot \frac{1}{[S]}$ was also used to fit kinetic parameters.

4.7 Detection of H₂O₂ and glucose

For detection of H₂O₂, measurements were carried out by monitoring the absorbance change at 652 nm. In a typical run, 18 nmol of MoS₂-Pt₇₄Ag₂₆ was added into 300 μL of NaAc buffer solution (pH 4.0), followed by addition of 10 µL of TMB solution (50 mM in DMSO). After reaction for 30 min at 50 °C, the UV-vis spectra were recorded.

Glucose detection was performed according to the following three steps: (1) 100 μL of GOx (1 mg $mL^{-1})$ and 100 μL of glucose with different concentrations in 200 µL of Na₂HPO₄ buffer (10 mM, pH 7.0) were incubated at 37 °C for 1 h; (2) 10 μL of TMB (50 mM) and 18 nmol of MoS₂-Pt₇₄Ag₂₆ were added into the above solution; (3) the resulting mixture was incubated at 50 °C for 30 min before measurements.

Acknowledgements

This work was supported by National Natural Science Foundation of China (21261130090, 21501034, 21503053, 21573050) and Chinese Academy of Sciences (XDA09030303). Financial support from CAS Key Laboratory of Biological Effects of Nanomaterials and Nanosafety was gratefully acknowledged.

Notes and references

- 1 K. S. Novoselov, A. K. Geim, S. V. Morozov, D. Jiang, Y. Zhang, S. V. Dubonos, I. V. Grigorieva and A. A. Firsov, Science, 2004, 306, 666-669.
- 2 Q. H. Wang, K. Kalantar-Zadeh, A. Kis, J. N. Coleman and M. S. Strano, Nat. Nanotechnol., 2012, 7, 699-712.
- 3 M. Chhowalla, H. S. Shin, G. Eda, L. J. Li, K. P. Loh and H. Zhang, Nat. Chem., 2013, 5, 263-275.
- 4 X. Huang, Z. Zeng and H. Zhang, Chem. Soc. Rev., 2013, 42, 1934-1946.
- 5 J. Xie, J. Zhang, S. Li, F. Grote, X. Zhang, H. Zhang, R. Wang, Y. Lei, B. Pan and Y. Xie, J. Am. Chem. Soc., 2013, 135, 17881-17888.
- 6 G. Du, Z. Guo, S. Wang, R. Zeng, Z. Chen and H. Liu, Chem. Commun., 2010, 46, 1106-1108.
- 7 X. Huang, Z. Zeng and H. Zhang, Chem. Soc. Rev., 2013, 42, 1934-1946.
- 8 S. S. Singha, D. Nandi and A. Singha, RSC Adv., 2015, 5, 24188-24193.
- 9 A. J. Cheah, W. S. Chiu, P. S. Khiew, H. Nakajima, T. Saisopa, P. Songsiriritthigul, S. Radimane and M. A. A. Hamid, Catal. Sci. Technol., 2015, 5, 4133-4143.
- 10 L. Yuwen, F. Xu, B. Xue, Z. Luo, Q. Zhang, B. Bao, S. Su, L. Weng, W. Huang and L. Wang, Nanoscale, 2014, 6, 5762-5769.

- 11 J. Deng, H. Li, J. Xiao, Y. Tu, D. Deng, H. Yang, H. Tian, J. Li, P. Ren and X. Bao, Energy Environ. Sci., 2015, 8, 1594-
- 12 F. Cheng, J. Chen and X. Gou, Adv. Mater., 2006, 18, 2561-2564.
- 13 Z. Xiang, Z. Zhang, X. Xu, O. Zhang, O. Wang and C. Yuan, Phys. Chem. Chem. Phys., 2015, 17, 15822-15828.
- 14 X. Zhong, H. Yang, S. Guo, S. Li, G. Gou, Z. Niu, Z. Dong, Y. Lei, J. Jin, R. Li and J. Ma, J. Mater. Chem., 2012, 22, 13925-13927.
- 15 Z. Sun, Q. Zhao, G. Zhang, Y. Li, G. Zhang, F. Zhang and X. Fan, RSC Adv., 2015, 5, 10352-10357.
- 16 S. Su, C. Zhang, L. Yuwen, X. Liu, L. Wang, C. Fan and L. Wang, Nanoscale, 2016, 8, 602-608.
- 17 C. Hou, Q. Xu, L. Yin and X. Hu, Analyst, 2012, 137, 5803-5808.
- 18 K. Saha, S. S. Agasti, C. Kim, X. Li and V. M. Rotello, Chem. Rev., 2012, 112, 2739-2779.
- 19 K. S. Novoselov, D. Jiang, F. Schedin, T. J. Booth, V. V. Khotkevich, S. V. Morozov and A. K. Geim, Proc. Natl. Acad. Sci. U. S. A., 2005, 102, 10451-10453.
- 20 Y.-H. Lee, X.-Q. Zhang, W. Zhang, M.-T. Chang, C.-T. Lin, K.-D. Chang, Y.-C. Yu, J. T.-W. Wang, C.-S. Chang, L.-J. Li and T.-W. Lin, Adv. Mater., 2012, 24, 2320-2325.
- 21 H. S. S. R. Matte, A. Gomathi, A. K. Manna, D. J. Late, R. Datta, S. K. Pati and C. N. R. Rao, Angew. Chem., Int. Ed., 2010, 49, 4059-4062.
- 22 Z. Zeng, T. Sun, J. Zhu, X. Huang, Z. Yin, G. Lu, Z. Fan, Q. Yan, H. Hoon Hng and H. Zhang, Angew. Chem., Int. Ed., 2012, 51, 9052-9056.
- 23 J. N. Coleman, M. Lotya, A. O'Neill, S. D. Bergin, P. J. King, U. Khan, K. Young, A. Gaucher, S. De, R. J. Smith, I. V. Shvets, S. K. Arora, G. Stanton, H.-Y. Kim, K. Lee, G. T. Kim, G. S. Duesberg, T. Hallam, J. J. Boland, J. J. Wang, J. F. Donegan, J. C. Grunlan, G. Moriarty, A. Shmeliov, R. J. Nicholls, J. M. Perkins, E. M. Grieveson, K. Theuwissen, D. W. McComb, P. D. Nellist and V. Nicolosi, Science, 2011, 331, 568-571.
- 24 F. Cheng, J. Chen and X. Gou, Adv. Mater., 2006, 18, 2561–2564.
- 25 J. P. Shi, M. Liu, J. Wen, X. Ren, X. Zhou, Q. Ji, D. Ma, Y. Zhang, C. Jin, H. Chen, S. Deng, N. Xu, Z. Liu and Y. Zhang, Adv. Mater., 2015, 27, 7086-7092.
- 26 Y. Shi, J.-K. Huang, L. Jin, Y.-T. Hsu, S. F. Yu, L.-J. Li and H. Y. Yang, Sci. Rep., 2013, 3, 1839.
- 27 L. Yang, W. Zhou, D. Hou, K. Zhou, G. Li, Z. Tang, L. Lia and S. Chen, Nanoscale, 2015, 7, 5203-5208.
- 28 C. Li, K. L. Shuford, Q.-H. Park, W. Cai, Y. Li, E. J. Lee and S. O. Cho, Angew. Chem., Int. Ed., 2007, 46, 3264-3268.
- 29 Y. Wu, S. Cai, D. Wang, W. He and Y. Li, J. Am. Chem. Soc., 2012, 134, 8975-8981.
- 30 J. G. Zhang, Y. Gao, R. A. Alvarez-Puebla, J. M. Buriak and H. Fenniri, Adv. Mater., 2006, 18, 3233-3237.
- 31 C.-C. Chang, H.-L. Wu, C.-H. Kuo and M. H. Huang, Chem. Mater., 2008, 20, 7570-7574.
- 32 W. Zhou, Z. Yin, Y. Du, X. Huang, Z. Zeng, Z. Fan, H. Liu, J. Wang and H. Zhang, *Small*, 2013, **9**, 140–147.

33 Z. Chen, D. Cummins, B. N. Reinecke, E. Clark, M. K. Sunkara and T. F. Jaramillo, *Nano Lett.*, 2011, 11, 4168–4175.

Nanoscale

- 34 B. Zhou, Z. Sun, D. Li, T. Zhang, L. Deng and Y.-N. Liu, *Nanoscale*, 2013, 5, 2669–2673.
- 35 L. Yuwen, F. Xu, B. Xue, Z. Luo, Q. Zhang, B. Bao, S. Su, L. Weng, W. Huang and L. Wang, *Nanoscale*, 2014, 6, 5762– 5769
- 36 M. E. Grass, Y. Yue, S. E. Habas, R. M. Rioux, C. I. Teall, P. Yang and G. A. Somorjai, *J. Phys. Chem. C*, 2008, 112, 4797–4804.
- 37 M. Liu, Y. Zheng, L. Zhang, L. Guo and Y. Xia, *J. Am. Chem. Soc.*, 2013, **135**, 11752–11755.
- 38 M. Jin, H. Zhang, Z. Xie and Y. Xia, *Energy Environ. Sci.*, 2012, 5, 6352–6357.

- 39 J. Mu, Y. Wang, M. Zhao and L. Zhang, Chem. Commun., 2012, 48, 2540–2542.
- 40 L. Z. Gao, J. Zhuang, L. Nie, J. B. Zhang, Y. Zhang, N. Gu, T. H. Wang, J. Feng, D. L. Yang, S. Perrett and X. Y. Yan, Nat. Nanotechnol., 2007, 2, 577–283.
- 41 T. Lin, L. Zhong, L. Guo, F. Fu and G. Chen, *Nanoscale*, 2014, 6, 11856–11862.
- 42 T. Zhang, Y. Lu and G. Luo, ACS Appl. Mater. Interfaces, 2014, 6, 14433-14438.
- 43 L. Su, J. Feng, X. Zhou, C. Ren, H. Li and X. Chen, *Anal. Chem.*, 2012, **84**, 5753–5758.
- 44 K. Ishibashi, A. Fujishima, T. Watanabe and K. Hashimoto, *Electrochem. Commun.*, 2000, 2, 207–210.
- 45 P. D. Josephy, T. Eling and R. P. Mason, *J. Biol. Chem.*, 1982, **257**, 3669–3675.