



Cite this: *Soft Matter*, 2022, 18, 934

Received 25th December 2021,
Accepted 13th January 2022

DOI: 10.1039/d1sm01815a

rsc.li/soft-matter-journal

Improved alkali metal ion capturing utilizing crown ether-based diblock copolymers in a sandwich-type complexation†

Iklima Oral ^a and Volker Abetz ^{*,ab}

The complexation behavior of metals with free crown ethers (CE) and diblock copolymer-based CE is investigated. The latter shows at least 10 000 times stronger complexation than free CEs. On this basis, a highly stable CE complex within the polymer for efficient extraction of metal ions from low concentrations, e.g. lithium in seawater, is presented.

Lithium has drawn great interest due to its utilization in the electrical vehicle industry, glass, ceramics, lubricants, catalysis, alloy industries, and pharmaceuticals.^{1–6} The applications of lithium in the electric vehicle industry have created immense demand, huge price increases, and the consequent shortage of this raw material.⁷ Currently, lithium is gathered mainly from brines by solar evaporation processes, however, the availability of lithium resources on land is limited.^{8,9} Around 230 Bt. of lithium can be found in the seawater, therefore, several recovery techniques have been designed, such as adsorption, solvent extraction, and co-precipitation.^{6,8,10,11} Since many other interfering metal ions, such as Na⁺, K⁺, Mg²⁺, and Ca²⁺, are present in seawater at much higher concentrations than Li⁺, a highly selective recovery of the desired Li⁺ is mandatory.¹²

A high selectivity towards metal ions is provided by crown ethers (CEs), which form well-known host–guest complexes.^{13,14} The complexation of metal ions with CEs arises from ion–dipole interactions depending on the cation, stabilizing orbital interactions between charge transfer and polarization, and Pauli repulsive orbital interactions.¹⁵ The strength of the interaction, and thus the stability of the complex, can be adjusted by the orientation of the donor atoms in the CE, the cavity size, the choice of donor atom (soft or hard, according to the HSAB principle, e.g. N, S, or O), and substitutions of electron withdrawing or donating groups.^{16,17} In addition to the strength of the interaction, the stoichiometry of the

ligand to metal ion plays a significant role (Fig. 1). Single complexes, sandwich-type complexes as well as club sandwich-type structures can be formed (further higher-ordered complex structures are also possible).^{14,18–20} This variability of the complexes makes the CEs ligands irreplaceable in the selective complexation of metal ions.

In previous work, stronger complexations within the polymer as well as in a sandwich-type formation have been reported.^{21,22} The aim of this work is to present stronger complexation by sandwich-type structures of the metal ions of the series Li⁺, Na⁺ and K⁺ and CEs of different sizes with 3, 4 and 5 oxygen atoms within the ring. The complex stability in single, as well as sandwich structures is compared and evaluated. A comparison between free CEs and polymer-based CEs is demonstrated. The latter is of particular interest since the polymer can be easily recovered after complexation by simple precipitation.

15-Crown-5 (15C5), 12-crown-4 (12C4), and benzo-9-crown-3 (B9C3) were chosen as CEs to investigate the single and sandwich complexes with Li⁺, Na⁺, and K⁺ within the polymer. Multivalent ions were not considered in this work, since they can easily be separated by electrodialysis using for example monovalent cationic selective membranes.²³

A poly(methacrylic acid)-*block*-polystyrene (PMAA-*b*-PS) diblock copolymer was chosen (synthesis was reported elsewhere)²⁴ and an overview is shown in Fig. S2 (ESI†). The carboxyl groups make the incorporation of CEs straightforward *via* Steglich esterification, if the latter are modified with a hydroxyl group (Fig. 2). The Steglich esterification is a simple reaction to esterify long polymer chains and to obtain high yields by adding dicyclohexylcarbodiimide (DCC) and 4-dimethylaminopyridine (DMAP).^{25,26} The successful incorporation of the CE within the polymer can be analyzed with ¹H NMR spectroscopy. The signals of the CE appear broad in the polymer spectrum proving the newly introduced CE group to the PMAA-*b*-PS diblock copolymer. The average number of CE-esterified repeating units per chain will be called *n*_{CE} – not “degree of polymerization” which would, by definition, be incorrect in a statistical copolymer and is analyzed by ¹H NMR spectroscopy. An example NMR for the 15C5-bonded polymer can be seen in Fig. 3.

^a Institute of Physical Chemistry, Universität Hamburg, Grindelallee 117, 20146 Hamburg, Germany. E-mail: volker.abetz@hereon.de

^b Helmholtz-Zentrum Hereon, Institute of Membrane Research, Max-Planck-Straße 1, 21502 Geesthacht, Germany

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1sm01815a






Fig. 1 Illustration of the CEs–metal ion complexes. Different factors are illustrated such as the cavity size of the CE, the amount and hardness of the donor atoms as well as the stoichiometry, which affects the interaction between donor and acceptor (metal ion). The red, green, and orange dot represent oxygen, nitrogen, and sulfur atom, respectively. The dashed line represents the interaction between donor atom and metal ion.




Fig. 2 Reaction overview of the Steglich esterification of PMAA-*b*-PS with hydroxyl functionalized CEs.

A detailed determination of the n CE and the degree of functionalization (DF) can be found in the ESI.†

In the complexation process of metal ions, the dissolved metal ions in water must first be freed from the hydrate shell surrounding them. Among the compared cations, this hydrate shell is most stable for Li^+ and least stable for K^+ .





Fig. 3 ^1H NMR spectrum of 15C5-OH (bottom) and P(MAA₂₅-*r*-15C5MA₂₅)-*b*-PS₅₀⁵⁶ diblock copolymer containing randomly distributed CE units (top) in CDCl_3 .

In a single complex, interactions are established between the donor atoms and the metal ions leading to an enthalpy gain.

In a sandwich complexation, the entropy loss is greater because two CEs participate in the complexation process. However, the enthalpy gain is twice as large, since twice as many interactions take place between donor atoms and metal ions (Fig. 1). In conclusion, the complexation of metals by CEs is a thermodynamic process with an interlude between entropy loss and enthalpy gain. In the thermodynamic process, the complexation constant K play an essential role and provide information about the stability of the complex. The general procedure of the metal ion extraction with CEs follows eqn (1):



with M being the metal cation and X , the corresponding anion, m and x represent the stoichiometric factors and z_+ and v_- the charges of the metal cation and counter anion, and n labels the number of CEs necessary for the metal–CE complex. The complex constant K can be evaluated by the law of mass (eqn (2)) and shows by a value above 1 an equilibrium on the side of the products (in here the CE–metal complex, $(\text{M}_m\text{CE}_n)^{mz+}$).

$$K = \frac{[(\text{M}_m\text{CE}_n)^{mz+} \text{X}_{x(\text{org})}^{xv-}]}{(Q(\gamma_+[\text{M}^{z+}]^m)(\gamma_-[\text{X}^{v-}]^x))[\text{CE}]^n} \quad (2)$$

Experimentally, the complex constant K of a CE–metal complex is determined by using a two-phase extraction (Fig. 4). The CE is dissolved in the organic phase and the salt of a dye in the aqueous phase. After mixing the two phases, the cation of the salt dye interacts with the CE at the interface. After successful complexation, the CE–metal complex is in the organic phase (dichloromethane was chosen as the organic phase in these experiments). The aqueous phase (salt dye phase) was investigated by absorption spectroscopy due to spectroscopic limitations of the organic phase. The salt concentrations in the aqueous phase before and after extraction




Fig. 4 Two-phase extraction of a dichloromethane/water mixture with B15C5 and 2',4',5',7'-tetrabromoeosin ethyl ester sodium salt (NaEE) as sodium dye. The left side shows the phases before the extraction and the right side afterwards.

were analyzed and the complex constant K was calculated according to eqn (2). A more detailed description of the two-phase extraction and a detailed calculation of the complex constant K can be found in previous publications.^{21,22}

The free CEs benzo-15-crown-5 (B15C5), benzo-12-crown-4 (B12C4) and B9C3 were extracted as shown in Fig. 3. The B15C5 with a cavity size of 1.70–2.20 Å fits perfectly for Na^+ with an ionic diameter (ID) of 2.02 Å and forms well-known “sandwich complexes” with K^+ (ID = 2.76 Å).^{20,27} The values of the complex constant K (pink bar with crosses) can be found in Fig. 5A and B. The B15C5- Na^+ and the (B15C5)₂- K^+ complexes show both stable complexes with values of $\log K$ of 5.71 and 7.93, respectively. It is clear that the sandwich complex with K^+ is more stable than the single complex with Na^+ . This may be due to the smaller hydrate shell of K^+ compared to Na^+ , as well as to the increased content of the enthalpy term due to the interaction of twice as many donor atoms with the metal ion. Similar




Fig. 5 $\log K$ of the CE complexes of the free CEs and the polymer-based CEs. The pink bar with crosses represents the $\log K$ of the free CE- and the pink bar of the polymer-based CE complexes.

trends are observed for the 12C4 (cavity size of 1.20–1.50 Å), which forms single complexes with Li^+ (ID = 1.48 Å) and sandwich complexes with Na^+ .^{28,29} Both complexes show high complex stabilities with a $\log K$ of 4.71 for the B12C4- Li^+ complex and 8.21 for the (B12C4)₂- Na^+ complex (pink bar with crosses) (Fig. 5C and D). In conclusion, the experiments show a stronger complexation of the sandwich complex compared to the single complex. The B9C3 shows the smallest cavity size among all investigated CEs in this work with a value of approximately 0.25 Å and forms sandwich complexes with Li^+ .^{17,21,30} The only ion that could form a single complex with the B9C3 would be beryllium.³¹ Since this ion is very toxic and only available at extremely low concentrations in aqueous resources (e.g. Be^{2+} concentration in the Arctic Ocean: 9–15 pmol kg^{-1} i.e. $c_{\text{Be}} \approx 80\text{--}140 \text{ pg L}^{-1}$), and there is no evidence that Be^{2+} is found in Li^+ -relevant aqueous resources such as the Dead Sea ($c_{\text{Li}} = 18 \text{ mg L}^{-1}$), experiments with beryllium were not further considered and performed.^{12,32,33} The $\log K$ (6.89) of the (B9C3)₂- Li^+ complex can be seen in Fig. 5E.

In the following, the complex stabilities of the free CEs B15C5, B12C4, and B9C3 are compared with those in the polymer. For this purpose, the degrees of functionalization of the CEs in the polymer were synthesized to be as similar as possible.

It is worth mentioning that the polymers P2 and P3 were functionalized with 12C4 and 15C5 (without a benzene group), since these two CEs were commercially available with a hydroxyl functionality.

The B9C3 CE was synthesized and modified with a hydroxyl group *via* Duff reaction and subsequent reduction with sodium borohydride (NaBH_4). An overview of the synthetic procedure can be found in the SI (Fig. S1, ESI†). A detailed report of the post modification of PMAA-*b*-PS with B9C3 and its extraction with Li^+ , Na^+ , and K^+ has already been published elsewhere.²¹ The exact weight fractions of each functionality of the polymers can be taken from Table 1.

To ensure good comparability of the two-phase extraction of the free CE and polymer-based CEs, the same concentration of CE to metal ion was chosen to be 10 : 1. The P1- Na^+ complex ($\log K = 12.3$) in comparison to the B15C5- Na^+ complex ($\log K = 5.71$; both forming single complexes with Na^+) shows a $\log K$ 10^{6.0} times higher than for the free CE (Fig. 5A). The complexation of K^+ with polymer P1, shows a particularly high complexation constant of $\log K = 16.9$ and thus has the highest complexation constant of all studied systems and ions

Table 1 Sample codes of the CE-based diblock copolymers and the corresponding weight fraction of each block. The subscripts in the designation of the polymers represent the fraction of the respective block in wt% and the superscript represents the overall molecular weight in kDa

Sample code	Polymer	Metal ion extraction
P1	P(MAA ₂₅ - <i>r</i> -15C5MA ₂₅)- <i>b</i> -PS ₅₀ ^{56.3}	Na^+ , K^+
P2	P(MAA ₂₁ - <i>r</i> -12C4MA ₁₉)- <i>b</i> -PS ₆₀ ^{48.6}	Na^+ , Li^+
P3	P(MAA ₂₀ - <i>r</i> -B9C3MA ₂₀)- <i>b</i> -PS ₆₀ ^{49.1}	Li^+



(10^9 times higher than for the free CE). A similar observation can be made for polymer P2. Here, a $\log K$ for Li^+ (formation of a single complex) of 7.59 is achieved, whereas for the free CE a value of 4.71 was obtained. Thus, the value increases by a factor of $10^{2.9}$ in the polymer material, although lithium usually must overcome a very strong bounded hydration shell before it can be complexed.

The complexation of polymer P2 with Na^+ forms a sandwich complex and reaches a $\log K$ of 14.1. It is thus clearly visible that the complexation of the metal ions in the polymer by means of a sandwich complex leads to very stable complexation. The reason for this is most-likely the lower entropy loss within a polymer system, since the CEs are covalently bonded to the polymer and thus have fewer degrees of freedom compared to CEs free in solution.^{21,22} Sandwich complexation makes this effect even more pronounced.

With respect to the stabilization of lithium complexation, it is clear, that the sandwich complexation of polymer P3 with B9C3 units shows a higher complexation constant of $\log K$ 10.6 than polymer P2 with the 12C4 with a $\log K$ of 7.59 (formation of a single complex with Li). From the analyzed data, it can be concluded that sandwich complexation of lithium within a polymer system can achieve more stable complexations and thus may be crucial for complexation of lithium from seawater, where it occurs at very low concentrations. First attempts of successful Li^+ extraction using the P3 polymer in the presence of much higher Na^+ and K^+ concentrations were shown in another publication.²¹ Selective and very stable complexation of lithium within a polymer can thus be a way to isolate the highly desirable raw material.

Author contributions

Iklima Oral and Volker Abetz conceived the experiments, analyzed the data and wrote the manuscript. Iklima Oral designed and performed all experiments.

Conflicts of interest

There are no conflicts to declare.

Notes and references

- 1 A. R. Kulkarni, H. S. Maiti and A. Paul, *Bull. Mater. Sci.*, 1984, **6**, 201–221.
- 2 X. Wu, G. Zhao, X. Wang and W. Liu, *Tribol. Lett.*, 2017, **65**, 1–10.
- 3 L. Gupta, A. C. Hoepker, K. J. Singh and D. B. Collum, *J. Org. Chem.*, 2009, **74**, 2231–2233.
- 4 H. Haferkamp, M. Niemeyer, R. Boehm, U. Holzkamp, C. Jaschik and V. Kaese, *Mater. Sci. Forum*, 2000, **350**, 31–42.
- 5 C. Grosjean, P. Herrera Miranda, M. Perrin and P. Poggi, *Renewable Sustainable Energy Rev.*, 2012, **16**, 1735–1744.
- 6 O. A. Avramchik, E. I. Korotkova, E. V. Plotnikov, A. N. Lukina and Y. A. Karbainov, *J. Pharm. Biomed. Anal.*, 2005, **37**, 1149–1154.
- 7 H. Vikström, S. Davidsson and M. Höök, *Appl. Energy*, 2013, **110**, 252–266.
- 8 J. F. Song, L. D. Nghiem, X. M. Li and T. He, *Environ. Sci.: Water Res. Technol.*, 2017, **3**, 593–597.
- 9 A. Kumar, H. Fukuda, T. A. Hatton and J. H. Lienhard, *ACS Energy Lett.*, 2019, **4**, 1471–1474.
- 10 B. Swain, *Sep. Purif. Technol.*, 2017, **172**, 388–403.
- 11 S. Yang, F. Zhang, H. Ding, P. He and H. Zhou, *Joule*, 2018, **2**, 1648–1651.
- 12 A. Alsabbagh, S. Aljarrah and M. Almahasneh, *Miner. Eng.*, 2021, **170**, 107038.
- 13 C. J. Pedersen, *J. Am. Chem. Soc.*, 1967, **89**, 7017–7036.
- 14 C. J. Pedersen, *J. Am. Chem. Soc.*, 1970, **92**, 386–391.
- 15 A. van der Ham, T. Hansen, G. Lodder, J. D. C. Codée, T. A. Hamlin and D. V. Filippov, *ChemPhysChem*, 2019, **20**, 2103–2109.
- 16 A. Boda, S. M. Ali, M. R. K. Sheno, H. Rao and S. K. Ghosh, *J. Mol. Model.*, 2011, **17**, 1091–1108.
- 17 S. De, A. Boda and S. M. Ali, *J. Mol. Struct. THEOCHEM*, 2010, **941**, 90–101.
- 18 J. W. Steed, *Coord. Chem. Rev.*, 2001, **215**, 171–221.
- 19 S. P. Gromov, A. I. Vedernikov, N. A. Lobova, L. G. Kuz'Mina, S. S. Basok, Y. A. Strelenko, M. V. Alfimov and J. A. K. Howard, *New J. Chem.*, 2011, **35**, 724–737.
- 20 H. R. Yu, J. Q. Hu, X. H. Lu, X. J. Ju, Z. Liu, R. Xie, W. Wang and L. Y. Chu, *J. Phys. Chem. B*, 2015, **119**, 1696–1705.
- 21 I. Oral and V. Abetz, *Macromol. Rapid Commun.*, 2021, **42**, 2000746.
- 22 A. Bey, O. Dreyer and V. Abetz, *Phys. Chem. Chem. Phys.*, 2017, **19**, 15924–15932.
- 23 J. Lambert, M. Avila-Rodriguez, G. Durand and M. Rakib, *J. Membr. Sci.*, 2006, **280**, 219–225.
- 24 I. Oral, L. Grossmann, E. Fedorenko, J. Struck and V. Abetz, *Polymers*, 2021, **13**, 3675.
- 25 D. Barker, M. D. McLeod, M. A. Brimble and G. P. Savage, *Tetrahedron Lett.*, 2001, **42**, 1785–1788.
- 26 N. Bernhard and S. Wolfgang, *Angew. Chem., Int. Ed. Engl.*, 1978, **17**, 522–524.
- 27 J. D. Lamb, R. M. Izatt, C. S. Swain and J. J. Christensen, *J. Am. Chem. Soc.*, 1980, **102**, 475–479.
- 28 M. Gjika and A. Adam, *Z. Anorg. Allg. Chem.*, 2006, **632**, 2475–2480.
- 29 Y. Shibutani, S. Mino, S. S. Long, T. Moriuchi-Kawakami, K. Yakabe and T. Shono, *Chem. Lett.*, 1997, 49–50.
- 30 R. Rencsok, K. A. Jackson, T. A. Kaplan, J. F. Harrison and M. R. Pederson, *Chem. Phys. Lett.*, 1996, **262**, 207–212.
- 31 M. R. Ganjali, A. Moghimi and M. Shamsipur, *Anal. Chem.*, 1998, **70**, 5259–5263.
- 32 A. N. Shah, M. Tanveer, S. Hussain and G. Yang, *Rev. Environ. Sci. Biotechnol.*, 2016, **15**, 549–561.
- 33 M. Frank, D. Porcelli, P. Andersson, M. Baskaran, G. Björk, P. W. Kubik, B. Hattendorf and D. Guenther, *Geochim. Cosmochim. Acta*, 2009, **73**, 6114–6133.

