

CrystEngComm

Accepted Manuscript



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this *Accepted Manuscript* with the edited and formatted *Advance Article* as soon as it is available.

You can find more information about *Accepted Manuscripts* in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.

ARTICLE

Fluorine Magic: One new Organofluorine Linker leads to three new Metal-Organic Frameworks

Cite this: DOI: 10.1039/x0xx00000x

K. Peikert^a, F. Hoffmann^a and M. Fröba^{a,*},Received 00th January 2012,
Accepted 00th January 2012

DOI: 10.1039/x0xx00000x

www.rsc.org/

We present 2-fluoro-1,3,5-benzene-tricarboxylic acid (Fbtc) as new linker for metal-organic frameworks. Interestingly, even slight variations of the synthesis conditions such as temperature or the molar ratio of metal to linker lead to three new MOFs, which we call UHM-31, UHM-32 and UHM-33. UHM-31 is isostructural to the well-known HKUST-1. The characterisation of the MOFs by single-crystal X-ray analysis and studies on their thermally induced phase change behaviour are given. Furthermore, we compare UHM-31 in terms of N₂, H₂, CH₄ and CO₂ adsorption properties with HKUST-1 and UHM-30 (the amino substituted HKUST-1).

Introduction

Over the past decade metal-organic frameworks (MOFs) have attracted much attention as they have shown excellent performance in applications like gas storage and separation¹, catalysis², sensing³ and drug delivery⁴.

Compared to other microporous materials such as zeolites or activated carbon, MOFs show a great synthetic variability. Their modular construction principle is based on the combination of a great variety of metal sources and organic linkers and allows in principle tailoring of pore sizes, pore geometries and incorporation of specific functional groups. This was at the latest impressively demonstrated with the isorecticular MOF (IRMOF) series by Yaghi and coworkers in 2002.⁵ The pore diameter of the IRMOFs varies from 12.8 Å to 28.8 Å and functional groups such as -Br, -NH₂, -OC₃H₇ and -C₂H₄ were incorporated into the prototypical cubic MOF-5-like structure. In 2011 Meek *et al.*⁶ reported a series of monohalogenated derivatives (-F, -Cl and -I) of IRMOF-1. In comparison to other functional groups, e.g. -NH₂, halogens and in particular fluorine as functional groups in MOFs are rather rare in literature.

Organic fluorine compounds are known to show unusual properties and behaviour in comparison with their non-fluorinated counterparts.⁷ This is mainly due to the greater strength of the carbon-fluorine bond over the carbon-hydrogen bond and the large number of the non-bonding *p*-electrons, which function as a shield of the carbon backbone. As a result organic fluorine compounds show enhanced thermal stability and are more stable towards oxidation compared to their hydrocarbon analogues.⁸ Apart from that, fluorine is also known for playing a role as mineralizing agent and favours the formation of well crystalline phases.⁹ The group of Férey for

example used these properties of fluorine in the hydrothermal synthesis of the well-known MOFs MIL-100¹⁰ and MIL-101.¹¹ To the best of our knowledge, the first fluorinated MOF was published in 2004 by Pan *et al.*¹² 4,4'-(hexafluoroisopropylidene)-bis(benzoic acid) (H₂hfpbb) was reacted with Cu(NO₃)₂·3H₂O to give a 3D interpenetrating framework with microporous 1D open channels. However, the authors did not report on special effects of the fluorination on the framework properties. One of the first groups who studied explicitly the influence of fluorine functionalization on MOF properties was the group of Omary.¹³ FMOF-1 was derived from 3,5-bis-(trifluoromethyl)-1,2,4-triazolate (Tz) and a silver(I) source. The authors declared: “Compared to their non-fluorinated counterparts, FMOFs with fluoro-lined or fluoro-coated channels or cavities are expected to possess enhanced thermal stability and catalytic activity, higher gas affinity and selectivity, and higher stability to oxidation and light.”¹³ FMOF-1 showed superior volumetric gas uptake and a unique hysteretic sorption of H₂. The group of Cheetham¹⁴ as well as other groups¹⁵ also reported the influence of fluoro groups on H₂ and CO₂ storage properties. Pachfule and coworkers were the first who published a set of isostructural fluorinated and nonfluorinated MOFs and compared their H₂ and CO₂ storage properties.¹⁶ Isonicotinic acid (INA) and its fluorinated derivative 3-fluoroisonicotinic acid (FINA) were reacted with Co(NO₃)₂·6H₂O respectively to give two pairs (depending on the solvent) of isostructural MOFs. Comparison of the H₂ and CO₂ adsorption in these MOFs showed that the high H₂ uptake in F-MOFs is not a universal phenomenon. The authors claim, that “factors, such as pore size, curvature, and open metal sites, can also play crucial roles in the high gas uptakes in these F-MOFs.”¹⁶

In this contribution, we present 2-fluoro-1,3,5-benzenetricarboxylic acid (Fbtc) as new linker for MOFs. The reaction of Fbtc with copper nitrate in DMA leads to three different MOF structures, which we call UHM-31, UHM-32 and UHM-33 (see Fig. 1, UHM = *University of Hamburg Materials*).




Figure 1: Visualisation and reaction conditions of the three new MOFs that could be synthesised from Fbtc; grey: carbon, red: oxygen, blue: copper, green: fluorine, hydrogen atoms and solvent molecules are omitted for clarity.

It is a common phenomenon that one linker in combination with a certain metal can lead to more than one different MOF structure.^{16,17} In most cases, this is due to different solvents used in the synthesis. Here, small variations of the synthesis temperature and the molar ratio of metal to linker lead to the different structures, which is a quite rare example of this kind of ‘polymorphism’ in the area of MOFs.

As UHM-31 is the fluorinated isostructural variant of HKUST-1,¹⁸ this creates the possibility to compare fluorinated and non-fluorinated MOF counterparts concerning their gas storage properties. In this work we compare the adsorption of N₂, H₂, CO₂ and CH₄ in UHM-31 to those in HKUST-1 and UHM-30¹⁹, the amino substituted HKUST-1, which was published by our group last year. Furthermore, we discuss the three new MOFs in terms of structure, topology and stability.

Results and Discussion

MOF synthesis

The solvothermal reaction of Cu(NO₃)₂·3H₂O with Fbtc (1.63:1) in DMA at 80 °C for 48 h leads to UHM-31, which is isostructural to HKUST-1¹⁸ and UHM-30.¹⁹ The reaction of Cu(NO₃)₂·3H₂O with Fbtc (1.68:1) in DMA at 100 °C for 48 h leads to UHM-32, a three dimensional structure with an interesting new secondary building unit (SBU), see below. And the reaction of Cu(NO₃)₂·3H₂O with Fbtc (1:1) in DMA at 65 °C for 48 h leads to UHM-33, a two-dimensional structure with paddle wheels as building unit. The synthesis of the three

MOFs is strongly dependent on the conditions, in particular on the applied temperature. Reactions carried out at temperatures which are only very slightly different to the ones that lead to the pure phases easily lead to mixtures of either UHM-31 and UHM-32 (T = 70-75 °C) or UHM-31 and UHM-33 (T = 85-95 °C).

Interestingly, if we applied the same conditions of the synthesis of the three different F-MOFs UHM-31, -32 or -33 to reaction mixtures of either 1,3,5-benzenetricarboxylate (btc) and Cu(NO₃)₂·3H₂O or 2-amino-1,3,5-benzenetricarboxylate (NH₂btc) and Cu(NO₃)₂·3H₂O in DMA, we always observed phases with HKUST-1 structure. Although btc, NH₂btc, and Fbtc are topologically identical only Fbtc leads to the newly observed MOF structures. Obviously, fluorine as a substituent is able to stabilize crystalline phases which are not favoured under normal conditions. However, the specific reason for that is still unclear.

Structural description

UHM-31. Cu₃(Fbtc)₂ · 4 DMA. Single-crystal structure X-ray analysis reveals that UHM-31 is isostructural to HKUST-1 and builds a **tbo** net. It crystallizes in the cubic crystal system ($a = b = c = 26.3136 \text{ \AA}$, $\alpha = \beta = \gamma = 90^\circ$, $V = 18219.70 \text{ \AA}^3$) with the space group $Fm\bar{3}m$. SQUEEZE/PLATON²⁰ was used in order to account for the electron density from disordered DMA solvent molecules, which could not be resolved (2334 electrons per unit cell, which is consistent of 4 DMA solvent molecules per formula unit). According to the three possible orientations of the linker during the incorporation into the framework the fluoro substituent shows a positional disorder over three sites, with a site occupation factor (s.o.f.) of 0.16667 (for details, see ESI †).

The general description of the HKUST-1 structure can be found in the literature.^{18,21}

UHM-32. Cu₂(Fbtc)(DMA)(μ₃-OH) · DMA. The structure was solved using single-crystal X-ray analysis as well. UHM-32 crystallizes in the space group $P2_1/n$, belonging to the monoclinic crystal system ($a = 10.8304 \text{ \AA}$, $b = 11.9985 \text{ \AA}$, $c = 15.4960 \text{ \AA}$, $\alpha = \gamma = 90^\circ$; $\beta = 95.227^\circ$, $V = 2005.31 \text{ \AA}^3$). As in UHM-31 the fluoro substituent shows a positional disorder over three sites. (for details, see ESI †).

In UHM-32 the coordination sphere of the copper ions leads to an untypical SBU. As Fig. 2 shows, four copper ions are linked by six carboxylic groups and two μ₃-hydroxido ligands. All copper ions are surrounded in a distorted square pyramidal fashion by five oxygen atoms. Two pyramids are edge-connected by the μ₃-hydroxido ligands, while the other two square pyramids are only corner connected to the tetranuclear cluster. They complete their coordination sphere by two oxygen atoms of the solvent molecules DMA (see Fig. 2a). Taking the carbon atoms of the carboxyl groups as points of extension the SBU can be described as a distorted octahedron (see Fig. 2c).




Figure 2: Illustration of the inorganic SBU of UHM-32; grey: carbon, red: oxygen, blue: copper. a: Illustration of the copper coordination sphere in form of the resulting polyhedra, b: Illustration of the connectivity between copper ions and oxygen ions, c: Resulting overall polyhedron built by the points of extension, i.e. the carbon atoms of the carboxyl groups.

Fig. 3 shows an extended unit cell of UHM-32 displayed along all three directions. Crystallographically there are two SBUs at different locations, one (SBU I) at the centre of the b/c -plane




Figure 3: Extended unit cell of UHM-32 along the a -axis (a), the b -axis (b) and the c -axis (c); grey: carbon, red: oxygen, blue: copper, green: fluorine, hydrogen atoms and solvent molecules (apart from the DMA molecules coordinated to the SBU) are omitted for clarity. The coordination spheres of the copper ions are illustrated by the blue polyhedra.

UHM-33. $\text{Cu}(\text{Fbtc}) \cdot 2 \text{DMA}$. The structure was solved using single-crystal X-ray analysis as well. UHM-33 crystallises in the space group $P2_1/c$, belonging to the monoclinic crystal system ($a = 11.8906 \text{ \AA}$, $b = 116262 \text{ \AA}$, $c = 14.5010 \text{ \AA}$, $\alpha = \gamma = 90^\circ$; $\beta = 91.671^\circ$, $V = 2003.80 \text{ \AA}^3$). As in UHM-31 and UHM-32 the fluoro substituent shows a positional disorder over three sites (for details, see ESI †).

Fig. 4 shows an extended unit cell of UHM-33 displayed along all three directions. UHM-33 is based on the well-known copper paddle wheel motif as SBU, to which two DMA molecules are coordinated on its axial positions. These paddle

wheels are placed at the centre of both the a/b - ($1/2 \ 1/2 \ 0$) and the a/c -plane ($1/2 \ 0 \ 1/2$), see Fig. 4b and c. The paddle wheels are connected to each other by only two of the three carboxylic groups of the Fbtc-linker. Surprisingly, the third carboxylic acid group remains uncoordinated. The authors are not aware of any other copper-based MOF in which this tritopic linker btc is involved in only two of the three possible bonds. This connection principle leads to 2D layers in the b/c -plane, which build rhombic meshes with channels running along the a -axis. Topologically UHM-33 belongs to the 2-dimensional uninodal 4-c layer **sql**.

($0 \ 1/2 \ 1/2$) and the second (SBU II) at the centre of the a -axis ($1/2 \ 0 \ 0$). In addition both SBU types have different orientations with respect to each other (see Fig. 3a). Each SBU is connected to ten other SBUs, to two SBUs of the same kind along the a -axis and to eight SBUs of the other kind in form of a distorted cuboid, giving rise to a 2-fold capped cuboid as overall coordination polyhedron of the SBUs. The 3D framework contains 1D rhombic channels running along the a -axis, which show dimensions of approximately $7 \times 9 \text{ \AA}$. In the other two directions the structure shows a rather dense network. The topology of UHM-32 was analysed using TOPOS 4.0.²² The tetranuclear copper-oxygen cluster constitutes an 6-connected node, while the linker is a 3-connecting node. Accordingly, the net was classified as the binodal (3,6)-c net **rtl**.




Figure 4: Extended unit cell of UHM-33 along the *a*-axis (a), the *b*-axis (b) and the *c*-axis (c); grey: carbon, red: oxygen, blue: copper, green: fluorine, hydrogen atoms and solvent molecules are omitted for clarity.

Studies on thermally induced phase change behaviour

Due to the interesting new SBU of UHM-32 and the uncommon occurrence of an uncoordinated carboxylic acid function in the 2D framework UHM-33 we decided to carry out studies on probable phase changes. These studies were carried out by using temperature-dependent powder X-ray diffraction on microcrystalline phases (the phase purity/identity of all bulk samples were confirmed via comparison of the PXRD patterns with the simulated patterns of the single-crystal data sets, Fig. S4, ESI†).

In Fig. 5 variable temperature powder XRD patterns recorded from 28 to 350 °C under argon atmosphere for UHM-31, -32, and -33 are shown. UHM-31 is stable up to approx. 220 °C and decomposes at higher temperatures to CuO, which is reduced to Cu₂O and finally to elementary Cu. UHM-32 and UHM-33 show a quite different behaviour. Fig. 5b shows that the original phase of UHM-32 is stable up to 110 °C followed by the formation of a new phase, which is stable up to 180 °C. UHM-33 also changes its structure (Fig. 5c). The transition starts at 120 °C and the new phase is stable up to 230 °C. UHM-32 as well as UHM-33 finally decomposes to CuO.




Figure 5: Variable temperature powder XRD pattern of UMH-31 (a), UHM-32 (b) and UHM-33 (c). For each experiment 23 diffractograms were measured, The first three ones at 28, 50 and 75 °C, followed by temperature steps of 10 °C from 100 up to 250 °C and steps of 25 °C up to 350 °C. Black represents the original MOF phase, blue the new MOF phases and red the decomposition products. The two reflections at $2\theta = 29.4$ and $2\theta = 30.5$ are probably caused by the sample holder.

In order to check if the phase changes of UHM-32 and -33 are reversible, we carried out the variable temperature powder XRD experiment for another time. This time the samples were heated up to 150 °C and cooled down to room temperature again (Fig. 6). It turned out that the phase transition of UHM-32

is completely reversible, whereas the newly out of UHM-33 generated phase remains intact even after cooling down to room temperature again, meaning that the phase transition of UHM-33 is irreversible. The new phase of UMH-33 is far less crystalline than the original phase. Because of the 2D structure and the uncoordinated carboxylic acid group of the linker it is conceivable that the structure change is due to the formation of new bonds. However, this remains speculative as it was not possible to identify the structure of the new phase. The comparison of the pattern of the ‘high-temperature’ phase with that of the room-temperature phase of UHM-32 reveals that the reflections below $2\theta = 12.5^\circ$ do not change significantly and that the main changes occur in the region above $2\theta = 12.5^\circ$. One can tentatively assume – in particular due to the fact that the phase transition is reversible – that this transition takes place without any bond breaking. It is not unlikely that the transition is a sort of ‘breathing’ mode preserving the complete connectivity of the initial phase. However, as in the case of UHM-33, we were unfortunately unable to identify or solve the structure of the high-temperature phase.




Figure 6: Variable temperature powder XRD patterns of UHM-32 (top) and UHM-33 (bottom). The temperature was increased from 28 °C to 50 °C and 75 °C, than in steps of 10 °C up to 150 °C. The samples were then cooled down to room temperature in steps of 25 °C. Blue represents the new built phases.

Gas adsorption Studies

To test the permanent porosity of UHM-31, UHM-32 and UHM-33, the MOFs were tried to activate via solvent exchange with ethanol and thermal treatment at 120 °C in vacuum and nitrogen physisorption isotherms were measured at 77 K. As already anticipated by the results of thermo-gravimetric and PXRD measurements after the solvent exchange (see ESI) UHM-32 and UHM-33 did not show any porosity. It is probably not possible to activate UHM-32 and UHM-33 under these conditions without a significant loss of structure.

The nitrogen physisorption measurement for UHM-31 shows a typical type-I isotherm (see Fig 7). The analysis of the isotherm reveals a specific surface area of $S_{\text{BET}} = 1802 \text{ m}^2 \text{ g}^{-1}$ (calculated from the adsorption branch and in the relative pressure interval from 0.001 to 0.024) and a micropore volume of $V_{\text{pore}} = 0.71 \text{ cm}^3 \text{ g}^{-1}$ (calculated at $p/p_0 = 0.18$). These values are comparable to those known for HKUST-1²³ and UHM-30.¹⁹




Figure 7: Nitrogen physisorption isotherms of activated UHM-31 measured at 77 K.

Furthermore, we carried out hydrogen adsorption at 1 bar and 77 K and methane and carbon dioxide adsorption at the same pressure and 298 K. The isotherms are shown in figure 8 and the results are summarised in Table 1. The hydrogen uptake is 2.32 wt.%, the methane and carbon dioxide adsorption capacities amount to 1.04 mmol g⁻¹ and 6.56 mmol g⁻¹, respectively. Whereas the values for hydrogen and methane storage of UHM-31 are in the same range as those of HKUST-1 and UHM-30, the value for carbon dioxide adsorption is increased by around 2 mmol g⁻¹ as compared to the non-fluorinated counterpart HKUST-1.^{23b} In absolute terms the values are rather on the average when compared to other MOFs.²⁴ However, to the best of our knowledge, the values of the H₂ and CO₂ uptake capacities (at 1 bar) are the highest values of all fluorinated MOFs so far reported.²⁵ According to our results, the question whether the fluorination of a MOF leads to higher gas uptake can be answered with 'it depends on the nature of the gas'. The recorded H₂ uptake of 2.32 wt.% is only very slightly higher than the uptake reported for HKUST-1, so that the thesis of Pachfule *et al.*¹⁶ can be

supported. Factors, such as pore size, curvature and open metal sites play the main role for the hydrogen uptake in this example and a special interaction between the fluorine atoms and the hydrogen molecules cannot be assumed. However, according to the results for the CO₂ adsorption capacity, an increase of 2 mmol g⁻¹ for the fluorinated version of HKUST-1 in comparison with the unfluorinated one is quite remarkable and might be indeed the result of a special interaction between the fluorine atoms and CO₂, probably mediated by the relatively high quadrupole moment of CO₂.




Figure 8: Hydrogen physisorption isotherms measured at 77 K (top) and methane and carbon dioxide physisorption isotherms at 298 K (bottom).

Table 1: Low pressure hydrogen, methane and carbon dioxide uptake in UHM-31 compared to the literature known values of HKUST-1 and UHM-30.

Fluid	H ₂	CH ₄	CO ₂
HKUST-1	2.27 wt.% ^{23a}	0.98 mmol g ⁻¹ _{23b}	4.69 mmol g ⁻¹ _{23b}
UHM-30 ¹⁹	2.28 wt.%	1.04 mmol g ⁻¹	5.26 mmol g ⁻¹
UHM-31	2.32 wt.%	1.04 mmol g ⁻¹	6.56 mmol g ⁻¹

Experimental

Chemicals

Starting materials and solvents were used without further purification. 2-fluoro-1,3,5-trimethylbenzene (Alpha Aesar, 98%), potassium permanganate (Grüssing, 99%), magnesium sulphate heptahydrate (Fluka, $\geq 99.0\%$), sulphuric acid (Grüssing, 95-97%).

Methods

NMR spectra were acquired using a Bruker Fourier 300 spectrometer. Infrared spectra were acquired using a Bruker Vertex FT-IR spectrometer. Powder X-ray diffraction patterns were recorded at room temperature with a PANalytical X'Pert Pro PW3040/60 reflexion-powder diffractometer using Cu K α radiation (45 kV, 40 mA; counting time: 74 s; steps: 0.013° (2 θ)). The variable temperature XRD experiments were measured with the same instrument using the reactor chamber XRK 900 and an argon atmosphere. We used a sample holder made of glass ceramic (Macor) and Cu K α radiation (45 kV, 40 mA; counting time: 600 s; steps: 0.013° (2 θ), heating rate: 10 K min⁻¹). Thermal analysis (thermogravimetry (TG)/mass spectrometry (MS)) was conducted under argon flow (20 mL min⁻¹) with a NETZSCH STA 449 F3 Jupiter thermobalance coupled by capillary with an Aëolos QMS 403 mass spectrometer. The heating rate was 5 K min⁻¹ up to 800 °C.

Nitrogen physisorption data were recorded with a Quantachrome QUADRASORB-SI-MP at 77 K. The specific surface area was calculated from the adsorption branch in the relative pressure interval from 0.001 to 0.025 using the Brunauer-Emmett-Teller (BET) method. The micro pore volume was estimated from the quantity of gas adsorbed at a relative pressure of 0.18. Volumetric hydrogen physisorption data were recorded at 77 K on a Quantachrome Autosorb 1-MP (purity of helium and hydrogen: 99.999%). Carbon dioxide and methane physisorption data were recorded on a Quantachrome Autosorb iQ (purity of carbon dioxide: 99.5%, purity of methane: 99.9995%).

Synthesis of the Linker

The synthesis of 2-fluoro-1,3,5-benzenetricarboxylic acid (Fbtc) was carried out according to a literature procedure.²⁶ 14.0 g (101 mmol) of 2-fluoro-1,3,5-trimethylbenzene was emulsified in 740 mL boiling water. 143 g (903 mmol) of potassium permanganate was mixed with 114 g (461 mmol) of magnesium sulphate heptahydrate and added to the refluxing solution in twelve portions over a period of one week. The manganese(IV) oxide was removed by filtration and treated twice with 400 mL boiling water. The combined aqueous solutions were concentrated in vacuum to 400 mL and stored over night at 6 °C. The resulting inorganic precipitate was removed by filtration and the filtrate was concentrated in vacuum to 300 mL. The solution was then acidified with sulphuric acid (50%) up to pH=3.5 to give 7.06 g (31.0 mmol, yield: 42%) of a colourless powder. ¹H-NMR (DMSO-*d*₆,

300 MHz): δ (ppm) = 8.47 (*d*, ⁴J_{H,F} = 6.2 Hz). ¹³C-NMR (DMSO-*d*₆, 70 MHz): δ (ppm) = 165.4; 164.1 (*d*, ³J_{C,F} = 2.3 Hz); 163.2 (164.6/161.0, *d*, ¹J_{C,F} = 275 Hz); 136.9 (*d*, ³J = 2.5 Hz); 127.0 (*d*, ⁴J_{C,F} = 3.9 Hz); 121.6 (*d*, ²J_{C,F} = 11.9 Hz). IR (FT-IR, KBr disk): ν (cm⁻¹) = 3421, 3096, 2361, 2342, 1701, 1607, 1559, 1471, 1431, 1398, 1272, 1233, 1214, 1181, 1112, 983, 939, 910, 812, 791, 768, 691, 664, 619.

Synthesis of the MOFs

Synthesis of UHM-31. In a typical synthesis 92.5 mg (0.405 mmol) of 2-fluoro-1,3,5-benzenetricarboxylic acid were dissolved in 8 mL of DMA including 0.56 mL of HNO₃ (20%). Afterwards 0.8 mL of a Cu(NO₃)₂·3H₂O solution (200 mg · mL⁻¹) were added and the reaction mixture was heated to 80 °C for 48 h. The resulting turquoise MOF single crystals were collected by filtration, washed with DMA and dried in air to yield 127 mg of UHM-31. For activation the as synthesized form of the MOF was treated by soxhlet extraction with ethanol for 20 h. After the solvent exchange the MOF was thermally activated in vacuum for 20 h at 120 °C.

Synthesis of UHM-32. In a typical synthesis 45.0 mg (0.197 mmol) of 2-fluoro-1,3,5-benzenetricarboxylic acid were dissolved in 4 mL of DMA including 0.28 mL of HNO₃ (20%). Afterwards 0.4 mL of a Cu(NO₃)₂·3H₂O solution (200 mg · mL⁻¹) were added and the reaction mixture was heated to 100 °C for 48 h. The resulting green MOF single crystals were collected by filtration, washed with DMA and dried in air to yield 75.7 mg of UHM-32. For activation the as synthesized form of the MOF was treated by soxhlet extraction with ethanol for 20 h. After the solvent exchange the MOF was thermally activated in vacuum for 20 h at 120 °C.

Synthesis of UHM-33. In a typical synthesis 75.3 mg (0.330 mmol) of 2-fluoro-1,3,5-benzenetricarboxylic acid were dissolved in 4 mL of DMA including 0.28 mL of HNO₃ (20%). Afterwards 0.4 mL of a Cu(NO₃)₂·3H₂O solution (200 mg · mL⁻¹) were added and the reaction mixture was heated to 65 °C for 48 h in an oven or for 24 h in a microwave. The resulting turquoise MOF single crystals were (the microwave synthesis gave a crystalline powder) collected by filtration, washed with DMA and dried in air to yield 90 mg of UHM-33. For activation the as synthesized form of the MOF was treated by soxhlet extraction with ethanol for 20 h. After the solvent exchange the MOF was thermally activated in vacuum for 20 h at 120 °C.

Conclusions

In summary, the use of 2-fluoro-1,3,5-benzenetricarboxylic acid as new linker leads to three new MOF structures: UHM-31, UHM-32 and UHM-33. Only small variations of the synthesis temperature and the ratio of metal source to linker lead to the different structures. UHM-31 is isostructural to HKUST-1. Under the same variations of synthesis conditions the use of btc or NH₂btc as linker always leads to the HKUST-1 structure. Therefore, fluorine definitely has an – unfortunately

unknown – influence on the formation of the different crystalline phases. Both, UHM-32 and UHM-33 show a thermally induced phase transition at around 120 °C, which is reversible for UHM-32 but irreversible for UHM-33. The low pressure gas storage capacity of UHM-31 for hydrogen and methane is only slightly higher than for HKUST-1. In contrast, the CO₂ adsorption capacity of UHM-31 with 6.56 mmol g⁻¹ is approximately 2 mmol g⁻¹ higher than the one of HKUST-1. This is particularly interesting as it is known that fluorinated phases show a modified wetting behaviour in aqueous environments due to their hydrophobicity. With regard to possible gas storage applications – carbon capture and storage (CCS), for instance – this could be advantageous because many MOFs with high CO₂ storage capacities show only a limited water stability.

Acknowledgements

We thank the Deutsche Forschungsgemeinschaft (DFG: Fr 1372/18-2) for supporting this work as part of the priority program 1362 (Porous metal-organic frameworks).

Notes and references

^a Department of Chemistry, Institute of Inorganic & Applied Chemistry, University of Hamburg, Martin-Luther-King Platz 6, D-20146 Hamburg, Germany. Email: froeba@chemie.uni-hamburg.de, Tel.: +49 40 42838 3100.

[†] Electronic Supplementary Information (ESI) available: crystallographic details, powder XRD patterns, thermal analysis, NMR and ESI-MS studies on UHM-31. CCDC 986518-986520 contains the supplementary crystallographic data for this paper. These data can be obtained free of charge from The Cambridge Crystallographic Data Centre via www.ccdc.cam.ac.uk/data_request/cif

See DOI: 10.1039/b000000x/

- (a) R. E. Morris, P. S. Wheatley, *Angew. Chem. Int. Ed.*, 2008, **47**, 4966. (b) J.-R. Li, R. J. Kuppler, H.-C. Zhou, *Chem. Soc. Rev.*, 2009, **38**, 1477.
- J. Lee, O. K. Farha, J. Roberts, K. A. Scheidt, S. T. Nguyen and J. T. Hupp, *Chem. Soc. Rev.*, 2009, **38**, 1450.
- (a) M. D. Allendorf, R. J. T. Houk, L. Andruszkiewicz, A. A. Talin, J. Pikarsky, A. Choudhury, K. A. Gall and P. J. J. Hesketh, *J. Am. Chem. Soc.*, 2008, **130**, 14404. (b) L. E. Kreno, K. Leong, O. K. Farha, M. D. Allendorf, R. P. Van Duyne and J. T. Hupp, *Chem. Rev.*, 2011, **112**, 1105.
- P. Horcajada, R. Gref, T. Baati, P. K. Allan, G. Maurin, P. Couvreur, G. Férey, R. E. Morris and C. Serre, *Chem. Rev.*, 2012, **112**, 1232.
- M. Eddaoudi, J. Kim, N. Rosi, D. Vodak, J. Wachter, M. O'Keeffe and O. M. Yaghi, *Science*, 2002, **295**, 469.
- S. T. Meek, J. J. Perry IV, S. L. Teich-McGoldrick, J. A. Greathouse and M. D. Allendorf, *Cryst. Growth Des.*, 2011, **11**, 4309.
- K. Uneyama, *Organofluorine chemistry*, Blackwell Publishing Ltd., Oxford, 2006.
- R. D. Chambers, *Fluorine in Organic Chemistry*, Blackwell Publishing Ltd., Oxford, 2004.
- (a) J. L. Guth, H. Kessler, J. H. Higel, J. M. Lamblin, J. Patarin, A. Seive, J. M. Chezeau and R. Wey, *ACS Symp. Ser.*, 1989, **398**, 176. (b) J. L. Guth, H. Kessler and R. Wey, *Stud. Surf. Sci. Catal.*, 1986, **28**, 121. (c) T. Loiseau and G. Férey, *Journal of Fluorine Chemistry*, 2007, **128**, 413.
- G. Férey, C. Serre, C. Mellot-Draznieks, F. Millange, S. Surblé, J. Dutour and I. Margiolaki, *Angew. Chem. Int. Ed.*, 2004, **43**, 6296.
- G. Férey, C. Mellot-Draznieks, C. Serre, F. Millange, J. Dutour, S. Sublé and I. Margiolaki, *Science*, 2005, **309**, 2040.
- L. Pan, M. B. Sander, X. Huang, J. Li, M. Smith, E. Bittner, B. Bockrath and J. K. Johnson, *J. Am. Chem. Soc.*, 2004, **126**, 1308.
- C. Yang, X. Wang and M. A. Omary, *J. Am. Chem. Soc.*, 2007, **129**, 15454.
- (a) Z. Hulvey, E. H. L. Falcao, J. Eckert and A. K. Cheetham, *J. Mater. Chem.*, 2009, **19**, 4307. (b) Z. Hulvey, D. A. Sava, J. Eckert and A. K. Cheetham, *Inorg. Chem.*, 2011, **50**, 403.
- (a) C. A. Fernandez, P. K. Thallapally, R. K. Motkuri, S. K. Nune, J. C. Sumrak, J. Tian and J. Liu, *Cryst. Growth Des.*, 2010, **10**, 1037. (b) W. Yang, X. Lin, A. J. Blake, C. Wilson, P. Hubberstey, N. R. Champness and M. Schröder, *Inorg. Chem.*, 2009, **48**, 11067. (c) L. Hou, W.-J. Si, Y.-Y. Wang, Y. Guo, C. Jin and Q.-Z. Shi, *Chem. Commun.*, 2011, **47**, 5464.
- P. Pachfule, Y. Chen, J. Jiang and R. Banerjee, *Chem. Eur. J.*, 2012, **18**, 688.
- X.-S. Wang, S. Ma, P.-M. Forster, D. Yuan, J. Eckert, J. J. López, B. J. Murphy, J. B. Parise and H.-C. Zhou, *Angew. Chem.*, 2008, **120**, 7373.
- S. S.-Y. Chui, S. M.-F. Lo, J. P. H. Charmant, A. G. Orpen and I. D. Williams, *Science*, 1999, **283**, 1148.
- K. Peikert, F. Hoffmann and M. Fröba, *Chem. Commun.*, 2012, **48**, 11196.
- A.L. Spek, *Acta Cryst.*, 2009, **D65**, 148.
- (a) P. Krawiec, M. Kramer, M. Sabo, R. Kunschke, H. Fröde and S. Kaskel, *Advanced Engineering Materials*, 2006, **8**, 293. (b) A. Vishnyakov, P. I. Ravikovitch, A. V. Neimark, M. Bulow and Q. M. Wang, *Nano Lett.* 2003, **3**, 713.
- A. Blatov, *Struct. Chem.*, 2012, **23**, 955.
- (a) B. Xiao, P.S. Wheatley, X. B. Zhao, A. J. Fletcher, S. Fox, A. G. Rossi, S. Megson, S. Bordiga, L. Regli, K. M. Thomas, R. E. Morris, *J. Am. Chem. Soc.*, 2007, **129**, 1203. (b) Q. M. Wang, D. M. Shen, M. Bulow, M. L. Lau, S. G. Deng, F. R. Fitch, N. O. Lemcoff, J. Semanscin, *Microporous Mesoporous Mater.*, 2002, **55**, 217.
- (a) A. Demessence, D. M. D'Alessandro, M. L. Foo and J. R. Long, *J. Am. Chem. Soc.*, 2009, **131**, 8784. (b) S. R. Caskey, A. G. Wong-Foy and A. J. Matzger, *J. Am. Chem. Soc.*, 2008, **130**, 10870. (c) M. P. Suh, H. J. Park, T. K. Prasad and D.-W. Lim, *Chem. Rev.*, 2012, **112**, 782.
- P. Pachfule, R. Das, P. Poddar, R. Banerjee, *Inorg. Chem.*, 2011, **50**, 3855.
- F. Micheel and W. Busse, *Chemische Berichte*, 1957, **90**, 2049.

Textual and Graphical Abstract

2-fluoro-1,3,5-benzene-tricarboxylic acid (Fbtc) is used as new linker for metal-organic frameworks and leads to three MOFs UHM-31, -32 and -33.

