



Cite this: *J. Mater. Chem. C*, 2025, 13, 22217

Molecular orbital symmetry-driven trimer formation in Kagome correlated electron materials

Varsha Kumari,^a Julia Bauer^b and Alexandru B. Georgescu^{*a}

Correlated electron materials with molecular orbital states extending over transition metal clusters can host multiferroicity, spin frustration, and unconventional insulating phases. However, the fundamental criteria that govern cluster formation and stability remain unclear. Here, we identify a symmetry, correlation, and electron-filling-driven criteria that stabilize triangular metal trimers in materials displaying transition metal Kagome patterns. Using density functional theory and chemical bonding analysis, we show that trimer formation emerges when 6–8 electrons occupy molecular orbitals derived from transition metal d-states, achieving near-complete filling of bonding states while avoiding antibonding occupation, and correlations are of intermediate strength. This principle explains the stability of Nb_3X_8 ($\text{X} = \text{Cl}, \text{Br}, \text{I}$), and more broadly, our findings offer a general design rule to obtain quantum materials with quantum states extended across transition metal clusters.

Received 19th May 2025,
Accepted 8th September 2025

DOI: 10.1039/d5tc01981h

rsc.li/materials-c

Introduction

Correlated electron materials display a wide range of controllable emergent properties, including magnetoresistance¹ and high-temperature superconductivity,^{2,3} enabling applications across microelectronics,⁴ bioimaging, information storage, and quantum information technologies.⁵ These properties arise from the interplay of local states—primarily derived from d- and f-orbitals—and long-range interactions between them.

In certain materials, local d-orbital states form molecular orbital-like states extended across clusters of transition metal ions, leading to the formation of dimers, trimers, and higher-order transition metal clusters; we will refer to these materials more broadly as correlated electron molecular orbital (CEMO) materials.^{6,7}

In this work, by focusing on the example of triangular trimers in a Kagome lattice, we show that two key conditions must be met to allow for cluster formation (1) an intermediate level of electron localization/correlation strength on the transition metal ions: strong enough to lead to local molecular orbital formation, and weak enough not to lead to charge order and (2) a just-right electron filling ratio of the bonding/antibonding trimer orbital states – in this case of 6–8 electrons, which is the

electron count found in all trimer cluster materials. These criteria are likely general to cluster formation in general.⁸

Well known examples of materials in this class and cluster formation include the dimerization and metal–metal bond formation in VO_2 ,⁹ the heptamer network of V–V bonds in AlV_2O_4 ,^{10,11} and lacunar spinels.¹² A key aspect of these materials is that the quantum states are extended across the transition metal clusters, as opposed to the ions themselves. Theoretically, they can also provide a testbed for beyond-DFT theories, as theoretical methods that include correlations at an d-orbital level as opposed to a molecular orbital level may fail to reproduce their key electronic features.^{12–14} In other materials, the tendency to form trimers and other clusters may be interconnected with their superconducting behavior.¹⁵

In the case of trimers, metal–metal bonds and local quantum states are formed on clusters of three transition metal ions. Such cluster formation can arise in a wide variety of materials, including LiVS_2 , LiVO_2 ,^{16,17} $\text{TiCrIr}_2\text{B}_2$,¹⁸ $\text{Na}_2\text{Ti}_3\text{Cl}_8$,¹⁹ and $\text{KTi}_4\text{Cl}_{11}$.²⁰ Here, we focus on triangular trimers, but we note that some particularly promising frustrated magnets display linear trimers.²¹

While these materials are metallic, transition metal inter-metallic Kagome materials do not exhibit trimerization (e.g., FeSn ,²² CoSn ²³ – or may exhibit it in small amplitudes),¹⁵ ionic, insulating Kagome lattices can favor the formation of trimers coupled to a structural breathing distortion of large amplitude, leading to alternating small and large triangles of transition metal ions. The small M_3 triangular clusters can subsequently support localized spin states on trimer molecular orbitals; the localized nature of the states can also be seen in the electron

^a Department of Chemistry, Indiana University, Bloomington, Indiana 47405, USA.
E-mail: vakumari@iu.edu, georgesc@iu.edu

^b Department of Applied Physics, Yale University, New Haven, Connecticut 06520, USA

localization function (ELF) plot shown in Fig. 2a. These localized trimer states are arranged into a triangular lattice, potentially giving rise to spin frustration and entanglement.²⁴ Such effects, coupled with the unique orbital symmetry of the trimer states, have been proposed to stabilize exotic correlated phases, including possible spin liquid states.^{25,26}

The breathing distortion in the Kagome layers induces a polar distortion by displacing negatively charged anions, rendering each layer ferroelectric. The coupling between magnetic states localized on trimer orbitals and the polar modes driven by the breathing distortion has led to the classification of these materials as a new class of multiferroics,²⁷ as shown in Fig. 2b. These coupled order parameters have enabled the realization of the first field-free Josephson diode using Nb_3Br_8 , which exhibits superconductivity in one direction and insulating behavior in the opposite direction—an effect that can be used for novel electronic and quantum device applications.^{28,29}

In this paper, we focus on Nb_3Cl_8 as a model system for exploring a broader family of correlated electron materials based on the structural unit $[\text{M}_3\text{X}_8]$, where M is a transition metal and X is a ligand. These compounds feature partially filled d-orbitals and moderate electron correlations. The Nb_3X_8 series (X = Cl, Br, I) forms two-dimensional layered structures held together by van der Waals forces, and can be exfoliated for experimental investigations, where the number of layers is precisely controlled;^{30,31} for the purposes of our calculations, this also makes them an ideal model system.



Alexandru B. Georgescu

Alexandru B. Georgescu is an Assistant Professor at Indiana University, in the Chemistry department, with courtesy affiliations within the Physics department, Luddy Artificial Intelligence Center and Quantum Science and Engineering Center at Indiana University. His group focuses on an interdisciplinary approach to solid, inorganic materials with understudied, or unusual bonding patterns, including correlated electron materials displaying molecular orbital states on clusters of transition metal ions, and photoluminescent materials displaying lone pairs.

Varsha Kumari is a PhD student in his group, and her presentation on this current work has led to her receiving 1st place for the best student oral presentation at the Electronic Materials and Applications conference in Denver, Colorado, in 2025; Julia Bauer is a former undergraduate mentee who is currently pursuing her PhD at Yale in Applied Physics. Dr Georgescu's preparation includes a PhD in Physics from Yale University in 2017, and two postdoctoral fellowships: the first at the Center for Computational Quantum Physics at the Simons Foundation's Flatiron Institute, and the second with James Rondinelli at Northwestern University's Materials Science and Engineering Department.

Unlike other Kagome materials displaying trimerization, the Nb_3X_8 series is unique: others take the form of $\text{M}'_x\text{M}_3\text{X}_8$, and depend on interstitial species for stabilization.³² We hypothesize that this distinction is closely linked to the intrinsic stability of cluster formation in the Nb_3X_8 system.

To elucidate the origin of the unique stability of Nb_3X_8 compounds, and of the design parameters of trimer formation in Kagome materials – and transition metal clusters in solids more broadly, we perform density functional theory (DFT) and DFT+*U* calculations, which reveal a strong interplay between breathing distortions (BD), trimer orbital formation, and electronic correlation strength. In these materials, Nb atoms are arranged in a Kagome lattice, and a structural breathing distortion drives the formation of Nb_3 triangular clusters. These clusters host trimer molecular orbitals whose symmetry and electron filling are optimized by the BD, leading to near-ideal occupation of bonding and antibonding states around the Fermi level, and an intermediate level of electronic correlation (Fig. 1). This electronic configuration improves the chemical stability of the system. Using Nb_3Cl_8 as a model compound, we systematically disentangle the roles of BD, trimerization, and correlation effects. The insights obtained are likely broadly applicable to other transition metal clusters in a variety of coordinations.

Results and discussion

We use Nb_3Cl_8 as a model system to explore the interplay between spin polarization and breathing distortions in governing the relationship between structural symmetry and chemical stability. In addition, we systematically investigate the effects of metal and anion substitution, along with variations in the electronic correlation strength, to understand how symmetry breaking and electronic interactions collectively stabilize – or destabilize – the trimerized Kagome structure.

Our simulations in this paper focus on a single trimer formula unit, which has a simpler layer stacking than in the experimental structure with complex layer stacking. This allows an analysis focusing specifically on the trimer unit, without complications related for example to band-folding, additional Gamma point degeneracy; neglecting the effects of layer stacking and inter-layer interactions is unlikely to play an important role in the discussion here, where the energy scale is of over 0.1 eV per atom.

Electronic structure of Nb_3Cl_8

DFT calculations of a high symmetry structure of Nb_3Cl_8 in which the Nb atoms form an ideal Kagome lattice without a breathing distortion (BD), as shown in Fig. 2c. In this undistorted configuration, all Nb–Nb bond lengths are equal, forming equilateral triangles with a bond length of 3.32 Å (Fig. 2d), and trimer molecular orbitals do not form. When symmetry breaking is allowed, the DFT-optimized structure (Fig. 2e) closely agrees with experimental data and exhibits a clear BD, consisting of alternating small and large Nb_3 triangles with bond lengths of 2.82 Å and 3.98 Å, respectively (Fig. 2f) – in good agreement with






Fig. 1 Trimer formation in a Kagome lattice requires an optimum filling of bonding to antibonding molecular orbital states, and an intermediate level of correlation strength on the transition metal ion.

experiment (2.82 Å and 3.92 Å).³³ This distortion favors the formation of trimer molecular orbitals along the Nb–Nb bonds. Within non-magnetic DFT, and in the absence of a Hubbard U correction, the structure with a breathing distortion is energetically favored by 181 meV per atom over the undistorted one.

DFT calculations show that the energy difference between the spin-polarized and non-spin-polarized ground states of Nb_3Cl_8 is only 4 meV per atom, indicating that magnetic ordering contributes minimally to the material's overall stability. In contrast, the breathing distortion (BD) plays a much more significant role in stabilizing the structure, as previously discussed.

The band structure and density of states (DOS) for the non-magnetic, spin-polarized Nb_3Cl_8 structure with BD (Fig. 3a and b) show narrow, flat bands near the Fermi level. These features point to strong electron localization within the Nb_3 clusters and the formation of trimer molecular orbitals. The molecular orbital localization and narrow bandwidth make it likely this is in a Mott regime, where strong electronic correlations lead to an insulating state.^{13,14}

In contrast, the electronically active states in the ideal Kagome lattice of Nb_3Cl_8 —without breathing distortion—are relatively delocalized. As shown in SI Fig. S2a and S2b, the d-orbital-derived bands near the Fermi level span a bandwidth of approximately 1 eV, indicative of more itinerant electronic behavior.

Electronic origin of trimer stability

We visualize selected Bloch wavefunctions near the Fermi level at the Γ point, Fig. 4a – these wavefunctions are real-valued and allow for direct visualization of orbital symmetry and phase.

Understanding the bonding character of these states is key, as the occupation of bonding *versus* antibonding orbitals directly influences the chemical stability of the material. In general, filling bonding orbitals stabilizes a system, while occupation of antibonding orbitals has a destabilizing effect; this is in analogy to, for example, the H_2 molecule, which is stable due to its filled bonding orbital, as opposed to the unstable He_2 molecule, where equal occupation of bonding and antibonding orbitals results in no net bonding interaction.

The frontier orbitals are dominated by Nb d orbital states, as can be seen in the projected density of states (PDOS) in the SI Fig. S7. Further, we have compared the strength of bonding within the Nb_3 trimer, as well as along the longer Nb–Nb bonds *via* COHP analysis, and the intra-trimer bonding dominates, with the inter-trimer bonding strength playing a much lower role (Fig. S6).

The formation and stability of the Nb_3 trimers is strongly connected to their electron filling, with seven electrons per trimer playing a key role in governing the material's structural, electronic, and magnetic properties. Each niobium atom contributes five valence electrons, yielding a total of 15 electrons per Nb_3 unit. After accounting for charge transfer to the surrounding Cl^- ligands, seven d-electrons remain localized within the trimer, consistent with a formal $[\text{Nb}_3]^{8+}$ charge state.

Electronic structure analysis reveals that the three lowest-energy trimer molecular orbitals are fully occupied, while the fourth is partially filled. This configuration gives rise to a spin- $\frac{1}{2}$ magnetic moment per trimer.²⁷






Fig. 2 (a) Electron localization function plot showing localization of electrons within a smaller Nb_3 cluster. (b) Displacement of apical chlorine along smaller and larger equilateral triangles leads to a polar mode. (c) Crystal structure of Nb_3Cl_8 (space group $P\bar{3}m1$, no. 164) with spin polarization without breathing distortion (BD). (d) Bond lengths of the smaller and larger equilateral triangles are 2.82 Å and 3.98 Å, respectively. (e) Crystal structure with spin polarization and BD. (f) Bond lengths of the equilateral triangles are 3.32 Å.

To quantitatively assess the bonding and antibonding character of the trimer orbitals, we employed the local orbital-basis suite towards electronic-structure reconstruction (LOBSTER) software (Version 5.0)^{34,35} to perform crystal orbital Hamilton population (COHP)³⁶ analysis. The resulting projected COHP (pCOHP) plot for Nb_3Cl_8 , shown in Fig. 4b, provides insight

into the relative occupancy of the bonding and antibonding states, which in turn is directly related to the material's chemical stability, and tendency to form transition metal clusters.

In the pCOHP representation, the bonding interactions (which stabilize the structure) appear on the negative x axis (left side), while the antibonding interactions (which destabilize it) appear on the positive x -axis (right side).³⁷ The vertical line at zero separates the bonding from the antibonding character, and the horizontal line at 0 eV marks the Fermi level. The Fermi level is set to zero on the y -axis. Our analysis focuses specifically on nearest-neighbor Nb–Nb interactions within the Nb_3 cluster.

As shown in Fig. 4b, the bonding states near the Fermi level are nearly fully occupied, while the antibonding states remain largely unoccupied. This favorable bonding–antibonding filling configuration contributes significantly to the chemical stability of Nb_3Cl_8 . The red circle highlights a characteristic feature of the spin-polarized ground state—a split peak structure resulting from spin-dependent occupancy of trimer orbitals (although the COHP plot does not resolve spin channels). These results support the conclusion that an optimal electron filling of 6–8 electrons per Nb_3 cluster maximizes bonding occupancy while minimizing antibonding contributions. Deviations from this range are expected to destabilize the trimer framework and reduce material stability.

This bonding–antibonding filling principle provides a unifying framework for understanding the stability of the broader Nb_3X_8 family, where variations in halogen species preserve the electron count and maintain favorable trimer orbital occupancy.

Nb_3Cl_8 crystallizes in the trigonal space group $P\bar{3}m1$ (no. 164), with each Nb atom occupying a site of C_{1h} point group symmetry. This low site symmetry leads to no degeneracy among the five d-orbitals on each Nb atom. Each type of orbital forms three molecular orbitals with identical orbitals on the nearby transition metal ions, leading to the formation of molecular orbitals within the Nb_3 trimer. The resulting molecular orbital energy level diagram, comprises 15 trimer orbitals derived from the Nb d-orbitals, is shown in Fig. 5.




Fig. 3 (a) Electronic band structure and (b) spin-polarized density of states (DOS) of Nb_3Cl_8 obtained from DFT calculations.






Fig. 4 (a) Energy levels of Nb_3 cluster plotted at Γ point (b) COHP plot of Nb_3Cl_8 showing optimal filling of bonding to anti-bonding trimer orbital near Fermi energy.

The formation and splitting of these trimer orbitals can be rationalized using group theory, specifically through symmetry-adapted linear combinations (SALCs). Treating the Nb_3 unit as a cyclic system with C_3 symmetry (triangular point group) provides a convenient framework for constructing SALCs. Under this symmetry, combinations of atomic orbitals transform as irreducible representations of the C_3 group, leading to one non-degenerate (a_1) and two degenerate (e) orbital sets for each type of atomic orbital. As a result, each set of three atomic d-orbitals on the trimer splits into one a_1 and a pair of doubly degenerate e orbitals, yielding the characteristic 1–2 pattern of molecular orbital levels observed in Fig. 5.

This orbital framework is key to understanding the electronic structure, bonding, and stability of the Nb_3 cluster and, by extension, the broader Nb_3X_8 family.

The transition metal ions are in a distorted octahedral environment, with no remaining degeneracy among the d-orbitals. The lower 3 orbitals are derived from the t_{2g} orbitals, and point along the metal–metal bonds, while the higher energy 2 orbitals point along the metal–ligand direction. As each transition metal site on a trimer site is symmetry equivalent to the others, the molecular orbitals form $a_1 + e$ groupings arising from each type of orbital – with the lower 3 orbitals, and resulting 9 molecular orbitals being primarily responsible for potential metal–metal bond formation. If the atomic orbitals would be s-orbitals, the result would be a bonding a_1 orbital and a non-bonding e pair. However, due to the more complex symmetry of the d-orbitals in this environment, the particular symmetry of the MOs is non-trivial to derive from SALC analysis, and can be determined *via* COHP analysis instead. We find that the resulting bonding character – as determined by the symmetry of the d-orbitals combined with that of the ‘particle on an equilateral triangle’ SALC determines whether a trimer cluster forms or not.

Combined with the 7-electron filling of the Nb_3 cluster and supported by COHP analysis, these results confirm that the material’s stability is closely tied to the near-complete occupation of bonding trimer orbitals and minimal occupation of antibonding states.

Role of halogen substitution in Nb_3X_8 and doping in the Nb_3Cl_8 system

As discussed in the previous section, COHP³⁶ analysis underlines the role of optimal bonding/antibonding MO filling.

Among the layered halides studied, only Nb_3X_8 compounds with ($\text{X} = \text{Cl}, \text{Br}, \text{or I}$) have been successfully synthesized as two-dimensional materials. We propose that this synthetic selectivity arises from optimal filling of bonding and antibonding trimer molecular orbitals, an idea supported by the COHP³⁶ plots shown in Fig. 6.

Despite the differences in electronic correlation strength among Cl, Br, and I, as reflected by the systematic increase in




Fig. 5 Energy level splitting diagram of 15 trimer orbitals formed from the d-orbitals of each Nb atom in the Nb_3 cluster.






Fig. 6 (a) COHP plot of Nb_3Cl_8 (b) COHP plot of Nb_3Br_8 (c) COHP plot of Nb_3I_8 showing optimal filling of bonding to anti-bonding trimer orbital near Fermi energy.

the short and long Nb–Nb bond lengths from 2.82 Å and 3.98 Å in Nb_3Cl_8 , to 2.89 Å and 4.26 Å in Nb_3Br_8 , and further to 3.01 Å and 4.66 Å in Nb_3I_8 , all three compounds exhibit the same formal valence state of $[\text{Nb}_3]^{+8}$ corresponding to a total of seven d-electrons per Nb_3 unit. The COHP analysis reveals that this consistent electron count maintains favorable bonding–anti-bonding orbital filling across the series.

These results suggest that the chemical stability of the Nb_3X_8 halides is primarily dictated by the electronic structure of the Nb_3 cluster, rather than the identity of the halogen, provided the 7-electron filling is preserved, with only a minor role played by the relative tuning of correlation strength by halogen substitution.

The role of electron doping and correlation strength: doping the metal site

Building on the conclusion from the previous section—that the bonding-to-antibonding orbital filling ratio plays a key role in stabilizing Kagome halides—we now examine the effects of electron doping *via* metal substitution. Specifically, we consider doping Nb with a group 6 element such as Mo (molybdenum), which introduces an additional d-electron per substitution. This extra electron fully populates the bonding trimer orbitals near the Fermi level, as illustrated in Fig. 7. In contrast, doping Nb with Ta (a group 5 element) maintains the total electron count at seven per trimer, enabling an investigation of how reduced electronic correlation strength alone affects the material's stability.




Fig. 7 (a) Band structure and DOS of Nb_2MoCl_8 ; (b) band structure and DOS of Nb_2MoBr_8 ; (c) band structure and DOS of Mo_3Cl_8 ; (d) COHP plot of Nb_2MoCl_8 showing complete filling of bonding orbitals near the Fermi energy; (e) COHP plot of Nb_2MoBr_8 showing filling of anti-bonding orbitals near the Fermi energy; (f) COHP plot of Mo_3Cl_8 showing significant filling of anti-bonding orbitals near the Fermi energy.



Table 1 Metal–metal bond lengths (Å) in $M_{3-x}M'_xCl_8$ clusters ($M' = Mo, Ta$). Each row lists two distinct short and long bond lengths corresponding to different atomic pairs

Structure	Short 1	Short 2	Long 1	Long 2
Nb ₂ MoCl ₈	2.79 (Nb–Nb)	2.73 (Nb–Mo)	3.98 (Nb–Nb)	3.97 (Nb–Mo)
NbMo ₂ Cl ₈	2.74 (Nb–Mo)	2.82 (Mo–Mo)	3.96 (Nb–Mo)	3.90 (Mo–Mo)
Nb ₂ TaCl ₈	2.80 (Nb–Nb)	2.81 (Nb–Ta)	3.95 (Nb–Nb)	3.95 (Nb–Ta)
NbTa ₂ Cl ₈	2.79 (Nb–Ta)	2.80 (Ta–Ta)	3.93 (Nb–Ta)	3.92 (Ta–Ta)

The incorporation of two different metal species into the M_3Cl_8 framework—forming $M_{3-x}M'_xCl_8$ compounds breaks the original equilateral symmetry and introduces distinct short and long bond lengths within the triangular units, as summarized in Table 1. The short Nb–Mo bond length is approximately 2.82 Å, closely matching the sum of their atomic radii. Similarly, the Nb–Ta short bond length measures around 2.75 Å. For comparison, the Nb–Nb bond length is approximately 2.74 Å, which corresponds to twice the atomic radius of Nb. These values fall within the typical range of metal–metal (M–M) bonding and suggest that trimer formation remains favorable in doped systems – provided the number of electrons remains the same – further contributing to their structural stability.

To further explore the role of electron filling in stabilizing Kagome halides, we investigated the effects of sequential Mo substitution in the Nb₃Cl₈ system. Hypothetical compounds Nb₂MoCl₈, NbMo₂Cl₈, and Mo₃Cl₈ were simulated to evaluate their electronic structure and chemical stability.

As shown in Fig. 7a, Nb₂MoCl₈ exhibits a flat band and a clear bandgap near the Fermi level, indicating strong molecular orbital localization and an insulating ground state. The corresponding COHP plot (Fig. 7d) confirms complete filling of the bonding trimer orbitals. With eight d-electrons per cluster, the Nb₂Mo unit adopts a formal $[Nb_2Mo]^{8+}$ valence,³⁸ achieving optimal bonding–antibonding orbital occupation. These results suggest that Nb₂MoCl₈ may be a chemically stable material in the Mo-doped series and may be a viable candidate for experimental synthesis.

In contrast, NbMo₂Cl₈ and Mo₃Cl₈ display reduced orbital localization, as seen in Fig. 7b and c. The COHP plots (Fig. 7e and f) show that the Fermi level shifts into the antibonding states, resulting in electronic configurations that destabilize the trimer framework. This progressive filling of antibonding orbitals likely correlates with decreased structural stability across the series.

For comparison, Ta substitution in Nb₃Cl₈³³ maintains the total electron count at seven per trimer but slightly reduces electronic correlation strength. As a result, the trimer orbital filling remains favorable, and stability is closer to being preserved, in contrast to the Mo-rich compounds. However, our convex Hull calculations do show TaCl₄ may be energetically favored – due to even more extended metal–metal bonding in this crystal structure than in the trimer structure favored by lower correlations and more extended d orbitals.

In conclusion, Mo doping promotes full occupation of the bonding trimer orbitals, thereby maximizing the bonding–antibonding

orbital filling ratio and enhancing structural stability. In contrast, 1/3 and 2/3 Ta-substituted Nb₃Cl₈ compounds maintain the ideal electron count of seven per M_3 unit while slightly reducing electronic correlation strength.

To further investigate the relationship between structural distortion, orbital filling, and material stability, we extended our study to a set of hypothetical M_3Cl_8 systems: Ti₃Cl₈, V₃Cl₈, Cr₃Cl₈, Zr₃Cl₈, Ta₃Cl₈, and Mo₃Cl₈. These were analyzed to identify trends linking electronic configuration with breathing distortion (BD), trimerization, and structural parameters.

The COHP results for calculations with a lower number of electrons (e.g. Ti₃Cl₈ and Zr₃Cl₈, see the results in the SI, Fig. S8), further support the picture of an ideal number of electrons: a lower number of electrons leads to fewer bonding states that are filled, and as a result a lower bonding/antibonding filling ratio, and a lower R ratio.

The relaxed structures of these compounds exhibit alternating long and short M–M bond lengths, forming distorted triangles that signal the presence of BD and trimer orbital formation. These bond lengths, along with their ratios $R = L/S$ (long-to-short), are summarized in Table 2. The table also includes the total number of d-electrons per M_3 unit and the calculated metal diameter (twice the atomic radius), which closely matches the short bond length. Together, these quantities provide a quantitative basis for correlating electron filling with tendencies for trimer formation, and materials' stability across the series.

To broaden the scope of our study and generalize the design principles for trimer-based Kagome materials, we investigate the stability of a broader class of multiferroic insulating compounds. These include materials with structural motifs of the form M_3X_8 and $M'_yM_zX_8$, where M is a transition metal, M' is an alkali or alkaline earth element, and X is a halogen or oxygen.^{39,40} This extended set encompasses both known materials and new hypothetical systems with Kagome lattices formed by trimer orbitals.

To identify trends across this family, we analyze the results from the hypothetical compounds listed in Table 2. Orbital energy level diagrams for representative materials are shown in Fig. 8a, highlighting how trimer valence states influence electronic configurations. Solid black arrows correspond to a formal trimer charge of $[M_3]^{6+}$, typical of materials such as Na₂Ti₃Cl₈ and Zr₃Cl₈, while dotted grey arrows represent $[M_3]^{7+/8+}$ states, characteristic of systems like Nb₃X₈ and Li_xScMo₃O₈.

Table 2 Structural parameters of M_3Cl_8 clusters: total electrons per cluster, metal radius, long and short bond lengths, and their ratio $R = L/S$

Structure	e [−] / M_3	M diameter (Å)	Short (Å)	Long (Å)	R (L/S)
Ti ₃ Cl ₈	4	2.72	3.03	3.72	1.22
V ₃ Cl ₈	7	2.50	2.68	3.76	1.40
Cr ₃ Cl ₈	10	2.54	2.68	3.65	1.36
Zr ₃ Cl ₈	4	2.96	3.17	3.87	1.22
Nb ₃ Cl ₈	7	2.74	2.82	3.98	1.41
Mo ₃ Cl ₈	10	2.90	2.78	3.90	1.40
Ta ₃ Cl ₈	7	2.76	2.78	3.90	1.40



To further explore structure–stability relationships, we plot the bond length ratio R (defined as the ratio of long to short M–M bond lengths) against the number of d-electrons per M_3 cluster for all systems in Table 2 (Fig. 8b). This analysis reveals that 6–8 d-electrons per trimer consistently correlates with the formation of strong breathing distortions with a large $R = 1.41$, and resulting molecular orbital formation.

Role of correlation strength: effect of Hubbard U

V_3Cl_8 and Ta_3Cl_8 meet the key stability criteria identified in the previous section: both have an R ratio near 1.40 and a trimer electron count of seven, corresponding to a $[M_3]^{8+}$ valence state—similar to Nb_3Cl_8 , which is known to be stable. However, neither V_3Cl_8 nor Ta_3Cl_8 have been experimentally synthesized.

To understand this discrepancy, we examine the role of electron correlation using DFT+ U . The Hubbard U correction captures on-site Coulomb interactions that are often underestimated in conventional DFT, especially for localized d-electrons. By tuning U , we assess how correlation strength influences the electronic structure and structural stability of these compounds.

We performed DFT+ U calculations on Nb_3Cl_8 using U values ranging from 0 to 3 eV to study the effect of correlation strength on trimer stability. For $U = 0$ to 2 eV, the ground-state structure exhibits trimer formation with clear breathing distortions and spin polarization. In this state, the Nb atoms form triangles with alternating bond lengths of 2.82 Å and 3.98 Å, as shown in Fig. 9a.

At $U = 3$ eV, the system undergoes a structural transition to a charge-ordered state, where trimerization is suppressed. The resulting geometry forms isosceles triangles with more uniform bond lengths of 3.86 Å and 3.91 Å (Fig. 9b). This shift reflects a change in the ground-state character—favoring charge ordering and high-spin configurations at higher correlation strengths.

The effect of the Hubbard U on structural and electronic properties varies significantly across material systems. In some metal–insulator transition compounds, U has been shown to enhance breathing distortions, as previously reported for




Fig. 9 (a) Nb_3Cl_8 exhibits a breathing distortion under a Hubbard U of 2 eV, which stabilizes a trimerized phase (b) at a Hubbard U of 3 eV, Nb_3Cl_8 shows no breathing distortion and instead favors a charge-ordered structure.

example in rare earth nickelates.⁴¹ In contrast, our calculations reveal that, within this class of materials, an increase in U suppresses breathing distortions and instead favors a charge-ordered ground state. This observation helps explain the experimental absence of V_3Cl_8 .

In contrast, the case of Ta_3Cl_8 is less clear. The band structure (SI Fig. S4b), along with the COHP plot (SI Fig. S4d), do not reveal any electronic or bonding instability that would preclude trimer formation. To explore this further, we performed a convex hull analysis to assess the thermodynamic stability of Ta_3Cl_8 . From the open quantum material database (OQMD)^{38,42} we find that Ta_3Cl_8 is most likely to decompose into Ta and $TaCl_4$. Our calculations indicate that, indeed, Ta_3Cl_8 is thermodynamically unstable, tending to decompose into Ta and $TaCl_4$, as described by eqn (1). The energy above the convex hull (ΔE) is calculated to be 8 meV per atom, suggesting




Fig. 8 (a) Energy level diagram with 6–8 electrons per M_3 cluster favors trimer formation in the crystal system (b) optimum value of breathing distortion $R = 1.41$ favors the trimerization.



that the decomposition is energetically favorable. As the d-orbitals of Ta are more delocalized than those of Nb, its tendency to form metal–metal bonds is even higher: Ta₃Cl₈ decomposes into a mix of metallic Ta, and TaCl₄ (which displays Ta–Ta dimers itself), consistent with our framework as described in Fig. 1.



Conclusion

In this work we showed trimer formation in Kagome halide systems is driven by a combination of orbital symmetry, electron filling, and electronic correlation: key features of correlated electron molecular orbital (CEMO) materials. In particular, we find that a trimer electron count of 6–8 ensures optimal occupation of bonding molecular orbitals while minimizing antibonding character, stabilizing structural breathing distortions and supporting correlated insulating behavior – a characteristic shared among a wide range of Kagome materials which all show trimer occupation ranging between 6–8, from van der Waals Kagome halides, to lithium molybdenum oxides which can be electrochemically doped but only within this range,⁴⁰ and an intermediate correlation strength is required to prevent either the formation of localized states (*i.e.* charge order) or extended metal–metal bonds.

While this study focuses on zero-temperature behavior, further work is needed to investigate how crystal and electronic entropy influence trimerization, magnetic ordering, and phase stability. Such studies will be essential for guiding the design of robust, high-performance Kagome-based materials for future electronic and quantum technologies.

This work provides a general framework for identifying and designing materials displaying molecular orbital states extended across transition metal clusters. By linking symmetry, electron count, and correlation strength with structural and electronic stability, we offer predictive guidelines for engineering next-generation quantum materials with tunable correlated electron and multiferroic phases.

Computational methodology

All first-principles electronic structure calculations were performed using density functional theory (DFT) and DFT+*U* (Hubbard *U* correction), implemented in the Quantum ESPRESSO (QE) package.^{43–45} We used projector augmented wave (PAW) pseudopotentials, a plane-wave energy cutoff of 544 eV, and a Monkhorst–Pack *k*-point mesh of 4 × 4 × 3, determined after convergence testing. The Perdew–Burke–Ernzerhof (PBE) exchange–correlation functional was used.⁴⁶

Calculations were carried out on a formula unit M₃X₈ unit cell (11 atoms), and all structures were optimized using the Broyden–Fletcher–Goldfarb–Shanno (BFGS) algorithm before density of states (DOS) and band structure calculations.

The LOBSTER^{34,35} package was used to perform crystal orbital Hamilton population (COHP)^{36,47,48} analysis based on wavefunction outputs from QE. Visualization and plotting were carried

out using wXDragon and Origin to support the chemical stability analysis of Nb₃Cl₈. Unless otherwise specified, COHP plots reflect bonding and antibonding orbital occupation within a 3 Å interaction radius (*e.g.*, for Nb–Nb and Nb–Cl pairs).³⁷ All structural visualizations were generated using VESTA.⁴⁹

Conflicts of interest

There are no conflicts to declare.

Data availability

Supplementary information (SI) is available. See DOI: <https://doi.org/10.1039/d5tc01981h>.

All crystal structures presented in this work required to reproduce our results will be uploaded to github (<https://github.com/alexandrub53>) upon acceptance of the manuscript.

Acknowledgements

The authors thank Tyrel McQueen, Bipasa Samanta and Madison Genslinger for helpful discussions. This research was supported by Indiana University startup funds, and in part by the Lilly Endowment, Inc., through its support for the Indiana University Pervasive Technology Institute. All three authors designed the project; VK and JB performed the calculations, VK wrote the manuscript with input from all authors. ABG supervised the project. This material is based upon work supported by the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences, under the Early Career Research Program Award DE-SC0026069. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

References

- 1 R. von Helmolt, J. Wecker, B. Holzapfel, L. Schultz and K. Samwer, Giant negative magnetoresistance in perovskite-like La_{2/3}Ba_{1/3}MnO_x ferromagnetic films, *Phys. Rev. Lett.*, 1993, **71**, 2331–2333.
- 2 S. Isakov, S. Wessel, R. Melko, K. Sengupta and Y. B. Kim, Hard-core bosons on the kagome lattice: Valence-bond solids and their quantum melting, *Phys. Rev. Lett.*, 2006, **97**, 147202.
- 3 W.-S. Wang, Z.-Z. Li, Y.-Y. Xiang and Q.-H. Wang, Competing electronic orders on kagome lattices at van Hove filling, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2013, **87**, 115135.
- 4 J. Yoon, E. Lesne, K. Sklarek, J. Sheckelton, C. Pasco, S. S. Parkin, T. M. McQueen and M. N. Ali, Anomalous thickness-dependent electrical conductivity in van der Waals layered transition metal halide, Nb₃Cl₈, *J. Phys.: Condens. Matter*, 2020, **32**, 304004.
- 5 J. R. Morey, A. Scheie, J. P. Sheckelton, C. M. Brown and T. M. McQueen, Ni₂Mo₃O₈: Complex antiferromagnetic order on a honeycomb lattice, *Phys. Rev. Mater.*, 2019, **3**, 014410.



- 6 J. P. Attfield, Orbital molecules in electronic materials, *APL Mater.*, 2015, **3**, 041510.
- 7 D. I. Khomskii and S. V. Streltsov, Orbital effects in solids: Basics, recent progress, and opportunities, *Chem. Rev.*, 2020, **121**, 2992–3030.
- 8 G. J. Miller, Chemistry and properties of novel niobium cluster compounds, *J. Alloys Compd.*, 1995, **229**, 93–106.
- 9 R. Zhang, Q. Fu, C. Yin, C. Li, X. Chen, G. Qian, C. Lu, S. Yuan, X. Zhao and H. Tao, Understanding of metal-insulator transition in VO₂ based on experimental and theoretical investigations of magnetic features, *Sci. Rep.*, 2018, **8**, 17093.
- 10 Y. Horibe, M. Shingu, K. Kurushima, H. Ishibashi, N. Ikeda, K. Kato, Y. Motome, N. Furukawa, S. Mori and T. Katsufuji, Spontaneous Formation of Vanadium “Molecules” in a Geometrically Frustrated Crystal: AlV₂O₄, *Phys. Rev. Lett.*, 2006, **96**, 086406.
- 11 A. J. Browne, S. A. J. Kimber and J. P. Attfield, Persistent three- and four-atom orbital molecules in the spinel AlV₂O₄, *Phys. Rev. Mater.*, 2017, **1**, 052003.
- 12 H.-S. Kim, K. Haule and D. Vanderbilt, Molecular Mott state in the deficient spinel GaV₄S₈, *Phys. Rev. B*, 2020, **102**, 081105.
- 13 S. Grytsiuk, M. I. Katsnelson, E. G. V. Loon and M. Rösner, Nb₃Cl₈: a prototypical layered Mott-Hubbard insulator, *npj Quantum Mater.*, 2024, **9**, 8.
- 14 J. Aretz, S. Grytsiuk, X. Liu, G. Feraco, C. Knekna, M. Waseem, Z. Dan, M. Bianchi, P. Hofmann, M. N. Ali, M. I. Katsnelson, A. Grubišić-Čabo, H. U. R. Strand, E. G. C. P. van Loon and M. Rösner, From strong to weak correlations in breathing-mode kagome van der Waals materials: Nb₃(F,Cl,Br,I)₈ as a robust and versatile platform for many-body engineering, *arXiv*, 2025, preprint, arxiv: 2501.10320, DOI: [10.48550/arxiv.2501.10320](https://arxiv.org/abs/2501.10320), <https://arxiv.org/abs/2501.10320>.
- 15 Y.-X. Jiang, *et al.*, Unconventional chiral charge order in kagome superconductor KV₃Sb₅, *Nat. Mater.*, 2021, **20**, 1353–1357.
- 16 K. Kojima, N. Katayama, S. Tamura, M. Shiomi and H. Sawa, Vanadium trimers randomly aligned along the c-axis direction in layered LiVO₂, *Phys. Rev. B*, 2019, **100**, 235120.
- 17 D. Khomskii, Novel electronic states close to Mott transition in low-dimensional and frustrated systems, *J. Phys.:Conf. Ser.*, 2011, 012055.
- 18 M. Kupers, L. Lutz-Kappelman, Y. Zhang, G. J. Miller and B. P. Fokwa, Spin frustration and magnetic ordering from one-dimensional stacking of Cr₃ triangles in TiCrIr₂B₂, *Inorg. Chem.*, 2016, **55**, 5640–5648.
- 19 G. Meyer, T. Gloger and J. Beekhuizen, Halides of titanium in lower oxidation states, *Z. Anorg. Allg. Chem.*, 2009, **635**, 1497–1509.
- 20 J. Zhang, R. Y. Qi and J. D. Corbett, Two novel titanium halide phases: KTi₄Cl₁₁ and CsTi₄. 3I₁₁, *Inorg. Chem.*, 1991, **30**, 4794–4798.
- 21 Y. Shen, *et al.*, Emergence of Spinons in Layered Trimer Iridate Ba₄Ir₃O₁₀, *Phys. Rev. Lett.*, 2022, **129**, 207201.
- 22 M. Kang, L. Ye, S. Fang, J.-S. You, A. Levitan, M. Han, J. I. Facio, C. Jozwiak, A. Bostwick and E. Rotenberg, *et al.*, Dirac fermions and flat bands in the ideal kagome metal FeSn, *Nat. Mater.*, 2020, **19**, 163–169.
- 23 Z. Liu, M. Li, Q. Wang, G. Wang, C. Wen, K. Jiang, X. Lu, S. Yan, Y. Huang and D. Shen, *et al.*, Orbital-selective Dirac fermions and extremely flat bands in frustrated kagome-lattice metal CoSn, *Nat. Commun.*, 2020, **11**, 4002.
- 24 D. I. Khomskii and S. V. Streltsov, Orbital Effects in Solids: Basics, Recent Progress, and Opportunities, *Chem. Rev.*, 2021, **121**, 2992–3030.
- 25 B. Liu, Y. Zhang, X. Han, J. Sun, H. Zhou, C. Li, J. Cheng, S. Yan, H. Lei and Y. Shi, *et al.*, Possible quantum-spin-liquid state in van der Waals cluster magnet Nb₃Cl₈, *J. Phys.: Condens. Matter*, 2024, **36**, 155602.
- 26 Y. Haraguchi, C. Michioka, M. Imai, H. Ueda and K. Yoshimura, Spin-liquid behavior in the spin-frustrated Mo₃ cluster magnet Li₂ScMo₃O₈ in contrast to magnetic ordering in isomorphic Li₂InMo₃O₈, *Phys. Rev. B:Condens. Matter Mater. Phys.*, 2015, **92**, 014409.
- 27 Z. A. Kelly, T. T. Tran and T. M. McQueen, Nonpolar-to-polar trimerization transitions in the S = 1 Kagomé magnet Na₂Ti₃Cl₈, *Inorg. Chem.*, 2019, **58**, 11941–11948.
- 28 H. Wu, Y. Wang, Y. Xu, P. K. Sivakumar, C. Pasco, U. Filippozzi, S. S. Parkin, Y.-J. Zeng, T. McQueen and M. N. Ali, The field-free Josephson diode in a van der Waals heterostructure, *Nature*, 2022, **604**, 653–656.
- 29 R. Ramesh and N. A. Spaldin, Multiferroics: progress and prospects in thin films, *Nat. Mater.*, 2007, **6**, 21–29.
- 30 S. Grytsiuk, M. I. Katsnelson, E. G. V. Loon and M. Rösner, Nb₃Cl₈: a prototypical layered Mott-Hubbard insulator, *npj Quantum Mater.*, 2024, **9**, 8.
- 31 Y. Haraguchi, C. Michioka, M. Ishikawa, Y. Nakano, H. Yamochi, H. Ueda and K. Yoshimura, Magnetic-non-magnetic phase transition with interlayer charge disproportionation of Nb₃ trimers in the cluster compound Nb₃Cl₈, *Inorg. Chem.*, 2017, **56**, 3483–3488.
- 32 Z. A. Kelly, T. T. Tran and T. M. McQueen, Nonpolar-to-Polar Trimerization Transitions in the S = 1 Kagomé Magnet Na₂Ti₃Cl₈, *Inorg. Chem.*, 2019, **58**, 11941–11948.
- 33 J. P. Sheckelton, K. W. Plumb, B. A. Trump, C. L. Broholm and T. M. McQueen, Rearrangement of van der Waals stacking and formation of a singlet state at T = 90 K in a cluster magnet, *Inorg. Chem. Front.*, 2017, **4**, 481–490.
- 34 S. Maintz; V. L. Deringer; A. L. Tchougréeff and R. Dronskowski, *LOBSTER: a tool to extract chemical bonding from plane-wave based DFT*, 2016.
- 35 R. Nelson, C. Ertural, J. George, V. L. Deringer, G. Hautier and R. Dronskowski, LOBSTER: Local orbital projections, atomic charges, and chemical-bonding analysis from projector-augmented-wave-based density-functional theory, *J. Comput. Chem.*, 2020, **41**, 1931–1940.
- 36 R. Dronskowski and P. E. Bloechl, Crystal orbital Hamilton populations (COHP): energyresolved visualization of chemical bonding in solids based on density-functional calculations, *J. Phys. Chem.*, 1993, **97**, 8617–8624.



- 37 S. Steinberg and R. Dronskowski, The crystal orbital Hamilton population (COHP) method as a tool to visualize and analyze chemical bonding in intermetallic compounds, *Crystals*, 2018, **8**, 225.
- 38 S. Kirklin, J. E. Saal, B. Meredig, A. Thompson, J. W. Doak, M. Aykol, S. Rühl and C. Wolverton, The Open Quantum Materials Database (OQMD): assessing the accuracy of DFT formation energies, *npj Comput. Mater.*, 2015, **1**, 1–15.
- 39 M. P. Shores, E. A. Nytko, B. M. Bartlett and D. G. Nocera, A structurally perfect $S = 1/2$ kagomé antiferromagnet, *J. Am. Chem. Soc.*, 2005, **127**, 13462–13463.
- 40 K. E. Wyckoff, L. Kautzsch, J. L. Kaufman, B. R. Ortiz, A. Kallistova, G. Pokharel, J. Liu, K. M. Taddei, K. M. Wiaderek and S. H. Lapidus, *et al.*, Electrochemical Control of Magnetism on the Breathing Kagome Network of $\text{Li x ScMo}_3\text{O}_8$, *Chem. Mater.*, 2023, **35**, 4945–4954.
- 41 A. B. Georgescu, O. E. Peil, A. S. Disa, A. Georges and A. J. Millis, Disentangling lattice and electronic contributions to the metal–insulator transition from bulk vs. layer confined RNiO_3 , *Proc. Natl. Acad. Sci. U. S. A.*, 2019, **116**, 14434–14439.
- 42 J. E. Saal, S. Kirklin, M. Aykol, B. Meredig and C. Wolverton, Materials design and discovery with high-throughput density functional theory: the open quantum materials database (OQMD), *JOM*, 2013, **65**, 1501–1509.
- 43 P. Giannozzi, S. Baroni, N. Bonini, M. Calandra, R. Car, C. Cavazzoni, D. Ceresoli, G. L. Chiarotti, M. Cococcioni and I. Dabo, *et al.*, QUANTUM ESPRESSO: a modular and open-source software project for quantum simulations of materials, *J. Phys.: Condens. Matter*, 2009, **21**, 395502.
- 44 P. Giannozzi, O. Andreussi, T. Brumme, O. Bunau, M. B. Nardelli, M. Calandra, R. Car, C. Cavazzoni, D. Ceresoli and M. Cococcioni, *et al.*, Advanced capabilities for materials modelling with Quantum ESPRESSO, *J. Phys.: Condens. Matter*, 2017, **29**, 465901.
- 45 P. Giannozzi, O. Baseggio, P. Bonfà, D. Brunato, R. Car, I. Carnimeo, C. Cavazzoni, S. De Gironcoli, P. Delugas and F. Ferrari Ruffino, *et al.*, Quantum ESPRESSO toward the exascale. The, *J. Chem. Phys.*, 2020, 152.
- 46 J. P. Perdew, K. Burke and M. Ernzerhof, Perdew, burke, and ernzerhof reply, *Phys. Rev. Lett.*, 1998, **80**, 891.
- 47 R. Nelson, C. Ertural, J. George, V. L. Deringer, G. Hautier and R. Dronskowski, LOBSTER: Local orbital projections, atomic charges, and chemical-bonding analysis from projector-augmented-wave-based density-functional theory, *J. Comput. Chem.*, 2020, **41**, 1931–1940.
- 48 V. L. Deringer, A. L. Tchougréeff and R. Dronskowski, Crystal orbital Hamilton population (COHP) analysis as projected from plane-wave basis sets, *J. Phys. Chem. A*, 2011, **115**, 5461–5466.
- 49 K. Momma and F. Izumi, VESTA 3 for three-dimensional visualization of crystal, volumetric and morphology data, *Appl. Crystallogr.*, 2011, **44**, 1272–1276.

