

Cite this: *Ind. Chem. Mater.*, 2023, 1, 140

# Supercritical CO<sub>2</sub>-induced room-temperature ferromagnetism in two-dimensional MoO<sub>3-x</sub>†

Wei Liu <sup>a</sup> and Qun Xu <sup>\*ab</sup>

Two-dimensional (2D) magnetic semiconductors are crucial in spin-based information-processing technologies due to the combination of the strong 2D quantum effects, surface effects and the control of spin states. However, most experimental approaches for tuning 2D magnets achieve pure ferromagnetism at low temperature. Herein, a defect engineering strategy using supercritical CO<sub>2</sub> is introduced to achieve nanostructure with abundant defects for 2D MoO<sub>3-x</sub>, and room-temperature ferromagnetism can be obtained and tuned by introduction of the Mo<sup>5+</sup> ion depending on the change of supercritical pressure. In defective regions, the presence of the pentacoordinated [Mo<sup>5+</sup>O<sub>5</sub>] centers can achieve ferromagnetic ordering resulting in room-temperature ferromagnetism. With increasing supercritical pressure, it is easier for the supercritical CO<sub>2</sub> to break the Mo–O bonds, achieving enhancement of the ferromagnetic performance with desired Curie temperature (>380 K). The magnetic responses in the MoO<sub>3-x</sub> system provide a step closer to the expansion of spin electronics.

Received 21st September 2022,  
Accepted 25th November 2022

DOI: 10.1039/d2im00028h

rsc.li/icm

Keywords: Supercritical CO<sub>2</sub>; Room-temperature ferromagnetism; Two-dimensional; MoO<sub>3-x</sub>.

## 1 Introduction

Room-temperature two-dimensional ferromagnets are at the forefront of research owing to the unusual physical and chemical properties that are useful for various applications, especially spintronics.<sup>1–3</sup> In recent years, vigorous scientific inquiry has been undertaken on magnetic semiconductors, which possess both semiconductor and magnetic properties.<sup>4–7</sup> 2D transition-metal dichalcogenides (TMDs) and oxides (TMOs) with strong spin–orbit coupling are foreseen as promising candidates, such as MoS<sub>2</sub>, WS<sub>2</sub>, VSe<sub>2</sub>, VS<sub>2</sub>, ZnO and Ti<sub>2</sub>O<sub>3</sub>.<sup>8–13</sup> However, because of the weak magnetic coupling or a lack of unpaired electrons, most of the pristine TMDs and TMOs are intrinsically nonmagnetic. Hence, exploring experimental approaches to modulate the magnetism are being pursued.

To date, systematic structural modulation methods to induce the signature of magnetic ordering are mainly classified as substitutional doping, phase transition, formation of surface dangling bonds, strain engineering and introduction of vacancies or defects.<sup>14–16</sup> Among various 2D TMOs, because of tunable electrical properties, MoO<sub>3</sub> has

become attractive for achieving modulation of magnetic behavior. For example, room-temperature ferromagnetism of MoO<sub>3</sub> was achieved by manipulating nanostructures such as nanofibers and hierarchical branches.<sup>17,18</sup> And transition metal elements and non-metal elements doping can help the fabrication of ferromagnetism in Co-doped MoO<sub>3</sub> films, and Ni- and Ni–Co doped MoO<sub>3</sub> films, Te-doped MoO<sub>3</sub> nanoflakes and hydrogen-doped MoO<sub>3</sub> nanosheets.<sup>19–22</sup> Due to the absence of unpaired electron spins, stoichiometric MoO<sub>3</sub> and MoO<sub>2</sub> are reported to be paramagnetic semiconductors.<sup>23</sup> To expand the multifunctionality of spintronics devices where charge and spin manipulation could be combined, such as the novel magnetic tunnel junction, semiconductors with desirable magnetic nature have become more important; desirable properties include high saturation magnetization ( $M_s$ ) under lower magnetic field, low coercivity field ( $H_c$ ) and high Curie temperature ( $T_c$ ).<sup>24</sup> In fact, ferromagnetism can be manipulated by controlling the defects in 2D nanostructure, such as different magnetic properties depending on various defects in graphitic carbon.<sup>25–27</sup>

In supercritical fluid technology, as a green industrial solvent system, supercritical CO<sub>2</sub> (SC CO<sub>2</sub>) can exfoliate various 2D layered materials, and in the interlayer confined space, CO<sub>2</sub> can prompt diffusive atomic disordering to control the formation of defects because the generated local stress acts on the 2D surface.<sup>28,29</sup> Defects strategy is beneficial for the introduction of unpaired electrons into the system, which is expected as an effective technical means to obtain 2D materials with ferromagnetic properties. Recently,

<sup>a</sup> Henan Institute of Advanced Technology, Zhengzhou University, Zhengzhou 450001, P.R. China. E-mail: qunxu@zzu.edu.cn

<sup>b</sup> Department of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, P.R. China

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d2im00028h>




non-van der Waals-like layered  $\text{VO}_2$  and  $\text{BaTiO}_3$  materials have exhibited superior ferromagnetism because of the induced symmetry breaking after high pressure treatment with SC  $\text{CO}_2$ .<sup>30,31</sup> Herein, for the first time, we report the successful fabrication of ferromagnetic 2D  $\text{MoO}_{3-x}$  nanosheets with the assistance of SC  $\text{CO}_2$ . And the magnetic moments in the defect regions result in ferromagnetic responses and the saturation magnetization reaches  $0.01 \text{ emu g}^{-1}$  under  $\sim 2000 \text{ Oe}$  magnetic field at room temperature, and the Curie temperature can reach to over  $380 \text{ K}$ .

## 2 Results and discussion

To verify the atomic arrangement of  $\text{MoO}_{3-x}$ , transmission electron microscopy (TEM) is applied to observe the surface morphology. From the TEM image in Fig. 1a, the 2D sheet-like structure with irregular contour can be clearly visualized. The high resolution transmission electron microscopy (HRTEM) image (Fig. 1b) taken of the  $\text{MoO}_{3-x}$  nanosheet shows an imperfect atomic arrangement with a (110) lattice distance of  $0.38 \text{ nm}$ . The ordered crystal lattices are separated by disordered regions. The fast Fourier transform (FFT) pattern also exhibits well-defined orthorhombic rings spots, which is consistent with layered  $\alpha\text{-MoO}_3$ . Moreover, according to the atomic force microscopy (AFM) analysis in Fig. 1c, the exfoliated  $\text{MoO}_{3-x}$  nanosheets have a thickness of

$\sim 4.5 \text{ nm}$  (5–6 layers).<sup>32,33</sup> The corresponding energy dispersive X-ray (EDX) elemental mapping images (Fig. 1d and e) further suggest the uniform distribution of Mo and O elements on the sheets. Thus, SC  $\text{CO}_2$  can destroy the Mo–O bonds on the surface, forming large amounts of defects and vacancies (Fig. 1f).

The  $\text{MoO}_{3-x}$  shows abundant defects, which can be proven by the X-ray diffraction (XRD) patterns (Fig. 2a). Its X-ray powder diffraction pattern has a broad peak curve in the range of  $20$  to  $30^\circ$ , suggesting the existence of a disordered structure. Raman measurements at a low laser power were carried out (excitation wavelength:  $532 \text{ nm}$ ). As can be seen in Fig. 2b, strong peaks occur at  $818$  and  $991 \text{ cm}^{-1}$  for the sample. The  $818 \text{ cm}^{-1}$  peak is assigned to the doubly coordinated oxygen ( $\text{Mo}_2\text{-O}$ ) stretching mode, and the peak at  $991 \text{ cm}^{-1}$  is attributable to the terminal oxygen ( $\text{Mo=O}$ ) stretching mode. Other peaks at  $334$  and  $374 \text{ cm}^{-1}$  can be assigned to  $\text{Mo}_3\text{-O}$  and  $\text{Mo=O}$  bending modes. And the broad trends of these peaks show the existence of lattice defects or the local disorder in  $\text{MoO}_{3-x}$ .<sup>34,35</sup> To elucidate the elemental composition and oxidation state of the  $\text{MoO}_{3-x}$ , X-ray photoelectron spectroscopy (XPS) measurements were performed. For the XPS spectrum of Mo 3d, peaks correspond to  $\text{Mo}^{6+}$  ( $236.0$  and  $232.8 \text{ eV}$ ) and  $\text{Mo}^{5+}$  ( $234.8$  and  $231.6 \text{ eV}$ ), respectively (Fig. 2c).<sup>36,37</sup> The proportion of  $\text{Mo}^{5+}$  can reach as high as  $14.9\%$ . The coexistence of  $\text{Mo}^{6+}$  and  $\text{Mo}^{5+}$  verifies the existence of oxygen vacancies. Fig. 2d shows the O 1s spectrum, the peaks at  $530.5 \text{ eV}$  and  $532.4 \text{ eV}$  correspond to



**Fig. 1** (a) TEM image of the  $\text{MoO}_{3-x}$  nanosheets; (b) HRTEM image of the  $\text{MoO}_{3-x}$  nanosheets, inset: the corresponding fast Fourier transform (FFT) pattern; (c) AFM image of the  $\text{MoO}_{3-x}$  nanosheets; (d and e) elemental mapping of the  $\text{MoO}_{3-x}$  nanosheets for Mo and O; (f) schematic side views showing the formation of  $\text{MoO}_{3-x}$  using SC  $\text{CO}_2$ . Mo, O, and C atoms are represented by balls in blue, red, and grey, respectively.



**Fig. 2** (a) XRD patterns of the  $\text{MoO}_{3-x}$  nanosheets; (b) Raman scattering characteristics of the  $\text{MoO}_{3-x}$  nanosheets; (c and d) XPS spectrum details of  $\text{MoO}_{3-x}$  for Mo 3d and O 1s binding energy regions; (e) absorption spectrum of  $\text{MoO}_{3-x}$  (concentration:  $1 \text{ mg mL}^{-1}$ ); (f) EPR spectrum of the  $\text{MoO}_{3-x}$  nanosheets.



oxygen in  $\text{MoO}_6$  and surface adsorbed species, respectively.<sup>38,39</sup> And the energy level (531.6 eV) also suggests the existence of neighbouring oxygen vacancies.<sup>40</sup> From the absorption spectrum of  $\text{MoO}_{3-x}$ , the absorption in the visible–near infrared regions consists of three peaks at 685, 815 and 1050 nm, corresponding to 1.8, 1.5 and 1.2 eV, respectively. The three peaks originate from the intervalence charge transfer, the d–d transitions of  $\text{Mo}^{5+}$  and the surface plasmon resonance (SPR) of the  $\text{MoO}_{3-x}$  nanosheets (Fig. 2e).<sup>41</sup> It is concluded that the surface of  $\text{MoO}_{3-x}$  possesses enough unsaturated atoms, resulting from oxygen vacancies.<sup>42,43</sup> In order to investigate the oxygen vacancies and coordinately unsaturated  $\text{Mo}^{5+}$  atoms in Mo–O tetragonal pyramids of the  $\text{MoO}_{3-x}$  nanosheets, electron paramagnetic resonance (EPR) spectrum measurements were carried out. Fig. 2f shows the hyperfine structure of  $\text{Mo}^{5+}$  with sharp peaks of parallel ( $g_{\parallel} = 1.898$ ) and perpendicular ( $g_{\perp} = 1.937$ ) bands and oxygen vacancies ( $g = 2.003$ ), while these weakened peaks in crystalline  $\text{MoO}_3$  account for few unsaturated atoms.<sup>33</sup>

The photoluminescence (PL) spectrum at 300 K of the  $\text{MoO}_{3-x}$  nanosheets is shown in Fig. 3a. Compared with crystalline  $\text{MoO}_3$ , the PL spectrum of  $\text{MoO}_{3-x}$  exhibits obvious emission and a blue-green emission peak centred at about 510 nm, which originates from the presence of the singly charged oxygen vacancy ( $\text{V}_o^+$ ).<sup>17</sup>  $\text{V}_o^+$  defects with unpaired electrons can be the source of ferromagnetism, because they limit delocalization of unpaired electrons potentially giving rise to ferromagnetic double exchange. Owing to the inherent properties of layered  $\text{MoO}_{3-x}$ , the net magnetic moment can be localized on the d orbital of the Mo atom.<sup>17</sup> Moreover, the asymmetric nature of the photoluminescence spectrum at higher wavelengths can be ascribed to the intraband transitions occurring at the pentacoordinated  $[\text{Mo}^{5+}\text{O}_5]$  centers.<sup>19</sup>

The magnetic properties of the  $\text{MoO}_{3-x}$  nanosheets were studied by measuring the magnetization as a function of



**Fig. 3** (a) PL emission spectra at 300 K of the  $\text{MoO}_{3-x}$  nanosheets and crystalline  $\text{MoO}_3$  excited at 365 nm; (b) magnetization hysteresis loop of the  $\text{MoO}_{3-x}$  nanosheets at 300 K; (c) the magnified curves near  $H = 0$ ; (d)  $M$ – $T$  curves of the  $\text{MoO}_{3-x}$  nanosheets measured under ZFC and FC ( $H = 100$  Oe) modes.

applied magnetic field ( $M$ – $H$ ) at 300 K. From Fig. 3b and c, the magnetic response of the sample with S-shaped and linear forms of the hysteresis loop shows ferromagnetic responses. Particularly, the ferromagnetic behavior is observed for low values of the magnetic excitation up to  $\sim 2000$  Oe. And the  $M_s$  is about  $0.01$  emu  $\text{g}^{-1}$ . The magnified curves near  $H = 0$  show that  $H_c$  and the remnant magnetization ( $M_r$ ) are about 52 Oe and  $0.001$  emu  $\text{g}^{-1}$ . As can be confirmed from Fig. 3d, the magnetization vs. temperature ( $M$ – $T$ ) curves further substantiate room-temperature ferromagnetism in  $\text{MoO}_{3-x}$  nanosheets, and the zero-field-cooled (ZFC) and field-cooled (FC) curves show obvious splitting over the whole measurement temperature range, indicating the Curie temperature ( $T_C$ ) is  $> 380$  K.<sup>19</sup> To compare with the reported oxide series ( $\text{MoO}_3$ – $\text{MoO}_{3-x}$ – $\text{MoO}_2$ ) and their doped compounds, the experimental magnetic parameters at room temperature are given in Table S1 (see ESI†). The  $M_s$ ,  $M_r$  and  $T_C$  of the as-prepared  $\text{MoO}_{3-x}$  are outstanding, meanwhile,  $H_c$  can maintain a low value. Importantly, the yield is around 10%, and the preparation process is expected to recycle  $\text{CO}_2$  for the large-scale production of ferromagnetic  $\text{MoO}_{3-x}$ , which has potential for practical applications.

To further identify the magnetic source, it is necessary to study the magnetic properties of SC  $\text{CO}_2$ -treated samples at different pressures. The XRD patterns (Fig. 4a) show that the crystal structure of the nanosheets is more disordered with an increase in SC  $\text{CO}_2$  pressure except for that of 16 MPa, owing to a phase transition into the hexagonal phase for  $\text{MoO}_{3-x}$  ( $h$ - $\text{MoO}_{3-x}$ ).<sup>44</sup> Moreover, from their corresponding HRTEM images (Fig. 4b–d), it can be found that the atomic arrangements are all more perfect than that of the  $\text{MoO}_{3-x}$



**Fig. 4** (a) XRD patterns comparison of the  $\text{MoO}_{3-x}$  obtained at different pressures, and XRD patterns at the bottom show  $\alpha$ - $\text{MoO}_3$  (JCPDS No. 05-0508) and  $h$ - $\text{MoO}_3$  (JCPDS No. 21-0569); (b–d) HRTEM images of the  $\text{MoO}_{3-x}$  sample obtained at 10 MPa, 12 MPa, 16 MPa.



obtained at 14 MPa. Among them, the lowest degree of defects can be found for  $\text{MoO}_{3-x}$  obtained at 10 MPa, which indicates the SC  $\text{CO}_2$  destroys the atomic arrangement under high enough pressure conditions. Additionally, h- $\text{MoO}_{3-x}$  with a (300) lattice distance of 0.30 nm for the 16 MPa sample is observed clearly, which is agreeing with the XRD results. In addition, the variation of atomic structures is also analyzed by XPS. From the XPS spectrum analysis (Fig. 5), compared to that of samples obtained at 14 MPa (14.9%), the proportions of  $\text{Mo}^{5+}$  for  $\text{MoO}_{3-x}$  obtained at 10, 12 and 16 MPa are 5.2%, 9.2% and 14.6% respectively, which demonstrates the introduction of more  $\text{Mo}^{5+}$  with increase in SC  $\text{CO}_2$  pressure. It is known that the  $\text{Mo}^{5+}$  ion has an unpaired electron spin (*i.e.*,  $\text{Mo}^{5+}$ :  $[\text{Kr}]4d^1$ ), so the presence of the pentacoordinated  $[\text{Mo}^{5+}\text{O}_5]$  centers can also provide net magnetic moments in addition to the introduction of the oxygen vacancies in  $\text{MoO}_3$ .<sup>19</sup>

In addition, the variation trend of the  $\text{Mo}^{5+}$  component is also partly reflected in their EPR spectra (Fig. 6a). It can be observed that the unpaired electron spin signal strength of  $\text{Mo}^{5+}$  in the samples becomes strong with the increase in pressure, and 14 MPa is the strongest when compared. And there are no obvious signal responses of oxygen vacancies for these samples obtained at 10, 12 and 16 MPa, which could be disadvantageous to ferromagnetic performance. Further, their magnetic behaviors are also confirmed by  $M-H$  loop measurements (Fig. 6b), and it shows a paramagnetic response for crystalline  $\text{MoO}_3$ , differing from the ferromagnetism of the  $\text{MoO}_{3-x}$  obtained at 12, 14 and 16 MPa.

It is concluded that both  $\text{Mo}^{5+}$  and oxygen vacancies contribute to the achievement of ferromagnetism, which can be tuned by SC  $\text{CO}_2$  pressure, because the bound magnetic polarons could be formed *via*  $\text{Mo}^{5+}$  coupling with the charged oxygen vacancies.<sup>18</sup> Meanwhile, the  $M_s$  and  $M_r$  reduce remarkably for the sample at 16 MPa (Fig. S1†), which shows the necessity of 2D structure. Moreover, there is less  $\text{Mo}^{5+}$



Fig. 6 (a) EPR spectra comparison of  $\text{MoO}_{3-x}$  obtained at different pressures; (b) magnetization hysteresis loop comparison of the  $\text{MoO}_{3-x}$  sample obtained at 12 MPa, 14 MPa, 16 MPa and crystalline  $\text{MoO}_3$  at 300 K.

and a weak ferromagnetic response for the  $\text{MoO}_{3-x}$  nanosheets obtained by sonication treatment without SC  $\text{CO}_2$  (Fig. S2†). Therefore, through defect engineering by SC  $\text{CO}_2$ , the  $\text{Mo}^{5+}$  can induce polarized spins, which is critical to the magnetic properties for 2D molybdenum oxide materials.

### 3 Conclusions

In summary, a defect engineering strategy using SC  $\text{CO}_2$  is presented to endow nonmagnetic 2D materials with ferromagnetic properties. The 2D  $\text{MoO}_{3-x}$  nanosheets are selected as a model, in which the introduction of moderate  $\text{Mo}^{5+}$  provides the  $\text{MoO}_{3-x}$  nanosheets with ferromagnetic behavior at room temperature, resulting from magnetic polarons in defective regions. And the  $\text{MoO}_{3-x}$  nanosheets exhibit a large saturation magnetization ( $0.01 \text{ emu g}^{-1}$ ) and  $T_C$  ( $>380 \text{ K}$ ). Moreover, SC  $\text{CO}_2$  can tune the magnetic properties achieving continuous enhancement of ferromagnetic performance with increasing supercritical  $\text{CO}_2$  pressure below the phase transformation pressure, and 14 MPa is the optimum pressure. Undoubtedly, the strategy is feasible to stimulate the ferromagnetic characteristics of other kinds of 2D materials for more capabilities and higher performances of spintronics devices in complex magnetic environments.

## 4 Experimental section

### 4.1 Materials and methods

**4.1.1 Materials.**  $\text{MoS}_2$  powder was purchased from Sigma-Aldrich (Fluka, product number 69860). Analytical grade ethanol was provided by Sinopharm Chemical Reagent Co., Ltd. All were directly used owing to their analytical grade.  $\text{CO}_2$  with a purity of 99.99% was purchased from the Zhengzhou Shuangyang Gas Co. Deionized water was prepared with double-distilled water.

**4.1.2 Preparation of  $\text{MoO}_{3-x}$  nanosheets.**  $\text{MoS}_2$  powder (100 mg) was first annealed at 623 K for 90 min in the air. The obtained  $\text{MoO}_3$  was dispersed in a 45% ethanol/water mixture (10 mL) and subsequently was sonicated for 1 h in a water bath (equipment power: 200 W), forming a uniform black dispersion. Then the dispersion was quickly transferred into the supercritical  $\text{CO}_2$  apparatus composed



Fig. 5 (a–c) XPS spectrum details of the Mo 3d binding energy regions and (d) the varied percent of  $\text{Mo}^{5+}$  for the  $\text{MoO}_{3-x}$  sample obtained at 10 MPa, 12 MPa, 16 MPa.





