




INORGANIC CHEMISTRY

FRONTIERS

carbonyl-fringed portals of CB[n] molecules can coordinate to metal cations, preferably to alkali and alkaline earth metal ions.^{11–13} Its outer surface is proved to be able to interact with anionic and electron rich species, which would provide binding sites to anchor the iodide ions.¹⁴ These features make cucurbit[n]uril an ideal candidate to prepare iodide containing CPCs for iodine adsorption, and for superior electrical conductivity properties. We thus design a hybrid system of CB[n] and alkali iodide, in which the alkali cations are expected to bind to the carbonyl-fringed portals of CB[n] through the ion–dipole interaction, while iodide will interact with the positive region of CB[n] (outer surface). In such a way, PCP materials containing discrete iodide moieties can be successful.

In this work, cucurbit[6]uril (CB[6]) as one of the most studied members in the CB[n] family has been employed in the synthesis of iodide containing PCPs. The hydrothermal reaction of CB[6] and sodium iodide affords a crystalline product in high yield. Single crystal structural analysis determines a crystalline PCP material with the formula $[(\text{Na}_2\text{I}_2\text{CB}[6]) \cdot 8\text{H}_2\text{O}]_n$ (**1**). As expected, both portals of a CB[6] are coordinated by sodium ions through the ion–dipole interaction (Fig. 1a). These $\{\text{Na}_2\text{CB}[6]\}$ units are stacked on top of each other in a portal-to-portal fashion, leading to the formation of a supramolecular column. Every four of such paralleled columns construct a 1D channel along the *b*-axis (Fig. 1c). Within the channels, discrete iodides were encapsulated. The distances between neighboring iodides are 5.49 Å and 6.25 Å, respectively (Fig. 1b). Although these discrete iodide ions in the crystal lattice may not position ideally to anchor iodine molecules, the iodide matrix is able to undergo a dynamic change within the channels to fit iodine molecules in between iodides. Size matching and structural complementarity are crucial for both supramolecular interaction and molecular assembly. This study offers an unusual example to study the interaction of iodides and iodine within a crystal lattice.

Experimental

Chemicals and materials

All chemicals and reagents were purchased from commercial suppliers (Sigma Aldrich) and used without further purification except for cucurbit[6]uril (CB[6]) which was prepared and purified according to a procedure reported in the literature.¹⁵

Characterization

Elemental analyses of C, H, and N were carried out on an Elementar Vario EL III analyzer. Raman spectra were collected in the region of 500–100 cm^{-1} with a Thermo Nicolet Nexus 870 spectrometer equipped with a FT-Raman module (Laser exciting line: Nd-YAg laser emitting at 785 nm). Thermogravimetric analyses (TGAs) were performed under a flow of N_2 (100 mL min^{-1}) with a heating rate of 10 $^\circ\text{C min}^{-1}$ using a TA SDT-600 thermogravimetric analyzer. Aluminum oxide crucibles were used for all samples, and the instrument was calibrated using indium as the standard. An empty crucible was used as the reference. A Miniflex600 powder diffractometer was employed for all PXRD measurements with experimental parameters as follows: room temperature, Cu-K α radiation ($\lambda = 1.54056 \text{ \AA}$), reflection mode, 2θ range 5–30 $^\circ$, and step size 0.02 $^\circ$ (scanning rate with 2θ at 1 $^\circ$ per minute). Electrical conductivity measurements were performed in a quasi-four-electrode direct current (DC) with an online multi-meter (Model 2000, Digital Multimeter, Keithley Instruments Inc., USA).

Synthesis of $[(\text{Na}_2\text{I}_2\text{CB}[6]) \cdot 8\text{H}_2\text{O}]_n$ (**1**)

Cucurbit[6]uril (20 mg, about 0.02 mmol) and sodium iodide (30 mg, 0.2 mmol) were mixed in 6.0 mL water in a Teflon vessel. The resulting solution was sealed in an autoclave, heated to 120 $^\circ\text{C}$ for 3 days and then cooled to room




Fig. 1 A view of (a) the 1D sodium-CB[6] coordination chain subunit; (b) the discrete iodide ions; and (c) the 3D packing pattern of complex **1**, showing alternative 1D sodium-CB[6] chains and the iodide ion matrix. Colour code: C, dark grey; H, green; N, blue; O, red; I, purple; Na, orange. Discrete water molecules were omitted for clarity.



temperature within one day. Colourless rod shape crystals were obtained. The product was filtered and washed with water and dried in air. Yield *ca.* 90%. Elemental analysis: Calcd for $C_{36}H_{52}N_{24}O_{20}Na_2I_2$ ($M_r = 1440.7$): C, 30.01; H, 3.64; N, 23.33. Found: C, 30.08; H, 4.13; N, 23.38.

Crystallography

A crystal of complex **1** suitable for single crystal X-ray diffraction analysis was selected using a polarized light optical microscope. X-ray diffraction data were collected on an Agilent SuperNova diffractometer using Cu-K α radiation ($\lambda = 1.54184$ Å). The structure was solved by direct methods and developed by difference Fourier techniques, both using the SHELXL software package.¹⁶ All non-hydrogen atoms were refined anisotropically. Hydrogen atoms on cucurbit[6]urils were placed in geometrically calculated positions and included in the refinement process using a riding model. CIF files contain crystallographic data (CCDC 1472736).

Results and discussion

Structural description

X-ray crystallography reveals that complex **1** crystallizes in the orthorhombic space group *Pnnm*. In the structure of **1**, each Na⁺ cation bind to three carbonyl groups (Na–O_{carbonyl} of 2.492(14) Å) and four aqua ligands (Na–O_w of 2.56(3) and 2.13(4) Å). Two of such sodium ions form dimer units by sharing the aqua ligands and connect with CB[6] moieties into a 1D coordination chain structure (Fig. 1a). Discrete iodide anions located in the channel regions are surrounded by {Na₂CB[6]} chains, playing both space-filling and charge-compensating roles (Fig. 1c). Separations between two neighboring I[−] in the iodide matrix are 5.434 Å and 6.185 Å, respectively. In order to insert an I₂ molecule between two iodide ions in the form of I[−]...I₂...I[−], the ideal distance of I[−]...I[−] units is expected to be longer than *ca.* 10 Å.⁹ However, the iodides in the lattice of complex **1** are discrete and somehow able to undergo dynamic movement in the ionic channel to fit iodine molecules, resulting in successful insertion of iodine into the iodide matrix. Thus complex **1** can be an unusual example for I₂ accommodation *via* an adjustable I[−]-containing crystal lattice.

X-ray powder diffraction and thermal analysis

The phase purity of complex **1** was identified by powder X-ray diffraction (PXRD) study. The major diffraction peaks (below 20°) of the experimental PXRD pattern match well with the ones simulated from the single crystal data of **1**, indicating the phase purity of bulk products (Fig. S3; ESI†). The slight shifts of peaks at high angles may originate from the different collection of diffraction data (room temperature *versus* 100 K). The thermal stability of complex **1** was studied by thermal analysis in the temperature range of 30–800 °C. As shown in Fig. S2 (ESI†), the first and second weight loss is assigned to the release of lattice water and the coordinated water molecules on

sodium ions (experimental 12.53%, calculated 10.0%). The higher weight loss in experimental may be attributable to the loss of water molecules (mainly before 100 °C) absorbed on the surface of the sample. Upon further heating, complex **1** decomposes at a temperature of *ca.* 450 °C by decomposing and releasing the organic component CB[6], which is in agreement with the thermal stability of the cucurbit[6]uril reported in the literature.¹⁰ The thermal stability of complex **1** has been changed significantly upon iodine adsorption. The TG curve of I₂@**1** (Fig. S2; ESI†) shows continuous weight loss in the temperature range of 30 °C–800 °C. The weight loss can be roughly divided into three stages. The first weight loss from 30 to 100 °C is preliminarily assigned to the release of lattice water, adhesive of water and iodine molecules on the surface of the material. The second weight loss, which is about 25% from 150 °C to 350 °C, can be ascribed to the decomposition of polyiodide and release of iodine. The weight loss matches roughly with the iodine uptake experiment (see the following section), which implies that the iodine adsorption is reversible. Further weight loss after 400 °C can be attributed to the decomposition and release of CB[6].

Iodine molecule uptake

In order to evaluate the adsorption efficiency for iodine molecules, complex **1** was used as an absorbent and exposed to the spontaneous vapor of iodine in a sealed vial. The colorless bulk sample of **1** underwent a rapid color change into a brown solid (within 5 seconds) upon I₂ vapor exposure, and further into a black colored solid I₂@**1** after 90 minutes. A rapid color change, from white to brown, can be observed after as short as 5 seconds of exposure. Upon further exposure, the material demonstrates a continuous color change, with brown at two minutes which changes to black after one and a half hour. The color change of the complex is an indication of iodine adsorption and the formation of polyiodide units within the solid material I₂@**1**. After iodine uptake, the weight of the iodide-containing material has increased by *ca.* 25 wt%, which corresponds to *ca.* 1.4I₂ molecules per formula unit of [(Na₂I₂CB[6])·8H₂O]. The experimental value is in agreement with the ideal value of 1.5 when every two adjacent iodides bind to one iodine molecule. The small discrepancy could be attributable to the shorter distance between iodides observed in the crystal lattice of complex **1**, as stated earlier, or possibly due to limited channel space, *i.e.* the channel is insufficient to allow ideally full iodine binding with the polyiodide units. These results demonstrate that the discrete iodide matrices within the molecular complex are sensitive to iodine vapor and perform fast iodine adsorption, which could promise potential application in nuclear waste treatment where the radioactive gaseous iodine byproduct was released during nuclear fuel reprocessing.⁵ While, in the iodine uptake experiment, the color of the crystalline sample underwent a drastic change, the shape of crystals was retained, as shown in Fig. 2. The crystallinity of the material has been lost upon iodine adsorption, as demonstrated by PXRD (Fig. S3 in the ESI†). This is, however, evidence confirming that dynamic movement may occur in the






Fig. 2 Colour change in the samples of complex **1** upon iodine exposure into $I_2@1$ solid material: (a) at 5 seconds; (b) at 2 minutes; (c) at one and a half hour; and (d) amplification of the picture (c).

crystal lattice, *i.e.* expansion of $I^- \cdots I^-$ units to allow iodine accommodation.

Raman spectroscopy

Raman spectroscopy has been used as a useful diagnostic technique in investigating the nature of polyiodides. It could give information about the valence state of the iodine molecule present in polyiodide containing materials. It offers evidence on how iodine molecules are bonded with iodides. In the Raman shift region of $500\text{--}100\text{ cm}^{-1}$, the spectrum of $I_2@1$ (Fig. 3) shows a prominent band peaked at 164 cm^{-1} , which can be assigned to the ν_{I-I} symmetric stretch of the iodine molecules that are perturbed by iodide anions on each end *via* halogen bonding interactions. This proves that the majority of iodine molecules adsorbed into complex **1** are present as iodine molecules and are halogen-bonded by iodide anions, forming a polyiodide structure of $[I^- \cdots I_2 \cdots I^-]_n$. As it is reported that solid iodine has a Raman-active ν_{I-I} mode at 180 cm^{-1} , when I_2 becomes coordinated to an electron donor, the electron density is donated into the σ^* anti-bonding orbital of iodine and the force constant is reduced, resulting in the movement of the ν_{I-I} mode to lower wavenumbers.¹⁷ Beside this major peak, the minor bands at 112 cm^{-1} could be assigned to the ν_1 symmetrical stretching modes of discrete, linear, and asymmetric triiodide ions.¹⁸ This observation means that a small amount of iodine molecules is bonded with iodide to form triiodides I_3^- . The ν_3 antisymmetrical




Fig. 3 Raman spectrum of $I_2@1$.

stretching of these triiodides should appear around 142 cm^{-1} , which overlaps with the enormous band at 164 cm^{-1} .¹⁸ The asymmetric shape of the major bands in the spectrum corresponds well to the possible forms of interactions that determine both the successful adsorption of I_2 in complex **1** and the nature of chemisorption in this process.

Electrical conductivity

The powdered sample of $I_2@1$ was compressed to a pellet with 0.6 mm thickness and 2.5 mm diameter under a presser of 10 MPa . Two sides of the pellet were connected to gold wires (0.04 mm in diameter) by means of gold paste. Electrical resistances of the sample pellet were recorded at room temperature. The electrical conductivity of the sample was deduced from the electrical resistances. The electrical conductivity value (σ) of $7.46 \times 10^{-7}\text{ S cm}^{-1}$ for $I_2@1$ (roughly 10 times the generally accepted value of $7.69 \times 10^{-8}\text{ S cm}^{-1}$ for solid iodine) was obtained.

The solid material indeed $I_2@1$ shows enhanced electrical conductivity which demonstrates the initial hypothesis of favorable electron transportation by I_2 insertion. The enhanced conductivity of $I_2@1$ is amazingly higher than most of the I_2 doped materials except the one documented for a polyiodide containing MOF material, though it is not available for all cases observed by the Zeng group,¹⁹ which is somehow beyond comparison for measurement with a single crystal (in their case) compared to that with a bulk phase material (in our study). On the other hand, rational explanations for the conductivity of $I_2@1$ could be the unfavorable charge transportation within the material, which does not, in certain circumstances, follow an electron hopping mechanism over an ion transport mechanism as expected,^{20,21} *i.e.* a Grotthuss-like charge transfer mechanism of $I^- + I_2 \rightarrow [I \cdots I-I]^- \leftrightarrow [I-I \cdots I]^- \rightarrow I_2 + I^-$ or $I_3^- + I_2 \rightarrow [I-I-I \cdots I-I]^- \leftrightarrow [I-I \cdots I-I-I]^- \rightarrow I_2 + I_3^-$ for electron conductivity. In this mechanism, charge transfer requires a high (tri)iodide/iodine packing density in a linear arrangement to guarantee an electronic interaction between iodide, triiodide and iodine without long diffusion lengths;^{9,22,23} moreover, the unsatisfied crystallinity of $I_2@1$ or the presence of multiple polyiodide units formed in the material *i.e.* $[I^- \cdots I_2 \cdots I^-]_n$ and $[I^- \cdots I_2]_n$ is another possible reason for unfavorable charge transportation and for holding back the further enhancement of electrical conductivity. Therefore, the charge transport in the material disfavors an ideal electron hopping mechanism as expected to achieve considerably high conductivity. With these in mind, we sought to seek for more stable porous materials containing a discrete iodide matrix for enhanced iodine adsorption and electrical conductivity.

Conclusions

A crystalline porous coordination polymer (complex **1**) containing discrete iodide ions has been prepared by using cucurbit [6]uril and sodium iodide. The iodine uptake using complex **1**



as an absorbent demonstrates that discrete iodide ions in the solid complex are ideal binding sites for iodine molecules, leading to the formation of the polyiodide containing material $I_2@1$. Possible binding modes have been rationalized using Raman spectroscopy. Furthermore, the $I_2@1$ material exhibits enhanced electrical conductivity upon I_2 adsorption. This strategy could generate general research interest in the preparation of polyiodide containing solid materials for applications in nuclear waste management and electrical conductivity.

Acknowledgements

We are grateful for financial support from the 973 Program (Grants 2012CB821705 and 2014CB845605), the NSFC (Grants 21401109, 21450110413, and 21571177), the Strategic Priority Research Program of the Chinese Academy of Sciences (Grant XDA09030), and the State Key Laboratory of Structural Chemistry (Grant 20150023).

References

- 1 M.-H. Zeng, Q.-X. Wang, Y.-X. Tan, S. Hu, H.-X. Zhao, L.-S. Long and M. Kurmoo, *J. Am. Chem. Soc.*, 2010, **132**, 2561–2563.
- 2 L.-L. Lv, J. Yang, H.-M. Zhang, Y.-Y. Liu and J.-F. Ma, *Inorg. Chem.*, 2015, **54**, 1744–1755.
- 3 Y. Rachuri, K. K. Bisht and E. Suresh, *Cryst. Growth Des.*, 2014, **14**, 3300–3308.
- 4 S. Parshamoni, S. Sanda, H. S. Jena and S. Konar, *Chem. – Asian J.*, 2015, **10**, 653–660.
- 5 K. W. Chapman, P. J. Chupas and T. M. Nenoff, *J. Am. Chem. Soc.*, 2010, **132**, 8897–8899.
- 6 C. Falaise, C. Volkringer, J. Facqueur, T. Bousquet, L. Gasnot and T. Loiseau, *Chem. Commun.*, 2013, **49**, 10320–10322.
- 7 Z. M. Wang, Y. J. Zhang, T. Liu, M. Kurmoo and S. Gao, *Adv. Funct. Mater.*, 2007, **17**, 1523.
- 8 P. H. Svensson and L. Kloo, *Chem. Rev.*, 2003, **103**, 1649–1684.
- 9 A. Abate, M. Brischetto, G. Cavallo, M. Lahtinen, P. Metrangolo, T. Pilati, S. Radice, G. Resnati, K. Rissanene and G. Terraneo, *Chem. Commun.*, 2010, **46**, 2724–2726.
- 10 J. W. Lee, S. Samal, N. Selvapalam, H.-J. Kim and K. Kim, *Acc. Chem. Res.*, 2003, **36**, 621–630.
- 11 J. Kim, I.-S. Jung, S.-Y. Kim, E. Lee, J. K. Kang, S. Sakamoto, K. Yamaguchi and K. Kim, *J. Am. Chem. Soc.*, 2000, **122**, 540–541.
- 12 W.-J. Chen, D.-H. Yu, X. Xiao, Y.-Q. Zhang, Q.-J. Zhu, S.-F. Xue, Z. Tao and G. Wei, *Inorg. Chem.*, 2011, **50**, 6956–6964.
- 13 J. Lü, J.-X. Lin, M.-N. Cao and R. Cao, *Coord. Chem. Rev.*, 2013, **257**, 1334–1356.
- 14 X.-L. Ni, X. Xiao, H. Cong, Q.-J. Zhu, S.-F. Xue and Z. Tao, *Acc. Chem. Res.*, 2014, **47**, 1386–1395.
- 15 D. Bardelang, K. A. Udachin, D. M. Leek, J. C. Margeson, G. Chan, C. I. Ratcliffe and J. A. Ripmeester, *Cryst. Growth Des.*, 2011, **11**, 5598–5614.
- 16 G. M. Sheldrick, SHELXS97, *Acta Crystallogr., Sect. A: Fundam. Crystallogr.*, 2008, **64**, 112–122.
- 17 A. Congeduti, M. Nardone and P. Postorino, *Chem. Phys.*, 2000, **256**, 117–123.
- 18 J. Lin, J. Martí-Rujas, P. Metrangolo, T. Pilati, S. Radice, G. Resnati and G. Terraneo, *Cryst. Growth Des.*, 2012, **12**, 5757–5762.
- 19 Z. Yin, Q.-X. Wang and M.-H. Zeng, *J. Am. Chem. Soc.*, 2012, **134**, 4857–4863.
- 20 S. Cukierman, *Biochim. Biophys. Acta*, 2006, **1757**, 876–885.
- 21 R. Kawano and M. Watanabe, *Chem. Commun.*, 2005, **16**, 2107–2109.
- 22 L. A. Bengtsson, H. Stegemann, B. Holmberg and H. Füllbier, *Mol. Phys.*, 1991, **73**, 283–296.
- 23 H. Stegemann, A. Rohde, A. Rekhe, A. Schnittke and H. Füllbier, *Electrochim. Acta*, 1992, **37**, 379–383.

