



Cite this: DOI: 10.1039/d4mh00315b

# Surface functionalized cryogels – characterization methods, recent progress in preparation and application

Florian Behrendt, \*<sup>abc</sup> Michael Gottschaldt <sup>ab</sup> and Ulrich S. Schubert <sup>abcd</sup>

Cryogels are polymeric materials with a sponge-like microstructure and have attracted significant attention in recent decades. Research has focused on their composition, fabrication techniques, characterization methods as well as potential or existing fields of applications. The use of functional precursors or functionalizing ligands enables the preparation of cryogels with desired properties such as biocompatibility or responsivity. They can also exhibit adsorptive properties or can be used for catalytic purposes. Although a very brief overview about several functional (macro-)monomers and functionalizing ligands has been provided by previous reviewers for certain cryogel applications, so far there has been no particular focus on the evaluation of the functionalization success and the characterization methods used. This review will provide a comprehensive overview of different characterization methods most recently used for the evaluation of cryogel functionalization. Furthermore, new functional (macro-)monomers and subsequent cryogel functionalization strategies are discussed, based on synthetic polymers, biopolymers and a combination of both. This review highlights the importance of the functionalization aspect in cryogel research in order to produce materials with tailored properties for certain applications.

Received 21st March 2024,  
Accepted 27th June 2024

DOI: 10.1039/d4mh00315b

rsc.li/materials-horizons

## Wider impact

In this review, an overview of recent developments in the preparation of functionalized cryogels based on synthetic polymers, biopolymers and combination thereof as well as analytical methods used for their quantitative or qualitative characterization is given. Cryogels are sponge-like materials prepared by cryogelation possessing interesting features. Most importantly their interconnected pore structure distinguishes them from other porous materials. In addition, the functionalization of cryogels enables their use in a wide variety of different fields of application, *e.g.* the adsorption of certain molecules, catalysis, 3D cultivations or tissue engineering. Quantification of the successful cryogel functionalization is essential to ensure quality levels in cryogel research and enables comparability and reproducibility. It is necessary to optimize the functionalization based on different strategies in order to improve *e.g.* drug-delivery capabilities, stimuli-responsivity or for providing new tissue-like environments. This review will help researchers select suitable modification strategies for desired functionalities and provides an overview about recently applied analytical methods suitable for the evaluation of the successful cryogel functionalization. As future cryogel research will presumably be more directed towards multifunctional cryogels and the exploration of new fields of applications, the appropriate proof and quantification of the functionalization is inevitable for further improvements in this regard.

## 1. Introduction

Cryogel research has gained significant interest due to the remarkable properties of these materials, which are easy to fabricate. In contrast to other porous polymer materials, cryogels

contain an interconnected network of macropores enabling for example the supply of nutrients or the transport of substances through these materials.<sup>1,2</sup> Various studies have been conducted to investigate the influence of several synthesis parameters such as the temperature, freezing rate, monomer and cross-linker concentration as well as additives and solvents.<sup>3</sup> Among a variety of different preparation techniques, cryopolymerization of precursors derived from synthetic polymers such as poly(acrylamide)<sup>4</sup> or polyvinylalcohol,<sup>5</sup> or natural biopolymers like gelatin or collagen<sup>6</sup> at sub-zero temperatures has proven to be a suitable method.<sup>7</sup> Freezing of the precursor solution leads to the formation of solvent crystals acting as pore templates within an unfrozen surrounding microphase in which the polymerization of the precursor

<sup>a</sup> Laboratory of Organic Chemistry and Macromolecular Chemistry (IOMC), Friedrich Schiller University Jena, Humboldtstraße 10, 07743 Jena, Germany. E-mail: ulrich.schubert@uni-jena.de

<sup>b</sup> Jena Center for Soft Matter (JCSM), Friedrich Schiller University Jena, Philosophenweg 7, 07743 Jena, Germany

<sup>c</sup> Cluster of Excellence Balance of the Microverse, Friedrich Schiller University Jena, Jena, Germany

<sup>d</sup> Abbe Center of Photonics (ACP), Albert-Einstein-Straße 6, 07743 Jena, Germany



molecules takes place. Subsequent thawing and washing results in highly porous materials that can be freeze-dried afterwards. Based on the interconnected network of macropores, mechanically stable and highly permeable materials are obtained, which are applied in tissue engineering,<sup>8–12</sup> heavy metal adsorption,<sup>13</sup> treatment of wastewater,<sup>14,15</sup> drug delivery,<sup>9,16</sup> chromatographic separation,<sup>17–23</sup> biomedical applications,<sup>24–28</sup> bioreactor scaffolds<sup>29,30</sup> or for the 3D cultivation or immobilization of cells or bacteria.<sup>31–34</sup> In particular, in recent years, molecular imprinted cryogels for adsorption purposes<sup>35–37</sup> and injectable cryogels for biomedical applications<sup>38,39</sup> have emerged. So far, reviews mainly focused on the different cryogel fabrication methods, the effect of certain parameters on the gel properties and applications.

Cryogel characterization typically comprises the examination of the pore structure using mercury intrusion porosimetry, micro-computed tomography or microscopy techniques such as scanning electron microscopy, environmental scanning electron microscopy or confocal laser scanning microscopy.<sup>13,17,25,26,40,41</sup> A very detailed review from Martinez-Garcia *et al.* provides an overview of the aforementioned characterization techniques to evaluate the microarchitecture of cryogels for cellular applications.<sup>42</sup> Mechanical properties are determined by the use of dynamic shear and compressive measurements, atomic force microscopy, nano-indentation, rheological measurements or micromagnetic resonance elastography.<sup>13,17,25,26</sup>

The preparation of functionalized cryogels can be achieved by the use of specific comonomers, *via* subsequent cryogel surface modification, by the use of functionalized particles or filler materials for the preparation of composite cryogels,<sup>40,41,43–45</sup> or by repeated cryogelation leading to the formation of interpenetrating networks with multiple cross-linking.<sup>40,41</sup> Surface modification include grafting of polymer chains,<sup>41</sup> functionalization with growth factors,<sup>9,26</sup> or cell-adhesive peptides such as RGD for improved cellular response.<sup>9</sup>

One of the few examples in which the functionalization of cryogels is highlighted explicitly with respect to the capture of target molecules, is represented by the review from Bakhshpour *et al.* Therein, functional cryogels created from functional monomers or by cryogel surface modification with specific binding ligands are reviewed for the use in protein separation and the removal of metal ions, highlighting the adsorptive target, the kind of functional monomer or functional ligand and the adsorption capacity.<sup>24</sup> Nevertheless, there is a lack of the evaluation of the successful functionalization or the quantification of the cryogel functionalization.

In previous reviews, only Fourier-transform infrared spectroscopy (FTIR) has been mentioned for the evaluation of cryogel functionalization which is not a quantitative method.<sup>7,17</sup> In the review of Damania *et al.* the use of X-ray photoelectron spectroscopy and elemental analysis for the quantitative evaluation of the elemental composition was described very briefly but there was no discussion of further characterization methods for the analysis of the functionalization of cryogels.<sup>7</sup>

Very recently, Danielsen *et al.* published a comprehensive review about the molecular characterization of polymer networks.<sup>46</sup> Different analytical techniques are described in detail for the

characterization of the cryogel precursors, the gelation process, the network structure, and its mechanics and dynamics. Techniques for the analysis of the network structure target the swelling, morphology, structure and topology, as well as the permeability. For the evaluation of the chemical structure, a very brief overview is given about the use of solid-state NMR (ssNMR) spectroscopy which enables both qualitative and quantitative analysis. However, an extensive description about how exactly the functionalization of cryogels was characterized and successfully proven is still missing and has never been reported so far to the best of our knowledge.

In this review, we will discuss the preparation of functional cryogels from functional monomers or by the subsequent modification of cryogels with functional ligands (Fig. 1). Herein, we will distinguish between recently emerging functional monomers and different functionalization approaches of cryogels, based on synthetic polymers and biopolymers as well as their combination. A special focus is on the evaluation of the successful cryogel functionalization. Thus, a short overview is first given about different analytical methods recently used for the direct and indirect analysis of cryogel functionalization, the quantification of adsorbed species, and methods for the evaluation of bacterial and cell cultures.

## 2. Characterization and quantification of cryogel functionalization – analytics

A variety of different analytical methods exist for the evaluation and quantification of the degree of functionalization of cryogels depending on the functional ligand. In the following section, the main analytical methods will be discussed which are either used for the direct analysis of the cryogel functionalization (Section 2.1), the indirect determination of the cryogel functionalization (Section 2.2) or the quantification of adsorbed species (Section 2.3). Additionally, methods for the evaluation of bacterial and cell culture are summarized (Section 2.4).

### 2.1 Direct analysis of cryogel functionalization

As cryogels represent a class of insoluble polymeric networks, the direct evaluation of their functionalization requires specific analytical methods. Therefore, ssNMR typically applied in order to gain information about the cryogel composition on a qualitative basis.<sup>47,48</sup> In comparison with the respective liquid NMR spectra of the monomers, band assignment is simplified. The presence of characteristic bands of the monomers in the cryogel spectra together with an absence of double bond carbon atoms indicates the successful incorporation of the functional monomer into the cryogel network.

The elemental and molecular composition of cryogels can be analyzed by energy-dispersive X-ray spectroscopy (EDX). This technique is commonly applied in material science for surface characterizations and enables both a qualitative and quantitative analysis of the cryogel functionalization among other methods, such as wavelength-dispersive X-ray spectroscopy (WDX) and X-ray photoelectron spectroscopy (XPS). The presence of sulfur






Fig. 1 Schematic representation of the functionalization of cryogels by the use of functional monomers (A) or by the subsequent modification of cryogels with functional ligands (B) for the adsorption of target molecules such as proteins or heavy metal ions.

atoms or metal atoms serves as a proof for the functionalization with biomolecules like enzymes or proteins containing metals in their sub-units.<sup>49–51</sup> Furthermore, a quantification of the functionalization is also possible. For instance, the amount of immobilized *N*-acetyl cysteine onto poly(AAm-MMA) cryogels was calculated based on the sulfur stoichiometry.<sup>52</sup> The amount of covalently attached ferrocene was quantified based on the iron content.<sup>53</sup>

Alternatively, inductively coupled plasma (ICP) enables the direct determination of the amount of metal ions within cryogels upon an acidic digestion of the gel.<sup>53</sup> Dried, iron containing cryogel pieces are treated with a mixture of 96% H<sub>2</sub>SO<sub>4</sub>/65% HNO<sub>3</sub> followed by microwave irradiation. Afterwards the solutions are subjected to inductively coupled plasma-optical emission spectroscopy (ICP-OES) analysis.

Another method for the determination of the composition is represented by elemental analysis. This method allows a qualitative evaluation of the cryogel functionalization but also the quantitative determination of heteroatomic functional ligands such as vinylimidazole,<sup>54</sup> *N*-methacryloyl aspartic acid,<sup>55</sup> *para*-aminobenzoic acid,<sup>56</sup> *para*-aminopyridine,<sup>56</sup> nicotinamide,<sup>57</sup> 3-(prop-3-ynyloxy-carbonylamino)-phenyl boronic acid,<sup>58</sup> or *ortho*-phospho-*L*-tyrosine<sup>48</sup> based on the nitrogen,<sup>54–57</sup> boron,<sup>58</sup> or phosphorous content.<sup>48</sup>

For the qualitative evaluation of cryogel functionalization, common spectroscopic characterization methods can also be

applied such as FTIR, Raman spectroscopy or fluorescence spectroscopy. FTIR and Raman allow to detect functional groups and, thus provide information about the presence of functional monomers or ligands within the cryogels. Usually, cryogel FTIR or Raman spectra are compared with the spectra of the corresponding monomers or functionalizing ligands for peak assignment. An absence of the vinyl signals in FTIR ( $\text{C}=\text{C}$  stretching vibration at 1630 to 1660  $\text{cm}^{-1}$ ,  $\text{=CH}_2$  at 2952  $\text{cm}^{-1}$  and  $\text{=CH}_2$  distortion at 927  $\text{cm}^{-1}$ ) together with the presence of characteristic bands of the monomers or functionalizing ligands serves as indication of a successful cryogel functionalization. For instance, the immobilization of *L*-asparaginase onto p(HEMA-GMA) cryogels was confirmed by the presence of two new peaks in the IR spectrum at 1650  $\text{cm}^{-1}$  and 1537  $\text{cm}^{-1}$ , assigned as the vibration of the  $\text{C}=\text{O}$  groups (amide I) and a combination of the  $\text{C}-\text{N}$  stretching and  $\text{N}-\text{H}$  vibration in the protein backbone (amide II) respectively which are characteristic for enzymes or proteins.<sup>49</sup> For the functionalization of epoxide containing cryogels, an absence of the epoxide band (900 to 910  $\text{cm}^{-1}$ ) often serves as an additional proof of the successful ligand attachment on the cryogels.

Fluorescence spectroscopy can be used for the qualitative evaluation of cryogel functionalization with adamantly modified peptides which were attached to acryloyl-cyclodextrin based cryogels.<sup>59</sup> Adamantane and cyclodextrin form a fluorescent complex *via* host-guest interactions. Thus, an increasing





Alternatively, a gravimetric method can also be considered to determine the amount of attached ligand. For instance, for the determination of immobilized tris(hydroxymethyl)amino-methane (Tris), the cryogels were dry weighed before and after the functionalization with Tris.<sup>81</sup> The mass difference of the cryogel before and after the functionalization corresponds to the amount of Tris attached to the cryogels for which a mass increase of  $5.32 \pm 0.23\%$  after the functionalization was measured.

The subsequent cryogel modification with functional ligands is most commonly realized by the covalent attachment onto cryogel surfaces bearing epoxide moieties. The determination of the epoxide ligand density on cryogels can be determined using a titrimetric method (Fig. 5).<sup>82</sup> Treatment of epoxide containing cryogels with an aqueous thiosulfate solution leads to a nucleophilic ring-opening and the production of hydroxide ions in a stoichiometric fashion. The concentration of  $\text{OH}^-$  ions can be quantified by acid–base titration and directly correlates with the amount of epoxide groups on the cryogels.

The pyridine–HCl method represents an alternative method for the determination of the epoxide group density on cryogels which is based on the same titrimetric principle (Fig. 6).<sup>66</sup>

The authors claim that treatment with an excess of HCl/pyridine leads to the stoichiometric reaction of the epoxide groups with hydrochloric acid.<sup>84</sup> The remaining HCl is then titrated with NaOH solution. The difference between the initial and final amount of HCl is equal to the amount of epoxide groups present on the cryogel.

Most of the aforementioned reported methods rely on the indirect quantification of the cryogel functionalization by the determination of the ligand concentration before and after the functionalization and are, therefore, considered non-destructive with respect to the final cryogels. These include spectrophotometry or fluorescence spectroscopy. Gravimetry enables the determination of the amount of ligand functionalization based on the weight difference of the dried cryogels before and after the functionalization. The Kjeldahl method represents a titrimetric method by which nitrogen containing ligands in solution are quantified upon acidic decomposition, alkalization and titration of the formed ammonia. As lots of

functionalization approaches are directed towards the modification of cryogel epoxy groups with functional ligands, it can be beneficial to determine the amount of epoxide groups on the cryogels. By the covalent attachment of either thiosulfate or chloride ions due to a nucleophilic ring-opening of the epoxide, stoichiometrically formed hydroxide ions can be titrated and are considered equal to the amount of epoxide groups. Due to the resulting change in the chemical structure, further use of these particular samples can be limited.

### 2.3 Methods for the quantification of adsorbed species

As already mentioned before, spectrophotometry also plays an important role in cryogel research for the indirect quantification of the adsorption or release of antibodies,<sup>54</sup> (co)enzymes,<sup>50,55,77,82,85,86</sup> heavy metal ions,<sup>87–89</sup> dyes,<sup>66,90–93</sup> hormones,<sup>56,94</sup> drugs,<sup>95,96</sup> bacteria,<sup>58,97</sup> proteins,<sup>98</sup> or phenolic compounds.<sup>51</sup> The adsorption capacity ( $A$ ) is calculated based on the difference between the initial and final concentration of the adsorbent as follows:

$$A = \frac{(c_{\text{initial}} - c_{\text{final}})}{m_{\text{cryogel}}} \times V$$

In case of the metal ion detection in solution, xylenol orange or iminodiacetic acid are commonly used as color developing agents or coordination agents.<sup>87,88</sup> The corresponding metal complex with either xylenol orange or iminodiacetic acid is quantified at 572 to 575 nm or 730 nm, respectively. In a few cases, the Bradford method can be applied for the quantification of adsorbed proteins,<sup>64,78,99–101</sup> enzymes,<sup>79,99,102</sup> and antibodies.<sup>48,69–71,73</sup>

To quantify the adsorption of heavy metal ions onto cryogels in an indirect manner, ICP-OES,<sup>55,56,103</sup> inductive coupled plasma-mass spectrometry (ICP-MS),<sup>57,104</sup> inductively coupled plasma-atomic emission spectroscopy (ICP-AES),<sup>105</sup> atomic absorption spectroscopy (AAS)<sup>106</sup> or stripping voltammetry<sup>52</sup> are commonly applied which represent already well-known techniques for the quantification of metal ions in solution. The amount of adsorbed metal ions such as  $\text{Pb}^{2+}$ ,<sup>52,103,105</sup>  $\text{Cu}^{2+}$ ,<sup>55,56</sup>  $\text{Ag}^+$ ,<sup>56</sup>  $\text{Zn}^{2+}$ ,<sup>52,56</sup>  $\text{As}^{5+}$ ,<sup>104,106</sup>  $\text{Cr}^{6+}$ ,<sup>104</sup> or  $\text{Cd}^{2+}$ ,<sup>52</sup> is determined from the difference between the initial and final concentration of metal ions in the adsorbing solution.

Alternatively, EDX and XPS allow the direct analysis of adsorbed metal ions<sup>60,87–89,99,105</sup> or sulfur containing drugs<sup>96</sup> on cryogel surfaces on an either qualitative or quantitative basis.

In combination with homogenous colorimetric enzymatic assays, spectrophotometry also allows for the quantification of adsorbed LDL-cholesterol.<sup>65</sup> At first, cholesterol esters are hydrolyzed to free cholesterol and the corresponding fatty acids by cholesterol esterase enzyme (Fig. 7A). In the presence of oxygen, cholesterol oxidase enzyme first mediates the reaction of LDL-cholesterol to 4-cholestenone and hydrogen peroxide (Fig. 7B). The peroxidase enzyme can use the formed hydrogen peroxide for the reaction with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline sodium salt (DAOS) and 4-aminoantipyrine to form a colored quinonimine (Fig. 7C). The amount of quinonimine is direct proportional to the amount of LDL-cholesterol and is quantified spectrophotometrically.




Fig. 5 Schematic representation of the determination of the cryogel epoxide density using a titrimetric method. The epoxide ring-opening reaction by a nucleophilic attack of thiosulfate ions in aqueous solution leads to an equimolar formation of hydroxide ions which can be quantified by acid–base titration.<sup>83</sup>




Fig. 6 Schematic representation of the determination of the cryogel epoxide density using the pyridine–HCl method. HCl reacts with the epoxide groups in a stoichiometric fashion and the remaining HCl is titrated with NaOH.






Fig. 7 Schematic representation of the determination of LDL-cholesterol by a homogenous colorimetric enzymatic assay.<sup>107</sup> Cholesterol esters are hydrolyzed into free cholesterol and fatty acids by cholesterol esterase enzyme (A). Free cholesterol reacts with oxygen to 4-cholesten-3-one and hydrogen peroxide catalyzed by cholesterol oxidase (B). The formed hydrogen peroxide creates a colored pigment upon reaction with 4-aminoantipyrine and *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline sodium salt (DAOS) which is quantified by spectrophotometry (C).

Additionally, HPLC allows to monitor the adsorption and release of lysozyme or to determine the amount of adsorbed cholesterol on cryogels indirectly by calculating the initial and final concentration in solution.<sup>81,108</sup>

Gravimetric analysis allows the evaluation of the sorption of oils and organic solvents into hydrophobic cryogels.<sup>62</sup> Herein, the adsorption capacity is calculated from the cryogel mass after adsorption divided by the initial mass in the dried state before and after the adsorption.

Spectroscopic methods such as FTIR and fluorescence spectroscopy allow both qualitative and quantitative investigations of the adsorption or release of substances from cryogels. FTIR spectroscopy can indicate the coordination of metal ions with binding ligands on cryogel surfaces by the shift of signals to lower frequencies and the decrease of the signal intensities.<sup>55,56,70,71,99,100,105</sup> On the other hand, fluorescence spectroscopy enables the quantification of loading and release of fluorescent dyes from cryogels in an indirect manner.<sup>109</sup> The loading and distribution of dyes within cryogels can be observed by confocal laser scanning microscopy on a qualitative basis.<sup>109</sup>

The ELISA assay allows for the indirect quantification of the loading of signaling proteins, which is equal to the difference between the initial and final protein concentration in solution.<sup>110</sup> Antibodies are used to label the proteins. Attached proteins are labeled by, for example, the subsequent attachment of streptavidin-conjugated horseradish peroxidase. The amounts of antibodies and thus, proteins in solution are determined using spectrophotometry by a colorimetric reaction catalyzed by horseradish-peroxidase. Herein, tetramethylbenzidine is transformed into 3,3',5,5'-tetramethyl-[1,1'-bi(cyclohexylidene)]-2,2',5,5'-tetraene-4,4'-diimine (Fig. 8).




Fig. 8 Schematic representation of the peroxidase catalyzed reaction of tetramethylbenzidine to 3,3',5,5'-tetramethyl-[1,1'-bi(cyclohexylidene)]-2,2',5,5'-tetraene-4,4'-diimine.



Flow cytometry enables the quantification of virus elution from cryogels. Monolayers of HEK cells are treated with virus elution supernatants followed by measuring the percentage of green fluorescent protein (GFP) expression after 72 hours.<sup>111</sup>

By the use of confocal laser scanning microscopy, the adsorption of proteins bearing fluorescence labels such as a fluorescein isothiocyanate or tetramethylrhodamine isothiocyanate can be qualitatively assessed.<sup>112</sup> Lastly, the amount of adsorbed Cu(II) ions can be qualitatively evaluated by PEI probing which is described as the formation of a blue Cu-PEI complex.<sup>60</sup>

In summary, the quantification of adsorbed species is most commonly realized by the use of indirect, non-destructive analytical methods such as spectrophotometry, ICP, AAS, stripping voltammetry, HPLC, gravimetry, fluorescence spectroscopy or ELISA assays. The quantification is based on the difference of either the ligand concentration or the masses of dried cryogels before and after the functionalization. Alternatively, EDX, XPS, FTIR, CLSM or PEI probing represent methods for the direct, non-destructive evaluation of cryogel functionalization in a quantitative or qualitative manner, respectively.

#### 2.4 Methods for the evaluation of bacterial and cell culture

Aforementioned we described different analytical characterization techniques necessary to confirm the successful cryogel characterization (Sections 2.1 and 2.2). Additionally, analytical methods were highlighted in order to proof the further applicability based on the functionalization (Section 2.3). Furthermore, it is also important to demonstrate the successful functionalization based on the biological properties which is described in this section.

For the quantification of the cellular proliferation and the viability, a variety of colorimetric assays exist such as the AlamarBlue assay,<sup>63,113–120</sup> the PrestoBlue assay,<sup>121,122</sup> the MTT assay,<sup>72,95,123–126</sup> the MTS assay,<sup>59,60,127–129</sup> or the WST-8 assay.<sup>61,74</sup> All of these assays enable the evaluation of the cell proliferation and viability by measuring the metabolic activity using different chemical transformations. Herein, a substrate is subjected to the cells leading to the formation of a colored product which is detected and quantified by fluorescence spectroscopy. In case of the AlamarBlue assay<sup>63,113–117</sup> and the PrestoBlue assay,<sup>121,122</sup> the substrate resazurin is reduced to resorufin (Fig. 9).

The MTT assay, MTS assay and WST-8 assay rely on the reduction of various tetrazolium dyes such as 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT), (3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfophenyl)-2H-tetrazolium) (MTS) or (2-(2-methoxy-4-nitrophenyl)-3-(4-nitrophenyl)-5-(2,4-disulfophenyl)-2H-tetrazolium) (WST-8) to the corresponding formazan (Fig. 10).

For the qualitative assessment of bacterial and cellular immobilization on cryogels, a variety of different microscopy




Fig. 9 Schematic representation of the underlying reaction of the AlamarBlue/PrestoBlue assay. Resazurin is reduced by viable cells to resorufin.



| Assay | R <sub>1</sub> | R <sub>2</sub> | R <sub>3</sub> | X <sup>+/-</sup> |
|-------|----------------|----------------|----------------|------------------|
| MTT   |                |                |                | Br <sup>-</sup>  |
| MTS   |                |                |                |                  |
| WST-8 |                |                |                | Na <sup>+</sup>  |

Fig. 10 Schematic representation of the underlying chemical reactions of the colorimetric assays which utilize the reduction of tetrazolium dyes such as 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT), (3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfophenyl)-2H-tetrazolium) (MTS) or (2-(2-methoxy-4-nitrophenyl)-3-(4-nitrophenyl)-5-(2,4-disulfophenyl)-2H-tetrazolium) (WST-8) to the corresponding formazan.

methods can be applied. This enables the observation of bacterial or cellular morphologies and their distribution among the sample. Most commonly, confocal laser scanning microscopy<sup>47,59–61,63,95,111,113–115,117,121,123,127,130–132</sup> or fluorescence microscopy<sup>63,74</sup> are applied which require the staining of bacteria or cells and the gel matrix with fluorescent dyes prior to the actual investigation. In the following Table 1 the most commonly used dyes for staining cellular cytoplasm or nuclei are summarized. Labeling of the gel matrix can be achieved by the use of polymerizable fluorescent monomers such as rhodamine acrylate,<sup>47,63</sup> or rhodamine-NHS modified methacrylated hyaluronic acid,<sup>115</sup> the functionalization of cryogels prior to the culture with peptides bearing fluorescence labels such as dansyl or pyrene<sup>59,60</sup> or rhodamine NHS,<sup>114</sup> or the labeling of the gel surface after the culture with red fluorescent polystyrene microspheres (Fluospheres<sup>TM</sup>).<sup>130,132</sup>

Bright-field microscopy or optical microscopy can be applied by the use of cresyl violet staining<sup>59,60,127</sup> or methylene blue staining,<sup>67</sup> respectively. In contrast, scanning electron microscopy allows for the visualization of bacterial and cellular morphologies within the cryogel matrix without the need of a fluorescence label.<sup>47,61,111,131</sup>


### 3. Functional cryogels based on synthetic polymers

In recent years, there has been an increase in the use of synthetic polymers for the preparation of functional cryogels. In comparison with biopolymers, synthetic polymers exhibit favorable features such as their low cost and availability, as well as the possibility to tailor precisely their chemical structure.



**Table 1** Overview about different dyes applied for the morphological observation of bacteria and cells *via* confocal laser scanning microscopy

| Cell type   | Cytoplasm staining                       | Nuclei staining | Gel fluorescence                                      | Ref. |
|---|--|-----------------|---|------|
| Mameliella CS4, Marinobacter CS1  | Individual staining with NIR680 and DAPI |                 | Rhodamine acrylate as comonomer                       | 47   |
| PC-12 rat pheochromacytoma cells, NIH 3T3 mouse embryonic fibroblasts               | Celltracker Green CMFDA                  | DAPI            | Peptide containing gel with dansyl labeling           | 59   |
| Human skin fibroblasts, human umbilical vein endothelial cells                      | Phalloidin CruzFluor™ 647                | DAPI            | Peptide containing gel with dansyl or pyrene labeling | 60   |
| L929 fibroblasts  | Celltracker Deepred                      | DAPI            | Rhodamine acrylate as comonomer                       | 63   |
| Human tonsil-derived mesenchymal stem cells, human umbilical vein endothelial cells | AlexaFluor488 phalloidin                 | DAPI            | —   | 113  |
| Murine breast cancer cells (NIH/4T1, CRL-2539)                                      | AlexaFluor488 phalloidin                 | DAPI            | Rhodamine -NHS prior to cell culture                  | 114  |
| Primary chondrocytes  | AlexaFluor488 phalloidin                 | DAPI            | Rhodamine-NHS coupling to amine-HA-MA monomer         | 115  |
| Porcine chondrocytes  | AlexaFluor488 rhodamine phalloidin       | DAPI            | —   | 121  |
| Human dermal fibroblasts  | AlexaFluor660 phalloidin                 | DAPI            | —   | 111  |
| Breast cancer cells (MCF-7)   | Phalloidin                               | DAPI            | —   | 131  |
| Murine B16F10-OVA cells   | Phalloidin                               | DAPI            | —   | 123  |
| Peripheral blood mononuclear cells  | Calcein-AM                               |                 | Fluospheres™ gel surface labeling after culture       | 132  |
| PC-12 rat pheochromacytoma cells, SH-SY5Y human neuroblastoma cells                 | DAPI                                     |                 | Autofluorescence                                      | 127  |
| 3T3 mouse embryonic fibroblasts cells   | AlexaFluor488-phalloidin                 | DAPI            | —   | 133  |
| Human aortic endothelial cells  | AlexaFluor647-phalloidin                 | DAPI            | —   | 120  |

**Fig. 11** Schematic representation of the preparation of functionalized cryogels based on synthetic polymers using either free radical cross-linking polymerization of functional monomers (A) or *via* modification with small molecules, biomolecules and biopolymers (B).

This allows to obtain materials with well-defined properties. In the following section, the preparation of functionalized cryogels based on synthetic polymers and the proof of their functionalization will be discussed. Herein, recently emerging functional monomers for the preparation of cryogels by free radical cross-linking polymerization will be examined (Fig. 11A). Additionally, the subsequent modification of synthetic polymer based cryogels with functional small molecules, biomolecules and biopolymers (Fig. 11B) is also described.

### 3.1 Functional monomers

Within the last decade, a variety of functional monomers emerged as summarized in Table 2. This includes vinyl

aromatic monomers such as vinylimidazole (VIm),<sup>54,85,87,88</sup> 4-vinylpyridine (VP),<sup>90,128</sup> 4-vinylphenylboronic acid (VPBA),<sup>94</sup> and *m*-acrylamidophenylboronic acid (AAPBA)<sup>134</sup> as well as (4-vinyl-benzyl)-*N*-methyl-*D*-glucamine (VBMG),<sup>104</sup> zwitter-ionic monomers such as sulfobetaine methacrylate (SBMA)<sup>91,95</sup> or acrylamidopropyltrimethyl ammonium chloride (APTMACl),<sup>106</sup> or sulfonated monomers as sulfopropyl acrylate (SPA)<sup>109</sup> and sulfopropyl methacrylate (SPMA).<sup>128</sup> Furthermore, dimethylsulfo-niopropionate-hydroxyethyl methacrylate ester (DMSP-HEMA),<sup>47</sup> 2-aminoethyl methacrylate hydrochloride (AEMA-HCl),<sup>97</sup> *N*-methacrylamido aspartic acid (Asp-MA),<sup>55</sup> lauryl acrylate,<sup>62</sup> oligo(poly(ethylene glycol)fumarate) (OPF)<sup>127</sup> or 2-(methacryloylox-yl)ethyl trimethylammonium chloride (MAETAC)<sup>127</sup> were also used





Table 2 Overview about synthetic polymer based cryogels using recently emerging functional monomers

| Composition                          | Proof of functionalization | Application   | Proof of application                        | Ref.      |
|--------------------------------------|----------------------------|---|---|-----------|
| VIm, HEMA, MBAAm                     | EA, FTIR                   | IgG adsorption<br>Laccase purification  | Spectrophotometry                           | 54<br>85  |
| VIm, MBAAm, (PEGDA)                  | FTIR                       | Adsorption of Cu <sup>2+</sup> , Ni <sup>2+</sup> , Zn <sup>2+</sup> , Co <sup>2+</sup> , Pb <sup>2+</sup> , Cd <sup>2+</sup> | Spectrophotometry                           | 87        |
| VP, MAA, DMAAm, MBAAm                |                            | Removal of methylene blue   | XPS, EDX                                    | 88        |
| p(DMAAm-MABP-VPBA)                   | n/a                        | Dopamine capture and release  | Spectrophotometry                           | 90        |
| p(AAm-AAPBA), p(AAm-AATris), MBAAm   | <sup>1</sup> H NMR         | Shape-memory cryogel  | —   | 94<br>134 |
| VBMG, HEMA, MBAAm                    | FTIR                       | Removal of As <sup>5+</sup> and Cr <sup>6+</sup>  | ICP-MS                                      | 104       |
| SBMA, TMBEMPA-Br                     |                            | Dye adsorption  | Spectrophotometry                           | 91        |
| SBMA, HEMA, EGDMA                    | n/a                        | Cancer immunotherapy  | Spectrophotometry live/dead staining (CLSM) | 95        |
| APTMA-Cl, MBAAm                      | FTIR                       | Removal of As <sup>5+</sup>   | AAS   | 106       |
| SPA, PEGDA                           | FTIR, Raman                | Controlled dye release (BODIPY, Dil)  | Fluorescence spectroscopy, CLSM             | 109       |
| SPMA, VP, MBAAm                      | FTIR                       | Tissue engineering  | MTS assay                                   | 128       |
| DMSP-HEMA, MBAAm, DMAAm, ARhoB       | ssNMR                      | Scaffold for marine bacterial culture   | SEM, CLSM                                   | 47        |
| AEMA-HCl, HEMA, MBAAm                | n/a                        | <i>E. coli</i> capture  | CFU analysis spectrophotometry              | 97        |
| Asp-MA, HEMA, EGDMA Cu <sup>2+</sup> | FTIR, EA OES               | Adsorption of vit. B12  | Spectrophotometry                           | 55        |
| Lauryl acrylate, EGDMA               | FTIR                       | Sorption of oils and organic solvents   | Gravimetric analysis                        | 62        |
| OPF, MAETAC, PEGDA                   |                            | Neural tissue engineering   | MTS assay, microscopy (bright-field, CLSM)  | 127       |

(Fig. 12). The use of these new functional monomers allowed for the preparation of cryogel materials for the adsorption of heavy metal ions,<sup>87,88,104,106</sup> proteins,<sup>54</sup> enzymes,<sup>85</sup> dyes,<sup>90,91</sup> small molecules,<sup>55,94</sup> bacterial capture<sup>47,97</sup> or biomedical applications.<sup>95,127,128</sup>

Although it appears reasonable to determine the exact amount of incorporated functional monomer, the success of the functionalization is most commonly evaluated in a solely qualitative manner by the use of FTIR, NMR or Raman (Table 2). A few examples report the use of elemental analysis for the exact determination of the amount of functional monomer.<sup>54,55,135,136</sup> For instance, the incorporation of 24.5 mg g<sup>-1</sup> VIm in p(VIm-HEMA)

cryogels allowed for the adsorption of 21 mg g<sup>-1</sup> IgG whereas plain p(HEMA) cryogels adsorbed less than 1 mg g<sup>-1</sup>.<sup>54</sup> Besides the direct determination of functional monomer content by elemental analysis, the presence of characteristic signals at 1530 cm<sup>-1</sup> (ring C–H and C=N vibration) confirmed the presence of VIm in the cryogel.<sup>87</sup> p(VIm) cryogels demonstrated selective Cu<sup>2+</sup> adsorption in comparison with other metal ions such as Ni<sup>2+</sup>, Zn<sup>2+</sup>, Co<sup>2+</sup>, Pb<sup>2+</sup> and Cd<sup>2+</sup>.<sup>87</sup> 131.8 mg g<sup>-1</sup> Cu<sup>2+</sup> ions were adsorbed as determined by spectrophotometry, which was 2–4 times more compared to the other metal ions. Only in case of Cu<sup>2+</sup>, the entire metal ion content was




Fig. 12 Schematic representation of recently emerging functional monomers used for the preparation of functional synthetic polymer based cryogels.



completely adsorbed whereas the removal efficiencies for the other metal ions revealed lower values ranging from approx. 40 to 95%.

With PEGDA as additional cross-linker besides  $N,N'$ -methylenebisacrylamide, Hou *et al.* reported the simultaneous separation of oil–water mixtures and the adsorption of  $\text{Cu}^{2+}$  at the same time by p(VIm) cryogels which might be advantageous for the treatment of toxic waste water.<sup>88</sup> The cryogel enabled the separation by preventing the oil layer from penetrating through the cryogel. The excellent removal of more than 95% of initial  $\text{Cu}^{2+}$  ions from different oil–water mixtures containing benzene, toluene, diesel oil, cyclohexane or ethyl acetate were demonstrated.

Elemental analysis was applied to determine the amount of Asp-MA as functional ligand in p(Asp-MA-HEMA) cryogels for the adsorption of vitamin B12.<sup>55</sup> The content of Asp-MA in the cryogel discs was found to be  $123.4 \mu\text{mol g}^{-1}$ . Additionally, the presence of bands at  $1073 \text{ cm}^{-1}$  (symmetrical C–N stretching) and  $1449 \text{ cm}^{-1}$  (asymmetrical C–N stretching) confirmed the successful incorporation of Asp-MA in the cryogel networks. The subsequent immobilization of  $\text{Cu}^{2+}$  was found to be  $135.2 \mu\text{mol g}^{-1}$  as determined by ICP-OES. The  $\text{Cu}^{2+}$  functionalized p(Asp-MA-HEMA) discs were able to rapidly adsorb approx.  $417 \text{ mg g}^{-1}$  of vitamin B12 within 10 min whereas plain p(Asp-MA-HEMA) only revealed a B12 adsorption of less than  $20 \text{ mg g}^{-1}$ . No loss in the adsorption capacity after four adsorption–desorption cycles was observed demonstrating the excellent reusability of these new types of cryogels. Desorption of vitamin B12 was achieved by the use of 1 M NaCl. Compared to other literature examples, this reported system exhibited a cost-effective and facile way for the adsorption of vitamin B12.

### 3.2 Functional cryogels via modification of synthetic polymer based cryogels

Besides the use of functional monomers bearing polymerizable groups, the subsequent modification of cryogels with plain, unmodified molecules of interest enables to introduce desired functionalities and/or properties. In contrary to functional monomers, they can be directly used without requiring

chemical modifications, exhibiting a wider applicability to small functional molecules, biomolecules and biopolymers.

**3.2.1 Modification with small functional molecules.** The functionalization of synthetic polymer based cryogels with small functional molecules such as tris(hydroxymethyl)aminomethane (Tris),<sup>81,82</sup> iminodiacetic acid (IDA),<sup>89,99,100</sup> *para*-amino benzoic acid (*p*AABA),<sup>56</sup> *para*-amino pyridine (*p*APy),<sup>56</sup> nicotinamide,<sup>57</sup> *para*-amino benzenesulfonamide (*p*ABSA)<sup>102</sup> or cibacron blue F3GA<sup>98</sup> is most commonly realized by the direct attachment towards reactive epoxide groups on cryogel surfaces (Table 3, Fig. 13). The subsequent incorporation of such functional molecules as aforementioned allows for the adsorption of proteins,<sup>98,101</sup> enzymes<sup>81,82,102</sup> or metal ions.<sup>57,89</sup> The immobilization of metal ions also enables the use for protein capture by immobilized metal-affinity chromatography (IMAC).<sup>56,99,100</sup>


Typically, allyl glycidyl ether (AGE) or glycidyl methacrylate (GMA) are used as functional monomers for the preparation of epoxide containing cryogels. For example, Tris was used as affinity ligand for the adsorption of lysozyme onto p(AGE-AAm) cryogels.<sup>81,82</sup> The amount of immobilized Tris was either determined based on the epoxide group density or the mass differences of freeze-dried cryogels before and after the Tris functionalization. For the determination of the epoxide group density, the cryogels were treated with aqueous thiosulfate solution for 30 min at  $30 \text{ }^\circ\text{C}$ . The nucleophilic epoxide ring-opening by the attacking thiosulfate anion resulted in the formation of a stoichiometric amount of hydroxide ions which were titrated with 0.1 M HCl for the indirect quantification of the epoxide groups. The amount of epoxide groups and thus, the amount of immobilized Tris was found to be  $25 \mu\text{mol g}^{-1}$  allowing for the adsorption of  $360 \text{ mg g}^{-1}$  lysozyme. Aside from affinity ligands such as tryptophan, phenylalanine or histidine, this has been the highest reported amount of adsorbed lysozyme.

In recent years, the incorporation of IDA as affinity ligand for the adsorption of proteins by immobilized metal-affinity chromatography (IMAC)<sup>99,100</sup> or the removal of  $\text{Cu}^{2+}$  for wastewater treatment<sup>89</sup> has never been quantified. The reaction of IDA with the cryogel epoxide groups within the last decade was

**Table 3** Modification of synthetic polymer based cryogels with small functional molecules via the direct coupling towards reactive epoxide groups on cryogel surfaces

| Composition             | Modification  | Coupling strategy | Proof of functionalization | Application                    | Proof of application                | Ref. |
|-------------------------|---|-------------------|----------------------------|--------------------------------|-------------------------------------|------|
| AGE, AAm<br>HEMA, MBAAm | Tris  | Epoxide           | Titrimetric method         | Lysozyme binding               | Spectrophotometry                   | 82   |
| AGE, AAm<br>MBAAm       |   |                   | Gravimetric analysis       |                                | HPLC                                | 81   |
| GMA, HEMA<br>MBAAm      | IDA, $\text{Cu}^{2+}$ , $\text{Ca}^{2+}$ , $\text{Fe}^{3+}$                                       |                   | FTIR, EDX                  | BSA and PPL adsorption         | Spectrophotometry (Bradford method) | 99   |
| AGE, AAm MBAAm          | IDA, $\text{Fe}^{2+}$ , $\text{Zn}^{2+}$ , $\text{Ni}^{2+}$ , $\text{Co}^{2+}$ , $\text{Cu}^{2+}$ |                   | FTIR                       | BSA adsorption                 | Spectrophotometry (Bradford method) | 100  |
| AGE, PEGDA MBAAm        | IDA   |                   | FTIR                       | $\text{Cu}(\text{II})$ removal | XPS, EDX spectrophotometry          | 89   |
| GMA, HEMA               | <i>p</i> AABA/ <i>p</i> APy, $\text{Cu}^{2+}$ , $\text{Ag}^+$ , $\text{Zn}^{2+}$                  |                   | FTIR, EA<br>ICP-OES        | Insulin adsorption             | Spectrophotometry                   | 56   |
| EGDMA                   | NAA   |                   | FTIR, EA                   | Heavy metal adsorption         | ICP-MS                              | 57   |
| AGE, AAm                | <i>p</i> ABSA   |                   | FTIR                       | Lactoperoxidase adsorption     | Spectrophotometry (Bradford method) | 102  |
| MBAAm                   | Cibacron Blue F3GA  |                   |                            | Adsorption of BSA              | Spectrophotometry                   | 98   |





**Fig. 13** Schematic representation of the direct functionalization of synthetic polymer based cryogels with amine containing small functional molecules (A) such as tris(hydroxymethyl)aminomethane (Tris), iminodiacetic acid (IDA), *para*-amino benzoic acid (pABA), *para*-amino pyridine (pAPyr), *para*-amino benzenesulfonamide (pABSA) and nicotinamide (NAA), or cibacron blue F3GA (B) via the direct coupling towards epoxides on cryogel surfaces.

typically confirmed by FTIR by the intensity decrease of the epoxide bands at 910 and 750  $\text{cm}^{-1}$  (C–O–C), the presence of a broad band at 3700 to 3200  $\text{cm}^{-1}$  (ring-opening of epoxide group) or the N–H bending vibration at 1500  $\text{cm}^{-1}$ . Among different metal ions tested by Wan *et al.* for IMAC,  $\text{Cu}^{2+}$  exhibited the highest affinity to both porcine pancreatic lipase (PPL) and bovine serum albumine (BSA), with adsorption capacities of 150.14  $\text{mg g}^{-1}$  and 154.11  $\text{mg g}^{-1}$ , respectively.<sup>99</sup> Additionally, Nascimento *et al.* demonstrated the excellent reusability of p(AGE-AAm)-IDA- $\text{Cu}^{2+}$  cryogels for BSA adsorption as the adsorption capacity was still above 50  $\text{mg g}^{-1}$  after the fifth adsorption–desorption cycle.<sup>100</sup> Desorption of BSA was realized by the use of 0.2 M imidazole buffer.

For a potential application to remove  $\text{Cu}^{2+}$  from wastewater, p(AGE) cryogels were functionalized with IDA.<sup>89</sup> With increasing amount of AGE monomer present in the cryogel, the amount of adsorbed  $\text{Cu}^{2+}$  increased as well due to the increasing amount of IDA ligand. The  $\text{Cu}^{2+}$  adsorption reached its maximum at pH 6 with an amount of 76.49  $\text{mg g}^{-1}$ . After five adsorption–desorption cycles, the adsorption capacity decreased to 57.85  $\text{mg g}^{-1}$  assigned to an incomplete desorption of  $\text{Cu}^{2+}$  by the use of 1 M HCl.

Nicotinamide was utilized as functionalization for the simultaneous adsorption of 15 different heavy metal ions.<sup>57</sup>

Elemental analysis confirmed the successful ligand attachment of approx. 1710.71  $\mu\text{mol g}^{-1}$  nicotinamide onto p(GMA-HEMA) cryogels. The presence of bands in the FTIR spectrum at 3367  $\text{cm}^{-1}$  (amide stretching) or 1617  $\text{cm}^{-1}$  and 1398  $\text{cm}^{-1}$  (aromatic C=C stretching) served as additional proof. By the incorporation of nicotinamide as coordinating ligand, a total amount of 687 mg heavy metal ions was adsorbed whereas unmodified p(GMA-HEMA) cryogels were only able to adsorb 387 mg. After five adsorption–desorption cycles in which 1 M NaCl was utilized for metal desorption no significant reduction of the adsorption capacities was observed.



Besides the direct coupling of small functional molecules by the reaction of amines with epoxide groups, a spacer or small molecule can react with the epoxides first introducing a different surface functionality (Table 4 and Fig. 14, 15). This enables the use of a wider range of different molecules and modification strategies as this technique is not only limited to amine containing functional molecules.

By the use of a diamine spacer, such as ethylenediamine, the resulting amino-group bearing cryogel can be further modified with protein-affinity ligands such as aniline using glutaraldehyde (Fig. 14A) or directly coupled to carboxylic acid containing drugs such as enrofloxacin by EDC/NHS chemistry (Fig. 14B).



**Table 4** Modification of synthetic polymer based, epoxide-containing cryogels with small functional molecules by the use of different coupling strategies

| Composition     | Modification          | Coupling strategy              | Proof of functionalization | Application  | Proof of application                               | Ref.      |
|-----------------|-----------------------|--------------------------------|----------------------------|--|--|-----------|
| AGE, AAm, MBAAm | Aniline               | Amination of epoxides, GA      | FTIR                       | Adsorption of BSA  | Spectrophotometry (Bradford method)                | 101       |
|                 | Enrofloxacin          | Amination of epoxides, EDC/NHS | Habeeb assay, ELISA        | Biopanning of phages   | Monoclonal phage ELISA                             | 75        |
|                 | Ethynyl ferrocene     | Click chemistry                | FTIR, EDX ICP              | Redox-active cryogels  | Cyclic voltammetry, differential pulse voltammetry | 53        |
|                 | Ethynyl pyrene PCAPBA |                                | FTIR, EA                   | Hg <sup>2+</sup> sensor<br>Capture of <i>E. coli</i> and <i>S. epidermidis</i> | Fluorescence measurements<br>Spectrophotometry     | 137<br>58 |

**Fig. 14** Schematic representation of the functionalization of synthetic polymer based cryogels with small functional molecules via coupling towards epoxides using an amine spacer either in combination with glutaraldehyde (GA) for the attachment of aniline (glutaraldehyde method (A)) or with EDC/NHS for the direct coupling of enrofloxacin (B).**Fig. 15** Schematic representation of the functionalization of synthetic polymer based cryogels with small functional molecules via click-chemistry upon the attachment of clickable azide (A) and (B) or alkyne moieties (C).

An obvious advantage of the inclusion of spacer molecules might be the reduction of steric effects for the latter attachment of the molecule of interest which should theoretically result in a higher coupling efficiency, in particular when using large molecules such as biopolymers for the modification.<sup>138</sup> In case of the aniline functionalization, no quantification of ligand functionalization was carried out which could easily have been performed for instance by the use of the Kjeldahl method.

Zhang *et al.* described the preparation of enrofloxacin functionalized p(AGE-AAm) cryogels for phage bio-panning.<sup>75</sup> After attachment of ethylenediamine, the amount of amino groups on the cryogel was qualitatively evaluated by the use of the Habeeb assay (TNBS assay). Unfortunately, the subsequent functionalization of the amine-modified cryogel with the drug using EDC/NHS chemistry was only qualitatively assessed indirectly by the use of an ELISA assay. The drug-coupled cryogel was herein treated with rabbit anti-enrofloxacin polyclonal antibody, followed by anti-rabbit/horseradish peroxidase IgG for antibody labeling. The assay is further based on the peroxidase catalyzed transformation of a substrate such as tetramethylbenzidine in the presence of hydrogen peroxide into a colored compound, 3,3',5,5'-tetramethyl-[1,1'-bi(cyclohexylidene)]-2,2',5,5'-tetraene-4,4'-diimine, which can be detected by spectroscopy (Fig. 8, Section 2.3).

Click chemistry represents an alternative strategy for the attachment of alkyne-carrying small functional ligands onto epoxide cryogels upon nucleophilic ring-opening with sodium azide. For instance, ethynyl ferrocene was covalently attached onto azide-modified p(AAm-AGE) cryogels in order to prepare redox-active materials (Fig. 15A).<sup>53</sup> So far, ferrocene functionalization has only been realized by physical entrapment within cryogels rather than covalent attachment. FTIR confirmed the successful modifications by the presence of the azide band

(2100  $\text{cm}^{-1}$ ) and its disappearance after the click reaction with ethynyl ferrocene. The presence of 0.5 g Fe/100 g dry cryogel was determined by ICP after acidic cryogel digestion which was in accordance with EDX. EDX confirmed the homogenous distribution of Fe as well as the absence of entrapped copper from the click reaction. Cyclic voltammetry and differential pulse voltammetry indicated a well-defined quasi-reversible redox couple for the ferrocene functionalized gels, comparable to plain ferrocene. The electroactivity was retained even after 500 cycles demonstrating its long-term stability. In contrast, no electroactivity was observed in case of epoxide-containing or azide-modified cryogel precursors. The attachment of ethynyl-pyrene onto azide modified p(AGE-AAm) cryogels allowed for the preparation of  $\text{Hg}^{2+}$  sensing materials, although the functionalization was only qualitatively evaluated by FTIR.<sup>137</sup>

The attachment of 3-(prop3-ynylxycarbonylamino)-phenylboronic acid (PCAPBA) for bacteria capture was quantified by elemental analysis according to the boron content.<sup>58</sup> 0.0031  $\text{mol g}^{-1}$  PCABA were attached *via* Cu(I) catalyzed azide-alkyne cycloaddition onto azide modified p(AGE-AAm) cryogels (Fig. 15B). In order to achieve a higher amount of functionalization, propargylamine treated p(AGE-AAm) cryogels were modified with an azide-tagged polymer, p(NiPAAM-co-GMA)@ $\text{N}_3$  by click chemistry, prior to the functionalization with PCAPBA which was found to be 0.057  $\text{mmol g}^{-1}$  (Fig. 15C). The disappearance of the epoxide bands (875  $\text{cm}^{-1}$  and 910  $\text{cm}^{-1}$ ) together with the presence of azide (2037  $\text{cm}^{-1}$ ), alkyne (2100 to 2140  $\text{cm}^{-1}$ ) or phenyl hydrogen signals (785  $\text{cm}^{-1}$  and 1065  $\text{cm}^{-1}$ ) in the FTIR spectra served as additional proof for the chemical transformations. The incorporation of PCAPBA enabled the adsorption of *S. epidermidis* and *E. coli* as Gram-positive and Gram-negative model bacteria (Fig. 16). The number of adsorbed bacteria significantly increased compared to the corresponding azide




Fig. 16 SEM images of multiple boronic acid ligands containing cryogels with bound *E. coli* (A) and (B) and *S. epidermidis* (C) and (D) on. The scale bars are 10  $\mu\text{m}$  in (A) and (C) and 1  $\mu\text{m}$  in (B) and (D). Reproduced under terms of the CC-BY license with permission.<sup>58</sup> Copyright 2022, The Authors, published by the American Chemical Society.



**Table 5** Overview about of alternative coupling strategies for the subsequent modification of synthetic polymer based cryogels with small functional molecules


| Composition                           | Modification    | Coupling strategy              | Proof of functionalization | Application                      | Proof of application    | Ref. |
|---------------------------------------|-----------------|--------------------------------|----------------------------|----------------------------------|-------------------------|------|
| AllAm, MAAm, AA, MBAAm                | Me-NCS          | Reaction with amine groups     | FTIR                       | Removal of Pb <sup>2+</sup>      | ICP-OES                 | 103  |
| Acrylonitrile, AA, MBAAm              | Hydroxylamine   | Amidoximation                  |                            | Adsorption of Pb <sup>2+</sup>   | FTIR, XPS, EDX ICP-AES  | 105  |
| MA-Tyr-OMe, HEMA, MBAAm               | 1-Naphthyl-amin | Azo coupling                   |                            | Lysozyme capture                 | Spectrophotometry       | 86   |
| AAm, MBAAm                            | bPEI            | Hofmann rearrangement, GA      | FTIR, ssNMR                | Removal of remazol black B       |                         | 92   |
| FuMaMA or PEG-FuMaMA; PEGMeMA, PEGDMA | Biotin-SH       | Thiol-maleimide click reaction | FTIR                       | Adsorption of TRITC-streptavidin | Fluorescence microscopy | 112  |

precursors and also correlated with the functionalization amount of PCABA. In comparison with other separation materials utilizing nanoparticles, cryogels enable bacterial adsorption in a more convenient chromatographic mode. Similar binding capacities were obtained after three adsorption-desorption cycles in which bacterial desorption was realized with 0.5 M fructose in PBS buffer.

Besides the direct functionalization of epoxides, a variety of further chemical reactions can be used to introduce desired functionalities which are summarized in Table 5.

Small functional molecules can be attached by direct reactions of amine-containing cryogels (Fig. 17A),<sup>103</sup> amidoximation (Fig. 17B),<sup>105</sup> azo coupling (Fig. 17C),<sup>86</sup> Hofmann rearrangement followed by GA treatment (Fig. 17D)<sup>92</sup> and *via* thiol-maleimide click reaction (Fig. 17E),<sup>112</sup> which allowed for the adsorption of metal ions,<sup>103,105,139</sup> enzymes,<sup>86</sup> proteins,<sup>112</sup> or dyes.<sup>92</sup> Unfortunately, the functionalization was only qualitatively evaluated, mostly by FTIR.

The modification of p(AllAm-MAAm-AA) cryogels with methyl isothiocyanate enabled the adsorption of 164.41 mg g<sup>-1</sup> Pb<sup>2+</sup>



**Fig. 17** Schematic representation of alternative coupling strategies for the preparation of synthetic polymer based cryogels containing small functional molecules. Reaction of amine cryogel surfaces with methyl isothiocyanate (A). Amidoximation of cryogels containing nitrile groups with hydroxylamine (B). Azo coupling of naphthalene diazonium chloride towards methyl tyrosine containing cryogels (C). Hofmann reaction of pAAm cryogels followed by the attachment of bPEI by glutaraldehyde (GA) (D). Thiol-maleimide click reaction for the introduction of biotin-thiol after retro-Diels Alder reaction (E).



ions superior to literature known systems such as biomaterial based adsorbents, composite materials or activated carbon (Fig. 17A).<sup>103</sup> Simultaneous adsorption experiments of a mixture of metal ions ( $\text{As}^{3+}$ ,  $\text{Cd}^{2+}$ ,  $\text{Cr}^{6+}$ ,  $\text{Hg}^{2+}$ ,  $\text{Pb}^{2+}$ ) revealed a high selectivity for the adsorption of lead ions with removal efficiencies for the different metal ions (6.1%, 9.5%, 13.4%, 56.7% and 83.5% respectively).

The use of hydroxylamine as functionalizing ligand could even further increase the adsorption of  $\text{Pb}^{2+}$  as reported by Chen *et al.* which resulted in a removal efficiency of 99.8% and an adsorption capacity of  $650 \text{ mg g}^{-1}$  after 7 adsorption-desorption cycles (Fig. 17B).<sup>105</sup> Desorption of  $\text{Pb}^{2+}$  ions from the cryogels was realized by the use of 1 M HCl. FTIR demonstrated the successful modification by a reduction of the  $\text{C}\equiv\text{N}$  stretching vibration ( $2240 \text{ cm}^{-1}$ ) together with an increase of the signal at  $1654 \text{ cm}^{-1}$ , dedicated to the  $\text{C}=\text{N}$  stretching vibration. A new band appeared at  $933 \text{ cm}^{-1}$  assigned as the  $\text{N}-\text{O}$  stretching vibration.

1-Naphthylamin as hydrophobic ligand was attached to p(HEMA-MATyr-OMe) cryogels *via* diazotation (Fig. 17C).<sup>86</sup> Specific bands in the IR spectra at  $1750 \text{ cm}^{-1}$  (aromatic substitution pattern) or at  $1400 \text{ cm}^{-1}$  (skeletal  $\text{C}=\text{C}$  stretching vibration) confirmed the successful ligand functionalization. This enabled a 19.6 increase of the adsorption of lysozyme ( $105.8 \text{ mg g}^{-1}$ , spectrophotometrically determined) in comparison with unfunctionalized p(HEMA-MATyr-OMe) cryogels. Among other examples in literature, this system exhibited the second highest amount of adsorbed lysozyme, besides an earlier work from the same group utilizing naphthylamine functionalized p(HEMA-MAHis) cryogels.<sup>140</sup> After 30 successive adsorption-desorption cycles, the adsorption capacity decreased only by 3% demonstrating the excellent reusability of the functionalized cryogels. Desorption of lysozyme was carried out by the use of 0.05 M of phosphate buffer (pH 7.0).

The successful modification of p(AAm) cryogels with PEI by Hofmann rearrangement and GA treatment was confirmed by FTIR and  $^{13}\text{C}$  solid-state NMR (ssNMR) (Fig. 17D).<sup>92</sup> The appearance of new signals at  $2953 \text{ cm}^{-1}$  and  $2863 \text{ cm}^{-1}$  (C-H

stretching) as well as at  $1560 \text{ cm}^{-1}$  (N-H bending) confirmed the successful ligand coupling. This was in accordance with ssNMR which revealed the presence of new signals at 142.646 ppm and 156.601 ppm belonging to the imine groups. The cryogel exhibited a high adsorption capacity for Remazol black of  $201 \text{ mg g}^{-1}$  as determined by spectrophotometry after 6 h with high removal rates of 98.42% whereas unmodified p(AAm) cryogels only exhibited dye removal capacities of 68%. In this regard, these materials were superior to most of the commonly used Remazol black adsorbents based on activated carbon or nanoparticles.

In summary, small functional molecules are most commonly attached onto synthetic polymer based cryogels bearing epoxide groups in a direct manner or subsequently to the attachment of a diamine spacer or clickable group. The density of epoxide groups can be determined by a titrimetric method. The successful ligand attachment can be quantified by gravimetry, elemental analysis or ICP upon acidic digestion. Alternative functionalization strategies are represented by the reaction with methyl isothiocyanate, hydroximation, azo coupling or thiol-maleimide click reactions. In these cases, the successful modification was only qualitatively assessed by the use of FTIR and ssNMR.


**3.2.2 Modification with biomolecules (sugars, amino acids, peptides).** Small biomolecules like sugar units or amino acids are most commonly attached to epoxide containing cryogel surfaces for the adsorption of proteins,<sup>64,78</sup> enzymes<sup>77,79</sup> or steroids.<sup>108</sup> Besides this, alternative methods rely on the use of click reactions,<sup>112</sup> EDC/NHS coupling<sup>52,111</sup> or the attachment of functional ligands *via* host-guest interactions (Table 6, Fig. 18 and 19).<sup>59,60</sup>

Functional monomers like GMA or AGE are used to prepare epoxide-bearing cryogel surfaces to exploit their high reactivity towards subsequent modifications of the prepared cryogels. Besides the direct coupling with nucleophiles like  $\beta$ -cyclodextrin<sup>108</sup> (Fig. 18B), diamine spacers such as 1,6-hexanediamine<sup>77-79</sup> or ethylenediamine<sup>64</sup> can react with the epoxide groups before the ligand is covalently attached by reductive amination using glutaraldehyde (Fig. 18C). The formation of spacer arms enables the

**Table 6** Overview about subsequent modification strategies of synthetic polymer based cryogels with biomolecules

|             | Composition             | Modification   | Coupling strategy              | Proof of functionalization           | Application   | Proof of application                       | Ref. |
|-------------|-------------------------|--|--------------------------------|--------------------------------------|---|--|------|
| Sugars      | FuMaMA or PEGFuMaMA     | Mannose-SH   | Thiol-maleimide click reaction | FTIR                                 | Adsorption of FITC-Con A  | Fluorescence microscopy                    | 112  |
|             | PEGMaMA, PEGDMA         | $\beta$ -CD  | Epoxide                        | Spectrophotometry (DNS method), FTIR | Cholesterol removal   | HPLC                                       | 108  |
|             | GMA, HEMA MBAAm         | GlcNAc   | Amination of epoxides, GA      | Kjeldahl method, FTIR                | Lectin capture  | Spectrophotometry (Bradford method)        | 64   |
| Amino acids | AAm, MMA, MBAAm         | Trp  | EDC/NHS                        | EDX, FTIR                            | Lysozyme adsorption   | Spectrophotometry                          | 77   |
|             |                         | Trp, Phe   |                                |                                      | Protein binding   | Spectrophotometry (Bradford method)        | 78   |
|             |                         | Phe  |                                |                                      | Lysozyme adsorption   | Spectrophotometry (Bradford method)        | 79   |
|             |                         | Ac-Cys-OH  |                                |                                      | Removal of $\text{Zn}^{2+}$ , $\text{Cd}^{2+}$ , $\text{Pb}^{2+}$ | Stripping voltammetry                      | 52   |
| Peptides    | Acryloyl-CD HEMA, PEGDA | Ada-Ahx-GGRGD, Ada-Ahx-GGGHK, ( $\text{CuSO}_4$ , PEI) | Host-guest interaction         | Fluorescence spectroscopy            | Cell culture scaffold   | MTS assay, microscopy (bright-field, CLSM) | 59   |
|             | PEGDA                   | PLL  | PAA graft, EDC/NHS             | CLSM                                 | Synthetic ECM model   |  | 60   |
|             |                         |  |                                |                                      | GFP lentivirus delivery   | SEM, CLSM, live/dead staining              | 111  |
|             |                         |  |                                |                                      |   | Flow cytometry                             |      |





**Fig. 18** Schematic representation of various strategies for the functionalization of synthetic polymer based cryogels with sugars and amino acids. Thiol-maleimide click reaction for the introduction of mannose-thiol after retro-Diels Alder (retro-DA) reaction (A). Direct coupling of nucleophiles such as cyclodextrin (CD) to epoxide cryogel surfaces (B), coupling of nucleophiles using the glutaraldehyde method *via* spacer formation (C) and EDC/NHS coupling (D).

reduction of potential steric hindrance effects with the polymeric backbone.<sup>138</sup>


Apart from the qualitative evaluation of sugar functionalization by FTIR, da Silva *et al.* quantified the amount of immobilized *N*-acetyl glucosamine on p(AGE-AAM) cryogels spectrophotometrically by the use of the dinitrosalicylic acid method.<sup>64</sup> 160.39 mg g<sup>-1</sup> of *N*-acetyl glucosamine were attached which was the highest ever reported amount so far also enabling to adsorb 7.79 mg g<sup>-1</sup> lectin from a barley derived raw protein extract.

The functionalization of p(AGE-AAM) cryogels with nitrogen-containing ligands such as amino acids (Trp, Phe) can easily be quantified by the use of the Kjeldahl method.<sup>77-79</sup> Such modified cryogels were applied for the isolation of enzymes<sup>77,79</sup> or proteins<sup>78</sup>

by hydrophobic interaction chromatography. The functionalization of 380.51 mg g<sup>-1</sup> tryptophan (Trp) enabled the adsorption of 58.03 mg g<sup>-1</sup> lysozyme,<sup>77</sup> superior to previous systems based on p(HEMA-MATrp)<sup>141</sup> and p(HEMA-MAPhe).<sup>142</sup> Using a slightly higher initial ligand concentration for the functionalization, 458.65 mg g<sup>-1</sup> Phe were immobilized onto p(AGE-AAM) cryogels.<sup>79</sup> In this recent work, spectrophotometry was utilized to determine the density of cryogel epoxide groups. By the use of excess CuSO<sub>4</sub> solution, the gels were saturated with Cu<sup>2+</sup> ions which were eluted by complexation with EDTA. The amount of the eluted Cu<sup>2+</sup>-EDTA complex was found to be 369.17 μmol g<sup>-1</sup>, as determined spectrophotometrically at 730 nm. The authors claimed that this amount is equimolar to the amount of epoxide groups. The higher amount







**Fig. 19** Schematic representation of various strategies for the functionalization of synthetic polymer based cryogels with peptides. Functionalization of  $\beta$ -CD containing cryogels via host-guest interaction with adamantyl-coupled peptide sequences (A). Introduction of acid groups by photo-induced graft polymerization followed by p(L-lysine) attachment (B).

of immobilized ligand resulted also in a higher amount of adsorbed lysozyme ( $67.65 \text{ mg g}^{-1}$ ).


Both functionalizing ligands (Trp, Phe) were compared for the adsorption of *ora-pro-nobis* proteins.<sup>78</sup> The amounts of immobilized Trp and Phe were found to be lower as reported earlier, with about  $128.01 \text{ mg g}^{-1}$  and  $165.85 \text{ mg g}^{-1}$ , respectively. Although no explanation was given on such low ligand functionalizations, it might be assumed that this was due to the reduced amount of initial ligand concentration which was  $5 \text{ mg mL}^{-1}$  instead of  $8.225 \text{ mg mL}^{-1}$  for Trp or  $10 \text{ mg mL}^{-1}$  for Phe as previously reported. The disappearance of the epoxide band ( $1242 \text{ cm}^{-1}$ ),<sup>77</sup> together with the presence of the aromatic C=C stretching vibrations ( $1510$  to  $1542 \text{ cm}^{-1}$ ),<sup>78</sup> and the carboxylic acid bands ( $1396 \text{ cm}^{-1}$  and  $1716 \text{ cm}^{-1}$ ) in the FTIR spectra also confirmed the successful ligand attachment.<sup>78,79</sup> The appearance of the band at  $756 \text{ cm}^{-1}$  which is characteristic for Trp (pyrrole ring torsion vibration) served also as indication.<sup>77</sup> Phe functionalization enabled a higher protein adsorption with  $92.53 \text{ mg g}^{-1}$  compared to Trp containing cryogels which exhibited a maximum adsorption capacity of  $62.76 \text{ mg g}^{-1}$ .

EDC/NHS coupling was used to attach *N*-acetylated cysteine as coordinating ligand for the removal of heavy metal ions (Fig. 18D).<sup>52</sup> The amount of immobilized ligand was determined by EDX considering sulfur stoichiometry which was found to be  $180.88 \text{ } \mu\text{mol g}^{-1}$ . This functionalization significantly increased the adsorption of heavy metals onto p(AAm-MMA) cryogels, with adsorption rates of 98.33% ( $\text{Zn}^{2+}$ ), 90.74%


( $\text{Cd}^{2+}$ ) and 96.19% ( $\text{Pb}^{2+}$ ) whereas unmodified p(AAm-MMA) cryogels removed less than 1% of each ion.

For the introduction of peptides like RGD or GHK, host-guest interactions between adamantane and  $\beta$ -cyclodextrin can be exploited.<sup>59,60</sup> Thus, cyclodextrin containing cryogels were prepared using acryloyl  $\beta$ -CD as functional monomer followed by the reaction with adamantane functionalized RGD and GHK peptide sequences (Fig. 19A). Saturation of the CD groups on the cryogels with toluidine blue O followed by elution with methanol enabled their indirect quantification by spectrophotometry as the amount eluted dye would be equimolar to the number of CD groups. Fluorescence analysis revealed the successful peptide functionalization due to a three to five increase in the fluorescence signal which remained stable for 30 days. Both peptide sequences were found to increase the proliferation of 3T3 and PC-12 cells individually but the highest increases (four times each) were observed for a dual peptide functionalization of RGD and GHK present in the same cryogel (Fig. 20). CLSM images of cross-sectioned peptide functionalized cryogel samples revealed an even distribution of peptides into deep areas of the gel slices.<sup>60</sup> With additional  $\text{Cu}^{2+}$  binding towards the GHK motif (1.92 wt% for  $0.18 \text{ mg mL}^{-1}$  GHK and 3.79 wt% for  $0.36 \text{ mg mL}^{-1}$  GHK), human umbilical vein endothelial cells revealed different cellular morphologies and were more elongated (Fig. 21). These gels demonstrated a significant upregulation of cytokines (MCP-1, IL6, IL8) as well as growth factors (VEGF, GF-2) indicating the stimulation of angiogenic cell differentiation for the first time.





**Fig. 20** Microscopic visualization of 3T3 and PC-12 cells in peptide-functionalized cryogels at day 3. CLSM of 3T3 cells (A) and PC-12 cells (B). Bright-field microscopy of PC-12 cells (C). Arrows indicate some PC-12 cells with distinct morphological changes. The matrices were stained with Celltracker Green CMFDA and DAPI (CLSM) or cresyl violet (bright-field microscopy). Reproduced with permission.<sup>59</sup> Copyright 2019, American Chemical Society.



**Fig. 21** Representative CLSM images of HUVECs grown in peptide-functionalized pHEMA- $\beta$ -CD cryogels at 48 h post-seeding (A). Cells were stained with phalloidin CruzFluor™ 647 conjugate for F-actin (red) and DAPI for nuclei (blue). Representative bright-field microscopy images of HUVECs stained with cresyl violet at 48 h post-seeding in peptide free (Ctrl) and (RGD/GHK-Cu)-functionalized pHEMA- $\beta$ -CD cryogels (B). Reproduced with permission.<sup>60</sup> Copyright 2020, Elsevier B.V.

**3.2.3 Modification with biopolymers.** For the functionalization of cryogel surfaces with biopolymers, epoxide functionalities are commonly used as reactive binding sites (Table 7). Typically, glycidyl methacrylate (GMA) or epoxy hexene (EH) serve as functional monomers for the introduction of reactive epoxide groups on cryogel surfaces. As for the functionalization with small molecules, biopolymers can either be attached directly to epoxide bearing cryogels (Fig. 22A) or *via* amination followed by treatment with glutaraldehyde which acts as a spacer and connects the amine groups with the biopolymer (Fig. 22B).

The covalent immobilization of biopolymers such as horseradish peroxidase, L-asparaginase, lysozyme, anti-transferrin or concanavalin A is most commonly indirectly quantified by spectrophotometry.<sup>49,50,66,67,69</sup> The presence of protein characteristic bands in the IR or Raman spectra for amide I ( $1700$  to  $1600$   $\text{cm}^{-1}$ , CO stretching), amide II ( $1510$  to  $1580$   $\text{cm}^{-1}$ , C-N stretching, NH vibration) or amide III ( $1250$  to  $1350$   $\text{cm}^{-1}$ ), or additional sulfur peaks in the EDX spectra<sup>49,50</sup> further confirm the successful biopolymer modification.

Horseradish peroxidase (HRP) immobilization onto p(GMA-HEMA) cryogels enabled the development of materials for dye degradation.<sup>66</sup> Prior to the functionalization, the amount of cryogel epoxide was determined by the use of the pyridine-HCl method which was found to be  $1.73$   $\text{mmol g}^{-1}$ . The immobilization of  $87.6$   $\text{mg HRP per gram cryogel}$  enabled an increased enzymatic stability among a wider range of pH values and temperature range and also revealed excellent long-term stability due to the preservation of 78% of its initial activity after eight weeks. The immobilized enzyme was able to degrade 98.5% of the dye Direct Blue-6 after 2 h, whereas in case of the free enzyme only 78.3% were degraded.

Similarly, Noma *et al.* investigated the stability of L-asparaginase immobilized onto p(GMA-HEMA).<sup>49</sup> 68.8% of the initially used enzyme was attached as determined by spectrophotometry. The immobilized enzyme revealed an improved stability in different media and at temperatures up to  $70$   $^{\circ}\text{C}$  in comparison with the free enzyme. After four weeks at  $25$   $^{\circ}\text{C}$ , 54% of the activity of the immobilized enzyme were still remaining whereas the activity of the free enzyme was found to be 28% by this time. Reusability investigations revealed 52% remaining activity of the immobilized enzyme after ten cycles. Gunay *et al.* reported the covalent immobilization of  $43.56$   $\text{mg g}^{-1}$  lysozyme onto p(EH-HEMA) cryogels for the first time while also studying the enzymatic stability and reusability of the system.<sup>67</sup> The cryogel was able to preserve 87% of the enzymatic activity after storage for 30 days at  $4$   $^{\circ}\text{C}$ . Optical microscopy revealed the antimicrobial activity of the immobilized lysozyme towards methylene blue stained bacteria (*Micrococcus lysodeikticus*) which lost their integrity resulting in a color decrease. These examples show that immobilization is significantly improving the enzymatic activity whilst also preserving its stability to harsher conditions such as high or low pH values or high temperatures. The excellent reusability and longtime storage was demonstrated which makes these systems very promising for biotechnological applications.



Table 7 Modification of synthetic polymer based cryogels with biopolymers via coupling towards reactive epoxide groups on cryogel surfaces

| Composition      | Modification         | Coupling strategy         | Proof of functionalization                                    | Application                     | Proof of application                         | Ref. |
|------------------|----------------------|---------------------------|---|---------------------------------|--|------|
| GMA, HEMA, MBAAm | Horseshoe peroxidase | Epoxide                   | Pyridine-HCl method Spectrophotometry (Bradford method), FTIR | Dye degradation (Direct Blue-6) | Spectrophotometry GC-MS                      | 66   |
|                  | L-ASNase             |                           | Spectrophotometry (Bradford method) EDX, FTIR                 | Enzyme stability studies        | Enzyme activity assay                        | 49   |
| EH, HEMA, MBAAm  | Lysozyme             |                           | Spectrophotometry   | Bacterial removal               | Optical microscopy (methylene blue staining) | 67   |
| GMA, HEMA, EGDMA | Anti-transferrin     |                           | Spectrophotometry (Bradford method) FTIR, Raman               | Purification of hSTf            | Spectrophotometry (Bradford method)          | 69   |
| GMA EGDMA, MBAAm | ConA                 | Amination of epoxides, GA | Spectrophotometry EDX, FTIR                                   | Adsorption of amyloglucosidase  | Spectrophotometry                            | 50   |




Fig. 22 Schematic representation of functionalization strategies of synthetic polymer based cryogels with biopolymers e.g. enzymes and antibodies via direct coupling to epoxide surfaces (A) or using the glutaraldehyde method after amination of cryogel epoxide groups (B).

p(GMA-HEMA) cryogels were also modified with anti-transferrin antibody for the adsorption of human serum transferrin (hSTf).<sup>69</sup> The immobilization of  $3.18 \text{ mg g}^{-1}$  anti-transferrin enabled the adsorption of  $9.82 \text{ mg g}^{-1}$  hSTf after 60 min at pH 6 whereas the unspecific adsorption towards unmodified cryogels was negligibly low at all tested pH values. 80% of the adsorption capacity was still remaining after ten adsorption-desorption cycles, with desorption efficiencies of  $>88\%$  after each cycle using glycine HCl as desorbing agent. Isolated hSTf from artificial plasma was obtained with 84% purity, as confirmed by FPLC and SDS-PAGE, and 82% yield after a contact time of only 7 min.


Recently, Con A was covalently attached onto p(GMA-HEMA) cryogels upon amination followed by glutaraldehyde treatment for the adsorption of amyloglucosidase (Fig. 22B).<sup>50</sup> The amount of immobilized Con A was found to be  $53.22 \text{ mg g}^{-1}$  as determined by spectrophotometry. The successful incorporation was further confirmed by the presence of sulfur peaks in the EDX spectrum and the presence of the characteristic amide I ( $1660 \text{ cm}^{-1}$ ) and amide II ( $1530 \text{ cm}^{-1}$ ) bands in the IR spectrum. Spectrophotometry revealed the maximum amount of adsorbed amyloglucosidase as  $30.5 \text{ mg g}^{-1}$  at pH 5 and an initial enzyme concentration of  $0.7 \text{ mg mL}^{-1}$ . 98.8% of the adsorbed enzyme were recovered by desorptive treatment with methyl  $\alpha$ -D-mannopyranoside with 90% of its initial activity remaining. After 30 consecutive adsorption-desorption cycles, ConA-cryogel still retained 89% of its initial

adsorption capacity which demonstrated the excellent reusability of this system.

Alternative strategies for the functionalization of synthetic polymer based cryogels with biopolymers such as horseradish peroxidase,<sup>51</sup> fibronectin,<sup>63</sup> heparin,<sup>65</sup> alginate,<sup>72</sup> RGD<sup>72</sup> or pectinase<sup>68</sup> include the use of EDC/NHS coupling (Fig. 23A and B),<sup>51,63</sup> the activation of hydroxy groups using cyanogen bromide (CNBr) (Fig. 23C)<sup>65,72</sup> or by amino-yne click reaction (Fig. 23D) (Table 8).

For example, p(AAm) cryogels were functionalized with peroxidase by EDC/NHS coupling in order to remove phenolic compounds (Fig. 23A).<sup>51</sup>  $127.30 \text{ mg g}^{-1}$  peroxidase were immobilized as determined by spectrophotometry at 280 nm which was further confirmed by the presence of characteristic enzyme signals in the IR spectrum ( $1650 \text{ cm}^{-1}$ , amide I, CO stretching;  $1550$  to  $1530 \text{ cm}^{-1}$ , amide II, N-H bending and C-N stretching), together with the presence of sulfur and iron peaks in the EDX spectrum. The immobilization helped to preserve the enzymatic activity after high temperature treatment e.g. by maintaining 58% of the initial activity after 5 h at  $55^\circ\text{C}$ . After ten successive tests at  $25^\circ\text{C}$ , the immobilized enzyme demonstrated 68% of its initial activity which is superior to the reported loss of 50% activity after the fifth reuse of peroxidase immobilized chitosan-Holloysite hybrid nanotubes by Zhai *et al.*<sup>143</sup> Among five tested model phenolics (guaiacol, phenol, pyrogallol, bisphenol





**Fig. 23** Schematic representation of alternative functionalization strategies of synthetic polymer based cryogels with biopolymers e.g. enzymes, proteins and polysaccharides *via* EDC coupling (A) and (B), cyanogen bromide activation (C) of cryogel hydroxy groups or using amino-yne click reaction (D).

A, catechol) the engineered cryogel revealed excellent phenol removal capacities with 79.66%, 96.32%, 64.94%, 75.8% and 70.98%, respectively.

An alternative strategy for the covalent immobilization of biopolymers utilizes cyanogen bromide as activation agent of p(HEMA) cryogels designed to remove low-density lipoprotein-cholesterol (LDL-C) from hypercholesterolemic human plasma (Fig. 23C).<sup>65</sup> The amount of immobilized heparin determined by spectrophotometry correlated with increasing incubation time and initial heparin concentration and was found to be 35.42 mg g<sup>-1</sup> using optimized conditions. Non-covalent immobilization was negligible with an amount of 0.94 mg g<sup>-1</sup> when using non-activated p(HEMA) cryogels. Heparin modification enabled the adsorption of 26.7 mg g<sup>-1</sup> LDL-C from human plasma whereas only 1.67 mg g<sup>-1</sup> were adsorbed onto unmodified p(HEMA) cryogels. No significant losses of the adsorption capacity and desorption ratio were observed after ten adsorption-desorption cycles when using 0.04 M citric acid and 0.02 M dibasic sodium phosphate as desorbing agent. Compared to immunoaffinity chromatography utilizing expensive antibody functionalization, or molecular imprinting, which

might be limited when using biomacromolecules due to their structure, size and conformational stability, the reported cryogel system demonstrated its superiority.

Amino-yne click reaction enabled the covalent immobilization of propiolic acid-modified pectinase onto PEI cryogels with high immobilization efficiencies of 88% to 90% as determined by the Bradford assay (Fig. 23D).<sup>68</sup> Presence of the characteristic band for triple bonds at 2327 cm<sup>-1</sup> confirmed the successful pectinase modification. Cryogel immobilization enabled improved enzymatic stability at higher temperatures and a wider range of pH values by preserving its maximum activity at pH 6.5 and 55 °C. The storage stability was also improved, as the immobilized enzyme still retained 71% of its activity after 60 days which was almost double the amount compared to the free enzyme after the same time.

In brief, biopolymers are most commonly attached to synthetic polymer based cryogels bearing epoxide groups directly or *via* amination followed by glutaraldehyde treatment and reductive amination. Alternative synthetic strategies include EDC/NHS coupling, cyanogen bromide activation or amino-yne click reactions. For all modification methods, spectrophotometry typically enables the quantification of the cryogel functionalization.

## 4. Functional cryogels based on biopolymers

In comparison with synthetic polymers, biopolymers offer a wide range of advantages such as their excellent biocompatibility, high bioactivity and low toxicity. In particular for biological applications, biopolymers are highly favorable since they are commonly part of natural extracellular matrices and exhibit cell-adhesive domains. The preparation of functional biopolymer based cryogels can be realized using modified functional biopolymers for radical cross-linking polymerization (Fig. 24A), by cross-linking of functional biopolymers (Fig. 24B) or *via* the subsequent modification of biopolymer networks with functional biopolymers (Fig. 24C) (Tables 9 and 10).

The chemical modification of biopolymers such as kefirin,<sup>116</sup> hyaluronic acid,<sup>133,144–146</sup> chondroitin sulfate,<sup>145</sup> dextran,<sup>118,146</sup> glycol chitosan,<sup>124</sup> gelatin<sup>74,118,133,145</sup> or  $\epsilon$ -poly-L-lysine<sup>124</sup> by the incorporation of polymerizable units enables

**Table 8** Overview about of alternative coupling strategies for the subsequent modification of synthetic polymer based cryogels with biopolymers

| Composition                 | Modification             | Coupling strategy                           | Proof of functionalization     | Application                   | Proof of application                    | Ref. |
|-----------------------------|--------------------------|---|--------------------------------|-------------------------------|---|------|
| AAm, MBAAm                  | Horseradish peroxidase   | EDC/NHS                                     | Spectrophotometry<br>EDX, FTIR | Removal of phenolic compounds | Spectrophotometry                       | 51   |
| AES, MAG DMAAm, MBAAm ARhoB | Fibronectin-FITC         | EDC/NHS                                     | Fluorescence spectroscopy      | 3D cell culture of L929 cells | CLSM, fluorescence microscopy           | 63   |
| HEMA, MBAAm                 | Heparin                  | CNBr activation                             | Spectrophotometry<br>FTIR      | Cholesterol removal           | Homogenous enzymatic colorimetric assay | 65   |
| HEMA, MBAAm or PEGDA        | (i) Alginate<br>(ii) RGD | (i) Glutar-aldehyde<br>(ii) CNBr activation | FTIR<br>Spectrophotometry      | Bioartificial liver           | Live/dead assay, MTT assay              | 72   |
| PEI, PEGDGE                 | Propiolate pectinase     | Amino-yne click reaction                    | Bradford assay                 | Enzyme stability studies      | Enzyme activity assay                   | 68   |






Fig. 24 Schematic representation of different strategies for the preparation of functional biopolymer based cryogels. Functionalities of interest (red stars) are incorporated by cross-linking polymerization of macromonomeric precursors bearing functional groups (A), cross-linking of functional biopolymers (B) or the subsequent modification of biopolymer based cryogels with functional biopolymers (C).

Table 9 Overview about the preparation of biopolymer based cryogels by functional polymerizable macromonomers (Fig. 24A)

| Composition         | Biopolymer  | Special features/proof of functionalization      | Application                          | Proof of application                                   | Ref. |
|---------------------|---|--|--------------------------------------|--|------|
| KefMA               | Methacrylated kefiran   | Biocompatible, elastic, robust                   | Tissue engineering                   | Alamar blue assay                                      | 116  |
| GelMA, GelUPY       | Modified gelatin  | Degradable, shape recovery                       | Osteochondral regeneration           | WST-8 assay fluorescence microscopy                    | 74   |
| HA-MA               | Methacrylated hyaluronic acid   | Shape-memory                                     | Gene delivery for tissue engineering | CLSM, RT-PCR, histological and immunochemical analysis | 144  |
| GelMA, HA-MA        | Methacrylated gelatin, methacrylated hyaluronic acid                        | Mechanically robust, cell-responsive, injectable | Tissue engineering                   | Fixable dead cell assay                                | 133  |
| GelMA + HA-MA/CS-MA | Methacrylated gelatin, methacrylated hyaluronic acid or chondroitin sulfate | Supporting formation of cartilage tissue         | Cartilage tissue engineering         | Live/dead staining                                     | 145  |
| GelMA, Dex-MA       | Methacrylated gelatin, methacrylated dextran                                | Shape recovery, compression resistant            | Tissue regeneration                  | AlamarBlue assay                                       | 118  |
| Dex-MA/HA-MA        | Methacrylated dextran or hyaluronic acid                                    | Prepared by electron-beam assisted cross-linking | Tissue regeneration                  | Live/dead staining                                     | 146  |
| EPL-A, GCMA         | Methacrylated glycol chitosan, acrylated p( $\epsilon$ -L-lysine)           | —  | Antibacterial wound dressing         | Histological imaging, MTT assay                        | 124  |


a facile/simplified preparation of cryogels. The macromonomeric precursors can subsequently be polymerized *via* free radical cross-linking polymerization at sub-zero temperatures. Typically, methacrylic anhydride or glycidyl methacrylate are utilized for biopolymer modification (Fig. 25).

In a few cases, the degree of methacrylation is determined by  $^1\text{H}$  NMR,<sup>133,144</sup> by the use of an internal standard,<sup>116,118</sup> or using the Habeeb assay.<sup>74</sup> Unfortunately, the successful incorporation of the functional precursors into the cryogel was not evaluated.



**Table 10** Overview about the preparation of biopolymer based cryogels by cross-linking of functional biopolymers (Fig. 24B) or *via* subsequent modification of biopolymer based cryogels (Fig. 24C)

| Composition                | Biopolymer/functionalization                                     | Special features/proof of functionalization | Application                               | Proof of application                        | Ref.        |
|----------------------------|--|---|---|---|-------------|
| HA, EGDGE                  | Hyaluronic acid  | Systemic study                              | Tissue engineering                        | n/a   | 147         |
| GELox, HAA, ox-PHSRN-RGDSP | Gelatin-oxyamine, hyaluronan-aldehyde                            | Artificial tumor micro-environment          | Macrophage culture                        | CLSM, live/dead staining                    | 130 and 132 |
| HA-Tz, HA-Nb               | Hyaluronic acid modified with tetrazine (Tz) and norbornene (Nb) | Biodegradable, immune-responsive            | Vaccine delivery, neutrophil regeneration | Micro BCA, OliGreen Assay, flow cytometry   | 148 and 149 |
| Carboxymethyl cellulose    | Laminin, collagen IV, fibronectin                                | Fluorescence spectroscopy                   | Neural transplantation                    | Alamar blue assay, live/dead staining, CLSM | 117         |
| Albumin-MA                 | Collagen I, fibronectin  | FTIR, immunofluorescence microscopy         | 3D cell culture and drug screening        | Live/dead staining, WST-8 assay, SEM        | 61          |

**Fig. 25** Schematic representation of the synthesis of modified biopolymers for the preparation of functional biopolymer based cryogels. The chemical structures are presented as proposed by the respective authors, except for dextran.

Radhouani *et al.* reported recently the preparation of cryogels based on methacrylated kefirin for tissue engineering applications for the first time.<sup>116</sup> Culture experiments with L929 cells revealed no significant cytotoxicity of the kefirin cryogel according to the AlamarBlue assay. Thus, it was demonstrated, that the modification of kefirin by the attachment of the methacryloyl group didn't change the biocompatibility of the material.

Another recent example for the preparation of functional biopolymer based cryogels *via* cross-linking polymerization is given by Wu *et al.* who utilized different modified gelatin

derivatives, namely methacrylated gelatin (GelMA) and 2-ureido-4[1H]-6-methyl-pyrimidinone functionalized gelatin (GelUPY) to create materials for osteochondral regeneration (Fig. 26).<sup>74</sup>

The prepared GelMA/GelUPY gels were able to recover their shape after compression and exhibited an enhanced toughness in comparison to sole GelMA gels, due to additional non-covalent cross-linking through hydrogen bond formation of the UPY moieties. No significant cytotoxic effects towards SW1353 cells were observed according to the WST-8 assay. The successful cellular migration into the gel was confirmed by fluorescence microscopy after Hoechst staining of the nuclei. *In vivo* experiments revealed the capability of the gels for tissue regeneration in rabbit knees.

Cryogels consisting of methacrylated dextran and methacrylated hyaluronic acid were prepared the first time using electron-beam initiated cross-linking which up until this point had not been applied for the initiator and cross-linker free preparation of polysaccharide cryogels.<sup>146</sup> Stable materials were obtained after short reaction times (10 min) with pore sizes in the range of 70  $\mu\text{m}$  in average as observed by SEM. The excellent cytocompatibility was demonstrated by live/dead staining in combination with CLSM upon seeding 3T3 mouse fibroblast cells.

Functionalized biopolymer-based cryogels can also be obtained by the cross-linking of functional biopolymers at temperatures below the freezing point of the reaction solvent, so called cryo-cross-linking. These cryogels can be applied for the controlled delivery of bioactive compounds<sup>150</sup> or vaccines,<sup>149</sup> as tissue engineering scaffolds<sup>147,148</sup> or as materials for macrophage culture.<sup>130,132</sup> For the investigation of the local elastic and viscous gel properties which directly influence cellular adhesion, morphology, migration and proliferation, multiple particle tracking based optical microrheology represents a helpful tool recently reported by Oelschlaeger *et al.*<sup>147</sup> Herein, the movement of green fluorescent polystyrene microspheres through hyaluronic acid based cryogels was tracked, which were either injected into the gel or included in the initial gel preparing solution before freezing. The promising results of this study strongly suggest these cryogels as potential tissue engineering materials. Cross-linking of modified biopolymers by click chemistry represents an interesting synthetic strategy in the preparation of functionalized cryogels. The utilization of oxime click chemistry enabled the preparation of gelatin-hyaluronic acid based cryogels as model






Fig. 26 Schematic representation of two modified gelatin-based macromonomers: methacrylated gelatin (**GelMA**) and 2-ureido-4[1H]-6-methylpyrimidinone functionalized gelatin (**GelUPY**).





Fig. 27 Schematic representation of the preparation of the functional biopolymer based building blocks **GELox** (oxyamine modified gelatin, A), **HAa** (hyaluronan-aldehyde, B) and **ox-PHSRN-RGDSP** (oxyamine-functionalized peptide sequence, C) for cryogel preparation by oxime-click chemistry.

materials for the investigation of tumor-associated macrophage invasion.<sup>130</sup> As precursors, gelatin-oxyamine (**GELox**), hyaluronan-aldehyde (**HAa**) and an oxyamin-modified, fibronectin derived peptide sequence (**oxHSRN-RGPSP**) for enhanced cellular adhesion were utilized (Fig. 27 and 28). Biopolymer modification with clickable groups was evaluated by <sup>1</sup>H NMR using an internal standard, DOSY NMR and ESI-MS. Pore size distributions became narrower and were shifted to lower pore sizes when increasing the **HAa** content in the gel formulations. A significantly higher number of CD14<sup>+</sup> macrophages in deeper gel regions was observed in case of cryogels with the least **HAa** content. Incorporation of ox-

**PHSRN-RGDSP** revealed a significant increase in the cellular invasion from 13.0 ± 9.2 μm to 27.1 ± 8.7 μm. Unlike commonly applied Matrigel or collagen I based scaffolds, the cryogel system contains the two most abundant components of natural tumor microenvironments and exhibits excellent tunability. Accordingly, it represents a promising candidate to fill the gap for the targeting of macrophage infiltration and polarization. In a more recent study, the same cryogel system was used to model the invasion of tumor-associated macrophages in Hodgkin lymphoma and for the targeted screening of potentially anti-invasive drugs for the very first time.<sup>132</sup> Among 25 drugs tested, marimastat,





**Fig. 28** Schematic representation of the preparation of gelatin-HA oxime-cross-linked cryogels (GELox-HAa) with oxime immobilized peptide for primary macrophage invasion studies (A). Cryogels are formed via oxime chemistry by mixing gelatin-oxamine (GELox), hyaluronan-aldehyde (HAa), and oxamine-modified fibronectin-derived peptide, ox-PHSRN-RGDSP, together and freeze-thawing in a sucrose solution (B). Macrophage invasion is studied over five days as a function of HAa content, adhesive peptide content, and polarization (C). Reproduced and adapted with permission.<sup>130</sup> Copyright 2021, Wiley-VCH GmbH.

batimastat, AS1517499, PD-169316 and ruxolitinib significantly reduced macrophage invasion. Additionally, a platform for the rapid and high-content evaluation of dose response invasion assays was created which enabled high reproducibility and also demonstrated the scalability of the assay.

Biodegradable, injectable cryogels have recently been prepared by click chemistry utilizing norbornene and triazine modified hyaluronic acid precursors, for neutrophil regeneration (Fig. 29).<sup>148,149</sup> Functionalization of the carboxylic acid groups with benzylamino tetrazine or norbornene methylamine was realized by the use of EDC/NHS. The interconnectedness of the cryogel pores was demonstrated by CLSM after incubation with FITC labelled melamine resin particles which remained unchanged even

after the injection. 1  $\mu$ g of Cy5 labelled granulocyte colony stimulating factor (GCSF) was encapsulated into the cryogels.<sup>148</sup> IVIS fluorescence microscopy revealed a sustained release of GCSF from implanted cryogels into mice tissue of 20% after 12 days which enabled a higher peripheral blood neutrophil concentration. The simultaneous delivery of ovalbumin, granulocyte macrophage-colony stimulating factor and CpG-ODN 1826 from this cryogel system for the treatment of murine cancer enabled a significant reduction of the tumor growth rate with increased survival times.<sup>149</sup>

Another method for the preparation of functionalized cryogels based on biopolymers utilizes the subsequent modification of cryogels with biopolymers (Fig. 24C). The attachment of ECM-like proteins such as laminin, collagen IV and fibronectin








Fig. 29 Schematic representation of the preparation of hyaluronic acid based precursors with norbornene and partial Cy5 modification (A) and tetrazine functionalization (B).

onto carboxymethylcellulose based cryogels using EDC enabled their use as carrier materials for the transplantation of neural cells which might represent a new perspective regarding the treatment of Parkinson's disease.<sup>117</sup> The coupling efficiency at various pH values was determined by fluorescence spectroscopy upon protein labelling with rhodamine B isothiocyanate followed by the dissolution of the gel network with 1 M NaOH. At pH 4 the amount of bound collagen IV, fibronectin and laminin was approx. 0.74  $\mu\text{g}$  per gel, 1.79  $\mu\text{g}$  per gel and 1.89  $\mu\text{g}$  per gel as determined by the authors, respectively. In contrary to unfunctionalized cryogels as well as gels containing fibronectin and collagen IV, the highest number of LUHMES neurites was observed in case of laminin functionalization in the absence of cell aggregates. Laminin-functionalized cryogels loaded with human embryonic stem cells which were injected into the striatum of immunosuppressed mice were still intact after one month and indicated the ability to preserve the cellular integrity.

Very recently, methacryloyl albumine based cryogels were functionalized with collagen I and/or fibronectin using EDC as artificial liver model for the 3D cultivation of HepG2 cells and screening of drugs.<sup>61</sup> The degree of methacrylation was determined by the Habeeb assay which was found to be 93%. Immunofluorescence microscopy visualized the homogenous distribution

of collagen I and fibronectin on the cryogel surfaces upon staining with DyLight488 or DyLight594, respectively. An increase of the signals belonging to amide I (stretching vibration of  $\text{C}=\text{O}$ ,  $1648\text{ cm}^{-1}$ ), amide II (stretching vibration of  $\text{N-H}$ ,  $1529\text{ cm}^{-1}$ ) and amide III ( $1229\text{ cm}^{-1}$ ) in combination with the presence of a new broad band at  $3118$  to  $3490\text{ cm}^{-1}$  (stretching frequency of  $\text{NH}_2$  groups) further confirmed the successful modification. Protein modification increased the density of HepG2 cells and their migration into the cryogels as well as the upregulation of hepatocyte specific genes, most significantly in case of the dual-protein functionalization. This indicates the advantage and suitability of a dual functionalization strategy for a better liver ECM mimicking.

In conclusion, functional biopolymer based cryogels are most commonly prepared by the use of polymerizable macromonomeric precursors. Although the degree of modification is typically determined by NMR or the Habeeb assay, the successful incorporation of the precursors into the cryogel polymeric network is not evaluated. Cryo-cross-linking represents another preparation approach which utilizes tetrazine-norbornene or oxamine click chemistry. The attachment of the clickable groups can be confirmed by NMR or ESI-MS. Nevertheless, no evaluation of the successful incorporation was carried out by now. A third approach is based on the subsequent modification



of biopolymer based cryogels with ECM-like proteins utilizing EDC chemistry. Fluorescence spectroscopy enables the determination of the coupling efficiency. The recent development of multiple particle tracking microrheology enabled the determination of local elastic and viscous properties of hyaluronic acid based cryogels. Due to the impact on the cellular adhesion, morphology, migration and proliferation, their determination is of tremendous importance with regard to potential biological applications. With respect to new fabrication techniques, the development of electron-beam initiated cross-linking enabled an initiator and cross-linker free formulation with short reaction times.

## 5. Functional cryogels based on hybrid systems of modified biopolymers and synthetic polymers

### 5.1 Functional polymerizable building blocks based on synthetic polymers and modified biopolymers

Contrary to synthetic polymer based cryogels typically used as adsorbent materials, hybrid cryogels comprised of synthetic

polymers and modified biopolymers can be used in a variety of biomedical applications due to their excellent biocompatibility induced by the modified biopolymers (Tables 11 and 12). The combined use of biopolymers with synthetic polymers enables sufficient mechanical properties, in comparison with sole biopolymer based systems. The modification of biopolymers such as hyaluronic acid,<sup>113–115,119,125,126,151,152</sup> chondroitin sulfate,<sup>119,121,122</sup> dextran,<sup>129,153,154</sup> chitosan,<sup>122</sup> gelatin,<sup>111,123,125,126,131,151</sup> heparin,<sup>120</sup> alginate,<sup>93,120,155</sup> cyclodextrin<sup>96</sup> or poly( $\gamma$ -glutamic acid)<sup>156</sup> includes the attachment of a polymerizable group prior to radical polymerization. This is typically realized by the reaction with methacrylic anhydride,<sup>111,122,123,125,126,131,151</sup> glycidyl methacrylate,<sup>113–115,119,121,122,129,151,152,156</sup> 2-aminoethyl methacrylate hydrochloride,<sup>93,120,155</sup> *N*-(3-aminopropyl) methacrylamide,<sup>120</sup> acryloyl chloride<sup>96</sup> or *p*-vinylbenzyl chloride<sup>96</sup> (Fig. 25 and 30).

Additionally, HEMA-lactate-dextran was prepared by the attachment of imidazolyl carbamate modified HEMA-lactate (Fig. 31).<sup>153,154</sup> The successful modification can be confirmed by <sup>1</sup>H NMR.<sup>157</sup> Incorporation within cryogels can be evaluated by FTIR due to the presence of signals at 1760 cm<sup>-1</sup> ( $\nu_{\text{st}}(\text{C}=\text{O})$ ),

**Table 11** Overview about cryogels containing polysaccharides based on both, biopolymers and synthetic polymers using functional polymers/macromonomers

| Composition                                       | Biopolymer  | Application                                       | Proof of application                                | Ref.        |
|---|---|---|---|-------------|
| HA-MA, DMAAm                                      | Methacrylated hyaluronic acid                             | Potential biomedical applications                 | Rheological measurements, compression tests         | 152         |
| HA-MA, PEGDA                                      |   | Cell transplantation                              | CLSM, live/dead staining,                           | 113         |
| Acrylate-PEG-G <sub>4</sub> RGDSP, HA-MA, (mPEGA) |   | Breast tumor model, tissue engineering            | AlamarBlue assay                                    | 114 and 115 |
| Acrylate-PEG-YRGDS/YRDGS, CS-MA, PEGDA            | Methacrylated chondroitin sulfate                         | Tissue engineering                                | CLSM, PrestoBlue assay                              | 121         |
| DexMA, PEGDA                                      | Methacrylated dextran                                     | Drug delivery                                     | HPLC, MTS assay                                     | 129         |
| HEMA-lactate-dextran, MBAAm, (NiPAAm)             | Modified dextran  | Bone regeneration, controlled drug release        | Differentiation assays, histological staining, HPLC | 153 and 154 |
| C-MA, CS-MA, PEGDA                                | Methacrylated chitosan, methacrylated chondroitin sulfate | Growth factor release for neovascularization      | ELISA, live/dead assay, PrestoBlue assay            | 122         |
| CS-MA or HA-MA, PEGDA                             | Methacrylated chondroitin sulfate or hyaluronic acid      | Cartilage tissue engineering                      | Live/dead assay, AlamarBlue assay                   | 119         |
| HA-MA, GelMA, 4arm-PEG-acrylate                   | Methacrylated hyaluronic acid, methacrylated gelatin      | Adipose tissue engineering, nerve regeneration    | Live/dead assay, MTT assay, histological evaluation | 125 and 126 |
| Alg-MA, 4arm-PEG-acrylate                         | Methacrylated alginate                                    | Biomolecule release for stem cell transplantation | ELISA   | 155         |
| Hep-MA, Alg-MA, acrylate-PEG-RGD                  | Methacrylated heparin, methacrylated alginate             | Gene delivery                                     | AlamarBlue assay, CLSM                              | 120         |
| Alg-MA sodium                                     | Methacrylated alginate                                    | Removal of methylene blue                         | Spectrophotometry                                   | 93          |
| <i>p</i> -styrenesulfonate                        |   |   |   |             |
| Acryloyl-CD or styrene-CD                         | Modified cyclodextrin                                     | Controlled drug delivery                          | Spectrophotometry, EDX                              | 96          |
| HEMA, MBAAm                                       |   |   |   |             |

**Table 12** Overview about cryogels containing polypeptides or proteins based on both, biopolymers and synthetic polymers using functional polymers/macromonomers

| Composition  | Biopolymer                                   | Application   | Proof of application                     | Ref.             |
|--|--|---|--|------------------|
| GelMA, PEGDA                                       | Methacrylated gelatin                        | Spheroid formation, anti-cancer drug screening, and gene delivery | CLSM, SEM, live/dead staining, MTT assay | 111, 123 and 131 |
| mPGA, HEMA, PEGDA                                  | Methacrylated poly( $\gamma$ -glutamic acid) | Bone tissue engineering   | Live/dead assay                          | 156              |
| HA-MA or GelMA, Dopa-acrylate or PEG-Dopa-acrylate | Methacrylated hyaluronic acid or gelatin     | Bioadhesive materials   | Live/dead staining, mechanical tests     | 151              |






Fig. 30 Schematic representation of the synthesis of modified biopolymers for the preparation of hybrid polymer based cryogels. The chemical structures are presented as proposed by the respective authors or reported elsewhere.

$1018\text{ cm}^{-1}$  ( $\nu_{\text{st}}(\text{C}-\text{OH})$ ). Copolymerization with NiPAAm enabled the preparation of degradable and thermoresponsive cryogels for simvastatin delivery.<sup>153</sup> In a few cases the degree of modification (DM) was evaluated by the use of  $^1\text{H}$  NMR which is typically expressed as the ratio of the double bond proton integrals in relation to the integral of a reference signal.<sup>96,111,121,152</sup> Dextran methacrylation was determined from the ratio of the integrals of the methacrylic groups (5.67 to 6.09 ppm) divided by the integrals of the backbone protons of dextran (3.5 to 4 ppm).<sup>129</sup> In the cases of hyaluronic acid and chondroitin sulfate which both contain *N*-acetyl groups, the degree of modification was calculated by the ratio of the double bond integrals (5.65 to 6.1 ppm) to the integrals of the methyl group (1.8 to 1.9 ppm).<sup>121,126,151,158,159</sup>

For the modification of gelatin, the DM is calculated from the loss of the lysine  $\text{CH}_2$  peak at 2.8 to 2.9 ppm which is in vicinity to the  $\epsilon$ -amine group.<sup>111,160</sup> For the modification of alginate, no DM determination was carried out although literature examples report the calculation of the DM based on the integral of the methylene group located next to the methacrylamido group,<sup>161</sup> or based on the integration of the alginate protons between 3.5 and 4.0 ppm as reference signal,<sup>162</sup> respectively. The successful incorporation of the functional building blocks in the cryogel network is mostly not evaluated. In a very few cases, FTIR provides qualitative proof of functionalization with proteins such as gelatin or poly( $\gamma$ -glutamic acid) by the presence of characteristic bands at  $1650\text{ cm}^{-1}$  or  $1550\text{ cm}^{-1}$  representing






Fig. 31 Schematic representation of the preparation of HEMA-lactate-dextran. Ring-opening polymerization initiated by HEMA followed by modification with carbonyldiimidazole (CDI) prior to the functionalization of dextran.

the amide I bending and amide II bending (N–H) of secondary and primary amides, respectively.<sup>111,156</sup>

Regarding synthetic polymers, *N,N*-dimethylacrylamide (DMAAm),<sup>152</sup> poly(ethylene glycol) diacrylate (PEGDA),<sup>111,113,119,122,123,129,131,156</sup> methoxy-poly(ethylene glycol) acrylate (mPEGA),<sup>115</sup> *N,N'*-methylenebisacrylamide (MBAAm),<sup>96,153,154</sup> *N*-isopropylacrylamide (NiPAAm),<sup>153</sup> 4arm-PEG-acrylate,<sup>125,126,155</sup> sodium *p*-styrene sulfonate (SPS),<sup>93</sup> or 2-hydroxyethyl methacrylate (HEMA)<sup>96,156</sup> are typically used commercially available precursors (Fig. 32). Polymerizable dopamine derivatives Dopa-acrylate and Dopa-PEG-acrylate were synthesized by the modification with NHS-acrylate or NHS-PEG-acrylate, respectively.<sup>151</sup> The incorporation of Dopa-acrylate into gelatin or hyaluronic acid based cryogels improved the adhesive strength towards porcine skin in comparison with the Dopa-free analogues. By the use of Dopa-PEG-acrylate instead, the adhesion strengths were increased by almost three times up to 14.7 kPa and 15.5 kPa for hyaluronic acid and gelatin, respectively, which is expected to be due to minimized sterical hindrance effects and thus, increased tissue binding by the presence of the PEG spacer. Adhesion properties were similar or higher in comparison with commercially available surgical adhesives.

A new cryogel formulation containing methacrylated dextran and poly(ethylene glycol) dimethacrylate (PEGDMA) was prepared for potential drug delivery applications.<sup>129</sup> The incorporation of PEGDMA into the polymer network enabled improved physical and mechanical properties. The excellent cytocompatibility was demonstrated by the cultivation of human adipose derived stem cells using the MTS assay.

Additionally, the polymerization of peptide sequences such as G4RGDSP, YRGDS, YRDGS or RGD from modified precursors is possible by their functionalization with PEG acrylate containing a terminal active ester unit (Fig. 33). The degree of peptide conjugation can be determined by <sup>1</sup>H NMR from the number of aromatic protons of tyrosine divided by the number of double bond protons.<sup>121</sup>

Both the determination of the DM of the modified building blocks and the evaluation of the successful incorporation into the cryogel network is rarely reported in literature. In one of the few examples, cryogels were prepared from acrylated or styrene-modified  $\alpha$ -,  $\beta$ - and  $\gamma$ -cyclodextrin (CD) in the presence of HEMA and MBAAm for controlled drug delivery in wound healing applications.<sup>96</sup> The degree of modification determined by <sup>1</sup>H NMR and MALDI-ToF was found to be 3 for the acrylation,




Fig. 32 Schematic representation of synthetic polymer precursors for the preparation of hybrid cryogels.






Fig. 33 Schematic representation of the synthesis of acrylate-PEG functionalized peptide sequences.

whereas in the case of styrene-functionalized analogues the DM varied depending on the type of CD. The presence of characteristic bands in the IR spectrum confirmed the successful incorporation of CD into the cryogels. Compared with sole p(HEMA) cryogels, a higher loading efficiency of lomefloxacin in the CD functionalized cryogels was observed as determined by spectrophotometry. Cryogels prepared with styrene-modified CD revealed higher loading efficiencies compared to the acrylate analogues which is most likely to the increased number of  $\pi$ - $\pi$  interactions with the drug molecules (Fig. 34A). An increased drug release was observed in case of cryogels with styrene-modified CD incorporation due to the formation of hydrogen bonds in contrary to the acrylate derivatives preventing the drug release (Fig. 34B and C). Drug release kinetics revealed a burst release within the first 3 to 5 hours for all the systems and a continuous release of small doses of drugs in case of cryogels containing acrylate-CD. The cryogels did not reveal an induction of cytotoxic effects towards human dermal fibroblasts according to cell viability determinations based on the MTT assay which were found to be >90%.

In short, the preparation of cryogels based on a combination of synthetic polymers and biopolymers most commonly utilizes polymerizable precursors. In case of the synthetic polymers, these are typically commercially available whereas in case of biopolymer precursors the attachment of a polymerizable unit is required. The degree of modification is typically determined

by the use of  $^1H$  NMR. The successful incorporation of the precursors into the cryogel polymeric structure is unfortunately only evaluated by the use of FTIR.

## 5.2 Functional cryogels *via* modification of hybrid cryogels

For the modification of hybrid cryogels based on synthetic polymers and biopolymers, the high reactivity of epoxide groups is most commonly exploited (Table 13). By the use of AGE as functional monomer, epoxide containing cryogels can directly be functionalized with affinity ligands such as IDA<sup>70,71</sup> or *ortho*-phospho-L-tyrosine<sup>73</sup> (Fig. 35A). Alternatively, epoxide groups can be introduced subsequently by the reaction of cryogel hydroxy groups with 1,4-butanedioldiglycidylether<sup>48</sup> or epichlorohydrin<sup>73</sup> (Fig. 35B and C). Furthermore, peptides such as cyclo(Arg-Gly-Asp-D-Tyr-Lys) can be coupled towards carboxylic acid groups on cryogel surfaces using EDC and sulfoNHS (Fig. 35D).

The functionalization of p(AGE-AAm-alginate) cryogels with iminodiacetic acid (IDA) enabled the adsorption of bovine immunoglobulin G (bIgG) by immobilized metal affinity chromatography (IMAC) *via* the complexation of copper and nickel ions (Fig. 35A).<sup>70</sup> The amount of immobilized IDA ligand was determined by stoichiometric  $Cu^{2+}$  chelation in combination with spectrophotometry. After saturation, the amount of  $Cu^{2+}$  ions adsorbed by the IDA ligands was determined spectrophotometrically at 733 nm upon elution with EDTA which were




Fig. 34 Drug loading efficiency (DLE) after 24 h of adsorption of HEMA and CD-HEMA cryogels for lomefloxacin (A). Drug release efficiency (DRE) after 24 h in acidic solution (pH = 3, B) and a saline buffer (pH = 7.4, C) of HEMA and CD-HEMA cryogels for lomefloxacin. Reproduced with permission.<sup>96</sup> Copyright 2023, The Royal Society of Chemistry and the Chinese Chemical Society.



Table 13 Overview about the subsequent modification of cryogels based on both biopolymers and synthetic polymers

| Composition                                  | Modification                             | Coupling strategy                 | Proof of functionalization | Application                       | Proof of application                | Ref. |
|--|--|-----------------------------------|----------------------------|-----------------------------------|-------------------------------------|------|
| AGE, AAm, MBAAm alginate                     | IDA, Cu <sup>2+</sup> , Ni <sup>2+</sup> | Epoxide                           | FTIR spectrophotometry     | Adsorption of IgG                 | Spectrophotometry (Bradford method) | 70   |
| AGE, AAm, MBAAm chitosan, GA                 | IDA, Cu <sup>2+</sup> , Ni <sup>2+</sup> | Epoxide                           | FTIR spectrophotometry     | Isolation of IgG from human serum | Spectrophotometry (Bradford method) | 71   |
| Alginate, AAm MBAAm                          | <i>Ortho</i> -phospho-L-tyrosine         | Bisoxirane activation (BDDGE)     | FTIR, EA                   | Purification of IgG               | Spectrophotometry (Bradford method) | 48   |
| AAm, alginate (AGE), MBAAm                   | <i>Ortho</i> -phospho-L-tyrosine         | (A) Epoxide or (B) ECH activation | Spectrophotometry          | Isolation of IgG from human serum | Spectrophotometry (Bradford method) | 73   |
| Heparin/starPEG-COOH starPEG-NH <sub>2</sub> | Cyclo(Arg-Gly-Asp-D-Tyr-Lys)             | EDC/sulfo-NHS                     | —                          | Delivery of signaling proteins    | ELISA                               | 110  |




Fig. 35 Schematic representation of the subsequent modification of hybrid cryogels by the direct functionalization of epoxide groups with amines such as IDA or *o*-phospho-L-tyrosine (A), or *via* the modification of hydroxy groups by the introduction of epoxy groups using 1,4-butanedioldiglycidyl ether (B) or epichlorohydrin (C). Alternative strategies include the attachment of peptides such as cyclo(Arg-Gly-Asp-D-Tyr-Lys) *via* EDC/sulfoNHS coupling towards cryogel carboxylic acid groups (D).



found to be  $267.67 \mu\text{mol g}^{-1}$ . The increase of the signal intensities at  $1655 \text{ cm}^{-1}$  and  $1609 \text{ cm}^{-1}$  (C=O stretching) and between  $1190$  to  $1114 \text{ cm}^{-1}$  (C–O stretching vibration), as well as the presence of signals at  $1563$  to  $1552 \text{ cm}^{-1}$  (asymmetrical COO vibration) and at  $1401$  to  $1399 \text{ cm}^{-1}$  ( $\text{CH}_2$ -N group, symmetrical COO vibration) confirmed the successful cryogel modification with IDA.<sup>70,71</sup> The  $\text{Cu}^{2+}$  immobilized cryogel exhibited 3.7 times higher adsorption capacities of IgG compared to the nickel analogue, with a total of  $148.09 \text{ mg g}^{-1}$ . The adsorption capacities remained unchanged after 20 adsorption–desorption cycles using imidazole containing buffer solutions as desorbing agent, which demonstrates the excellent stability and reusability of these systems.

Very recently, the use of a similar cryogel for the isolation of human IgG from human serum was reported in which alginate has been replaced by chitosan.<sup>71</sup> The functionalization with  $472.66 \mu\text{mol g}^{-1} \text{ Cu}^{2+}$  ions was found to be very unselective regarding the adsorption of IgG from human serum due to the presence of additional lanes in the SDS-PAGE of the eluted protein fraction. On the other hand, the functionalization with  $33.71 \mu\text{mol g}^{-1} \text{ Ni}^{2+}$  functionalization allowed to recover 55.6% of IgG with 88.6% purity.

Besides spectrophotometry, elemental analysis was applied for the determination of ligand functionalization, for instance *ortho*-phospho-*L*-tyrosine (Fig. 35A).<sup>48</sup> The amount of immobilized ligand on p(AAm-Alg) cryogels was found to be  $7.43 \mu\text{mol g}^{-1}$  based on the phosphorous content. The increase of the signal at  $1655 \text{ cm}^{-1}$  (amide) and the appearance of a signal  $1609 \text{ cm}^{-1}$  (C=C bond) in the FTIR spectrum confirmed the ligand functionalization. The tyrosine ligand functionalization had no influence on the purity of adsorbed IgG from buffer solutions as both modified and unmodified cryogels were able to obtain comparably pure IgG. Nevertheless, p(AAm-Alg)-Tyr exhibited 13.4 times higher dynamic adsorption capacities. Additionally, no reduction of the adsorption capacity was observed after 10 adsorption–desorption cycles using different adsorption buffers as desorbing agents containing 1 M NaCl.

p(AAm-Alg) cryogels were functionalized with *ortho*-phospho-*L*-tyrosine by two different approaches for the purification of immunoglobulin G (IgG) from human serum.<sup>73</sup> Epoxide containing p(AAm-Alg-AGE) cryogels were directly functionalized with *ortho*-phospho-*L*-tyrosine (Tyr) (Fig. 35B). Alternatively, epichlorohydrin activation of the alginate hydroxy groups within p(AAm-Alg) cryogels resulted in the introduction of reactive epoxide groups (p(AAm-Alg-ECH)) which were then directly modified with Tyr (Fig. 35C). By the use of spectrophotometry, the tyrosine ligand density for both types of cryogels was indirectly determined based on the binding of copper ions towards Tyr assuming the formation of an equimolar complex. The amount of eluted  $\text{Cu}^{2+}$  from Tyr functionalized cryogels by EDTA relatively to the amount of eluted  $\text{Cu}^{2+}$  from unmodified p(AAm-Alg) cryogels was quantified at 733 nm. An increased amount of Tyr ligand immobilization was found in case of the ECH activated p(AAm-Alg-ECH) cryogels ( $1070 \mu\text{mol g}^{-1}$ ) compared to p(AAm-Alg-AGE) ( $52.72 \mu\text{mol g}^{-1}$ ) resulting in a higher swelling ratio of  $27.79 \text{ g g}^{-1} \text{ H}_2\text{O}$  which was almost twice the amount for

p(AAm-Alg-AGE)-Tyr cryogels. The dynamic adsorption capacity of IgG was found to be  $262.97 \text{ mg g}^{-1}$  which was 9.2 times higher compared to the p(AAm-Alg-AGE)-Tyr cryogels and even higher than the p(AAm-Alg)-bisoxirane-Tyr cryogels reported by Mourao *et al.*<sup>48</sup> No reduction of the protein adsorption capacities after 20 adsorption–desorption cycles was observed for both cryogel types using different adsorption buffers containing 0.5 M NaCl as desorbing agents.

An outstanding modular cryogel platform based on heparin and starPEG-NH<sub>2</sub> with additional functionalization by cyclo(Arg-Gly-Asp-D-Tyr-Lys) for the delivery of signaling proteins was recently reported (Fig. 36).<sup>110</sup> Human vascular endothelial growth factor (VEGF), stromal cell-derived factor 1 $\alpha$  (SDF-1) and human neuronal growth factor (NGF) were loaded into the starPEG-heparin cryogels with high efficiencies of 80% (1600 ng per scaffold), 90% (400 ng per scaffold) and 98% (700 ng per scaffold), respectively, which was quantified by ELISA. StarPEG-NH<sub>2</sub> cryogels without protein-affinity mediating heparin revealed low loading efficiencies of VEGF and SDF-1 of 20 and 30%, respectively.

Heparin incorporation also enabled a sustained release of the signaling proteins in contrary to starPEG-NH<sub>2</sub> cryogels revealing a high initial burst release. Unfortunately, the functionalization with cyclo(Arg-Gly-Asp-D-Tyr-Lys) by EDC/NHS (Fig. 35D) for enhanced cellular adhesion was not quantified, even though it would have been possible by acidic hydrolysis, derivatization of the cleaved amino acids with *ortho*-phthalaldehyde and HPLC analysis.<sup>163,164</sup> Ready-to-use starPEG-heparin cryogels obtained after protein loading and quick freezing followed by freeze-drying revealed no significant difference in the release profile of VEGF after storage for one week at  $-20 \text{ }^\circ\text{C}$  compared to freshly loaded cryogels. NGF provided by freshly loaded cryogels, ready-to-use cryogels or as supplement in the culture medium enabled a reduction of the number of rat pheochromocytoma (PC-12) cell clusters and the formation of larger neurites with an increasing overall number of neurites (Fig. 37).

## 6. Conclusions

In cryogel research, a particular attention should be focused to the actual quantification of the cryogel functionalization. This does not only help to ensure certain levels of quality and consistency in cryogel research. It also enables for reproducibility and comparability when using cryogels as adsorbent materials or in cell biological applications. Furthermore, it represents an inevitable tool enabling further developments for the optimization of the amount of functionalization in order





Fig. 36 Schematic representation of the different components for the preparation of starPEG(-heparin) cryogels.





**Fig. 37** NGF-induced neuronal differentiation of PC-12 cells cultured in cRGD peptide-functionalized starPEG-heparin cryogels (3.9 mM heparin) for seven days. NGF was either administered from pre-loaded ready-to-use cryogels, released from freshly loaded cryogels, or supplemented to the cell culture medium ( $100 \text{ ng mL}^{-1}$ ). Confocal microscopy images (maximum intensity projections) of neuronal differentiation of PC-12 cells in dependence of the applied NGF administration strategy (blue: cryogel, green: F-actin, and red: nuclei, scale bars:  $80 \mu\text{m}$ , A). Quantification of the cell number and neurite outgrowth (B). Total number of cells (B1), number of cell clusters (B2), number of neurite branches (B3) and average neurite length derived from the longest neurite segment of each identified neurite branching structure (B4). Reproduced with permission.<sup>104</sup> Copyright 2021, Elsevier Ltd.

to obtain materials with targeted and desired properties. Further improvement regarding their injectability, drug delivery, stimuli responsivity or their ability to replicate new specific tissue-like environments would be enabled. Suitable modification strategies for the preparation of new materials can be selected based on the success of each of the different methods. Unfortunately, FTIR is most commonly reported solely as qualitative proof without determining the actual amount of achieved functionalization. In contrast, EDX, XPS and elemental analysis allow for a direct quantification based on the presence of heteroatomic elements such as sulfur, boron, nitrogen or phosphorous. For the indirect determination, spectrophotometry is most commonly applied, often coupled with colorimetric assays such as the Bradford assay, the Habeeb assay or the DNS assay to determine proteins, amines or reducing sugars, respectively. In the case of nitrogen containing monomers or ligands, the Kjeldahl method can be applied as suitable quantification technique. Depending on the polymer source, different applications are possible. Synthetic polymer based cryogels are commonly used for the adsorption of metal ions, proteins or enzymes due to their favorable mechanical properties. As biopolymers exhibit excellent biocompatibilities, their use as precursor molecules enables applications in tissue engineering and 3D (cell) cultivation. A combination of these two polymer types extends the applications for the resulting materials to both adsorption and cell biological purposes as well as drug delivery.

By the additional modification with bioactive molecules such as peptides or proteins, the typical issue of synthetic polymer based cryogels possessing low biocompatibilities can be overcome. Besides the use of (macro-)monomeric precursor molecules, functionalized cryogels can also be obtained by the subsequent modification with certain binding ligands. Each of the two strategies has its advantages and disadvantages. On the one hand, (macro-)monomeric precursors allow for a better control on the amount of functionalization in the material but need to contain an attached polymerizable group which requires certain synthetic steps beforehand. On the other hand, the subsequent modification of cryogels allows for the use of plain, unmodified molecules of choice. This can be beneficial for biomacromolecules in which the modification with a polymerizable group is often rather difficult to quantify. Overall, there is no standard approach for manufacturing and the synthetic strategy has to be carefully selected in dependence on the final cryogel and its foreseen application. Recently, promising studies have shown the potential of cryogels to be used for the simultaneous adsorption of different metal ions as well as the simultaneous loading and release of different drugs. Accordingly, we believe that multifunctional cryogels capable of releasing various compounds such as drugs from the same material at the same time will be in the focus of future research. This would lead to further improvements regarding combination therapies and advanced treatments of diseases.





## Abbreviations

|                                   |   |                |  |
|-----------------------------------|---|----------------|--|
| $^1\text{H}$ NMR                  | Proton nuclear magnetic resonance   | DAPI           | 4'-Diamidino-2-phenylindole  |
| AA                                | Acrylic acid  | DexMA          | Methacrylated dextran  |
| AAM                               | Acrylamide  | DF             | Degree of functionalization  |
| AAPBA                             | <i>meta</i> -Acrylamidophenylboronic acid   | Dil            | 1,1'-Dioctadecyl-3,3,3',3'-tetramethylindocarbocyanine perchlorate |
| AAS                               | Atomic absorption spectroscopy  | DM             | Degree of modification   |
| AATris                            | <i>N</i> -[Tris(hydroxymethyl)methyl]acrylamide                                       | DMAAm          | <i>N,N</i> -Dimethylacrylamide                                     |
| Ac-Cys-OH                         | <i>N</i> -Acetyl-L-cysteine   | DMSP-HEMA      | Dimethylsulfoniopropionate-hydroxyethyl methacrylate ester         |
| Acrylate-PEG-G <sub>4</sub> RGDSP | PEG acrylate based G <sub>4</sub> RGDSP peptide sequence                              | DNS            | 3,5-Dinitrosalicylic acid  |
| Acrylate-PEG-YRGDS/YRDGS          | PEG acrylate based YRGDS/YRDGS peptide sequence                                       | DOSY           | Diffusion ordered spectroscopy                                     |
| Acryloyl-CD                       | Acrylated $\beta$ -cyclodextrin   | DS             | Degree of substitution   |
| Ada-Ahx-GGRGD/GGGHK               | Adamantyl aminohexanoic acid  | <i>E. coli</i> | <i>Escherichia coli</i>  |
| AEMA-HCl                          | 2-Aminoethyl methacrylate hydrochloride   | EA             | Elemental analysis   |
| AES                               | Mono(2-acryloyloxyethyl)succinate   | ECH            | Epichlorohydrin  |
| AGE                               | Allyl glycidyl ether  | ECM            | Extracellular matrix   |
| Albumin-MA                        | Methacrylated albumin   | EDC            | 1-Ethyl-3-(3-dimethylaminopropyl)carbodiimide                      |
| Alg                               | Alginate  | EDTA           | Ethylenediamine tetraacetic acid                                   |
| Alg-MA                            | Methacrylated alginate  | EDX            | Energy-dispersive X-ray spectroscopy                               |
| AllAm                             | Allylamine  | EGDGE          | Ethylene glycol diglycidyl ether                                   |
| Amine-HA-MA                       | Amine terminated methacrylated hyaluronic acid  | EGDMA          | Ethylene glycol dimethacrylate                                     |
| APTMACl                           | Acrylamidopropyltrimethyl ammonium chloride   | EH             | Epoxy hexane   |
| ARhoB                             | Acryloxyethyl thiocarbonyl rhodamine B  | ELISA          | Enzyme-linked immunosorbent assay                                  |
| Asp-MA                            | <i>N</i> -Methacrylamido aspartic acid  | EPL-A          | Acrylated $\epsilon$ -poly-L-lysine                                |
| bIgG                              | Bovine immunoglobulin G   | ESI-MS         | Electrospray ionization mass spectrometry                          |
| Biotin-SH                         | Thiol-functionalized biotin   | FITC-ConA      | Fluorescein isothiocyanate labelled Concanavalin A                 |
| BODIPY                            | Boron-dipyrromethene  | FTIR           | Fourier-transform infrared spectroscopy                            |
| bPEI                              | Branched poly(ethyleneimine)  | FuMaMA         | Furan-protected maleimide-containing methacrylate                  |
| BSA                               | Bovine serum albumin  | GA             | Glutaraldehyde   |
| Calcein-AM                        | Calcein acetoxy methyl ester  | GCMA           | Methacrylated glycol chitosan                                      |
| CD                                | Cyclodextrin  | GC-MS          | Gas chromatography-mass spectrometry                               |
| C-MA                              | Methacrylated chitosan  | GelMA          | Methacrylated gelatin  |
| CMFDA                             | 5-Chloromethylfluorescein diacetate   | GELox          | Oxyamine-functionalized gelatin                                    |
| $c_{\text{final}}$                | Final concentration in solution   | Gel-UPY        | 2-Ureido-4[1H]-6-methylpyrimidinone functionalized gelatin         |
| CFU                               | Colony forming unit   | GFP            | Green fluorescent protein  |
| $c_{\text{initial}}$              | Initial concentration in solution   | GHK            | Glycyl-L-histidyl-L-lysine peptide sequence                        |
| CLSM                              | Confocal laser scanning microscopy  | GlcNAc         | <i>N</i> -Acetyl glucosamine                                       |
| CMC-MA                            | Methacrylated carboxymethylcellulose  | GMA            | Glycidyl methacrylate  |
| CNBr                              | Cyanogen bromide  | HA             | Hyaluronic acid  |
| ConA                              | Concanavalin A  | HAa            | Hyaluronan aldehyde  |
| CS-MA                             | Methacrylated chondroitin sulfate   | HA-MA          | Methacrylated hyaluronic acid                                      |
| CT                                | Computed tomography   | HA-Nb          | Norbornene-functionalized hyaluronic acid                          |
| DAOS                              | <i>N</i> -Ethyl- <i>N</i> -(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline sodium salt |                |  |



|                             |  |                                |  |
|-----------------------------|--|--------------------------------|--|
| HA-Tz                       | Triazine-functionalized hyaluronic acid                    | <i>p</i> AABA<br><i>p</i> ABSA | <i>para</i> -Amino benzoic acid<br><i>para</i> -Amino benzenesulfonamide                             |
| HEK                         | Human embryonic kidney                                     |                                | <i>para</i> -Amino pyridine  |
| HEMA                        | 2-Hydroxyethyl methacrylate                                | <i>p</i> APyr                  | 3-(Prop3-nyloxy-carbonylamino)-phenylboronic acid  |
| Hep-MA                      | Methacrylated heparin                                      | PCAPBA                         | Poly(ethylene glycol) diacrylate   |
| HPLC                        | High-performance liquid chromatography                     |                                | Poly(ethylene glycol) dimethacrylate   |
| HRP                         | Horseradish peroxidase                                     | PEGDA                          | Poly(ethylene glycol) based furan-protected maleimide-containing methacrylate                        |
| hsTf                        | Human serum transferrin                                    | PEGDMA                         | Poly(ethylene glycol) methyl methacrylate  |
| ICP-AES                     | Inductive coupled plasma-atomic emission spectroscopy      | PEGFuMaMA                      | Poly(ethylene glycol) methyl methacrylate  |
| ICP-MS                      | Inductive coupled plasma-mass spectrometry                 |                                | Polyethyleneimine  |
| ICP-OES                     | Inductive coupled plasma-optical emission spectroscopy     | PEGMeMA                        | <i>L</i> -Phenylalanine  |
| IDA                         | Iminodiacetic acid   | PEI                            | Poly( <i>L</i> -lysine)  |
| IgG                         | Immunoglobulin G   | Phe                            | Porcine platelet lysate  |
| IMAC                        | Immobilized metal-affinity chromatography                  | PLL                            | Retro-Diels Alder reaction   |
| KefMA                       | Methacrylated kefirin                                      | PPL                            | <i>L</i> -Arginyl-glycyl- <i>L</i> -aspartic acid peptide sequence                                   |
| L-ASNase                    | <i>L</i> -Asparaginase                                     | retro-DA                       | 5/6-Carboxy tetramethyl rhodamine succinimidyl ester   |
| LDH                         | Lactate dehydrogenase                                      | RGD                            | Rhodamine B isothiocyanate   |
| LDL                         | Low-density lipoprotein                                    |                                | Real-time quantitative polymerase chain reaction   |
| LDL-C                       | Low-density lipoprotein-cholesterol                        | Rhodamine-NHS                  | <i>Staphylococcus epidermidis</i>  |
| MAA                         | Methacrylic acid   | RITC                           | Sulfobetaine methacrylate  |
| MAAm                        | Methyl acrylamide  | RT qPCR                        | Stromal cell-derived factor 1  |
| MABP                        | Methacryloyl benzophenone                                  |                                | Sodium dodecyl sulfate-polyacrylamide gel electrophoresis  |
| MAETAC                      | 2-(Methacryloyloxy)ethyl trimethylammonium chloride        | <i>S. epidermidis</i>          | Scanning electron microscopy   |
| MAG                         | 2-(Methacrylamido)glucopyranose                            | SBMA                           | Sulfopropyl acrylate   |
| MAHis                       | <i>N</i> -Methacrylamido- <i>L</i> -histidine              | SDF-1                          | Sulfopropyl methacrylate   |
| MALDI-ToF                   | Matrix-assisted laser desorption/ionization-time of flight | SDS-PAGE                       | Solid-state nuclear magnetic resonance spectroscopy  |
| Mannose-SH                  | Thiol-functionalized mannose                               | SEM                            | Styrene-functionalized cyclodextrin  |
| MA-Tyr-OME                  | <i>N</i> -Methacryloyl- <i>L</i> -tyrosine methylester     | SPA                            | <i>N</i> -Hydroxysulfosuccinimide sodium salt  |
| MBAAm                       | <i>N,N'</i> -Methylenebisacrylamide                        | SPMA                           | Toluidine blue O   |
| <i>m</i> <sub>cryogel</sub> | Cryogel mass   | ssNMR                          | <i>N,N,N',N'</i> -Tetramethyl- <i>N,N'</i> -bis(2-ethylmethacrylate)-propyl-1,3-diammonium dibromide |
| MMA                         | Methyl methacrylate  | Styrene-CD                     | 2,4,6-Trinitrobenzenesulfonic acid   |
| mPEGA                       | Methoxy poly(ethylene glycol) acrylate                     | sulfoNHS                       | Tris(hydroxymethyl)-aminomethane   |
| NAA                         | Nicotinamide   | TBO                            | Tetramethylrhodamine isothiocyanate  |
| NGF                         | Human neuronal growth factor                               | TMBEMPA-Br                     | <i>L</i> -Tryptophan   |
| NHS                         | <i>N</i> -Hydroxysuccinimide                               |                                | <i>L</i> -Tyrosine   |
| NiPAAm                      | <i>N</i> -Isopropyl acrylamide                             | TNBS                           | Volume   |
| NIR680                      | Near-infrared dye 680                                      | Tris                           | (4-Vinyl-benzyl)- <i>N</i> -methyl- <i>D</i> -glucamine  |
| NMR                         | Nuclear magnetic resonance spectroscopy                    | TRITC                          | Vascular endothelial growth factor   |
| OES                         | Optical emission spectroscopy                              | Trp                            |  |
| OPF                         | Oligo (poly(ethylene glycol) fumarate)                     | Tyr                            |  |
| ox-PHSRN-RGDSP              | Oxyamine-functionalized PHSRN-RGDSP peptide sequence       | V                              |  |
| PAA                         | Poly(acrylic acid)   | VBMG                           |  |
|                             |  | VEGF                           |  |



|             |  |
|-------------|--|
| VIm         | N-Vinylimidazole                         |
| VP          | 4-Vinylpyridine                          |
| VPBA        | 4-Vinylphenylboronic acid                |
| WDX         | Wavelength-dispersive X-ray spectroscopy |
| XPS         | X-ray photoelectron spectroscopy         |
| $\beta$ -CD | $\beta$ -Cyclodextrin                    |

## Data availability

No primary research results, software or code have been included and no new data were generated or analysed as part of this review.

## Conflicts of interest

The authors declare that there is no conflict of interests.

## Acknowledgements

This work was funded by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under Germany's Excellence Strategy – EXC 2051 – Project-ID 390713860.

## Notes and references

- M. B. Dainiak, I. Y. Galaev, A. Kumar, F. M. Plieva and B. Mattiasson, in *Adv Biochem Eng Biot*, ed. A. Kumar, I. Y. Galaev and B. Mattiasson, Springer-Verlag Berlin, Heidelberg, 1st edn, 2007, pp. 101–127, DOI: [10.1007/10\\_2006\\_044](https://doi.org/10.1007/10_2006_044).
- V. I. Lozinsky, I. Y. Galaev, F. M. Plieva, I. N. Savinal, H. Jungvid and B. Mattiasson, *Trends Biotechnol.*, 2003, **21**, 445–451.
- O. Okay and V. I. Lozinsky, *Adv. Polym. Sci.*, 2014, **263**, 103–157.
- B. M. A. Carvalho, S. L. Da Silva, L. H. M. Da Silva, V. P. R. Minim, M. C. H. Da Silva, L. M. Carvalho and L. A. Minim, *Sep. Purif. Rev.*, 2014, **43**, 241–262.
- W. Wan, A. D. Bannerman, L. Yang and H. Mak, *Adv. Polym. Sci.*, 2014, **263**, 283–321.
- Y. He, C. Wang, C. Wang, Y. Xiao and W. Lin, *Polymers*, 2021, **13**, 2299.
- A. Damania, A. K. Teotia and A. Kumar, in *Supermacroporous Cryogels: Biomedical and Biotechnological Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 35–89, DOI: [10.1201/b19676-4](https://doi.org/10.1201/b19676-4).
- K. R. Hixon, T. Lu and S. A. Sell, *Acta Biomater.*, 2017, **62**, 29–41.
- I. N. Savina, M. Zoughaib and A. A. Yergeshov, *Gels*, 2021, **7**, 79.
- C. Chircov, A. M. Grumezescu and L. E. Bejenaru, *Rom. J. Morphol. Embryol.*, 2018, **59**, 71–76.
- T. Vishnoi and A. Kumar, in *Supermacroporous Cryogels: Biomedical and Biotechnological Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 251–276.
- R. Mishra, S. Bhat and A. Kumar, in *Supermacroporous Cryogels: Biomedical and Biotechnological Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 215–250.
- A. Baimenov, D. A. Berillo, S. G. Pouloupoulos and V. J. Inglezakis, *Adv. Colloid Interface Sci.*, 2020, **276**, 102088.
- L. Oennby, in *Supermacroporous Cryogels: Biomedical and Biotechnological Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 331–359.
- A. A. Aryee, F. M. Mpatani, R. P. Han, X. X. Shi and L. B. Qu, *J. Environ. Chem. Eng.*, 2021, **9**, 106907.
- K. N. How, W. H. Yap, C. L. H. Lim, B. H. Goh and Z. W. Lai, *Front. Pharmacol.*, 2020, **11**, 1105.
- N. Babanejad, K. Mfoafo, E. Zhang, Y. Omid, R. Razeghifard and H. Omidian, *J. Chromatogr. A*, 2022, **1683**, 463546.
- N. Ganewatta and Z. El Rassi, *Electrophoresis*, 2018, **39**, 53–66.
- S. Poddar, S. Sharmeen and D. S. Hage, *Electrophoresis*, 2021, **42**, 2577–2598.
- Z. Li, E. Rodriguez, S. Azaria, A. Pekarek and D. S. Hage, *Electrophoresis*, 2017, **38**, 2837–2850.
- S. Choudhury, D. Connolly and B. White, *Anal. Methods*, 2015, **7**, 6967–6982.
- A. Srivastava, S. Singh and A. Kumar, in *Supermacroporous Cryogels: Biomedical and Biotechnological Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 443–462.
- G. Erturk and B. Mattiasson, *J. Chromatogr. A*, 2014, **1357**, 24–35.
- M. Bakhshpour, N. Idil, I. Percin and A. Denizli, *Appl. Sci.*, 2019, **9**, 553.
- T. M. A. Henderson, K. Ladewig, D. N. Haylock, K. M. McLean and A. J. O'Connor, *J. Mater. Chem. B*, 2013, **1**, 2682–2695.
- M. Razavi, Y. Qiao and A. S. Thakor, *J. Biomed. Mater. Res., Part A*, 2019, **107**, 2736–2755.
- A. Memic, T. Colombani, L. J. Eggermont, M. Rezaeeyazdi, J. Steingold, Z. J. Rogers, K. J. Navare, H. S. Mohammed and S. A. Bencherif, *Adv. Ther.*, 2019, **2**, 1800114.
- P. A. Shiekh, S. M. Andrabi, A. Singh, S. Majumder and A. Kumar, *Eur. Polym. J.*, 2021, **144**, 110234.
- E. Jain and A. Kumar, in *Supermacroporous Cryogels: Biomedical and Biotechnological Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 417–441.
- I. Jyothilekshmi and N. S. Jayaprakash, *J. Microbiol. Biotechnol.*, 2021, **31**, 349–357.
- A. Wartenberg, J. Weisser and M. Schnabelrauch, *Molecules*, 2021, **26**, 5597.
- D. Berillo, A. Al-Jwaid and J. Caplin, *Polymers*, 2021, **13**, 1073.
- T. Mehrotra, S. Dev, A. Banerjee, A. Chatterjee, R. Singh and S. Aggarwal, *J. Environ. Chem. Eng.*, 2021, **9**, 105920.
- Y. Petrenko, A. Petrenko, P. Vardi and K. Bloch, in *Supermacroporous Cryogels: Biomedical and Biotechnological*



- Applications*, ed. A. Kumar, CRC Press, Boca Raton, Florida, United States, 1st edn, 2016, pp. 277–305.
- 35 J. Wang, Q.-M. Wang, L. L. Tian, C. Yang, S.-H. Yu and C. Yang, *Chin. J. Anal. Chem.*, 2015, **43**, 1777–1784.
- 36 M. Andac, I. Yu Galaev and A. Denizli, in *Biomaterials from Nature for Advanced Devices and Therapies*, ed. R. L. R. N. M. Neves, John Wiley & Sons, Inc., Hoboken, New Jersey, United States, 1st edn, 2016, pp. 403–428, DOI: [10.1002/9781119126218.ch22](https://doi.org/10.1002/9781119126218.ch22).
- 37 N. Bereli, H. Yavuz and A. Denizli, *J. Liq. Chromatogr. Relat. Technol.*, 2020, **43**, 657–670.
- 38 L. J. Eggermont, Z. J. Rogers, T. Colombani, A. Memic and S. A. Bencherif, *Trends Biotechnol.*, 2020, **38**, 418–431.
- 39 D. Cimen, M. A. Ozbek, N. Bereli, B. Mattiasson, A. Denizli and P. Gurikov, *Gels*, 2021, **7**, 38.
- 40 C. Liu, G. Tong, C. Chen, Z. Tan, C. Quan and C. Zhang, *Progr. Chem.*, 2014, **26**, 1190–1201.
- 41 F. M. Plieva, H. Kirsebom and B. Mattiasson, *J. Sep. Sci.*, 2011, **34**, 2164–2172.
- 42 F. D. Martinez-Garcia, T. Fischer, A. Hayn, C. T. Mierke, J. K. Burgess and M. C. Harmsen, *Gels*, 2022, **8**, 535.
- 43 B. Mattiasson, *Adv. Polym. Sci.*, 2014, **263**, 245–281.
- 44 Y. Saylan and A. Denizli, *Gels*, 2019, **5**, 20.
- 45 E. S. Dragan and M. V. Dinu, *React. Funct. Polym.*, 2020, **146**, 104372.
- 46 S. P. O. Danielsen, H. K. Beech, S. Wang, B. M. El-Zaatari, X. Wang, L. Sapir, T. Ouchi, Z. Wang, P. N. Johnson, Y. Hu, D. J. Lundberg, G. Stoychev, S. L. Craig, J. A. Johnson, J. A. Kalow, B. D. Olsen and M. Rubinstein, *Chem. Rev.*, 2021, **121**, 5042–5092.
- 47 F. Behrendt, Y. Deng, D. Pretzel, S. Stumpf, N. Fritz, M. Gottschaldt, G. Pohnert and U. S. Schubert, *Mater. Horiz.*, 2023, **10**, 2412–2416.
- 48 C. A. Mourao, C. Marcuz, K. Haupt and S. M. A. Bueno, *J. Chromatogr. B*, 2019, **1129**, 121783.
- 49 S. A. A. Noma, O. Acet, A. Ulu, B. Onal, M. Odabasi and B. Ates, *Polym. Test.*, 2021, **93**, 106980.
- 50 M. Bayraktaroglu, H. Orhan, S. Evli, S. Akgöl, D. Aktaş Uygün and M. Uygün, *J. Carbohydr. Chem.*, 2018, **37**, 302–317.
- 51 F. Akpınar, S. Evli, G. Guven, M. Bayraktaroglu, U. Kilimci, M. Uygün and D. A. Uygün, *Appl. Biochem. Biotechnol.*, 2020, **190**, 138–147.
- 52 S. Evli, A. A. Karagozler, G. Guven, H. Orhan, M. Uygün and D. A. Uygün, *Bull. Mater. Sci.*, 2020, **43**, 107.
- 53 M. M. Tonta, Z. M. Sahin, A. Cihaner, F. Yilmaz and A. Gurek, *ChemistrySelect*, 2021, **6**, 12644–12651.
- 54 M. Daoud-Attieh, H. Chaib, C. Armutcu, L. Uzun, A. Elkak and A. Denizli, *Sep. Purif. Technol.*, 2013, **118**, 816–822.
- 55 K. Kose, K. Erol and D. A. Kose, *Adsorption*, 2020, **26**, 329–337.
- 56 B. Erol, K. Erol and E. Gokmese, *Process Biochem.*, 2019, **83**, 104–113.
- 57 E. Bilgin, K. Erol, K. Köse and D. A. Köse, *Environ. Sci. Pollut. Res.*, 2018, **25**, 27614–27627.
- 58 H. Zheng, S. Hajizadeh, H. Gong, H. Lin and L. Ye, *J. Agric. Food Chem.*, 2021, **69**, 135–145.
- 59 T. D. Luong, M. Zoughaib, R. Garifullin, S. Kuznetsova, M. O. Guler and T. I. Abdullin, *ACS Appl. Bio Mater.*, 2020, **3**, 1116–1128.
- 60 M. Zoughaib, D. Luong, R. Garifullin, D. Z. Gatina, S. V. Fedosimova and T. I. Abdullin, *Mater. Sci. Eng., C*, 2021, **120**, 111660.
- 61 X. M. Niu, M. A. Lin and B. H. Lee, *Gels*, 2022, **8**, 404.
- 62 H. Abdul, J.-Y. Wang, H.-J. Li, C.-S. Hu, X.-C. Li and W.-D. He, *Polymers*, 2019, **11**, 1620.
- 63 F. Behrendt, D. Pretzel, Z. Cseresnyés, M. Kleinsteuber, T. Wloka, L. Radosa, M. T. Figge, M. Gottschaldt, A. Brakhage and U. S. Schubert, *J. Polym. Sci.*, 2023, **61**, 3039–3054.
- 64 J. F. da Silva, D. L. da Silva, R. G. Nascimento, L. A. A. Verissimo, C. M. Veloso, R. C. F. Bonomo and R. D. I. Fontan, *J. Appl. Polym. Sci.*, 2019, **136**, 47956.
- 65 G. Uzunoglu, D. Cimen, N. Bereli, K. Cetin and A. Denizli, *J. Biomater. Sci., Polym. Ed.*, 2019, **30**, 1276–1290.
- 66 G. Bayramoglu, A. Akbulut and M. Y. Arica, *Chem. Eng. Res. Des.*, 2021, **165**, 435–444.
- 67 N. Gunay, U. Kilimci, G. Ozturk, D. A. Uygün and M. Uygün, *Chem. Pap.*, 2023, **77**, 5839–5846.
- 68 B. Oktay, S. Demir and N. Kayaman-Apohan, *Food Bioprod. Process.*, 2020, **122**, 159–168.
- 69 K. Cetin and A. Denizli, *J. Chromatogr. B: Anal. Technol. Biomed. Life Sci.*, 2019, **1114–1115**, 5–12.
- 70 I. F. Fioravante and S. M. A. Bueno, *Process Biochem.*, 2022, **118**, 413–424.
- 71 H. S. D. R. Hamacek, I. T. L. Bresolin, I. F. Fioravante and S. M. A. Bueno, *Process Biochem.*, 2023, **131**, 199–209.
- 72 F. Bonalumi, C. Crua, I. N. Savina, N. Davies, A. Habstesion, M. Santini, S. Fest-Santini and S. Sandeman, *Mater. Sci. Eng., C*, 2021, **123**, 111983.
- 73 C. Marcuz, C. A. Mourao, K. Haupt and S. M. A. Bueno, *J. Chromatogr. B*, 2021, **1165**, 122530.
- 74 X. Y. Wu, J. Yang, F. H. Wu, W. B. Cao, T. Zhou, Z. Y. Wang, C. X. Tu, Z. R. Gou, L. Zhang and C. Y. Gao, *Chin. J. Polym. Sci.*, 2023, **41**, 40–50.
- 75 T. J. Zhang, C. Liu, H. W. Zheng, X. N. Han, H. Lin, L. M. Cao and J. X. Sui, *J. Mol. Recognit.*, 2023, **36**, e2999.
- 76 J. B. Sumner and V. A. Graham, *J. Biol. Chem.*, 1921, **47**, 5–9.
- 77 A. C. F. de Oliveira, I. C. O. Neves, J. A. M. Saraiva, M. F. F. de Carvalho, G. A. Batista, L. A. A. Verissimo and J. V. D. Resende, *Sep. Sci. Technol.*, 2020, **55**, 2012–2024.
- 78 I. C. O. Neves, A. A. Rodrigues, T. T. Valentim, A. Meira, S. H. Silva, L. A. A. Verissimo and J. V. de Resende, *J. Chromatogr. B*, 2020, **1161**, 122435.
- 79 A. Meira, R. M. da Silva, I. C. O. Neves, L. A. Minim, L. A. A. Verissimo and J. V. de Resende, *Can. J. Chem. Eng.*, 2023, **101**, 3497–3511.
- 80 P. Saez-Plaza, T. Michalowski, M. J. Navas, A. G. Asuero and S. Wybraniec, *Crit. Rev. Anal. Chem.*, 2013, **43**, 178–223.
- 81 G. L. Chaves, P. C. G. Mol, V. P. R. Minim and L. A. Minim, *J. Appl. Polym. Sci.*, 2020, **137**, 48507.
- 82 L. Sun, X. Feng, T. Zhong and X. Zhang, *J. Sep. Sci.*, 2020, **43**, 3315–3326.



- 83 L. Sundberg and J. Porath, *J. Chromatogr.*, 1974, **90**, 87–98.
- 84 Z. P. He, Y. Wang, T. T. Zhao, Z. C. Ye and H. Huang, *Anal. Methods*, 2014, **6**, 4257–4261.
- 85 B. Eren, O. Zenger, H. I. O. Basegmez and G. B. Pesint, *J. Biotechnol.*, 2023, **364**, 58–65.
- 86 M. Erzenin, G. B. Pesint, O. Zenger and M. Odabasi, *Polym. Bull.*, 2021, **79**, 1485–1499.
- 87 T. Zhong, X. Feng, L. Sun, J. Zhang, Y. Tian and X. Zhang, *Polym. Bull.*, 2021, **78**, 5873–5890.
- 88 W. X. Hou, F. Ma, J. Y. Li, H. R. Tian, G. X. Chen, G. X. Li, L. L. Jing and P. F. Yang, *J. Polym. Environ.*, 2023, **31**, 1656–1667.
- 89 Z. F. Zhu, J. Y. Li, F. Ma, G. X. Chen, H. R. Tian, J. Li and P. F. Yang, *J. Appl. Polym. Sci.*, 2023, **140**, e53754.
- 90 H. K. Megbenu, Z. Tauanov, C. Daulbayev, S. G. Pouloupoulos and A. Baimenov, *J. Chem. Technol. Biotechnol.*, 2022, **97**, 3375–3384.
- 91 R. B. J. Ihlenburg, A.-C. Lehnen, J. Koetz and A. Taubert, *Polymers*, 2021, **13**, 208.
- 92 Z. Gun Gok and M. Inal, *J. Polym. Environ.*, 2022, **30**, 151–163.
- 93 T. Y. Yin, X. Y. Zhang, S. Shao, T. Xiang and S. B. Zhou, *Carbohydr. Polym.*, 2023, **301**, 120356.
- 94 P. L. F. Tene, A. Weltin, F. Tritz, H. J. D. Soufo, T. Brandstetter and J. R uhe, *Langmuir*, 2021, **37**, 11041–11048.
- 95 Z. Jing, L. Jie, Q. Sunxiang, N. Haifeng and F. Jie, *J. Mater. Chem. B*, 2023, **11**, 2733–2744.
- 96 C. Zagni, A. Coco, T. Mecca, G. Curcuruto, V. Patamia, K. Mangano, A. Rescifina and S. C. Carroccio, *Mater. Chem. Front.*, 2023, **7**, 2693–2705.
- 97 R. La Spina, D. C. Antonio, R. Bombera, T. Lettieri, A. S. Lequarre, P. Colpo and A. Valsesia, *Biosensors*, 2021, **11**, 142.
- 98 T. H. T. Trinh, L. Ye and S. Hajizadeh, *J. Sep. Sci.*, 2023, **46**, 2300017.
- 99 B. Wan, J. Li, F. Ma, N. Yu, W. Zhang, L. Jiang and H. Wei, *Langmuir*, 2019, **35**, 3284–3294.
- 100 R. G. Nascimento, M. C. P. Porfirio, A. N. Alves, P. A. Nascimento, L. S. Santos, C. M. Veloso, R. C. F. Bonomo and R. D. I. Fontan, *J. Polym. Environ.*, 2023, **31**, 2641–2652.
- 101 R. G. Nascimento, M. C. P. Porfirio, P. A. Nascimento, A. N. Alves, L. S. Santos, C. M. Veloso, R. C. F. Bonomo and R. D. I. Fontan, *J. Polym. Environ.*, 2022, **30**, 3230–3238.
- 102 K. S. Maciel, P. C. G. Mol, L. A. A. Verissimo, V. P. R. Minim and L. A. Minim, *J. Sep. Sci.*, 2023, **46**, 2200639.
- 103 M. Y. Kim and T. G. Lee, *Chemosphere*, 2019, **217**, 423–429.
- 104 T. Mecca, M. Ussia, D. Caretti, F. Cunsolo, S. Dattilo, S. Scurti, V. Privitera and S. C. Carroccio, *Chem. Eng. J.*, 2020, **399**, 125753.
- 105 J. Chen, C. Liao, X. X. Guo, S. C. Hou and W. D. He, *Eur. Polym. J.*, 2022, **171**, 111192.
- 106 N. Sahiner, S. Demirci, M. Sahiner, S. Yilmaz and H. Al-Lohedan, *J. Environ. Manag.*, 2015, **152**, 66–74.
- 107 T. Mizoguchi, T. Edano and T. Koshi, *J. Lipid Res.*, 2004, **45**, 396–401.
- 108 G. Guven, S. Evli, M. Uygun and D. A. Uygun, *J. Liq. Chromatogr. Relat. Technol.*, 2019, **42**, 537–545.
- 109 D. Eigel, R. Schuster, M. J. Maennel, J. Thiele, M. J. Panasiuk, L. C. Andraea, C. Varricchio, A. Brancale, P. B. Welzel, W. B. Huttner, C. Werner, B. Newland and K. R. Long, *Biomaterials*, 2021, **271**, 120712.
- 110 J. Sievers, R. Zimmermann, J. Friedrichs, D. Pette, Y. D. P. Limasale, C. Werner and P. B. Welzel, *Biomaterials*, 2021, **278**, 121170.
- 111 P. Shrimali, M. Peter, A. Singh, N. Dalal, S. Dakave, S. V. Chiplunkar and P. Tayalia, *Biomater. Sci.*, 2018, **6**, 3241–3250.
- 112 L. Chambre, H. Maouati, Y. Oz, R. Sanyal and A. Sanyal, *Bioconjugate Chem.*, 2020, **31**, 2116–2124.
- 113 W. Sun, J. H. Choi, Y. H. Choi, S. G. Im, K.-H. So and N. S. Hwang, *Biotechnol. Bioprocess Eng.*, 2022, **27**, 17–29.
- 114 M. Rezaeeyazdi, T. Colombani, L. J. Eggermont and S. A. Bencherif, *Mater. Today Bio*, 2022, **13**, 100207.
- 115 T. He, B. Li, T. Colombani, K. J. Navare, S. A. Bencherif and A. G. Bajpayee, *Osteoarthr. Cartil.*, 2020, **28**, 748–760.
- 116 H. Radhouani, S. Correia, C. Goncalves, R. L. Reis and J. M. Oliveira, *Polymers*, 2021, **13**, 1342.
- 117 A. Filippova, F. Bonini, L. Efremova, M. Locatelli, O. Preynat-Seauve, A. Beduer, K.-H. Krause and T. Braschler, *Biomaterials*, 2021, **270**, 120707.
- 118 L. Di Muzio, C. Sergi, V. C. Carriero, J. Tirill , A. Adrover, E. Messina, R. Gaetani, S. Petralito, M. A. Casadei and P. Paolicelli, *React. Funct. Polym.*, 2023, **189**, 105607.
- 119 M. E. Han, S. H. Kim, H. D. Kim, H. G. Yim, S. A. Bencherif, T. I. Kim and N. S. Hwang, *Int. J. Biol. Macromol.*, 2016, **93**, 1410–1419.
- 120 C. Huynh, T. Y. Shih, A. Mammoo, A. Samant, S. Pathan, D. W. Nelson, C. Ferran, D. Mooney, F. LoGerfo and L. Pradhan-Nabzdyk, *PeerJ*, 2019, **7**, e7377.
- 121 R. H. Koh, J. Kim, S. H. L. Kim and N. S. Hwang, *Biomed. Mater.*, 2022, **17**, 024106.
- 122 M. J. Park, Y. H. An, Y. H. Choi, H. D. Kim and N. S. Hwang, *Macromol. Biosci.*, 2021, **21**, 2100234.
- 123 A. Singh, J. Mirgule, M. M. Pillai, N. Dalal and P. Tayalia, *Mater. Today Commun.*, 2022, **31**, 103494.
- 124 S. Hou, Y. Liu, F. Feng, J. Zhou, X. Feng and Y. Fan, *Adv. Healthcare Mater.*, 2020, **9**, 1901041.
- 125 S. H. Wu, M. Kuss, D. J. Qi, J. Hong, H. J. Wang, W. H. Zhang, S. J. Chen, S. L. Ni and B. Duan, *ACS Appl. Bio Mater.*, 2019, **2**, 4864–4871.
- 126 D. J. Qi, S. H. Wu, M. A. Kuss, W. Shi, S. Chung, P. T. Deegan, A. Kamenskiy, Y. N. He and B. Duan, *Acta Biomater.*, 2018, **74**, 131–142.
- 127 M. Zoughaib, K. Dayob, S. Avdokushina, M. I. Kamalov, D. V. Salakhieva, I. N. Savina, I. A. Lavrov and T. I. Abdullin, *Gels*, 2023, **9**, 105.
- 128 A. Y. Durukan and I. A. Isoglu, *Mater. Technol.*, 2020, **35**, 853–862.
- 129 S. Pacelli, L. Di Muzio, P. Paolicelli, V. Fortunati, S. Petralito, J. Trilli and M. A. Casadei, *Int. J. Biol. Macromol.*, 2021, **166**, 1292–1300.
- 130 L. C. Bahlmann, A. E. G. Baker, C. Xue, S. Liu, M. Meier-Merziger, D. Karakas, L. K. Zhu, I. Co, S. Zhao, A. Chin,



- A. McGuigan, J. Kuruvilla, R. C. Laister and M. S. Shoichet, *Adv. Funct. Mater.*, 2021, **31**, 2008400.
- 131 A. Singh and P. Tayalia, *J. Biomed. Mater. Res., Part A*, 2020, **108**, 365–376.
- 132 L. C. Bahlmann, C. Xue, A. A. Chin, A. Skirzynska, J. Lu, B. Theriault, D. Uehling, Y. Yerofeyeva, R. Peters, K. L. Liu, J. A. Chen, A. L. Martel, M. Yaffe, R. Al-award, R. S. Goswami, J. Ylanko, D. W. Andrews, J. Kuruvilla, R. C. Laister and M. S. Shoichet, *Biomaterials*, 2023, **297**, 122121.
- 133 M. Rezaeeyazdi, T. Colombani, A. Memic and S. A. Bencherif, *Materials*, 2018, **11**, 1374.
- 134 M. Behl, Q. Zhao and A. Lendlein, *J. Mater. Res.*, 2020, **35**, 2396–2404.
- 135 I. Malakhova, Y. Privar, Y. Parotkina, M. Eliseikina, A. Golikov, A. Skatova and S. Bratskaya, *J. Environ. Chem. Eng.*, 2020, **8**, 104395.
- 136 Y. Privar, I. Malakhova, A. Pestov, A. Fedorets, Y. Azarova, S. Schwarz and S. Bratskaya, *Chem. Eng. J.*, 2018, **334**, 1392–1398.
- 137 Z. M. Sahin, D. Alimli, M. M. Tonta, M. E. Kose and F. Yilmaz, *Sens. Actuators, B*, 2017, **242**, 362–368.
- 138 R. Mallik and D. S. Hage, *J. Sep. Sci.*, 2006, **29**, 1686–1704.
- 139 A. V. Pestov, Y. O. Privar, A. V. Mekhaev, A. N. Fedorets, M. A. Ezhikova, M. I. Kodess and S. Y. Bratskaya, *Eur. Polym. J.*, 2019, **115**, 356–363.
- 140 M. Gedikli, S. Ceylan, M. Erzenegin and M. Odabasi, *Acta Biochim. Pol.*, 2014, **61**, 731–737.
- 141 F. Yilmaz, N. Bereli, H. Yavuz and A. Denizli, *Biochem. Eng. J.*, 2009, **43**, 272–279.
- 142 Ş. Öncel, L. Uzun, B. Garipcan and A. Denizli, *Ind. Eng. Chem. Res.*, 2005, **44**, 7049–7056.
- 143 R. Zhai, B. Zhang, Y. Wan, C. Li, J. Wang and J. Liu, *Chem. Eng. J.*, 2013, **214**, 304–309.
- 144 N. Carballo-Pedrares, J. López-Seijas, D. Miranda-Balbuena, I. Lamas, J. Yáñez and A. Rey-Rico, *J. Controlled Release*, 2023, **362**, 606–619.
- 145 M. E. Han, B. J. Kang, S. H. Kim, H. D. Kim and N. S. Hwang, *J. Ind. Eng. Chem.*, 2017, **45**, 421–429.
- 146 S. Reichelt, J. Becher, J. Weisser, A. Prager, U. Decker, S. Möller, A. Berg and M. Schnabelrauch, *Mater. Sci. Eng., C*, 2014, **35**, 164–170.
- 147 C. Oelschlaeger, F. Bossler and N. Willenbacher, *Biomacromolecules*, 2016, **17**, 580–589.
- 148 M. D. Kerr, D. A. McBride, W. T. Johnson, A. K. Chumber, A. J. Najibi, B. R. Seo, A. G. Stafford, D. T. Scadden, D. J. Mooney and N. J. Shah, *Bioeng. Transl. Med.*, 2023, **8**, e10309.
- 149 M. D. Kerr, W. T. Johnson, D. A. McBride, A. K. Chumber and N. J. Shah, *Bioeng. Transl. Med.*, 2023, **8**, e10591.
- 150 A. M. Chaux-Gutierrez, E. J. Perez-Monterroza, D. M. Granda-Restrepo and M. A. Mauro, *J. Food Process. Preserv.*, 2020, **44**, e14843.
- 151 D. Rana, T. Colombani, B. Saleh, H. S. Mohammed, N. Annabi and S. A. Bencherif, *Mater. Today Bio*, 2023, **19**, 100572.
- 152 B. Tavsanli and O. Okay, *Carbohydr. Polym.*, 2020, **229**, 115458.
- 153 N. Bölgen, M. R. Aguilar, M. D. Fernández, S. Gonzalo-Flores, S. Villar-Rodil, J. S. Román and E. Piskin, *Artif. Cells, Nanomed., Biotechnol.*, 2015, **43**, 40–49.
- 154 N. Bölgen, P. Korkusuz, I. Vargel, E. Kiliç, E. Güzel, T. Çavusoglu, D. Uçkan and E. Piskin, *Artif. Cells, Nanomed., Biotechnol.*, 2014, **42**, 70–77.
- 155 N. J. Shah, A. S. Mao, T. Y. Shih, M. D. Kerr, A. Sharda, T. M. Raimondo, J. C. Weaver, V. D. Vrbanac, M. Deruaz, A. M. Tager, D. J. Mooney and D. T. Scadden, *Nat. Biotechnol.*, 2019, **37**, 293–302.
- 156 C. T. Liu, X. Liu, C. Q. Quan, X. Q. Li, C. Z. Chen, H. Kang, W. K. Hu, Q. Jiang and C. Zhang, *RSC Adv.*, 2015, **5**, 20227–20233.
- 157 N. Bölgen, F. Plieva, I. Y. Galaev, B. Mattiasson and E. Piskin, *J. Biomater. Sci., Polym. Ed.*, 2007, **18**, 1165–1179.
- 158 J. B. Leach, K. A. Bivens, C. W. Patrick and C. E. Schmidt, *Biotechnol. Bioeng.*, 2003, **82**, 578–589.
- 159 B. Tavsanli, V. Can and O. Okay, *Soft Matter*, 2015, **11**, 8517–8524.
- 160 E. Hoch, T. Hirth, G. E. M. Tovar and K. Borchers, *J. Mater. Chem. B*, 2013, **1**, 5675–5685.
- 161 C. C. Zhou, P. Li, X. B. Qi, A. R. M. Sharif, Y. F. Poon, Y. Cao, M. W. Chang, S. S. J. Leong and M. B. Chan-Park, *Biomaterials*, 2011, **32**, 2704–2712.
- 162 S. I. Somo, K. Langert, C. Y. Yang, M. K. Vaicik, V. Ibarra, A. A. Appel, B. Akar, M. H. Cheng and E. M. Brey, *Acta Biomater.*, 2018, **65**, 53–65.
- 163 P. B. Welzel, M. Grimmer, C. Renneberg, L. Naujox, S. Zschoche, U. Freudenberg and C. Werner, *Biomacromolecules*, 2012, **13**, 2349–2358.
- 164 K. Salchert, T. Pompe, C. Sperling and C. Werner, *J. Chromatogr. A*, 2003, **1005**, 113–122.

