



Cite this: *Phys. Chem. Chem. Phys.*,  
2025, 27, 17420

## CO<sub>2</sub> hydrogenation to methanol via ZnO-SBA-15-supported Cu<sub>6</sub> catalysts

Sara Mirzakhani,<sup>ab</sup> Angie F. J. Tan,<sup>a</sup> Deborah Crittenden,<sup>id b</sup> Majid Masteri-Farahani<sup>c</sup> and Alex C. K. Yip<sup>id \*a</sup>

This study presents a mesoporous material-based catalyst for the CO<sub>2</sub> hydrogenation to methanol reaction, utilizing copper nanoclusters (Cu<sub>6</sub>) immobilized on Zn-modified SBA-15. The Cu<sub>6</sub>-ZnO-SBA-15 catalysts are prepared by the wet impregnation of ZnO-SBA-15 with various metal loading contents. Multi-technique characterization shows uniform active phase dispersion within or on the mesoporous SBA-15 channels. The catalytic experiments reveal that the catalyst with the lowest copper content (2 wt%) exhibits superior activity with a methanol space-time yield of 232.5 (mol<sub>MeOH</sub> kg<sub>Cu</sub><sup>-1</sup> h<sup>-1</sup>) and a selectivity of 86%. Furthermore, the confinement of the active phase into the structure of SBA-15 prevents sintering to some extent, implying the excellent stabilization effect of the support. This study highlights the potential of using small nanoclusters prepared by wet chemistry in high-pressure CO<sub>2</sub> hydrogenation to methanol.

Received 9th June 2025,  
Accepted 22nd July 2025

DOI: 10.1039/d5cp02173a

rsc.li/pccp

### 1. Introduction

Global climate change caused by increasing atmospheric CO<sub>2</sub> concentrations is one of our most serious environmental issues.<sup>1,2</sup> As a great approach to sustainability, CO<sub>2</sub> can be used as a promising carbon source for generating fossil fuel-derived hydrocarbons.<sup>3-6</sup> Using such an approach, CO<sub>2</sub> can be removed from the atmosphere and recycled and reused, resulting in a static CO<sub>2</sub> loop.<sup>7,8</sup>

In recent decades, a significant amount of work has been dedicated to converting CO<sub>2</sub> into value-added products to mitigate CO<sub>2</sub> emissions. Among these studies, CO<sub>2</sub> reduction to produce methanol has become a popular research topic due to its unique chemical and physical properties, making it an excellent alternative disposal process for CO<sub>2</sub>.<sup>9</sup> Copper-based catalytic systems are the most promising for methanol synthesis, especially Cu/ZnO/support ones.<sup>10-12</sup> The catalytic activity of these materials depends on the size and metal dispersion on the support, as well as support composition and metal-support interactions.<sup>13-16</sup> In this context, CO<sub>2</sub> hydrogenation to CH<sub>3</sub>OH on small Cu nanoclusters has gained attention due to their exceptional electronic and catalytic properties, making them different from bulk metals and larger nanoparticles.<sup>17-20</sup> Vajda

*et al.* demonstrated that methanol synthesis could be significantly improved using deposited ultra-small copper nanoclusters as the catalyst.<sup>21,22</sup> However, their gas-phase-prepared nanoclusters are ideal for identifying the fundamental characteristics of immobilized nanoclusters, and their fabrication method is not realistic for large-scale production. As a result of the attractive features of small nanoclusters, solution-phase preparation methods are being applied to produce nanoclusters with narrow size distributions in significant quantities.<sup>23-26</sup> The well-characterized Cu<sub>6</sub> nanocluster stands out among the small Cu nanoclusters because it can be easily made at high yields from inexpensive materials and sold commercially.<sup>27,28</sup>

Although great effort has been made to obtain a homogeneously distributed and well-dispersed metal phase, poor stability has always been an obstacle regarding copper-based catalysts. Even the catalytic activity of the commercial Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> decreases to half after 15 h.<sup>29-33</sup> One possible approach to increase the stability of the catalyst involves using appropriate supports that can increase the active site surface area and decrease sintering by stabilizing or confining the metal centers.<sup>34</sup> This work reports the preparation of a new catalyst (Cu<sub>6</sub>-ZnO-SBA-15) containing highly dispersed ultra-small copper nanoclusters confined in SBA-15 mesoporous channels. Mesoporous SBA-15 with a high-surface area (up to 1000 m<sup>2</sup> g<sup>-1</sup>) and 6–7 nm wide regular channels allowing easy diffusion is utilized for immobilizing Cu<sub>6</sub> nanoclusters with sizes of 1.6 nm.<sup>33,35</sup>

Furthermore, the presence of ZnO prevents the sintering of copper species, increasing both the Cu dispersion and its promotion effect on the catalytic activity.<sup>36,37</sup> This work is the first report on using a Cu-based catalyst derived from the

<sup>a</sup> MacDiarmid Institute for Advanced Materials and Nanotechnology, Department of Chemical and Process Engineering, University of Canterbury, Christchurch, New Zealand. E-mail: alex.yip@canterbury.ac.nz

<sup>b</sup> School of Physical and Chemical Sciences, University of Canterbury, Christchurch, New Zealand

<sup>c</sup> Faculty of Chemistry, Kharazmi University, Tehran, Iran

deposition of chemically synthesized, atomically precise Cu nanoclusters in a mesoporous material and its application in CO<sub>2</sub> hydrogenation to methanol. The as-made catalyst is tested for CO<sub>2</sub> hydrogenation to methanol under different reaction conditions to study the correlation between its catalytic performance and physicochemical features. The catalyst stability over time was investigated by *ex situ* experiments.

## 2. Experimental

### 2.1. Chemicals

All reactants were reagent grade and purchased from Sigma-Aldrich, except for copper(i) chloride (M&B Laboratory Chemicals, May & Baker Ltd, Dagenham, England). All solvents used in this study were purchased from Merck and degassed and dried before use. Cu<sub>6</sub> clusters were synthesized through wet impregnation under completely air-free conditions using the Schlenk-line technique.


### 2.2. Characterization of materials

Powder X-ray diffraction (PXRD) analysis of the samples was conducted using a Rigaku Smartlab diffractometer with Cu K<sub>α</sub> radiation (1.5418 Å, operating at 40 kV and 30 mA) equipped with a crossbeam optics Bragg–Brentano (BB) selection slit. The diffracted X-rays were collected using a Rigaku D/tex Ultra 250 1D detector. All diffraction patterns were collected using capillary tubes in Bragg–Brentano focusing mode at room temperature. The Scherrer equation was used to determine the crystal sizes of the nanoparticles:

$$L = \frac{K\lambda}{\beta \cos \theta} \quad (1)$$

where  $L$  is the crystal dimension perpendicular to the reflection plane,  $\lambda$  is the wavelength of incident X-rays,  $\beta$  is the full-width half maximum of the diffraction peak, and  $K$  is a constant.

The surface area and pore characteristics of the materials were measured by the adsorption/desorption of N<sub>2</sub> at 77 K using an Autosorb iQ-XR (Quantachrome Instruments, USA). Prior to the analysis, approximately 50 mg of the sample was degassed for 12 h at 120 °C. The specific surface area and pore volume were calculated using the Brunauer–Emmett–Teller (BET) and Barrett–Joyner–Halenda (BJH) models. N<sub>2</sub>O titration was performed to determine the copper dispersion characteristics. An experiment involves typically weighing 30–50 mg of the sample into a quartz tube and attaching it to the instrument (BELCAT II (MicrotracBEL, Japan)). Before the test, the Cu nanoparticle and cluster-based catalyst were pretreated under a flow of 5% H<sub>2</sub>/Ar and He, respectively, at 220 °C for 30 min, after which 25–30 successive pulses of the titration gas mixture (1% N<sub>2</sub>O in He) were introduced using a calibrated injection valve (0.8650 mL N<sub>2</sub>O (STP) per pulse). To measure the amount of N<sub>2</sub>O consumed, a thermal conductivity detector (TCD) was used to monitor the ratio of N<sub>2</sub>O to N<sub>2</sub> in the exhaust. The measurement was performed until the last three pulses demonstrated comparable areas ( $\pm 1.2\%$ ). The quantities of surface metal sites were then determined by considering the following titration equations and calculations:



$$V_m (\text{cm}^3 \text{g}^{-1}) = V_{\text{chem}}/m \quad (3)$$

where  $V_{\text{chem}}$  (cm<sup>3</sup>) is the amount of N<sub>2</sub>O adsorbed and  $m$  is the sample weight, measured in grams (g).

$$\text{Cu dispersion (\%)} = \frac{V_{\text{chem}}/22\,414 \times \text{SF} \times \text{MW}_{\text{Cu}}}{c} \times 100 \quad (4)$$

where  $\text{MW}_{\text{Cu}}$  (g mol<sup>-1</sup>) is the atomic weight of Cu, the stoichiometric factor (SF) is assumed as 2, and  $c$  is the copper weight in the sample, measured in grams (g) which were calculated using the following equation:

$$c (\text{g}) = m \times p_{\text{Cu}}/100 \quad (5)$$

where  $p_{\text{Cu}}$  is the weight percentage of Cu in the sample (wt%).

The surface areas of Cu per gram of the sample were calculated using the following equation:

$$A_{\text{Cu,sample}} (\text{m}^2 \text{g}^{-1}) = \frac{V_{\text{chem}}/22\,414 \times \text{SF} \times 6.02 \times 10^{23} \times \sigma_{\text{Cu}} \times 10^{-18}}{m} \quad (6)$$

where  $\sigma_{\text{Cu}}$  (nm<sup>2</sup>) is the cross-sectional area of one Cu atom.

While the surface area of Cu per gram of Cu in the sample was calculated using the following function:

$$A_{\text{Cu}} (\text{m}^2 \text{g}^{-1}) = \frac{V_{\text{chem}}/22\,414 \times \text{SF} \times 6.02 \times 10^{23} \times \sigma_{\text{Cu}} \times 10^{-18}}{c} \quad (7)$$

the particle size of copper, assuming a spherical particle, was calculated using the equation:

$$\text{Cu particle size (nm)} = \frac{6000}{A_{\text{Cu}} \times \rho} \quad (8)$$

where  $\rho$  (g cm<sup>-3</sup>) is the density of Cu.

An Agilent 4210 microwave plasma-atomic emission spectrometer (MP-AES) equipped with an SPS 4 auto sampler was used for MP-AES. Before the test, the catalysts were treated with 2 mL of freshly prepared concentrated aqua regia solution, HNO<sub>3</sub>:HCl, at a ratio of 1:3 v/v at 80 °C for 2 d and then diluted to 250 mL with 2% v/v HNO<sub>3</sub> solution in Milli-Q water. The aliquots of this solution were transferred into sample tubes for analysis by MP-AES. Transmission electron microscopy (TEM) images were obtained on a TECNAI F-20 transmission electron microscope operating at an acceleration voltage of 200 kV. Scanning transmission electron microscopy with energy-dispersive spectroscopy (STEM-EDS) elemental mapping of the catalysts was performed using the same spectrometer operated at 200 kV using a high-angle annular dark-field detector (HAADF) in STEM mode. The samples were analyzed using X-ray absorption spectroscopy (XAS) at the XAS beamline at the Australian synchrotron, ANSTO Melbourne. XAS spectra were recorded at the Cu-K absorption edge in fluorescence mode in a helium atmosphere at room temperature using a 100-element solid-state HP-Ge detector (Canberra/Mirion, France). The excitation energy was selected using a Si(111) double crystal monochromator, which was calibrated at the Cu-K absorption edge using an inline Cu metal foil (first

maximum of the first derivative at 8980.48 eV). Data were processed using Sakura (in-house program) and Athena for scan averaging, background subtraction and edge-height normalization.

### 2.3. Synthesis of mesoporous SBA-15

In a typical preparation, 8.0 g of Pluronic P123 was dissolved in 240 mL of 2 M HCl solution with stirring at room temperature. Next, 60 mL of Milli-Q water and 17.00 g of tetraethyl orthosilicate were added to the mixture. After stirring at room temperature for 1 h, the mixture was aged for 24 h at 40 °C. The resulting gel was transferred into an autoclavable polypropylene bottle, tightly capped and kept at 100 °C for 48 h without stirring. Afterward, the capped bottle was cooled with running tap water to room temperature. The product was separated through filtration, followed by washing and overnight drying at 90 °C. The resulting as-made SBA-15 was calcined at 550 °C for 5 h.

### 2.4. Preparation of [(PPh<sub>3</sub>)CuH]<sub>6</sub> denoted as Cu<sub>6</sub>

The preparation of Cu<sub>6</sub> nanoclusters was done following the method reported by Albert *et al.*<sup>38</sup> Typically, 1.340 g of triphenylphosphine and 0.525 g of copper(i) chloride were stirred in 10 mL of dry tetrahydrofuran (THF) under N<sub>2</sub> for 10 min to obtain a white precipitate, which was then dissolved by adding K-selectride solution (5 mL of 1.0 M in THF, 5 mmol). After continuous stirring for 1 h, the mixture was filtered under vacuum, and the filtrate volume was reduced to half. Cu<sub>6</sub> nanoclusters were crystallized after a few days in the presence of O<sub>2</sub>-free dry hexane and N<sub>2</sub> gas at ambient temperature.

### 2.5. Preparation of ZnO-SBA-15

ZnO species were incorporated by the solid-state grinding of Zn(NO<sub>3</sub>)<sub>2</sub>·6H<sub>2</sub>O with as-made SBA-15 at room temperature for approximately 1 h. The resulting powder was calcined in the air at 500 °C for 5 h with a flow rate of 100 mL min<sup>-1</sup>. The calcined powder was denoted as *n*ZnO-SBA-15, where *n* represents the wt% of ZnO.

### 2.6. Fabrication of nanocluster-based catalysts

To fabricate nanocluster-based catalysts, 0.2 g of Cu<sub>6</sub> nanoclusters was rapidly transferred into a Schlenk flask under N<sub>2</sub> to minimize decomposition, followed by adding 10 mL of dry and O<sub>2</sub>-free THF with a syringe. Based on a total catalyst weight of 1 g, 0.98 g of the support was dispersed in THF (10 mL) under a N<sub>2</sub> atmosphere. An appropriate volume (5.3 mL) of the Cu<sub>6</sub> solution containing 0.02 g of copper, equivalent to 2 wt% Cu, was added to the dispersed mixture, followed by stirring at room temperature for 5 h. After wet impregnation, the catalyst was dried under vacuum to evaporate the solvent and the sample was denoted as 2 wt% Cu<sub>6</sub>-support. The Cu content was varied to investigate the loading effect on the catalytic performance.

### 2.7. Fabrication of Cu nanoparticle-based catalysts

To prepare 1 g of the catalyst, 0.98 g of the support was dispersed and stirred in 10 mL deionized water. Then, 76 mg of Cu(NO<sub>3</sub>)<sub>2</sub>·3H<sub>2</sub>O was

dissolved in 5 mL of deionized water to make an aqueous metal nitrate solution. Copper loading of 2 wt% was obtained by adding the prepared aqueous solution to the dispersed support, followed by stirring at room temperature for 5 h. The catalyst was dried at 80 °C and then calcined in an Ar flow of 100 mL min<sup>-1</sup> at 400 °C for 3 h. The calcined catalyst was reduced in 10% H<sub>2</sub>/Ar for 1 h at 300 °C. The sample was denoted as 2%CuNP-support, with the NP referring to the fact that copper was present on the support in the nanoparticle form.

### 2.8. CO<sub>2</sub> hydrogenation to methanol

The catalytic activity was investigated using a high-pressure fixed bed FlowCAT reactor. The column was packed with glass beads and quartz wool to support the catalytic bed (0.2 g, volume of *ca.* 0.5 cm<sup>3</sup>) inside the reactor. The activity measurements were conducted after a 30-min stabilisation period in which the inlet gas composition was monitored through a bypass line. The experiments were carried out at a pressure of 5.0 MPa and a gas hourly space velocity (GHSV) of 7500 mL g<sup>-1</sup> h<sup>-1</sup> at 220 °C. The catalytic performance under different GHSVs and temperatures was also investigated. The reaction gas mixture was CO<sub>2</sub> and H<sub>2</sub> at a ratio of 1 : 3. A heating tape was used to keep the exit gas temperature over 90 °C to be analysed using an online gas chromatograph. The gaseous products from the CO<sub>2</sub> reduction experiment were detected using an SRI 8610C Gas Chromatograph (multi-gas configuration) with TCD and FID detectors and Alltech HayeSep D and molecular sieve 13 × 80/100 6' × 1/8" × 0.085" stainless steel packed columns. The CO<sub>2</sub> conversion, X(CO<sub>2</sub>), the carbon-based selectivity, S(MeOH), and the space-time yield of methanol, STY(MeOH), were calculated using the following equations:

$$X(\text{CO}_2) = \frac{[\text{CO}]_{\text{out}} + [\text{MeOH}]_{\text{out}}}{[\text{CO}_2]_{\text{in}}} \quad (9)$$

$$S(\text{MeOH}) = \frac{[\text{MeOH}]_{\text{out}}}{[\text{CO}]_{\text{out}} + [\text{MeOH}]_{\text{out}}} \quad (10)$$

$$\text{STY}(\text{MeOH}) = \frac{F(\text{CO}_2) \times X(\text{CO}_2) \times S(\text{MeOH}) \times 60}{22.4 \times m(\text{cat}) \times \omega(\text{Cu})} \quad (11)$$

where *m*(cat) is the catalyst mass (g), *F*(CO<sub>2</sub>) is the inlet CO<sub>2</sub> flow rate (mL min<sup>-1</sup>), and *ω*(Cu) is the copper mass percentage in the catalyst, and the STY unit would be mol<sub>MeOH</sub> kg<sub>Cu</sub><sup>-1</sup> h<sup>-1</sup>.

## 3. Results and discussion

### 3.1. Catalyst characterization

X-ray diffraction (XRD) revealed that the structure of the pure Cu<sub>6</sub> nanocluster matched that which was previously reported (CCDC 1864974) (Fig. 1). It is worth mentioning that the slight change in the peak intensity might be indicative of a change in the amount of tetrahydrofuran (THF) between the two structures, *i.e.*, solvent loss. In addition, the XRD patterns did not show any crystalline phases related to copper species, *e.g.*, metallic Cu, Cu(i) oxide, and Cu(ii) oxide, which would normally appear after 2-theta of 30°. <sup>39-41</sup>



Fig. 1 XRD patterns of (a) the synthesized  $\text{Cu}_6$  nanocluster and (b) the simulated  $\text{Cu}_6$  nanocluster (CCDC 1864974).

Fig. 2a shows the low-angle XRD patterns of the catalyst series. As can be seen, all the patterns display three well-resolved peaks associated with the hexagonal symmetry of the support and can be identified as the (100), (110), and (200) reflections. This finding is consistent with a two-dimensional hexagonal ( $p6mm$ ) structure, implying the intact structure of SBA-15 after nanocluster deposition.<sup>35</sup> The wide-angle XRD patterns obtained for the catalysts are shown in Fig. 2b. Clearly, there are no ZnO crystalline phases in the XRD patterns of



Fig. 3 Nitrogen adsorption-desorption isotherms of the catalysts and SBA-15.

10ZnO-SBA-15, confirming the homogeneous distribution of ZnO inside SBA-15 channels. This phenomenon could be due to the strong interactions between the silica matrix and zinc species, preventing ZnO crystallization, but instead forming zinc silicate layers with a two-dimensional disordered structure on the surface.<sup>42</sup>

Interestingly, no diffraction peaks of any form of copper are found in any of the samples. This can be ascribed to the




Fig. 2 (a) Low-angle and (b) wide-angle XRD patterns of the fresh catalysts.

**Table 1** Textural properties of the catalysts, support, and the prepared SBA-15

Sample	$S_{\text{BET}}^a$ ( $\text{m}^2 \text{g}^{-1}$ )	$S_{\text{meso}}^b$ ( $\text{m}^2 \text{g}^{-1}$ )	$S_{\text{micro}}^c$ ( $\text{m}^2 \text{g}^{-1}$ )	$D_p^b$ (nm)	$V_p$ ( $\text{cm}^3 \text{g}^{-1}$ ) <sup>d</sup>
SBA-15	773.2	529.7	243.5	6.89	1.05
10ZnO-SBA-15	679.0	513.0	163.0	6.57	0.95
2%Cu <sub>6</sub> -10ZnO-SBA-15	562.7	433.2	129.5	6.43	0.89
3.5%Cu <sub>6</sub> -10ZnO-SBA-15	359.3	282.9	76.4	6.17	0.61
5%Cu <sub>6</sub> -10ZnO-SBA-15	262.1	207.1	13.4	5.11	0.43
2%Cu <sub>NP</sub> -10ZnO-SBA-15	595.4	486.9	108.5	6.44	0.92

<sup>a</sup> BET-specific surface area. <sup>b</sup> Determined by using the BJH model for the adsorption branch of the isotherm. <sup>c</sup> Determined as the difference between the total surface area and the mesopore surface area. <sup>d</sup> Total pore volume estimated at  $P/P_0 = 0.98$ .

ultra-small sizes of individual Cu<sub>6</sub> nanoclusters and the uniform dispersion of CuNCs on the support. The broad peak at  $2\theta = 23.1^\circ$  present in all the XRD patterns is attributed to the mesoporous SBA-15 support. The catalysts with supported copper nanoparticles show two diffraction peaks at  $2\theta = 43.2^\circ$  and  $50.3^\circ$ , indexing to the (111) and (200) characteristic facets of metallic Cu, respectively. The average size of Cu NPs ( $D_{\text{crystallite}}$ ) from the Scherrer equation using the most intense peak (111) is about 26 nm.

Fig. 3 demonstrates the nitrogen adsorption-desorption isotherms of the as-made catalysts with various metal loadings. The support exhibits the characteristic features of mesoporous materials with uniform cylindrical pores, a type IV isotherm with an H1 hysteresis loop.<sup>43</sup> It is evident from the type IV shape of the isotherms that the solid support retains its mesoporous nature after the impregnation of the clusters. Nonetheless, the adsorbed volume decreases as the pores are partially filled by increasing the active phase loading.<sup>44</sup> As shown in Table 1, the pore volume and surface area of the SBA-15 are decreased after loading the active phase, indicating that the active phase is confined within the SBA-15 channels.<sup>45</sup>  $S_{\text{BET}}$  and  $V_p$  for the primary support are higher than those of the as-made catalysts, implying that the mesopores are partially filled.<sup>37</sup> As seen from Table 1, a high metal loading (3.5 and 5%Cu<sub>6</sub>-10ZnO-SBA-15) significantly decreases the specific surface area and mesopore volume compared with the primary support. The textural properties change dramatically for metal loadings higher than 2 wt% of Cu. It is worth noting that the values for the supported Cu nanoparticles are very close but slightly greater than that of the nanocluster (Table 1).

N<sub>2</sub>O titration is used to determine the specific surface areas of copper in the catalysts, and the corresponding information is

summarized in Table 2. As the active phase loading increases, metal dispersion decreases from 15.2% to 0.99%, implying the formation of larger copper nanoclusters. The metal surface area of 2%Cu<sub>6</sub>-10ZnO-SBA-15 is the best compared to the catalysts with higher metal loadings. Interestingly, the catalyst with deposited copper nanoparticles (2%CuNP-10ZnO-SBA-15) shows a significantly lower Cu dispersion than that of the same amount of metal loading with the copper nanoclusters, contributing to the improved performance of the supported copper nanocluster catalytic system, which is discussed in later parts.

The transmission electron microscopy (TEM) image of the 2%Cu<sub>6</sub>-10ZnO-SBA-15 sample (Fig. 4a) does not exhibit isolated metal particles on the support. Meanwhile, for 2%CuNP-10ZnO-SBA-15 (Fig. 4b), randomly distributed Cu particles are observed on the external surface of the support. High-angle annular dark field scanning transmission electron microscopy (HAADF-STEM) (Fig. 5) and the energy-dispersive X-ray analysis (EDS) of 2%Cu<sub>6</sub>-10ZnO-SBA-15 confirm that Cu nanoclusters and Zn species are distributed homogeneously throughout the architecture. These results are consistent with those derived from XRD, N<sub>2</sub> adsorption-desorption, and N<sub>2</sub>O chemisorption analyses discussed earlier. It is worth noting that although the elemental mapping shows the presence of ligands, it is a well-established fact that the immobilized triphenylphosphine-ligated nanoclusters lose a significant amount of PPh<sub>3</sub> ligands during deposition. The ligands remain on the support.<sup>24,26,46-49</sup> However, the formation of ligand-free sites on phosphine-stabilized deposited nanoclusters strongly depends on the support properties, which require in-depth studies.

### 3.2. Catalytic activity

The catalytic activity of the catalysts is evaluated at 220 °C under 5 MPa and a gas hourly space velocity (GHSV) of 7500 mL g<sup>-1</sup> h<sup>-1</sup>. Below a 5 MPa reaction pressure, CO is the only product detected. Table 3 shows the activity results of various Cu<sub>6</sub>-10ZnO-SBA-15 catalysts for synthesizing methanol through CO<sub>2</sub> hydrogenation. Under the reaction conditions (220 °C, 5 MPa, and a GHSV of 7500 mL g<sup>-1</sup> h<sup>-1</sup>), the only produced hydrocarbons are methanol and CO. As can be seen, Cu loading significantly affects the methanol yield in Cu<sub>6</sub>-10ZnO-SBA-15. Among the investigated catalysts, 2%Cu<sub>6</sub>-10ZnO-SBA-15 shows the best STY (232.5 mol<sub>MeOH</sub> kg<sub>Cu</sub><sup>-1</sup> h<sup>-1</sup>) and the highest methanol selectivity (86%).

Contrary to expectations, the methanol yield does not improve with increasing the active phase loading from 2 to 5 wt%. According to the characterization results, this phenomenon can be explained by the fact that there are fewer active

**Table 2** Copper dispersion and surface area characteristics of the supported nanoclusters

Sample <sup>a</sup>	Cu <sup>b</sup> (wt%)	Cu particle diameter (nm)	Cu dispersion (%)	Cu surface area per gram sample ( $\text{m}^2 \text{g}^{-1}$ )	Cu surface area per gram Cu ( $\text{m}^2 \text{g}^{-1}$ )
2%Cu <sub>6</sub>	1.89	6.83	15.27	1.969	98.43
3.5%Cu <sub>6</sub>	3.38	12.86	8.11	1.830	52.28
5%Cu <sub>6</sub>	4.84	21.89	4.77	1.537	30.74
2%CuNP	1.93	27.40	3.81	0.491	24.55

<sup>a</sup> The support was 10ZnO-SBA-15 for all the samples. <sup>b</sup> Actual values from the atomic emission spectroscopy (AES) analysis.




Fig. 4 TEM images of (a) 2%Cu<sub>6</sub>-10ZnO-SBA-15 and (b) 2%CuNP-10ZnO-SBA-15.




Fig. 5 HAADF-STEM image and the corresponding EDS elemental mappings of 2%Cu<sub>6</sub>-10ZnO-SBA-15.

sites exposed as the metal loading increases. Another possible reason is the partial blocking of pores by copper nanoclusters, limiting access to the active sites inside SBA-15 channels. It is worth noting that with the same active phase loading, 2%Cu<sub>6</sub>-10ZnO-SBA-15 shows significantly better activity and selectivity than 2%CuNP-10ZnO-SBA-15.

On the other hand, according to previous studies, two active centers are involved during catalytic CO<sub>2</sub> reduction to methanol. One center is the active support that adsorbs CO<sub>2</sub> as the

carbonate and bicarbonate species. Later, methanol is produced by stepwise hydrogenation of these intermediates. The other center is the Cu phase, which chemisorbs H<sub>2</sub> and thus provides atomic hydrogen to the surface.<sup>50-53</sup> Therefore, the catalytic performance depends not only on the Cu nanocluster properties but also on other parameters, such as the position of the active phase and the Cu/Zn molar ratio. To investigate the role of ZnO and Cu/Zn ratio effect, a series of 2%Cu<sub>6</sub>-XZnO-SBA-15 catalysts with the same amount of copper are prepared, the performances of which are shown in Fig. 6. It is evident that ZnO addition affects the catalytic performance remarkably. The methanol selectivity for 2%Cu<sub>6</sub>-0ZnO-SBA-15 (38.8%) increases to 60% with the addition of 2% ZnO for 2%Cu<sub>6</sub>-2ZnO-SBA-15 and reaches its optimum when the Cu/Zn molar ratio is 0.2. By increasing the Zn content to 20%, a slight reduction in methanol productivity to 226.5 (mol<sub>MeOH</sub> kg<sub>Cu</sub><sup>-1</sup> h<sup>-1</sup>) is observed for 2%Cu<sub>6</sub>-20ZnO-SBA-15. Increasing the zinc oxide content to > 10% decreases catalyst activity and selectivity. As explained before, there is no ZnO crystalline phase in the XRD pattern of

**Table 3** Activity of the catalysts with various metal loadings. Reaction conditions:  $T = 220\text{ }^{\circ}\text{C}$ ;  $P = 5.0\text{ MPa}$ ;  $\text{H}_2/\text{CO}_2 = 3$ ;  $\text{GHSV} = 7500\text{ mL g}^{-1}\text{ h}^{-1}$ ;  $m_{\text{cat}} = 0.2\text{ g}$

Sample	STY (mol <sub>MeOH</sub> kg <sub>Cu</sub> <sup>-1</sup> h <sup>-1</sup> )	CO <sub>2</sub> conv. (%)	MeOH select. (%)
2%Cu <sub>6</sub> -10ZnO-SBA-15	232.5	6.7	86
3.5%Cu <sub>6</sub> -10ZnO-SBA-15	168.3	8.6	85
5%Cu <sub>6</sub> -10ZnO-SBA-15	126.4	9.5	83
2%CuNP-10ZnO-SBA-15	118.5	5.6	53




Fig. 6 Performance comparison of the catalysts with different Cu/Zn ratios in terms of the space–time yield and selectivity to methanol.

the catalyst, implying the full dispersion of ZnO. However, zinc is predominantly deposited in the micropores of SBA-15, which is not accessible for our nanoclusters due to their larger size.<sup>42</sup> Therefore, although catalytic results demonstrate that the catalyst with a Cu/Zn molar ratio of 1 exhibits the best catalytic performance for Cu/ZnO–SBA-15,<sup>37</sup> it requires a higher loading of ZnO for the catalytic system to ensure that a sufficient amount of ZnO is accessible to each copper center.

Previous studies have demonstrated that the undercoordinated sites of nanoclusters can improve CO<sub>2</sub> and hydrogen adsorption at low pressures, thereby promoting CO<sub>2</sub> activation, which results in methanol production.<sup>20–22</sup> One study revealed that the cluster size affects the catalytic activity of CO<sub>2</sub> hydrogenation to methanol. An increased particle size significantly weakens the binding strength between intermediate adsorbates

and the Cu cluster. As a result, the intermediate states become less stable, and therefore the overall energy of the reaction pathway.<sup>22</sup> Moreover, it has been reported that the calculation of the reaction pathway for CO<sub>2</sub> hydrogenation to methanol on Cu cluster resembles that of large Cu particles,<sup>20,21,54,55</sup> where HCOO\* species are formed first from the beginning of methanol synthesis, then hydrogenated to form HCOOH and subsequently H<sub>2</sub>COOH\*. The next step involves the C–OH bond cleavage, where H<sub>2</sub>COOH\* dissociates into H<sub>2</sub>CO\* and OH\*. OH\* is then further hydrogenated to H<sub>2</sub>O\*, while H<sub>2</sub>CO\* yields H<sub>3</sub>CO\*. Finally, the hydrogenation of H<sub>3</sub>CO\* results in the formation of the methanol product (CH<sub>3</sub>OH). Prior research suggests that the energy barrier of the rate-limiting step for methanol production *via* hydrogenation of the HCOO\* species on Cu nanoclusters is lower than the projected rate-limiting barriers for the Cu (111) surface. This implies that, unlike bulk and large Cu materials, Cu clusters may exhibit superior catalytic activity for CH<sub>3</sub>OH synthesis.<sup>21,22,56,57</sup> On the other hand, the addition of ZnO can enhance Cu dispersion through strong interactions between Cu and ZnO. ZnO plays the role of regulating the electronic properties of the catalyst.<sup>58–61</sup> The interaction between Cu and ZnO is crucial for methanol synthesis as the interface enhances the adsorption and activation of CO<sub>2</sub> and H<sub>2</sub>, thereby promoting methanol synthesis.<sup>62</sup> Recent density functional theory (DFT) calculations have also further demonstrated that Zn alloying into the Cu step can improve the adsorption strength and lower the barrier for HCO, H<sub>2</sub>CO, and H<sub>3</sub>CO, thus promoting the formation of CH<sub>3</sub>OH.<sup>54</sup> The reaction mechanism of the ZnO–SBA-15 supported Cu<sub>6</sub> catalyst can be deduced within the larger context of Cu–ZnO catalysis, in which the interfacial sites are mainly responsible for the catalytic activity. The cluster effect may provide an advantage by increasing the interfacial sites per Cu atom when compared to bulk and large Cu particles.




Fig. 7 Catalytic performance of 2%Cu<sub>6</sub>-10ZnO–SBA-15 at different (a) GHSVs and (b) reaction temperatures.

**Table 4** A comparison of the catalytic performance of the synthesized catalyst with that of the catalysts reported in the literature

Catalyst	Temp. and pressure ( $^{\circ}\text{C bar}^{-1}$ )	GHSV ( $\text{mL g}^{-1} \text{h}^{-1}$ )	WHSV ( $\text{mL g}^{-1} \text{h}^{-1}$ )	Methanol yield ( $\text{mol kg}_{\text{Cu}}^{-1} \text{h}^{-1}$ )	$\text{CO}_2$ conv. (%)	Select. (%)	Ref.
$\text{Cu}_1\text{La}_{0.2}/\text{SBA-15}$	240/30	12 000	—	59.6	5.7	81.2	67
$\text{Cu}/\text{ZnO-SBA-15}$	250/30	44 000	—	90.0	8.9	27.7	37
$\text{Cu}/\text{ZnO}/\text{SBA-15}$	180/40	—	60 000	162.2	7.7	97.3	68
$\text{Cu}/\text{ZnO}@m\text{-SiO}_2$	250/50	—	6000	36.3	9.8	66.6	69
2% $\text{Cu}_6$ -10ZnO-SBA-15	220/50	7500	—	232.5	6.7	86.1	This work
2% $\text{Cu}_6$ -10ZnO-SBA-15	220/50	12 000	—	173.0	5.2	83.0	This work

The catalyst is tested at various temperatures (200–280  $^{\circ}\text{C}$ ) and gas hourly space velocities (7500–12 000  $\text{mL g}^{-1} \text{h}^{-1}$ ) to investigate the catalytic activity under different reaction conditions. In line with previous studies, increasing the reaction temperature increases  $\text{CO}_2$  conversion while it decreases the selectivity toward methanol production.<sup>63,64</sup> It is widely accepted that reverse water-gas shift (RWGS) reactions and methanol synthesis coincide and compete, as shown below:



Methanol formation is thermodynamically exothermic as opposed to the RWGS reaction, which is endothermic. Therefore, high temperature increases the RWGS reaction rate but inhibits methanol formation. Nonetheless, considering low reaction rates and the inert nature of  $\text{CO}_2$ , increasing the reaction temperature to more than 200  $^{\circ}\text{C}$  boosts carbon dioxide activation and methanol formation.<sup>65</sup> The catalyst activity under various GHSVs is also investigated, and the results are shown in Fig. 7. As the GHSV increases, the  $\text{CO}_2$  conversion decreases due to the unsaturated contact time

between the reactants and the catalyst. However, the methanol selectivity remains at approximately 85% with minor fluctuations. According to the results, the catalyst contact time significantly affects the  $\text{CO}_2$  conversion but not the selectivity, which is in line with what was reported by other researchers previously.<sup>66</sup>

Table 4 compares the catalyst prepared in this study with the most recent similar catalytic systems, from which the superior performance of the catalyst in the present study is evident. It should be noted that throughout the investigation,  $\text{CO}_2/\text{H}_2 = 1:3$  is used as the reactant gas mixture for all the tested catalysts. This comparison shows the superior activity of the catalyst studied in this work compared to that of the previous catalytic systems.

### 3.3. Catalyst stability

The catalyst stability is investigated by performing a 9-h continuous test. The catalyst stability with regard to the space-time yield (STY) shows a decrease within the first 3 h for the supported nanoclusters, as shown in Fig. 8.

The 2% $\text{Cu}_6$ -10ZnO-SBA-15 catalyst shows the best activity for methanol production together with the latest STY reduction



**Fig. 8** (a) Space-time yield and (b) selectivity of methanol versus time-on-stream of the catalysts. Reaction conditions:  $T = 220\text{ }^{\circ}\text{C}$ ;  $P = 5.0\text{ MPa}$ ;  $\text{H}_2/\text{CO}_2 = 3\text{ mol mol}^{-1}$ ;  $\text{GHSV} = 7500\text{ mL g}^{-1} \text{h}^{-1}$ ;  $m_{\text{cat}} = 0.2\text{ g}$ .

Table 5 Copper dispersion for 2%Cu<sub>6</sub>-10ZnO-SBA-15 collected at different time-on-stream (TOS)

TOS	Cu particle diameter (nm)	Cu dispersion (%)	Cu surface area per gram sample (m <sup>2</sup> g <sup>-1</sup> )	Cu surface area per gram Cu (m <sup>2</sup> g <sup>-1</sup> )
0 h	6.83	15.27	1.967	98.43
3 h	9.47	11.02	1.420	71.02
6 h	13.26	7.87	1.014	50.73
9 h	14.24	7.33	0.944	47.23

(3 h). A faster reduction is observed for the 3.5%Cu<sub>6</sub>-10ZnO-SBA-15 and 5%Cu<sub>6</sub>-10ZnO-SBA-15 catalysts (2 h and 1 h, respectively). This effect can be attributed to copper sintering, consistent with the previous work.<sup>70-72</sup> The result can be further explained by XRD, TEM, and N<sub>2</sub>O titration data. As discussed, the confinement of a high copper content (3.5 and 5 wt%) leads to lower copper dispersion and faster sintering during the reaction, decreasing methanol activity. It is important to note that catalyst deactivation *via* sintering and agglomeration differ in the mechanism and impact. Sintering involves atomic migration and coalescence of active metal particles, reducing the surface area and catalytic activity irreversibly. In contrast, agglomeration is the physical clumping of catalyst

particles due to mechanical forces or thermal instability, often leading to blocked active sites, but sometimes reversible. While sintering typically affects supported metal catalysts at the nanoscale, agglomeration is more common in powdered catalysts and occurs at a larger, physical scale. In this work, the Cu nanoclusters may undergo sintering, which reduces their activity. It is also worth noting that although 2%CuNP-ZnO-SBA-15 seems more stable compared to the supported nanocluster catalytic systems with the same copper loading, the activity of the latter remains significantly higher.

To gain further insight into the stability of the catalyst, the *ex situ* characterization of 2%Cu<sub>6</sub>-10ZnO-SBA-15 was conducted every 3 h, and the relevant results are explained below. The



Fig. 9 (a) X-ray absorption near-edge structure (XANES), (b) extended X-ray absorption fine structure (EXAFS) and (c) Fourier-transform (FT) EXAFS of the supported nanoclusters and nanoparticles.



Fig. 10 HAADF-STEM image and EDS elemental mappings of the used 2%Cu<sub>6</sub>-10ZnO-SBA-15.

copper surface areas of the collected catalyst are determined by N<sub>2</sub>O titration (Table 5). As can be seen, metal dispersion and surface areas decrease over time, confirming the activity reduction due to sintering. Interestingly, the Cu surface area per Cu weight reduces by about 52% over time, reaching 47.23 m<sup>2</sup> g<sup>-1</sup>. This value remains approximately twice as high as the Cu surface area for 2%CuNP-10ZnO-SBA-15, with a value of 24.55 m<sup>2</sup> g<sup>-1</sup>.

The XANES, EXAFS and Fourier-transform EXAFS spectra of the supported nanoclusters and nanoparticles are presented in Fig. 9. Because of the element selectivity of XAS and its

independence of crystalline order, the data can be highly informative about the structure and redox state. The edge position of deposited Cu<sub>6</sub> clusters and nanoparticles lies between the edge position of metallic Cu and CuO. However, the phase appears to differ from any standard (*i.e.*, not just a linear combination). It is important to note that all the samples were exposed to air before XAS measurements, so the results do not reflect the state of the catalyst *in situ* during the reaction. However, it can be seen from Fig. 9 that there is a systematic change that occurs over time. The edge energy of the supported



Fig. 11 XRD patterns of the fresh and used 2%Cu<sub>6</sub>-10ZnO-SBA-15 catalysts at a (a) low-angle and (b) wide-angle.

clusters is shifted to a higher energy with an increase in the running time, which can be attributed to the loss of  $\text{PPh}_3$  ligands as time passes. The P/Cu ratio is essential because the coordination of electron-donating  $\text{PPh}_3$  to Cu affects the edge energy. Therefore, the edge position of the spent samples is at the higher energies; however, the difference is minor.

Interestingly, HAADF-STEM characterization and EDS elemental mapping on 2% $\text{Cu}_6$ -10ZnO-SBA-15 after being on stream for 9 h (Fig. 10) shows the co-existence of larger nanoparticles and small nanoclusters. This phenomenon is because the confined nanoclusters inside the mesoporous channels survive sintering to some extent. In contrast, the nanoclusters positioned on the surface of the support undergo severe sintering, leading them to form larger copper nanoparticles.

It is evident from the low-angle diffraction pattern that the used 2% $\text{Cu}_6$ -10ZnO-SBA-15 (9 h on the stream) catalyst maintains its hexagonal structure (Fig. 11a) compared to the fresh catalyst pattern. Only a slight shift toward higher angles indicates a slight shrinkage in mesoporous structures. Based on the wide-angle XRD patterns of the sample (Fig. 11b), a low-intensity diffraction peak associated with the metallic copper phase is seen at  $2\theta = 43.2^\circ$  apart from the broad peak related to amorphous silica (PDF card 4-0836), confirming the presence of larger nanoparticles.

## 4. Conclusions

$\text{Cu}_6$  nanoclusters were synthesized and deposited on ZnO-SBA-15, a mesoporous silica framework with deposited ZnO, with different metal loadings (2, 3.5, and 5 wt%) and Cu/Zn molar ratios (0, 1, 2.5, 5 and 10). Characterization of the catalyst was evaluated by XRD, TEM, SEM with STEM-EDS, nitrogen adsorption-desorption analysis (BET),  $\text{N}_2\text{O}$  titration, atomic emission spectroscopy (AES), and XAS. The characterization results demonstrated that the active phase was highly dispersed and properly confined inside the support channels. The activity of immobilized nanoclusters was tested under high pressure in the gas phase for  $\text{CO}_2$  hydrogenation and compared with supported nanoparticles. The methanol yield for the supported small nanoclusters ( $232.5 \text{ (mol}_{\text{MeOH}} \text{ kg}_{\text{Cu}}^{-1} \text{ h}^{-1})$ ) was approximately twice as high as that of the supported copper nanoparticles ( $118.5 \text{ (mol}_{\text{MeOH}} \text{ kg}_{\text{Cu}}^{-1} \text{ h}^{-1})$ ). Furthermore, the catalyst was tested at different reaction temperatures (200–280 °C) and gas hourly space velocities (7500–12 000  $\text{mL g}^{-1} \text{ h}^{-1}$ ) to investigate its behavior under different reaction conditions. To study the stability of the catalyst, the catalyst samples were collected every 3 h from the reactor and were characterized by different methods. The activity and selectivity slightly decreased over the first 3 h of the reaction due to the sintering of small nanoclusters. However, the activity of the supported nanoclusters remained significantly higher than that of the supported nanoparticles even after sintering. The synthesis cost of the ZnO-SBA-15 supported  $\text{Cu}_6$  catalyst is highly associated with the synthesis cost of the  $\text{Cu}_6$  cluster, which requires the use of expensive ligands. Further research on a low-cost ligand suitable for making  $\text{Cu}_6$  clusters is key to realizing process scale-up.

## Author contributions

Sara Mirzakhani: conceptualization, methodology, validation, formal analysis, investigation, and writing – original draft. Angie F. J. Tan: investigation and writing – review & editing. Deborah Crittenden: formal analysis, writing – original draft, and supervision. Majid Masteri-Farahani: formal analysis, investigation, and writing – original draft. Alex C. K. Yip: formal analysis, writing – original draft and review & editing, and supervision.

## Conflicts of interest

There are no conflicts to declare.

## Data availability

Readers may contact the corresponding author, A. C. K. Y., to inquire about the data supporting the findings in this study.

## Acknowledgements

The authors thank the University of Canterbury Doctoral Scholarship for supporting Sara Mirzakhani. We also acknowledge the Australian Synchrotron facilities for conducting the X-ray absorption spectroscopy experiment in this work.

## References

- 1 *Global Climate Change-The Technology Challenge*, ed. F. T. Princiotto, Springer, New York, 2011, pp. 1–50.
- 2 *Climate change: observed impacts on planet Earth*, ed. T. M. Letcher, Elsevier, 2021.
- 3 M. Peters, B. Köhler, W. Kuckshinrichs, W. Leitner, P. Markewitz and T. E. Müller, *ChemSusChem*, 2011, **4**, 1216–1240.
- 4 M. Aresta, A. Dibenedetto and E. Quaranta, *J. Catal.*, 2016, **343**, 2–45.
- 5 I. Landälv, Methanol as a renewable fuel—a knowledge synthesis, *The Swedish Knowledge Centre for Renewable Transportation Fuels*, Sweden, 2017, p. 6.
- 6 J. Artz, T. E. Müller, K. Thenert, J. Kleinekorte, R. Meys, A. Sternberg, A. Bardow and W. Leitner, *Chem. Rev.*, 2018, **118**, 434–504.
- 7 F. A. Rahman, M. M. A. Aziz, R. Saidur, W. A. W. A. Bakar, M. Hainin, R. Putrajaya and N. A. Hassan, *Renewable Sustainable Energy Rev.*, 2017, **71**, 112–126.
- 8 C. Hepburn, E. Adlen, J. Beddington, E. A. Carter, S. Fuss, N. Mac Dowell, J. C. Minx, P. Smith and C. K. Williams, *Nature*, 2019, **575**, 87–97.
- 9 J. Yao, J. Yan, Y. Huang, Y. Li, S. Xiao and J. Xiao, *Front. Chem.*, 2018, **6**, 442.
- 10 S. Kuld, M. Thorhauge, H. Falsig, C. F. Elkjær, S. Helveg, I. Chorkendorff and J. Sehested, *Science*, 2016, **352**, 969–974.
- 11 T. Phongamwong, U. Chantaprasertporn, T. Witoon, T. Numpilai, Y. Poo-Arporn, W. Limphirat, W. Donphai,

- P. Dittanet, M. Chareonpanich and J. Limtrakul, *Chem. Eng. J.*, 2017, **316**, 692–703.
- 12 X. Cui and S. K. Kær, *Chem. Eng. J.*, 2020, **393**, 124632.
- 13 E. Lam, K. Larmier, P. Wolf, S. Tada, O. V. Safonova and C. Copéret, *J. Am. Chem. Soc.*, 2018, **140**, 10530–10535.
- 14 J.-Y. Li, L. Yuan, S.-H. Li, Z.-R. Tang and Y.-J. Xu, *J. Mater. Chem. A*, 2019, **7**, 8676–8689.
- 15 L. Zheng, X. Li, W. Du, D. Shi, W. Ning, X. Lu and Z. Hou, *Appl. Catal., B*, 2017, **203**, 146–153.
- 16 Z. Yuan, L. Wang, J. Wang, S. Xia, P. Chen, Z. Hou and X. Zheng, *Appl. Catal., B*, 2011, **101**, 431–440.
- 17 S. Vajda and M. G. White, *ACS Catal.*, 2015, **5**, 7152–7176.
- 18 C. Liu, H. He, P. Zapol and L. A. Curtiss, *Phys. Chem. Chem. Phys.*, 2014, **16**, 26584–26599.
- 19 D. R. Kauffman, D. Alfonso, C. Matranga, H. Qian and R. Jin, *J. Am. Chem. Soc.*, 2012, **134**, 10237–10243.
- 20 Y. Yang, J. Evans, J. A. Rodriguez, M. G. White and P. Liu, *Phys. Chem. Chem. Phys.*, 2010, **12**, 9909–9917.
- 21 C. Liu, B. Yang, E. Tyo, S. Seifert, J. DeBartolo, B. von Issendorff, P. Zapol, S. Vajda and L. A. Curtiss, *J. Am. Chem. Soc.*, 2015, **137**, 8676–8679.
- 22 B. Yang, C. Liu, A. Halder, E. C. Tyo, A. B. F. Martinson, S. Seifert, P. Zapol, L. A. Curtiss and S. Vajda, *J. Phys. Chem. C*, 2017, **121**, 10406–10412.
- 23 E. C. Tyo and S. Vajda, *Nat. Nanotechnol.*, 2015, **10**, 577–588.
- 24 D. P. Anderson, J. F. Alvino, A. Gentleman, H. Al Qahtani, L. Thomsen, M. I. Polson, G. F. Metha, V. B. Golovko and G. G. Andersson, *Phys. Chem. Chem. Phys.*, 2013, **15**, 3917–3929.
- 25 M. Walter, J. Akola, O. Lopez-Acevedo, P. D. Jadzinsky, G. Calero, C. J. Ackerson, R. L. Whetten, H. Grönbeck and H. Häkkinen, *Proc. Natl. Acad. Sci. U. S. A.*, 2008, **105**, 9157–9162.
- 26 H. S. Al Qahtani, K. Kimoto, T. Bennett, J. F. Alvino, G. G. Andersson, G. F. Metha, V. B. Golovko, T. Sasaki and T. Nakayama, *J. Chem. Phys.*, 2016, **144**, 114703.
- 27 W. U. Khan, I. K. M. Yu, Y. Sun, M. I. Polson, V. Golovko, F. L. Y. Lam, I. Ogino, D. C. W. Tsang and A. C. K. Yip, *Environ. Pollut.*, 2021, **279**, 116899.
- 28 L. Baharudin, A. C. K. Yip, V. B. Golovko, M. I. Polson, K.-F. Aguey-Zinsou and M. J. Watson, *Appl. Catal., B*, 2020, **262**, 118265.
- 29 J. Wang, G. Li, Z. Li, C. Tang, Z. Feng, H. An, H. Liu, T. Liu and C. Li, *Sci. Adv.*, 2017, **3**, e1701290.
- 30 C. H. Bartholomew, *Appl. Catal., A*, 2001, **212**, 17–60.
- 31 M. V. Twigg and M. S. Spencer, *Top. Catal.*, 2003, **22**, 191–203.
- 32 H. H. Kung, *Catal. Today*, 1992, **11**, 443–453.
- 33 B. An, J. Zhang, K. Cheng, P. Ji, C. Wang and W. Lin, *J. Am. Chem. Soc.*, 2017, **139**, 3834–3840.
- 34 Z. Zhao, *ChemCatChem*, 2020, **12**, 3960–3981.
- 35 D. Zhao, J. Feng, Q. Huo, N. Melosh, G. H. Fredrickson, B. F. Chmelka and G. D. Stucky, *Science*, 1998, **279**, 548–552.
- 36 T. Fujitani and J. Nakamura, *Catal. Lett.*, 1998, **56**, 119–124.
- 37 M. Mureddu, F. Ferrara and A. Pettinau, *Appl. Catal., B*, 2019, **258**, 117941.
- 38 C. F. Albert, P. C. Healy, J. D. Kildea, C. L. Raston, B. W. Skelton and A. H. White, *Inorg. Chem.*, 1989, **28**, 1300–1306.
- 39 L. Baharudin, A. C. K. Yip, V. B. Golovko, M. I. Polson and M. J. Watson, *Chem. Eng. J.*, 2019, **377**, 120278.
- 40 X. Liu, B. Geng, Q. Du, J. Ma and X. Liu, *Mater. Sci. Eng., A*, 2007, **448**, 7–14.
- 41 C. F. Holder and R. E. Schaak, *Tutorial on powder X-ray diffraction for characterizing nanoscale materials*, ACS Publications, 2019, pp. 7359–7365.
- 42 O. Tkachenko, K. Klementiev, E. Löffler, I. Ritzkopf, F. Schüth, M. Bandyopadhyay, S. Grabowski, H. Gies, V. Hagen and M. Muhler, *Phys. Chem. Chem. Phys.*, 2003, **5**, 4325–4334.
- 43 A. Gervasini and S. Bennici, *Appl. Catal., A*, 2005, **281**, 199–205.
- 44 Q. Zhang, T. Gao, J. M. Andino and Y. Li, *Appl. Catal., B*, 2012, **123**, 257–264.
- 45 A. García-Trenco and A. Martínez, *Catal. Today*, 2013, **215**, 152–161.
- 46 D. P. Anderson, R. H. Adnan, J. F. Alvino, O. Shipper, B. Donoeva, J.-Y. Ruzicka, H. Al Qahtani, H. H. Harris, B. Cowie and J. B. Aitken, *Phys. Chem. Chem. Phys.*, 2013, **15**, 14806–14813.
- 47 R. H. Adnan, G. G. Andersson, M. I. J. Polson, G. F. Metha and V. B. Golovko, *Catal. Sci. Technol.*, 2015, **5**, 1323–1333.
- 48 A. Longo, E. J. de Boed, N. Mammen, M. van der Linden, K. Honkala, H. Häkkinen, P. E. de Jongh and B. Donoeva, *Chem. – Eur. J.*, 2020, **26**, 7051–7058.
- 49 C. C. Chusuei, X. Lai, K. A. Davis, E. K. Bowers, J. P. Fackler and D. W. Goodman, *Langmuir*, 2001, **17**, 4113–4117.
- 50 J. Xiao, D. Mao, X. Guo and J. Yu, *Appl. Surf. Sci.*, 2015, **338**, 146–153.
- 51 I. A. Fisher and A. T. Bell, *J. Catal.*, 1997, **172**, 222–237.
- 52 X. Guo, D. Mao, G. Lu, S. Wang and G. Wu, *J. Mol. Catal. A: Chem.*, 2011, **345**, 60–68.
- 53 F. Arena, G. Mezzatesta, G. Zafarana, G. Trunfio, F. Frusteri and L. Spadaro, *Catal. Today*, 2013, **210**, 39–46.
- 54 M. Behrens, F. Studt, I. Kasatkin, S. Köhl, M. Hävecker, F. Abild-Pedersen, S. Zander, F. Girgsdies, P. Kurr, B.-L. Kniep, M. Tovar, R. W. Fischer, J. K. Nørskov and R. Schlögl, *Science*, 2012, **336**, 893–897.
- 55 L. C. Grabow and M. Mavrikakis, *ACS Catal.*, 2011, **1**, 365–384.
- 56 A. Mravak, S. Vajda and V. Bonačić-Koutecký, *J. Phys. Chem. C*, 2022, **126**, 18306–18312.
- 57 J. Yao, B. Wang, H. Chen, Z. Han, Y. Wu, Z. Cai, G. W. Manggada, M. A. Elsayed and S. Zhou, *Int. J. Hydrogen Energy*, 2024, **78**, 1089–1098.
- 58 J. Li, T. Du, Y. Li, H. Jia, Y. Wang, Y. Song and X. Fang, *J. Catal.*, 2022, **409**, 24–32.
- 59 F. Arena, G. Italiano, K. Barbera, S. Bordiga, G. Bonura, L. Spadaro and F. Frusteri, *Appl. Catal., A*, 2008, **350**, 16–23.
- 60 A. Karelavic, G. Galdames, J. C. Medina, C. Yévenes, Y. Barra and R. Jiménez, *J. Catal.*, 2019, **369**, 415–426.
- 61 Y. Jiang, H. Yang, P. Gao, X. Li, J. Zhang, H. Liu, H. Wang, W. Wei and Y. Sun, *J. CO<sub>2</sub> Util.*, 2018, **26**, 642–651.
- 62 X. Wei, W. Su, Y. Shi, J. Wang, P. Lv, X. Song, Y. Bai, G. Xu and G. Yu, *Int. J. Hydrogen Energy*, 2024, **58**, 128–136.

- 63 C. Zhong, X. Guo, D. Mao, S. Wang, G. Wu and G. Lu, *RSC Adv.*, 2015, **5**, 52958–52965.
- 64 D. Chen, D. Mao, G. Wang, X. Guo and J. Yu, *J. Sol-Gel Sci. Technol.*, 2019, **89**, 686–699.
- 65 X. Jiang, X. Nie, X. Guo, C. Song and J. G. Chen, *Chem. Rev.*, 2020, **120**, 7984–8034.
- 66 Q. Tan, Z. Shi and D. Wu, *Ind. Eng. Chem. Res.*, 2018, **57**, 10148–10158.
- 67 K. Chen, H. Fang, S. Wu, X. Liu, J. Zheng, S. Zhou, X. Duan, Y. Zhuang, S. C. E. Tsang and Y. Yuan, *Appl. Catal., B*, 2019, **251**, 119–129.
- 68 M. K. Koh, Y. J. Wong, S. P. Chai and A. R. Mohamed, *J. Ind. Eng. Chem.*, 2018, **62**, 156–165.
- 69 H. Yang, P. Gao, C. Zhang, L. Zhong, X. Li, S. Wang, H. Wang, W. Wei and Y. Sun, *Catal. Commun.*, 2016, **84**, 56–60.
- 70 T. Witoon, J. Chalorntham, P. Dumrongbunditkul, M. Chareonpanich and J. Limtrakul, *Chem. Eng. J.*, 2016, **293**, 327–336.
- 71 M. Kurtz, H. Wilmer, T. Genger, O. Hinrichsen and M. Muhler, *Catal. Lett.*, 2003, **86**, 77–80.
- 72 H. Lei, R. Nie, G. Wu and Z. Hou, *Fuel*, 2015, **154**, 161–166.