



CrossMark
click for updates

Cite this: *Chem. Sci.*, 2015, 6, 6991

Pt/Ni(OH)₂-NiOOH/Pd multi-walled hollow nanorod arrays as superior electrocatalysts for formic acid electrooxidation†

Han Xu,^a Liang-Xin Ding,^b Jin-Xian Feng^a and Gao-Ren Li^{*a}

The catalytic activity and durability are crucial for the development of high-performance electrocatalysts. To design electrocatalysts with excellent electroactivity and durability, the structure and composition are two important guiding principles. In this work, novel Pt/Ni(OH)₂-NiOOH/Pd multi-walled hollow nanorod arrays (MHNRA) are successfully synthesized. The unique MHNRA provide fast transport and short diffusion paths for electroactive species and high utilization rate of catalysts. Because of the special surface and synergistic effects, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA electrocatalysts exhibit high catalytic activity, high durability and superior CO poisoning tolerance for the electrooxidation of formic acid in comparison with Pt@Pd MHNRA, commercial Pt/C, Pd/C and PtRu/C catalysts.

Received 14th July 2015
Accepted 28th August 2015

DOI: 10.1039/c5sc02544c

www.rsc.org/chemicalscience

1. Introduction

Direct formic acid fuel cells (DFAFCs) have attracted growing attention as promising energy converters with their high efficiency to supply energy and environmental friendliness for portable electronic devices,^{1–4} and they are expected to play a vital role in our future sustainable society. Formic acid as a fuel offers the following unique advantages in comparison to other fuels: formic acid is easier to store and transport compared with hydrogen, while compared with methanol, formic acid has a higher power density and lower crossover rate through a Nafion membrane.^{5,6} At present, Pt and Pd are considered efficient electrocatalysts for the oxidation of small organic molecules such as formic acid, methanol and ethanol.^{7–13} For formic acid oxidation, Pd electrocatalysts exhibit a high initial performance, but the high performance will be lost rapidly over time.^{14–16} However, Pt electrocatalysts are hindered by CO poisoning, which causes poor durability, and the scale of Pt use leads to a high cost of the electrocatalyst.^{17–20}

Transition metal oxides, such as CeO₂, RuO₂, TiO₂, and MoO₃, as co-catalysts have shown the potential to reduce the cost of catalysts, promote catalytic activity and improve the CO poisoning tolerance of Pt and Pd because of the low-cost and high cation-exchange capacity of metal oxides.^{21–26} Nevertheless, the widespread application of transition metal oxides in electrocatalysts

was hampered by their low electrical conductivity. For now, transition metal hydroxides (such as Ni, Fe and Co hydroxides), which have been widely used for the oxygen evolution reaction (OER), organic photovoltaics and supercapacitors with significantly improved performances, have attracted much interest as electrocatalyst supports for the oxidation of small organic molecules. These transition metal hydroxides have better electrical conductivity and stability than transition metal oxides during the catalytic reaction process and can efficiently produce sufficient available OH_{ads} species to oxidize the majority of adsorbed CO on the surface of the catalyst by activation of water at lower potentials.^{27–31} In addition, tailoring the nanostructures of Pt-based electrocatalysts will provide an effective strategy to improve the performance of electrocatalysts.^{32–35} Noble metal nanomaterials with multi-walled hollow nanorod arrays have been highlighted in previous studies.^{22,36} In contrast to single-walled hollow nanorods, multi-walled hollow nanorods can obviously decrease noble metal utilization and have a strong synergistic effect on different materials, which will significantly improve the electrocatalytic activity and CO poisoning tolerance of the catalysts used for the electrooxidation of small organic molecules.³⁷ However, to the best of our knowledge, almost no study has focused on Ni hydroxide-functionalized Pt-Pd electrocatalysts with multi-walled hollow nanostructures for the electrooxidation of formic acid for DFAFCs.

Based on the above considerations, novel Pt/Ni(OH)₂-NiOOH/Pd multi-walled hollow nanorod array (MHNRA) electrocatalysts were designed and fabricated for formic acid electrooxidation for DFAFCs. A Ni hydroxide [Ni(OH)₂-NiOOH] layer was employed as an interlayer and Pt and Pd layers were homogeneously coated on the outside and inside of the Ni(OH)₂-NiOOH interlayer, respectively. Under these circumstances, Ni(OH)₂-NiOOH provided fast electron transport and

^aMOE Laboratory of Bioinorganic and Synthetic Chemistry, KLGEI of Environment and Energy Chemistry, School of Chemistry and Chemical Engineering, Sun Yat-sen University, Guangzhou 510275, China. E-mail: ligaoren@mail.sysu.edu.cn

^bSchool of Chemistry & Chemical Engineering, South China University of Technology, Guangzhou 510640, China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c5sc02544c



abundant OH_{ads} species to remove the adsorbed poisoning species (such as CO) on the surface of the Pt and Pd layers. As a result of the special surface and synergistic effects, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibited significantly improved electrocatalytic activity, CO poisoning tolerance and long-term cycling stability compared with Pt@Pd MHNRA and commercial Pt/C, Pd/C and PtRu/C electrocatalysts. This paper represents a novel, prime strategy to design electrocatalysts with high catalytic activity and excellent long-term durability for formic acid oxidation.

2. Experimental section

Synthesis of Pt/Ni(OH)₂-NiOOH/Pd multi-walled hollow nanorod arrays (MHNRA)

In this study, all chemical reagents were of analytical (AR) grade. Electrodeposition was performed in a simple two-electrode cell *via* a galvanostatic method, and a graphite electrode was used as the counter electrode (spectral grade, 1.8 cm²). The Pt/Ni(OH)₂-NiOOH/Pd multi-walled hollow nanorod arrays (MHNRA) were fabricated *via* the following procedure:

(1) ZnO nanorod arrays (ZnO NRAs) were electrodeposited in a solution of 0.005 M Zn(NO₃)₂·6H₂O + 0.025 M NH₄NO₃ (10 ml) at a current density of 0.5 mA cm⁻² at 70 °C for 90 min on Ti plates (99.99%, 2.0 cm × 2.5 cm), as shown in Fig. S1a.† The Ti plates were polished using SiC abrasive paper with 300 and 800 grits, then cleaned by sonication for 5 min in ethanol (50%) and distilled water, respectively, and finally dipped in anhydrous ethanol to clean.

(2) ZnO/Pt NRAs were synthesized by electrodeposition of Pt onto the surface of the ZnO nanorods in a solution of 0.001 M H₂PtCl₆·6H₂O + 0.0005 M NaH₂PO₂·H₂O + 0.0002 M C₆H₅Na₃O₇·2H₂O (10 ml) (the pH was controlled to 3.5 ± 0.2 using a 1.0 M NaOH solution) at a current density of 0.25 mA cm⁻² at 30 °C for 20 min, as shown in Fig. S1b.† Then, the Ni(OH)₂-NiOOH layers were electrodeposited onto the surface of the ZnO/Pt NRAs in a solution of 0.01 M NiAc₂ + 0.05 M NH₄Cl + 0.05 M H₃BO₄ (10 ml) at a current density of 0.25 mA cm⁻² at 30 °C for 20 min, and accordingly ZnO/Pt@Ni(OH)₂-NiOOH NRAs were fabricated, as shown in Fig. S1c.† After that, the Pd layers were further electrodeposited onto the surface of the ZnO/Pt/Ni(OH)₂-NiOOH NRAs to form ZnO/Pt/Ni(OH)₂-NiOOH/Pd NRAs in a solution of 0.0008 M PdCl₂ + 0.0005 M NaH₂PO₂·H₂O (the pH was controlled to 4.0 ± 0.2 using a 1.0 M NaOH solution) at a current density of 0.25 mA cm⁻² at 30 °C for 20 min, as shown in Fig. S1d.†

(3) ZnO was removed from the ZnO/Pt/Ni(OH)₂-NiOOH/Pd NRAs by immersion in 3% NH₃·H₂O solution for 1 h and the Pt/Ni(OH)₂-NiOOH/Pd MHNRA were finally fabricated. For comparison, Ni(OH)₂-NiOOH/Pt, Ni(OH)₂-NiOOH/Pd and Pt/Pd MHNRA were also fabricated by a similar process, and their SEM images are shown in Fig. S3a–c,† respectively.

Structural characterization

The surface morphology of the synthesized Pt/Ni(OH)₂-NiOOH/Pd MHNRA was characterized using thermal field

emission environmental scanning electron microscopy (SEM, FEI, Quanta 400F) and Transmission Electron Microscopy (TEM, FEI Tecnai G2 F30). The noble metal loading of the synthesized catalysts was measured using an Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES). Chemical-state analysis of the catalysts was carried out using X-ray photoelectron spectroscopy (XPS, ESCALab250). All XPS spectra were corrected using the C 1s line at 284.6 eV. Curve fitting and background subtraction were accomplished. The fabricated Pt@Ni(OH)₂-NiOOH@Pd MHNRA were also characterized using an X-ray diffractometer (XRD).

Electrochemical characterization

Electrochemical measurements (CHI 760E Electrochemical Workstation) were performed in a standard three-electrode cell at room temperature (30 °C). A Pt foil and saturated calomel electrode (SCE) were used as the counter electrode and reference electrode, respectively. The electrocatalysts Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, Ni(OH)₂-NiOOH/Pt MHNRA and Ni(OH)₂-NiOOH/Pd MHNRA (the loading area of the catalysts is ~2 cm² on the Ti plate) acted directly as the working electrode. Commercial Pt/C catalysts (20% Pt on Vulcan XC-72, JM), Pd/C catalysts (20% Pd on Vulcan XC-72, JM), and PtRu/C catalysts (40% Pt and 20% Ru on carbon black, HISPEC 10000), loaded on a glassy carbon electrode (the apparent surface area is 0.1962 cm²), were also utilized as a comparison in this study. The noble metal (Pt, Pd) loading of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, Ni(OH)₂-NiOOH/Pt MHNRA, Ni(OH)₂-NiOOH/Pd MHNRA, Pt/C, Pd/C, and PtRu/C catalysts is 26.15, 31.91, 18.15, 13.26, 24.46, 24.46, and 24.46 μg cm⁻², respectively. The electrochemically active surface area (ECSA) of the prepared electrocatalysts was measured in 0.5 M H₂SO₄ at a scan rate of 20 mV s⁻¹ using cyclic voltammetry (CV). The ECSA (m² g_{noble metal}⁻¹) of the electrocatalysts was estimated according to the following equation.

$$\text{ECSA} = Q_{\text{H}} / (210 \times W_{\text{noble metal}}) \quad (1)$$

Q_{H} is the charge (μC) for hydrogen desorption, 210 represents the charge (μC cm⁻²) required to oxidize a monolayer of hydrogen on a bright noble metal surface, and $W_{\text{noble metal}}$ represents the noble metal loading (μg) in the electrode. Cyclic voltammograms (CVs) were recorded between -0.20 and 1.00 V vs. SCE at a scan rate of 100 mV s⁻¹. Chronoamperometry curves were measured at 0.4 V. For the CVs and chronoamperometry measurements of the formic acid oxidation reaction, a solution of 0.5 M HCOOH + 0.5 M H₂SO₄ was utilized in this study. The CO anti-poisoning ability of the prepared electrocatalysts was measured in 0.5 M H₂SO₄ solution at a scan rate of 20 mV s⁻¹. Prior to the measurements, high purity CO was bubbled into the H₂SO₄ solution for 15 min to achieve a maximum coverage of CO at the electrocatalyst surface while keeping the potential at 0 V. Then, the dissolved CO was purged out of the H₂SO₄ solution by bubbling high-purity N₂ gas for 15 min.



3. Results and discussion

The $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA was facilely synthesized by an electrodeposition method, as illustrated in Scheme 1. The details of the fabrication are described in the Experimental section. SEM images of the fabricated ZnO NRAs, ZnO/Pt NRAs, ZnO/Pt/ $\text{Ni(OH)}_2\text{-NiOOH}$ NRAs and ZnO/Pt/ $\text{Ni(OH)}_2\text{-NiOOH/Pd}$ NRAs are shown in Fig. S1a–d in the ESI,[†] respectively. It can be clearly seen that the diameters and lengths of the ZnO nanorods are ~ 300 nm and $2\ \mu\text{m}$, respectively. Meanwhile, the Pt, $\text{Ni(OH)}_2\text{-NiOOH}$ and Pd wraps favorably share the surfaces of the ZnO nanorods and no deposit is seen among the interspaces of the nanorods. After dissolving ZnO, the $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA was fabricated and a typical SEM image is shown in Fig. 1a, which clearly shows that the $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ nanorods are separated from each other. The high void volume in the $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA will provide an excellent three-dimensional space for the mass transfer of reactant and resultant molecules during the formic acid electrooxidation. An SEM image of a broken $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ nanorod is shown in the inset of Fig. 1a. The hollow structure is clearly observed and the inner diameter and wall thickness are about 300 and 80 nm, respectively.

To further confirm the hollow structure, a typical transmission electron microscopy (TEM) image of a $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ hollow nanorod is shown in Fig. 1b, which shows the hollow structure, a homogeneous wall thickness of ~ 80 nm and an inner diameter of ~ 300 nm. Fig. 1c shows a TEM image of the frontal view of a $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ hollow nanorod. To verify the multi-walled nanostructures in the $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA, an EDX line scan of the wall marked with a red arrow was measured and is shown in the inset of Fig. 1c; it shows the multi-walled nanostructure, and there are some overlaps among the Pt, Pd and Ni layers, which will be very conducive to produce a strong synergistic effect between the Pt, Pd and $\text{Ni(OH)}_2\text{-NiOOH}$ layers. The thicknesses of the Pd, $\text{Ni(OH)}_2\text{-NiOOH}$ and Pt layers are ~ 30 , 30, and 50 nm, respectively. HRTEM images of the area marked with blue and green small circles in Fig. 1c are shown in Fig. 1d and e, respectively,






Fig. 1 (a) SEM image of the $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA and a broken hollow nanorod (inset); (b) TEM image of a $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ hollow nanorod; (c) TEM image of a frontal $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ hollow nanorod and EDX line scan along the red arrow (inset); (d) HRTEM image and SAED (inset) of the area marked in blue in (c); (e) HRTEM image and SAED (inset) of the area marked in green in (c); (f) XRD patterns of the Ti substrate, $\text{Ni(OH)}_2\text{-NiOOH}$ HNRA and $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA.

and indicate that the Pd and Pt layers both consist of nanocrystals of ~ 5 nm. The selected area electron diffraction (SAED) patterns of the Pd and Pt layers (inset of Fig. 1d and e, respectively) indicate that the Pd and Pt layers are polycrystalline and have small size characteristics. The HRTEM image and SAED pattern of the $\text{Ni(OH)}_2\text{-NiOOH}$ interlayer are shown in Fig. S2,[†]



Scheme 1 Fabrication of the $\text{Pt/Ni(OH)}_2\text{-NiOOH/Pd}$ MHNRA.

which show that the Ni(OH)₂-NiOOH layer is amorphous. The XRD pattern of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is shown in Fig. 1f, which only shows the peaks of the Ti substrate. This can be attributed to the low content of Pt and Pd and the amorphous Ni(OH)₂-NiOOH layers in the sample.³⁰ The content of Pt in the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is 9.94 at%, that of Pd is 9.26 at%, and that of Ni(OH)₂-NiOOH is 80.80 at%. The mole ratio of Ni(OH)₂/NiOOH is 1 : 1. Ni(OH)₂ in acidic media can be converted to NiOOH, which will be a stable phase in the catalyst during the electrochemical measurements:³⁸



To investigate the effects of Ni(OH)₂-NiOOH on the electron structures of Pt and Pd, XPS spectra of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt HNRA, Pd HNRA and Ni(OH)₂-NiOOH HNRA in the Pt 4f, Pd 3d and Ni 2p regions were measured. A comparison of the relative areas of the integrated intensities of the noble metal (Pt⁰ and Pd⁰) and divalent metal (Pt²⁺ and Pd²⁺) peaks in Fig. S4 and S5† indicates that most of the Pt and Pd exist as Pt⁰ and Pd⁰ in the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, whereas much more divalent Pt²⁺ and Pd²⁺ are seen in the Pt HNRA and Pd HNRA, as shown in Fig. S4 and S5,† respectively. Thus, the introduction of Ni(OH)₂-NiOOH can significantly increase the content of Pt⁰ and Pd⁰ and decrease the relative content of divalent Pt²⁺ and Pd²⁺ in the Pt/Ni(OH)₂-NiOOH/Pd MHNRA. In addition, for the binding energy of Pt 4f and Pd 3d in the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, we also observed a definite positive shift of ~0.19 eV and 0.71 eV relative to the Pt HNRA and Pd HNRA, respectively, indicating the change of the electronic states of the Pt and Pd atoms. In addition, we also found a negative shift of ~0.38 eV in the binding energy of Ni(OH)₂ for the Pt/Ni(OH)₂-NiOOH/Pd MHNRA relative to the Ni(OH)₂-NiOOH HNRA, as shown in Fig. S6.† Hence, the above shifts in the binding energy of the Pt 4f, Pd 3d and Ni 2p peaks confirm the presence of electron interactions between Pt, Pd and Ni in the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, which lead to a high content of metallic Pt and Pd and synergistic effects for catalytic reactions, and accordingly the catalytic performance of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA for formic acid electrooxidation will obviously improve.

The electrochemical properties of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA were firstly evaluated by the electrochemically active surface area (ECSA) that can be calculated from the hydrogen desorption *via* cyclic voltammetry measurements. Fig. 2a shows the cyclic voltammograms (CVs) of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA and commercial Pt/C, Pd/C and PtRu/C catalysts in a deaerated 0.5 M H₂SO₄ solution at 20 mV s⁻¹. Herein, the ECSA of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is calculated to be 94.84 m² g⁻¹, which is much larger than those of the Pt/Pd MHNRA (68.22 m² g⁻¹) and commercial Pt/C (47.35 m² g⁻¹), Pd/C (43.28 m² g⁻¹) and PtRu/C (26.56 m² g⁻¹) catalysts. The ECSA enhancement of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA can be attributed to the high content of metallic Pt and Pd, hollow nanorod structures, multi-walled Pt/Ni(OH)₂-NiOOH/Pd structures, and the effect of Ni(OH)₂-NiOOH on the

electronic states of Pt and Pd. In addition, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibit a much larger ECSA than Ni(OH)₂-NiOOH@Pt MHNRA (5.95 m² g⁻¹) and Ni(OH)₂-NiOOH@Pd MHNRA (26.82 m² g⁻¹), as shown in Fig. S7a.†

The electrocatalytic activity of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA toward formic acid electrooxidation along with the Pt/Pd MHNRA and commercial Pt/C, Pd/C, PtRu/C catalysts was investigated in a solution of 0.5 M HCOOH + 0.5 M H₂SO₄ at 100 mV s⁻¹, and the CVs are shown in Fig. 2b. The Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibit a very high specific peak current density of ~510 mA mg⁻¹ at 0.4 V, which is almost 4.2, 7.5, 5.5 and 5.0 times higher than that of the Pt/Pd MHNRA, commercial Pt/C, Pd/C, and PtRu/C catalysts (the current densities are all normalized to the mass of the noble metal in the catalyst), respectively, indicating the mass activity of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is much larger than that of the Pt/Pd MHNRA, commercial Pt/C, Pd/C, and PtRu/C catalysts, as shown in Fig. 2c. Furthermore, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA also exhibited an obviously lower onset potential than that of the Pt/Pd MHNRA, commercial Pt/C, Pd/C and PtRu/C catalysts, indicating that the formic acid electrooxidation on the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is much easier. Compared with Ni(OH)₂-NiOOH@Pt and the Ni(OH)₂-NiOOH@Pd MHNRA, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA also exhibit a significantly improved electrocatalytic activity toward formic acid electrooxidation, as shown in Fig. S7b.† In addition, we compared the specific activity of various catalysts based on the ECSA, as shown in Fig. S7c,† which shows that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA also exhibit a significantly improved ECSA and electrocatalytic activity compared with the Pt/Pd MHNRA, commercial Pt/C, Pd/C and PtRu/C catalysts.

Chronoamperometry (CA) was carried out to investigate the electrocatalytic activity and stability of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA at an operating voltage of 0.4 V vs. SCE. The CA curves show that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA have a slower current decay over time in comparison with Pt/Pd MHNRA and commercial Pt/C, Pd/C and PtRu/C catalysts, as shown in Fig. 2d, indicating that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA have a much higher tolerance to CO generated during formic acid oxidation. Fig. 2d also shows that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibit much higher specific current densities than the Pt/Pd MHNRA and commercial Pt/C, Pd/C and PtRu/C catalysts at all times, further demonstrating that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA have a significantly improved electrocatalytic activity for formic acid electrooxidation, which is in agreement with the CVs shown in Fig. 2b. The enhanced catalytic performance of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA can be attributed to the synergistic effects between the Pt, Pd and Ni(OH)₂-NiOOH and the special surface effects of the multi-walled hollow nanorods. Specifically, the introduction of Ni(OH)₂-NiOOH could effectively increase the charge transfer ability of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, and this can be demonstrated using impedance measurements, as shown in Fig. S9.† Compared to the Pt/Pd MHNRA, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA show a well-defined small semicircle in the high frequency region and have a low charge transfer resistance. As we all know, a low charge transfer resistance corresponds to






Fig. 2 (a) CVs of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, and commercial Pt/C, Pd/C, PtRu/C catalysts in deaerated 0.5 M H₂SO₄ solution at 20 mV s⁻¹; (b) CVs of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, and commercial Pt/C, Pd/C, PtRu/C catalysts in a solution of 0.5 M HCOOH + 0.5 M H₂SO₄ at 100 mV s⁻¹; (c) the forward scan peaks of CVs between -0.2 and 1.0 V; (d) chronoamperometry curves of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, and commercial Pt/C, Pd/C, PtRu/C catalysts in 0.5 M HCOOH + 0.5 M H₂SO₄ at 0.4 V.

favorable charge transport kinetics in catalysts and will effectively enhance the catalytic activity of electrocatalysts.^{4,28}

To evaluate the long-term cycling stability, Fig. 3a shows CVs of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA from the 1st to 500th cycles and Fig. 3b shows the change in specific peak current density with increasing cycle number for formic acid electro-oxidation in a solution of 0.5 M HCOOH + 0.5 M H₂SO₄ at 100 mV s⁻¹. It is shown that the peak specific current density of Pt/Ni(OH)₂-NiOOH/Pd MHNRA drastically increases during the initial cycles, and the maximum specific peak current density appears at about the 100th cycle. After 100 cycles, the specific peak current density exhibits a slow attenuation with increasing cycle number. After 500 cycles, the conservation rate of the specific peak current density of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is ~94.75% of the maximum value, which is much higher than those of the Pt/Pd MHNRA (54.44%), commercial Pt/C (47.66%), Pd/C (17.04%) and PtRu/C (76.22%) catalysts, as shown in Fig. 3c, indicating that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA have excellent cycling stability for formic acid oxidation and exhibit a significantly enhanced cycling stability compared with the Pt/Pd MHNRA, commercial Pt/C, Pd/C and PtRu/C electrocatalysts. In addition, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibited a much higher cycling stability than the Ni(OH)₂-NiOOH/Pt MHNRA (44.75%) and Ni(OH)₂-NiOOH/Pd

MHNRA (21.22%), as shown in Fig. S10.† After 500 cycles, the surface morphology of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA has been maintained very well, as shown in Fig. S11,† indicating the high structural stability of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA.

The superior CO anti-poisoning ability of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA was demonstrated through CO stripping measurements, as shown in Fig. 4a. A remarkably larger CO oxidation peak can be clearly seen in the initial forward scan in the 1st cycle, indicating that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA have a large ECSA and good oxidation activity for CO. During the 2nd cycle, the CV does not show any peak for CO oxidation, while the adsorption/desorption peak of hydrogen is clearly visible, indicating that the CO was oxidized completely during the 1st scan. In addition, in the initial forward scan of CO stripping, the onset potential (~0.10 V) of CO oxidation on the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is obviously more negative than those on the Pt@Pd MHNRA (~0.50 V) and commercial Pt/C (~0.60 V), Pd/C (~0.45 V) and PtRu/C (~0.30 V) catalysts, as shown in Fig. 4b, indicating that the Pt/Ni(OH)₂-NiOOH/Pd MHNRA have a much higher CO oxidation ability than the Pt/Pd MHNRA and commercial Pt/C, Pd/C and PtRu/C catalysts. The above result shows that the introduction of Ni(OH)₂-NiOOH can facilitate the removal of CO from the catalyst




Fig. 3 (a) CVs of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA from the 1st to 500th cycles; (b) the change of the maximum specific peak current density with increasing cycle number for the Pt/Ni(OH)₂-NiOOH/Pd MHNRA; (c) the comparison of the maximum specific peak current density after the 1st cycle and the maximum specific peak current density after the 500th cycle for formic acid electrooxidation of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, and commercial Pt/C, Pd/C and PtRu/C catalysts.

surface as the Ni(OH)₂-NiOOH can provide enough OH_{ads} species to oxidize CO and can realize the preferable electron delocalization among the hybrid Pt, Pd and Ni(OH)₂-NiOOH layers. In addition, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibits a much larger CO oxidation peak than the Ni(OH)₂-NiOOH/Pt

MHNRA and Ni(OH)₂-NiOOH/Pd MHNRA, as shown in Fig. S7d.†

Based on the above results, the high performance of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA is summarized as follows: (a) the merits of the surface morphology of the MHNRA: (i) the




Fig. 4 (a) CO stripping voltammograms on the Pt/Ni(OH)₂-NiOOH/Pd MHNRA performed in a solution of 0.5 M H₂SO₄ at 20 mV s⁻¹; (b) the comparison of the CO stripping voltammograms of the Pt/Ni(OH)₂-NiOOH/Pd MHNRA, Pt/Pd MHNRA, commercial Pt/C, Pd/C and PtRu/C catalysts.

MHNRA can provide a large surface area, and fast electrolyte penetration/diffusion because of the hollow structures, (ii) the MHNRA will be much less vulnerable to dissolution, Ostwald ripening, and aggregation, which is beneficial for the improvement of stability of the catalyst, (iii) the MHNRA directly grown on the conductive substrate have an excellent electrical contact with the current collectors, and this would let each MHNRA effectively participate in the catalytic reactions with almost no "dead" volume; (b) the merits of the hybrid structure of Pt/Ni(OH)₂-NiOOH/Pd: (i) the Ni hydroxide [Ni(OH)₂-NiOOH] layers were employed as an interlayer and they will provide fast electron transport and abundant OH_{ads} species to remove the adsorbed poisoning species (such as CO) on the surfaces of the Pt and Pd layers, (ii) the Pt and Pd layers are homogeneously coated on the outside and inside surfaces of the Ni(OH)₂-NiOOH interlayer, and accordingly the utilization rates of Pt and Pd will be obviously enhanced. In addition, the synergistic effects between Pt, Ni(OH)₂-NiOOH and Pd can be well realized.

4. Conclusions

In summary, we have designed and fabricated a Ni hydroxide (Ni(OH)₂-NiOOH) functionalized electrocatalyst by constructing Pt/Ni(OH)₂-NiOOH/Pd multi-walled hollow nanorod arrays for formic acid electrooxidation. The introduction of Ni(OH)₂-NiOOH as a co-catalyst can provide enough OH_{ads} species to remove CO adsorbed on the surfaces of Pt and Pd. Furthermore, the multi-walled nanostructure will lead to strong synergistic effects between the Pt, Pd and Ni(OH)₂-NiOOH for the catalytic reactions. Compared with the Pt@Pd MHNRA and commercial Pt/C, Pd/C and PtRu/C catalysts, the Pt/Ni(OH)₂-NiOOH/Pd MHNRA exhibit a significantly enhanced electrocatalytic activity, cycling stability and CO poisoning tolerance for formic acid electrooxidation. The hybridization method based on the Ni(OH)₂-NiOOH and multi-walled hollow nanorod structure will provide a new route for the fabrication of electrocatalysts with low-cost and high-performance for the electrooxidation of small organic molecules.

Acknowledgements

This work was supported by National Natural Science Foundation of China (51173212 and J1103305), National Basic Research Program of China (2015CB932304), Natural Science Foundation of Guangdong Province (S2013020012833), Fundamental Research Fund for the Central Universities (13lgpy51), SRF for ROCS, SEM ([2012]17071707), Project of High Level Talents in Higher School of Guangdong Province, Science and Technology Planning Project of Guangdong Province (2013B010403011) and Open-End Fund of Key Laboratory of Functional Inorganic Material Chemistry (Heilongjiang University), Ministry of Education.

References

- (a) Y. Wang, D. Wilkinson and J. Zhang, *Chem. Rev.*, 2011, **111**, 7625–7651; (b) V. Mazumder and S. Sun, *J. Am. Chem. Soc.*, 2009, **131**, 4588–4589.
- X. Ji, T. L. Kyu, C. Martin, F. N. Linda, H. Reanne, L. Zhang, J. Zhang, A. B. Gianluigi and B. Albert, *Nat. Chem.*, 2010, **2**, 286–293.
- (a) J. Chang, L. Feng, C. Liu, W. Xing and X. Hu, *Angew. Chem., Int. Ed.*, 2014, **53**, 122–126; (b) D. Zhao, Y.-H. Wang and B.-Q. Xu, *J. Phys. Chem. C*, 2009, **113**, 20903–20911.
- (a) C. Guo, L. Zhang, J. Miao, J. Zhang and C. M. Li, *Adv. Energy Mater.*, 2013, **3**, 167–171; (b) R. Lyyamperu-mal, L. Zhang, G. Henkelman and R. M. Crooks, *J. Am. Chem. Soc.*, 2013, **135**, 5521–5524.
- (a) J. Joo, T. Uchida, A. Cuesta, M. Koper and M. Osawa, *J. Am. Chem. Soc.*, 2013, **135**, 9991; (b) F. Vidal-Iglesias, A. López-Cudero, J. Solla-Gullón and J. M. Feliu, *Angew. Chem., Int. Ed.*, 2013, **52**, 964–967.
- (a) X. Xia, S. Choi, J. A. Herron, N. Lu, J. Scaranto, H.-C. Peng, J. Wang, M. Mavrikakis, M. J. Kim and Y. Xia, *J. Am. Chem. Soc.*, 2013, **135**, 15706–15709; (b) J. V. Perales-Rondón, A. Ferre-Vilaplana, J. Feliu and E. Herrero, *J. Am. Chem. Soc.*, 2014, **136**, 13110–13113.
- A. Chen and P. Holt-Hindle, *Chem. Rev.*, 2010, **110**, 3767–3804.
- (a) S. Zhang, Y. Shao, G. Yin and Y. Lin, *Angew. Chem., Int. Ed.*, 2010, **49**, 2211–2214; (b) F. J. Vidal-Iglesias, J. Solla-Gullón, E. Herrero, A. Aldaz and J. M. Feliu, *Angew. Chem., Int. Ed.*, 2010, **49**, 6998–7001.
- J. Xiao, S. Liu, N. Tian, Z. Y. Zhou, H. X. Liu, B. B. Xu and S. G. Sun, *J. Am. Chem. Soc.*, 2013, **135**, 18754–18757.
- (a) N. Tian, Z. Zhou, S. G. Sun, Y. Ding and Z. L. Wang, *Science*, 2007, **316**, 732; (b) M. Osawa, K. Komatsu, G. Samjeské, T. Uchida, T. Ikeshoji, A. Cuesta and C. Gutiérrez, *Angew. Chem., Int. Ed.*, 2011, **50**, 1159–1163.
- (a) N. Tian, Z. Y. Zhou, N. F. Yu, L. Y. Wang and S. G. Sun, *J. Am. Chem. Soc.*, 2010, **132**, 7580–7581; (b) X. Wang, J. Yang, H. Yin, R. Song and Z. Tang, *Adv. Mater.*, 2013, **25**, 2728–2732.
- (a) B. Y. Xia, H. B. Wu, Y. Yan, X. W. Lou and X. Wang, *J. Am. Chem. Soc.*, 2013, **135**, 9480–9485; (b) B. Y. Xia, H. B. Wu, N. Li, Y. Yan, X. W. Lou and X. Wang, *Angew. Chem., Int. Ed.*, 2015, **54**, 3797–3801.
- V. Mazumder and S. Sun, *J. Am. Chem. Soc.*, 2009, **131**, 4588–4589.
- D. Xu, S. Bliznakov, Z. Liu, J. Fang and N. Dimitrov, *Angew. Chem., Int. Ed.*, 2010, **49**, 1282–1285.
- (a) L. Hyunjoo, E. Susan, A. Gabor and P. Yang, *J. Am. Chem. Soc.*, 2008, **130**, 5406–5540; (b) X. Huang, S. Tang, H. Zhang, Z. Zhou and N. Zheng, *J. Am. Chem. Soc.*, 2009, **131**, 13916–13917.
- H. Ataee-Esfahani, M. Imura and Y. Yamauchi, *Angew. Chem., Int. Ed.*, 2013, **52**, 13611–13615.
- (a) L. Zhang, N. Li, F. Gao, L. Hou and Z. Xu, *J. Am. Chem. Soc.*, 2012, **134**, 11326–11329; (b) L. Wang and Y. Yamauchi, *J. Am. Chem. Soc.*, 2013, **135**, 16762–16765.
- J. Suntivich, Z. Xu, C. E. Carlton, J. Kim, B. Han, S. W. Lee, N. Bonnet, N. Marzari, L. Allard, H. A. Gasteiger, K. Hamad-Schifferli and Y. Shao-Horn, *J. Am. Chem. Soc.*, 2013, **135**, 7985–7991.
- S. Chen, Z. Wei, X. Qi, L. Dong, Y.-G. Guo, L. Wan, Z. Shao and L. Li, *J. Am. Chem. Soc.*, 2012, **134**, 13252–13255.



- 20 G. H. Wang, J. Hilgert, F. H. Richter, F. Wang, H. J. Bongard, B. Splie-thoff, C. Weidenthaler and F. Schuth, *Nat. Mater.*, 2014, **13**, 293.
- 21 R. Erik, S. Anthony, G. Bogdan, V. Rameshkrishnan, S. Sarangapani, S. S. Eugene and E. M. Thomas, *Science*, 1998, **280**, 1735–1737.
- 22 K. Yoon, Y. Yang, P. Lu, D. Wan, H. Peng, K. Stamm Masias, P. Fanson, C. Campbell and Y. Xia, *Angew. Chem., Int. Ed.*, 2012, **51**, 9543.
- 23 Y. Y. Tong, H. S. Kim, P. K. Babu, P. Waszczuk, A. Wieckowski and E. Oldfield, *J. Am. Chem. Soc.*, 2002, **124**, 468–473.
- 24 H. P. Zhou, J. Shen, A. X. Yin, L. D. Sun and C. H. Yan, *J. Am. Chem. Soc.*, 2010, **132**, 4998–4999.
- 25 X. Zhao, L. Ma, L. Liang, C. Liu, J. Liao, T. Lu and X. Wei, *Energy Environ. Sci.*, 2011, **4**, 2736–2753.
- 26 V. B. Dmitry and C. W. Frank, *Adv. Mater.*, 2006, **18**, 2807–2824.
- 27 L. Trotochaud, S. Young, J. Ranney and S. W. Boettcher, *J. Am. Chem. Soc.*, 2014, **136**, 6744–6753.
- 28 Z. Zhao, H. Wu, H. He, X. Xu and Y. Jin, *Adv. Funct. Mater.*, 2014, **24**, 4698–4705.
- 29 L. R. Erin, M. Jens, K. Xerxes Steirer, G. Andres, J. Joseph, S. G. David, C. O. Dana, K. Antoine and R. A. Neal, *Chem. Mater.*, 2011, **23**, 4988.
- 30 H. B. Li, M. H. Yu, F. X. Wang, P. Liu, Y. Liang, J. Xiao, C. X. Wang, Y. X. Tong and G. W. Yang, *Nat. Commun.*, 2013, **4**, 1–7.
- 31 D. Bediako, B. Lassalle-Kaiser, Y. Surendranath, J. Yano, V. Yachandra and D. G. Nocera, *J. Am. Chem. Soc.*, 2012, **134**, 6801–6809.
- 32 H. H. Li, S. Zhao, M. Gong, C. H. Cui, D. He, H. W. Liang, L. Wu and S. H. Yu, *Angew. Chem., Int. Ed.*, 2013, **52**, 1–6.
- 33 S. J. Jongmin, Y. Ye, J. Hwang, S.-K. Kim, T.-H. Lim, U. Wiesner and J. Lee, *ACS Nano*, 2012, **6**, 6870–6881.
- 34 (a) S. Zhang, Y. Shao, G. Yin and Y. Lin, *Angew. Chem., Int. Ed.*, 2010, **49**, 2211–2214; (b) L. Wang, Y. Nemoto and Y. Yamauchi, *J. Am. Chem. Soc.*, 2011, **133**, 9674–9677.
- 35 X. Ge, L. Chen, J. Kang, T. Fujita, A. Hirata, W. Zhang, J. Jiang and M. A. Chen, *Adv. Funct. Mater.*, 2013, **23**, 4156–4162.
- 36 (a) L. Ding, G. Li, Z. Wang, Z. Liu, H. Liu and Y. Tong, *Chem. – Eur. J.*, 2012, **18**, 8386–8391; (b) Z. Wen, S. Ci, F. Zhang, X. Feng, S. Cui, S. Mao, S. Luo, Z. He and J. Chen, *Adv. Mater.*, 2012, **24**, 1399–1404.
- 37 (a) A. L. Wang, X. J. He, X. F. Lu, H. Xu, Y. X. Tong and G. R. Li, *Angew. Chem., Int. Ed.*, 2015, **54**, 3669–3673; (b) A. L. Wang, H. Xu, J. X. Feng, L. X. Ding, Y. X. Tong and G. R. Li, *J. Am. Chem. Soc.*, 2013, **135**, 10703–10709.
- 38 (a) R. Manoharan and J. B. Goodenough, *J. Mater. Chem.*, 1992, **2**, 875–887; (b) K.-W. Park, J. Choi, B.-K. Kwon, S.-A. Lee, Y.-E. Sung, H.-Y. Ha, S.-A. Hong, H. Kim and A. Wieckowski, *J. Phys. Chem. B*, 2002, **106**, 1869–1877; (c) A. Arun, M. Gowdhamamoorthi, K. Ponmani, S. Kiruthika and B. Muthukumaran, *RSC Adv.*, 2015, **5**, 49643–49650.

