

## PAPER

[View Article Online](#)  
[View Journal](#) | [View Issue](#)Cite this: *Energy Adv.*, 2024,  
3, 2042Unrevealing the potential of multicomponent  
metal-ion incorporation and sulfide modification  
in cobalt oxide for efficient water oxidation†Muzzayab Masood,<sup>a</sup> Muhammad Aamir,<sup>id</sup> \*<sup>a,c</sup> Muhammad Ejaz Khan,<sup>id</sup> <sup>b</sup>  
Muhammad Sher,<sup>c</sup> Khush Bakhat Akram,<sup>h</sup> Hafiz Zahid Shafi,<sup>d</sup> Hamad Almohamadi,<sup>\*e</sup>  
M. d. Akhtaruzzaman<sup>id</sup> <sup>f</sup> and M. d. Shahiduzzaman<sup>id</sup> <sup>g</sup>

The design and development of highly efficient electrocatalysts from transition metals have shown a great potential for substituting precious metal-based electrocatalysts in water-splitting processes. Cobalt oxide is one of the promising materials for oxygen evolution reaction (OER). Modifying the metal oxide by the incorporation of metal ions and substituting sulfides are effective but challenging strategies for achieving efficient OER activities. In the present work, we report the synthesis of CdCoO and CdCoS electrocatalysts deposited on the surface of nickel foam. These electrocatalysts and their composites CdCoO@CuCoO and CdCoS@CuCoS could deliver high catalytic activity for oxygen evolution reaction. The as-synthesized electrocatalysts were characterized using pXRD, FTIR spectroscopy, Raman spectroscopy, XPS, and SEM techniques. The CdCoS showed a lower OER overpotential of 199 mV at a current density of 10 mA cm<sup>-2</sup> and 522 mV at 60 mA cm<sup>-2</sup>. The incorporation of Cd<sup>2+</sup> ions in the cobalt oxides optimized the electronic states around the Co active sites, leading to improved catalytic activities and a lower overpotential compared to other reported cobalt oxides (such as oxyhydroxides). This work emphasizes the effect of metal-ion incorporation and sulfide modification on the OER activity of cobalt oxide for water splitting and provides a multicomponent engineering strategy for designing efficient electrocatalysts.

Received 24th May 2024,  
Accepted 1st July 2024

DOI: 10.1039/d4ya00327f

[rsc.li/energy-advances](https://rsc.li/energy-advances)

## Introduction

The development of efficient and cost-effective electrocatalysts for oxygen-evolution reaction (OER) remains a serious challenge for realizing the full potential of electrochemical water

splitting as a clean and sustainable energy source.<sup>1–3</sup> This technology holds immense promise for generating hydrogen fuel, a clean-burning fuel with minimal environmental impact.<sup>4–7</sup> Transition metal oxides, phosphides, and sulfides have emerged as promising OER electrocatalysts owing to their inherent abundance, good stability, and tunable physicochemical properties.<sup>8,9</sup> The electrocatalytic activity of transition metal oxides can be tuned by the intentional incorporation of metal ions and the substitution of sulfur in the metal oxides, which can collectively enhance their OER activity.<sup>10,11</sup> Thus, sulfur incorporation in metal oxides, particularly in cobalt oxide, produces the high spin state of the metal ions, *e.g.*, Co<sup>3+</sup> ions. Further, this high spin state has a higher electron population in the eg-orbitals of Co<sup>3+</sup>, improving the OER activity of cobalt oxide and its derivatives.<sup>12</sup>

Metal sulfides have an enormous potential for development; however, their lower conductivity and scarcity of active sites are major challenges for their widespread applications.<sup>13</sup> These challenges can be addressed by various strategies such as the combination of metal sulfides with oxides to create heterojunctions that subsequently improve the conductivity.<sup>11,14</sup> Likewise, tuning the electronic properties of the metal oxides by introducing sulfur by a partial substitution results in lowering the

<sup>a</sup> Department of Chemistry, Mirpur University of Science and Technology (MUST), Mirpur-10250 (AJK), Pakistan. E-mail: [aamirorg@gmail.com](mailto:aamirorg@gmail.com)<sup>b</sup> Department of Computer Engineering, National University of Technology, Islamabad 44000, Pakistan<sup>c</sup> Department of Chemistry, Allama Iqbal Open University, H-8, Islamabad, Pakistan<sup>d</sup> Materials Division, National Institute of Lasers & Optonics College (NILOP-C), Pakistan Institute of Engineering & Applied Science (PIEAS), P.O. Nilore 45650, Islamabad, Pakistan<sup>e</sup> Department of Chemical Engineering, Faculty of Engineering, Islamic University of Madinah, Madinah, Abo Bakr Al Siddiq, Al Jamiah, Madinah 42351, Saudi Arabia  
<sup>f</sup> The Department of Chemistry, Faculty of Science, The Islamic University of Madinah, Madinah, Abo Bakr Al Siddiq, Al Jamiah, Madinah 42351, Saudi Arabia. E-mail: [akhtar.brce@gmail.com](mailto:akhtar.brce@gmail.com)<sup>g</sup> Nanomaterials Research Institute, Kanazawa University, Kakuma, Kanazawa 920-1192, Japan<sup>h</sup> Department of Computer Science, National University of Technology, Islamabad 44000, Pakistan† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4ya00327f>

covalency of the M–O bond through an inductive effect.<sup>15</sup> Sulfur withdraws the electron density in M–O–S bonds and lowers the energy of antibonding orbitals, which promotes the formation of a high spin metal system with enhanced OER activities.<sup>16,17</sup>

Likewise, the substitution of metal ions in metal sulfides or metal incorporation in metal sulfides can optimize the local electronic structure of the active sites available for OER activities. Metal ion such as n-type or p-type incorporations in cobalt oxides and sulfides could be worthful exploring. For instance, Cd incorporation in cobalt oxide promotes electron transfer at the cobalt active sites. Moreover, the larger Cd<sup>2+</sup> ion produces distortions in the cobalt oxide lattice, causing the exposure of cobalt sites for OER activities.<sup>18</sup> The ionic radii of Cu<sup>2+</sup> ions are comparable to Co<sup>3+</sup> ions. And it has been reported that Cu-incorporated cobalt oxides with some optimum copper concentration can improve the OER activity of cobalt oxides for the OER.<sup>19</sup> Moreover, the electronegativity of Cd<sup>2+</sup> ions and Cu<sup>2+</sup> is less than that of Co<sup>3+</sup> ions, and CdO is an n-type and CuO is a p-type material, which affects the electronic properties of the active sites.<sup>20</sup> Recently, the development of multi-elemental materials, also known as high entropy materials, having multiple elements in solid solutions and composites has been explored and these have shown excellent OER performances.<sup>21–23</sup>

In this work, we successfully synthesized Cd-incorporated cobalt oxide and a multicomponent composite of CdCoO with CuCoO. The sulfurized analogs were also synthesized through a deliberate design using sulfur precursors. Full characterizations were performed using pXRD, XPS, FTIR, Raman, and SEM techniques to analyze the as-synthesized materials. The electrochemical results showed that the OER potential was lower in Cd-incorporated cobalt oxide, while the overpotential was increased in the composites. The sulfide analog of the aforementioned electrocatalysts showed a lower overpotential than the oxides. The experimental results confirmed the influence of metal-ion substitution in the metal oxides and sulfides on the electronic properties around the active sites and the effect of the sulfide on the OER activity of the electrocatalysts. These findings add to the fundamental understanding needed to design new materials with improved OER activities.

## Experimental

### Chemicals

The commercially available analytical grade chemicals were used without further purification. These included cadmium sulfate hydrate (CdSO<sub>4</sub>·8/3H<sub>2</sub>O), cobalt(II) sulfate heptahydrate (CoSO<sub>4</sub>·7H<sub>2</sub>O), copper(II) sulfate pentahydrate (CuSO<sub>4</sub>·5H<sub>2</sub>O), thiourea (CH<sub>4</sub>N<sub>2</sub>S), ammonium dihydrogen phosphate (NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub>), polyvinylpyrrolidone (PVP, K-30, MW 40 000), 2-methylimidazole (C<sub>4</sub>H<sub>6</sub>N<sub>2</sub>), glycerol, isopropyl alcohol (IPA), *N,N*-dimethylformamide (DMF), ethanol, and deionized water. All the chemicals were purchased from Sigma Aldrich.

### Synthesis of the electrocatalysts CdCoO and CdCoS

A solvothermal method was employed for the synthesis of CdCoO. Briefly, 0.125 g of CdSO<sub>4</sub> and 0.25 g of CoSO<sub>4</sub> were

dissolved in 40 mL of isopropyl alcohol under magnetic stirring for 30 min. Subsequently, 8 mL of glycerol was added, and the solution was stirred for another hour to obtain a light pink homogeneous mixture. This mixture was then heated at 180 °C for 6 h in a sealed container. The resulting CdCo-glycolate precursor was cooled down, collected by centrifugation, and washed thoroughly with ethanol and deionized water. Finally, the dried CdCo-glycolate was calcined at 350 °C for 2 h to obtain CdCoO nanoparticles. For the synthesis of CdCoS, 0.2 g of thiourea was added to the reaction mixture alongside CdSO<sub>4</sub> and CoSO<sub>4</sub> using the same procedure described for CdCoO.

### Synthesis of CdCoO@CuCoO and CdCoS@CuCoS

The Cd–Co–O@Cu–Co–MOF composite was synthesized *via* a two-step method. First, 0.175 mg of PVP was dissolved in 10 mL of ethanol and stirred with 0.35 mg of presynthesized Cd–Co–O for 12 h. Subsequently, 10 mL each of deionized water and DMF were added along with 2 g of PVP, 0.25 mg of CoSO<sub>4</sub>·6H<sub>2</sub>O, 0.75 mg of 2-methylimidazole, and 1.25 mg of CuSO<sub>4</sub>·H<sub>2</sub>O. The mixture was stirred for 30 min to achieve homogeneity and then heated at 150 °C for 10 h in a sealed container. The obtained product was cooled down, centrifuged at 6000 rpm for 15 min, washed repeatedly with appropriate solvents, and dried to obtain the Cd–Co–O@Cu–Co–MOF precursor. The synthesis of CdCoS@CuCo–MOF followed the same procedure, utilizing CdCoS instead of CdCoO in the initial step. CdCoO@CuCoO and CdCoS@CuCoS nanocomposites (NCs) were fabricated by thermal decomposition of the corresponding MOF precursors (M = Co or S). The calcination process was carried out at 450 °C for 2 h at a heating rate of 1 °C min<sup>−1</sup> in air. Scheme 1 shows the steps involved in the synthesis of CdCoS and the CdCoS@CuCoS–CNs composite.


### Structural characterizations

The pXRD diffraction patterns were obtained using a Bruker-D8 DISCOVER system (Germany) under Cu K $\alpha$  X-ray irradiation with  $\lambda$  = 1.5406 Å. Scanning electron microscopy (SEM) and energy dispersive X-ray (EDX) analysis were performed to obtain images and the elemental composition using the FESEM NOVA MIRA3XMM instrument. Fourier transform infrared spectroscopy (FT-IR) was performed to identify the functional groups using a SHIMADZU IRAffinity-1S system at room temperature. XPS was performed on a Kratos Axis Ultra DLD (Kratos Analytical, Japan)-based UHV spectrometer equipped with an Al K $\alpha$  X-ray irradiation source (1486.6 eV).

### Electrochemical OER measurements

The electrochemical measurements were performed using an electrochemical workstation (Gamry Reference 3000) in a three-electrode setup with 15 mL aqueous KOH as an electrolyte, as-prepared samples on nickel foam as the working electrode, Pt as the counter electrode, and Ag/AgCl as the reference electrode. Electrochemical techniques, such as cyclic voltammetry (CV), linear sweep voltammetry (LSV), and electrochemical impedance spectroscopy (EIS), were employed to evaluate the performance of the electrocatalysts for OER activities.





Scheme 1 Schematic illustration for the synthesis of CdCoS and its composite CdCoS@CuCoS-NCs.

### Linear sweep voltammetry (LSV) measurements

LSV was performed at a scan rate of  $5 \text{ mV s}^{-1}$  to get the precise overpotential. The conversion between the potentials *versus* Ag/AgCl and RHE was calculated using Nernst's equation, eqn (1), as follows.

$$E_{\text{RHE}} = E_{\text{Ag/AgCl}} + (0.1976 + 0.059) V \quad (1)$$

The overpotential of the electrocatalyst was determined by eqn (2).

$$\text{Overpotential} = E_{\text{RHE}} - 1.23 \text{ V} \quad (2)$$

### Tafel plots

The polarization curves obtained from the LSV measurements were plotted as overpotential *versus* the log current. The Tafel slope was obtained by taking the slope of the fitted linear portion of the Tafel plot according to the eqn (3):

$$\eta = b \log[J] + a \quad (3)$$

where  $\eta$  is the overpotential in V,  $J$  is the current density in  $\text{mA cm}^{-2}$ , and  $b$  is the Tafel slope in  $\text{mV dec}^{-1}$ . The double-layer capacitance ( $C_{\text{dl}}$ ) was determined using CV data obtained at different scan rates. The electrochemical surface area (ECSA) was calculated using eqn (4):

$$\text{ECSA} = \frac{C_{\text{dl}}}{C_s} \quad (4)$$

where  $C_s$  is the specific capacitance of the materials.

### $iR$ corrections

The solution resistance was determined by impedance spectroscopy. The potential was corrected by subtraction of 100% of the solution resistance according to eqn (5).

$$E_{iR \text{ corrected}} = E - iR \quad (5)$$

## Results and discussion

FTIR spectra of the as-synthesized CdCoO, CdCoO@CuCoO/C-NC, CdCoS, and CdCoS@CuCoS/C-NC are presented in Fig. 1a. The stretching vibrational bands at  $1635$  and  $3266 \text{ cm}^{-1}$  were credited to the  $-\text{OH}$  group present on the surface of CdCoO and its derivatives.<sup>24</sup> The presence of  $\text{H}_2\text{O}$  and  $\text{CO}_2$  was indicated by the symmetric and asymmetric stretching of C–O vibrations observed at  $1000$ – $1500 \text{ cm}^{-1}$ .<sup>25</sup> The band located at  $2358 \text{ cm}^{-1}$  corresponded to the stretching vibrations of C–H bonds.<sup>26</sup> The sharp bands at  $592$  and  $675 \text{ cm}^{-1}$  indicated the presence of spinel structure vibrations of the M–O bonds in tetrahedral and octahedral fields.<sup>27,28</sup> In CdCoO@CuCoO/C-NC, the M–O vibrational bands became weaker and broader due to the formation of M–O, M–N, and M–C bonds due to the metal oxides and oxygen and nitrogen-functionalized carbons.<sup>29</sup> Likewise, the band at  $1618 \text{ cm}^{-1}$  indicated the presence of the C=C linkage in CdCoO@CuCoO/C-NC.<sup>25</sup> The symmetric stretching of C–O appeared at  $1024 \text{ cm}^{-1}$ . In CdCoS, the vibrational bands at  $592$  and  $671 \text{ cm}^{-1}$  belonged to Co–S and Cd–S, respectively.<sup>26</sup> Similar to the oxide-based samples, the weak vibrational band of M–S in CdCoS@CuCoS/C-NC also became broader and weaker.

The crystal structure of the as-synthesized samples was determined by X-ray diffraction (XRD) analysis. Fig. 1b shows the XRD patterns of CdCoO and CdCoO@CuCoO/C-NCs. The diffraction peaks at  $2\theta$  degrees of  $18.9$ ,  $32$ ,  $36.9$ ,  $42.7$ ,  $44.9$ , and  $60.77$  degrees could be indexed to the (111), (220), (311), (222), (400), (422), (511), and (440) planes of  $\text{Co}_3\text{O}_4$  (JCPD Card: 75-2480).<sup>30</sup> According to JCPD file No. 01-074-2391, the presence of






Fig. 1 (a) FTIR spectra of CdCoO, CdCoS, CdCoO@CuCoO-NCs, and CdCoS@CuCoS-NCs. pXRD patterns of (b) CdCoO, CdCoO@CuCoO-NCs (c) CdCoS, and CdCoS@CuCoS-NCs.

CoO was confirmed by the peaks diffracted at  $2\theta$  degrees of 36.9, 42.7, 63.05, 75.7, and 79.2 that could be indexed to the (111), (200), (220), (311), and (222) planes.<sup>31</sup> The presence of Cd-O was confirmed by the appearance of diffraction peaks for

(111), (200), (220), (311), and (222) at degree angles of 33.6, 38.2, 57.1, and 69.5 (JCPD card no 75-0592).<sup>32</sup> Two diffraction peaks for (200) and (111) at 36.9 and 40.8 degrees appeared from the incorporation of CuO (JCPD card 45-0937) in CdCoO@CuCoO/C-NCs.<sup>33</sup> Similarly, in CdCoS and CdCoS@CuCoS/C-NCs, the diffraction peaks at degree angles of 31.2, 34.5, 46.6, and 54.7 were consistent with JCPD card # 19-0366, corresponding to the (204), (220), (306), and (330) planes of CoS (Fig. 1c).<sup>34</sup> The diffraction peaks of CdS appeared at  $2\theta$  degrees of 23.9, 27, 28.5, 37.09, 42.8, 51.9, and 53.6, belonging to the (100), (002), (101), (102), (110), (103), (200), (112), and (201) planes respectively.<sup>35</sup> The diffraction peaks observed at degree angles of 27.8, 29.1, 32.1, 33.4, 49.9, 53.5, and 59 were found to have characteristics of CuS and were assigned to the indices (101), (102), (103), (006), (110), (108), and (116), respectively (JCPD no. 01-079-2321).<sup>36</sup>

The vibrations of metal-oxygen bonds, nearby surface imperfections, and the coordinating environment were next investigated using Raman spectroscopy. The Raman spectra of the prepared oxide nanocomposites are shown in Fig. 2a. All the characteristic vibration peaks of CdCoO could be seen in the Raman spectra. The vibrational peaks at 184.8, 487.92, 524.6, 636.01, and 713  $\text{cm}^{-1}$  were assigned to asymmetric and bending vibrations of  $\text{Co}_2\text{O}_3$ .<sup>37</sup> CdO exhibited Raman modes at 281, 376, 599.7, and 801  $\text{cm}^{-1}$ .<sup>38</sup> In CdCoO@CuCoO/C-NCs, the peaks at 287.18, 328, and 615  $\text{cm}^{-1}$  were assigned to the vibrations of Cu-O.<sup>39</sup> In the case of CdCoS, the vibrations at 477.6, 494, and 677.3  $\text{cm}^{-1}$  and peaks at 298.9, 392.2, and 586.7  $\text{cm}^{-1}$  were assigned to the Raman modes of CoS and CdS, respectively (Fig. 2b).<sup>35,40</sup> Likewise, in CdCoS@CuCoS/C-NCs, the vibrational modes for CuS at 285.1 and 485.2  $\text{cm}^{-1}$  were the characteristics peaks for Cu-S bond (Fig. 2b).<sup>41</sup>

The X-ray photoelectron spectra were recorded on the surface of the as-synthesized materials to examine their valence shell states. The XPS survey spectra of CdCoO, and CdCoO@CuCoO/C-NCs (CdCoO@CuCoO) are shown in Fig. 3a. The presence of Cd, Co, C, and O at the surface of the synthesized materials could be observed in the survey spectrum of CdCoO. The only difference in the XPS survey spectra of CdCoO@CuCoO and CdCoO was the presence of Cu-related peaks, indicating the successful formation of the required materials. Fig. 3b




Fig. 2 Raman spectra of (a) CdCoO and CdCoO@CuCoO/C-NCs, and (b) CdCoS and CdCoS@CuCoS/C-NCs.






Fig. 3 XPS survey spectra of (a) CdCoO, CdCoO@CuCoO/CNs, and (b) CdCoS and CdCoS@CuCoO/CNs. XPS deconvoluted spectra for (c) Cd, (d) Co, (e) Cu, (f) O, (g) C, and (h) S in the as-synthesized samples.

shows the comparative survey XPS spectra of CdCoS and CdCoS@CuCoS/C-NCs (CdCoS@CuCoS). The presence of S 2p peaks in the survey spectra showed the formation of the respective sulfides. Fig. 3c shows major peaks at 406 and 412 eV corresponding to Cd 3d<sub>3/2</sub> and Cd 3d<sub>5/2</sub>, respectively, confirming the presence of Cd<sup>2+</sup>.<sup>42,43</sup> Whereas, the deconvoluted spectrum of Co 2p with spin-orbit bimodal pairs showed peaks for Co 2p<sub>1/2</sub> and Co 2p<sub>3/2</sub>, which appeared at 798.6 and 783.6 eV, respectively, with satellite peaks at 804 and 786 eV, confirming the presence of CoO (Fig. 3c).<sup>44,45</sup> The oxidation state of the cobalt could not be determined based purely on the main oxidation peaks.<sup>46</sup> The satellite peak intensity and their binding energy positions were used to identify the Co valence state.<sup>47</sup> Cobalt showed 2<sup>+</sup> and 3<sup>+</sup> ionic states, in which Co<sup>2+</sup> displayed two satellite peaks due to the crystal field splitting in the tetrahedral crystal field environment. Therefore, it is obvious from the spectra that the cobalt was present in mixed valence states in the as-synthesized materials.<sup>46,48</sup>

Fig. 3d displays the deconvoluted spectra of Cu 2p into Cu 2p<sub>3/2</sub> and Cu 2p<sub>1/2</sub> at 935.1 and 955.1 eV, respectively. The energy difference between the two peaks was 20 eV, which corresponded to the previous CuO spectra.<sup>49</sup> The appearance of two satellite peaks at 943 and 962.6 eV with the main peaks also confirmed the synthesis of CuO.<sup>50,51</sup> The core level spectrum of O 1s is illustrated in Fig. 3(d). A distinct peak at 532 eV was observed, attributed to the O<sup>2-</sup>.<sup>52</sup> Similarly, spectral peaks for C 1s appeared at 292.1, 287.5, and 284.9 eV, which were attributed to the presence of C-O and C-C linkages due to the oxidation of imidazole to form carbon species (Fig. 3e).<sup>53</sup> Similarly, in CdCoS@CdCuS, peaks for S<sup>2-</sup> were observed at 168 eV and 170 eV for S 2p<sub>3/2</sub> and S 2p<sub>1/2</sub>, respectively (Fig. 3g).<sup>54,55</sup> A peak observed at 171.2 eV corresponding to the presence of metal-sulfur linkages.<sup>56</sup> The presence of S 2p and O 1s characteristic peaks in the sulfide-based samples indicated the formation of partial sulfide and oxide-based systems (Fig. 3h).

Scanning electron microscopy (SEM) was used to explore the morphology of the as-synthesized materials, as shown in Fig. 4. Fig. 4a shows that CdCoO comprised flake-like aggregated microstructures. The CdCoO@CuCoO composite showed flower-like morphologies due to the presence of carbon materials (Fig. 4b). Whereas, CdCoS exhibited smaller fused spherical morphologies due to agglomeration, as displayed in Fig. 4c. In comparison to CdCoO, CdCoS comprised smaller particles. Like CdCoO@CuCoO, the CdCoS@CuCoS composites displayed similar kinds of flake-like structures due to the carbon materials (Fig. 4d).

### Electrochemical OER activity

The as-synthesized materials showed typical cyclic voltammetry (CV) behaviors in 1.0 M KOH, as shown in Fig. 5a-d. The oxidation peak between 1.42–1.66 V (vs. RHE) corresponded to the Co<sup>2+</sup>/Co<sup>3+</sup> redox couple, which is an active electrocatalyst for OER activity. The plot between the anodic peak current and the square root of the scan rate exhibited a linear relationship (Fig. 5e). The slope values for CdCoS, CdCoS@CuCoS, CdCoO, and CdCoO@CuCoO were 33.1784, 27.6949, 16.8722, and 17.6006, respectively. The highest slope value was observed for CdCoS, indicating the enhanced diffusion properties of OH<sup>-</sup>. Therefore, more electroactive supplies, such as Co-SOOH, can be formed on the surface of CdCoS. Likewise, the CV profiles were also used to determine the double-layer capacitance (*C*<sub>dl</sub>) of the as-synthesized catalysts, as presented in Fig. 5f.

The average *C*<sub>dl</sub> values of CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO were found to be 0.34, 0.20, 0.069, and 0.068 mF cm<sup>-2</sup>, respectively (Table 1). The larger *C*<sub>dl</sub> value of CdCoS also suggested it had more active sites for OER activity. The *C*<sub>dl</sub> results supported the findings of the anodic peak current and the square root of the scan rate plot. The ECSA is another parameter to correlate the catalytic efficiency of materials and was calculated using the average *C*<sub>dl</sub> values presented in Table 1.






Fig. 4 SEM images of the as-synthesized (a) CdCoO, (b) CdCoO@CuCoO, (c) CdCoS, and (d) CdCoS@CuCoO.

CdCoS showed an ECSA value of  $15.22 \text{ cm}^{-2}$ , whereas the ECSA values for CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO were 8.95, 3.045, and  $3.09 \text{ cm}^{-2}$  respectively (Table 1). The greater ECSA value for CdCoS showed that it offered a larger

Table 1 Experimental parameters of the as-synthesized electrocatalyst materials

| Catalysts   | Average Cdl ( $\text{mF cm}^{-2}$ ) | ECSA ( $\text{cm}^{-2}$ ) | $R_{\text{ct}}$ ( $\Omega$ ) |
|-------------|-------------------------------------|---------------------------|------------------------------|
| CdCoS       | 0.34                                | 15.22                     | 3.2                          |
| CdCoS@CuCoS | 0.20                                | 8.95                      | 8                            |
| CdCoO       | 0.068                               | 3.045                     | 10.78                        |
| CdCoO@CuCoO | 0.069                               | 3.09                      | 23.2                         |

surface area and more active sites for the intrinsic electrocatalytic activity of the catalyst compared to the other as-synthesized materials. Based on these results, it could be determined that CdCoS and CdCoO can show a greater electrocatalytic performance than the composites since the composites comprised large-sized particles with a reduced surface area; moreover, the surface of the catalyst was covered by amorphous carbon, which blocks the active sites.

LSV was performed using a standard three-electrode system in 1.0 M KOH alkaline medium in the potential window of 1.2–2.3 V (vs. RHE) to explore the electrochemical OER performance of the as-synthesized catalysts. As shown in Fig. 6a, the onset potentials for CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO were observed at 1.42, 1.435, 1.438, and 1.446 V (vs. RHE), respectively.

Whereas the values of the overpotential at  $10 \text{ mA cm}^{-2}$  were 199, 205, 208, and 215 mV for CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO, respectively. It could thus be observed that CdCoS had a lower overpotential than all the other as-synthesized catalysts. However, these overpotential values at





Fig. 5 Cyclic voltammograms (CV) of the catalysts (a) CdCoS, (b) CdCoS@CuCoS, (c) CdCoO, and CdCoO@CuCoO. The plots are between the anodic peak current ( $I_{\text{pa}}$ ) of cyclic voltammograms in 1.0 M KOH and the square root of the scan rates ( $v^{1/2}$ ) for all the as-synthesized catalysts.



**Fig. 6** (a) *iR* uncorrected LSV plots (vs. RHE), (b) EIS Nyquist plots to determine the charge-transfer resistance and solution resistance, (c) Tafel plots to determine the kinetics parameters of the as-synthesized CdCoS, CdCoS@CuCoS, CdCoO, and CdCoO@CuCoO. (d) Chronoamperometric stability tests of the best performing CdCoS electrocatalysts, and (e) overpotential at  $10 \text{ mA cm}^{-2}$  of the various cobalt-based electrocatalysts for diverse material classes reported in the literature (appropriate references are given in Table S1, ESI†); GC = glassy carbon, NF = nickel foam, CC = carbon cloth, CW = copper wire, CP = carbon paper.

$10 \text{ mA cm}^{-2}$  do not truly represent the overpotential for the OER. There was also a contribution from the oxidation peak current of materials in the same potential range. Thus, we also measured the overpotential at  $60 \text{ mA cm}^{-2}$  to eliminate the oxidation peak current factor. At  $60 \text{ mA cm}^{-2}$ , there was no involvement of oxidation peaks of the as-synthesized catalysts. The overpotential values showed the same trend as that observed at  $10 \text{ mA cm}^{-2}$ ; however, the value of the overpotential was high, as expected. The overpotential values for CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO were 522, 588, 543, and 616 mV at  $60 \text{ mA cm}^{-2}$ , respectively. It could be observed that CdCoS and CdCoO had superior performance compared to their respective composites CdCoS@CuCoS and CdCoO@CuCoO. These results indicate that the poor charge transfer between the heterostructures, increased particle size after the formation of composite, and blockage of active sites by the carbon were the major contributors.

Likewise, we calculated the TOF values of the as-synthesized electrocatalysts to determine the intrinsic activity of the catalysts, by assuming that the  $\text{Co}^{2+}$  is the only active sites and is oxidized just before the onset of the OER. The TOF values were calculated at  $10 \text{ mA cm}^{-2}$  and  $60 \text{ mA cm}^{-2}$ . CdCoS showed values of  $0.673 \text{ s}^{-1}$  ( $10 \text{ mA cm}^{-2}$ ) and  $4.04 \text{ s}^{-1}$  ( $60 \text{ mA cm}^{-2}$ ) while, TOF values of  $1.04 \text{ s}^{-1}$  ( $10 \text{ mA cm}^{-2}$ ) and  $6.26 \text{ s}^{-1}$  ( $60 \text{ mA cm}^{-2}$ ) were observed for CdCoO. On the other hand, for CdCuS@CuCoS, the TOF values were  $1.1 \text{ s}^{-1}$  ( $10 \text{ mA cm}^{-2}$ )

and  $6.59 \text{ s}^{-1}$  ( $60 \text{ mA cm}^{-2}$ ) and for CdCoO@CuCoO, TOF values of  $1.32 \text{ s}^{-1}$  ( $10 \text{ mA cm}^{-2}$ ) and  $7.93 \text{ s}^{-1}$  ( $60 \text{ mA cm}^{-2}$ ) were observed.

As the electrocatalysis was performed in the solution phase, therefore, solution resistance plays a key role in the electrocatalysis. To determine the solution resistance, electrochemical impedance spectroscopy (EIS) was performed and the results are presented in Fig. 6b. EIS was performed in  $1.0 \text{ M KOH}$  solution, at an open circuit potential. Solution resistances of 1.27, 2.14, 2.94, and  $3.41 \Omega$  were observed for the CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO catalysts, respectively. The  $R_{ct}$  values for CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO were 3.2, 8, 10.78, and  $23.2 \Omega$  respectively. The lowest  $R_{ct}$  value was observed for CdCoS, indicating its faster electron transport compared to the other electrocatalysts.

The kinetics is another parameter to determine the performance of an electrocatalyst. Fig. 6c shows the Tafel plots for CdCoS, CdCuS@CuCoS, CdCoO, and CdCoO@CuCoO with values of 63.45, 69.91, 81.98, and  $83.05 \text{ mV dec}^{-1}$  respectively. CdCoS showed the lowest Tafel slope value, indicating its fast kinetics compared to all the other samples. Likewise, in comparison, CdCoS had a lower Tafel slope value compared to CdCoS@CuCoS whereas, that for CdCoO was lower than for the corresponding composite (Table 2). These results are in accordance with the LSV results. Next, the stability of the prepared catalyst was determined at a constant voltage of  $0.6 \text{ V}$  and the



**Table 2** Overpotential calculated from uncorrected *iR* LSVs and Tafel slope results to evaluate the electrocatalytic activity of the as-synthesized materials

| Catalyst    | Overpotential (mV)        |                           | Tafel slope (mV dec <sup>-1</sup> ) |
|-------------|---------------------------|---------------------------|-------------------------------------|
|             | At 10 mA cm <sup>-2</sup> | At 60 mA cm <sup>-2</sup> |                                     |
| CdCoS       | 199                       | 522                       | 63.45                               |
| CdCoO       | 208                       | 543                       | 81.98                               |
| CdCoS@CuCoS | 205                       | 588                       | 69.91                               |
| CdCoO@CuCoO | 215                       | 616                       | 83.05                               |

current was measured for 7 h, as shown in Fig. 6d. A slight decrease in current density was observed after a few hours, but overall the catalyst exhibited good stability for 7 h.

### Activity enhancements in the as-synthesized electrocatalysts

Zheng *et al.*<sup>11</sup> compared the OER activity of CuCoO and CuCoS by partially substituting the oxides with sulfides. It was revealed that the charge density of the Co active sites was increased due to the removal of the highly electronegative oxygen atoms, thus a low valence state of the central metal was observed. The increase in the electron density on the Co<sup>3+</sup> state resulted in a change of the electron-filled configuration  $t_{2g}^6 e_g^1$  in the crystal field, which became closer to that of the Co<sup>2+</sup> ions. According to the  $e_g$  orbital theory, if the electrons in the  $e_g$  orbital are greater than 1, the adsorption capacity for the OER intermediates becomes weak, and an appropriate adsorption energy for the binding of intermediates can be achieved.<sup>57,58</sup> Likewise, the sulfides increased the covalency of the M–O bond, and the binding energy of the OER intermediates on the surface of electrocatalysts could be optimized to get improved OER performances.<sup>12</sup> In the present work, the increase in OER activity of CdCoS compared to CdCoO was attributed to the substitution of sulfides.

The incorporation of the Cd in the cobalt oxides/sulfide also influences the electron density of the metal active sites and exposes the active sites by creating defects in the cobalt oxide lattice. Here, Cd<sup>2+</sup> has larger ionic radii compared to the Co<sup>2+</sup>/Co<sup>3+</sup> ions and has filled 3d orbitals.<sup>59</sup> The large ionic radii produce distortions in the crystal lattices, leading to exposure of the Co active sites.<sup>18</sup> Moreover, like Zn<sup>2+</sup>,<sup>60</sup> Cd<sup>2+</sup> having filled 3d orbitals causes a weak binding with oxygen 2p orbitals, leading to a localized electron density around the oxygen in the Cd–O bonds. The electronegativity of the Cd<sup>2+</sup> ions is less than Co<sup>2+</sup>/Co<sup>3+</sup> ions, thus causing an increase in electron density in the Co<sup>2+</sup>/Co<sup>3+</sup> active sites. Thus, excellent OER activity was observed in the CdCoO and CdCoS electrocatalysts compared to the various other cobalt oxides(hydroxides), and sulfides of various classes of materials (Fig. 6e and Table S1 of the ESI†).

However, interestingly the OER activity of the electrocatalysts decreased after the formation of the composite. The CdCoO@CuCoO-NCs (CdCoO@CuCoO) were MOF-derived and had two major contributing factors: copper and carbon. The Cu<sup>2+</sup> ions have a d<sup>9</sup> electronic configuration, have lower electronegativity than Co<sup>2+</sup>/Co<sup>3+</sup>, and have similar ionic radii.<sup>59</sup> We propose that the Cu<sup>2+</sup> incorporation and carbon collectively

cover the surface of the materials and remove the surface defects, which we believe collectively lowers the catalytic activity of the electrocatalysts. Whereas, the sulfide-based CdCoS@CuCoS electrocatalysts showed greater OER activity than CdCoO@CuCoO due to the sulfide effect, as described above. The OER performances of CdCoS@CuCoS and CdCoO@CuCoO were still superior to the various reported cobalt-based materials as presented in Fig. 6e and Table S1 (ESI†).

## Conclusions

In summary, the present work reports the rational design of multicomponent electrocatalysts by incorporating Cd in cobalt oxide to improve the oxidative water-splitting performance. Sulfide-modified CdCoS was also synthesized to explore the synergistic effect of Cd incorporation and the sulfide effect on the OER performance of electrocatalysts. The CdCoS exhibited an overpotential of 199 mV at 10 mA cm<sup>-2</sup>, which was superior to many of the cobalt-based various materials reported in the literature. The composite of CdCoO and CdCoS was also synthesized with CuCoO and CuCoS *via* a MOF-derived route. The resultant CdCoO@CuCoO and CdCoS@CuCoS exhibited good OER activity, but lower than that of CdCoO and CdCoS. The lower performance of the composites was attributed to the coating of the active sites needed for catalysis. Moreover, CdCoS also showed good durability after 7 h of stability testing. This work is expected to provide a new avenue for the development of efficient electrocatalysts by utilizing a multicomponent doping strategy.

## Data availability

No software or code have been included and no new data were generated or analysed as part of this study.

## Conflicts of interest

There are no conflicts to declare.

## References

- 1 T. u Haq and Y. Haik, *Electrochemical Water Splitting: Fundamentals, Challenges and Advances*, Springer, 2024, pp. 1–19.
- 2 M.-I. Jamesh and X. Sun, *J. Power Sources*, 2018, **400**, 31–68.
- 3 K. Li, Y. Tong, J. He, X.-Y. Liu and P. Chen, *Mater. Horiz.*, 2023, **10**, 5277–5287.
- 4 H. Wang and H. c D. Abruña, *J. Phys. Chem. C*, 2021, **125**, 7188–7203.
- 5 X. Chen, H. Wang, R. Meng, B. Xia and Z. Ma, *ACS Appl. Energy Mater.*, 2020, **3**, 1305–1310.
- 6 H. Wang, Y. Tong, K. Li and P. Chen, *J. Colloid Interface Sci.*, 2022, **628**, 306–314.
- 7 Y. Tong, P. Chen, L. Chen and X. Cui, *ChemSusChem*, 2021, **14**, 2576–2584.



- 8 L. Gong, X. Y. E. Chng, Y. Du, S. Xi and B. S. Yeo, *ACS Catal.*, 2018, **8**, 807–814.
- 9 X. Cheng and Y. Tong, *ACS Appl. Energy Mater.*, 2023, **6**, 9577–9584.
- 10 D. A. Kuznetsov, B. Han, Y. Yu, R. R. Rao, J. Hwang, Y. Román-Leshkov and Y. Shao-Horn, *Joule*, 2018, **2**, 225–244.
- 11 J. Zheng, D. Meng, J. Guo and Z. Wang, *J. Alloys Compd.*, 2023, **968**, 172254.
- 12 X. Zhang, H. Zhong, Q. Zhang, Q. Zhang, C. Wu, J. Yu, Y. Ma, H. An, H. Wang and Y. Zou, *Nat. Commun.*, 2024, **15**, 1383.
- 13 G. Fu and J.-M. Lee, *J. Mater. Chem. A*, 2019, **7**, 9386–9405.
- 14 Z. Shao, Q. Zhu, Y. Sun, Y. Zhang, Y. Jiang, S. Deng, W. Zhang, K. Huang and S. Feng, *Adv. Mater.*, 2022, **34**, 2110172.
- 15 J. B. Goodenough and Y. Kim, *Chem. Mater.*, 2010, **22**, 587–603.
- 16 V. V. Pavlishchuk and A. W. Addison, *Inorg. Chim. Acta*, 2000, **298**, 97–102.
- 17 A. Padhi, K. Nanjundaswamy, C. Masquelier, S. Okada and J. Goodenough, *J. Electrochem. Soc.*, 1997, **144**, 1609.
- 18 H. Yan, R. Deng, S. Zhang, H. Yao, J. Duan, H. Bai, Y. Li, R. Liu, K. Shi and S. Ma, *J. Alloys Compd.*, 2023, **954**, 170072.
- 19 Q. Zhang, Z. D. Wei, C. Liu, X. Liu, X. Q. Qi, S. G. Chen, W. Ding, Y. Ma, F. Shi and Y. M. Zhou, *Int. J. Hydrogen Energy*, 2012, **37**, 822–830.
- 20 K. Li and D. Xue, *J. Phys. Chem. A*, 2006, **110**, 11332–11337.
- 21 K. Li, G. Zhou, Y. Tong, Y. Ye and P. Chen, *ACS Sustainable Chem. Eng.*, 2023, **11**, 14186–14196.
- 22 X. Ren and Y. Tong, *Int. J. Hydrogen Energy*, 2024, **49**, 489–497.
- 23 K. Li, J. He, X. Guan, Y. Tong, Y. Ye, L. Chen and P. Chen, *Small*, 2023, **19**, 2302130.
- 24 K. Kannan, D. Radhika, D. Gnanasangeetha, S. K. Lakkaboyana, K. K. Sadasivuni, K. Gurushankar and M. M. Hanafiah, *Inorg. Chem. Commun.*, 2021, **125**, 108429.
- 25 A. Q. Mugheri, A. Tahira, U. Aftab, M. I. Abro, A. B. Mallah, G. Z. Memon, H. Khan, M. A. Abbasi, I. A. Halepoto and S. R. Chaudhry, *RSC Adv.*, 2019, **9**, 34136–34143.
- 26 Z. K. Heiba, M. B. Mohamed, M. Abdellatif and A. Albassam, *Appl. Phys. A: Mater. Sci. Process.*, 2020, **126**, 1–10.
- 27 S. Farhadi, M. Javanmard and G. Nadri, *Acta Chim. Slov.*, 2016, **63**, 335–343.
- 28 V. Revathi and K. Karthik, *J. Mater. Sci.: Mater. Electron.*, 2018, **29**, 18519–18530.
- 29 K. Kannan, D. Radhika, M. P. Nikolova, V. Andal, K. K. Sadasivuni and L. S. Krishna, *Optik*, 2020, **218**, 165112.
- 30 L. Belles, C. Moularas, S. Smykała and Y. Deligiannakis, *Nanomaterials*, 2021, **11**, 925.
- 31 A. Jena, T. R. Penki, N. Munichandraiah and S. Shivashankar, *J. Electroanal. Chem.*, 2016, **761**, 21–27.
- 32 A. M. Mostafa, S. A. Yousef, W. H. Eisa, M. A. Ewaida and E. A. Al-Ashkar, *Appl. Phys. A: Mater. Sci. Process.*, 2017, **123**, 1–9.
- 33 L.-C. Jiang and W.-D. Zhang, *Biosens. Bioelectron.*, 2010, **25**, 1402–1407.
- 34 L.-L. Ren, L.-H. Wang, Y.-F. Qin and Q. Li, *Front. Chem.*, 2022, **9**, 818255.
- 35 S. K. Yadav, A. K. Vishwakarma and L. Yadava, *Macromol. Symp.*, 2023, **407**, 2100441.
- 36 C. V. Thulasi-Varma, S. S. Rao, C. S. S. P. Kumar, C. V. Gopi, I. K. Durga, S.-K. Kim, D. Punnoose and H.-J. Kim, *Dalton Trans.*, 2015, **44**, 19330–19343.
- 37 B. Rivas-Murias and V. Salgueiriño, *J. Raman Spectrosc.*, 2017, **48**, 837–841.
- 38 S. Jambure and C. Lokhande, *Mater. Lett.*, 2013, **106**, 133–136.
- 39 J. Xu, W. Ji, Z. Shen, W. Li, S. Tang, X. Ye, D. Jia and X. Xin, *J. Raman Spectrosc.*, 1999, **30**, 413–415.
- 40 S. Peng, X. Han, L. Li, Z. Zhu, F. Cheng, M. Srinivansan, S. Adams and S. Ramakrishna, *Small*, 2016, **12**, 1359–1368.
- 41 H. Wu and W. Chen, *Nanoscale*, 2011, **3**, 5096–5102.
- 42 S. Xie, X. Lu, T. Zhai, J. Gan, W. Li, M. Xu, M. Yu, Y.-M. Zhang and Y. Tong, *Langmuir*, 2012, **28**, 10558–10564.
- 43 Q. Gu, H. Zhuang, J. Long, X. An, H. Lin, H. Lin and X. Wang, *Int. J. Photoenergy*, 2012, **2012**, 857345.
- 44 Q. Cheng, C. Yang, K. Tao and L. Han, *Electrochim. Acta*, 2020, **341**, 136042.
- 45 R. Samal, S. Mondal, A. S. Gangan, B. Chakraborty and C. S. Rout, *Phys. Chem. Chem. Phys.*, 2020, **22**, 7903–7911.
- 46 T. Mizokawa, Y. Morita, T. Sudayama, K. Takubo, I. Yamada, M. Azuma, M. Takano and Y. Shimakawa, *Phys. Rev. B*, 2009, **80**, 125105.
- 47 H. Singh, A. Sinha, S. Gupta, M. Singh and H. Ghosh, *arXiv preprint arXiv*, 2015, **1507**, 05190.
- 48 Y. Ikeda, J. Sugiyama, H. Nozaki, H. Itahara, J. Brewer, E. Ansaldi, G. Morris, D. Andreica and A. Amato, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2007, **75**, 054424.
- 49 P. Kulkarni, S. Mahamuni, M. Chandrachood, I. Mulla, A. Sinha, A. S. Nigavekar and S. Kulkarni, *J. Appl. Phys.*, 1990, **67**, 3438–3442.
- 50 K. Gupta, M. Bersani and J. A. Darr, *J. Mater. Chem. A*, 2016, **4**, 13786–13794.
- 51 J. Qiao, M. Fan, Y. Fu, Z. Bai, C. Ma, Y. Liu and X.-D. Zhou, *Electrochim. Acta*, 2015, **153**, 559–565.
- 52 G. Wang, H. Wang, Y. Ling, Y. Tang, X. Yang, R. C. Fitzmorris, C. Wang, J. Z. Zhang and Y. Li, *Nano Lett.*, 2011, **11**, 3026–3033.
- 53 S. Zhang, D. Li, S. Chen, X. Yang, X. Zhao, Q. Zhao, S. Komarneni and D. Yang, *J. Mater. Chem. A*, 2017, **5**, 12453–12461.
- 54 W. Teng, M. Huo, Z. Sun, W. Yang, X. Zheng, C. Ding and S. Zhang, *Front. Chem.*, 2020, **8**, 334.
- 55 Y. Song, Y. Guo, S. Qi, K. Zhang, J. Yang, B. Li, J. Chen, Y. Zhao and Y. Lou, *J. Alloys Compd.*, 2021, **884**, 161035.
- 56 Y. Ning, D. Ma, Y. Shen, F. Wang and X. Zhang, *Electrochim. Acta*, 2018, **265**, 19–31.
- 57 Z. Wang, Y. You, J. Yuan, Y.-X. Yin, Y.-T. Li, S. Xin and D. Zhang, *ACS Appl. Mater. Interfaces*, 2016, **8**, 6520–6528.
- 58 J. Suntivich, K. J. May, H. A. Gasteiger, J. B. Goodenough and Y. Shao-Horn, *Science*, 2011, **334**, 1383–1385.
- 59 R. t Shannon and C. Prewitt, *Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem.*, 1970, **26**, 1046–1048.
- 60 Z.-F. Huang, J. Song, Y. Du, S. Xi, S. Dou, J. M. V. Nsanzimana, C. Wang, Z. J. Xu and X. Wang, *Nat. Energy*, 2019, **4**, 329–338.

