



Cite this: *Chem. Commun.*, 2024, 60, 14589

Received 24th August 2024,  
Accepted 28th October 2024

DOI: 10.1039/d4cc04331f

rsc.li/chemcomm

**Fluoridating reagents are used to model interfacial reactions in fluoride-ion batteries. Topochemical F-ion insertion is seen for one-dimensional (1D) tunnel-structured  $\text{FeSb}_2\text{O}_4$  but interphase formation comprising antimony (oxy)fluorides is observed for  $\text{MnSb}_2\text{O}_4$ .**


Grid-level energy storage requires a diversity of battery chemistries so as to alleviate stresses on current mineral supply chains and to provide safer alternatives to Li-ion batteries.<sup>1–3</sup> “Beyond Li” alternatives such as Na-ion batteries are yet to realize comparable energy densities, and often do little to diversify materials palettes.<sup>4,5</sup> Fluoride-ion batteries, which implement fluoride anions as charge carriers have received considerable attention as an orthogonal alternative with the potential to alleviate supply chain challenges and preclude the need for metal electrodeposition.<sup>6–10</sup> Fluoride conversion electrodes have shown promise but challenges remain with regards to high temperatures for successful operation, large volume changes, and sluggish fluoride-ion diffusion.<sup>6–8</sup> Much recent attention has focused on the design of insertion-based fluoride electrode materials where the integrity of the structural framework of insertion electrodes is preserved upon F-ion insertion/deinsertion.<sup>11</sup> However, a key consideration is the competition between ion insertion and interphase formation.<sup>12</sup> Here, we use fluoridating reagents,  $\text{XeF}_2$  and  $\text{NOBF}_4$ , as models for interfacial electrode reactions to contrast F-ion reactivity in 1D tunnel-structured  $\text{FeSb}_2\text{O}_4$  and  $\text{MnSb}_2\text{O}_4$ , which both adopt the schafarzikite-type structure but with distinctive oxidation potentials (0.771 and 1.56 vs. standard hydrogen electrode (SHE) for  $\text{Fe}^{2+}/\text{Fe}^{3+}$  and  $\text{Mn}^{2+}/\text{Mn}^{3+}$ , respectively).<sup>13</sup> We utilize a broad suite of spectroscopic methods to probe chemical reactivity in model F-ion

## Interphase formation *versus* fluoride-ion insertion in tunnel-structured transition metal antimonites†

Alice R. Giem,<sup>ab</sup> Jaime R. Ayala,<sup>ib</sup> Jingxiang Cheng,<sup>id</sup> Conan Weiland,<sup>c</sup> Cherno Jaye,<sup>c</sup> Daniel A. Fischer<sup>c</sup> and Sarbajit Banerjee<sup>id</sup>\*<sup>ab</sup>

insertion hosts to differentiate between interphase formation and insertion reactions.

The schafarzikite-type  $\text{MA}_2\text{O}_4$  structure sketched in Fig. 1 (M = transition metal, A = p-block element with stereochemically active lone pairs) forms 1D tunnels defined by corner-shared



**Fig. 1** Structure and characterization of  $\text{MnSb}_2\text{O}_4$ . (A) Schafarzikite-type  $\text{MnSb}_2\text{O}_4$  viewed along (010); (B) 1D tunnel of  $\text{MnSb}_2\text{O}_4$  viewed along the c direction. (C) Rietveld-refinement to powder XRD pattern used to obtain the structures in (A) and (B). (D) SEM image of  $\text{MnSb}_2\text{O}_4$  nanorods; top inset shows magnified SEM; bottom inset shows a TEM image. (E) IMFP of an electron calculated based upon the incident energy for XPS, HAXPES, and XAS measurements. (F) Schematic illustration of F-ion reactivity.

<sup>a</sup> Department of Chemistry, Texas A&M University, College Station, TX, 77843, USA. E-mail: banerjee@chem.tamu.edu

<sup>b</sup> Department of Material Science & Engineering, Texas A&M University, College Station, TX 77843, USA

<sup>c</sup> Material Measurement Laboratory, National Institute of Standards and Technology, Gaithersburg, MD 20899, USA

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4cc04331f>



[MO<sub>6</sub>] octahedra and [AO<sub>4</sub>] tetrahedra.<sup>14–16</sup> The stereochemical activity of 5s<sup>2</sup> electron lone pairs of Sb<sup>3+</sup> cations defines a large one-dimensional tunnel with an abundance of interstitial sites that can accommodate F-ions (Fig. 1B). In FeSb<sub>2</sub>O<sub>4</sub>, electron lone pair repulsions mediate frustrated coordination and ensure low site-to-site diffusion barriers whilst redox compensation is engendered through formal oxidation of Fe centers upon F-ion insertion.<sup>14</sup> The greater oxidation potential of the d-block cation in MnSb<sub>2</sub>O<sub>4</sub> holds promise for accessing a higher voltage but the more challenging redox also renders parasitic reactions more probable.<sup>17</sup> While reversible room-temperature F-ion insertion with stoichiometries up to  $x \approx 1$  can be accessed for FeSb<sub>2</sub>O<sub>4</sub>F<sub>x</sub>,<sup>14,15</sup> complex interphasic products are instead stabilized upon reaction with MnSb<sub>2</sub>O<sub>4</sub>.

Interphase formation at oxide surfaces has attracted much recent attention given the critical role of interphasic products in mediating ion transport, surface stresses, and preservation of electrolyte/electrode connectivity.<sup>18,19</sup> Little is known about interphase formation in anion batteries. Here, we use diverse X-ray absorption and emission spectroscopy probes of varying penetration depth (Fig. 1E) to examine interphase formation in MnSb<sub>2</sub>O<sub>4</sub> (Fig. 1F).

MnSb<sub>2</sub>O<sub>4</sub> powders were obtained through a hydrothermal synthesis as described in the ESI.† A powder X-ray diffraction (XRD) pattern and Rietveld refinement is shown in Fig. 1C (see also Table S1, ESI†).<sup>20</sup> MnSb<sub>2</sub>O<sub>4</sub> is isostructural to FeSb<sub>2</sub>O<sub>4</sub> and crystallized in the tetragonal *P4<sub>2</sub>/mbc* space group. MnSb<sub>2</sub>O<sub>4</sub> affords a larger tunnel width of 4.25 Å (Fig. 1B) as compared to 4.14 Å for FeSb<sub>2</sub>O<sub>4</sub>.<sup>21,22</sup> The obtained powders adopt a single-crystalline needle-like morphology (Fig. 1D and Fig. S1, ESI†).

Fluoridation reactions were initially performed using XeF<sub>2</sub> in acetonitrile under a diverse range of conditions as described in the Methods section.<sup>17</sup> Under these conditions, FeSb<sub>2</sub>O<sub>4</sub> can be fluoridated to insert unitary fluoride ions per Fe center.<sup>14,15</sup> Powder XRD measurements and results from Rietveld refinement for fluoridation of MnSb<sub>2</sub>O<sub>4</sub> are shown in Fig. S2 and Table S2 (ESI†). Scanning electron microscopy (SEM) and energy-dispersive X-ray spectroscopy (EDS) characterization is shown in Fig. S3 with Fig. S4 (ESI†) showing transmission electron microscopy (TEM) imaging including lattice resolved high-resolution TEM and selected area electron diffraction (SAED). Minimal changes of lattice parameters are observed in powder X-ray diffraction even though EDS elemental maps demonstrate some reactivity and remanence of fluorine-containing species. Definitive identification of the reaction products is enabled by synchrotron X-ray spectroscopy measurements, which provide a means of distinguishing insertion and interphase formation (Fig. 1F).

X-ray absorption near-edge structure (XANES) spectroscopy measurements of the as-prepared and fluoridated MnSb<sub>2</sub>O<sub>4</sub> are shown in Fig. 2. Soft X-ray (surface sensitive) Mn L-edge (*2p–3d*) spectra for XeF<sub>2</sub>-treated MnSb<sub>2</sub>O<sub>4</sub> are plotted in Fig. 2A. Corresponding Fe L-edge data for XeF<sub>2</sub>-reacted FeSb<sub>2</sub>O<sub>4</sub> are plotted in Fig. 2B. In contrast to FeSb<sub>2</sub>O<sub>4</sub>, where F-ion insertion brings about oxidation of the Fe center,<sup>14,15</sup> the Mn L<sub>3</sub>-edge spectra with a pronounced absorption at 640 eV characteristic of divalent Mn do not evidence signatures of Mn oxidation upon treatment with XeF<sub>2</sub>.<sup>23</sup> As such, both powder XRD and Mn L-edge XANES measurements do not support the notion of F-ion insertion. However, Fig. 2C shows that reaction of MnSb<sub>2</sub>O<sub>4</sub> results in the emergence of the F K-edge (*1s–2p*), characteristic of fluoride moieties at the surface. This and the EDS measurements



Fig. 2 XANES characterization of fluoridated products. XANES spectra collected for the as-prepared MnSb<sub>2</sub>O<sub>4</sub> (black) and fluoridated products (green 1:1 molar ratio of XeF<sub>2</sub>/CH<sub>3</sub>CN at 55 °C, red 1:1 molar ratio of XeF<sub>2</sub>/CH<sub>3</sub>CN at 75 °C, and blue 1:5 molar ratio of XeF<sub>2</sub> in CH<sub>3</sub>CN at 25 °C) at the (A) Mn L<sub>3</sub>-/L<sub>2</sub>-edges, (B) Fe L<sub>3</sub>-/L<sub>2</sub>-edges, (C) F K-edge, (D) Mn K-edge, and (E) Fe K-edge. Additional spectra in (F) represent the first derivative of the Mn K-edge spectra, (G) first derivative of the Fe K-edge spectra, (H) Sb M<sub>4</sub>-, O K-edges, first derivative of the Mn K-edge spectra, (I) Sb K-edge, and (J) first derivative of the Sb K-edge spectra. Panels (B), (E), and (G) are adapted with permission from Zaheer *et al.*<sup>14</sup> Copyright (2020) ACS Energy Lett.



in Fig. S2 (ESI<sup>†</sup>) suggest that fluorine is incorporated at least on particle surfaces through alternative reaction pathways.

Hard X-ray (“bulk”-sensitive) XANES measurements have been collected for Mn, Sb, and Fe at their corresponding K-edges ( $1s-2p$ ). Contrasting Fig. 2D and E respectively, the Mn and Fe K-edges measured for XeF<sub>2</sub>-reacted MnSb<sub>2</sub>O<sub>4</sub> and FeSb<sub>2</sub>O<sub>4</sub> show pronounced differences. The Fe K-edge spectrum shows a pronounced shift of *ca.* 3 eV of the white-line absorption, indicating bulk oxidation concomitant with F-ion insertion.<sup>14,15</sup> In contrast, only a subtle change in the shape of the Mn K-edge is observed (a *ca.* 5 eV shift is anticipated for the oxidation of Mn<sup>2+</sup> to Mn<sup>3+</sup>).<sup>24</sup> The differential spectrum in Fig. 2F further does not show significant changes again arguing against bulk F-ion insertion in MnSb<sub>2</sub>O<sub>4</sub> (contrast to Fig. 2G for FeSb<sub>2</sub>O<sub>4</sub>).

To examine the fluoride product evidenced from Fig. 2C and Fig. S2 (ESI<sup>†</sup>), we next explore surface and bulk probes of Sb bonding. Surface-sensitive Sb M<sub>4</sub>-edge ( $3d-4f$ ) XANES spectra in Fig. 2H show modified relative intensities of pre-edge and white line absorption features at 531 eV and 536 eV, respectively. Subtle shifts of the absorption features indicate a change in the coordination environment of Sb whilst preserving a nominally trivalent antimony species. Sb K-edge ( $1s-2p$ ) spectra in Fig. 2I do not show a pronounced shift of the white-line absorption; the differential spectra of the Sb K-edge plotted in Fig. 2J show an increase in the intensity of the peak at 30 475 eV. The modification of the Sb local structure is more evident in surface-sensitive Sb M<sub>4</sub>-edge XANES as compared to the Sb K-edge, which probes deeper into the sample. As such, the XANES results suggest the stabilization of amorphous interphasic products that are predominantly a mixture of fluorides and oxyfluorides of trivalent antimony.<sup>25</sup>

We next probe XeF<sub>2</sub>-reacted MnSb<sub>2</sub>O<sub>4</sub> using hard X-ray photoemission spectroscopy (HAXPES).<sup>26</sup> The Mn 2p core level of the as-prepared MnSb<sub>2</sub>O<sub>4</sub> is shown in Fig. 3A. The satellite peak at 650 eV binding energy is a distinct feature of Mn<sup>2+</sup>.<sup>27</sup> Fig. 3B and C contrast the Mn 2p core levels of MnSb<sub>2</sub>O<sub>4</sub> after XeF<sub>2</sub> treatment. Integrating the satellite peaks corroborates that the Mn centers do not undergo bulk oxidation as would be expected upon F-ion insertion. Fig. 3D shows the emergence of remnant F-containing species upon XeF<sub>2</sub> treatment. Fig. 3E depicts the Sb 3d core level with the Sb 3d<sub>3/2</sub> centred at approximately 540 eV, verifying the preservation of the Sb<sup>3+</sup> formal oxidation state. The Sb 3d<sub>5/2</sub> core level feature overlaps with the O 1s core level. The decrease in area observed in the Sb 3d<sub>5/2</sub>/O 1s peak indicates a less oxygen rich surface upon 1:3 XeF<sub>2</sub> treatment (Fig. 3E), suggesting accumulation of fluoride/oxyfluoride interphasic products.

To probe the electronic structure of MnSb<sub>2</sub>O<sub>4</sub> before and after XeF<sub>2</sub> treatment, valence band (VB) spectra were acquired using energy-variant HAXPES (Fig. 3E and F). The photoionization cross-sections of orbitals have an incident energy-dependent decay that can be utilized to decipher orbital contributions.<sup>14,22</sup> Orbital subshells with higher orbital angular momentum (*e.g.*, d and f shells) contribute greater intensity to the VB spectrum at lower incident energies. In contrast, at higher energies, the s and p shells make a greater contribution to the VB.<sup>14</sup> A subtle diminution in intensity is visible for fluoridated MnSb<sub>2</sub>O<sub>4</sub> at



Fig. 3 HAXPES spectra of MnSb<sub>2</sub>O<sub>4</sub> and derivatives collected at 2 keV incident energy unless otherwise stated; (A) Mn 2p core level of the as-prepared MnSb<sub>2</sub>O<sub>4</sub> shown with fits (A)–(F) for Mn 2p<sub>3/2</sub>; (B) Mn 2p core level after a 1 mol treatment with XeF<sub>2</sub> in CH<sub>3</sub>CN; (C) Mn 2p core level after a 3 mol excess treatment with XeF<sub>2</sub>; (D) F 1s core level spectra after XeF<sub>2</sub> treatments; (E) Sb 3d core level. VB spectra of MnSb<sub>2</sub>O<sub>4</sub> before and after the reaction with 1 mol XeF<sub>2</sub> collected at an incident energy of (F) 2 keV and (G) 5 keV.

2 keV incident energy indicating less Mn 3d character upon fluoridation. At 5 keV incident energy (Fig. 3G), an increase in the states near the Fermi level suggests greater contributions from the Sb lone-pair states hybridized with F 2p states upon fluoridation. These observations are furthermore consistent with the accumulation of an Sb-rich (and Mn-poor) interphasic product. While increasing temperature accelerates F-ion insertion in FeSb<sub>2</sub>O<sub>4</sub>,<sup>16</sup> the reactivity of MnSb<sub>2</sub>O<sub>4</sub> and the speciation of the interphasic product is not substantially modified from room temperature as consistent with a surface passivation reaction.

Fig. S5 (ESI<sup>†</sup>) shows density of states (DOS) calculations for MnSb<sub>2</sub>O<sub>4</sub> and FeSb<sub>2</sub>O<sub>4</sub>. Atom-projected partial DOS plots illustrate that Fe 3d–O 2p states are located at the valence band edge and above Sb-derived states. In contrast, Mn 3d–O 2p states are strongly overlapped with Sb states at the valence band edge of MnSb<sub>2</sub>O<sub>4</sub>. As such, Fe and Sb are preferentially oxidized by the fluoridating reagents in FeSb<sub>2</sub>O<sub>4</sub> and MnSb<sub>2</sub>O<sub>4</sub>, respectively. Fig. S6 (ESI<sup>†</sup>) shows that F-ion insertion to form a putative MnSb<sub>2</sub>O<sub>4</sub>F<sub>x</sub> is unlikely because of strong distortions needed to push Mn states above Sb states.

The most significant change in HAXPES spectra is observed in the F 1s region (Fig. 3D). Treatment with a 1:1 molar ratio of XeF<sub>2</sub> yields a singular F 1s feature, but upon treatment with a 3-molar excess of XeF<sub>2</sub>, a second F 1s feature is observed. The



