RSC Advances



PAPER

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2016, 6, 72423

Green synthesis of carbon quantum dots from lemon peel waste: applications in sensing and photocatalysis†

Ankit Tyagi,‡^a Kumud Malika Tripathi,‡^a Narendra Singh,^{ab} Shashank Choudhary^a and Raju Kumar Gupta*^{ab}

In this work, water soluble carbon quantum dots (wsCQDs) were synthesized from lemon peel waste using a facile and cost effective hydrothermal process. As synthesized wsCQDs were 1–3 nm in size with spherical morphology and oxygen rich surface functionalities. These wsCQDs manifest excellent photoluminescence (PL) properties and exhibited quantum yield (QY) \sim 14% with high aqueous stability. wsCQDs were further used to design an economic, green and highly sensitive fluorescent probe for the detection of Cr⁶⁺ ions with a detection limit of \sim 73 nM. This wsCQDs based fluorescent probe could provide a simple, rapid, convenient technique for the sensitive and selective detection of Cr⁶⁺ in water purification processes. Further, wsCQDs were immobilized over electrospun TiO₂ nanofibers and the photocatalytic activity for such a TiO₂-wsCQDs composite was demonstrated using methylene blue (MB) dye as a model pollutant. Photocatalytic activity for the TiO₂-wsCQDs composite was found to be \sim 2.5 times more than that of TiO₂ nanofibers. The synthesis method for wsCQDs could be easily scaled up for gram scale synthesis of carbon quantum dots.

Received 22nd April 2016 Accepted 23rd July 2016 DOI: 10.1039/c6ra10488f

www.rsc.org/advances

1. Introduction

Chromium contamination brought about by various industrial revolutions such as electroplating, textile dyeing, leather tanning, mining, and wood preserving has been accompanied by significant environmental deterioration.^{1,2} In contrast to other valence states of chromium, Cr6+ is highly toxic and carcinogenic in nature due to its higher oxidation potential, smaller size and greater mobility.2 In addition, it has the ability to produce reactive oxygen species and ultimately results in the generation of other highly toxic (especially genotoxic) byproducts.3-5 Therefore, its concentration is strictly restricted in drinking water even at a trace level.6 Consequently, sensitive and selective detection of Cr⁶⁺ in aqueous systems is crucial for both human health concerns and an ecological point of view.^{7,8} Significant efforts have been made to develop various techniques for the selective determination of Cr⁶⁺ ions, such as, inductively coupled plasma-mass spectroscopy (ICPMS),9

surface enhanced Raman scattering (SERS),¹⁰ X-ray absorption spectroscopy,¹¹ atomic absorption spectrometry (AAS),¹² electroanalytical,⁸ and colorimetric detection.¹³ Although, most of the analytical methods required extra processing in terms of surface modification, sample preparation and are coupled with sophisticated instruments. Recently, carbon nano particles based fluorescent sensors have opened up a new avenue for the detection of heavy metal ions posing environmental and health risks.¹⁴ Fluorescence based sensors offer a noninvasive detection technique in homogenous medium, high sensitivity, simplicity and rapid detection.

Carbon quantum dots (CQDs)15 have received much attention in recent past decades, due to their unique physical, chemical, optical and surface properties.16 Carbon dots are recognized as paracrystalline carbon, having angstrom size polyaromatic carbon core shell, surrounded by amorphous carbon domains. However, their defined structure is still a matter of debate.17 Instead of other nano sized allotropes of paracrystalline carbons, carbon dots exhibited excellent biocompatibility, photostability and innocuousness properties. 18 As a consequences of their fascinating virtues, carbon quantum dots (CQDs) have found promising potential for a wide range of applications from environmental, 19,20 water purification, 21,22 biomedical 23-25 to energy storage devices 26-29 along with many more future applications.30-33 Their characteristics of multicolor tunable emission properties throughout the visible and NIR region³⁴ are highly desirable for biomedical

^aDepartment of Chemical Engineering, Indian Institute of Technology Kanpur, Kanpur-208016, UP, India. E-mail: guptark@iitk.ac.in; Fax: +91-5122590104; Tel: +91-5122596972

^bCenter for Nanosciences and Center for Environmental Science and Engineering, Indian Institute of Technology Kanpur, Kanpur-208016, UP, India

[†] Electronic supplementary information (ESI) available: Characterization techniques, quantum yield determination of wsCQDs, comparison tables for quantum yield, detection limit and photocatalytic activity, zeta potential curve, UV-vis/XRD spectra and photocatalytic reactions. See DOI: 10.1039/c6ra10488f ‡ Contributed equally.

RSC Advances Paper

applications such as bio-imaging,^{35,36} bio-sensing,^{21,37} cell labeling,³⁸ photodynamic therapy³⁹ and drug delivery.^{40,41}

Since first report of arc-discharge synthesis of photoluminescent carbon dots (CDs),42 a number of effective synthetic approaches are in practice for the easy fabrication of CDs. 6,43,44 In past few years, waste materials especially biowastes have been turned into the most fascinating carbon sources for CDs synthesis. Since, bio-wastes offer economic nature and added advantage of green synthesis. For instances, Sun and co-workers adopted hydrothermal technique for CDs synthesis with 1-4 nm in diameter by using low-cost waste, willow bark.45 Dubey et al. reported the synthesis of wsCQDs by using soya nuggets as a carbon source.43 Wang et al. adopted microwave assisted technique for the synthesis of fluorescent CDs with egg shell membrane and further utilized them for the detection of copper ions.46 Most of the approaches for green synthesis of wsCQDs either involved hydrothermal technique or microwave assisted synthesis due to fabrication ease and faster synthesis processes. The use of lemon as energy source and refreshing agent brings nutrition and refreshment but simultaneously lead to increase of enormous bio-waste. Discarded lemon peels waste is generally left for biodegradation and ultimately end up to air/dust pollution. Second life usage of lemon peels into value added products via cost effective approaches, still needs serious concern. In an attempt to manage lemon peel wastes in a more convenient way, we used lemon peel as carbon source for the synthesis of wsCQDs via hydrothermal technique.

Furthermore, characteristic electron transfer properties of CQDs were explored for the photocatalytic removal of organic pollutant. Sustainable removal of non-biodegradable organic pollutants from contaminated waste water is crucial to protect human health and aquatic life. 47 Among all available methods, photocatalytic degradation of organic dyes into environmental benign products has emerged as an effective way to remove organic contaminates from waste water using TiO2.48 TiO2 has been used as photocatalyst over 40 years, due to its economic nature, chemical inertness and resistant to corrosion. However, its UV range activity due to wide band gap (energy band gap \sim 3.0-3.2 eV) semiconductor and recombination of excitons (electron and hole pair) are some of the major drawbacks that still needs to be addressed. 49-51 Exploiting the improved photocatalytic activity of TiO2 composites, various photocatalysts have been developed. Hetero-structures of TiO2 with CDs are found to improve its charge separation along with transportation and ultimately lead to enhanced photocatalytic activity. Prasannan et al. fabricated ZnO-CDs composites through hydrothermal route and reported the superior photocatalytic activity of ZnO-CDs composite due to suppressed charge recombination.52 Yu et al. reported the fabrication of TiO₂(P25)-CDs composite with enhanced photocatalytic H₂ evolution.28 Li et al. synthesized TiO2-CDs composites and showed that nanocomposites exhibited improved photocatalytic activity than pure TiO2 under UV light irradiation because of electron transfer process between CDs and TiO2.53

Herein, wsCQDs were synthesized *via* a green and economic hydrothermal route utilizing lemon peel as carbon source,

generally discarded as waste. Synthesized wsCQDs possessed high photostability with $\sim\!\!9\%$ of QY even after one year of storage as compared to $\sim\!\!14\%$ of QY for fresh sample. wsCQDs has been successfully applied for the simple, sensitive and selective detection of $\rm Cr^{6^+}$ based upon fluorescent "turn off" technique. Further, composites of wsCQDs and TiO_2 nanofibers were developed at room temperature using 6-aminohexanoic acid as linker molecule. Photocatalytic activity of TiO_2–wsCQDs composites was explored for the degradation of model pollutant methylene blue (MB) dye and found $\sim\!\!2.5$ times higher than that of TiO_2 nanofibers.

2. Experimental section

2.1. Materials

Waste lemon peels were collected in-house at IIT Kanpur and washed several times with water before use. Titanium isopropoxide (TIP, 97%), methylene blue, 6-aminohexanoic acid, sodium hypo chloride and other inorganic salts used in this study were purchased from Sigma Aldrich, India and used as received without any further purification. Polyvinylpyrrolidone (PVP, MW = 1 300 000) was purchased from Alfa Aesar and used as received. Ethanol, dichloromethane, acetic acid and quinine sulphate were purchased from Merck. Cr^{6+} solution was prepared from $K_2Cr_2O_7$. The solutions of other metal ions used in this study were prepared from their respective nitrate or acetate salts. The instrumentation details are discussed in ESI.†

2.2. Synthesis of carbon quantum dots from lemon peel

Carbon dots were synthesized through greener synthetic route. Initially, 5 g lemon peels were washed with water and dried initially in sunlight and then in oven at 100 °C for 10 h. The dried lemon peels were crushed and put in 100 mL solution of 0.1 M H₂SO₄. After 5 min, lemon peels were washed with plenty of water for several times, followed by filtration and then drying in oven at 100 °C for 4 h. The sample was mixed with 150 mL of sodium hypo chloride solution and kept for 4 h. Further, the sample was washed with water for several times until pH \sim 7. Then, lemon peels sample under went through hydrothermal in a Teflon lined autoclave and kept at 200 °C for 12 h. Autoclave was allowed to cool down at room temperature naturally, then sample was collected and washed with dichloromethane to remove the unreacted organic moieties. The resulted aqueous solution was centrifuged at 10 000 rpm for 30 min to separate solvent from the wsCQDs and finally dried at 100 °C.

2.3. Synthesis of ${\rm TiO_2}$ nanofibers and carbon quantum dots composite

TiO₂ nanofibers were fabricated by electrospinning technique using TIP as titania precursor according to earlier reported protocols.⁵⁴ In brief, 0.45 g of PVP was dissolved in 7.5 mL ethanol at 55 °C and stirred continuously for 30 min. 1.5 g TIP was mixed in mixture of 3 mL ethanol and 3 mL acetic acid at room temperature under continuous stirring for 30 min. After that TIP solution was poured in PVP solution and continuously stirred for another 8 h to get homogeneous mixture. TIP/PVP


Paper RSC Advances

solution was then loaded to the 10 mL plastic syringe. Solution was pushed at 20 μL min^{-1} through the syringe pump and nanofiber mat was collected on aluminum foil wrapped over rotary drum. Distance and voltage applied between syringe needle and collector was 10 cm and 12 kV, respectively. Nanofibers matrix over aluminum foil was then placed in oven at 60 °C for 1 h to collect free standing mat. Free standing mat was calcined in muffle furnace at 500 °C for 2 h. Calcined TiO2 nanofibers mat was further functionalized with wsCQDs.

50 mg of as fabricated ${\rm TiO_2}$ nanofibers mat was dispersed in 50 mL DI water. Further, 246 mg of 6-aminohexanoic acid was added to it and continuously stirred for 6 h at room temperature. After functionalization, ${\rm TiO_2}$ nanofibers were washed with water via centrifugation (5000 rpm for three times) to remove excess 6-aminohexanoic acid. After that, functionalized nanofibers were mixed with 10 mL aqueous solution of wsCQDs (1 mg mL $^{-1}$) and again continuously stirred for 6 h at room temperature. Finally, ${\rm TiO_2}$ –wsCQDs composite was collected through centrifugation process.

2.4. Fluorescence detection of Cr⁶⁺

 ${\rm Cr}^{6+}$ detection was performed at room temperature in aqueous solution. 10 μL solution of different metal ions (1 \times 10⁻³ M)



Scheme 1 Schematic illustration for the synthetic procedure of wsCQDs by hydrothermal treatment of lemon peel waste precursor.

were mixed in 2 mL aqueous solution of wsCQDs (125 $\mu g\,mL^{-1}$). The solutions were mixed thoroughly, left for 1 min and then fluorescence spectra were recorded immediately. The fluorescence emission intensities for all the metal detection experiments were recorded at 360 nm excitation wavelength. Excitation, emission slits (5 nm) and all other experimental parameters were kept constant throughout the experiment. Experiments for sensitivity and selectivity of Cr^{6^+} were repeated for three times.

2.5. Photocatalytic experiment

 TiO_2 –wsCQDs composite (10 mg) was dispersed in 20 mL MB solution (20 μ M) and stirred for 2 h to get adsorption–desorption equilibrium. The equilibrated solution was then exposed under UV light (12 W), aliquots were collected at different time interval and centrifuged before analysis to remove composite. Absorption spectra of MB aliquots were recorded with UV-vis spectrophotometer. The kinetic rate constant of MB degradation in the presence of photocatalyst was calculated using Langmuir–Hinshelwood model as given below:⁵⁵

$$\ln\left(\frac{C_{\rm o}}{C}\right) = K_{\rm app} \times t$$

where $K_{\rm app}$ is apparent kinetic rate constant, $C_{\rm o}$ is initial concentration of MB dye and C is concentration of MB at irradiance time t.

Results and discussion

wsCQDs were synthesized by the carbonization of lemon peels *via* facile and cost effective hydrothermal process. Hydrothermal carbonization has been turned into a popular approach for the green synthesis of carbon nano particles from organic precursor. Hydrothermal carbonization converts organic mass into CDs and also, imparts surface functionalization resulting them to be water soluble and photoluminescent. ⁵⁶ The synthetic process of wsCQDs is shown in Scheme 1. However, the exact mechanism for the synthesis of wsCQDs from organic mass is still unclear. The possible mechanism for the conversion of




Fig. 1 (a) Low and (b) high resolution TEM images of wsCQDs; inset (a) corresponding size distribution histogram.

carbonaceous organic materials of lemon peels to wsCQDs involves a number of processes such as dehydration, fragmentation, condensation, aromatization and carbonization.⁵⁷

3.1. Microscopic and spectroscopic characterization

Morphological characterization of wsCQDs was analyzed with TEM. The TEM images (Fig. 1) clearly show that wsCQDs are well dispersed in nature with spherical morphology. Synthesized wsCQDs are monodisperse with a narrow size distribution having 1–3 nm in diameter as indicated in inset of Fig. 1(a).

Typical UV-vis absorption spectrum of wsCQDs is illustrated in Fig. 2(a). A continuous increase in absorption from 800–200 nm with a broad absorption band at 270 nm was observed. This band was assigned to $n-\pi^*$ and $\pi-\pi^*$ transition of the -C=O and conjugated C=C bonds and are in accordance with earlier reports for graphitic nano carbons. ^{58,59} The aqueous solution of wsCQDs exhibited bright blue luminescence under UV light irradiation as demonstrated in inset of Fig. 2(a) wsCQDs are highly soluble in water resulting in a highly dispersed solution

(inset of Fig. 2(a)). Aqueous dispersion of wsCQDs showed zeta potential value of -57.9 mV (Fig. S2†) confirming the presence of high density negatively charged carboxylic groups on their surface. The solution was highly stable for a very long period of time and showed no signs of precipitation or aggregation.

FTIR analysis was performed to analyze the presence of polar functional groups over wsCQDs surface. The characteristic absorption bands for –COOH and –OH groups are observed as shown in Fig. 2(b). A broad band at ~3414 cm⁻¹ appears for the –OH stretching frequency. Peak at 1605 cm⁻¹ and 1405 cm⁻¹ is a signature for the existence of –COO⁻. Peak at 1715 is due to existence of C=O. A C-H vibration peak appears at 2940 cm⁻¹. FTIR spectrum reveals the presence of hydrophilic surface functional groups over wsCQDs surface, imparting the excellent water solubility. The thermal stability of as synthesized wsCQDs was analyzed by TGA in inert atmosphere up to 1000 °C. Weight loss *versus* temperature plot for wsCQDs is demonstrated in Fig. 2(c). wsCQDs start losing weight progressively and ~84.7% weight loss were observed at 1000 °C. The weight loss was




Fig. 2 (a) UV-vis absorption spectrum of wsCQDs in aqueous solution; (inset) photographic images of aqueous solution of wsCQDs under normal (left) and UV light (right). (b) FTIR spectrum of wsCQDs. (c) TGA spectrum of wsCQDs. (d) High resolution scan of XPS for the C1s region of wsCQDs.

attributed due to decomposition of hydrophilic functional groups present on the surface of wsCQDs. 37,58,60,61

X-ray photoelectron spectroscopy (XPS) was used for further confirmation of the different functional groups on the surface of wsCQDs. The XPS spectrum for C1s shown in Fig. 2(d) confirms the five diverse chemical surroundings. C=C at 284.1 eV, C-C and C-H at 284.6 eV correspond to sp² and sp³ carbons, respectively. Peaks at 285.7 eV, 288 eV and 289.3 eV corroborates the -C-OH/C-O-C, -C=O and -COOH, respectively. Presence of C-OH/C-O-C, -C=O and -COOH reveal the hydrophilic surface functionalization of wsCQDs which is consistent with FTIR and zeta potential analysis.⁶¹

3.2. Photoluminescence study

Photoluminescence (PL) behavior is the classic signature of CQDs and considered as most significant property from the application viewpoint. Fluorescence emission spectra of wsCQDs were analyzed at different excitation wavelengths ranging from 300 to 540 nm with a continuous span of 20 nm. Emission spectra as demonstrated in Fig. 3(a) clearly reveal the tunable emissive nature of wsCQDs. On increasing excitation wavelengths, red shift on emission wavelengths were observed, which is recognized as generic feature of graphitic carbon core.36 These tunable emissions depicted the multicolor behavior of wsCQDs. The emission intensity increases from λ_{ex} 300 nm to 360 nm then gradually decreases up to λ_{ex} 540 nm. The highest emission intensity was observed for excitation at 360 nm. Hence, λ_{ex} of 360 nm was selected and employed for the further study of metal detection. Fig. 3(b) shows the normalized fluorescent emission intensity. PL mechanism for tunable

emissions of CQDs is not clearly understood up to now. A number of recent studies have been reported to investigate the origin of tunable emissions. According to Sun and coworkers, optical behaviors of CDs can be partially explained on the basis of surface energy traps and/or quantum confinement effects. ⁶² Deng *et al.* adapted hydrophilicity gradient ultracentrifuge separation technique for the synthesis of CDs with diverse hydrophilic nature. ⁶³ They proposed that tunable emissions of CDs mainly arose from the particles' surface molecular states and were independent of their sizes. The effect of surface functionalities on the tunable emission behavior of CDs was recently investigated by Dhenadhayalan *et al.* ⁶⁴

The PL emissions of wsCQDs are quite stable and highly suitable for biomedical applications. Almost negligible photobleaching was observed after continuous irradiation with λ_{ex} = 360 nm for 5 h as demonstrated in Fig. 3(c). Fig. 3(d) shows the photoluminescent excitation spectra of wsCODs at 358 nm. The wsCQDs exhibited different emission colors under optical microscopic investigation. Green and red colors were observed at $\lambda_{\rm ex} = 488$ nm and $\lambda_{\rm ex} = 540$ nm, respectively as shown in Fig. 3(e) and (f). This phenomenon is extensively observed for a wide variety of luminescent nano carbons and could be explained on the basis of optical selection of different surfacial defects.35,65 PL QY were measured using quinine sulphate as a reference and found ~14% for the freshly prepared aqueous solution of wsCQDs and retained ~9% even after one year of storage (Fig. S1†). Formula for the calculation of quantum yield is shown in ESI.† Table S1† shows the comparison between synthetic methods, quantum yields and applications of wsCQDs obtained from lemon peel waste with other reported methods. It can be




Fig. 3 (a) Fluorescence spectra of wsCQDs obtained at different excitation wavelengths progressively increasing from 300–540 nm in 20 nm increments. (b) Normalized fluorescence intensity. (c) Photostability test of wsCQDs on continuous 360 nm excitation for 5 h. (d) Excitation spectra at $\lambda_{em}=441$ nm. Digital fluorescence images of green-emitting (e) wsCQDs ($\lambda_{ex}=488$ nm, $\lambda_{em}=535$ nm) and (f) red-emitting wsCQDs ($\lambda_{ex}=540$ nm, $\lambda_{em}=605$ nm).




Fig. 4 (a) Fluorescence emission spectra of wsCQDs in presence of different concentration of Cr^{6+} varied through addition of 1×10^{-3} M Cr^{6+} solution from 5 μ L to 100 μ L, (b) Stern–Volmer plot for the system of wsCQDs– Cr^{6+} ; I_o and I are the fluorescence intensity of wsCQDs in the absence and presence of Cr^{6+} , respectively and (c) the histogram showing the selectivity of Cr^{6+} towards the quenching of fluorescence intensity of wsCQDs against addition of different heavy metal ions.

seen that wsCQDs obtained through a facile and cost effective method in the present work exhibited a relatively higher QY.

3.3. Detection of Cr⁶⁺ ions

wsCQDs with excellent water solubility and PL properties were used as a fluorescent probe for the selective and sensitive detection of Cr⁶⁺ ions. Herein, a simple, fast and economic approach was adopted for the specific detection of toxic metal ions in water. At λ_{ex} of 360 nm, wsCQDs exhibited λ_{em} at 441 nm and the fluorescence intensity was effectively quenched on the addition of Cr^{6+} (1 × 10⁻³ M) solution. Fig. 4(a) illustrates the PL spectrum of wsCQDs after addition of 5 μL Cr⁶⁺ solution (red line) followed by a series of spectra obtained as increasing Cr6+ concentration progressively by 10 µL till 100 µL. Fig. 4(a) clearly reveals an obvious decrease in PL intensity in presence of Cr⁶⁺ ions. Hence, indicating that the fluorescence quenching of wsCQDs is sensitive towards Cr⁶⁺ ions with a linear relationship and almost quenched after the addition of 100 µL solution. A linear response was observed between Cr6+ concentration and decrease in fluorescence quenching efficiency in the range of 2.5-50 µM. Fig. 4(b) represents the Stern–Volmer plot for the dependence of (I_0/I) with Cr^{6+} concentration, where I_0 is initial PL intensity, and I is PL intensity after the addition of Cr⁶⁺ solution with time. The linear response curve can be fitted as $I_0/I = 0.1024X + 0.4573$ (X is the concentration of Cr⁶⁺ solution, µM) with a correlation coefficient of 0.9542. Five parallel determinations were conducted at fixed Cr⁶⁺ concentration (10 μM) to achieve relative standard deviation (RSD). RSD of 0.25% anticipated the reliability of fluorescence "turn off" sensor. The detection limit is anticipated to be as low as 73 nM at a signal-to-noise ratio of 3. Table S2† shows the comparison of the various fluorescence based sensors towards Cr⁶⁺ detection with wsCQDs obtained from lemon peel waste. As per world health organization (WHO), Cr⁶⁺ concentrations lower than ~900 nM are acceptable in drinking water. Thus, our fluorescent based method is sensitive enough to monitor Cr6+ concentration in drinking water. This wsCQDs based sensor provides significant advantages including simplicity, low instrumentation cost and fast response and thus exhibited the potential application for the detection of Cr⁶⁺ in environmental industry. Regarding the mechanism for the quenching of PL intensity by




Fig. 5 (a) FESEM and (b) TEM micrograph of TiO_2 nanofibers; (c) FESEM and (d) TEM micrograph of TiO_2 —wsCQDs composites.

metal ions, a number of investigations have been carried out.⁴⁶ Cr⁶⁺ can assist non-radiative recombination of electron–hole pair extinction *via* effective electron transfer/energy transfer process due to the presence of vacant d orbitals and low lying d–d transition state³ and consequently lead to the fluorescence quenching of wsCODs.⁶⁶

To evaluate the selectivity of wsCQDs towards Cr⁶⁺, the fluorescence responses were investigated in presence of other metal ions such as Ni²⁺, Cd²⁺, Fe²⁺, Cu²⁺, Mn²⁺, Co²⁺, and Ba²⁺ under the same experimental conditions. Fig. 4(c) represents the selectivity of wsCQDs towards Cr⁶⁺ ions. It was observed that quenching of wsCQDs emission was more effective for Cr⁶⁺ rather than other metal ions. Only small interference was observed by Cd²⁺, Fe²⁺ and Cu²⁺ ions. The selectivity can be explained on the basis of higher thermodynamic affinity of Cr⁶⁺ ions to wsCQDs. The presence of oxygenous surfacial group as confirmed by FTIR, TGA, XPS and zeta potential studies brings the selectivity of wsCQDs towards Cr⁶⁺ ions.

Paper RSC Advances




Fig. 6 (a) TGA graph of TiO_2 solid nanofibers and TiO_2 -wsCQDs composite and (b) PL spectra of TiO_2 nanofibers and TiO_2 -wsCQDs composite.

3.4. Photocatalytic study

Fig. 5 demonstrated the FESEM and TEM micrographs of fabricated TiO $_2$ nanofibers and TiO $_2$ -wsCQDs composite. The TiO $_2$ retains nanofibers morphology after the calcination step as shown in Fig. 5(a). Diameter of TiO $_2$ nanofibers were found in the range of 80–120 nm and several μ m in length, as observed by FESEM image in Fig. 5(a). TEM image of TiO $_2$ nanofibers reveals its rough and porous nature as shown in Fig. 5(b). FESEM image of TiO $_2$ -wsCQDs composite is shown in Fig. 5(c). Immobilization of wsCQDs on TiO $_2$ nanofibers did not affect its morphology. Surface of TiO $_2$ -wsCQDs composites were more roughened as compared to the pure TiO $_2$ nanofibers, due to the deposition of wsCQDs. TEM micrograph of the composite as shown in Fig. 5(d) reveals that wsCQDs are evenly distributed over TiO $_2$ nanofibers surface.

To quantify the loading of wsCQDs over TiO_2 nanofibers, TGA of TiO_2 nanofibers and TiO_2 –wsCQDs composites was carried out in air environment from room temperature to $600\,^{\circ}$ C as shown in Fig. 6(a). TiO_2 nanofibers lost $\sim\!2\%$ weight due to adsorbed water, while TiO_2 –wsCQDs composite lost $\sim\!5.7\%$ of total weight. The effective loading of wsCQDs over TiO_2 nanofibers was find out to be 3.7% (on weight basis). Fig. 6(b) shows the PL graph of TiO_2 nanofibers and TiO_2 –wsCQDs composite.

It can be observed that both the samples exhibited the evident emission peak upon excitation with 370 nm light. Immobilization of wsCQDs upon TiO₂ nanofibers exhibited considerable reduction in emission intensity due to the lowering of excitons recombination. For the bare TiO₂ nanofibers, highest intensity peak at 423 nm is assigned to the self-trapped excitations of anatase TiO₂ nanofibers, while the other low intensity peaks at 487, 505 and 528 nm are attributed due to the oxygen vacancies and defect states in the surface of TiO₂ nanofibers. ^{67,68} After wsCQDs immobilization over TiO₂ nanofibers, the highest intensity peak gets reduced, owing to the effective excitons separation and enhancement in the life time of excitons.

UV-vis spectra of TiO₂ nanofibers and TiO₂–wsCQDs composite are shown in Fig. S3(a).† TiO₂ nanofibers did not exhibit any absorption in visible region, while TiO₂–wsCQDs composite shows an additional absorption tail in visible region.^{28,69} Fig. S3(b)† shows the XRD spectra of bare TiO₂ nanofibers and TiO₂–wsCQDs composite. The XRD pattern of TiO₂ nanofibers was well matched with the reference pattern (JCPDS no. 01-083-2243) and peaks were assigned accordingly. TiO₂ nanofibers contain anatase phase and have tetragonal structure. Nanofibers also contain a very small rutile peak at 27.2° corresponding to the (110) plane. There is no significant




Fig. 7 (a) Photocatalytic degradation of MB in presence of TiO_2 nanofibers and TiO_2 -wsCQDs composite under UV light irradiation and (b) photocatalytic reaction kinetics of MB degradation in presence of TiO_2 nanofibers and TiO_2 -wsCQDs composite.

RSC Advances Paper




Fig. 8 (a) Schematic illustration for the photocatalytic degradation of MB on TiO_2 –wsCQDs composite under UV light irradiation and (b) digital images of MB before and after degradation.

change in the XRD pattern of TiO₂-wsCQDs composite which may be due to poor crystallinity and low loading of wsCQDs.

Photocatalytic degradation of MB was performed in a Petri dish under UV light irradiation. Adsorption-desorption equilibrium was carried out for 2 h with continuous stirring under dark conditions. Initial concentration for photocatalytic experiment was taken after the adsorption-desorption equilibrium and no significant degradation of MB was observed when exposed to UV light without photocatalyst. Further, MB was exposed under the irradiation of UV light in presence of TiO₂ nanofibers and TiO2-wsCQDs composite separately. Characteristic peak for absorption of MB was observed at 664 nm. Upon irradiation, both the blue colour of MB solution and absorption peak intensity were decreased continuously with time and corresponding C/C_0 vs. irradiance time graph is shown in Fig. 7(a). Rate constant of MB degradation was calculated using $ln(C_0/C)$ vs. time plot (Fig. 7(b)) and found 0.0053 and 0.0136 min⁻¹ for TiO₂ nanofibers and TiO₂-wsCQDs composite, respectively. TiO2-wsCQDs composite exhibited improved photocatalytic activity than that of TiO₂ nanofibers. Kinetic rate constant of TiO_2 -wsCQDs composite was found \sim 2.5 times higher than the TiO2 nanofibers. Table S3† shows the comparison of the photocatalytic performance of various carbon dot heterostructures with TiO₂-wsCQDs composite.

Fig. 8(a) shows the schematic presentation for photocatalytic degradation mechanism of MB with TiO2-wsCQDs composite under UV irradiation. Photocatalytic activity was enhanced due to the increased catalytic spot at TiO₂-wsCQDs interface. Upon UV irradiation, excitons (electron-hole pair) were created over TiO₂ nanofibers and electrons were transferred to wsCODs from TiO₂ conduction band, while holes remain in the valance band of TiO2. This reduces the recombination of excitons and thus, enhances the photocatalytic reaction. 28,53 These electrons lead to the generation of superoxide ion (O2-) upon reaction with oxygen at TiO2-wsCQDs photocatalyst surface and the holes produce hydroxyl radical (OH') upon reaction with water. The other intermediate steps are discussed in detail in the ESI.† O₂ ions, OH' radicals and other intermediates subsequently degrade the MB into harmless products. Digital images of MB before and after degradation are shown in Fig. 8(b) wsCQDs also enhance the adsorption of MB over TiO2-wsCQDs surface due to its adsorptive property and thus, favouring their photocatalytic activity.

4. Conclusions

Water soluble carbon quantum dots with high QY were synthesized using a facile and cost effective hydrothermal process utilizing lemon peel waste. Hydrothermal synthesis possesses the merits of green synthesis and resource-saving process with short reaction time. As synthesized wsCQDs have the nearly spherical morphology and narrow size distribution. A fluorescent probe for label free sensitive and selective turn-off sensing of Cr6+ was demonstrated, with linear range and low detection limit of ~73 nM. The wsCQDs based fluorescence assay exhibited promising potential for the detection of toxic metal ions as well as for bioimaging applications. Further, TiO2-wsCQDs composite was fabricated and employed for the photocatalytic degradation of MB dye. Photocatalytic activity for TiO₂-wsCQDs composite was found ~2.5 times more than TiO₂ nanofibers due to improved charge separation at the interface. The synthesis method for wsCQDs could be easily scaled up for gram scale synthesis of carbon quantum dots.

Acknowledgements

This work is supported by Department of Science and Technology (DST), India INSPIRE Faculty Award (Project No. IFA-13 ENG-57). DST support is acknowledged to the Center for Nanosciences.

References

- 1 D. Zhang, Z. Dong, X. Jiang, M. Feng, W. Li and G. Gao, *Anal. Methods*, 2013, 5, 1669–1675.
- 2 A. Zhitkovich, Chem. Res. Toxicol., 2011, 24, 1617-1629.
- 3 Y. Han, Y. You, Y.-M. Lee and W. Nam, *Adv. Mater.*, 2012, **24**, 2748–2754.
- 4 S. K. Sonkar, K. M. Tripathi and S. Sarkar, *J. Nanosci. Nanotechnol.*, 2014, 14, 2532–2538.
- 5 J. Vacek, T. Mozga, K. Cahová, H. Pivoňková and M. Fojta, *Electroanalysis*, 2007, **19**, 2093–2102.
- 6 D. G. Babar, S. K. Sonkar, K. M. Tripathi and S. Sarkar, *J. Nanosci. Nanotechnol.*, 2014, **14**, 2334–2342.
- 7 X. Mao, H. Su, D. Tian, H. Li and R. Yang, *ACS Appl. Mater. Interfaces*, 2013, 5, 592–597.
- 8 J. P. Metters, R. O. Kadara and C. E. Banks, *Analyst*, 2012, **137**, 896–902.
- 9 R. Chomchoei, M. Miró, E. H. Hansen and J. Shiowatana, *Anal. Chem.*, 2005, 77, 2720–2726.
- 10 T. Senapati, D. Senapati, A. K. Singh, Z. Fan, R. Kanchanapally and P. C. Ray, *Chem. Commun.*, 2011, 47, 10326–10328.
- 11 A. Bernaus, X. Gaona, J. M. Esbrí, P. Higueras, G. Falkenberg and M. Valiente, *Environ. Sci. Technol.*, 2006, **40**, 4090–4095.
- 12 R. Kunkel and S. E. Manahan, *Anal. Chem.*, 1973, **45**, 1465–1468.
- 13 N. Gogoi, M. Barooah, G. Majumdar and D. Chowdhury, *ACS Appl. Mater. Interfaces*, 2015, 7, 3058–3067.

Paper

- 14 Y. Zhi, L. Zhaohui, X. Minghan, M. Yujie, Z. Jing, S. Yanjie, G. Feng, W. Hao and Z. Liying, Nano-Micro Lett., 2013, 5, 247-259.
- 15 Y.-P. Sun, B. Zhou, Y. Lin, W. Wang, K. A. S. Fernando, P. Pathak, M. J. Meziani, B. A. Harruff, X. Wang, H. Wang, P. G. Luo, H. Yang, M. E. Kose, B. Chen, L. M. Veca and S.-Y. Xie, J. Am. Chem. Soc., 2006, 128, 7756-7757.
- 16 S. N. Baker and G. A. Baker, Angew. Chem., Int. Ed., 2010, 49, 6726-6744.
- 17 W. Kwon, S. Do, J.-H. Kim, M. Seok Jeong and S.-W. Rhee, Sci. Rep., 2015, 5, 12604.
- 18 L. Cao, M. J. Meziani, S. Sahu and Y.-P. Sun, Acc. Chem. Res., 2013, 46, 171-180.
- 19 M. Zhang, Q. Yao, C. Lu, Z. Li and W. Wang, ACS Appl. Mater. Interfaces, 2014, 6, 20225-20233.
- 20 J. Sun, L. Bo, L. Yang, X. Liang and X. Hu, RSC Adv., 2014, 4, 14385-14391.
- 21 A. Basu, A. Suryawanshi, B. Kumawat, A. Dandia, D. Guin and S. B. Ogale, Analyst, 2015, 140, 1837-1841.
- 22 K. M. Tripathi, N. R. Gupta and S. K. Sonkar, in Smart Materials for Waste Water Applications, ed. A. K. Mishra, Scrivener Publishing LLC, UK, 2016, ch. 5, pp. 127-153.
- 23 J. Wang, S. Sahu, S. K. Sonkar, K. N. Tackett Ii, K. W. Sun, Y. Liu, H. Maimaiti, P. Anilkumar and Y.-P. Sun, RSC Adv., 2013, 3, 15604-15607.
- 24 X. Huang, F. Zhang, L. Zhu, K. Y. Choi, N. Guo, J. Guo, K. Tackett, P. Anilkumar, G. Liu, Q. Quan, H. S. Choi, G. Niu, Y.-P. Sun, S. Lee and X. Chen, ACS Nano, 2013, 7, 5684-5693.
- 25 H. Wang, J. Yi, S. Mukherjee, P. Banerjee and S. Zhou, Nanoscale, 2014, 6, 13001-13011.
- 26 X. Li, M. Rui, J. Song, Z. Shen and H. Zeng, Adv. Funct. Mater., 2015, 25, 4929-4947.
- 27 A. Tyagi, K. M. Tripathi and R. K. Gupta, J. Mater. Chem. A, 2015, 3, 22507-22541.
- 28 H. Yu, Y. Zhao, C. Zhou, L. Shang, Y. Peng, Y. Cao, L.-Z. Wu, C.-H. Tung and T. Zhang, J. Mater. Chem. A, 2014, 2, 3344-
- 29 Prateek, V. K. Thakur and R. K. Gupta, Chem. Rev., 2016, 116, 4260-4317.
- 30 G. E. LeCroy, S. K. Sonkar, F. Yang, L. M. Veca, P. Wang, I. Kenneth, N. Tackett, J.-J. Yu, E. Vasile, H. Qian, Y. Liu, P. G. Luo and Y.-P. Sun, ACS Nano, 2014, 8, 4522-4529.
- 31 S. K. Sonkar, M. Roy, D. G. Babar and S. Sarkar, Nanoscale, 2012, 4, 7670-7675.
- 32 M. Saxena, S. K. Sonkar and S. Sarkar, RSC Adv., 2013, 3, 22504-22508.
- 33 K. M. Tripathi, A. Tyagi, M. Ashfaq and R. K. Gupta, RSC Adv., 2016, 6, 29545-29553.
- 34 H. Tao, K. Yang, Z. Ma, J. Wan, Y. Zhang, Z. Kang and Z. Liu, Small, 2012, 8, 281-290.
- 35 P. G. Luo, S. Sahu, S.-T. Yang, S. K. Sonkar, J. Wang, H. Wang, G. E. LeCroy, L. Caoa and Y.-P. Sun, J. Mater. Chem. B, 2013, 1, 2116-2127.
- 36 P. G. Luo, F. Yang, S.-T. Yang, S. K. Sonkar, L. Yang, J. J. Broglie, Y. Liua and Y.-P. Sun, RSC Adv., 2014, 4, 10791-10807.

- 37 K. M. Tripathi, A. K. Sonker, S. K. Sonkar and S. Sarkar, RSC Adv., 2014, 4, 30100-30107.
- 38 W. Wang, Y. Li, L. Cheng, Z. Cao and W. Liu, J. Mater. Chem. B, 2014, 2, 46-48.
- 39 H. Wu, F. Zeng, H. Zhang, J. Xu, J. Qiu and S. Wu, Adv. Sci., 2015, 3, 1500254.
- 40 H. Ding, F. Du, P. Liu, Z. Chen and J. Shen, ACS Appl. Mater. Interfaces, 2015, 7, 6889-6897.
- 41 S. Chen, C. Xiong, H. Liu, Q. Wan, J. Hou, Q. He, A. Badu-Tawiah and Z. Nie, Nat. Nanotechnol., 2015, 10, 176-182.
- 42 X. Xu, R. Ray, Y. Gu, H. J. Ploehn, L. Gearheart, K. Raker and W. A. Scrivens, J. Am. Chem. Soc., 2004, 126, 12736-12737.
- 43 P. Dubey, K. M. Tripathi, R. Mishra, A. Bhati, A. Singh and S. K. Sonkar, RSC Adv., 2015, 5, 87528-87534.
- 44 H. Li, Z. Kang, Y. Liu and S.-T. Lee, J. Mater. Chem., 2012, 22, 24230-24253.
- 45 X. Qin, W. Lu, A. M. Asiri, A. O. Al-Youbi and X. Sun, Catal. Sci. Technol., 2013, 3, 1027-1035.
- 46 Q. Wang, X. Liu, L. Zhang and Y. Lv, Analyst, 2012, 137, 5392-
- 47 M. Misra, R. K. Gupta, A. K. Paul and M. Singla, J. Power Sources, 2015, 294, 580-587.
- 48 N. Singh, K. Mondal, M. Misra, A. Sharma and R. K. Gupta, RSC Adv., 2016, 6, 48109-48119.
- 49 M. R. Hoffmann, S. T. Martin, W. Choi D. W. Bahnemann, Chem. Rev., 1995, 95, 69-96.
- 50 M. Montazer and E. Pakdel, J. Photochem. Photobiol., C, 2011, 12, 293-303.
- 51 M. N. Chong, B. Jin, C. W. K. Chow and C. Saint, Water Res., 2010, 44, 2997-3027.
- 52 A. Prasannan and T. Imae, Ind. Eng. Chem. Res., 2013, 52, 15673-15678.
- 53 F. Li, F. Tian, C. Liu, Z. Wang, Z. Du, R. Li and L. Zhang, RSC Adv., 2015, 5, 8389-8396.
- 54 D. Li and Y. Xia, Nano Lett., 2003, 3, 555-560.
- 55 K. V. Kumar, K. Porkodi and F. Rocha, Catal. Commun., 2008, 9, 82-84.
- 56 B. Hu, K. Wang, L. Wu, S.-H. Yu, M. Antonietti and M.-M. Titirici, Adv. Mater., 2010, 22, 813-828.
- 57 B. Yin, J. Deng, X. Peng, Q. Long, J. Zhao, Q. Lu, Q. Chen, H. Li, H. Tang, Y. Zhang and S. Yao, Analyst, 2013, 138, 6551-6557.
- 58 P. Dubey, K. M. Tripathi and S. K. Sonkar, RSC Adv., 2014, 4, 5838-5844.
- 59 P. Dubey, S. K. Sonkar, S. Majumder, K. M. Tripathi and S. Sarkar, RSC Adv., 2013, 3, 7306-7312.
- 60 K. M. Tripathi, A. K. Sonker, A. Bhati, J. Bhuyan, A. Singh, A. Singh, S. Sarkar and S. K. Sonkar, New J. Chem., 2016, 40, 1571-1579.
- 61 S. Sahu, B. Behera, T. K. Maiti and S. Mohapatra, Chem. Commun., 2012, 48, 8835-8837.
- 62 X. Wang, L. Cao, F. Lu, M. J. Meziani, H. Li, G. Qi, B. Zhou, B. A. Harruff, F. Kermarrec and Y.-P. Sun, Chem. Commun., 2009, 25, 3774-3776.
- 63 L. Deng, X. Wang, Y. Kuang, C. Wang, L. Luo, F. Wang and X. Sun, Nano Res., 2015, 8, 2810-2821.

- 64 N. Dhenadhayalan, K.-C. Lin, R. Suresh and P. Ramamurthy, J. Phys. Chem. C, 2016, 120, 1252–1261.
- 65 M. Ghosh, S. K. Sonkar, M. Saxena and S. Sarkar, *Small*, 2011, 7, 3170–3177.
- 66 S. Liu, J. Tian, L. Wang, Y. Zhang, X. Qin, Y. Luo, A. M. Asiri, A. O. Al-Youbi and X. Sun, Adv. Mater., 2012, 24, 2037–2041.
- 67 Z. Lian, W. Wang, S. Xiao, X. Li, Y. Cui, D. Zhang, G. Li and H. Li, *Sci. Rep.*, 2015, **5**, 10461.
- 68 R. Verma, S. K. Samdarshi and J. Singh, *J. Phys. Chem. C*, 2015, **119**, 23899–23909.
- 69 J. Pan, Y. Sheng, J. Zhang, J. Wei, P. Huang, X. Zhang and B. Feng, *J. Mater. Chem. A*, 2014, **2**, 18082–18086.