


Nanoscale Advances

Volume 4
Number 23
7 December 2022
Pages 4915–5192

rsc.li/nanoscale-advances



ISSN 2516-0230

REVIEW

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *Nanoscale Adv.*, 2022, 4, 4938Synthesis and multi-scale properties of PuO₂ nanoparticles: recent advances and open questionsMatthieu Viot, ^a Thomas Dumas, ^b Manon Cot-Auriol,^a Philippe Moisy ^b and Sergey I. Nikitenko ^a

Due to the increased attention given to actinide nanomaterials, the question of their structure–property relationship is on the spotlight of recent publications. Plutonium oxide (PuO₂) particularly plays a central role in nuclear energetics and a comprehensive knowledge about its properties when nanosizing is of paramount interest to understand its behaviour in environmental migration schemes but also for the development of advanced nuclear energy systems underway. The element plutonium further stimulates the curiosity of scientists due to the unique physical and chemical properties it exhibits around the periodic table. PuO₂ crystallizes in the fluorite structure of the face-centered cubic system for which the properties can be significantly affected when shrinking. Identifying the formation mechanism of PuO₂ nanoparticles, their related atomic, electronic and crystalline structures, and their reactivity in addition to their nanoscale properties, appears to be a fascinating and challenging ongoing topic, whose recent advances are discussed in this review.

Received 13th May 2022
Accepted 15th August 2022

DOI: 10.1039/d2na00306f

rsc.li/nanoscale-advances

1. Introduction

During the last few decades, nanocrystalline oxide materials attracted outstanding attention given their potential applications and related innovations in most of the modern technological domains.^{1–6} Their nanoscale dimensions, with a characteristic length between 1 and 100 nm, have often been demonstrated to give rise to specific physico-chemical properties in comparison to their bulk counterparts. Useful developments and applications have come out for instance in catalysis, solar cells, sensors, coatings and magnetic data storage. The control and optimization of the nanomaterial properties have been reported to strongly depend on the nanoparticle size, shape and local structure also explaining the strong interest for uncommon morphologies such as nano-rods, -ribbons, -tubes, *etc.*^{7,8} Size-dependent properties have been reported for nanomaterials exhibiting dimensions in the nanometer range, typically below 10 nm. Shrinking the materials within these dimensions provides a much higher contribution of surface atoms in comparison to bulk ones (surface to volume ratio, Fig. 1). As a consequence, an increase of the specific surface area is observed in addition to structural disorder reflected by a higher density of edge and corner sites thus explaining the often observed particular activity. Structural defects, strains and distortion can therefore contribute to the modification of the nanomaterial properties, so as the increasing surface curvature

radius that may also play a significant role at the interface including for instance adsorption or group transfer reactions.^{9,10}

Almost all of the s-, p- and d- elements of the periodic table have been reported to have a nanotechnological impact with some of them (~30) in high demand for the preparation of nanostructured materials.¹¹ Similarly, the control of nanoparticle synthesis and the related structure–property effects are well described in the literature for transition metal oxides. Actinide-based nanoparticles and the relationship of their size *vs.* their physico-chemical properties and reactivity are far less explored in comparison.^{12–14} This assessment can be mostly attributed to the radioactive nature and high chemical toxicity of the elements of the actinide series, which involves difficulties in accessing and handling these elements but also results from safety rules appearing much more restrictive than with any other chemical elements. Nevertheless, significant advances have been revealed in the recent literature. The increased attention given to actinide nanoparticles and nanomaterials essentially results from environmental issues owing to their undisputable presence in the geosphere and their recently confirmed mobility, but also to their fundamental screening and technological interest related to the nuclear fuel cycle including fuel preparation, recycling and its related behaviour under operation.¹² Furthermore, it has been demonstrated that the performance of heterogeneous catalysts based on actinide oxides is highly dependent on the nanoscale dimensions of the material.¹⁰ Important developments dealing with nanomaterials of the f-block elements have also focused on their

^aICSM, Univ Montpellier, CEA, CNRS, ENSCM, Marcoule, France. E-mail: matthieu.viot@cea.fr^bCEA, DEN, DMRC, Univ Montpellier, Marcoule, France




Fig. 1 Scheme illustrating the increasing contribution of surface atoms (surface to volume ratio) toward a shrinking nanoparticle. This effect contributes to providing specific properties to a nanoparticle and is generally observed for a size lower than 10–20 nm. Nanoparticles and calculations of atoms (Pu in green and O in red) were generated with crystal maker software from bulk PuO_2 and Pu_{38} CIF file from Sigmon *et al.*¹⁶

detection, separation and recovery for therapeutics and bioimaging.¹⁵

Among the actinide series, the element plutonium arouses particular interest for military applications, space conquest and industrial nuclear power applications. Plutonium is an anthropogenic element almost exclusively formed in nuclear reactors with all of its isotopes being strongly radioactive. It is worth noting that very small amounts of stable ^{244}Pu ($t_{1/2} = 81$ million years) naturally exist on earth as a result of the rapid neutron capture process that occurs during nucleosyntheses (r-process). Neutron capture reactions resulting from the spontaneous fission of natural ^{238}U are also reported to generate naturogenic ^{239}Pu .^{17,18} The fissile ^{239}Pu ($t_{1/2} = 24\,110$ years) is the most common isotope formed by neutron capture from ^{238}U in typical nuclear power reactors, which further presents an energetic interest and enters into the composition of MOX (Mixed Oxide) fuel after separation and recycling steps. MOX is a ceramic made out of a mixture of depleted uranium and plutonium dioxides both crystallizing in the fluorite structure of the face-centered cubic system ($Fm\bar{3}m$ space group).^{19,20} Current MOX fuel used in some PWR reactors has a plutonium mass level ($\text{Pu}/(\text{U}+\text{Pu})$) lower than 10%, whereas future nuclear reactors, such as sodium-cooled fast reactors, would burn more Pu, necessitating a 30% mass level in nuclear fuel.²¹ Current fuel preparation, based upon the precipitation and calcination of oxalate precursors, can lead to localized fuel heterogeneities responsible for the decrease of the fuel performance during operation (release of fission gas, fuel swelling, dislocation, *etc.*) but also to difficulties in its reprocessing due to enriched local areas in Pu which already require drastic chemical conditions to be dissolved. Much effort is currently focused on the preparation of an advanced nuclear fuel in which the control of the arrangement of the materials at the atomic scale would tailor specific properties, particularly for compacting, sintering or dissolving steps.^{14,22–25} Recently, the report of the first synthesis

of nanocrystalline MOX $\text{U}_{1-x}\text{Pu}_x\text{O}_{2+y}$ (up to $x = 46$) has been described by Kauric *et al.* offering interesting perspectives for the preparation of a homogeneous nuclear fuel.²⁶ A recent survey clearly demonstrates the challenges and viable nanotechnological options exhibiting a positive and direct impact on nuclear performance and safety.^{25,27}

Microstructural defects and fissuring are known to occur in the nuclear oxide fuel during burn-up. In addition, neutron irradiation and temperature gradients may provoke significant fuel restructuring with the formation of nanometric grains and micrometric pores referred to as high-burn up structures (HBS).^{28,29} This nanoscale organization is mostly situated in the ceramic rim and has been demonstrated to increase in thickness with the burning rate. Nanostructuration also goes with lattice parameter modifications and the accumulation of point defects.^{28,30,31} HBS have been reported to be formed earlier in Pu enriched areas and their close surroundings in comparison to UO_2 .^{28,32} The fundamental question of the mechanism (polygonization or recrystallization) responsible for this nanoscale restructuring process remains open.^{28,29} Since experimental investigations on nuclear fuel are technically difficult to perform, the possible preparation of HBS simulants using reproducible and controlled actinide oxide nanoparticles as a starting material represents an undisputable interest.^{25,29,30,33–35} Furthermore, very high burn-ups will be considered for advanced nuclear fuels and recent publications discuss the advantages of nanocrystalline oxide fuels in comparison to conventional large-grain ceramics. A possible increase in fission gas retention in the HBS pores, increased thermal conductivity, and improved plasticity with greater tolerance to irradiation-induced mechanical damage are all mentioned.^{28,29,34,36,37} Nevertheless, the formation of stable colloidal PuO_2 nanoparticles during hydrometallurgical processes may contribute to mass balance troubles and hinder some steps related to the preparation or recycling of nuclear



significantly different from that of the matrix background".^{17,74} Three subcategories are discriminated according to their size: "fragments" are used for entities showing a diameter greater than 2 μm , "particle" when the size is between 0.45 μm and 2 μm , and "radioactive colloids or pseudo-colloids" when the size ranges between 1 nm and 0.45 μm . Radioactive particles observed under air conditions are classified according to their aerodynamic diameters from submicronic size to fragments. Particles smaller than 10 μm in size are considered respiratory.^{17,74}

The terminology used for nanomaterials is not straightforward even if several groups have worked towards a uniform approach for their description outside the nuclear sphere. Although nanomaterials are generally defined by nanoscale characteristics (generally in the 1–100 nm range), they can be categorized based on several parameters including their size, shape, origin, surface properties and composition, but also with respect to the concerned research field, authority or scientific community.⁷⁵ In their technical IUPAC report, Gubala *et al.* provided a thorough overview of the proposed classifications for the nanomaterials.⁷⁶ In general, nanomaterials refer to materials having a size between 1 and 100 nm for at least one dimension whose characteristics are often correlated with size-dependent properties.^{76,77} Nanoparticles may refer to nano-objects exhibiting nanoscale dimensions in all 3 directions (ISO and IUPAC definitions). When the lengths of the longest and shortest axes of the object differ significantly, other terms such as nanofiber, nanorod, nanotube, nanowire or nanoplate are recommended.^{75,76} The assembly of these nanoparticles may lead to the formation of nanostructured materials which have been defined by Gleiter as materials having a microstructure with a characteristic length scale in the order of a few nanometers, typically in the 1–10 nm range.⁷⁸ In addition, nanoparticles can associate to form agglomerated or aggregated clusters of particles differing by the type of forces holding them together (weak or strong forces, respectively).⁷⁶

The properties of nanomaterials are strongly dependent upon their size, shape, chemical composition and interfacial properties. The latter can particularly influence the interactions between the nanoparticles in the colloidal state and their surroundings dictating for instance their solubility, adsorption

properties, or assembly.⁷⁷ In consequence, it appears relevant to discriminate associated nanoparticles (agglomerated or aggregated nanoparticle precipitates) from colloidal dispersions which refer to a continuous phase in which mono- or poly-molecular particles are dispersed and have at least in one direction a dimension ranging from the nm to the μm (IUPAC).⁷⁹ In general, these particles do not settle as a result of mutual repulsion and Brownian movement.¹⁷ In the literature dedicated to An nanoparticles, both terms are often used interchangeably; their distinction appears important since it can create confusion and misunderstanding. The examination of reports dedicated to PuO_2 nanomaterials, in conjunction with definitions available in the literature, allows for the classification of PuO_2 nanoparticles into several categories, as shown in Fig. 2. The distinction between associated nanoparticles, nanostructured materials, and colloidal dispersions appears relevant since their nanoscale characteristics may give rise to different atomic arrangements and different properties as already evidenced for other elements.^{75,76,80} Focus is particularly given to Pu intrinsic colloids which have been demonstrated to exhibit a PuO_2 -like structure (also called polymers or eigen colloids in the literature) and result from the hydrolysis properties of Pu(IV) and its ability to form its own colloid. They differ from pseudo-colloids which are associated with the sorption of Pu onto or into natural colloids and are not the purpose of this review. Table 1 presents a survey related to the synthesis approaches, properties and characterizations reported in the literature for PuO_2 nanoparticles.

2.2. Preparation of PuO_2 colloidal nanoparticles

Kraus already discussed the hydrolytic behaviour of tetravalent plutonium during the Manhattan project and described the observation of an opalescent green solution when sodium hydroxide or ammonia was added to nitric and sulfuric Pu(IV) solutions.⁸¹ After centrifugation, the author reported the observation of a strong Tyndall cone suggesting the formation of a colloidal dispersion. The solutions of typical deep green colour are found to be very stable with reference to sedimentation. This has been prevented in industrial processing by maintaining plutonium flux in acidic media. From the




Fig. 2 Scheme illustrating the diversity of PuO_2 nanoparticles reported in the literature with their classification into three subcategories.





Table 1 Inventory of a selection of syntheses, properties and characterization techniques reported in the literature for PuO₂ nanoparticles^a

NPs	Synthesis approach (characteristics of NPs)	Used precursors (experimental conditions)	Particle diameter sizes (lattice parameter)	Characterization techniques	Isotopy (when given)	Ref.
Stable intrinsic colloids	Controlled hydrolysis	Pu(IV) in HNO ₃ solution (dilution in pure water)	2.6 nm (SAXS) 2.9 nm (HR-TEM)	HR-TEM, UV-vis, SAXS Pu-L ₃ XANES Pu-L ₃ EXAFS O-K NEXAFS-STXM	Ref. 96: 96.9% ²³⁹ Pu 2.98% ²⁴⁰ Pu 0.04% ²⁴¹ Pu 0.06% ²⁴² Pu	94 and 96
	Neutralization of an acidic solution	Addition of NaOH to a Pu(IV) solution in HCl	5 nm (LIBD)	UV-vis, LIBD, ESI-MS Pu-L ₃ XANES Pu-L ₃ EXAFS	Ref. 115: 94.4% ²³⁹ Pu 5.5% ²⁴⁰ Pu 0.1% ²⁴¹ Pu	46 and 115
	Extraction of nitric acid by <i>n</i> -hexanol	Addition of <i>n</i> -hexanol to a Pu(IV) solution (NO ₃ /Pu mole ratio = 1)	<10 nm (TEM)	TEM, UV-vis	—	99
	Ultrafiltration of a Pu(IV) solution	Ultrafiltration (10 kD) from Pu(IV) sol. In 1 M HClO ₄	<5 nm (TEM)	HR-TEM, UV-vis Pu-L ₃ XANES, Pu-L ₃ EXAFS Pu-L ₃ HERFD-XANES Pu-M ₅ HERFD-XANES	—	124
	Liquid-state auto-radiolysis	Pu(III) solution	32 nm	APS	—	125
Dispersed or associated nanoparticles	Liquid-state auto-radiolysis	Pu(VI) solution	2.9 nm (HR-TEM)	HR-TEM, UV-vis	Ref. 97: 96.9% ²³⁹ Pu 2.98% ²⁴⁰ Pu 0.04% ²⁴¹ Pu 0.06% ²⁴² Pu	97, 108 and 109
	Sonochemistry	Sonication of PuO ₂ nanopowder (pure water, Ar/(10%)CO ₂ , 30 h)	7.1 nm (HR-TEM) 5.7 × > 30 nm ² (SAXS)	HR-TEM, UV-vis, SAXS Pu-L ₃ XANES Pu-L ₃ EXAFS O-K NEXAFS-STXM	Ref. 96: 96.9% ²³⁹ Pu 2.98% ²⁴⁰ Pu 0.04% ²⁴¹ Pu 0.06% ²⁴² Pu	94 and 96
	Thermal decomposition (PuO ₂ nanopowder)	Pu(IV) hydroxides precipitated by adding PEG and ammonia (485 °C, 2 h)	5.1 nm (XRD) 4.6 nm (HR-TEM) (5.4014 Å)	XRD, HR-TEM Pu-L ₃ XANES Pu-L ₃ EXAFS	96.9% ²³⁹ Pu 2.99% ²⁴⁰ Pu 0.06% ²⁴¹ Pu 0.02% ²³⁸ Pu 0.06% ²⁴² Pu	116
	Hydrothermal decomposition in hot compressed water (agglomerated nanoparticles)	Pu(IV) oxalates (95 °C, 120 h, autogenic pressure 1–2 bar)	3.7 nm (XRD) (5.404 Å) 2.6 nm (TEM) (5.397 Å)	XRD, TEM	—	14, 118 and 126







Table 1 (Contd.)

NPs	Synthesis approach (characteristics of NPs)	Used precursors (experimental conditions)	Particle diameter sizes (lattice parameter)	Characterization techniques	Isotopy (when given)	Ref.
	Neutralization of acidic Pu solution (monodisperse PuO ₂)	Addition of NH ₃ ·H ₂ O to a Pu solution (degree III, IV, V or VI)	2.5 nm	XRD, HR-TEM, SAXS	99.99% ²³⁹ Pu 0.01% ²³⁸ Pu	112
	Neutralization of acidic Pu solution (monodisperse PuO ₂)	Addition of NH ₃ ·H ₂ O to a Pu solution (degree III, IV, V or VI)	2.3–3.2 nm (HR-TEM) 1.6–2.4 nm (XRD) (5.398–5.407 Å) 1.3–2.07 nm (HEXS) (5.38–5.402 Å)	XRD, HR-TEM, HEXS Pu-L ₃ EXAFS Pu-L ₃ XANES Pu-L ₃ HERFD-XANES Pu-M ₄ HERFD-XANES	Ref. 111: 99.74% ²⁴² Pu	111, 113 and 114
	Solvolysis in BnOBn/OA/OAm mixture (mixture of nano-dots and -rods)	Thermal decomposition of [PuO ₂ (NO ₃) ₂]·3H ₂ O (280 °C, 30 min, N ₂)	2 nm (XRD) 3.2(9) nm (TEM) (5.3940 Å)	XRD, TEM, IR, Raman UV-vis, SQUID Pu-L ₃ XANES Pu-L ₃ EXAFS	97.7% ²³⁹ Pu 2.2% ²⁴⁰ Pu 0.1% ^{(238)Pu} , ²⁴¹ Pu, ²⁴² Pu)	117
	Arc vaporization	Pu metal wire	1 nm (TEM)	TEM	—	127 and 128
	Stabilization onto environmentally relevant mineral surfaces	Low concentration Pu solutions	1.5 nm (HR-TEM) 1–10 nm (HR-AFM)	AFM, HR-TEM Pu-L ₃ XANES Pu-L ₃ EXAFS	—	54 and 56
	Solid-state auto-radiolysis	Pu(IV) and Pu(III) oxalates (auto-degradation in air at RT over several months)	Few nm	SEM, XRD, IR, SSVNIR	94% ²³⁹ Pu, 6% ²⁴⁰ Pu	120
Nanostructured oxides	Thermal decomposition of oxalate precursors	Pu(IV) or Pu(III) oxalates (485 °C, 2–12 h)	5.2–200.0 nm (HR-TEM) 7.4–193.0 (XRD) (5.3938–5.4021 Å)	XRD, HR-TEM Pu-L ₃ XANES Pu-L ₃ EXAFS	96.9% ²³⁹ Pu 2.99% ²⁴⁰ Pu 0.06% ²⁴¹ Pu 0.02% ²³⁸ Pu 0.06% ²⁴² Pu	116

^a RT: room temperature, PEG: polyethylene glycol, BnOBn: benzyl ether, OA: oleic acid, OAm: oleylamine, XRD: X-ray diffraction, (HR)-TEM: (high-resolution) transmission electron microscopy, HERFD-XANES: X-ray absorption near edge structure in high energy resolved fluorescence detection mode, EXAFS: extended X-ray absorption fine structure, HEXS: high energy X-ray scattering, AFM: atomic force microscopy, IR: infrared spectroscopy, UV-Vis: UV-visible absorption spectroscopy, SQUID: superconducting quantum interference device, SAXS: small angle X-ray scattering, NEXAFS: near-edge X-ray absorption fine structure, LIBD: laser-induced breakdown detection, ESI-MS: electrospray ionization-mass spectrometry, STXM: scanning transmission X-ray microscopy, SSVNIR: solid-state visible-near infrared reflectance spectroscopy, APS: autocorrelation photon spectroscopy.

plutonium chemistry perspective, the formation of such species is related to the intricate hydrolysis properties exhibited by Pu(IV) in aqueous solutions. This phenomenon can even occur under acidic conditions and also competes with the disproportionation properties of Pu(IV).^{45,82–84} The first step related to the formation of Pu(IV) hydrolytic species can be described with eqn (1). The degree of cation hydrolysis depends on the ionic potential of the cation (charge to radius ratio) and several parameters resulting from the solution media (pH, temperature, composition, *etc.*).⁷² The ripening of these species can lead to precipitates or stabilized nanoparticles (referred to as Pu(IV) intrinsic colloids) which can even form under very acidic conditions and at low concentrations ($\text{Pu} > 10^{-6} \text{ M}$).^{46,72} The related condensation processes may occur through olation or oxolation reactions described in eqn (2) and (3). For $-\log[\text{H}^+] = 0.6$ and a 0.5 M ionic strength, Rothe *et al.* indicated that a plutonium solution is about 80% in the form of hydrolyzed species $\text{Pu}(\text{OH})_2^{3+}$ or $\text{Pu}(\text{OH})_2^{2+}$.⁸³ They suggested that $[\text{Pu}(\text{OH})_2]_n^{2n+}$, possibly with a coordination number of 8 for Pu, contributes as a reactant in the formation of $\text{Pu}_n\text{O}_p(\text{OH})_{4n-2p}(\text{H}_2\text{O})_z$ ($0 < p < 2n$) oligomers that can further condensate to yield colloids exhibiting a Pu–O–Pu basic fcc structure whose order increases with the colloid size (eqn (4)).



Pu colloids or precipitates formed in aqueous solution as a result of Pu(IV) hydrolysis have been long-time thought to be composed of polymeric and amorphous hydrous oxo-hydroxides until isolated single crystals of a Pu_{38} oxo-cluster were reported to exhibit similar UV-vis absorption spectra to the one acquired for Pu(IV) intrinsic colloids.^{46,72,85–87} The resolved structure for these species, which were obtained by the neutralization of acidic Pu(IV) solutions with various alkali hydroxides, corresponded to the formula $[\text{Pu}_{38}\text{O}_{56}\text{Cl}_{54}(\text{H}_2\text{O})_8]^{14-}$ including a distorted PuO_2 core structure that differs from the ill-defined and often suggested hydrous polymers. Importantly, the PuO_2 -like nanocluster does not have Pu–OH moieties in its structure thus favouring a mechanism based on oxolation reactions for the condensation of Pu(IV).^{72,85} Recently, Sigmon and Hixon synthesized Pu oxide nanoclusters formed with 16, 22 and 38 Pu atoms capped with inorganic water and chlorine molecules limiting the formation of bigger particles. The structures of all of these clusters only contain Pu in the tetravalent state. Careful examination of the resolved structures demonstrated their relationship and the authors postulated that the bigger Pu_{38} cluster is formed with smaller Pu_{16} and Pu_{22} building blocks. More interestingly, all of these nanoclusters share a distorted PuO_2 core in which Pu(IV) cations coordinate with 8 O atoms *via* μ_4 -oxo bonds (the related structures are

shown in Fig. 3). The evidence for hydroxo groups in these nanoclusters (also including the oxohydroxo hexanuclear Pu(IV) entities (Pu_6) and hydroxo-bridged Pu(IV) dimers^{88–92}), and the exclusive presence of oxo-bridges in the Pu_{38} building block which shares structural similarities with Pu(IV) intrinsic colloids suggest that the latter could be formed by a succession of olation and oxolation mechanisms, most likely through the stacking of these low nuclearity polynuclear structures.

Several methods for producing stable dispersions of Pu(IV) intrinsic colloids have been proposed (Table 1).^{40,45} The simplest method involves diluting Pu(IV) solutions previously stabilized in acid media with water to cause an increase in the pH of the solution.^{38,93–96} Well-defined and spherical nanoparticles of 2.9 nm showing a PuO_2 -like crystal structure (using High-Resolution Transmission Electron Microscopy, HR-TEM) have




Fig. 3 (a) Ball and stick model of the core of the Pu_{38} nanocluster postulated to be formed by smaller Pu_{16} and Pu_{22} nanoclusters. Red represents oxygen atoms whereas yellow, pink, purple and green are used for Pu. The Pu_{16} core is represented using pink and green Pu atoms whereas the Pu_{22} core is made with pink and yellow ones. (b) Diagram of the Pu–O, Pu–OH, Pu–H₂O and Pu–Cl bond lengths observed in the Pu clusters evidencing the similar core for the various structures and the presence/absence of OH moieties in the structure of the smallest/largest cluster(s), respectively. Reproduced from Sigmon *et al.*¹⁶ with permission from John Wiley and Sons, copyright 2019.










Fig. 4 Left: UV-vis-NIR absorption spectrum acquired on intrinsic Pu(IV) colloids prepared by dilution in pure water of a Pu(IV) aliquot previously stabilized in nitric medium (RT, [Pu] = 9.2 mM). The spectrum shows the additional presence of Pu(VI) absorbing at 830 nm as a mixture with the colloids. Right: HR-TEM image acquired on intrinsic Pu(IV) colloids. Adapted from Dalodiere PhD thesis.⁹⁷

been obtained using this approach (Fig. 4).⁹⁷ Such synthesis conditions lead to a competition between hydrolysis (eqn (1) or eqn (5)) and disproportionation (eqn (6)–(8)) reactions for Pu(IV) that can influence the formation kinetics of the colloidal dispersions (along with solution pH or composition and Pu concentration). Typically, UV-Vis absorption spectroscopy can be used to evaluate the conversion of soluble plutonium ions into colloids. The spectral signature of the latter is characteristic and shows a strong absorption in the near UV range (<550 nm) attributed to Mie scattering and resulting from the presence of dispersed nanoparticles in the medium (Fig. 4). Other typical absorption bands can be found at $\lambda = 579$ nm, *ca.* 614 nm (large band), 684 nm and 736 nm. In comparison to aqueous ionic forms of Pu, intrinsic Pu(IV) colloids do not show sharp absorption bands and exhibit a very low molar extinction coefficient. As discussed previously by Lloyd and Haire, the spectrum of the colloid is retained when concentrating the solution by evaporation to dryness and is not significantly modified when suspending or peptizing the colloid after denaturation.^{98,99} Disproportionation and redox reactions (eqn (6), slow step; eqn (7), rapid step; both reactions are summarized in eqn (8)) particularly yield Pu(VI) observed at *ca.* 830 nm in the UV-Vis absorption spectra, which is very often observed as a mixture with hydrolytic colloidal dispersions. Its concentration varies with time as colloids form and ripen. Although technically simple, the preparation of stable and concentrated dispersions of Pu(IV) intrinsic colloids under such conditions requires mother Pu solutions exhibiting high Pu concentrations with low acidity in order to significantly increase the pH during dilution.



Thiyagarajan reported the quantitative formation of polymers (*i.e.* colloids) by heating a Pu(IV) nitric acid solution (pH = 1.3–1.4) in a container with restricted air access at 85–95 °C. The potential presence of Pu(VI) could involve the addition of nitrite to reduce it into Pu(IV) and favour the hydrolysis of the latter.¹⁰⁰ Zhao and colleagues recently prepared 2–3 nm Pu(IV) intrinsic colloids based on the work of Haire *et al.* by heating a 1.6×10^{-3} M Pu(IV) solution stabilized in 0.1 M HNO₃ to 60–80 °C for 30 min. The authors reported an instantaneous colour variation from dark brown to emerald green upon heating.^{101,102} Several authors described the precipitation of particles after the addition of NH₄OH to Pu(IV) solutions initially stabilized in nitric media, followed by a washing step (to remove ionic Pu species and counter-ions, generally nitrates) or an aging step under temperature. Then, the precipitate was treated in acid media to obtain plutonium colloidal dispersions (peptization).^{99,103–105} A possible additional concentration step followed by baking and resuspension in water has also been described. Lloyd and Haire used this approach to prepare 1–3 M concentrated Pu colloids exhibiting a poor concentration of nitrates (0.1–0.15 M).⁹⁸ Another approach consisted in extracting HNO₃ from Pu solutions stabilized in nitric media with a long-chain alcohol (typically, *n*-hexanol).¹⁰⁶ Hence, the authors described the preparation of low nitrate colloidal dispersions (NO₃[−]/Pu mole ratio = 0.1–0.2) with crystalline nanoparticles of 6–7 nm.¹⁰⁶

Maillard and Adnet reported the observation of Pu(IV) polymers (*i.e.* intrinsic colloids) when adding H₂O₂ to Pu(VI) aqueous solutions in the 0.1–1 M range under weakly acidic conditions.¹⁰⁷ Radiolytic transformation of plutonium ions in solution (auto-radiolysis) can also yield intrinsic colloids.^{108,109} The primary products observed during radiolysis of aqueous solutions are generally defined in agreement with eqn (9) and




Fig. 5 Evolution of a 1 mM Pu(vi) solution stored at room temperature in a glove box. Pu(vi) (main band at 831 nm) decreases with time while Pu(iv) colloids accumulate in solution (main band at ca. 614 nm). One can observe increase of the absorption in the near UV range attributed to Mie scattering and the presence of nanoparticles dispersed in the medium. After one year, the conversion is complete. Note: the decrease of the volume in the flask is attributed to solution sampling during aging. Adapted from ref. 97.

involve several species responsible for redox processes occurring with Pu ions.¹⁰⁹ Newton *et al.* observed the formation of Pu(iv) intrinsic colloids by auto-radiolysis of 10^{-4} M Pu(vi) solutions with pH ranging from 1.3 to 2.2. The proposed mechanism involves the alpha-radiolytic reduction of Pu(vi) into Pu(v) followed by the disproportionation of the latter (eqn (10) and (11)). Fig. 5 illustrates the behaviour of a Pu(vi) solution prepared by the oxidation of Pu(iv) with HClO₄ under thermal treatment followed by dilution in pure water. The storage of the as-prepared Pu(vi) solution in an aerobic atmosphere over several months in a glove box allowed its slow transformation from an orange into a characteristic green colloidal solution. HR-TEM analyses confirmed the crystalline nature of the particles crystallizing in a cubic face centered structure similar to PuO₂ bulk with a nanoparticle size of ca. 2.9 ± 0.5 nm.^{96,97} Auto-radiolysis of Pu(III) solutions has also been reported to yield intrinsic Pu(iv) colloids.¹¹⁰ Interestingly, investigations carried out by autocorrelation photon spectroscopy concluded a particle diameter of 31.6 nm whereas particle diameter determined for other methods involving dilution with pure water, neutralization with NaOH and temperature aging are more generally in the ca. 1–10 nm range. Peptization led to the observation of a mixture of two different populations of about 13.6 and 370 nm.¹¹⁰ Other but less detailed preparation techniques have also been reported by Clark *et al.* including for instance the reduction of Pu(v), slow oxidation of Pu(III) with O₂ and the addition of a moderately acidic solution of Pu(iv) in boiling water.⁴⁵







Fig. 6 Schemes of the sonochemical protocol used to prepare stable dispersions of Pu(iv) intrinsic colloids (top) and their corresponding formation mechanism (bottom).



Dalodière *et al.* reported the preparation of intrinsic Pu(iv) colloids by applying an ultrasound treatment to bulk PuO₂ powder dispersed in pure water (Fig. 6).⁹⁶ The originality of the technique relies on the unexpected reactivity of refractory PuO₂ in pure water which allows the preparation of very stable colloids without addition of any electrolyte or capping agent. Absorption spectroscopy demonstrated strong similarities when comparing sonolytic and hydrolytic (*i.e.* by dilution of Pu(iv) in pure water) colloids. Nevertheless, a stronger absorption in the near UV range for the sonolytic colloids was attributed to the presence of bigger particles which was confirmed using HR-TEM (2.9 nm and 7.1 nm, respectively).⁹⁶ Also, whereas hydrolytic colloids are always observed with Pu(vi) traces (strong molar coefficient allowing the detection of tiny traces), sonolytic colloids never show this oxidation state which was attributed to a different formation mechanism avoiding disproportionation reactions (note that the technique does not guarantee the potential contribution of other oxidation states in the solid nanoparticles). The authors demonstrated enhanced kinetics and yields in a reducing Ar/(10%)CO atmosphere while an oxidizing atmosphere prevented their formation. At first, the formation of the colloids was suggested to result from the fragmentation and surface hydrolysis of bulk PuO₂ particles driven by the acoustic cavitation (*i.e.*, the nucleation, growth and rapid implosive collapse of gas and vapour filled micro-bubbles). This step was proposed to be followed by the reductive dissolution of the dispersed and fragmented PuO₂ particles into aqueous Pu(III) by H₂ gas produced inside the cavitation bubbles. The re-oxidation of Pu(III) into Pu(iv) and its subsequent hydrolysis was suggested to slowly accumulate Pu(iv) colloids showing typical green colour and electronic signature.



2.3. Preparation of PuO₂ nanoparticle precipitates

A conventional preparation route for PuO₂ nanoparticles involves their rapid precipitation under alkaline conditions through the addition of ammonia or sodium hydroxide to Pu solutions.^{50,101,111} The mechanism driving the precipitation of the nanoparticles is generally discussed analogically with the one observed for the preparation of colloids. The green precipitates thus obtained from Pu(III), Pu(IV) or Pu(V) aqueous solutions by Romanchuk *et al.* were in accord with the formation of monodisperse and crystalline PuO₂ nanoparticles of *ca.* 2.5 nm (XRD and HR-TEM) showing that the particle nature and size are more dependent on the chemical conditions rather than the initial plutonium redox state.¹¹² By comparing the pH of the resulting solution after addition of ammonia to Pu(IV) solutions, Gerber *et al.* concluded that crystalline PuO₂ nanoparticles of 2 nm can be observed in the 1–10 pH range. An additional significant amount of ionic Pu(III) and Pu(VI) in solution was observed at the lowest pH = 1.¹¹³ When adding aliquots of Pu(VI) solutions to 3 M NH₃·H₂O, the precipitation process required to yield the PuO₂ nanoparticles was much longer and involved the formation of an intermediate product identified to be a metastable solid phase of pentavalent Pu.¹¹⁴ Ekberg *et al.* described the synthesis of a green colloidal dispersion by the addition of 0.19 M NaOH solutions of Pu(IV) stabilized in 1 M HCl solutions.¹¹⁵

The alkaline precipitation procedure using Pu(IV) was recently modified with the addition of an organic polymer (polyethylene glycol, 3000 g mol^{−1}, 2.5 wt%) during the synthesis step to avoid the growth and agglomeration of the nucleated nanoparticles. The thermal conversion of the precursors at 485 °C (2 h, air) leads to well-defined crystalline PuO₂ nanoparticles of about 4.6 nm (HR-TEM, Fig. 7).¹¹⁶ As for Hudry and co-workers, the preparation of PuO₂ nanoparticles was achieved through the decomposition of plutonyl nitrate

precursors [PuO₂(NO₃)₂]·3H₂O in a coordinating organic media composed of benzyl ether, oleic acid and oleylamine.¹¹⁷ The thermal treatment of the mixture at 280 °C for 30 min led to the formation of highly crystalline PuO₂ particles composed of a mixture of spherical nanoparticles (*ca.* 2 nm) and nanodots (*ca.* 0.9 × 4 nm²) as evidenced in Fig. 7. The latter is particularly interesting since it constitutes, to our knowledge, the only reported anisotropic shape observed for PuO₂ nanoparticles. The role of the geometry of the *trans*-dioxo molecular Pu(VI)O₂²⁺ ions in the formation of these anisotropic particles appears to be important.

Hydrothermal conditions have been alternatively demonstrated to be an interesting route for the preparation of Pu oxide nanoparticles (Fig. 7). PuO₂ nanocrystals of high crystallinity (4.7 nm according to XRD and 2.5 nm through HR-TEM, *a*₀ = 5.397(1)) have been prepared by hydrothermal decomposition of Pu(IV) oxalates at 95 °C for 120 h under autogenic pressure.¹¹⁸ The preparation of these nanocrystals occurred at a much lower temperature than the one required for analogous Th or U indicating a potential application of hydrothermal conditions for separation purposes.¹⁴ The decomposition of the oxalate ligands in hot compressed water apparently does not involve redox transformation of Pu and the observed morphology of the precipitates differs from the squared platelets usually obtained by the oxalate route (Fig. 7 *vs.* 8).¹¹⁸ The as-obtained powder rather shows spherical agglomerates of 100–200 nm composed of nanometric crystallites (see Fig. 7b).^{14,118} In comparison to what is usually observed with the thermal decomposition of the oxalate precursor in an air atmosphere, the investigations suggested a different decomposition scheme under hydrothermal conditions, involving the contribution of water as evidenced by isotopic exchange reactions probed by nuclear magnetic resonance (magic-angle spinning MAS-NMR) and Raman spectroscopy techniques.




Fig. 7 (HR-)TEM images acquired on PuO₂ nanoparticle precipitates obtained by (a) thermal conversion (485 °C, 2 h) of Pu powder obtained while pouring ammonia in a Pu(IV)/PEG solution, (b and c) hydrothermal treatment of Pu(IV) oxalates at 95 °C for 120 h under autogenic pressure, (d and e) solvothermal decomposition of plutonyl nitrate precursors in a mixture of benzyl ether, oleic acid and oleylamine. Adapted from ref. 116 and 118 with permission from the Royal Society of Chemistry (copyrights 2018 and 2020) and from ref. 117 with permission from John Wiley and Sons (copyright 2014).



More generally, this synthesis approach has been performed with Th, U, Np and Pu elements and showed several advantages including the reproducibility and time required for the quantitative synthesis, the high crystallinity of the powder and its homogeneity but also its good behavior during sintering (not shown using Pu to our knowledge).^{14,26,118,119} In addition, the destructuring of the plate-like aggregates typical of oxalates is advantageous with a direct effect on the sintering properties of the powders without residual carbon impurities. Recently, Kauric *et al.* described promising results using this preparation route, with the low-temperature preparation of nanometric mixed oxide $U_{1-x}Pu_xO_{2+y}$ particles (solid solution) and measuring between 7 and 19 nm according to X-ray diffraction (XRD) as a function of the composition of the oxide (7 to 33 nm with HR-TEM).²⁶ While it is well known that plutonium oxalates radiolytically decompose with time during storage, poor information is available about the speciation of the intermediate and finally formed products. Recently, the formation of crystalline PuO_2 nanoparticles of a few nm has been reported by autoradiolytic decomposition of solid Pu(III) and Pu(IV) oxalate compounds. The hydrated oxalate precursors were stored in air for several years at room temperature and pressure.¹²⁰

2.4. Preparation of nanostructured PuO_2

Thermal decomposition of oxalate precursors is the most widespread method used for the preparation of PuO_2 .^{71,121} This synthesis route has been highly used at the industrial scale for the production of nuclear fuel or in-lab purification of solutions. Hydrated precursors can be easily precipitated when mixing Pu(III) or Pu(IV) solutions with oxalic acid at room temperature. After separation and washing, their thermal decomposition at elevated temperatures leads to PuO_2 through a series of intermediate decomposition reactions coupled with the generation of gaseous H_2O , CO and CO_2 products.¹²¹ While the technique generally enables holding the microscopic morphology of the initial precursors, the preparation step and firing conditions can significantly modify the properties of the resulting oxide.¹²² The general thermal decomposition mechanisms are described in eqn (12) and (13) for both Pu(IV) and Pu(III) oxalates, respectively. According to HR-TEM investigations, Pu(III) oxalates fired in a 485 °C air atmosphere for 2 hours resulted in the formation of nanostructured elongated objects composed of 6.2 ± 1.3 nm nanoparticles (7.3 ± 1.9 nm when fired for 12 hours), whereas Pu(IV) ones fired under similar conditions allowed the observation of micrometric squared platelets composed of 5.1 ± 1.1 nm nanoparticles (Fig. 8). For both samples, nanoparticles were found to be monodispersed, quasi-spherical and crystalline, agreeing with the PuO_2 bulk structure.^{116,123} The preparation of nanostructured actinide oxide architectures has also been demonstrated by the thermal conversion of Th and U oxalates.³³ Such materials are often used as simulants for Pu compounds and address structural trends within the actinide series (also often including Ce as another simulant of Pu). Time-dependent observations acquired during Th oxalate annealing using HR-TEM and AFM revealed the nanoscale organization of the obtained oxide and the effect of






Fig. 8 (Top) Selection of images acquired with SEM or HR-TEM for PuO_2 powder precipitates exhibiting a nanoscale architecture (nanopowder and nanostructured oxides). (Bottom) AFM images acquired on Th oxalate crystal and the corresponding nanostructured oxide after calcination at 485 °C (4 h). AFM evidences the absence of nanostructuration at the initial stage. Adapted from personal data and from Bonato *et al.*¹¹⁶ with permission from the Royal Society of Chemistry, copyright 2020.

the firing conditions (duration and time) on the formation properties of the nanostructured oxides. Of particular interest, AFM demonstrated the absence of nanostructuration for the oxalate precursor and its formation during thermal treatment before grains begin to grow and coalesce (Fig. 8).



3. Probing the size, morphology and crystalline nature of PuO_2 nanoparticles

The reliable preparation of PuO_2 nanoparticles is closely connected to their characterization which represents a difficult task due to the nanoscale nature of the considered samples and the



chemical toxicity and strong radioactivity of the element Pu. As a consequence, advanced structural characterizations generally require dedicated devices (*i.e.* nuclearized) and often need large or very large instruments (*e.g.*, HR-TEM, synchrotron radiations...) usually conditioned by the writing and acceptance of proposals. Some analytical techniques gave strong insights into the formation mechanisms and structural properties of PuO₂ nanoparticles. Comprehensive overviews dedicated to analytical techniques allowing the speciation and characterization of actinide complexes, clusters or nanostructures in solution or in the solid state can be found in the literature.^{12,45,129} For most of the plutonium oxide nanoparticles recently reported, HR-TEM investigations evidenced the presence of monodispersed and small crystalline nanoparticles (Table 1 and Fig. 4 as examples). Selected area electron diffraction (SAED), often used to complete HR-TEM characterizations, also supports the presence of polycrystalline nanoparticles exhibiting an FCC cubic structure in accordance with bulk PuO₂ (Fig. 7, for example).^{55,96,111,116}

Strong similarities have been reported when comparing electron absorption spectra acquired in the solid or liquid states for intrinsic PuO₂ colloids, the Pu₃₈ cluster and bulk or nanoscale PuO₂.^{116,130,131} Absorption and diffuse reflectance spectroscopies indeed demonstrated similar energy transitions between these samples evidencing structural similarities.¹³¹ A similar conclusion was given by Toth and Friedman when they compared FTIR spectra acquired from PuO₂ and polymers (*i.e.* colloidal PuO₂ nanoparticles) prepared by the addition of NaOH to acidic Pu(IV) solutions.¹⁰⁵ Raman spectra recently acquired on PuO₂ nanoparticles showed an enlargement and red shift of the T_{2g} band which is usually located at 476 cm⁻¹ for bulk PuO₂ whose mode corresponds to the symmetric stretching of the oxygen network (Fig. 9).¹³² These Raman features result from phonon confinement and provide a fingerprint of the nanocrystalline nature of the studied PuO₂ samples. A similar behaviour has been observed with nanoparticles of the

structural analogue ThO₂. The possibility of using these characteristics against a calibration curve for the latter has been proposed to determine the nanoparticle size.^{33,116,133} Alternatively, the technique allowed the demonstration of the greater structural stability of restructured zones in high burn up structures (irradiated nuclear fuel) composed of plutonium enriched agglomerates.¹³⁴ Relevant studies have been reported about the use of Raman spectroscopy for the characterization of PuO₂ ranging from the micrometric to the bulk scales concerning the aging and temperature-dependence of defects, its behaviour under the laser beam, or for the preparation of reference particles for safeguard purposes for instance.^{135–139} Nevertheless, this powerful technique remains poorly applied to nanosized PuO₂ and further insights are expected in this domain.

X-ray diffraction (XRD), which is based on the measurement of constructive interferences occurring between a monochromatic X-ray beam and a crystalline sample, has provided interesting structural information about the crystalline structure, lattice parameter and size of PuO₂ nanoparticles. The technique provides statistically relevant and average information acquired on a large volume of generally powdered and/or dried sample.¹⁴⁰ The reflections observed on the reported XRD diagrams of PuO₂ nanoparticles agree with the cubic fluorite structure of their bulk counterparts (JCPDS file 00-041-1170, *Fm*3*m* space group).^{111,112,116,117} In comparison to bulk PuO₂ patterns, the low intensity and increased width of the diffraction peaks reported by the various authors confirm the presence of nanoscale oxides.^{111,112,117,118} Gerber *et al.* and Romanchuk *et al.* combined HR-TEM and XRD data acquired with synchrotron radiation to evidence the monodisperse and crystalline nature of *ca.* 2.5 nm PuO₂ nanoparticles prepared by ammonia neutralization of aqueous acidic solutions of Pu of different oxidation states.^{111,112} It is worth noting that the preparation step required for XRD measurements might induce chemical and/or structural modifications of the nanoparticles during precipitation and drying. To avoid such potential effects of drying on the structure of the Pu nanoparticles, Romanchuk and co-workers successfully modified their set-up to acquire XRD patterns in the aqueous media.¹¹²

In another study, by fitting the complete experimental diffraction pattern acquired on powdered PuO₂ nanoparticles using Rietveld refinement, the size of the coherent domains composing the samples (crystallites) has been correlated with the nanoparticle sizes determined by the HR-TEM approach by Bonato *et al.*¹¹⁶ The size of the nanoparticles that composed the PuO₂ samples was then correlated with the firing conditions and durations of the various precursors. Popa *et al.* used HR-TEM and XRD techniques to determine the size of PuO₂ nanoparticles formed by the decomposition of the corresponding Pu oxalate precursors in hot compressed water (2.6 and 3.7 nm, with *a*₀ = 5.397 Å, respectively).¹¹⁸ In comparison with other studied oxides, it is worth noting that PuO₂ nanoparticles are obtained at much lower temperature (95 °C) resulting in smaller particle sizes. The investigated variations of the size and lattice parameter of the as-obtained nanoparticles at different temperatures demonstrated a rather limited increase for PuO₂




Fig. 9 Raman spectra (488 nm, 1 mW) acquired on PuO₂ nanoparticles (top) and bulk (bottom) in the solid state demonstrating the enlargement and red shift of the T_{2g} band as evidence of nanoscale materials. Adapted from ref. 117 with permission from John Wiley and Sons, copyright 2014.



until *ca.* 750 °C. A linear growth was then observed as a result of thermal expansion (agreeing with the a_0 increase).¹¹⁸ The temperature-dependent growth of the nanoparticles was found to be intermediate between the ones observed for $\text{CeO}_2 < \text{UO}_2$ and $\text{NpO}_2 < \text{ThO}_2$ nanoparticles. The growth of the PuO_2 nanocrystalline particles was then evaluated using isothermal XRD measurements which allowed the authors to evaluate the activation energy to be *ca.* 351 kJ mol⁻¹. The results suggested that particles grow in the 820–1100 °C range *via* surface diffusion (pore controlled kinetics mechanism).¹²⁶

The High Energy X-ray Scattering (HEXS) approach was initially applied for the characterization of the structural properties of the Pu_{38} oxo-cluster by Soderhom *et al.*,⁸⁵ and more recently for PuO_2 nanoparticles by Gerber *et al.*¹¹¹ HEXS is a total scattering method useful for understanding the coordination environment of a metal centre without long-range order. The technique is based on the collection of hard X rays as a function of the scattering angle and wavelength of radiation providing a distribution probability of atoms as a function of distance (pair distribution function, PDF).^{129,141,142} Long- and short-range orders extracted by the technique indicated strong similarities between the nanoparticles and PuO_2 bulk material. By contrast, the damping differences of the signals observed on the reduced pair distribution functions $G(r)$ for each sample allowed the author to determine the size of the PuO_2 nanoparticles (1.3–2.07 nm) that were found to be in reasonable agreement with HR-TEM (2.3–3.0 nm) and XRD (1.6–2.4 nm) investigations.¹¹¹

Laser induced breakdown detection (LIBD) is another technique that has been used to determine the size and the concentration of Pu particles in solution. The technique is based on the detection of a plasma selectively created between a colloidal dispersion and a focused pulsed laser. Using this technique, very small concentrations of colloids (below 10⁻⁸ M) can be probed, providing important insights into the formation mechanism, solubility, and properties of PuO_2 intrinsic colloids.^{46,83} A series of Pu(IV) colloid samples with a total Pu concentration of about 1.5×10^{-4} M were prepared by the

addition of an aqueous solution or NaOH to Pu(IV) acidic solutions. LIBD analyses performed one day after the sample preparation did not allow the detection of colloids up to pH 0.7 whereas entities of about 5 nm in diameter were observed in the 0.9–1.4 pH range with a total concentration of approx. 10⁻⁷ M. The sample prepared at pH = 1.8 under similar conditions was characterized by the observation of 400 nm particles which aggregated to particle sizes of 1 μm after two years, also accounting for more than 90% of the Pu(IV) in solution. It is interesting to note that the provided and corresponding UV-vis absorption spectra converged to the typical Pu(IV) colloid spectra upon oversaturation (highest pH) and aging.⁴⁶ It is worth noting that the detection limit of the technique, indicated to be about 5 nm, raises questions since colloidal PuO_2 nanoparticles have been very often measured below this size limit when using other techniques.

Small-Angle X-ray or Neutron Scattering techniques (SAXS and SANS, respectively) are complementary techniques which are both able to probe structures at the nanoscale. When entering in contact, elastically scattered radiations of X-ray or neutrons can be quantified to provide information about the size, the shape and the nature of interactions (or also, orientations) occurring between the components of a sample.^{143,144} These techniques are non-intrusive and allow studying samples without specific preparation, providing *in situ* information averaged over a large sample volume and directly in the native environment, which appear clearly advantageous for colloidal systems. Scattering techniques are dependent upon the contrast difference existing in the studied sample. X-ray scattering cross-section increases with the electron density and is therefore sensitive to the atomic number Z , whereas neutron scattering depends on fluctuations of the density of nuclei which vary randomly across the periodic table but appears highly sensitive towards isotopes.^{143,144} Thiagarajan *et al.* used the scattering properties of neutrons to probe Pu polymers (*i.e.* colloids) which revealed the presence of a polydispersed and elongated assembly of nanoparticles measuring more than 190 nm in length with a diameter of *ca.* 4.7 nm (Fig.




Fig. 10 (a) SANS diagram acquired on Pu colloids prepared in aqueous solution (total Pu 0.12 M) which measured 4.7 nm × 190 nm according to data simulations. Adapted from ref. 100 with permission from the American Chemical Society, copyright 1990. (b) SAXS diagrams acquired for 10 mM hydrolytic and 0.8 mM sonolytic colloids. Black lines indicate the slope power laws. The slope observed for the hydrolytic colloid is typical for 3D objects and compact particles (2.6 nm according to simulations). The one observed for the sonolytic colloid is characteristic of elongated objects (e.g. thin disks or lamellas measuring 5.7 nm × > 30 nm according to simulations). Reproduced from ref. 94 with permission from the Royal Society of Chemistry, copyright 2020.



10a).¹⁰⁰ This size is much larger than the one reported with other techniques for Pu nanoparticles prepared using similar approaches. Scattering patterns further allowed the observation of Bragg diffraction lines agreeing with a PuO₂-like periodic structure. By varying the parameters, the authors highlighted the influence of the preparation method on the morphology of the particles including the effect of the temperature. In addition, the scattering patterns demonstrated that the presence of uranyl ions during Pu colloid formation retards the rate of their formation thus agreeing with previous studies.¹⁴⁵ The latter was attributed to the interaction of U(VI) with Pu hydrolyzed species during condensation reactions.

SAXS has been used by other authors to probe plutonium oxide nanoparticles prepared by ammonia neutralization of aqueous Pu solutions of different oxidation states which indicated agglomerates of 2.5 nm PuO₂ nanoparticles.¹¹² More recently, a combination of synchrotron SAXS and XAS (X-ray Absorption Spectroscopy) techniques was developed to probe the multi-scale structural properties of actinide compounds (*i.e.*, from the local structure to the size, morphology and interactions of the nanoparticles in solution).⁹⁴ Normalized SAXS diagrams acquired using this approach for Pu(IV) intrinsic colloids prepared by hydrolysis or sonolysis evidenced strong differences in the particle shapes and sizes of both samples (Fig. 10b). The spherical shape of the hydrolytic colloid nanoparticles was confirmed by SAXS pattern simulations which indicated a particle diameter of 2.6 nm in agreement with HR-TEM investigations. By contrast, the sonolytic colloids were better considered as elongated lamellas or disks with 5.7 nm of thickness and >30 nm length, which is much larger than what observed by HR-TEM. Such striking difference is most likely because of an aggregation phenomenon occurring with aging and resulting from the absence of counter ions in the system (such morphology reminds us of the one observed by Thiagarajan *et al.*, Fig. 10a¹⁰⁰).

In combination with HR-TEM and EXAFS experiments that evidenced the PuO₂-like structure for the colloidal particles, the observed significant variations of the scattering length density profile for the intrinsic Pu(IV) hydrolytic colloid allowed describing them as spherical nanoparticles composed of a PuO₂ core surrounded by a disordered Pu–O shell possibly solvated with nitrates originating from the mother solution.⁹⁴ The significant variations observed for both intrinsic and sonolytic colloids highlighted the strong influence of the preparation conditions on the structural properties of the PuO₂ nanoparticles. It is worth noting that combined SAXS/XAS synchrotron techniques recently allowed probing the size, shape and local structure of a water-soluble plutonium hexanuclear cluster.¹⁴⁶ The stabilization of these very small and low concentration aggregates with the DOTA ligand (1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid) allowed their characterization with a good signal-to-noise ratio, thus demonstrating the technical capacity of the mutual approach. Scattering techniques are obviously strongly considered in modern actinide science^{147–149} but remain poorly applied for *trans*-uranium oxide nanoparticles and we expect a stronger interest for the technique in the near future. The results recently provided by Zhai *et al.* on the formation and structure of ThO₂ colloidal nanoparticles could be helpful for understanding the

properties of analogous nanosized An oxides.¹⁴⁹ After the addition of NaOH to aqueous solutions of Th(NO₃)₄·4H₂O, the dispersions formed at different pH values (5.5–8.0) above the precipitates were characterized by SAXS. The authors demonstrated that dispersions aged for 5 months were composed of a mixture of polymeric colloidal structures measuring 20 nm and more compact particles of 3–4 nm (diameters). The dispersions aged for 18 months were found to be composed of crystalline ThO₂ particles of *ca.* 5 nm forming agglomerates of *ca.* 12 nm in diameter.¹⁴⁹

It is important to emphasize that the various analytical techniques used to probe the PuO₂ nanoparticles may offer several advantages and drawbacks thus highlighting the observed interest of most of the authors in the combination of approaches when characterizing PuO₂ nanoparticles. For instance, slight variations in the nanoparticle sizes are generally noticed when comparing both XRD and TEM techniques. Such a difference can be attributed to nanocrystal boundary effects that cannot be well discriminated or probed by XRD, but also to intrinsic limitations of the HR-TEM technique which do not allow quantifying a large number of particles (statistics and human eye errors).¹⁴⁰ Combining the analytical techniques to evaluate the size of the particle appears to be relevant. Note that lattice strains or instrumental effects are additional parameters that can participate in the broadening of the diffraction peaks and thus deviate the values extracted from the diffractograms. Variations in the determined crystallite sizes have also been demonstrated to depend upon the computational approach; for instance, Kumar *et al.* observed differences when they investigated the size of nanocrystalline cobalt ferrite particles by extracting structural data from XRD patterns with Scherrer's formulae, Williamson–Hall plot, or Rietveld method.¹⁵⁰ Alternatively, TEM experiments have been reported to contribute to the relaxation of the lattice contraction of ceria nanoparticles during their analyses under vacuum, thus explaining the larger values obtained in comparison to room temperature XRD measurements.¹⁵¹ Analysis of liquid-borne particles may force their precipitation and drying, which can dramatically impact their surface chemistry and chemical structure. In particular, synchrotron radiation measurements should be considered with caution regarding the beam-induced reactions (*e.g.* redox processes) or damages (*e.g.* precipitation of (nano-)particles in the cell or on the kapton windows of the sample holders) thus requiring as much as possible the additional control of the samples with alternative techniques during and/or after the measurements.^{124,152,153}

4. Impact of the nanoparticle size on the crystalline structure of PuO₂

4.1. Nanoscale-induced structural variations for PuO₂

Plutonium crystallizes as the dioxide in the fluorite CaF₂ structure of the face-centered cubic system (*Fm* $\bar{3}$ *m* space group). The fluorite lattice exhibits a symmetrical environment illustrated in Fig. 11 and consists of a cubic system regularly occupied by tetravalent Pu cations whereas eight O^{2–} ligands are located at the tetrahedral interstitial positions. In this structure,






Fig. 11 Cell of the PuO_2 structure. Pu^{4+} and O^{2-} are shown in green and red, respectively. In the structure, each O is surrounded by 4 Pu atoms forming tetrahedral sites and each Pu is coordinated by 8 O atoms forming infinite arrays of PuO_8 cubes.

each oxygen is surrounded by four Pu cations and each of them is coordinated by eight oxygen atoms at the corner of a cube forming infinite arrays of AnO_8 polyhedra sharing their edges. At room temperature and pressure, the distances of Pu–O and Pu–Pu are 2.337 and 3.817 Å, respectively, which are similar within this structure giving a lattice parameter $a_0 = 5.396$ Å and a density $d = 11.46 \text{ g cm}^{-3}$.^{20,115} In the oxide, the second O shell (CN = 24) surrounds the Pu atom at a distance of 4.476 Å. The fluorite configuration further allows the formation of vacant octahedral interstitial sites located at the center and middle of the edge of the cubic system thus accommodating a relatively open crystal structure.¹⁵⁴ This property particularly provides a strong resistance of the ceramic to radiation damage and good stability in the nuclear reactor, without deformation of the structure and surrounding cladding that could lead to migration of matter in the exchangers.

A general consensus supported by the above described techniques (and in particular, the diffraction lines acquired with XRD measurements) allows the community to confirm the similarity between bulk PuO_2 and the plutonium oxide nanoparticles described in this review (Table 1). When prepared under ambient conditions, the latter very often measure 2–5 nm in diameter and the preparation of bigger objects appears less common and often requires non-conventional approaches such as autooxidation of Pu(III) , sonochemistry, high temperatures or more exotic procedures.^{45,96,116,125,126} Due to the shrinking dimensions and the related higher proportion of surface atoms exhibiting a different chemical environment, the average coordination number observed for a nanoparticle (particularly for the Pu–Pu coordination shell) is expected to be smaller compared to the bulk ones. This phenomenon can be even more pronounced for the smallest particles and also depends upon the particle shape. Significant structural modifications can accompany these observations in agreement with what was observed for d-block oxides. In particular, the contraction or expansion of the bond length of the surface and subsurface atoms has been reported for several materials, which is suggested to be enhanced for curved surfaces where facets, corners, steps and edge atoms can be observed.^{6,155,156} Strain variations have been reported to depend upon the synthesis conditions

and nanoparticle treatments, in addition to their interaction with the environment. Such features can be related to differences in the surrounding media and local symmetry of the surface atoms, effects of which can also propagate within the core of the particle and are directly related to the cell dimensions within a nanoparticle. As a result, surface energy and physico-chemical properties of the oxide can be significantly varied (*e.g.* reactivity, mechanical properties, electronic structure, stability, *etc.*).^{4,6,155,157,158} Recent simulations carried out on metal nanoparticles also demonstrated the influence of the displacement of surface atoms to the interatomic spacing of subsurface ones.¹⁵⁸

It is important to emphasize that a 3.0 nm PuO_2 nanoparticle exhibiting an a_0 parameter of 5.396 Å contains only *ca.* 90 unit cells in the volume and only 5–6 lattices are required to go through the particles. This calculation decreases to 50 units for a 2.5 nm particle and 26 units for a 2.0 nm particle, meaning that an extreme mechanical stress should be addressed to the whole particle when the particle size and shape are modified in addition to surface interactions with the surroundings. The order of magnitude of atoms involved in a nanoparticle is schematized in Fig. 1 demonstrating that the particle tends to be almost composed of surface atoms when shrinking to a nanometric size. Note also that an increase in the coordination number from 6 to 8 for Pu(IV) allows increasing its ionic radii from 0.86 to 0.96 Å, respectively.¹⁵⁹

The size vs. crystallographic property relationship has been poorly addressed for actinide oxides in comparison to lighter elements including TiO_2 , ZrO_2 , CeO_2 , Co_3O_4 , Fe_3O_4 , *etc.*^{6,160–164} Nanoscale oxides generally show a negative surface stress (*i.e.* an increase in the lattice parameter) whereas metals or halides rather exhibit a positive surface stress (*i.e.* a decrease in the lattice parameter).^{160,164,165} Size-induced lattice variations have been noticed for nanosized CeO_2 which is an isostructural oxide crystallizing in the cubic fluorite structure and is very often used as a PuO_2 simulant for laboratory studies. A 0.45% increase of the cell parameter has been observed for CeO_2 nanoparticles when decreasing in size with a reported value of 5.4087 Å for micrometric bulk particles against 5.4330 Å for 6.1 nm nanoparticles.¹⁶⁶ Some authors reported both lattice expansion and contraction for shrinking ceria nanocrystals and attributed this observation to a balance between the concentration of surface strains or anion vacancies in the nanocrystal and the pressure derived from the nanoparticle surface tension.¹⁵¹ The size dependent crystallographic and electronic properties have been recently demonstrated for CeO_2 nanoparticles.¹⁶⁷ The authors observed an increase in the lattice parameter from 5.411 Å (*i.e.*, the value reported for bulk CeO_2) to 5.456 Å when the particle size decreased from 91 to 2.0 nm. The strongest variations were observed for particles measuring less than 5 nm. The contribution of Ce(III) in the nanoparticles and the associated formation of oxygen vacancies was ruled out by combining XPS spectroscopy with synchrotron hard and soft X-ray absorption experiments at the L_3 and M_5 edges, as well as computational methods. A tensile effect occurring at the nanoparticle surfaces was rather invoked to result from the contribution of carbonate



and hydroxyl surface moieties that were probed with FTIR and TGA.^{167,168}

Although much less considered, several authors probed the lattice parameter of PuO₂ nanoparticles, more generally using XRD patterns which provide the advantage of being statistically relevant when compared to HR-TEM. The simulation of the diffraction patterns provides a good description of the long range ordering of the coherent domains in the studied sample without emphasizing on the material heterogeneities.¹⁶⁹ The lattice parameters given in the literature for PuO₂ nanoparticles are gathered in Table 1 and are correlated with their particle sizes acquired using various approaches (XRD, HEXS, HR-TEM, etc.) as shown in Fig. 12. Although the correlation does not provide a clear trend, significant variations in the cell parameters reported for PuO₂ nanoparticles can be pointed out when compared to the bulk PuO₂ reference reported at 5.396 Å.⁴⁵ Furthermore, one can note that the reference value is almost exclusively lower than the ones reported for the nanoparticles, strengthening the observation of a potential negative surface stress for nanosized PuO₂. A similar, but more pronounced phenomenon, has been recently reported for ThO₂ nanoparticles (another isostructural simulant of PuO₂). Combining XRD, Th L₃-XAS and HR-TEM, the authors observed an increase by about 1.1% for 2.5 nm ThO₂ nanoparticles (5.66 Å) in comparison to bulk materials (5.60 Å).¹⁶⁵ The unit cell parameter dependence on the ThO₂ particle size was found to be a power law relationship. Since Th is only expected to exist in the (+iv) oxidation state, the formation of vacancies was refuted in agreement with the observations carried out with XAS experiments. A combination of thermogravimetry coupled to mass spectrometry analyses allowed explaining the negative stress observed for the ThO₂ nanoparticles by a tensile effect exerted by the presence of surface hydroxyl and carbonate

groups. The adsorption of H₂O or CO₂ can be explained by the high charge of the nanoparticle surface resulting from the breaking of the surface ionic bonds.

4.2. Structural variations induced by PuO₂ nanoparticle surface adsorbates

At the nanoscale, the higher proportion of surface atoms contributes to the increase of the surface energy which may result in particular reactivity and properties. Nanoparticle surfaces may therefore undergo the physico-chemical influence of their surrounding medium or atmosphere.¹⁷⁰ As previously described, significant variations of the lattice have been reported in the presence of adsorbates or the formation of surface hydroxyl groups for various oxides, including ThO₂ and CeO₂.^{160,164,165,167,171} Adsorption properties of species on the PuO₂ nanoparticle surface have been poorly addressed in comparison. Nevertheless, some interesting observations can be revealed when considering the Pu₃₈ clusters which have been evidenced to share some structural properties with Pu(IV) intrinsic colloids according to spectroscopic investigations. In particular, the cores of the former have been demonstrated to be composed of distorted PuO₂. Fig. 13 presents the second layer of Pu–Pu bond distances (or third coordination shell) extracted from Pu₃₈ cluster structures refined by Soderholm and Sigmon and co-workers,^{16,85} and the theoretical lattice parameter value of 5.396 Å typical of bulk PuO₂ (red line in the figure). Although both Pu₃₈ clusters share a similar [Pu₃₈O₅₆]⁴⁰⁺ core derivative of the *Fm* $\bar{3}$ *m* fluorite structure, one can observe slight variations between both structures in addition to a strong splitting of the Pu–Pu distances. Such an observation can be explained by a difference in the ratio of chloride and water molecules serving as capping ligands at the cluster surface. Similar phenomena are expected for PuO₂ particles shrunk to a nanometric size. Nevertheless, it becomes very difficult to assign a property such as a lattice parameter to an individual PuO₂ nanoparticle.




Fig. 12 Survey of the size vs. lattice parameters extracted from the literature for PuO₂ nanoparticles. The blue line corresponds to the theoretical a_0 value expected for PuO_{2,00} ($a_0 = 5.396$ Å) according to ref. 45. The green triangles transcribe values taken from the literature for aged PuO₂ samples prepared by thermal conversion of oxalate precursors at 600 °C.¹³⁸ 200 nm has been used as an arbitrary value for the 4 points given for this size.




Fig. 13 Pu–Pu bond distances occurring at a distance close to the a_0 parameter extracted from the resolved Pu₃₈ cluster published by Soderholm *et al.* and Sigmon *et al.*^{16,85} The red line corresponds to the theoretical a_0 value given for PuO₂ bulk.



Recent studies demonstrate the strong affinity of the PuO_2 bulk surface for H_2O or CO_2 molecules. By using *ab initio* modelling, Moxon *et al.* recently demonstrated the strong interaction of the surface of PuO_2 with CO_2 forming carbonate species.¹⁷² Toth and Friedman reported that a dried polymer (*i.e.* PuO_2 nanoparticles) prepared by NaOH addition on a Pu(IV) acidic solution shows a great affinity for CO_2 forming carbonates which was confirmed by FTIR bands at 1500, 1350 and 890 cm^{-1} . More interestingly, the carbon content of the polymer equilibrated with air reached a value of 1.4 wt% which would approximately account for one carbonate for every three plutonium atoms.¹⁰⁵ FTIR spectra recently acquired on PuO_2 nanoparticles prepared by auto-radiolytic decomposition of Pu(IV) and Pu(III) oxalates in the air atmosphere were also suggested to be possibly associated with carbonate moieties.¹²⁰ Computational calculations allowed the estimation of the surface energy and predicted that the (111) surface is the most stable surface for PuO_2 in comparison to the (110) and (100) indexed ones. It is expected that the selective adsorption of ligands on the desired surface would also control the morphology of nanocrystals that are formed.^{19,173} Simulations performed by Zhang *et al.* indicated that interactions between the PuO_2 (111) surface and H_2O are higher than those observed with CO_2 under similar (P, T) conditions.¹⁷⁴

Both molecular and dissociative adsorption of water molecules have been demonstrated on the PuO_2 surface using simulations. Particularly, it has been demonstrated that water can be present as adsorbed hydroxyl groups on the (110) and (100) surfaces, even at elevated temperatures and pressures.^{19,173} In contrast, the interaction of H_2O with PuO_2 bulk surface has been experimentally reported to generate H_2 gas as well as an overstoichiometric oxide PuO_{2+x} containing Pu(VI) moieties.¹⁷⁵ Using X-ray and ultra-violet photoelectron spectroscopies (XPS and UPS, respectively), Gouder *et al.* investigated the behaviour of a PuO_2 thin film surface in contact with water. At room temperature, they observed the formation of a hydroxyl layer in addition to small amounts of adsorbed water molecules without significant redox variation of Pu. In the presence of UV-light, the warming of a PuO_2 surface in contact with a water ice film induced the reduction of the Pu surface which was interpreted as a photochemically driven interface reaction.^{176,177} Recently, the comparison of the experimental EXAFS spectra acquired for Pu(IV) intrinsic colloids offering particle size variations in combination with their HR-TEM characterizations allowed the description of the species as core-shell nanoparticles made out of a PuO_2 core recovered by a hydrolyzed layer shell.⁹⁶ Understanding the nature of the surface of PuO_2 nanoparticles and its interaction with the environment appears complex but remains challenging due to obvious environmental issues and should lead to exciting investigations in the near future.

4.3. Comments on structural variations induced by radiolysis for PuO_2 nanoparticles

In the course of research activities dedicated to the observation of PuO_{2+x} species, Sarsfield and coworkers have observed the growth of vibration bands with solid phase Raman spectroscopy

during PuO_2 aging.¹³⁸ They attributed this phenomenon to the formation of structural defects as a result of Pu alpha-decay without changes in the O/Pu ratio. In comparison to the theoretical cell parameter of $5.396\text{ \AA}$ reported for bulk PuO_2 , the lattice parameters of the aged samples reached $5.4111\text{ \AA}$ and $5.4129\text{ \AA}$ (green triangles in Fig. 11), which are higher than the values reported for the nanoparticle counterparts discussed in this review. The maximum value of $5.404\text{ \AA}$ associated with $\text{PuO}_{2.26}$ by Haschke *et al.* for a_0 was found to be possibly reached within 1 year of storage for the reprocessed material and 450 days for pure $^{239}\text{PuO}_2$.¹³⁸ Several studies have described the alpha-decay dependency of the lattice parameter increase for PuO_2 bulk powders as a function of isotopy.^{20,178–180} With regard to PuO_2 nanoparticles, Ekberg *et al.* suggested that alpha decay could affect the crystallinity of Pu(IV) colloids leading to more amorphous and/or smaller particles thus explaining EXAFS fit differences.¹¹⁵ From Table 1 and literature data, and besides auto-radiolysis effects reported for Pu solutions, it appears that the isotopic composition of the Pu solutions taken to prepare PuO_2 nanoparticles is not a highly discussed topic and surely deserve more attention. The isotopic composition is not often detailed in publications and appears to be overlooked, as is the question of solution purification.

It is important to emphasize that the presence of Pu-238 in PuO_2 particles aged in water solution has been suggested to significantly impact the structure of the oxide and modify its apparent solubility.^{101,181} An increase in the rate of dissolution of Pu-238-based oxides by about 200 times under neutral conditions has been indicated in comparison to Pu-239 ones exhibiting similar characteristics.^{182–184} The increase in apparent solubility in the presence of Pu-238 has not been correlated with chemical kinetics but rather suggested to result from nuclei recoiling as a result of alpha decay thus inducing particle fragmentation. By using the nuclear track method, it was indicated that 300 nm monodisperse PuO_2 particles may undergo fragmentation in pure water into smaller particles containing $60\text{ to }10^4$ Pu atoms.^{183,184} The local formation of very small particles can therefore be expected as a result of radiolysis. Modifications of the physico-chemical properties of the nanoparticles as a result of the radiolytic modification of the surroundings should also be considered. Along with this observation, the amount of plutonium-241 used during the preparation of PuO_2 nanoparticles is almost never addressed. Pu-241 exhibits a short half-life (14.3 years) leading to the formation of americium-241 by β^- decay.¹⁸⁵ After a few years, the latter can therefore be significantly concentrated in plutonium oxide solids. The contribution of Am in the oxide, in addition to the damages induced by the various radioactive decays, should impact the intrinsic structure of a nanosized oxide. Investigations dealing with the local environment and valences of the cations in $(\text{Pu}, \text{Am})\text{O}_{2-x}$ indicated that Am occupies the Pu sites in the oxide and will reduce to Am(III) prior to any reduction of Pu(IV) .^{154,186} In comparison to the theoretical a_0 values of $5.396\text{ \AA}$ and $5.373\text{ \AA}$ for PuO_2 and AmO_2 , respectively, it was demonstrated that the presence of Am in $(\text{Pu}_{1-y}, \text{Am}_y)\text{O}_{2-x}$ may induce an increase in the lattice parameter for the oxide studied ($a_0 = 5.400$ and $5.411\text{ \AA}$ for $\text{Am}/(\text{Pu}+\text{Am}) =$



0.008 and 0.2, respectively).¹⁸⁷ At high temperature, low Am concentration and low oxygen-to-metal ratio, Am is mainly found in the +III state.¹⁸⁶ What is the influence of Am and the potential formation of oxygen vacancies on the crystalline structure of PuO₂ nanoparticles?

These examples and observations demonstrate that, in addition to synthesis conditions, both the size and the surface properties of PuO₂ nanoparticles may contribute to the variations of their structural properties and also to the data dispersion observed in Fig. 12 and 13. Reports dealing with the radiolysis effect on Pu nanoparticle formation and solution behavior are very few; their effects on the synthesis kinetics, aging, stability and crystalline properties remain a fair question.¹⁸⁰ It is worth noting that alpha particles roughly travel less than 10 cm in air when emitted with an energy of 4–10 MeV and range from 20 to 100 μm in pure water.¹⁸⁸ As the size of a nanoparticle is significantly smaller than the distance travelled by alpha particles, radiolysis is obviously concerned with the nanoparticle core, the surface and the surrounding medium at the same time. In analogy with the recent report on oxalate ligands by Corbey *et al.*, the observed radiolysis effect on ligands potentially complexing Pu aqueous species but also PuO₂ nanoparticles under environmental conditions appears relevant.¹²⁰ Size-dependent crystallographic properties of PuO₂, or AnO₂ nanoparticles to a large extent therefore represent a complex topic requiring a detailed understanding and more rationalized investigations.


5. Probing the atomic and electronic local structures

5.1. General considerations

Whatever the Pu oxide nanoparticle size, aging and synthesis approach are, the above discussion demonstrates the consensus reached with respect to their general structural description agreeing with the basic structure of PuO₂. As described above, this has been evidenced by several techniques including, for instance, XRD, HR-TEM, SAED, HEXS, but also EXAFS which appears as a technique of choice when probing the local structure of PuO₂ nanoparticles. In general, Pu oxide nanoparticles exhibit common features evidenced by EXAFS spectroscopy that will be detailed hereinafter and can be summarized by (i) the observation of two peaks on the Fourier Transform (FT) of the Pu L₃ edge EXAFS spectra matching with the PuO₂ spectra; (ii) a rather stable Pu sublattice agreeing with PuO₂ (often correlated with other characterization techniques). In contrast with PuO₂, FT spectra acquired for PuO₂ nanoparticles generally show a strong dampening of both Pu–O and Pu–Pu shells as a result of an increased local disorder, and a possible distortion, broadening and splitting of the Pu–O shell as a result of a complex oxygen distribution in the structure. This latter point allowed some reports to demonstrate strong similarities between PuO₂ nanoparticles and PuO_{2+x} EXAFS spectra.^{40,45}

It has long been thought that PuO₂ was the highest oxide phase that plutonium could reach. The reported formation of higher oxides when bulk PuO₂ is exposed to water vapour at

temperatures ranging from room temperature to 350 °C has shaken the understanding of the structure of plutonium oxide and raised concerns about industrial nuclear strategies in many countries.^{83,175,189} The report of the oxidation of PuO₂ into PuO_{2+x} (with $x \leq 0.25$) has been argued to be accompanied by the generation of hydrogen gas and a significant contribution of higher Pu oxidation states to the crystal structure in agreement with eqn (14). The final product retains the fluorite structure with a slight expansion of the lattice parameter correlated with an increase in the O/Pu ratio in analogy with UO_{2+x}.^{190,191} Conradson *et al.* demonstrated the possible diversity of Pu L₃ edge EXAFS spectra that can be observed for PuO₂ by comparing a dozen of XRD-determined phase pure samples.¹⁹² The differences were attributed to a large distribution of Pu–O distances (up to 3.4 Å), even in high-fired PuO₂, and explained by the presence of aperiodically distributed plutonyl distances in the 1.83–1.91 Å range, as well as hydrolysis moieties, which could be stabilized as non-diffracting nanoscale domains in the lattice.^{20,192} The formation of hyperstoichiometric PuO₂ in the bulk state remains controversial and the question of its occurrence at the nanoscale appears highly relevant. The topic is indeed of paramount interest for the long-term storage and environmental behavior of Pu, particularly because of the undesirable generation of hydrogen gas under storage conditions and the potential easier leaching of higher oxidation states of Pu in the poorly reactive oxide material.^{115,190}



The Pu L₃ edge EXAFS spectra acquired on PuO₂ nanoparticles generally show low period oscillations corresponding to the short Pu–O shell at low k values (2–10 Å^{−1}) and higher period oscillations corresponding to Pu–Pu interactions at longer distances for high k values (8–16 Å^{−1}). Both features agree with what was reported for EXAFS characterization of bulk PuO₂.^{96,115,193,194} The FT observed for those signals show two peaks located at *ca.* $R+\varphi = 1.8$ Å and 3.7 Å (uncorrected for the phase-shift) and agreeing with the Pu–O and Pu–Pu coordination shells observed in bulk PuO₂ with corrected distances located at 2.33 and 3.81 Å, respectively. Table 2 provides the structural parameters obtained from EXAFS fit for pure phase PuO₂ bulk oxides used in select studies. The fit of the second-nearest-neighbor shell generally obtained for Pu oxide nanoparticles agrees with distances of *ca.* 3.8 Å typically observed in PuO₂ thus demonstrating the preservation of the Pu–Pu pair distribution in the nanoparticles. Interestingly, this value appears to be poorly influenced by the nanoparticle properties, origin and history (size, synthesis approach, state, O-shell contribution, *etc.*) thus confirming that a rather rigid Pu–O–Pu skeleton dominates in the nanoparticle structure.^{83,193} However, the resolution of the EXAFS technique does not make it possible to account for the fine effects observed in the cell parameters with XRD (*e.g.* Fig. 12).

5.2. Probing the Pu–O coordination shell with EXAFS

The Pu–O shell observed for the nanoparticles generally matches the general description of its PuO₂ counterpart but is often characterized by a distorted peak suggesting Pu–O bond length splitting in some reports. The presence of multiple sites



Table 2 Structural parameters observed for a selection of PuO₂ references and nanoparticles

PuO ₂ NP category	PuO ₂ NP characteristics (synthesis route)	Characteristics of the best fits	Pu–O		Pu–Pu			Ref.	
			$R_{\text{Pu–O}}$ (Å)	CN Pu–O	$\text{DWF}_{\text{Pu–O}}$ ($\times 10^{-3}$ Å ²)	$R_{\text{Pu–Pu}}$ (Å)	CN Pu–Pu		$\text{DWF}_{\text{Pu–Pu}}$ ($\times 10^{-3}$ Å ²)
Bulk reference	PuO _{2,00} (thermal conversion of Pu(IV) oxalates, 650 °C, 1 h, 10–20 m ² ·g ^{−1})	Single O-shell $S_0^2 = 0.9, k = 2.4\text{--}14 \text{ Å}^{-1}$	2.33(1)	8	6.5(4)	3.81(1)	12	4.9(1)	196
	PuO ₂ ref (thermal conversion of oxalates, 650 °C)	$S_0^2 = 0.9, k = 2.5\text{--}15 \text{ Å}^{-1}$	2.33 ^a	8 ^a	5.9	3.81(1)	10.5(19)	3.5(6)	94
	Pu ₃₈₈ nanocluster	—	2.33 ^a	8 ^a	14.9(12)	3.80(1)	4.4(14)	10(1)	94
Colloids and nanoclusters	PuO ₂ in contact with H ₂ O	Single O-shell	2.321(4)	8	9.0(5)	3.816(2)	12	3.5(2)	115
	Pu(IV) intrinsic colloids (addition of NaOH to Pu(IV) solution)	Single O-shell	2.294(8)	8	8.1(5)	3.793(3)	3.9(5)	3.6(9)	
	Aged Pu(IV) intrinsic colloids (addition of NaOH to Pu(IV) solution)	Single O-shell	2.267(3)	8	15.2(6)	3.779(4)	1.7(3)	1.9(13)	
	Pu(IV) intrinsic colloids (controlled hydrolysis) ^b	Single O-shell Fourier filtered $S_0^2 = 0.9, k = 2.5\text{--}15 \text{ Å}^{-1}$	2.33 ^a	8 ^a	14.9(7)–16.7(10)	3.80(1)–3.81(1)	5.0(17)–5.7(13)	5.9(7)–6.7(8)	94
Dispersed or associated nanoparticles	Pu(IV) intrinsic colloids (sonication of PuO ₂ nanopowder)	Single O-shell Fourier filtered $S_0^2 = 0.9, k = 2.5\text{--}15 \text{ Å}^{-1}$	2.33 ^a	8 ^a	7.8(6)	3.82(1)	8.6(18)	3.7(10)	94
	Pu(OH) ₄ (Am) (addition of NaOH to Pu(IV) solution)	Single O-shell $S_0^2 = 1.0, k = 2.7\text{--}12.5 \text{ Å}^{-1}$ $R_f = 0.016$	2.32	4.0	10.4	3.87	2.4	6.6	83
	Pu(IV) intrinsic colloids (addition of H ₂ O, NaOH or NaCl solution to Pu(IV) solution)	Two O-shells $S_0^2 = 1.0, k = 2.7\text{--}12.5 \text{ Å}^{-1}$ $R_f = 0.004\text{--}0.013$	2.20–2.24 2.38–2.42	0.7–3.3 0.8–5.6	0.4–8 5.9–13.6	3.86–3.9	2.1–4.9	7.5–9.0	83
	PuO ₂ nanopowder (thermal conversion of hydroxides, 485 °C)	Single O-shell $S_0^2 = 0.9, k = 2.0\text{--}14 \text{ Å}^{-1}$ $R_f = 0.045$	2.33 ^a	2.41 ^a	8.9(10)	3.80(2)	9.5(13)	4.9(7)	116
	Nano-dots and nano-rods (solvolysis in BnOBn/OA/OAm mixture)	Single O-shell $S_0^2 = 0.9, k = 2.8\text{--}10.9 \text{ Å}^{-1}$ $R_f = 0.025$	2.31(1)	6.6(0.8)	9(2)	3.81(1)	8.1(15)	2(1)	117
	Monodisperse PuO ₂ (addition of NH ₃ ·H ₂ O to Pu(III–V) solutions)	Single O-shell $S_0^2 = 0.95, k = 2.0\text{--}14 \text{ Å}^{-1}$ Two O-shells $S_0^2 = 0.95, k = 2.0\text{--}14 \text{ Å}^{-1}$ Three O-shells $S_0^2 = 0.95, k = 2.0\text{--}14 \text{ Å}^{-1}$	2.30(1)–2.32(1) 2.26(1)–2.30(1) 2.39(1)–2.44(1) 1.81(1)–1.84(1) 2.28(1)–2.29(1) 2.42(1)–2.44(1) 2.33 ^a	7.2–7.8 5.5–7.4 0.6–2.5 0.2–0.5 3.7–6.1 1.5–2.3 2.41 ^a	10 ^a 7.6(5)–9.7(5) 1.0(5)–4.3(5) 1.0(5) 3.2(5)–8.3(5) 1.0(5)–5.3(5) 7.0(11)	3.79(1)–3.81(1) 3.79(1)–3.81(1) 3.81(1) 3.79(1)–3.81(1) 3.81(1)	3.2–4.5 3.2–4.5 3.2–4.5 3.2–4.5 11.8(18)	4.3(5)–7.1(5) 4.3(5)–7.1(5) 4.3(5)–7.1(5) 4.3(5)–7.1(5) 5.6(6)	111 111 111 111 116
Nanostructured oxides	Nanostructured PuO ₂ powder (thermal conversion of oxalates, 485 °C)	Single O-shell $S_0^2 = 0.9, k = 2.0\text{--}14 \text{ Å}^{-1}$ $R_f = 0.045$	2.33 ^a	2.41 ^a	7.0(11)	3.81(1)	11.8(18)	5.6(6)	116

^a Fixed values. ^b Taken from a series of hydrolytic colloids showing different Pu : HNO₃ ratios (5–10 mM : 21–42 mM).

for the Pu–O distances remains the subject of discussions due to a certain analogy reported for some nanoparticles and PuO_{2+x} . Particularly, the observation of a shoulder at $R+\phi = 1.9$ Å in the FT of the Pu L_3 edge EXAFS spectra of PuO_2 colloids suggested structural similarities and the potential contribution of other Pu oxidation states to the structure of the nanoparticles.^{40,45,192} Also, different oxidation states might be observed in XAS data without necessarily coming from the nanoparticle itself but due to a potential contribution of soluble ionic species from the solution.¹¹³ The interpretation of the Pu–O shell is difficult and challenging because several external parameters can affect the data treatment around that distance involving the generation of artefacts or misinterpretations which complicates the comparison between the authors. Particularly, the chosen wavevector range, the influence of the Pu–Pu coordination sphere on the spline removal or the double electron excitation signal observed in the L_3 edge spectra of An have been suggested to spuriously modify the Pu–O shell contribution to the EXAFS signal.^{94,156,195} These external parameters are added to the intrinsic properties of the studied nanomaterials which are also known to significantly impact the EXAFS spectra.¹⁵⁶ The observation and interpretation of the atomic scale variations of the nanoparticles are therefore tricky and must be considered with caution.

Several approaches have been proposed in the literature to fit the L_3 EXAFS spectra of nanosized Pu oxides. The simplest model consists of using a single Pu–O shell assuming a PuO_2 -like structure with Pu–O and Pu–Pu distances respectively

located at 2.31 and 3.81 Å. This model is often favored because only two distances are used to fit the data and the potential contribution of other distances is not explained but rather counterbalanced with an increased Debye Waller factor (DWF) parameter resulting in an important local disorder around the absorbing atom when compared to the bulk PuO_2 reference. Such an approach has been successfully used to fit high-fired oxides with rational and consistent structural parameters (see for instance Martin *et al.*,¹⁹⁶ Table 2). By using a single Pu–O shell, Ekberg *et al.* obtained good similarity between the fitted structural parameters they obtained for bulk PuO_2 and their nanoparticles with quite a high Debye–Waller factor coefficient of $8.1 \times 10^{-3} \text{ Å}^2$ for the Pu–O shell which increased to $15.2 \times 10^{-3} \text{ Å}^2$ when the particles were aging (see Table 2 for the structural parameters). This way, the Debye Waller factor provides overall information about the local structural disorder resulting from both the thermal (*i.e.*, dynamic or vibrational) and static (*i.e.*, configurational) displacements of atoms from their ideal lattice positions.^{197,198} The presence of lattice strains and defects including, for instance, dislocations, steps, insertions, vacancies, *etc.* would contribute to the increase of this parameter.

Hudry *et al.* reported structural similarities between L_3 EXAFS spectra acquired for bulk and nanoscale PuO_2 with fitted distances located at 2.31(1) and 3.81(1) Å and coordination numbers at 6.6(8) and 8.1(15) for the Pu–O and Pu–Pu shells, respectively (Table 2).¹¹⁷ The decrease in the peak amplitudes and the high DWF parameters obtained for the Pu–O shell




Fig. 14 (a) FT magnitude of experimental Pu L_3 EXAFS spectra (black) acquired on PuO_2 nanoparticles prepared by ammonia addition into Pu(III)–Pu(V) aqueous solutions. $\chi(R)$ fit results obtained with one Pu–O and one Pu–Pu shell fit are represented in red and Monte-Carlo simulation fits are represented in green. The two vertical dashed lines represent the area of the shell fit. (b) Radial particle distribution function ($n(r)$) for Pu–O and Pu–Pu obtained for Monte-Carlo simulation and (c) 3D structural refinement based on bulk PuO_2 structure. Reproduced from ref. 111 with permission from the Royal Society of Chemistry, copyright 2020.



($9 \times 10^{-3} \text{ \AA}^2$) in comparison to the bulk were attributed to a nanoparticle size effect resulting from a higher proportion of probed surface atoms in comparison to the bulk. This effect is well known for other materials and explains the lower coordination and higher degree of disorder. Gerber *et al.* confirmed this effect by analyzing the structural parameters obtained with a single Pu–O shell (Table 2) on PuO_2 nanoparticles synthesized by ammonia addition into Pu(III) to Pu(V) aqueous solutions (Fig. 14). Note, the absence of Pu–O shell splitting was mentioned by the authors. Although the model well reproduced the data, very high DWF values were observed for the Pu–O shells of the various samples ($10 \times 10^{-3} \text{ \AA}^2$ as an upper constrained limit). The lower coordination numbers and higher DWF observed for both shells were also attributed to a nanoparticle effect when compared to bulk PuO_2 .¹¹¹ More generally and in combination with other techniques, these examples confirm the observation of PuO_2 nanoparticles with a high degree of local disorder as evidenced by the decreased coordination numbers and strong DWF parameters.

In comparison to the single Pu–O shell fit, Gerber *et al.* also experienced two and three Pu–O shell models to fit their data. The three shell model was based on the contribution of $\text{Pu(IV)}\text{--O}$ ($R = 2.43 \text{ \AA}$) and $\text{Pu(IV)}\text{--OH}$ ($R = 2.28 \text{ \AA}$) distances, in addition to a short $\text{Pu(V)}\text{--O}$ one standing at $R = 1.83 \text{ \AA}$ that would add approximately 15% of Pu(V) in the nanoparticles according to the structural data obtained from the fit. The latter model was rejected due to inconsistencies with the XANES results acquired in High Energy Resolved Fluorescence Detection (HERFD) mode with respect to the oxidation states in the nanoparticles. The two shell model excluded the $\text{Pu(V)}\text{--O}$ path with good results but the high dispersion of the obtained structural parameters and the inconsistencies observed with the fit acquired with a similar approach for bulk PuO_2 forced the authors to also exclude this approach. The report finally concluded that the best model to fit the data acquired from their nanoparticles is a PuO_2 structure with only one Pu–O and one Pu–Pu scattering paths. Monte-Carlo EXAFS simulations agreed with this approach (Fig. 14). From the Monte-Carlo simulations, the PuO_2 disorder measured by EXAFS could only be attributed to structural distortion in the PuO_2 nanoparticle core since the surface effect is not taken into account.

Alternative studies were based on a multisite model to describe Pu(IV) colloids based upon the formula $\text{PuO}_{2+x-y}(\text{OH})_{2y} \cdot z\text{H}_2\text{O}$ derived from the perfectly ordered stoichiometric PuO_2 which would only exist in the total absence of H_2O and at low activity of oxygen.¹⁹³ Here, Pu(IV) colloids are described as Pu(IV,V) oxyhydroxide compounds having identical diffraction patterns to PuO_2 with evidence of disorder and exhibiting a possible slight increase of the lattice parameter (when $x > 0$).^{192,199} The multisite distribution is supported by several discrete Pu–O distances reported to range from $2.25 \text{ \AA}$ typical of terminal Pu–OH hydroxo moieties to more than $3 \text{ \AA}$ while keeping the Pu–Pu distances identical to bulk PuO_2 .²⁰⁰ When necessary, the excess of oxygen is explained by the addition of $\text{Pu(V)}\text{--O}$ groups with observed distances in the $1.83\text{--}1.91 \text{ \AA}$ range and a multisite distribution in the first Pu–O shell which is retained even if $x = 0$. The formation mechanism of the colloids




Fig. 15 Top: FT magnitudes of experimental k^3 -weighted EXAFS spectra acquired at the Pu L_3 edge on PuO_2 nanoparticles in comparison to a reference (black curve, data obtained in the $2\text{--}14 \text{ \AA}^{-1}$ range). Bottom: correlation of the coordination numbers obtained for the three Pu–O distances used to fit the Pu–O shell as a function of the S/V ratio of the nanoparticle. Adapted from ref. 96 with permission from Nature Publishing Group, copyright 2017.

would result from irregular surface-nucleated precipitates. The formation of bridges through hydroxyl, water molecules and oxide bonds to accommodate the as-induced strains would result in a disordered structure with a Pu–Pu distribution agreeing with PuO_2 . The protons from hydroxo and aquo ligands would be introduced at the origin of intrinsic vacancies or cation substitutions in the structure.²⁰⁰

Comparing a 1 mM Pu(IV) solution hydrolyzed in 0.5 M NaCl ($\text{pH} = 0.56$) with Pu precipitates obtained by the addition of



NaOH led to the observation of a strong decrease in the coordination numbers for the Pu–O shell correlated with quite high DWF measuring $9.4\text{--}10.4 \times 10^{-3} \text{ \AA}^2$.⁸³ For a solution prepared by the hydrolysis of almost similar concentrations of Pu(IV) with H₂O, NaOH or NaCl solutions, Rothe *et al.* observed that the increase of the pH of the solution was associated with an increase followed by a decrease in the degree of splitting for the Pu–O shell. This behavior was correlated with an increase in the coordination numbers for the second neighboring Pu–Pu coordination shell.⁸³ Nevertheless, the Pu–O shell was treated with two shell models that highlighted two contributions in the 2.20–2.24 Å and 2.38–2.42 Å range distances. The splitting of the Pu–O shell was reported to be reduced for the sample prepared at the highest pH (1.75) with moderate addition of NaOH. The Pu–O shell disorder was explained by different oxygen-based ligands including oxo O²⁻, hydroxo HO- and H₂O moieties that could not be discriminated by the technique. The corresponding Pu–Pu distances only varied by 0.05–0.09 Å indicating a poor influence of the Pu–O shell disorder on them and a rigid Pu–O–Pu basic structure for the nanoparticles. However, the increase in the Pu coordination number for the second shell with increasing pH and particle size suggested an increasing order in the colloid thus supporting the proposed mechanism involving the condensation of Pu oligomers.

The characterization of PuO₂ intrinsic colloids and nanoparticles exhibiting different sizes by L₃ edge EXAFS spectroscopy revealed FT with different degrees of distortion and splitting for the Pu–O shell.⁹⁶ Dalodiere *et al.* observed that these features were found to be strengthened for the smallest PuO₂ nanoparticles (Fig. 15). The fit of the EXAFS data was inspired by and constrained to match with the Pu₃₈ cluster model that involves 3 Pu–O distances: short (1.93–2.23 Å), medium (2.23–2.63 Å) and long (2.63–3.13 Å) Pu–O distances. The resulting coordination numbers observed for Pu–Pu and Pu–O at distances typical of bulk PuO₂ (*i.e.*, the medium ones located at 2.23–2.63 Å) were found to decrease with the decreasing size of the nanoparticles, whereas the short Pu–O

distances were found to gradually increase using this model. These observations were combined with the absence of significant contributions from oxidation states differing with Pu(IV) using L₃ XANES, which allowed attributing the short Pu–O distances to a surface effect most probably resulting from terminal Pu–OH moieties and/or μ₃-O atoms that may reside on the edge of the particle. In accord with the HR-TEM experiments which evidenced the crystalline nature of the particles in agreement with the PuO₂ fluorite structure, these results allowed describing these nanoparticles (intrinsic colloids and nanostructured oxide) as core–shell particles made out of a crystalline PuO₂ core recovered by a thin layer of hydrolyzed and μ₃-O moieties. In addition, a stronger influence of hydrated and/or hydrolyzed forms of Pu(IV) was suggested by oxygen K-edge NEXAFS spectroscopy for the smallest nanoparticles whereas the biggest colloids resembled bulk PuO₂ to a greater extent.⁹⁶ A change in the surface to core atomic ratio was proposed to explain these results. Concomitant to the O-shell, the S/V ratio was also found to be correlated with the Pu–Pu coordination number which decreased with the nanoparticle size as observed in Fig. 15.

The recent EXAFS comparison of some PuO₂ and ThO₂ nanoparticles gave strong evidence for the absence of the contribution of other oxidation states of Pu in the selected PuO₂ nanoparticles.¹¹⁶ In analogy with PuO₂, ThO₂ crystallizes in the fluorite structure of the cubic face centered system (*Fm3m* space group) and therefore shows comparable FT for the EXAFS signal (*i.e.* An–O and An–An shells). Despite their ionic radii difference (1.05 Å for Th(IV) against 0.96 Å for Pu(IV) in 8-fold coordination), using Th for comparison is interesting since this element exists under these conditions only in the (+IV) oxidation state and the potential contribution of redox reactions (in particular higher oxidation states) is therefore excluded. ThO₂ and PuO₂ nanoparticles as aggregated nanoparticles, nanostructured materials or colloids were studied with XAS. Both samples generally exhibited FT EXAFS spectra that agreed with their bulk counterparts. As previously described, both oxides additionally




Fig. 16 (a) FT of the k^3 -weighted EXAFS spectra observed for a selection of PuO₂ samples exhibiting different sizes. Reproduced from ref. 116 with permission from the Royal Society of Chemistry, copyright 2020. (b) Observation of the dependency of the DWF of the Pu–O sphere as a function of the nanoparticle size for CeO₂, PuO₂ and ThO₂ samples. A literature survey was used by the author to plot the figure. Adapted from ref. 201 with permission from the International Union of Crystallography, copyright 2022.




Fig. 17 (a) Comparison of the size dependence of the Pu–Pu coordination sphere when comparing EXAFS experimental data with calculations from geometrical models for PuO₂ nanoparticles. In the figure, red circles represent the experimental data: SAXS vs. EXAFS fit, whereas the blue squares result from theoretical calculations in agreement with the published crystallographic structures. Reproduced from Mischeu *et al.*⁹⁴ with permission from the Royal Society of Chemistry, copyright 2020. (b) Similar approach using a structural model described by the equation eqn (15) for PuO₂ and CeO₂ samples. Reproduced from ref. 201 with permission from the International Union of Crystallography, copyright 2022.

showed a gradual decrease in the EXAFS shell intensities coupled to a distortion of the An–O coordination sphere with the shrinking nanoparticles composing the samples (Fig. 16a).¹¹⁶

The data treatment procedure was standardized in order to facilitate the comparison between the samples and avoid the generation of artefacts. Briefly, the An–O shell was Fourier filtered and a single An–O scattering path was used to fit the DWF parameter for an ideal 8 coordinated An–O shell. Such an approach provided An–O distances agreeing with the respective oxides in addition to the observation of a striking correlation between the size-decreasing nanoparticles and the extracted DWF parameters, which were the only floating parameters for this shell and allows probing the overall local disorder around the absorbing atom.¹¹⁶ The trend of the DWF was found to correlate with the nanoparticle size and was very similar for both PuO₂ and ThO₂ oxides. The modification of the intensity of the EXAFS peaks was therefore correlated with a local structural disorder driven by the nanoparticle shrinking. In agreement with the XRD, TEM and EXAFS results which confirmed the AnO₂ structure of the nanoparticles, this phenomenon was explained by a nanoparticle surface effect. Since Th oxidation state is only (+IV) under these conditions, the gradual modification of the An–O sphere observed for the AnO₂ samples (decrease in intensity, distortion and splitting for the smallest particles) was attributed to the contribution of surface atomic sites and not to high-valence atoms in the measured samples, thus excluding the contribution of other Pu oxidation states in the selected PuO₂ nanoparticles.¹¹⁶ Very recently, the above described procedure was repeated and it confirmed the dependency of the DWF parameter on the size of PuO₂ and ThO₂ nanoparticle samples prepared by different groups and using different synthesis routes (Fig. 16b).²⁰¹ This effect was confirmed to be dramatically increased for particles smaller than 10 nm; moreover, the authors applied the fitting approach to CeO₂ samples (isostructural oxide) and reached a similar conclusion. It is worth noting that the DWF followed the trend

ThO₂ < PuO₂ < CeO₂ (with a reported strong splitting of the Ce–O shell for the smallest particles).

5.3. Probing the Pu–Pu coordination shell with EXAFS

By comparing PuO₂ nanoparticles of different sizes, recent investigations further supported the correlated variation of the coordination numbers determined for the Pu–Pu shell. Coordination numbers observed for stable intrinsic colloids ranged between 5.0–5.7 and 8.6 for *ca.* 2 nm and 5.7 × > 30 nm² particles, respectively, whose values were found to be framed between the ones observed for bulk PuO₂ (CN = 10.5) and the Pu₃₈ cluster (CN = 4.4) with homogeneous Pu–Pu distances observed at 3.81 ± 1 Å. This observation was attributed to a size-dependent surface effect for the probed samples (S/V atomic ratio) which can also be correlated with the increasing DWF parameter (*i.e.* the local structural disorder) when particles shrink.^{94,116} However, a comparison with the theoretical data for the Pu₃₈ cluster and the bulk PuO₂ references revealed an underestimation of the CN for the Pu–Pu sphere (Fig. 17). In particular, the structural theoretical parameters observed for the Pu₃₈ cluster indicate CN = 7.58 (*i.e.* much higher than CN = 4.4 obtained by fitting the corresponding simulated spectra with a single Pu–Pu shell) with Pu–Pu interatomic distance in the 3.53–3.92 Å range. A comparison of the variation of the CN (Pu–Pu) experimentally observed for various PuO₂ nanoparticles with theoretical calculations built from geometric models coming from SAXS observations demonstrated similar trends.

This offset observed between the experimental and theoretical data highlights the limits of the model used to fit the Pu–Pu coordination sphere for nanoscale materials (Fig. 17a). In particular, CN lower than 6 should not be observed for spherical particles since it is the lowest value supposed to be observed for surface atoms in agreement with the Pu₃₈ cluster. In addition to moieties that may decrease the Pu coordination numbers at the nanoparticle surface (*e.g.* μ₃-oxo bonds, OH groups or adsorbed water molecules), several hypotheses were proposed to explain



such a difference including a possible size polydispersity, surface roughness or the possible contribution of smaller Pu clusters.^{83,96,156,168,202} In particular, the latter (*e.g.* Pu₆, Pu₁₆, Pu₂₂) have been reported to exhibit much lower coordination numbers for the Pu–Pu sphere (CN = 4, 5.23, and 5.36, respectively) and could contribute to the formation mechanism of larger clusters or particles.^{16,88,89} Finally, it is also worth noting that the distance distribution of the Pu–Pu bonds can significantly split for nanomaterials in agreement with Fig. 13. The average EXAFS oscillation therefore coming from core and surface probed atoms may interfere and decrease the amplitude of the total oscillations when measured with a single shell.

The absence of correlation between experimental EXAFS and geometrical calculation approaches was later confirmed for the Pu–Pu coordination shell.²⁰¹ A general structural model for MeO₂ (Me = Ce, Th, U or Pu) was used to take into account this difference while considering core–shell structures for the nanoparticles and calculating an effective Me–Me coordination number (CN_{ef}) based on eqn (15) where N_{core} and N_{total} are the number of Me atoms in the core and total structure, respectively (Fig. 17b). Using this approach, the authors were able to observe a very good agreement between the experimental and theoretical data, further suggesting a better EXAFS sensitivity of the ordered core in comparison to surface atoms. In addition, it allowed the authors to estimate the size of the core for each plotted nanoparticle, which was found to approximately correlate with the lattice parameter of the studied oxides (*ca.* 0.4 nm). Finally these correlations (Fig. 17b) confirmed similar structural properties for the various studied oxides CeO₂, ThO₂, UO₂ and PuO₂.^{165,201,203} It is worth noting that slight differences in comparison to the other oxides in terms of CN for the An–An sphere and DWF for the An–O sphere were explained by the more amorphous nature of ThO₂ nanoparticles.

$$\text{CN}_{\text{ef}} = 12 \frac{N_{\text{core}}}{N_{\text{total}}} \quad (15)$$

5.4. General comments about EXAFS interpretations of PuO₂ nanoparticles

In view of the above, multisite distribution models generally allow good reproducibility of the experimental data with however a very high number of structural parameters to interpret which goes with an increased uncertainty. The increasing number of variables requires a deep questioning of the subjacent crystallography without further evidence. Although the fitted distances generally agree with PuO₂, the observed significant decrease in the intensity of both the Pu–O and Pu–Pu coordination spheres is most often interpreted by a decrease in the coordination numbers of the shells that can be explained by an increased local disorder. Most of the authors conclude that this increased disorder is related to the Pu–O coordination sphere and attribute it to the effect of the nanoparticle surface that increases when shrinking in agreement with the PuO₂ crystalline structure of the nanoparticles revealed by other techniques (including HR-TEM).^{83,124} The transition between Pu clusters and bigger particles is also important to consider since

the smallest objects appear to impact the Pu–Pu distances significantly, despite the rigid Pu–O–Pu structure supported by all of the recent results. Indeed, recent findings about PuO₂ nanoparticles and small Pu(IV) clusters support a progressive distortion of Pu–Pu distances from the core to the surface.^{16,85} The crystallographic description of plutonium clusters well depicts what could be the atomic distribution in PuO₂ nanoparticles. First of all, in the Pu₃₈ structure the fluorite-like arrangements of Pu and O atoms in the core are preserved. Second, the surface plutonium atoms don't necessarily bond to hydroxo moieties but rather form μ_3 -oxo bridges that are shorter than the oxo bonds in the particle core by approximately 0.15 Å. Third, water molecules may bond to the surface plutonium atoms at longer distances. These surface oxobonds and water molecules therefore appear as good candidates to explain the distance distribution often observed for the Pu–O shell of PuO₂ nanoparticles (either through a large DWF or a multi-shell model).

Furthermore, it is interesting to point out the strong differences visually and structurally observed by the various authors in the EXAFS spectra acquired for the variety of available PuO₂ nanoparticles (*e.g.* splitting of the Pu–O shell, differences in the CN or DWF). Ockenden demonstrated the influence of the solution aging and preparation route on the electronic absorption spectra observed for Pu(IV) colloids.⁶⁵ In their relevant review, Walther and Denecke indicated that colloids prepared at low pH differ from those obtained under basic conditions with the observation of less ordered structures when the acidic Pu(IV) solution is quickly stabilized.⁴⁰ Nevertheless, Gerber *et al.* observed that the addition of ammonia to Pu(IV) solutions yielded 2 nm spherical PuO₂ nanoparticles whatever the pH of the resulting solution in the 1–10 pH range. HERFD at the Pu M₄ edge demonstrated that Pu(IV) dominates among all of these nanoparticles whereas an additional contribution of Pu(III) and Pu(VI), originating from the solution, was noticed when the nanoparticles were formed under the lowest pH conditions (pH = 1).¹¹³

Zhao *et al.* recently investigated the chemical behaviour of PuO₂ nanoparticles prepared by alkaline (neutralization of Pu(IV) solution by the addition of NaOH) and acidic (precipitated from heated Pu(IV) acidic solutions) routes.¹⁰¹ Although both types of particles offered comparable properties according to TEM (size from 2 to 4.5 nm with an estimated specific surface area in the 150–210 m² g^{−1} range), the particles obtained under acidic conditions were found to form more ordered aggregates indicative of higher crystallinity which resulted in better stability of the particles regarding their dissolution in the presence of montmorillonite, a mineral of environmental significance. Such an observation strengthened the relevance of the nanoparticle formation conditions to their physico-chemical properties including the long term stability of intrinsic Pu colloids at environmentally relevant timescales.¹⁰¹ Interestingly, the authors also mentioned that the improved stability generally known to be provided by the thermal treatment for bulk PuO₂ also appears to be true at the nanoscale for particles exhibiting similar size properties.






Fig. 18 Pu L₃ XANES (left) and HERFD-XANES (right) spectra comparing Pu(III)–Pu(VI) aqueous solutions with Pu(IV) colloids. Adapted from Vitova *et al.*¹²⁴ with permission from the Royal Society of Chemistry, copyright 2018.

5.5. XANES spectroscopy

XANES spectroscopy has been demonstrated to be sensitive to the charge and the local geometry of absorbing atoms. For plutonium in nanosized objects, the absorption edge observed by Pu L₃ XANES spectroscopy (which results from dipole allowed transitions occurring between the 2p_{3/2} core level and the empty 6d states) depends on several factors. The position and form of the edge as well as the form of the post-edge region may be modified by the redox state of the absorbing Pu ion, the presence of uncoordinated atoms and the strong contribution of the surface of the nanoparticles and their geometry (morphology, defects, edges, corners, *etc.*). Oxide nanomaterials can therefore be assumed to show significant variations from their bulk counterparts and display particular features in the XANES spectra as a result of size-induced structural and electronic properties.^{112,124,156,202,204,205} The energy position of the white line for Pu(III), Pu(IV), Pu(V) and Pu(VI) aqueous species when probed at the L₃ edge has been determined at 18060.1, 18063.2, 18062.6 and 18064.8 eV, respectively. The difference between them is significant enough to discriminate the main Pu oxidation state in the PuO₂ nanoparticles. However, since Pu L₃ edge probes the 6d states which are identical for Pu(IV), Pu(V), and Pu(VI), it is not possible to affirm the exclusive contribution of only one of them, particularly for Pu(V) and Pu(VI).²⁰⁵ Also, the interaction of ligands with the nanoparticles, in addition to modifications of the local geometry, have been reported to possibly affect the edge energy.^{117,192} Nevertheless, the strong predominance of Pu(IV) oxidation state in PuO₂ nanoparticles has been highlighted by most of the authors using L₃ XANES spectroscopy in agreement with the work of Vitova *et al.* illustrated in Fig. 18 (left image).^{83,94,111,116,124}

The comparison of fresh and 5 years hydrolyzed clusters prepared by the NaOH neutralization of a Pu(IV) acidic

solution by Ekberg *et al.* did not show any trace of Pu(VI).¹¹⁵ A strong decrease in the CN obtained for the Pu–Pu coordination sphere, along with a decrease in the mean Pu–O distance (CN = 8, with almost identical DWF), was linked to particle size and aging. This was explained by an evenly distributed oxidation of Pu(IV) without the formation of plutonyl species. These results were compared to PuO₂ bulk particles (oxalic route) in contact with water, which showed a significant decrease of the fitted Pu–O distances (both first and second shells) in comparison to PuO₂ references and was attributed to the potential oxidation of the surface. Rothe *et al.* studied the valence and electronic structure of Pu colloids obtained by dilution of acidic Pu solutions in aqueous solution and by precipitation with the addition of NaOH to acidic Pu(IV) solutions.⁸³ Comparable L₃ XANES profiles and WL positions were observed for all of the studied samples. The absence of significant energy shift or extra features that could be responsible for the presence of Pu(V) or Pu(VI) in the spectra supported the tetravalent state of Pu in these samples. Colloidal samples exhibited WL intensities that were intermediate between the one observed for Pu(IV) aqueous ion described by more localized 6d final states (molecular-like orbitals), and the one of the precipitate described with band-like structures. The decrease of the WL amplitude was therefore correlated with the pH increase of the solution expressed by a particle size effect in which the density of state tends towards the one observed for bulk PuO₂ samples when particles grow.⁸³ Several authors evidenced the damping of the WL and post-edge region intensities in EXAFS when analyzing PuO₂ nanoparticles.¹¹⁷ Walther *et al.* have also observed a slight decrease in the Pu L₃ XANES WL intensity during the aging of intrinsic colloids. EXAFS spectroscopy indicated the ripening of these colloids into crystalline PuO₂ structures strengthened with a decrease in the Pu–Pu distances and an






Fig. 19 (a) HERFD-XANES spectra acquired at the Pu M_5 edge for aqueous Pu(IV) containing 6% Pu(VI), bulk PuO_2 and Pu(IV) colloids. Adapted from Vitova *et al.*¹²⁴ with permission from the Royal Society of Chemistry, copyright 2018. (b) HERFD-XANES spectra acquired at the Pu M_4 edge for PuO_2 nanoparticles prepared by the addition of ammonia to Pu(III–V) aqueous solutions. Adapted from Gerber *et al.*¹¹¹ with permission from the Royal Society of Chemistry, copyright 2020.

increase in the coordination numbers related to the Pu–O and Pu–Pu shells.⁴⁶ Note that some authors reported an inverse effect when comparing Pu colloids with bulk PuO_2 references with a higher intensity of the WL for the latter.^{94,117} Therefore, this L_3 -edge intensity difference observed between PuO_2 nanoparticles and the bulk remains difficult to explain since other experimentally dependent parameters including self-absorption may contribute to the intensity variations on the absorption edge.

Recent investigations demonstrated the dramatic increase of the resolution of the obtained spectra by monitoring XANES in High-Energy Resolution Fluorescence Detection (HERFD) mode. The enhanced quality of the data results from the elimination of the core-hole lifetime broadening due to the reduction of the experimental spectral width. Detailed information about the oxidation state, electronic structure and local geometry can be obtained using this approach.²⁰⁶ A recent review describes the relevant state of the art of the technique.²⁰⁷ Fig. 18 (right image) provides HERFD-XANES spectra for Pu(IV) colloids acquired at the Pu L_3 edge against Pu(III)–Pu(VI) in aqueous solutions. In comparison to conventional XANES spectra, HERFD mode allowed the observation of an increase in the intensity of the WL and better resolution.¹²⁴ The rigorous comparison of the Pu L_3 XANES and HERFD-XANES experimental results confirmed the absence of energy shift between Pu(IV) colloids and aqueous Pu(IV) thus confirming the strong predominance of the tetravalent state for the former. Using additional computational data to calculate the XANES spectra, the authors further explained the WL intensity reduction and asymmetric shape observed for the Pu(IV) colloid by

a condensation effect of the Pu 6d states. The results also suggest the splitting of the Pu d states as a result of the cubic crystal field thus explaining the band-like structure observed for the Pu(IV) colloids contrasting with the narrower and better defined d state observed for aqueous Pu(IV).¹²⁴

While the Pu L_3 edge is measured in the hard X-ray regime (~ 17 – 18 keV), the emerging possibility of probing the actinides at the $M_{4,5}$ edges (3.5–4 keV) recently allowed the authors to obtain very interesting information on PuO_2 nanoparticles. In comparison to the L_3 edge (which allows probing empty 6d states), measuring Pu XANES spectra in the tender X-ray range has been reported to be more instructive about the electronic structure and oxidation state of An. Indeed, measuring M edges allows probing the 5f density of states ($3d$ – $5f$ electronic transitions) which are closer to the Fermi levels.^{111,114,141,207} Significant differences have been observed when comparing the shape of the HERFD-XANES spectra acquired for PuO_2 nanoparticles at the M_4 or M_5 edges.¹¹⁴ This has been attributed to dipole selection rules leading to the reaching of different 5f electronic levels by the excited electrons (M_5 : $J = 5/2$ or $7/2$; M_4 : $J = 5/2$ only). Fig. 19a displays HERFD-XANES spectra acquired at the Pu M_5 edge for Pu(IV) colloid, bulk PuO_2 and an aqueous Pu(IV) solution contaminated with *ab.* 6% Pu(VI). The significant contribution of Pu(VI) traces can be noticed on the aqueous Pu(IV) spectra with a characteristic high energy shift (feature A) and the formation of a characteristic feature (B) specific to Pu(VI). The absence of the latter in the colloid spectra strongly suggested the absence of Pu oxidation states other than (IV). The analysis in the post-edge region (feature C) for bulk PuO_2 and Pu colloid confirms structural similarities for both samples.




Fig. 20 (a) Formation kinetics of the transformation of aqueous Pu(vi) into PuO₂ nanoparticles through a metastable Pu(v) intermediate (conditions: 6×10^{-5} M of Pu in excess of ammonia, pH 11) with crystal structures of the formed phases (inset). (b) Corresponding HERFD XANES spectra acquired at the Pu M₄ edge for the intermediate Pu(v) phase and the final PuO₂ nanoparticles compared with references. Reproduced from ref. 114 with permission from Wiley-VCH Verlag GmbH & Co., copyright 2019.

Nevertheless, the observation of a 0.5 eV energy shift for the WL was attributed to a nanoparticle surface effect possibly related to the presence of a tiny amount of Pu(v) or Pu(vi), surface ionic bonds (e.g. Pu–OH, Pu–OH₂), or O vacancies.¹²⁴ It is important to note that the preparation of pure Pu solutions (aqueous or colloidal) generally used as references is tricky and the resulting solutions described in the literature are sometimes contaminated by a few percent of other Pu oxidation states thus potentially disturbing the results and interpretations.

The Pu M₄ and L₃ edges HERFD-XANES spectra acquired on PuO₂ nanoparticles prepared by the addition of ammonia to Pu(III), Pu(IV) and Pu(V) solutions recently ruled out the potential contribution of other oxidation states to these nanoparticle structures.¹¹¹ In agreement with computational approaches, the L₃ edge HERFD-XANES spectra acquired on six samples of PuO₂ nanoparticles confirmed the strong predominance of the Pu tetravalent state and did not evidence any convincing variation when compared with a bulk reference (Fig. 19b). Thus, the

observations agreed with the PuO₂ structure interpretations extracted from XRD, HR-TEM and HEXS techniques. Note that a slight difference in the post-edge region (18.09 keV) was observed and attributed to a nanoparticle surface effect due to the sensitivity of the region for decreases in CN in agreement with analogous investigations carried out on ThO₂ nanoparticles.²⁰⁴ Interestingly, the authors also mentioned the absence of variations in their repeated measurements after 4 months (samples encapsulated as wet pastes in sample holders) which is particularly interesting when compared with other actinide oxides, for instance UO₂ which has been demonstrated to partially oxidize and grow in size.²⁰³ Probing the Pu M₄ edge with the HERFD-XANES technique allowed the authors to go deeper into the comparison by examining the 5f crystal field splitting with an Anderson impurity model (SIAM, Fig. 19b). In addition to the white line shape and position, similar spectral features were indeed observed between the nanoparticles and the bulk PuO₂. This particularly includes the observation of a shoulder at high energy which agreed with the theoretical calculations thus discarding the potential contribution of other Pu oxidation states to the nanoparticle structure.^{111,114,207} The technique also allowed the discrimination of the additional contribution of Pu(III) and Pu(VI) aqueous ions in colloidal dispersions of PuO₂ nanoparticles prepared at low pH.¹¹³

Recently, it was described the transformation of Pu(vi) into PuO₂ nanoparticles in the presence of an excess of ammonia (pH = 11). During the process, Pu M₄ edge measurements evidenced the formation of a metastable Pu(v) intermediate similar to NH₄PuO₂CO₃.¹¹⁴ Kinetic measurements supported by HERFD confirmed the two-step process for the formation of the nanoparticles (Pu(vi) → Pu(v) → Pu(IV)) and the exclusive presence of Pu(IV) – and the absence of Pu(v) – in the finally formed PuO₂ nanoparticles of ca. 2 nm (Fig. 20).^{114,207}

6. Going beyond the fundamental properties of PuO₂ nanoparticles

The size vs. property relationship of PuO₂ nanoparticles appears less investigated in comparison to studies related to their synthesis approach and fundamental electronic and structural characterizations. In contrast to bulk PuO₂ which is known to be a hard, dense and chemically poorly reactive material generally showing an olive green color, interesting features have been nevertheless mentioned in the literature for the nanosized analogues. Popa and Walter indicated that PuO₂ nanoparticles prepared under hot compressed water conditions have a lighter green color.^{71,118} By contrast, the PEG/ammonia route used for the preparation of PuO₂ nanoparticles¹¹⁶ leads to the observation of a very smooth black color powder which contrasts with conventional observations made for bulk PuO₂ (Fig. 21). Recently, PuO₂ nanoparticles obtained by auto-radiolytic decomposition of Pu oxalate compounds were found to exhibit a variety of colors despite evidence of similar preparation and storage conditions for the precursors (room temperature in air) and similar properties for the obtained nanocrystals (FTIR, XRD, UV-vis spectroscopy).^{20,120} It is noteworthy that the






Fig. 21 Pictures from PuO_2 nanoparticles prepared by (a) firing at 485°C of precursors obtained by the PEG/ammonia route¹¹⁶ (personal picture); (b and c) decomposition of Pu(IV) oxalates by auto-radiolysis over 14.5 months;¹²⁰ (d and e) decomposition of Pu(III) oxalates by auto-radiolysis over 16 and 15 months, respectively.¹²⁰ Figures (b–e) were reproduced from ref. 120 with permission from John Wiley and Sons, copyright 2021.

authors reported the formation of PuO_2 nanocrystals from both Pu(III) and Pu(IV) oxalates. The few examples related to the variability of powder colors strongly suggest that nanosizing PuO_2 causes a significant impact on the electronic transitions responsible for optical absorption which is most probably related to surface characteristics. It is also interesting to note that unusual colors (dull yellow, buff, kaki, black...) have been reported for bulk PuO_2 depending on the synthesis route, chemical purity, particle size and stoichiometry.^{45,208} Reflectance spectroscopy might be used to report these interesting observations and further advances are expected in the domain.

Through magnetization experiments, the nanosize-induced property has been demonstrated for PuO_2 nanoparticles. Bulk PuO_2 exhibits a temperature independent paramagnetic behavior and is characterized by the absence of magnetic moments despite the electronic configuration of Pu(IV) .^{117,209} Magnetization experiments carried out on a mixture of PuO_2 nanodots and nanorods interestingly demonstrated a magnetic susceptibility value $M/H(300\text{ K}) = \chi_{\text{DC}}(300\text{ K}) = 0.835 \times 10^{-3} \text{ emu mol}^{-1}$, corresponding to $1.05 \times 10^{-8} \text{ m}^3 \text{ mol}^{-1}$ after conversion. This value appears in between the values reported for Pu(III) and Pu(V) at $0.47 \times 10^{-8} \text{ m}^3 \text{ mol}^{-1}$ and $1.63 \times 10^{-8} \text{ m}^3 \text{ mol}^{-1}$, respectively, but more interestingly it is constrained between the values reported for PuO_2 and Pu(IV) , being $2.84 \times 10^{-8} \text{ m}^3 \text{ mol}^{-1}$ for the latter.^{210–212} Such an intermediate behaviour suggests a possible influence of the nanoparticle surface if a crystalline and diamagnetic PuO_2 core is considered.

The evaluation of the catalytic properties of actinide oxides is a growing topic and was recently discussed in the comprehensive review of Leduc *et al.*¹⁰ Although plutonium appears neglected for obvious reasons, very interesting results have been obtained with nanosized uranium and thorium oxides suggesting promising developments. The selective and reversible extraction of Pu(IV) colloids from the soluble ionic species was carried out in a mixture composed of *n*-octanol and trichloroacetic acid.⁸⁶ This interesting approach allowed pointing out the complexity of the surface reactivity of Pu nanoparticles raising questions about their behavior in migration schemes.

Meanwhile, the strong adsorption of Pu(IV) intrinsic colloids onto materials acquiring a negative surface charge when contacted with water (glass, paper, silica...) has been reported.⁴⁵ With regard to the formation of the nanoparticles, Powell *et al.* evidenced a striking difference when Pu(IV) solution was brought in contact with goethite or quartz with the observation of 2–5 nm Pu_4O_7 and PuO_2 nanoparticles at the surface of the respective materials. The difference noticed in the case of goethite was explained by the epitaxial growth of the nanoparticles as a result of the similarity of the lattice parameters.⁵⁵

Bulk PuO_2 is a highly refractory material requiring drastic conditions to be dissolved (boiling nitric media, HF, O_3 , *etc.*).^{45,213–215} By comparison, easier dissolution and an increased dissolution rate have been reported in 8 M HNO_3 at 80°C for PuO_2 nanomaterials prepared by hydrothermal synthesis.⁷¹ Whereas high fired PuO_2 did not show significant behavior in sonicated water, the ultrasound treatment of nanostructured PuO_2 in pure water and an Ar/CO atmosphere was found to yield Pu(IV) intrinsic colloids.^{94,96} This behavior was attributed to the improved reactivity of nanostructured PuO_2 in comparison to the bulk, but also to redox mechanisms fostered for such nanoscale oxides. Such an approach opens interesting perspectives for the preparation of PuO_2 nanoparticles with specific properties: core-shell nanoparticles, functionalization, dissolution, *etc.* For instance, recent results reported the significant sonochemical dissolution of nanoscale ThO_2 often used as a PuO_2 simulant in dilute 0.5 M H_2SO_4 (20 kHz, 20°C) in contrast with the known strong refractory behaviour of bulk ThO_2 . The mechanism was evidenced to combine the physical effects of ultrasound, *in situ* generation of H_2O_2 and complexation properties of sulfates which further enabled the accumulation of a neo-formed thorium peroxo sulfate with 1D morphology.^{216,217} The transposition of this work to nanoscale PuO_2 is an on-going study that demonstrated interesting preliminary results.¹²³ Moreover, the enhanced reactivity of AnO_2 nanoparticles is particularly interesting since the experimental conditions used for the preparation of several nanostructured PuO_2 samples are similar to the ones used for its industrial preparation dedicated to MOX nuclear fuel.^{116,121} The potential observation of production specification differences (*e.g.* density, sintering properties, microstructure, *etc.*) might be explained by the contribution of nanoscale objects.

7. Conclusion and outlook

This review summarizes the recent progress in the synthesis, characterization and multi-scale structural properties of PuO_2 nanoparticles. Beyond the interest related to the fundamental knowledge of nanoscale PuO_2 (and more generally, AnO_2), this overview demonstrates that these nanomaterials constitute a promising topic in nuclear chemistry due to their potential implications for industrial and technological purposes. Their potential role in radioactivity migration in the geosphere represents another important question focusing on the past nuclear responsibility and future energy-related activities. Safety surface and underground storage, corrosion of the spent nuclear fuel, preparation of reference materials for safeguards and forensics, behavior of nuclear fuel in operation or in the



case of accidents, or decommissioning of polluted sites are some of the global challenges requiring a thorough characterization of PuO₂ nanoparticles. Nuclearized and newly developed or improved analytical techniques, in combination with the available access to large instruments for hot samples, highly contributed to achieving new insights about the piece of the chemistry puzzle addressed by the PuO₂ nanoparticles.

The preparation of PuO₂ nanoparticles with a controlled and reproducible size is of paramount interest for potential applications and laboratory screening. The observed size is very often in the 1–5 nm range which appears particularly interesting when focusing the size vs. structural properties relationship. Recent results demonstrate that PuO₂ particles in the 1–10 nm size range show the most significant effect on the modification of their local and electronic structures. Larger particles generally correspond to bulk PuO₂ to a greater extent, although their surface chemistry may imply specific reactivity in agreement with what was observed with other actinide oxides in heterogeneous catalysis, for instance. Nevertheless, accessing PuO₂ nanoparticles with controlled size and morphology appears challenging. The preparation of well-defined mixed oxide nanoparticles and their nuclear technological options also represent an interesting and relevant question deserving answers. The highly debated and intriguing issue related to the crystalline nature and the potential presence of higher valence oxidation states in the PuO₂ nanoparticles has been fixed. The development of nuclearized analytical techniques and the increased sensitivity of spectroscopy approaches have significantly contributed to the state-of-the-art knowledge related to the electronic structure and oxidation state of the PuO₂ nanoparticles. Further democratization of these recent approaches (including for instance SAXS, HERFD-XANES, O–K edge spectroscopy) and their relevant combination appear essential for the careful and thorough characterization of the physico-chemical properties of the PuO₂ nanoparticles.

More generally, PuO₂ nanoparticles are defined as crystalline particles in agreement with the PuO₂ bulk fluorite FCC structure. However, recent studies confirm a size-dependent structural disorder definitely related to the nanoparticle surface but also to a gradient of Pu–Pu bond length variation within the core by analogy with smaller clusters exhibiting some structural similarities. Further insights are still expected in solution about the formation mechanism of the nanoparticles and the potential contribution of smaller cluster species. Similarly, understanding the nature of the nanoparticle surface and its interaction with the surroundings (adsorption of species, interaction with other particles, dissolution, aging processes, etc.) is challenging. The radiolysis effect of plutonium isotopes on the local structure of the nanoparticles, on their stability, on their surface and the surrounding and interface chemistry is also a fair question. Finally, the related behaviour of hot particles with the biosphere including marine species appears essential.

Conflicts of interest

There are no conflicts to declare.

References


- W. J. Stark, P. R. Stoessel, W. Wohlleben and A. Hafner, *Chem. Soc. Rev.*, 2015, **44**, 5793–5805.
- G. R. Patzke, Y. Zhou, R. Kontic and F. Conrad, *Angew. Chem., Int. Ed.*, 2011, **50**, 826–859.
- H. E. Rudel, M. K. M. Lane, C. L. Muhich and J. B. Zimmerman, *ACS Nano*, 2020, **14**, 16472–16501.
- M. S. Chavali and M. P. Nikolova, *SN Appl. Sci.*, 2019, **1**, 607.
- S. Rajeshkumar and P. Naik, *Biotechnol. Rep.*, 2018, **17**, 1–5.
- M. Fernandez-Garcia, A. Martinez-Arias, J. C. Hanson and J. A. Rodriguez, *Chem. Rev.*, 2004, **104**, 4063–4104.
- T.-D. Nguyen, *Nanoscale*, 2013, **5**, 9455–9482.
- Z. Wu, S. Yang and W. Wu, *Nanoscale*, 2016, **8**, 1237–1259.
- E. Villarreal, G. G. Li, Q. Zhang, X. Fu and H. Wang, *Nano Lett.*, 2017, **17**, 4443–4452.
- J. Leduc, M. Frank, L. Jürgensen, D. Graf, A. Raauf and S. Mathur, *ACS Catal.*, 2019, **9**, 4719–4741.
- E. A. Goodilin, P. S. Weiss and Y. Gogotsi, *ACS Nano*, 2019, **13**, 10879–10886.
- S. N. Kalmykov and M. A. Denecke, *Actinide Nanoparticle Research*, Springer, Berlin, Heidelberg, 1st edn, 2011.
- L. M. Moreau, A. Herve, M. D. Straub, D. R. Russo, R. J. Abergel, S. Alayoglu, J. Arnold, A. Braun, G. J. P. Deblonde, Y. Liu, T. D. Lohrey, D. T. Olive, Y. Qiao, J. A. Rees, D. K. Shuh, S. J. Teat, C. H. Booth and S. G. Minasian, *Chem. Sci.*, 2020, **11**, 4648–4668.
- O. Walter, K. Popa and O. D. Blanco, *Open Chem.*, 2016, **14**, 170–174.
- R. M. Pallares and R. J. Abergel, *Nanoscale*, 2020, **12**, 1339–1348.
- G. E. Sigmon and A. E. Hixon, *Chem.–Eur. J.*, 2019, **25**, 2463–2466.
- H. Geckeis, M. Zavarin, B. Salbu, O. C. Lind and L. Skipperud, in *Plutonium Handbook*, D. L. Clark, D. A. Geeson and R. J. Hanrahan Jr, La Grange Park, IL, USA, 2019, ch 25, pp. 1979–2118.
- C. R. Armstrong, H. A. Brant, P. R. Nuessle, G. Hall and J. R. Cadieux, *Sci. Rep.*, 2016, **6**, 21512.
- G. X. Wang, E. R. Batista and P. Yang, *Appl. Sci.*, 2020, **10**, 4655.
- The Chemistry of the Actinide and Transactinide Elements*, ed. L. Morss, N. Edelstein and J. Fuger, Springer, Netherlands, 2011.
- T. A. Lennox, D. N. Millington and R. E. Sunderland, *Prog. Nucl. Energy*, 2007, **49**, 589–596.
- K. V. Vrinda Devi, J. Ramkumar, K. Biju and D. B. Sathe, *J. Nucl. Mater.*, 2019, **518**, 129–139.
- H. Wu, Y. Yang and Y. C. Cao, *J. Am. Chem. Soc.*, 2006, **128**, 16522–16523.
- V. F. Petrunin, *Phys. Procedia*, 2015, **72**, 536–539.
- W.-Q. Shi, L.-Y. Yuan, Z.-J. Li, J.-H. Lan, Y.-L. Zhao and Z.-F. Chai, *Radiochim. Acta*, 2012, **100**, 727–736.
- G. Kauric, O. Walter, A. Beck, B. Schacherl, O. Dieste Blanco, J. F. Vigier, E. Zuleger, T. Vitova and K. Popa, *Mater. Today Adv.*, 2020, **8**, 100105.



- 27 L. R. Khanal, J. A. Sundararajan and Y. Qiang, *Energy Technol.*, 2020, **8**, 1901070.
- 28 T. Wiss, V. V. Rondinella, R. J. M. Konings, D. Staicu, D. Papaioannou, S. Bremier, P. Poml, O. Benes, J. Y. Colle, P. Van Uffelen, A. Schubert, F. Cappia, M. Marchetti, D. Pizzocri, F. Jatuff, W. Goll, T. Sonoda, A. Sasahara, S. Kitajima and M. Kinoshita, *Radiochim. Acta*, 2017, **105**, 893–906.
- 29 V. V. Rondinella and T. Wiss, *Mater. Today*, 2010, **13**, 24–32.
- 30 Y. Torres, C. Garcia-Ostos, C. Arevalo, F. J. Gotor, J. J. Pavon, P. Trueba and J. A. Rodriguez-Ortiz, *J. Nucl. Sci. Technol.*, 2017, **54**, 167–173.
- 31 J. Spino and D. Papaioannou, *J. Nucl. Mater.*, 2008, **372**, 416–420.
- 32 T. Ozawa, Y. Ikusawa, T. Abe and K. Maeda, *La Grange Park*, Orlando, FL, 2004.
- 33 V. Tyrpekl, J. F. Vigier, D. Manara, T. Wiss, O. D. Blanco and J. Somers, *J. Nucl. Mater.*, 2015, **460**, 200–208.
- 34 R. Jovani-Abril, M. Gibilaro, A. Janssen, R. Eloirdi, J. Somers, J. Spino and R. Malmbeck, *J. Nucl. Mater.*, 2016, **477**, 298–304.
- 35 Q. Yan, Y. W. Mao, X. S. Zhou, J. H. Liang, M. Y. Ye and S. M. Peng, *J. Nucl. Mater.*, 2018, **512**, 417–422.
- 36 J. Spino, H. Santa Cruz, R. Jovani-Abril, R. Birtcher and C. Ferrero, *J. Nucl. Mater.*, 2012, **422**, 27–44.
- 37 J. Spino, D. Papaioannou, I. Ray and D. Baron, 2002.
- 38 A. Brunstad, *Ind. Eng. Chem.*, 1959, **51**, 38–40.
- 39 A. Y. Romanchuk, I. E. Vlasova and S. N. Kalmykov, *Front. Chem.*, 2020, **8**, 630.
- 40 C. Walther and M. A. Denecke, *Chem. Rev.*, 2013, **113**, 995–1015.
- 41 A. Y. Romanchuk, S. N. Kalmykov, A. B. Kersting and M. Zavarin, *Russ. Chem. Rev.*, 2016, **85**, 995–1010.
- 42 A. B. Kersting, *Inorg. Chem.*, 2013, **52**, 3533–3546.
- 43 A. P. Novikov, S. N. Kalmykov, S. Utsunomiya, R. C. Ewing, F. Horreard, A. Merkulov, S. B. Clark, V. V. Tkachev and B. F. Myasoedov, *Science*, 2006, **314**, 638–641.
- 44 P. H. Santschi, K. A. Roberts and L. Guo, *Environ. Sci. Technol.*, 2002, **36**, 3711–3719.
- 45 D. Clark, S. Hecker, G. Jarvinen and M. Neu, in *The Chemistry of the Actinide and Transactinide Elements*, ed. L. Morss, N. Edelstein and J. Fuger, Springer Netherlands, 2011, ch. 7, pp. 813–1264, DOI: [10.1007/978-94-007-0211-0_7](https://doi.org/10.1007/978-94-007-0211-0_7).
- 46 C. Walther, J. Rothe, B. Brendebach, M. Fuss, M. Altmaier, C. M. Marquardt, S. Buechner, H. R. Cho, J. I. Yun and A. Seibert, *Radiochim. Acta*, 2009, **97**, 199–207.
- 47 A. Safonov, E. Lavrinovich, A. Emel'yanov, K. Boldyrev, V. Kuryakov, N. Rodygina, E. Zakharova and A. Novikov, *Sci. Rep.*, 2022, **12**, 4557.
- 48 A. Wolfsberg, Z. Dai, L. Zhu, P. Reimus, T. Xiao and D. Ware, *Environ. Sci. Technol.*, 2017, **51**, 5582–5590.
- 49 M. A. Denecke, N. Bryan, S. Kalmykov, K. Morris and F. Quinto, in *Experimental and Theoretical Approaches to Actinide Chemistry*, 2018, ch. 8, pp. 378–444, DOI: [10.1002/9781119115557](https://doi.org/10.1002/9781119115557).
- 50 V. Neck, M. Altmaier, A. Seibert, J. I. Yun, C. M. Marquardt and T. Fanghanel, *Radiochim. Acta*, 2007, **95**, 193–207.
- 51 W. Runde and M. P. Neu, in *The Chemistry of the Actinide and Transactinide Elements*, ed. L. R. Morss, N. M. Edelstein and J. Fuger, Springer Netherlands, Dordrecht, 2011, pp. 3475–3593, DOI: [10.1007/978-94-007-0211-0_32](https://doi.org/10.1007/978-94-007-0211-0_32).
- 52 A. B. Kersting, D. W. Efurud, D. L. Finnegan, D. J. Rokop, D. K. Smith and J. L. Thompson, *Nature*, 1999, **397**, 56–59.
- 53 H. Zanker and C. Hennig, *J. Contam. Hydrol.*, 2014, **157**, 87–105.
- 54 A. Y. Romanchuk, S. N. Kalmykov, A. V. Egorov, Y. V. Zubavichus, A. A. Shiryaev, O. N. Batuk, S. D. Conradson, D. A. Pankratov and I. A. Presnyakov, *Geochim. Cosmochim. Acta*, 2013, **121**, 29–40.
- 55 B. A. Powell, Z. R. Dai, M. Zavarin, P. H. Zhao and A. B. Kersting, *Environ. Sci. Technol.*, 2011, **45**, 2698–2703.
- 56 M. Schmidt, S. S. Lee, R. E. Wilson, K. E. Knope, F. Bellucci, P. J. Eng, J. E. Stubbs, L. Soderholm and P. Fenter, *Environ. Sci. Technol.*, 2013, **47**, 14178–14184.
- 57 R. Kirsch, D. Fellhauer, M. Altmaier, V. Neck, A. Rossberg, T. Fanghanel, L. Charlet and A. C. Scheinost, *Environ. Sci. Technol.*, 2011, **45**, 7267–7274.
- 58 E. Balboni, K. F. Smith, L. M. Moreau, T. T. Li, M. Maloubier, C. H. Booth, A. B. Kersting and M. Zavarin, *ACS Earth Space Chem.*, 2020, **4**, 1993–2006.
- 59 A. E. Hixon and B. A. Powell, *Environ. Sci. Technol.*, 2014, **48**, 9255–9262.
- 60 A. E. Hixon and B. A. Powell, *Environ. Sci.: Process. Impacts*, 2018, **20**, 1306–1322.
- 61 K. F. Smith, K. Morris, G. T. W. Law, E. H. Winstanley, F. R. Livens, J. S. Weatherill, L. G. Abrahamsen-Mills, N. D. Bryan, J. F. W. Mosselmans, G. Cibir, S. Parry, R. Blackham, K. A. Law and S. Shaw, *ACS Earth Space Chem.*, 2019, **3**, 2437–2442.
- 62 E. I. Hamilton, *Mar. Pollut. Bull.*, 1985, **16**, 305–309.
- 63 E. I. Hamilton, *Mineral. Mag.*, 1985, **49**, 177–194.
- 64 P. J. Kershaw, D. C. Denoon and D. S. Woodhead, *J. Environ. Radioact.*, 1999, **44**, 191–221.
- 65 G. J. Hancock, S. G. Tims, L. K. Fifield and I. T. Webster, in *Stratigraphical Basis for the Anthropocene*, ed. C. N. Waters, J. A. Zalasiewicz, M. Williams, M. Ellis and A. M. Snelling, Geological Society Publishing House, Bath, 2014, vol. 395, pp. 265–281.
- 66 M. R. Beccia, P. L. Solari, M. Monfort, C. Moulin and C. Den Auwer, *New J. Chem.*, 2018, **42**, 7582–7591.
- 67 T. Dumas, M. Guigue, P. Moisy, R. Colina-Ruiz, J. Mustre de Leon, M. Matara-Aho, P. L. Solari, M. Monfort, C. Moulin, M. R. Beccia and C. D. Auwer, *ChemistrySelect*, 2018, **3**, 2021–2024.
- 68 R. C. Ewing, *Nat. Mater.*, 2015, **14**, 252–257.
- 69 O. L. Gaskova, *Geochem. Int.*, 2006, **44**, 501–507.
- 70 N. P. Laverov, V. I. Velichkin, B. I. Omel'yanenko and S. V. Yudinsev, *Geology of Ore Deposits*, 2003, vol. 45, pp. 1–18.
- 71 K. Popa and O. Walter, in *Comprehensive Nuclear Materials*, ed. R. J. M. Konings and R. E. Stoller, Elsevier, Oxford, 2020,



- second edn, pp. 579–592, DOI: [10.1016/B978-0-12-803581-8.11780-1](https://doi.org/10.1016/B978-0-12-803581-8.11780-1).
- 72 K. E. Knope and L. Soderholm, *Chem. Rev.*, 2013, **113**, 944–994.
 - 73 M. Altmaier, X. Gaona and T. Fanghanel, *Chem. Rev.*, 2013, **113**, 901–943.
 - 74 International Atomic Energy Agency, *Radioactive Particles in the Environment: Sources, Particle Characterization and Analytical Techniques*, IAEA-TECDOC-1663, IAEA, Vienna, 2011.
 - 75 J. Jeevanandam, A. Barhoum, Y. S. Chan, A. Dufresne and M. K. Danquah, *Beilstein J. Nanotechnol.*, 2018, **9**, 1050–1074.
 - 76 V. Gubala, L. J. Johnston, Z. Liu, H. Krug, C. J. Moore, C. K. Ober, M. Schwenk and M. Vert, *Pure Appl. Chem.*, 2018, **90**, 1283–1324.
 - 77 S. E. Lohse and C. J. Murphy, *J. Am. Chem. Soc.*, 2012, **134**, 15607–15620.
 - 78 H. Gleiter, *Acta Mater.*, 2000, **48**, 1–29.
 - 79 D. H. Everett, *Pure Appl. Chem.*, 1972, **31**, 577–638.
 - 80 F. A. Khan, in *Applications of Nanomaterials in Human Health*, ed. F. A. Khan, Springer Singapore, Singapore, 2020, pp. 1–13, DOI: [10.1007/978-981-15-4802-4_1](https://doi.org/10.1007/978-981-15-4802-4_1).
 - 81 *The transuranium elements: research papers. 1. Papers 1.1 to 6.39*, ed. G. T. Seaborg, J. J. Katz and W. M. Manning, N.Y.: McGraw-Hill, USA, 1949.
 - 82 C. Walther, H. R. Cho, C. M. Marquardt, V. Neck, A. Seibert, J. I. Yun and T. Fanghanel, *Radiochim. Acta*, 2007, **95**, 7–16.
 - 83 J. Rothe, C. Walther, M. A. Denecke and T. Fanghanel, *Inorg. Chem.*, 2004, **43**, 4708–4718.
 - 84 V. Neck and J. I. Kim, *Radiochim. Acta*, 2001, **89**, 1–16.
 - 85 L. Soderholm, P. M. Almond, S. Skanthakumar, R. E. Wilson and P. C. Burns, *Angew. Chem., Int. Ed.*, 2008, **47**, 298–302.
 - 86 R. E. Wilson, S. Skanthakumar and L. Soderholm, *Angew. Chem., Int. Ed.*, 2011, **50**, 11234–11237.
 - 87 H. Nitsche, *Chem. Rev.*, 2013, **113**, 855–857.
 - 88 K. E. Knope and L. Soderholm, *Inorg. Chem.*, 2013, **52**, 6770–6772.
 - 89 C. Tamain, T. Dumas, D. Guillaumont, C. Hennig and P. Guilbaud, *Eur. J. Inorg. Chem.*, 2016, **2016**, 3536–3540.
 - 90 C. Tamain, T. Dumas, C. Hennig and P. Guilbaud, *Chem.–Eur. J.*, 2017, **23**, 6864–6875.
 - 91 K. E. Knope, S. Skanthakumar and L. Soderholm, *Inorg. Chem.*, 2015, **54**, 10192–10196.
 - 92 D. W. Wester, *Inorg. Chem.*, 1982, **21**, 3382–3385.
 - 93 D. W. Ockenden and G. A. Welch, *J. Chem. Soc.*, 1956, 3358–3363, DOI: [10.1039/jr9560003358](https://doi.org/10.1039/jr9560003358).
 - 94 C. Micheau, M. Viro, S. Dourdain, T. Dumas, D. Menut, P. L. Solari, L. Venault, O. Diat, P. Moisy and S. I. Nikitenko, *Environ. Sci.: Nano*, 2020, **7**, 2252–2266.
 - 95 D. Rai and J. L. Swanson, *Nucl. Technol.*, 1981, **54**, 107–112.
 - 96 E. Dalodière, M. Viro, V. Morosini, T. Chave, T. Dumas, C. Hennig, T. Wiss, O. Dieste Blanco, D. K. Shuh, T. Tyliczak, L. Venault, P. Moisy and S. I. Nikitenko, *Sci. Rep.*, 2017, **7**:43514, 1–10.
 - 97 E. Dalodière, PhD thesis, Université de Montpellier, 2017.
 - 98 M. H. Lloyd and R. G. Haire, *Nucl. Appl.*, 1968, **5**, 114–122.
 - 99 M. H. Lloyd and R. G. Haire, *Radiochim. Acta*, 1978, **25**, 139–148.
 - 100 P. Thiagarajan, H. Diamond, L. Soderholm, E. P. Horwitz, L. M. Toth and L. K. Felker, *Inorg. Chem.*, 1990, **29**, 1902–1907.
 - 101 P. Zhao, M. Zavarin, Z. Dai and A. B. Kersting, *Appl. Geochem.*, 2020, **122**, 104725.
 - 102 R. G. Haire, M. H. Lloyd, M. L. Beasley and W. O. Milligan, *J. Electron Microsc.*, 1971, **20**, 8–16.
 - 103 A. I. Abdel-Fattah, D. X. Zhou, H. Boukhalfa, S. Tarimala, S. D. Ware and A. A. Keller, *Environ. Sci. Technol.*, 2013, **47**, 5626–5634.
 - 104 J. I. Kim and B. Kanellakopulos, *Radiochim. Acta*, 1989, **48**, 145–150.
 - 105 L. M. Toth and H. A. Friedman, *J. Inorg. Nucl. Chem.*, 1978, **40**, 807–810.
 - 106 M. H. Lloyd and O. K. Tallent, *Nucl. Technol.*, 1973, **18**, 205–215.
 - 107 C. Maillard and J. M. Adnet, *Radiochim. Acta*, 2001, **89**, 485–490.
 - 108 T. W. Newton, D. E. Hobart and P. D. Palmer, *Radiochim. Acta*, 1986, **39**, 139–147.
 - 109 A. K. Pikaev, V. P. Shilov and A. V. Gogolev, *Russ. Chem. Rev.*, 1997, **66**, 763–788.
 - 110 I. R. Triay, R. S. Rundberg, A. J. Mitchell, M. A. Ott, D. E. Hobart, P. D. Palmer, T. W. Newton and J. L. Thompson, *Size Determinations of Plutonium Colloids Using Autocorrelation Photon Spectroscopy*, Los Alamos National Lab. (LANL), Los Alamos, NM (United States), 1989.
 - 111 E. Gerber, A. Y. Romanchuk, I. Pidchenko, L. Amidani, A. Rossberg, C. Hennig, G. B. M. Vaughan, A. Trigub, T. Egorova, S. Bauters, T. Plakhova, M. Hunault, S. Weiss, S. M. Butorin, A. C. Scheinost, S. N. Kalmykov and K. O. Kvashnina, *Nanoscale*, 2020, **12**, 18039–18048.
 - 112 A. Y. Romanchuk, T. V. Plakhova, A. V. Egorov, T. B. Egorova, P. V. Dorovatovskii, Y. V. Zubavichus, A. A. Shiryayev and S. N. Kalmykov, *Dalton Trans.*, 2018, **47**, 11239–11244.
 - 113 E. Gerber, A. Y. Romanchuk, S. Weiss, A. Kuzenkova, M. O. J. Y. Hunault, S. Bauters, A. Egorov, S. M. Butorin, S. N. Kalmykov and K. O. Kvashnina, *Environ. Sci.: Nano*, 2022, **9**, 1509–1518.
 - 114 K. O. Kvashnina, A. Y. Romanchuk, I. Pidchenko, L. Amidani, E. Gerber, A. Trigub, A. Rossberg, S. Weiss, K. Popa, O. Walter, R. Caciuffo, A. C. Scheinost, S. M. Butorin and S. N. Kalmykov, *Angew. Chem., Int. Ed.*, 2019, **58**, 17558–17562.
 - 115 C. Ekberg, K. Larsson, G. Skarnemark, A. Odegaard-Jensen and I. Persson, *Dalton Trans.*, 2013, **42**, 2035–2040.
 - 116 L. Bonato, M. Viro, T. Dumas, A. Mesbah, E. Dalodière, O. D. Blanco, T. Wiss, X. Le Goff, M. Odorico, D. Prieur, A. Rossberg, L. Venault, N. Dacheux, P. Moisy and S. I. Nikitenko, *Nanoscale Adv.*, 2020, **2**, 214–224.
 - 117 D. Hudry, C. Apostolidis, O. Walter, A. Janssen, D. Manara, J. C. Griveau, E. Colineau, T. Vitova, T. Prussmann,



- D. Wang, C. Kubel and D. Meyer, *Chem.-Eur. J.*, 2014, **20**, 10431–10438.
- 118 K. Popa, O. Walter, O. D. Blanco, A. Guiot, D. Bouexiere, J. Y. Colle, L. Martel, M. Naji and D. Manara, *CrystEngComm*, 2018, **20**, 4614–4622.
- 119 L. Balice, D. Bouexiere, M. Cologna, A. Cambriani, J. F. Vigier, E. De Bona, G. D. Soraru, C. Kubel, O. Walter and K. Popa, *J. Nucl. Mater.*, 2018, **498**, 307–313.
- 120 J. F. Corbey, L. E. Sweet, S. I. Sinkov, D. D. Reilly, C. M. Parker, J. M. Lonergan and T. J. Johnson, *Eur. J. Inorg. Chem.*, 2021, **2021**, 3277–3291.
- 121 R. M. Orr, H. E. Sims and R. J. Taylor, *J. Nucl. Mater.*, 2015, **465**, 756–773.
- 122 V. Tyrpekl, M. Belis, T. Wangle, J. Vleugels and M. Verwerft, *J. Nucl. Mater.*, 2017, **493**, 255–263.
- 123 L. Bonato, PhD thesis, Université de Montpellier, 2020.
- 124 T. Vitova, I. Pidchenko, D. Fellhauer, T. Pruessmann, S. Bahl, K. Dardenne, T. Yokosawa, B. Schimmelpfennig, M. Altmaier, M. Denecke, J. Rothe and H. Geckeis, *Chem. Commun.*, 2018, **54**, 12824–12827.
- 125 I. R. Triay, D. E. Hobart, A. J. Mitchell, T. W. Newton, M. A. Ott, P. D. Palmer, R. S. Rundberg and J. L. Thompson, *Radiochim. Acta*, 1991, **52–3**, 127–131.
- 126 D. Bouexiere, K. Popa, O. Walter and M. Cologna, *RSC Adv.*, 2019, **9**, 6542–6547.
- 127 L. J. Cash, M. D. Hoover, R. A. Guilmette, P. N. Breyse and L. Bertelli, *Radiat. Prot. Dosim.*, 2016, **173**, 318–324.
- 128 H. Smith, G. N. Stradling, B. W. Loveless and G. J. Ham, *Health Phys.*, 1977, **33**, 539–551.
- 129 R. J. Batrice, J. N. Wacker and K. E. Knope, in *Experimental and Theoretical Approaches to Actinide Chemistry*, ed. J. K. Gibson and W. A. Jong, 2018, ch. 2, pp. 53–127, DOI: [10.1002/9781119115557](https://doi.org/10.1002/9781119115557).
- 130 D. E. Hobart, D. E. Morris, P. D. Palmer and T. W. Newton, *Presented in Part at the Conference: Nuclear Waste Isolation in the Unsaturated Zone: FOCUS '89, Las Vegas, NV (United States), 18-21 Sep 1989; Other Information: PBD: 1989, United States, 1989*.
- 131 M. Altmaier, X. Gaona, D. Fellhauer, D. L. Clark, W. H. Runde and D. E. Hobart, in *Plutonium Handbook*, ed. D. L. Clark, D. A. Geeson and R. J. Hanrahan Jr, American Nuclear Society, La Grange Park, IL, USA, 2019.
- 132 L. Medyk, D. Manara, J. Y. Colle, D. Bouexiere, J. F. Vigier, L. Marchetti, P. Simon and P. Martin, *J. Nucl. Mater.*, 2020, **541**, 152439.
- 133 F. Cappia, D. Hudry, E. Courtois, A. Janssen, L. Luzzi, R. J. M. Konings and D. Manara, *Mater. Res. Express*, 2014, **1**, 025034.
- 134 C. Jegou, M. Gennisson, S. Peugeot, L. Desgranges, G. Guimbretiere, M. Magnin, Z. Talip and P. Simon, *J. Nucl. Mater.*, 2015, **458**, 343–349.
- 135 Z. Talip, S. Peugeot, M. Magnin, M. Tribet, C. Valot, R. Vauchy and C. Jegou, *J. Nucl. Mater.*, 2018, **499**, 88–97.
- 136 T. Shinonaga, D. Donohue, H. Aigner, S. Burger, D. Klose, T. Karkela, R. Zilliacus, A. Auvinen, O. Marie and F. Pointurier, *Anal. Chem.*, 2012, **84**, 2638–2646.
- 137 E. Villa-Aleman, N. J. Bridges, T. C. Shehee and A. L. Houk, *J. Nucl. Mater.*, 2019, **515**, 140–149.
- 138 M. J. Sarsfield, R. J. Taylor, C. Puxley and H. M. Steele, *J. Nucl. Mater.*, 2012, **427**, 333–342.
- 139 B. L. Scott, A. L. Pugmire, J. T. Stritzinger, D. K. Veirs, L. E. Wolfsberg and M. P. Wilkerson, *J. Nucl. Mater.*, 2019, **521**, 155–160.
- 140 S. Mourdikoudis, R. M. Pallares and N. T. K. Thanh, *Nanoscale*, 2018, **10**, 12871–12934.
- 141 L. Amidani, G. B. M. Vaughan, T. V. Plakhova, A. Y. Romanchuk, E. Gerber, R. Svetogorov, S. Weiss, Y. Joly, S. N. Kalmykov and K. O. Kvashnina, *Chem.-Eur. J.*, 2021, **27**, 252–263.
- 142 S. J. L. Billinge and I. Levin, *Science*, 2007, **316**, 561.
- 143 J. Blazek and E. P. Gilbert, *Carbohydr. Polym.*, 2011, **85**, 281–293.
- 144 D. Honecker, M. Bersweiler, S. Erokhin, D. Berkov, K. Chesnel, D. A. Venero, A. Qdemat, S. Disch, J. K. Jochum, A. Michels and P. Bender, *Nanoscale Adv.*, 2022, **4**, 1026–1059.
- 145 L. M. Toth, H. A. Friedman and M. M. Osborne, *J. Inorg. Nucl. Chem.*, 1981, **43**, 2929–2934.
- 146 T. Dumas, M. Viro, D. Menut, C. Tamain, C. Micheau, S. Dourdain and O. Diat, *J. Synchrotron Radiat.*, 2022, **29**, 30–36.
- 147 M. Dembowski, C. A. Colla, P. Yu, J. Qiu, J. E. S. Szymanowski, W. H. Casey and P. C. Burns, *Inorg. Chem.*, 2017, **56**, 9602–9608.
- 148 M. Nyman, *Coord. Chem. Rev.*, 2017, **352**, 461–472.
- 149 B. H. Zhai, Q. Tian, N. Li, M. H. Yan and M. J. Henderson, *J. Synchrotron Radiat.*, 2022, **29**, 281–287.
- 150 L. Kumar, P. Kumar, A. Narayan and M. Kar, *Int. Nano Lett.*, 2013, **3**, 8.
- 151 L. Chen, P. Fleming, V. Morris, J. D. Holmes and M. A. Morris, *J. Phys. Chem. C*, 2010, **114**, 12909–12919.
- 152 S. Skanthakumar, D. Gorman-Lewis, A. Locock, M. H. Chiang, M. P. Jensen, P. C. Burns, J. Fein, C. D. Jonah, K. Attenkofer and L. Soderholm, Boston, MA, 2003.
- 153 W.-Q. Shi, L.-Y. Yuan, C.-Z. Wang, L. Wang, L. Mei, C.-L. Xiao, L. Zhang, Z.-J. Li, Y.-L. Zhao and Z.-F. Chai, *Adv. Mater.*, 2014, **26**, 7807–7848.
- 154 W. D. Neilson, H. Steele, N. Kaltsoyannis and S. T. Murphy, *Phys. Chem. Chem. Phys.*, 2022, **24**, 8245–8250.
- 155 W. J. Huang, R. Sun, J. Tao, L. D. Menard, R. G. Nuzzo and J. M. Zuo, *Nat. Mater.*, 2008, **7**, 308–313.
- 156 A. Kuzmin and J. Chaboy, *IUCrJ*, 2014, **1**, 571–589.
- 157 D. Vollath, F. D. Fischer and D. Holec, *Beilstein J. Nanotechnol.*, 2018, **9**, 2265–2276.
- 158 D. Nafday, S. Sarkar, P. Ayyub and T. Saha-Dasgupta, *ACS Nano*, 2018, **12**, 7246–7252.
- 159 R. D. Shannon, *Acta Crystallogr., Sect. A: Found. Adv.*, 1976, **32**, 751–767.
- 160 P. P. Rodenbough, C. Zheng, Y. Liu, C. Hui, Y. Xia, Z. Ran, Y. Hu and S.-W. Chan, *J. Am. Ceram. Soc.*, 2017, **100**, 384–392.



- 161 V. Swamy, D. Menzies, B. C. Muddle, A. Kuznetsov, L. S. Dubrovinsky, Q. Dai and V. Dmitriev, *Appl. Phys. Lett.*, 2006, **88**, 243103.
- 162 T. Montini, M. Melchionna, M. Monai and P. Fornasiero, *Chem. Rev.*, 2016, **116**, 5987–6041.
- 163 X. Gao, I. Di Bernardo, P. Kreider, T. Tran-Phu, X. B. Cai, N. Wang, Y. Zhu, M. B. Venkataraman, J. Lipton-Duffin, A. Bayon, W. Lipinski and A. Tricoli, *ACS Catal.*, 2019, **9**, 9880–9890.
- 164 P. M. Diehm, P. Agoston and K. Albe, *ChemPhysChem*, 2012, **13**, 2443–2454.
- 165 T. V. Plakhova, A. Y. Romanchuk, D. V. Likhoshervstova, A. E. Baranchikov, P. V. Dorovatovskii, R. D. Svetogorov, T. B. Shatalova, T. B. Egorova, A. L. Trigub, K. O. Kvashnina, V. K. Ivanov and S. N. Kalmykov, *J. Phys. Chem. C*, 2019, **123**, 23167–23176.
- 166 F. Zhang, S. W. Chan, J. E. Spanier, E. Apak, Q. Jin, R. D. Robinson and I. P. Herman, *Appl. Phys. Lett.*, 2002, **80**, 127–129.
- 167 D. Prieur, W. Bonani, K. Popa, O. Walter, K. W. Kriegsman, M. H. Engelhard, X. F. Guo, R. Eloirdi, T. Gouder, A. Beck, T. Vitova, A. C. Scheinost, K. Kvashnina and P. Martin, *Inorg. Chem.*, 2020, **59**, 5760–5767.
- 168 T. V. Plakhova, A. Y. Romanchuk, S. M. Butorin, A. D. Konyukhova, A. V. Egorov, A. A. Shiryaev, A. E. Baranchikov, P. V. Dorovatovskii, T. Huthwelker, E. Gerber, S. Bauters, M. M. Sozarukova, A. C. Scheinost, V. K. Ivanov, S. N. Kalmykov and K. O. Kvashnina, *Nanoscale*, 2019, **11**, 18142–18149.
- 169 A. J. Garcia-Adeva, D. R. Conradson, P. Vilella and S. D. Conradson, *J. Phys. Chem. B*, 2003, **107**, 6704–6716.
- 170 M. Auffan, J. Rose, C. Chanéac, J.-P. Jolivet, A. Masion, M. R. Wiesner and J.-Y. Bottero, in *Nanoethics and Nanotoxicology*, ed. P. Houdy, M. Lahmani and F. Marano, Springer Berlin Heidelberg, Berlin, Heidelberg, 2011, pp. 269–290, DOI: [10.1007/978-3-642-20177-6_12](https://doi.org/10.1007/978-3-642-20177-6_12).
- 171 T. Belin, N. Millot, F. Villières, O. Bertrand and J. P. Bellat, *J. Phys. Chem. B*, 2004, **108**, 5333–5340.
- 172 S. Moxon, A. R. Symington, J. S. Tse, J. Dawson, J. M. Flitcroft, S. C. Parker, D. J. Cooke, R. M. Harker and M. Molinari, *Phys. Chem. Chem. Phys.*, 2020, **22**, 7728–7737.
- 173 B. E. Tegner, M. Molinari, A. Kerridge, S. C. Parker and N. Kaltsoyannis, *J. Phys. Chem. C*, 2017, **121**, 1675–1682.
- 174 L. Zhang, B. Sun, Q. Zhang, H. Liu, K. Liu and H. Song, *Appl. Surf. Sci.*, 2021, **537**, 147882.
- 175 J. M. Haschke, T. H. Allen and L. A. Morales, *Science*, 2000, **287**, 285–287.
- 176 T. Gouder, A. B. Shick and F. Huber, *Top. Catal.*, 2013, **56**, 1112–1120.
- 177 A. Seibert, T. Gouder and F. Huber, *Radiochim. Acta*, 2010, **98**, 647–657.
- 178 M. Kato, A. Komeno, H. Uno, H. Sugata, N. Nakae, K. Konashi and M. Kashimura, *J. Nucl. Mater.*, 2009, **393**, 134–140.
- 179 R. P. Turcotte and T. D. Chikalla, in *Defects and Transport in Oxides*, ed. M. S. Seltzer and R. I. Jaffee, Springer US, Boston, MA, 1974, pp. 159–175, DOI: [10.1007/978-1-4615-8723-1_8](https://doi.org/10.1007/978-1-4615-8723-1_8).
- 180 E. Villa-Aleman, A. L. Houk, N. J. Bridges and T. C. Shehee, *J. Raman Spectrosc.*, 2019, **50**, 899–901.
- 181 J. F. Park, C. D. L., C. D. K., O. R. J. and S. V. H., U.S. Department of Commerce, National Technical Information Service, 1973.
- 182 G. M. Kanapilly, O. G. Raabe and H. A. Boyd, *Proc. 3rd Int. Congr. Int. Radiat. Protection Ass.*, 1974, USAEC, Oak Ridge, pp. 1237–1242.
- 183 R. L. Fleischer and O. G. Raabe, *Health Phys.*, 1977, **32**, 253–257.
- 184 R. L. Fleischer, *Health Phys.*, 1975, **29**, 69–73.
- 185 H. E. Sims, K. J. Webb, J. Brown, D. Morris and R. J. Taylor, *J. Nucl. Mater.*, 2013, **437**, 359–364.
- 186 W. D. Neilson, H. Steele and S. T. Murphy, *J. Phys. Chem. C*, 2021, **125**, 15560–15568.
- 187 R. C. Belin, P. M. Martin, J. Lechelle, M. Reynaud and A. C. Scheinost, *Inorg. Chem.*, 2013, **52**, 2966–2972.
- 188 B. R. Scott, in *Encyclopedia of Toxicology*, ed. P. Wexler, Academic Press, Oxford, 3rd edn, 2014, pp. 29–43, DOI: [10.1016/B978-0-12-386454-3.00057-9](https://doi.org/10.1016/B978-0-12-386454-3.00057-9).
- 189 C. Madic, *Science*, 2000, **287**, 243–244.
- 190 *Chemistry of the Elements*, ed. N. N. Greenwood and A. Earnshaw, Butterworth-Heinemann, Oxford, second edn, 1997, pp. 1250–1284, DOI: [10.1016/B978-0-7506-3365-9.50037-7](https://doi.org/10.1016/B978-0-7506-3365-9.50037-7).
- 191 G. C. Allen, P. A. Tempest and F. G. A. Stone, *Proc. R. Soc. London, Ser. A*, 1986, **406**, 325–344.
- 192 S. D. Conradson, B. D. Begg, D. L. Clark, C. Den Auwer, F. J. Espinosa-Faller, P. L. Gordon, N. J. Hess, R. Hess, D. W. Keogh, L. A. Morales, M. P. Neu, W. Runde, C. D. Tait, D. K. Veirs and P. M. Vilella, *Inorg. Chem.*, 2003, **42**, 3715–3717.
- 193 S. D. Conradson, B. D. Begg, D. L. Clark, C. den Auwer, M. Ding, P. K. Dorhout, F. J. Espinosa-Faller, P. L. Gordon, R. G. Haire, N. J. Hess, R. F. Hess, D. W. Keogh, L. A. Morales, M. P. Neu, P. Paviet-Hartmann, W. Runde, C. D. Tait, D. K. Veirs and P. M. Vilella, *J. Am. Chem. Soc.*, 2004, **126**, 13443–13458.
- 194 M. K. Richmann, D. T. Reed, A. J. Kropf, S. B. Aase and M. A. Lewis, *J. Nucl. Mater.*, 2001, **297**, 303–312.
- 195 C. Hennig, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2007, **75**, 035120.
- 196 P. Martin, S. Grandjean, M. Ripert, M. Freyss, P. Blanc and T. Petit, *J. Nucl. Mater.*, 2003, **320**, 138–141.
- 197 S. Calvin, *XAFS for Everyone*, CRC Press, 2013.
- 198 R. Schmitt, A. Nanning, O. Kraynis, R. Korobko, A. I. Frenkel, I. Lubomirsky, S. M. Haile and J. L. M. Rupp, *Chem. Soc. Rev.*, 2020, **49**, 554–592.
- 199 S. D. Conradson, K. D. Abney, B. D. Begg, E. D. Brady, D. L. Clark, C. den Auwer, M. Ding, P. K. Dorhout, F. J. Espinosa-Faller, P. L. Gordon, R. G. Haire, N. J. Hess, R. F. Hess, D. W. Keogh, G. H. Lander, A. J. Lupinetti, L. A. Morales, M. P. Neu, P. D. Palmer, P. Paviet-Hartmann, S. D. Reilly, W. H. Runde, C. D. Tait, D. K. Veirs and F. Wastin, *Inorg. Chem.*, 2004, **43**, 116–131.



- 200 S. D. Conradson, *Appl. Spectrosc.*, 1998, **52**, 252A–279A.
- 201 A. Romanchuk, A. Trigub, T. Plakhova, A. Kuzenkova, R. Svetogorov, K. Kvashnina and S. Kalmykov, *J. Synchrotron Radiat.*, 2022, **29**, 288–294.
- 202 A. I. Frenkel, C. W. Hills and R. G. Nuzzo, *J. Phys. Chem. B*, 2001, **105**, 12689–12703.
- 203 E. Gerber, A. Y. Romanchuk, S. Weiss, S. Bauters, B. Schacherl, T. Vitova, R. Hübner, S. Shams Aldin Azzam, D. Detollenaere, D. Banerjee, S. M. Butorin, S. N. Kalmykov and K. O. Kvashnina, *Inorg. Chem. Front.*, 2021, **8**, 1102–1110.
- 204 L. Amidani, T. V. Plakhova, A. Y. Romanchuk, E. Gerber, S. Weiss, A. Efimenko, C. J. Sahle, S. M. Butorin, S. N. Kalmykov and K. O. Kvashnina, *Phys. Chem. Chem. Phys.*, 2019, **21**, 10635–10643.
- 205 S. D. Conradson, I. Al Mahamid, D. L. Clark, N. J. Hess, E. A. Hudson, M. P. Neu, P. D. Palmer, W. H. Runde and C. D. Tait, *Polyhedron*, 1998, **17**, 599–602.
- 206 K. O. Kvashnina, S. M. Butorin, P. Martin and P. Glatzel, *Phys. Rev. Lett.*, 2013, **111**, 253002.
- 207 K. O. Kvashnina and S. M. Butorin, *Chem. Commun.*, 2022, **58**, 327–342.
- 208 M. Paffett, 2004, LALP-04-060.
- 209 G. Raphael and R. Lallement, *Solid State Commun.*, 1968, **6**, 383–385.
- 210 E. Dalodière, M. Viro, T. Dumas, D. Guillaumont, M. C. Illy, C. Berthon, L. Guerin, A. Rossberg, L. Venault, P. Moisy and S. I. Nikitenko, *Inorg. Chem. Front.*, 2018, **5**, 100–111.
- 211 M. Autillo, L. Guerin, H. Bolvin, P. Moisy and C. Berthon, *Phys. Chem. Chem. Phys.*, 2016, **18**, 6515–6525.
- 212 M. Autillo, L. Guerin, D. Guillaumont, P. Moisy, H. Bolvin and C. Berthon, *Inorg. Chem.*, 2016, **55**, 12149–12157.
- 213 X. Beaudoux, M. Viro, T. Chave, G. Leturcq, G. Jouan, L. Venault, P. Moisy and S. I. Nikitenko, *Dalton Trans.*, 2016, **45**, 8802–8815.
- 214 J. L. Ryan and L. A. Bray, *Abstr. Pap. Am. Chem. Soc.*, 1979, 14.
- 215 M. E. Woods, P. D. Benny, A. J. Unger, S. Phongikaroon and K. G. Myhre, *J. Radioanal. Nucl. Chem.*, 2021, **327**, 991–995.
- 216 L. Bonato, M. Viro, X. Le Goff, P. Moisy and S. I. Nikitenko, *Ultrason. Sonochem.*, 2020, **69**, 105235.
- 217 L. Bonato, M. Viro, T. Dumas, A. Mesbah, P. Lecante, D. Prieur, X. Le Goff, C. Hennig, N. Dacheux, P. Moisy and S. I. Nikitenko, *Chem.–Eur. J.*, 2019, **25**, 9580–9585.

