

CrossMark
click for updatesCite this: *Chem. Sci.*, 2015, 6, 2822

Highly stable and reusable imprinted artificial antibody used for *in situ* detection and disinfection of pathogens†

Zhijun Zhang, Yijia Guan, Meng Li, Andong Zhao, Jinsong Ren and Xiaogang Qu*

Sandwich ELISA methods have been widely used for biomarker and pathogen detection because of their high specificity and sensitivity. However, the main drawbacks of this assay are the cost, the time-consuming procedure for the isolation of antibodies and their poor stability. To overcome these restrictions, we herein fabricated artificial antibodies based on imprinting technology and developed a sandwich ELISA for pathogen detection. Both the capture and detection antibodies were obtained *via an in situ* method, with simplicity, rapidity and low cost. The peroxidase mimics, the CeO₂ nanoparticles, as signal generators were integrated with the detection antibody. The fabricated artificial antibodies exhibited not only natural antibody-like binding affinities and selectivities, but also superior stability and reusability. The detection limit was about 500 CFU mL⁻¹, which is much lower than that of traditional ELISA methods (10⁴ to 10⁵ CFU mL⁻¹). Furthermore, the capture antibody can disinfect pathogens *in situ*.

Received 9th February 2015
Accepted 15th February 2015

DOI: 10.1039/c5sc00489f

www.rsc.org/chemicalscience

Introduction

The enzyme-linked immunosorbent assay (ELISA) is the current gold standard for clinical biomarker detection, as well as a robust approach for pathogen screening. Arguably, the most powerful ELISA format is the sandwich assay,^{1–3} in which the antigen is recognized by a couple of antibodies: a capture antibody (cAb) and detection antibody (dAb). The two antibodies recognition strategy endues the detection with high sensitivity and specificity.^{4–6} However, the main drawbacks of the sandwich ELISA are the cost, and the labor-intensive and time-consuming procedure for the screening of antibodies. In addition, owing to their easily disrupted stabilities, the natural antibodies usually cannot be reused. Furthermore, an appropriate enzyme should be linked to the dAb to clearly show the detection results. The complex process and expensive probes mean that the sandwich ELISA is not an optimal method for high-throughput screening of real samples. Therefore, the design and synthesis of artificial antibodies with easy availability and high stability, as alternatives to the natural antibodies, is urgently in demand for biodiagnostic applications.

Molecular imprinting technology (MIT) has been identified as a promising approach to synthesize artificial antibodies.^{7–9} The synthesized artificial antibodies exhibit a natural antibody-like

binding affinity and selectivity. Intriguingly, they can even possess better characteristics than natural antibodies, including easy availability and operability, high stability to harsh chemical and physical conditions, and some even have superior reusability. To date, artificial antibodies against low molecular weight compounds^{10–12} and biological macromolecules^{13–16} based on MIT have been employed for a myriad of applications, such as separation,¹⁷ biomimetic catalysis,¹⁸ sensing,^{19–22} sewage treatment,^{23–25} enzyme inhibition^{26–28} and so on. In spite of promising prospects for molecular imprinting, it becomes more challenging as the target size increases, although nanoparticles²⁹ and bioentities, such as viruses,^{30–32} microbes^{33–38} and mammalian cells,^{39,40} as templates for artificial antibody fabrication have recently been reported.

Herein, for the first time, we demonstrate a cell imprinted artificial antibodies-based sandwich ELISA for pathogen detection. Both the cAbs and dAbs were synthesized *via an imprinting procedure*. The cAbs were *in situ* fabricated on an indium tin oxide (ITO) conductive glass surface through an electrochemically assisted polycondensation method.^{41,42} The dAbs were synthesized using a sol-gel method with cerium dioxide nanoparticles (CeO₂ NPs) integrated as artificial nano-enzymes. CeO₂ NPs have recently been reported to possess excellent peroxidase-like activity toward the substrate 3,3',5,5'-tetramethylbenzidine (TMB),^{43–45} which can be used to fabricate immunoassays.^{46,47} With the properties of easy availability, and superior stability and reusability, the fabricated artificial antibodies may circumvent the limitations of the natural antibodies and maintain natural antibody-like binding affinities and selectivities. What's more, with their conductivity properties, the cAbs can even disinfect the captured pathogen *in situ* by using an electrochemical technique.

Laboratory of Chemical Biology and Division of Biological Inorganic Chemistry, State Key Laboratory of Rare Earth Resource Utilization, Changchun Institute of Applied Chemistry, University of Chinese Academy of Sciences, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun, Jilin 130022, China. E-mail: xqu@ciac.ac.cn

† Electronic supplementary information (ESI) available: Experimental section and elaboration of the results. See DOI: 10.1039/c5sc00489f



Results and discussion

CAb fabrication

As illustrated in Fig. 1A, the cAbs were fabricated on an ITO glass surface using *Staphylococcus aureus* (*S. aureus*) as a model of the target pathogen, which is one of the five most common causes of nosocomial infections. *S. aureus* was first immobilized on the aldehyde functionalized ITO glass surface through a Schiff base linkage (Fig. S1A and S1B†). Subsequently, a silica film was deposited on the electrode surface around the *S. aureus*, via an *in situ* electrochemically assisted polycondensation method (Fig. S1C†).^{41,42} Finally, the cAbs were obtained through a calcination treatment. After removal of the template, many regular cavity-cAbs were found to be scattered on the surface of the ITO glass (Fig. 1B and C). Images of the cavities at a higher magnification revealed their circular shape (Fig. 1B and C). The depths of the cavities were measured to be about 160 nm from the AFM image (Fig. 1C). Evidently, the three-dimensional spheroidal architecture of the template pathogen was imprinted well on the ITO glass surface. The fabrication procedure was also characterized using electrochemical methods (Fig. S2†).

DAbs fabrication

The enzyme-linked dAbs were obtained through four simple steps: (i) *in situ* encapsulation of *S. aureus* with a silica shell, (ii) deposition of CeO₂ NPs on the silica shell surface, (iii) calcination to remove the template and (iv) ultrasonic treatment to

crush the hollow SiO₂@CeO₂ shells (Fig. 2A and S4†). Fig. 2B shows a typical TEM image of the hollow SiO₂@CeO₂ shells after removal of the template pathogen. The cavities of the hollow spheres were similar in size to *S. aureus*. Meanwhile, a thin CeO₂ shell was found to be uniformly deposited on the hollow sphere surface (Fig. 2B and C). After a harsh ultrasonic treatment, the hollow spheres were cracked and cap-like dAbs were obtained (Fig. 2D). The empty cavities of the dAbs were found to maintain the size and shape of the original *S. aureus*. Altogether, these results confirmed that the shape and size of the template pathogen were preserved.

The enzyme that is linked to the dAb is critical for the assay because it will directly catalyze reaction of the substrate to produce a detectable signal. In the present work, CeO₂ NPs were chosen as artificial nanoenzymes and integrated with the dAb. The oxidation of TMB by CeO₂ NPs in the presence of H₂O₂ produced a blue color, with two absorbance bands at 370 and 652 nm.⁴³ Fig. 2E exhibits the time-dependent absorbance change (at 652 nm) for different concentrations of the dAbs. The dAbs demonstrated a high catalytic activity toward the oxidation of TMB. Notably, even 2 μg mL⁻¹ of the antibodies could produce a detectable signal within 10 min (Fig. 2E).

Target pathogen recognition tests

Having successfully fabricated both the cAbs and dAbs, we next investigated the target pathogen recognition capacity of these




Fig. 1 (A) Schematic diagram outlining the fabrication procedure for the cAbs, (B) SEM micrographs of the cAbs (scale bars = 10 μm and 1 μm, respectively), (C) 2D and 3D AFM images, and the corresponding height profiles of the cAbs.



Fig. 2 (A) Schematic representation of the synthesis of the dAbs; (B) TEM image of the hollow SiO₂@CeO₂ shells (scale bar = 500 nm); (C) dark-field TEM images and the corresponding TEM elemental mappings for the Si, O and Ce signals of the SiO₂@CeO₂ shell; (D) SEM image of the dAbs (scale bar = 1 μm); (E) time-dependent absorbance changes at 652 nm for TMB reaction solutions catalyzed by different concentrations of the dAbs (a–f): 0, 2, 5, 10, 20, 50 μg mL⁻¹.



antibodies. As shown in Fig. 3A, *S. aureus* was only found to be present on the imprinted cavities, and none was found in the non-imprinting area, indicating that *S. aureus* could be efficiently captured by the cAbs. Meanwhile, the non-target pathogens *Escherichia coli* (*E. coli*) and yeast cells were difficult to find on the plate (Fig. S5†). Even *Staphylococcus epidermidis* (*S. epidermidis*), which is similar in shape and size to *S. aureus*, was found to be much less captured by the cAbs (Fig. S7†). The recognition capacity of the dAbs was characterized using fluorescence microscopy. For better identification, *S. aureus* was stained with calcein-AM, to give a green fluorescence. Before photographing, the stained *S. aureus* and dAbs were dispersed in buffer and then moderately shaken for 10 min. As shown in Fig. 3B–D, most of the green fluorescence and crescent-shaped dAbs overlapped at the same spot, revealing that the dAbs were tightly bound to *S. aureus*. The binding specificity of the dAbs was also evaluated. Evidently, the dAbs could specifically bind to *S. aureus* over *E. coli*, yeast cells and *S. epidermidis* (Fig. S6 and S7†). Taken together, both the fabricated cAbs and dAbs could recognize target pathogens with high specificity. The target pathogen-like size and shape of the imprinted cavities may play an important role for the high recognition and selectivity capability.^{35,36,40} In addition, the imprinting of the surface chemistry of the pathogen at the molecular level would also contribute to the natural antibody-like properties.^{33,34,40}

Pathogen detection

The target pathogen recognition capability of both the cAbs and dAbs, and the high catalytic activity of the dAbs, adequately meet the requirements for construction of a sandwich ELISA. Therefore, a sandwich ELISA based on these artificial antibodies was set up for *S. aureus* detection. A schematic representation of the sandwich ELISA format is presented in Fig. 4A. The target pathogens were first selectively captured by the cAbs-functionalized ITO glass, and subsequently the captured pathogens were recognized by the dAbs. Finally, the blue color was generated through the oxidation of TMB

by the dAbs in the presence of H₂O₂. The constructed assay was characterized using SEM imaging. As shown in Fig. 4B, the sandwich structure was clearly observed, showing that *S. aureus* was captured by the cAbs and capped by the dAbs. The detection results are illustrated in Fig. 4C. No visible color was found on the control plate, while a distinguishable blue color appeared in the presence of *S. aureus* at 10⁴ CFU mL⁻¹ (colony-forming units per milliliter). The color deepened gradually as the *S. aureus* concentration increased. UV-vis absorption spectra were used to quantify the results (Fig. 4D). The limit of detection was estimated to be about 500 CFU mL⁻¹, which is much lower than that of traditional ELISA methods (10⁴ to 10⁵ CFU mL⁻¹).⁴⁸ The detection results could also be analyzed using image processing software (Adobe Photoshop)⁴⁹ (Fig. S8†). The selectivity of the constructed sandwich ELISA was further investigated using non-target pathogens, *E. coli*, yeast cells and *S. epidermidis*, as controls. As presented in Fig. 4C, no obvious blue color appeared for the non-target pathogen detections, indicating the high specificity of the fabricated assay. The specific detection capability could be ascribed to the recognition specificity of the artificial antibodies. In addition, the two antibodies recognition strategy also plays an active role.

Reusability tests

The reusability of natural antibodies is severely hampered by their poor stability. Herein, the artificial antibodies synthesized



Fig. 3 (A) SEM image of *S. aureus* captured by the cAbs (scale bar = 5 μ m); (B) bright-field image of the mixture of dAbs and *S. aureus*, (C) fluorescence image revealing the positions of *S. aureus*, (D) an overlay of (B) and (C); the green circles mark the binding of *S. aureus* to the dAbs (scale bar = 10 μ m).




Fig. 4 (A) Schematic illustration of the sandwich ELISA for *S. aureus* detection, (B) SEM images of the constructed sandwich ELISA (left) and the corresponding false color images (right), (C) images of the colorimetric detection of pathogens using the fabricated sandwich ELISA: (a) different concentrations of *S. aureus* and (b) different pathogens at 10⁷ CFU mL⁻¹, (D) the corresponding absorbance values as determined from the absorption spectra of the test plates in Ca, (E) images of the reused antibodies-based sandwich ELISA for *S. aureus* (10⁷ CFU mL⁻¹) detection (the colour intensity was measured for red in RGB format in Adobe Photoshop).



- 7 L. Chen, S. Xu and J. Li, *Chem. Soc. Rev.*, 2011, **40**, 2922–2942.
- 8 J. E. Lofgreen and G. A. Ozin, *Chem. Soc. Rev.*, 2014, **43**, 911–933.
- 9 M. J. Whitcombe, I. Chianella, L. Larcombe, S. A. Piletsky, J. Noble, R. Porter and A. Horgan, *Chem. Soc. Rev.*, 2011, **40**, 1547–1571.
- 10 Y. Fuchs, O. Soppera, A. G. Mayes and K. Haupt, *Adv. Mater.*, 2013, **25**, 566–570.
- 11 X. Shen and L. Ye, *Macromolecules*, 2011, **44**, 5631–5637.
- 12 D. S. Meador and D. A. Spivak, *Org. Lett.*, 2014, **16**, 1402–1405.
- 13 S. Beyazit, S. Ambrosini, N. Marchyk, E. Palo, V. Kale, T. Soukka, B. Tse Sum Bui and K. Haupt, *Angew. Chem., Int. Ed.*, 2014, **53**, 8919–8923.
- 14 L. Li, Y. Lu, Z. Bie, H.-Y. Chen and Z. Liu, *Angew. Chem., Int. Ed.*, 2013, **125**, 7599–7602.
- 15 J. Ye, Y. Chen and Z. Liu, *Angew. Chem., Int. Ed.*, 2014, **53**, 10386–10389.
- 16 D. Cai, L. Ren, H. Zhao, C. Xu, L. Zhang, Y. Yu, H. Wang, Y. Lan, M. F. Roberts, J. H. Chuang, M. J. Naughton, Z. Ren and T. C. Chiles, *Nat. Nanotechnol.*, 2010, **5**, 597–601.
- 17 J. L. Urraca, C. S. A. Aureliano, E. Schillinger, H. Esselmann, J. Wiltfang and B. Sellergren, *J. Am. Chem. Soc.*, 2011, **133**, 9220–9223.
- 18 G. Wulff and J. Liu, *Acc. Chem. Res.*, 2011, **45**, 239–247.
- 19 S. Wang, J. Ye, Z. Bie and Z. Liu, *Chem. Sci.*, 2014, **5**, 1135–1140.
- 20 W. Bai, N. A. Gariano and D. A. Spivak, *J. Am. Chem. Soc.*, 2013, **135**, 6977–6984.
- 21 R. V. Shutov, A. Guerreiro, E. Moczko, I. P. de Vargas-Sansalvador, I. Chianella, M. J. Whitcombe and S. A. Piletsky, *Small*, 2014, **10**, 1086–1089.
- 22 W. Zhang, W. Liu, P. Li, H. Xiao, H. Wang and B. Tang, *Angew. Chem., Int. Ed.*, 2014, **53**, 12489–12493.
- 23 Y. Ma, G. Pan, Y. Zhang, X. Guo and H. Zhang, *Angew. Chem., Int. Ed.*, 2013, **52**, 1511–1514.
- 24 G. Pan, Y. Zhang, Y. Ma, C. Li and H. Zhang, *Angew. Chem., Int. Ed.*, 2011, **50**, 11731–11734.
- 25 X. Shen, L. Zhu, N. Wang, L. Ye and H. Tang, *Chem. Commun.*, 2012, **48**, 788–798.
- 26 C. Zheng, X. Zhang, W. Liu, B. Liu, H. Yang, Z. Lin and G. Chen, *Adv. Mater.*, 2013, **25**, 5922–5927.
- 27 Y. Yu, L. Ye, K. Haupt and K. Mosbach, *Angew. Chem., Int. Ed.*, 2002, **41**, 4459–4463.
- 28 A. Cutivet, C. Schembri, J. Kovensky and K. Haupt, *J. Am. Chem. Soc.*, 2009, **131**, 14699–14702.
- 29 S. Kraus-Ophir, J. Witt, G. Wittstock and D. Mandler, *Angew. Chem., Int. Ed.*, 2013, **53**, 294–298.
- 30 W. Bai and D. A. Spivak, *Angew. Chem., Int. Ed.*, 2014, **53**, 2095–2098.
- 31 T. Wangchareansak, A. Thitithanyanont, D. Chuakheaw, M. P. Gleeson, P. A. Lieberzeit and C. Sangma, *J. Mater. Chem. B*, 2013, **1**, 2190–2197.
- 32 A. Cumbo, B. Lorber, P. F. X. Corvini, W. Meier and P. Shahgaldian, *Nat. Commun.*, 2013, **4**, 1503.
- 33 K. Ren, N. Banaei and R. N. Zare, *ACS Nano*, 2013, **7**, 6031–6036.
- 34 K. Ren and R. N. Zare, *ACS Nano*, 2012, **6**, 4314–4318.
- 35 J. Borovička, W. J. Metheringham, L. A. Madden, C. D. Walton, S. D. Stoyanov and V. N. Paunov, *J. Am. Chem. Soc.*, 2013, **135**, 5282–5285.
- 36 J. Borovicka, S. D. Stoyanov and V. N. Paunov, *Nanoscale*, 2013, **5**, 8560–8568.
- 37 X. Shen, J. Svensson Bonde, T. Kamra, L. Bülow, J. C. Leo, D. Linke and L. Ye, *Angew. Chem., Int. Ed.*, 2014, **53**, 10687–10690.
- 38 Z. Zhang, M. Li, J. Ren and X. Qu, *Small*, 2014, DOI: 10.1002/smll.201402400.
- 39 K. Eersels, B. van Grinsven, A. Ethirajan, S. Timmermans, K. L. Jiménez Monroy, J. F. J. Bogie, S. Punniyakoti, T. Vandenryt, J. J. A. Hendriks, T. J. Cleij, M. J. A. P. Daemen, V. Somers, W. De Ceuninck and P. Wagner, *ACS Appl. Mater. Interfaces*, 2013, **5**, 7258–7267.
- 40 M. Mahmoudi, S. Bonakdar, M. A. Shokrgozar, H. Aghaverdi, R. Hartmann, A. Pick, G. Witte and W. J. Parak, *ACS Nano*, 2013, **7**, 8379–8384.
- 41 A. Goux, M. Etienne, E. Aubert, C. Lecomte, J. Ghanbaja and A. Walcarius, *Chem. Mater.*, 2009, **21**, 731–741.
- 42 A. Walcarius, E. Sibottier, M. Etienne and J. Ghanbaja, *Nat. Mater.*, 2007, **6**, 602–608.
- 43 Y. Lin, C. Xu, J. Ren and X. Qu, *Angew. Chem., Int. Ed.*, 2012, **51**, 12579–12583.
- 44 H. Wei and E. Wang, *Chem. Soc. Rev.*, 2013, **42**, 6060–6093.
- 45 C. Xu and X. Qu, *NPG Asia Mater.*, 2014, **6**, e90.
- 46 A. Asati, C. Kaittanis, S. Santra and J. M. Perez, *Anal. Chem.*, 2011, **83**, 2547–2553.
- 47 A. Asati, S. Santra, C. Kaittanis, S. Nath and J. M. Perez, *Angew. Chem., Int. Ed.*, 2009, **48**, 2308–2312.
- 48 P. C. Ray, S. A. Khan, A. K. Singh, D. Senapati and Z. Fan, *Chem. Soc. Rev.*, 2012, **41**, 3193–3209.
- 49 A. W. Martinez, S. T. Phillips and G. M. Whitesides, *Proc. Natl. Acad. Sci. U. S. A.*, 2008, **105**, 19606–19611.
- 50 J. W. Costerton, B. Ellis, K. Lam, F. Johnson and A. E. Khoury, *Antimicrob. Agents Chemother.*, 1994, **38**, 2803–2809.
- 51 M. Okochi, N. Nakamura and T. Matsunaga, *Clean Products and Processes*, 1998, **1**, 53–59.

