

Cite this: *CrystEngComm*, 2018, 20, 2084Received 19th February 2018,
Accepted 13th March 2018

DOI: 10.1039/c8ce00272j

rsc.li/crystengcomm

SURMOF induced polymorphism and crystal morphological engineering of acetaminophen polymorphs: advantage of heterogeneous nucleation†


Geetha Bolla  and Allan S. Myerson *

Self-assembled monolayers are extended to SURMOFs as template hetero surfaces using a basic HKUST-1 MOF. The concept of MOF induced polymorphism with morphological engineering adapted to crystal engineering has shown to have the advantage of heterogeneous nucleation. The substrates are used to study the nucleation and growth of acetaminophen, and have resulted in metastable polymorphs which are of a desirable form with block morphology.

Polymorphic screening and crystal morphology engineering of organic molecules have been studied extensively in the last few decades through multiple methods. However, a fundamental understanding of heterogeneous nucleation on molecular surfaces has been challenging and has increased interest from the pharmaceutical industry as well as in materials science and optoelectronics due to the potential applications.^{1,2} Despite the fact that self-assembled monolayers (SAMs)³ are a well-established method used to form various less stable polymorphs or crystalline shapes (different faces), results are often not practical due to the limitation in contribution to the total surface.⁴ Hence, polymer and gel induced polymorphic studies were introduced recently and showed advantages over solution crystallization; however they are often limited in either morphology or polymorphic yield and a detailed explanation of the causes/mechanisms are still unclear.^{5–9} Finding a new one-pot method with a new design surface is important and becomes a daunting task in the field, in particular to obtain metastable polymorphs. In this study, we were successful with our newly designed surface and have shown its advantages with an example drug, acetaminophen (*N*-acetyl-*para*-aminophenol, APAP). We discuss the formation of the less stable polymorph of APAP and

the morphology changes using a new developed substrate, in this case a surface metal organic framework (SURMOF).^{10–12} SURMOFs are combinations of SAMs and metal organic frameworks (MOFs)^{13,14} on surfaces. They have been studied recently with potential different applications such as in photovoltaics, CO₂ reduction, memory devices, supercapacitors and batteries.¹⁰ However, SURMOFs have not yet been explored in the application of polymorph screening. The advantage of controlled orientation of the MOFs on the basis of the starting SAM functional group can allow orientational growth of target functional organic molecules and can lead to different nucleation paths and different growth directions (Scheme 1). As MOFs are highly porous crystalline materials, their impact on and contribution to the surface as a heterogeneous layer is quite effective compared to the usual SAM surface. With this idea we began our studies and have shown here how a SURMOF can be influential in attaining a less stable polymorph.

Template SURMOF nucleation studies of APAP involved three major steps (Scheme 1): preparation of SAM, addition of the SURMOF substrate and then crystallization of APAP. As the first step is SAM preparation, gold substrates were first functionalized with 12-mercaptododecanoic acid (12-COOH) by a reported method.⁴ In the second step, a well-known reported HKUST-1 MOF thin film, which consists of trimesic acid (H₃BTC) and copper acetate, was prepared by layer-by-



Scheme 1 (a) A SURMOF showing the heterogeneous substrate designed steps with multi-layers. (b) Structural display of the multi-layers with the base Au, SAM, MOF and APAP structures.

Department of Chemical Engineering, Massachusetts Institute of Technology, 77 Massachusetts Avenue, E19-502b, Cambridge, Massachusetts 02139, USA.
E-mail: myerson@mit.edu

† Electronic supplementary information (ESI) available: Experimental procedures and cif file CCDC no.: 1814819. For the ESI and crystallographic data in CIF or other electronic format see DOI: 10.1039/c8ce00272j






Fig. 1 (a) LBL-D thin film preparation method for the SURMOF. (b) Thin film X-ray diffraction analysis of the prepared SURMOF, showing the increasing intensity of the 2θ value at 11.6° for (222) as the major face. (c) and (d) The SURMOF thin film surface was monitored by SEM and AFM, respectively, to confirm the particle size (nm scale) and the height. The SEM image showed the nanoporous surface of the MOF.

layer dipping (LBL-D)¹⁰ with an optimal number of 10 layers (Fig. 1a, and the experimental procedure is in the ESI†). The structure of the MOF contains a paddle wheel 3D coordinated porous polymer with 69.2 and 42.5% of contact void and solvent accessible contact space, respectively. The uniform structure of the pristine SURMOF was confirmed by thin film X-ray diffraction, the 2θ values of the films at 6.7° , 9.5° and 11.5° of the {100}, {110} and {111} faces, respectively, are shown in Fig. 1b and in S4a in the ESI†, and the bulk powder form of the MOF HKUST-1 was confirmed in the reported (CCDC, Refcode: DOTSOV42) structure. Despite the confirmation by XRD, we further analysed the surface and particle size/distribution of the SURMOFs by SEM and AFM (Fig. 1c and d, and S1 and S2 in the ESI†) and showed the thin film surface at the nanometre scale with porous surface homogenous distribution. Following this, surface analysis at selected areas on two different films confirmed the phase purity and height distribution, and showed a thickness in the range of 200–400 nm (Fig. 1d, and S2 in the ESI†). We also used one further technique, EDAX elemental analysis using elemental Cu, to confirm the distribution of the MOF, which showed a uniform distribution (Fig. S3 in the ESI†). The thickness of the film was intentionally prepared below micrometre height to allow for the growth of APAP crystals of several micrometres in size that would be suitable for single crystal face indexing experiments. These SURMOF substrates were designed to investigate how template functionalization of the inorganic, ordered and highly porous MOF can influence the nucleation of acetaminophen (APAP).

APAP was chosen as an example and was crystallized with the SURMOF templates as a proof-of-concept to continue with the third step, as it is a well-known active pharmaceutical ingredient (an API, used as an analgesic and antipyretic drug) and is known to crystallize in three polymorphic forms:^{15–21} form I, which is less soluble and exhibits poor tableting compaction compared to form II, form II and another metastable form III. Nichols, *et al.* and Ristic, *et al.* reported that forms I and II crystallize concomitantly in solution crystallization,^{16,17} and that form II was reported as needles whereas form I was reported as blocks and prisms.

The reproducibility of form II from solution crystallization still remains a challenge, but melt crystallization or the use of an additive can perhaps produce form II, but these methods are not suitable for processing. In the present study, we showed that crystal nucleation on the porous surface of the HKUST-1 SURMOF contributed significantly to unique nucleation kinetics, allowed for metastable phase stabilization and engineered the SURMOF with block morphology providing a dual advantage. This successful demonstration of MOF induced heterogeneous nucleation will allow for a new approach and open up new challenges for metastable polymorph discovery along with inherent morphology differences based on complementary interactions at the SURMOF interface.

Before starting the third step, the nucleation of APAP on the SURMOF, it was worthwhile to check the complexation of the MOF and APAP. This would provide us with a better understanding of the effect of surface nucleation *versus* a solution interaction on both the polymorph and morphology. Slurry experiments were carried out for 6 h and the residue was compared with the pure MOF (Fig. S4a in the ESI†), which confirmed no complexation occurred between the HKUST-1 MOF and APAP. Then, *in situ* monitoring of time-dependent frequency vs. dissipation was carried out at different cell frequencies to understand the quantitative mass transfer with continuous uptake (Fig. 2). Three different quartz crystal microbalances with dissipation^{22,23} (QCM-D, a flow cell adsorption measurement experiment) cell experiments were performed. First, the QCM-D cell experiment without a modified substrate (bare Au) surface was performed (Fig. S5a in the ESI†), then a modified SAM containing both a metal and a ligand was tested (Fig. S5b in the ESI†), and then finally a modified QCM-D-SAM cell with a metal and a ligand in addition to APAP (each separate step was washed with EtOH) was studied to monitor the weak topo-chemical interactions of the MOF with APAP in solution (Fig. 2). Here, we observed that without SAM (unmodified empty gold substrate) MOF formation was not successful, as removal of the metal and ligand occurred during the washing step (Fig. S5a in the ESI†), whereas when the substrate was




Fig. 2 QCM-D adsorption and dissipation results of the metal, ligand and APAP. The results showed a change in frequency and dissipation with solution depositions of $\text{Cu}(\text{OAc})_2$, H3BTC and APAP. A–B–C, where A = Cu solution, B = H3BTC, C = APAP, and – = wash. The right hand side represents surface exposed highly porous MOF planes calculated from Materials Studio.



modified with SAM, a continuous load of layers with uniform dissipation was observed (Fig. S5b in the ESI†). Finally, three layers of deposition were performed, and observed continuous loading confirmed possible weak interactions between the MOF and APAP in solution.

For the third step, crystallization experiments of APAP at different concentrations ($1\text{--}10\text{ mg mL}^{-1}$) were performed. In order to analyse the controlled growth of APAP polymorphs and their morphology, solution evaporation-liquid phase epitaxy (SE-LPE) and liquid phase epitaxy drop casting (LPE-DC) methods were used (Fig. S7a in the ESI†). Forms I and II crystallize in a monoclinic ($P2_1/c$) and orthorhombic ($Pbca$) manner, respectively, with lattice coordinates $a = 7.0661(6)$, $b = 9.3366(7)$, $c = 11.6508(9)$, $\beta = 97^\circ$ and $a = 11.7552(3)$, $b = 7.13941(11)$, $c = 17.1714(2)$ being well reported in the literature.^{15,16} Their 2D packing suggests that the APAP self-assembled *via* N-H $\cdots$ O, O-H $\cdots$ O hydrogen bonds at different angles (form I = 77° , II = 5° as shown in Fig. S6 in the ESI†) and consists of a four membered LSAM²⁴ motif $R_4^4(22)$.²⁵ Here too we reported the single crystal analysis of form II and the crystallographic details are displayed in Table S4 of the ESI†. As we mentioned earlier, considering all previous studies, it has been consistently reported that the morphology of form I is block and that of form II is needle in any given crystallization, which is consistent with the literature until now (Table S1 in the ESI†). Indeed, form I exhibits a profound change in the growth direction depending on solvent, saturation and starting substrate in the case of epitaxial growth. Form I crystallizes in EtOH and H₂O in a prismatic habit as pinacoids (101) and prisms (110), and in epitaxial growth with organic excipients the (001) face predominates.²⁰ In general it is not expected that form II will exhibit block morphology rather than needles. The major incentive to produce form II stems from the fact that it undergoes plastic deformation and is suitable for direct compression in the manufacturing of pharmaceutical tablets, and so attracts more commercial interest than form I. The role of tailor-made additives and solvents to control nucleation and morphology due to the selective adsorption of the faces based on supramolecular hetero intersections has been studied with numerous examples in the last three decades.^{1,26,27} Here we introduced a new method using a SURMOF with APAP as an example. In addition, attachment energy ($E_{\text{att}} = E_{\text{cryst}} + E_{\text{slice}}$) calculations of form I were performed (Table S3 in the ESI†), showing that the major faces are (011), (10-1), (002), (101), (110) and (11-1) with resulting attachment energies of -52.142 , -67.612 , -80.566 , -53.107 , -69.325 , -73.612 and $-54.437\text{ kcal mol}^{-1}$, respectively, and the suggested, morphological importance of the form I faces (011) and (101) is assumed to be greater than that of the other faces, which follow less order. Ristic *et al.* reported form I growth from aqueous solution with a dominant (110) face from lower to higher supersaturation and showed that the solvent directed the growth.¹⁷

Here, Liquid Phase Epitaxy Drop Casting (LPE-DC) and Solution Evaporation-Liquid Phase Epitaxy (SE-LPE) methods

were used to grow crystals and at select places such as on the top, on the edge, and on the rest of the substrate, the grown crystals were chosen for face indexing. Fig. 3i-a shows the 2D




Fig. 3 (i) (a) The APAP form I BFDH model along with the packing interactions. (b) The calculated morphology on the basis of attachment energy. (c–e) Crystals grown at $3\text{--}10\text{ mg mL}^{-1}$ in EtOH on top of the substrate and showing (101) as the major and (011) as the minor faces. (ii) (a) The Form II BFDH model along with the packing interactions. (b) The calculated morphology on the basis of attachment energy, with (001), (011), (101), and (110) as the major faces of the prisms and (111) as a dome face. (c and d) Crystals grown at $1\text{--}3\text{ mg mL}^{-1}$ in EtOH at the edges of the substrate showing the (100) face as the major face and the (110), (101), (111), and (011) faces as minor faces. (e) Crystals grown from seeding experiments without the SURMOF which confirmed needle growth at the (001) face of form II in the absence of substrate, supporting the importance of the design of the SURMOF surface. (iii) (a and b) Form I block and rod morphologies with (101) as the major face. (c and d) Different dendrite growths were observed and (e and f) step growth of form II was seen and spherical particles of adatoms were observed. (g) Form II at the edge of the substrate showed a block habit. (h) At very low dilution, spherical agglomerates of form II were observed on the surface of the SURMOF.



Lower concentrations between 1–3 mg mL⁻¹ yielded form II, while 3–5 mg mL⁻¹ resulted in form II in grey zone ends with form I dendrites. Fig. 3ii-a shows the BFDH morphology of form II showing the elongated $\pi \cdots \pi$ interaction along the *b*-axis and O–H $\cdots$ H hydrogen bonding interactions along the *c*-axis which results in prisms. Fig. 3ii-b shows a result of crystallization in EtOH as 1D growth and attachment energy calculations were carried out to understand the morphological importance of the faces, and the major faces were shown to be (002), (102), (200), (111) and (020), corresponding to attachment energies of -148.355, -157.486, -104.065, -126.878 and -116.607 kcal mol⁻¹, respectively. Attachment energy calculations confirmed that the (002) face exhibits faster growth than the (200) face, so this major change in morphology was governed by the relative morphological importance of the (001) and (100) faces of form II at the edge interface of the substrate. Thompson *et al.* reported that structurally related additives, acetanilide and metacetamol, inhibited the growth of form I, however their experiments were not successful at producing the metastable form II.²¹ Here, APAP spherical shaped agglomerates were observed on the surface, which affect the growth at the edge and finally yield 2D growth of form II. Furthermore, edge-grown crystals (Fig. 3ii-c and d

The figure displays five stacked XRD patterns with 'Intensity' on the y-axis and '2 Theta' on the x-axis (ranging from 10 to 35). The patterns are labeled as follows:

- 1D few faces:** Shows sharp peaks at 002 and 004, with a small peak at 006 indicated by an arrow.
- 2D all faces:** Shows sharp peaks at 002, 004, 222, and 006, with an arrow pointing to the 006 peak.
- 2D all faces:** Shows sharp peaks at 102, 202, 020, and 006, with an arrow pointing to the 006 peak.
- 2D layered single face:** Shows sharp peaks at 002 and 006, with an arrow pointing to the 006 peak.
- Agglomerates shot range:** Shows a broad peak at 020 and a small peak at 006 indicated by an arrow.

On the right side of the figure, three optical micrographs show the morphology of the materials, with yellow circles highlighting specific regions of interest that correspond to the XRD patterns.

CrystEngComm, 2018, 20, 2084–2088 | 2087

of form II was observed, which confirmed 2D growth and the agglomerates also showed a short range 2θ (Fig. 4) which supports previous SEM analysis. A few batches provided similar results. Furthermore, spherical agglomerates and edge 2D crystals were identified as form II, analysed by XRD and double checked by Raman spectroscopy (Fig. S12e and S13 in the ESI†).

The presence of trace amounts of impurities and additives/imposters adsorb onto the crystal surfaces at the active site, acting as fences during crystal growth and cause substantial effects on the kinetics of the final crystal.^{2,26,27} The phenomena was further extended to the hetero surface, which is dimension controlled whereas the additives in solutions can adsorb in many directions onto various crystal faces. Here we proved that the MOF surface exhibited adsorption of the APAP nucleus during both nucleation and growth of crystalline APAP. QCM-D experiments supported the adsorption of APAP in solution, evidenced by a decreasing frequency due to loading of APAP. Adsorption of APAP to the HKUST-1 MOF pores due to the weak supramolecular interactions directed the nucleation and the growth of APAP form II, which is the most desired form of APAP. In addition, needle crystals are not suitable for formulations as they block filters during industrial processes. The resulting morphology in the present study will be an advantage to pharmaceutical engineering. MOF induced nucleation was investigated here for the first time and showed control over both morphology and polymorphism with a dual advantage and direct application to the drug required form. We believe that this new approach can hold significant implications to determine new/less stable forms through different growth mechanisms than conventional crystal growth.

GB and AM thank INDO-US for fellowship and Novartis for their financial support.

Conflicts of interest

The authors declare no conflict of interest.

Notes and references

- 1 A. J. Cruz-Cabeza and J. Bernstein, *Chem. Rev.*, 2014, **114**, 2170–2191.
- 2 M. Lahav and L. Leiserowitz, *Phys. Scr.*, 2015, **90**, 118003.
- 3 J. C. Love, L. A. Estroff, J. K. Kriebel, R. G. Nuzzo and G. M. Whitesides, *Chem. Rev.*, 2005, **105**, 1103–1169.
- 4 X. Yang, B. Sarma and A. S. Myerson, *Cryst. Growth Des.*, 2012, **12**, 5521–5528.
- 5 Y. Diao, T. Harada, A. S. Myerson, T. Alan Hatton and B. L. Trout, *Nat. Mater.*, 2011, **10**, 867–871.
- 6 M. Lang, A. L. Grzesiak and A. J. Matzger, *J. Am. Chem. Soc.*, 2002, **124**, 14834–14835.
- 7 Y. Diao, M. E. Helgeson, A. S. Myerson, T. A. Hatton, P. S. Doyle and B. L. Trout, *J. Am. Chem. Soc.*, 2011, **133**, 3756–3759.
- 8 J. A. Foster, M. O. M. Piepenbrock, G. O. Lloyd, N. Clarke, J. A. K. Howard and J. W. Steed, *Nat. Chem.*, 2010, **2**, 1037–1043.
- 9 R. I. Petrova, R. Patel and J. A. Swift, *Cryst. Growth Des.*, 2006, **6**, 2709–2715.
- 10 J. Liu and C. Wöll, *Chem. Soc. Rev.*, 2017, **46**, 5730–5770.
- 11 O. Shekhah, H. Wang, S. Kowarik, F. Schreiber, M. Paulus, M. Tolan, C. Sternemann, F. Evers, D. Zacher, R. A. Fischer and C. Wöll, *J. Am. Chem. Soc.*, 2007, **129**, 15118–15119.
- 12 S. Hermes, F. Schro, R. Chelkowski, C. Wöll and R. A. Fischer, *J. Am. Chem. Soc.*, 2005, **127**, 13744–13745.
- 13 H. Furukawa, K. E. Cordova, M. O'Keeffe and O. M. Yaghi, *Science*, 2013, **341**, 1230444.
- 14 J. Lee, J. Li and J. Jagiello, *J. Solid State Chem.*, 2005, **178**, 2527–2532.
- 15 O. Shekhah, J. Liu, R. A. Fischer and C. Wöll, *Chem. Soc. Rev.*, 2011, **40**, 1081.
- 16 G. Nichols and C. S. Frampton, *J. Pharm. Sci.*, 1998, **87**, 684–693.
- 17 R. I. Ristic, S. Finnie, D. B. Sheen and J. N. Sherwood, *J. Phys. Chem. B*, 2001, **105**, 9057–9066.
- 18 L. H. Thomas, C. Wales, L. Zhao and C. C. Wilson, *Cryst. Growth Des.*, 2011, **11**, 1450–1452.
- 19 N. Tsapatsaris, B. A. Kolesov, J. Fischer, E. V. Boldyreva, L. Daemen, J. Eckert and H. N. Bordallo, *Mol. Pharmaceutics*, 2014, **11**, 1032–1041.
- 20 T. K. Wijethunga, F. Baftizadeh, J. Stojakovic, A. S. Myerson and B. L. Trout, *Cryst. Growth Des.*, 2017, **17**, 3783–3795.
- 21 C. Thompson, M. C. Davies, C. J. Roberts, S. J. B. Tendle and M. J. Wilkinson, *Int. J. Pharm.*, 2004, **280**, 137–150.
- 22 V. Stavila, J. Volponi, A. M. Katzenmeyer, M. C. Dixon and M. D. Allendorf, *Chem. Sci.*, 2012, **3**, 1531–1540.
- 23 F. Kirschhöfer, A. Riedera, C. Precht, B. Kühl, K. Sabljo, C. Wöll, U. Obst and G. Brenner-Weiß, *Anal. Chim. Acta*, 2013, **802**, 95–102.
- 24 P. Ganguly and G. R. Desiraju, *CrystEngComm*, 2010, **12**, 817–833.
- 25 M. C. Etter and J. C. Macdonald, *Acta Crystallogr., Sect. B: Struct. Sci.*, 1990, **46**, 256–262.
- 26 E. Staab, L. Addadi, L. Leiserowitz and M. Lahav, *Adv. Mater.*, 1990, **2**, 40–43.
- 27 I. Weissbuch, M. Lahav and L. Leiserowitz, *Cryst. Growth Des.*, 2003, **3**, 125–150.

