



Cite this: *Chem. Commun.*, 2019, 55, 1722

Received 2nd December 2018,
Accepted 11th January 2019

DOI: 10.1039/c8cc09579e

rsc.li/chemcomm

Assessment of magnetic properties of $A_2B'B''O_6$ double perovskites by multivariate data analysis techniques†

Taneli Tiittanen, ^a Sami Vasala ^{ab} and Maarit Karppinen ^{*a}

Multivariate data analysis is a promising tool for structure–property data mining and new-material prediction in the field of inorganic materials chemistry. Here we demonstrate its usability in assessing the magnetic properties of one of the most intriguing and plural functional inorganic material families, the ordered perovskite oxides of the $A_2B'B''O_6$ type.

Perovskite oxides form a structurally simple but compositionally and functionally diverse family of inorganic materials. The ABO_3 single perovskite itself allows a wide range of A and B cation combinations, but through co-occupation of one of the two cation sites with two different cation species the material category is expanded to ordered perovskites, such as the B-site ordered double perovskites $A_2B'B''O_6$.^{1,2} These compounds were first studied in the 1960's^{3–5} and since then they have been synthesized with hundreds of different cation combinations of A, B' and B'',¹ and a wide variety of attractive material properties have been realized for them. In 1998, half-metallicity was discovered for the Sr_2FeMoO_6 compound with a mixed valent $Fe^{II/III}$ – $Mo^{V/VI}$ state,^{6–8} while the Mg-based analogue Sr_2MgMoO_6 turned out to be a promising SOFC-anode material.^{9–11} Also importantly, the $A_2B'B''O_6$ perovskites exhibit exciting spin-state configurations and magnetic properties.¹² For example, the $Sr_2CuB''O_6$ system with Jahn–Teller active Cu^{II} is a uniquely suited host lattice for novel low-dimensional and frustrated magnetic behaviours.^{13–16} Particularly intriguing is the spin-liquid-like state discovered for the $Sr_2Cu(Te,W)O_6$ system.¹⁶

The $A_2B'B''O_6$ structure indeed presents a widely adjustable host lattice that can be tailored to a range of new material functions. The compositional variety is already vast, but it could be further expanded by utilizing *e.g.* high-pressure techniques for the synthesis.^{17–20} To guide the new-material synthesis,

novel approaches allowing us to systematically predict the materials properties would be highly beneficial.

In the search of new functional compounds/compositions, materials screening is commonly used for organic molecules in medical applications. While such an approach would be attractive also in case of oxide materials, its utilisation is not as straight forward as the sample synthesis often takes several days. However, among the oxides, perovskites form one of the most widely studied material families and the structure–property data collected over several decades could be utilized for data mining. In our early works we have used statistical multivariate data analysis (MVDA) techniques in assessing the structure–property relationships among super-conductive copper oxides and magnetic single-perovskite manganese oxides;^{21,22} however, in these cases the data sets were limited to less than 100 different samples. Now, with the wider composition variation among the $A_2B'B''O_6$ compounds, along with the multitude of functional properties discovered, an exciting opportunity arises to employ MVDA techniques in finding systematic structure–property relationships within the $A_2B'B''O_6$ double-perovskite family.

Here we aim to demonstrate this opportunity by focusing on the magnetic properties of these materials. We gathered literature data for 2606 $A_2B'B''O_6$ samples comprising 1010 unique stoichiometries. For each sample entry, the given chemical composition together with the reported synthesis details and crystal structure data and – when available – physical properties were collected (Supplementary data S1, ESI†). For these 2606 samples, usable magnetic property data were found for 671 entries: 181 were reported to be ferromagnetic (FM), 54 ferrimagnetic (FiM), 289 antiferromagnetic (AFM) and 147 paramagnetic (PM). In terms of the chemical composition, the data set covered 24 A-site metal constituents (Na, Ca, Sc, Mn, Sr, Y, Cd, In, Ba, La, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Pb, Bi), 51 B'-site constituents (Li, Be, Na, Mg, Al, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, Sr, Y, Zr, Nb, Rh, Pd, Ag, Cd, In, Sb, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, Ir, Hg, Tl, Pb, Bi) and 28 B''-site constituents (Si, Ti, V, Mn, Fe, Co, Ni, Ge, Zr, Nb, Mo, Ru, Rh, Sn, Sb, Te, I, Hf, Ta, W, Re, Os, Ir, Pt, Bi, U, Np, Pu).

^a Department of Chemistry and Materials Science, Aalto University, FI-00076 Espoo, Finland. E-mail: maarit.karppinen@aalto.fi

^b Technische Universität Darmstadt, Institut für Materialwissenschaft, Fachgebiet Materialdesign durch Synthese, Alarich-Weiss-Straße 2, 64287 Darmstadt, Germany

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c8cc09579e



Table 1 X and Y variables used and their explanations

Variable	Explanation
X variables	
A, B', B''	Metal components
$A_{\text{block}}, B'_{\text{block}}, B''_{\text{block}}$	Block (s, p, d, f) in periodic table
$rA, rB', rB'', rB_{\text{ave}}, rB_{\text{diff}}$	Shannon ionic radii
t	Goldschmidt tolerance parameter
ff	Fitness factor ($=\sqrt{2 \times rA/(rB + rO)}$)
cA, cB', cB'', cB _{diff}	Cation charge
dA, dB', dB''	d-Electron configuration
E_iA, E_iB', E_iB''	Ionization potential (for given oxidation state)
$\chi A, \chi B', \chi B''$	Electronegativity
syn-T, syn-t, syn-p	Highest synth. temperature, time, pressure
sys, spg	Crystal system, space group
$a, b, c; \alpha, \beta, \gamma$	Unit cell parameters
Vol	Unit cell volume (norm. to single perovskite)
B'-O-B''	Bond angle
S	Degree of order among B-site cations
Y variables	
T_C/T_N	Curie or Néel temperature
μ_{eff}	Effective magnetic moment
M-sat	Saturation magnetisation
Mag-class	PM/FM/AFM/FiM/Unknown

For our multivariate data analysis we employ SIMCA 15 software (Sartorius Stedim Data Analytics AB). Each sample entry (observation) is described by a range of quantitative and qualitative X variables, *i.e.* chemical, structural and physical properties (inputs). The magnetic properties are assigned as Y variables (outputs) and expressed with the type of magnetism (FM, FiM, AFM or PM) as a class identification and then with the specific values for the magnetic transition temperature, magnetic moment and saturation magnetisation. In Table 1, we list these variables used together with their short explanations (detailed explanations are found in Supplementary data S1, ESI†).

The SIMCA software utilises a few different methods to find correlations among the observations; note that it can also handle missing data. The first and simplest method is PCA (principal component analysis) which is typically used in conjunction with observations having only one type of variables (only X). Each observation, *i.e.* sample, is given a summary index number, made by summing variable values with given weights. SIMCA calculates each weight factor according to variable's importance in the model. When observations are plotted (score plot) according to their summary indexes, similar observations are located near each other, preferably forming groups. Also, a statistical confidence limit is calculated (Hotelling's T₂; oval shape in plot), and observations lying outside this oval in the plot are potential outliers because of (i) bad/wrong data, or (ii) very different properties compared to the other observations. In Fig. 1, we present the PCA result for the present data based on the X variables, revealing clear group formation for example due to the choice of the A-site element. However, PCA is not able to tell why the groups are different in detail. From Fig. 1, very few (if any) true outliers can be distinguished indicating the high quality of the input data in general.

Next, we employ the so-called O2PLS (orthogonal partial least squares) model with DA (discriminant analysis) extension, which accepts multiple Y variables. This method is helpful in

**Fig. 1** PCA score plot based on the X variables for all the 2606 observations. Observations are coloured according to the A-site element block in the periodic table: s-block yellow, p-block red, d-block green and f-block blue.

finding groups/subgroups among the sample set. In O2PLS score plots, horizontal variability indicates variance between the groups and vertical variability within the groups. This model works also with multiple observation classes, but for the simplicity we carry out the analysis for the following property-pairs separately: AFM-FM, AFM-PM and FM-PM.

Here we demonstrate the results of O2PLS-DA for the AFM-FM analysis in more detail. From the score plot shown in Fig. 2a it can first of all be seen that the AFM and FM compounds are in clearly separate groups. This manifests the fact that the type of magnetic ordering can indeed be predicted for the $A_2B'B''O_6$ compounds based on simple chemical and structural parameters (such as those listed in Table 1). Moreover, from the plot in Fig. 2b it is seen that both the AFM and the FM compounds form two subgroups based on the A-site metal constituent depending whether the A metal is from the s-block or from the p-, d- or f-blocks. An interesting observation is (even though not specifically indicated in Fig. 2) that the FM compounds with the highest T_C values are mostly located in the upper subgroup.

**Fig. 2** O2PLS-DA/AFM-FM model score plot based on all the X and Y variables for the FM and AFM samples. The two plots are otherwise identical except that in the (a) AFM compounds are coloured blue and FM compounds red, while in the (b) the colours indicate the block in the periodic table the A-site metal is from: s-block yellow, p-block red, d-block green and f-block blue.

Finally, we test the predictive power of our FM model. For building the FM model we use a so-called training set, *i.e.* a dataset based on observations for which the ferromagnetism is confirmed and the T_C value is known. In Fig. 4, we plot the experimentally observed T_C values against the values predicted by our model for the same known FM samples. It can be seen that our model can predict the magnetic transition temperature with relatively good certainty for most of the samples. We then



In conclusion, we have shown that with the present data, multivariate data analysis can distinguish $A_2B'B''O_6$ double




Table 2 Examples of new FM $A_2B''O_6$ candidate compounds and the T_C values predicted for these compounds (existing but not yet magnetically characterized)

Compound	Ref.	Predicted T_C (K)
La ₂ CoFeO ₆	23	190
Pb ₂ FeMoO ₆	24	200
Sr ₂ CrRuO ₆	25	190
La ₂ CrFeO ₆	26	100

perovskite compounds based on their type of magnetism; their magnetic properties correlate with their chemical and structural properties, enabling us to predict the type of magnetic ordering and ordering temperature for new compounds. Such predictive power can greatly help in guiding further experiments for finding novel functional materials.

While this method can handle missing or poor data, it is still dependent on having good data for majority of the compounds in the training set. This suggests that our predictions could be greatly improved with additional measurements for already known compounds. For example, magnetic properties can be very sensitive to bond distances and angles. Thus, better structural data could improve the predictions of magnetic properties. Similarly, additional data on other physical properties, such as electrical, ionic or thermal conductivity, Seebeck coefficient, electrical polarization, or redox properties could help discovering new thermoelectrics, dielectrics, and battery and fuel-cell materials.

All of the compounds considered in this study were in bulk form. However, for technologically important applications, thin films are often required. Different substrates can cause strain/stress in the film, which can greatly affect the materials properties, as for example the magnetization in thin films of $\text{La}_2\text{NiMnO}_6$.³² Lattice mismatch, strain/stress and other such parameters could easily be added to our model, adapting it to new purposes as needed.

Conflicts of interest

There are no conflicts to declare.

References

- 1 S. Vasala and M. Karppinen, *Prog. Solid State Chem.*, 2015, **43**, 1.
- 2 P. Woodward, R.-D. Hoffmann and A. W. Sleight, *J. Mater. Res.*, 1994, **9**, 2118.
- 3 F. K. Pattersson, C. W. Moeller and R. Ward, *Inorg. Chem.*, 1963, **2**, 196.
- 4 F. S. Galasso, F. C. Douglas and R. J. Kasper, *J. Chem. Phys.*, 1966, **44**, 1672.
- 5 T. Nakagawa, *J. Phys. Soc. Jpn.*, 1968, **24**, 806.
- 6 K.-I. Kobayashi, T. Kimura, H. Sawada, K. Terakura and Y. Tokura, *Nature*, 1998, **395**, 677.
- 7 K.-I. Kobayashi, T. Kimura, Y. Tomioka, H. Sawada, K. Terakura and Y. Tokura, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1999, **59**, 11159.
- 8 J. Lindén, T. Yamamoto, M. Karppinen, H. Yamauchi and T. Pietari, *Appl. Phys. Lett.*, 2000, **76**, 2925.
- 9 Y. H. Huang, R. I. Dass, Z. L. Xing and J. B. Goodenough, *Science*, 2006, **312**, 254.
- 10 Y. H. Huang, R. I. Dass, J. C. Denyszyn and J. B. Goodenough, *J. Electrochem. Soc.*, 2006, **153**, A1266.
- 11 Y. H. Huang, G. Liang, M. Croft, M. Lehtimäki, M. Karppinen and J. B. Goodenough, *Chem. Mater.*, 2009, **21**, 2319.
- 12 F. D. Romero, S. J. Burr, J. E. McGrady, D. Gianolio, G. Cibin and M. A. Hayward, *J. Am. Chem. Soc.*, 2013, **135**, 1838.
- 13 S. Vasala, J.-G. Cheng, H. Yamauchi, J. B. Goodenough and M. Karppinen, *Chem. Mater.*, 2012, **24**, 2764.
- 14 S. Vasala, H. Saadaoui, E. Morenzoni, O. Chmaissem, T.-S. Chan, J.-M. Chen, Y.-Y. Hsu, H. Yamauchi and M. Karppinen, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2014, **89**, 134419.
- 15 S. Vasala, M. Avdeev, S. Danilkin, O. Chmaissem and M. Karppinen, *J. Phys.: Condens. Matter*, 2014, **26**, 496001.
- 16 O. Mustonen, S. Vasala, E. Sadrollahi, K. P. Schmidt, C. Baines, H. C. Walker, I. Terasaki, F. J. Litterst, E. Baggio-Saitovitch and M. Karppinen, *Nat. Commun.*, 2018, **9**, 1085.
- 17 H. Yamauchi and M. Karppinen, *Supercond. Sci. Technol.*, 2000, **13**, R33.
- 18 Y. Syono, S.-I. Akimoto and K. Kohn, *J. Phys. Soc. Jpn.*, 1969, **26**, 993.
- 19 D. Iwanaga, Y. Inaguma and M. Itoh, *J. Solid State Chem.*, 1999, **147**, 291.
- 20 S. Vasala, H. Yamauchi and M. Karppinen, *J. Solid State Chem.*, 2014, **220**, 28.
- 21 K. Lehmus and M. Karppinen, *J. Solid State Chem.*, 2001, **162**, 1.
- 22 N. Imamura, T. Mizoguchi, H. Yamauchi and M. Karppinen, *J. Solid State Chem.*, 2008, **181**, 1195.
- 23 D. V. Karpinsky, I. O. Troyanchuk, K. Bärner, H. Szymczak and M. Tovar, *J. Phys.: Condens. Matter*, 2005, **17**, 7219.
- 24 I. O. Troyanchuk, L. S. Lobanovsky, H. Szymczak and K. Bärner, *J. Magn. Magn. Mater.*, 2000, **219**, 163.
- 25 A. J. Williams, A. Gillies, J. P. Attfield, G. Heymann, H. Huppertz, M. J. Martínez-Lope and J. A. Alonso, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2006, **73**, 104409.
- 26 A. K. Azad, A. Mellergård, S.-G. Eriksson, S. A. Ivanov, S. M. Yunus, F. Lindberg, G. Svensson and R. Mathieu, *Mater. Res. Bull.*, 2005, **40**, 1633.
- 27 H. Kato, T. Okuda, Y. Okimoto, Y. Tomioka, Y. Takenoya, A. Ohkubo, M. Kawasaki and Y. Tokura, *Appl. Phys. Lett.*, 2002, **81**, 328.
- 28 A. W. Sleight, J. Longo and R. Ward, *Inorg. Chem.*, 1962, **1**, 245.
- 29 J. F. Vente and P. D. Battle, *J. Solid State Chem.*, 2000, **152**, 361.
- 30 T. Tiittanen and M. Karppinen, *J. Solid State Chem.*, 2017, **246**, 245.
- 31 T. Aoba, T. Tiittanen, H. Suematsu and M. Karppinen, *J. Solid State Chem.*, 2016, **233**, 492.
- 32 H. Guo, J. Burges, S. Street, A. Gupta, T. G. Calvarese and M. A. Subramanian, *Appl. Phys. Lett.*, 2006, **89**, 022509.

