

PAPER

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *Nanoscale Adv.*, 2019, 1, 4442

Green solvent assisted synthesis of cesium bismuth halide perovskite nanocrystals and the influences of slow and fast anion exchange rates†

Rana Faryad Ali,  Irene Andreu  and Byron D. Gates *

Replacing lead in halide perovskites to address the concerns of their toxicity and stability has driven a recent surge in research toward alternative lead-free perovskite materials. Lead-free all inorganic cesium bismuth halide ($\text{Cs}_3\text{Bi}_2\text{X}_9$) perovskite nanocrystals have attracted attention in recent years due to the air-stability and non-toxic nature of bismuth. Herein, we demonstrate a facile sonication-assisted approach for the preparation of all-inorganic cesium bismuth iodide ($\text{Cs}_3\text{Bi}_2\text{I}_9$) perovskite nanocrystals (NCs) using propylene carbonate as a green, alternative solvent. The photoluminescence (PL) spectra of the $\text{Cs}_3\text{Bi}_2\text{X}_9$ NCs have a peak emission that can be tuned from 410 to 550 nm by controlling the composition of the NCs through an anion exchange reaction using tetraalkylammonium halides as a source of halide ions. The rate of this anion exchange reaction is demonstrated to have a significant influence on the dimensions of the NCs obtained from the parent $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs. The PL emission of these nanocrystals is predominately due to exciton recombination processes. The NCs also exhibit air-stability for at least 150 days.

Received 17th September 2019

Accepted 7th October 2019

DOI: 10.1039/c9na00586b

rsc.li/nanoscale-advances

Introduction

Metal halide perovskite nanomaterials with a general formula ABX_3 [$\text{A} = \text{CH}_3\text{NH}_3$ (MA), Cs; $\text{B} = \text{Pb}$, Bi, Sn, Ge, *etc.*; and $\text{X} = \text{Cl}$, Br, I] have drawn extensive attention due to their unique optical and electronic properties.^{1–3} This progress has been spurred by their excellent optical properties (*i.e.*, high photoluminescence quantum efficiency and sharp absorption edge), and the prospect for low-cost synthetic processes.^{4,5} Additionally, metal halide perovskites offer considerable tunability of their optical bandgaps through either the direct incorporation or exchange of different halides into the crystal structure, or through reducing the crystallite dimensions to the nanometer scale.^{6–9} This change in the bandgaps of the halide perovskites relies on the different ionization potentials of the halide ions, which enable tuning of the halide perovskite emission throughout the entire visible spectrum.¹⁰ Among these materials, lead halide perovskite based nanomaterials have been extensively explored for photonic applications, such as solar cells, light emitting diodes, and photodetectors.^{11,12} The intrinsic toxicity of lead-based materials limits their utility

due to their hazards to human health and the environment.^{13,14} The substitution of lead with relatively non-toxic metals in the perovskite crystal structure is highly desirable for the commercialization and widespread utilization of these materials.^{13,14}

In recent years, lead-free perovskite systems have been a primary focus of research into perovskite based materials and sought after for their use in optoelectronic applications.^{15–17} Several less toxic metals such as Sn, Ge, Bi, and Sb have been explored to prepare lead-free perovskite nanomaterials.^{18–20} Among lead-free perovskites, Sn and Ge containing perovskites are unstable due to the oxidative transformation of Sn^{2+} and Ge^{2+} to Sn^{4+} and Ge^{4+} , respectively.²¹ For decades, Bi has been used as a nontoxic replacement for Pb in quantum dots and piezoelectric materials.²¹ Bismuth is also a promising candidate for use in perovskite based materials due to the isoelectronic structure of Bi^{3+} with Pb^{2+} and its improved chemical stability over that of Sn^{2+} and Ge^{2+} .^{20,22–26} Furthermore, Bi^{3+} and Pb^{2+} are adjacent in the periodic table and have very similar ionic radii, which may ease the incorporation of Bi^{3+} into the perovskite lattice.¹³ The interest in bismuth-based perovskites quickly led to the synthesis of nanocrystals (NCs), first in the form of organic/inorganic hybrid perovskites, and later also as purely inorganic cesium-based perovskites.^{27,28} Among these bismuth halide based perovskites, the all inorganic based cesium bismuth halide perovskite nanomaterials have exhibited a better chemical stability and have a lower density of defects than the organic based methylammonium (MA) perovskite nanomaterials.^{20,22}

Department of Chemistry and 4D LABS, Simon Fraser University, 8888 University Drive Burnaby, BC, V5A 1S6, Canada. E-mail: bgates@sfu.ca

† Electronic supplementary information (ESI) available: Energy dispersed X-ray spectroscopy data; UV-visible spectroscopy data; histograms of particle size; transmission electron microscopy data; powder X-ray diffraction analyses; Raman spectroscopy data; Tauc plots; fluorescence lifetime data; and optical images. See DOI: 10.1039/c9na00586b



Herein, we demonstrate a facile, green solution-phase approach for the synthesis of cesium bismuth iodide ($\text{Cs}_3\text{Bi}_2\text{I}_9$) perovskite NCs along with a characterization of their optical properties. Colloidal NCs of $\text{Cs}_3\text{Bi}_2\text{I}_9$ were prepared by a simple sonication-assisted approach carried out in propylene carbonate (PC), a green solvent. This solution-phase approach to prepare $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs has a number of advantages including a relatively low reaction temperature (*e.g.*, $\sim 55^\circ\text{C}$), and the manipulation of the reagents and products under an ambient atmosphere. This process prepared colloidal $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs with an average diameter of 9 nm. These NCs also had a photoluminescence (PL) emission at 550 nm with a full-width-half-maximum (FWHM) of 65 nm, and exhibited photostability when stored as a suspension in PC and exposed to air over a period of five months. In addition, the peak position of the PL emission of the NCs was tuned through an anion exchange reaction using either tetraoctylammonium bromide (TOA-Br) or tetrabutylammonium chloride (TBA-Cl) to adjust the halide composition of the NCs.


All of the chemicals were of analytical grade and were used as received without further purification. Cesium bismuth iodide

For analysis of the products by powder X-ray diffraction (XRD) and Raman spectroscopy, the $\text{Cs}_3\text{Bi}_2\text{X}_9$ NCs were precipitated from solution by adding chloroform to the suspension of NCs in propylene carbonate, which was followed by centrifugation of the solution at 10 000 rpm for 15 min. The supernatant was decanted and the obtained precipitates were dried before performing these analyses.

The morphology, dimensions, crystallinity, and lattice parameters of the $\text{Cs}_3\text{Bi}_2\text{X}_9$ NCs were characterized using an FEI Osiris X-FEG 8 transmission electron microscope (TEM) operated at an accelerating voltage of 200 kV. Analyses by energy dispersive X-ray spectroscopy (EDX) were performed using the FEI Osiris scanning/TEM, which was equipped with a Super-X EDX system with ChemiSTEM Technology integrating the signal from four spectrometers. Samples were prepared for TEM analysis by dispersing each of the purified products in hexanes followed by drop casting 5 μL of each suspension onto separate TEM grids (200 mesh copper grids coated with Formvar/carbon) purchased from Cedarlane Laboratories. Each TEM grid was dried under vacuum (~ 230 torr) for at least 8 h prior to analysis.

The optical absorption spectra of the $\text{Cs}_3\text{Bi}_2\text{X}_9$ NCs were measured using an Agilent Technologies UV-visible spectrophotometer (Agilent 8453, Model No. G1103). For these measurements, the NCs suspended in PC were held in 1 cm path length poly(methyl methacrylate) cuvettes (VWRTM, Catalog No. 634-8537). For the stability experiments, the NCs were stored as a suspension in PC over a period of 2 months. A series of UV-Visible spectra were recorded throughout this period of time (*e.g.*, 4, 8, 12, 30, 60 and 150 days). Photoluminescence measurements of the $\text{Cs}_3\text{Bi}_2\text{X}_9$ NCs were carried out using a Photon Technology International (PTI) Quanta-master spectrofluorometer using excitation wavelengths that matched the extinction maxima for each composition of NCs. The absolute photoluminescence quantum efficiency (PLQE) of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs was measured using an FS5 spectrofluorometer (Edinburgh instruments) equipped with an integrating sphere (FS5 SC-30). To minimize the self-quenching effects, the absorbance of the sample was set below 0.2 at the excitation wavelength with a 10 mm quartz cuvette. The blank emission (*e.g.*, from a solution of PC) was collected with the same cuvette containing only the solvent as a blank in the same spectral range used for the sample emission measurement. The absolute PLQE values were calculated using eqn S1 in ESI.[†] The time-resolved PL spectra were collected on a Horiba PTI QuantaMasterTM 400 with a DeltaFlex time-correlated single photon counting (TCSPC) lifetime measurement system equipped with a 370 nm excitation laser pulse. The instrument response function was measured using a non-fluorescent LUDOX®-50 scatterer (50 wt% suspension of silica beads in water, Sigma Aldrich).

be a nonhazardous solvent. The polar nature of the PC enables the ability to readily dissolve a variety of ionic species, such as the precursors to the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs. In this method, tip-assisted sonication was used to induce the formation of $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs through a one-pot process directly from its molecular constituents (*i.e.*, bismuth acetate and cesium iodide) in the presence of a surfactant, oleic acid. The formation of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs during the reaction was noted by a change in the appearance of the solution, changing from colorless to a dark orange color. Transmission electron microscopy (TEM) analysis of the as-synthesized $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs indicated the formation of uniform and well-dispersed NCs with quasi-spherical shapes (Fig. 1a). The average diameter of these NCs was 9 ± 2 nm (Fig. 1b). The atomic-scale crystallinity of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ nanoparticles was analyzed by high-resolution TEM (HRTEM) (Fig. 1c). A uniform lattice structure was observed throughout each of the nanocrystals. These results suggested that each nanoparticle was formed as a single crystal. The periodic fringe patterns observed by HRTEM for some of these nanocrystals had a spacing of 2.2 Å. This spacing matched the inter-planar spacing for the (315) planes of $\text{Cs}_3\text{Bi}_2\text{I}_9$. Composition of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs was further confirmed by energy dispersive X-ray spectroscopy (EDX), which



This journal is © The Royal Society of Chemistry 2019

indicated the presence of Cs, Bi and I in the NCs (Fig. S1 in ESI†).

Bismuth based perovskite NCs containing other halides (*e.g.*, $\text{Cs}_3\text{Bi}_2\text{Br}_9$, $\text{Cs}_3\text{Bi}_2\text{Cl}_9$, and mixed halide species) were prepared through a simple process of anion exchange. Post-synthetic chemical transformations through ion-exchange reactions are a simple and versatile approach to creating new materials that are not readily accessible by other techniques, and can provide a fine control over the final composition of a material.^{36,37} Recently, anion exchange reactions of halide perovskites have rapidly emerged as an approach to tuning their composition and to prepare mixed halide phases.^{29,38} Due to the high mobility of the halide ions and the rigid nature of the cationic sub-lattice of halide perovskites, anion-exchange reactions are a versatile approach to tune the optical properties of a variety of perovskites.^{3,29} There is, however, little known with regards to the effects of the rate of the anion-exchange reactions on the properties of the product, such as the optical properties and the dimensions of the resulting perovskites.³⁸ The anion exchange process is relatively fast (*e.g.*, several seconds) and can be achieved at ambient or lower temperatures to deliberately achieve either with a partial or complete exchange of the anions. The anion exchange reactions reported herein were conducted by suspending the NCs in propylene carbonate and adding tetraalkylammonium halides (TAA-X; X = Cl^- or Br^-) as a source of the desired anion for the exchange. We selected tetraalkylammonium halides to facilitate the exchange of I^- with either Br^- or Cl^- by hindering the reverse reactions. This unidirectional ion exchange process is attributed to the interactions of hard and soft acids and bases. The tetraalkylammonium cation (TAA^+) with its four alkyl chains is a soft acid that prefers to bind to softer halide ions.³⁸ Therefore, the TAA^+ cation prefers to associate with I^- over Br^- or Cl^- . When reacting the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs with tetraoctylammonium bromide (TOA-Br) the Br^- readily exchanged with I^- from the NCs lattice. In other words, the transformation from TOA-Br to TOA-I is favorable. The exchange for I^- in $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs with Cl^- available from tetrabutylammonium chloride (TBA-Cl) is also feasible as the transformation from TBA-Cl to TBA-I is favorable (*e.g.*, the I^- ions are softer than Cl^-).

The dimensions of the NCs were significantly affected by the rate of the anion exchange reaction. A relatively slow anion exchange reaction (Fig. 2) used to prepare the $\text{Cs}_3\text{Bi}_2\text{Br}_9$ and $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs resulted the formation of particles with comparable dimensions to those of $\text{Cs}_3\text{Bi}_2\text{I}_9$ (Fig. 3, and S2 in ESI†). The TEM analyses of the $\text{Cs}_3\text{Bi}_2\text{Br}_9$ NCs acquired after completing a relatively slow halide exchange process indicated that these NCs were also crystalline and maintained a quasi-spherical shape. The average diameter of these $\text{Cs}_3\text{Bi}_2\text{Br}_9$ NCs was 7 ± 2 nm (Fig. S3 in ESI†). The TEM analyses of the $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs, also prepared by the relatively slow anion exchange process, revealed that these NCs were also crystalline, but that these products exhibited more irregular shapes and an increase in the polydispersity of the particles. The average diameter of these $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs was 11 ± 5 nm (Fig. S3 in ESI†). These variations in the shape and size of the $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs from the as-synthesized, parent $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs could be attributed to the




Fig. 2 Ultraviolet (UV)-visible absorption spectra acquired over the course of the reaction to monitor a relatively slow anion exchange process for the parent $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs through the formation of mixed (a) I/Br and (b) I/Cl nanocrystals by the substitution of I^- with Br^- and Cl^- , respectively. The addition of tetraalkylammonium halides in an increasing concentration (as noted next to the spectra) were used to initiate the anion exchange reaction, which resulted in a blue-shift in the absorption spectra. The absorption spectra quickly stabilized, exhibiting no further shifts with subsequent additions of either Br^- or Cl^- anions to the solution. This stabilization of the spectra indicated a completion of the anion exchange process.

larger difference in radii of the Cl^- and I^- ions. The replacement of the I^- by Cl^- within the crystalline lattice likely disrupts the structure of these materials.^{39,40} This ion exchange process could lead to a partial dissolution, reshaping, and aggregation of the NCs. Increasing the relative rate of the anion exchange reactions (Fig. S4 and S5 in ESI†) resulted in an increase in the average diameter and polydispersity of the $\text{Cs}_3\text{Bi}_2\text{Br}_9$ and $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs. These $\text{Cs}_3\text{Bi}_2\text{Br}_9$ and $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs had average dimensions of 12 ± 4 nm and 22 ± 6 nm, respectively (Fig. 4). A number of smaller particles with average dimensions of ~ 4 nm were also observed along with these larger $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs, which may result from a partial dissolution of the NCs during the anion exchange process. It is possible that the overall increase in size of the NCs observed during this fast ion exchange process could be attributed to an initial dissolution of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs, forming smaller nuclei. Subsequent nucleation and aggregative growth of these nuclei would result in the formation of the larger $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs.^{41,42} During aggregative growth, the deposition of the nuclei on the higher energy facets






Fig. 3 Transmission electron microscopy (TEM) analyses of the nanocrystals (NCs) after a relatively slow anion exchange reaction: (a and b) cesium bismuth bromide ($\text{Cs}_3\text{Bi}_2\text{Br}_9$) nanocrystals; and (c and d) cesium bismuth chloride ($\text{Cs}_3\text{Bi}_2\text{Cl}_9$) nanocrystals. The larger, dark regions observed in (c) are associated with assemblies of smaller nanoparticles as shown in (d).




Fig. 4 Transmission electron microscopy (TEM) analyses of the nanocrystals (NCs) after a relatively fast ion exchange reaction: (a and b) cesium bismuth bromide ($\text{Cs}_3\text{Bi}_2\text{Br}_9$) nanocrystals; and (c and d) cesium bismuth chloride ($\text{Cs}_3\text{Bi}_2\text{Cl}_9$) nanocrystals. The average dimensions of the $\text{Cs}_3\text{Bi}_2\text{Br}_9$ and $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs increased to ~ 12 nm and ~ 22 nm, respectively.


also lead to a reshaping and an increase in the dimensions of the NCs.⁴³ The ion-exchange process begins from the edges of the particles and proceeds toward their core.^{44,45} These ion exchange reactions have a small activation energy as they are thought to proceed through a kick-out mechanism, and that the rate-determining step is not the rate of diffusion but instead the rate of the ion exchange.^{44–46} These faster rates for the ion

exchange reaction result in a significant mass transport between the inner core and exterior of the particles, which could result in a dissolution or partial deterioration of their structure.⁴⁴

Powder X-ray diffraction (XRD) patterns were obtained for the as-synthesized $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs (Fig. 1d, and S6 in ESI[†]), as well as for the $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ and $\text{Cs}_3\text{Bi}_2\text{Br}_9$ NCs resulting from the relatively slow halide exchange reactions (Fig. S7 in ESI[†]). The major peaks in the XRD patterns of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs matched the hexagonal crystal structure expected for $\text{Cs}_3\text{Bi}_2\text{I}_9$ (space group $P6_3/mmc$, ICSD No. 410726). The $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs and $\text{Cs}_3\text{Bi}_2\text{Br}_9$ NCs were also crystalline, and had major diffraction peaks similar to the XRD profiles to those previously reported for bulk crystals of $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ and $\text{Cs}_3\text{Bi}_2\text{Br}_9$. In comparison to these bulk single-crystals, the diffraction peaks for the samples of NCs were significantly broader, which can be attributed to the nanoscale dimensions of the colloidal NCs.^{47,48} Differences in the peak positions for some of the peaks observed in the XRD plots for the NCs relative to those for the ICSD standards, as seen in Fig. S6 and S7 in ESI[†], are attributed to the intrinsic structural properties of the perovskite NCs. These intrinsic properties include unit cell distortions and other structural strains that result from the small dimensions of the nanocrystals, and the preferred directions of crystal growth for the nanocrystals relative to the bulk crystals used as reference materials.⁴⁹ Further distortions could result from the processes of precipitating the NCs from solution and drying them in preparation for the XRD analyses. These induced transformations of the perovskite NCs may also lead to the formation of polycrystalline and/or aggregated products.⁵⁰ Similar interferences and environmental influences on the reflections observed in the XRD plots have been observed in many previous reports for perovskite-based nanomaterials.^{20,21,23,24} The relative intensities of some reflections are also distinct from those observed in the bulk crystals, which is due to changes in the relative growth directions of the lattices in the form of the NCs.

Phase, crystallinity, and purity of the products were further analyzed by Raman spectroscopy techniques. Raman spectra were recorded from 50 to 300 cm^{-1} . No peaks were observed above 300 cm^{-1} . Raman spectra of $\text{Cs}_3\text{Bi}_2\text{I}_9$ contain two major peaks above 110 cm^{-1} , along with three strong modes between 50 and 110 cm^{-1} (Fig. 1e). The Raman bands associated with the $\text{Cs}_3\text{Bi}_2\text{I}_9$ NCs further indicated the formation of a crystalline product.⁵¹ The Raman spectra of the $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ and $\text{Cs}_3\text{Bi}_2\text{Br}_9$ NCs also indicated the formation of crystalline products (Fig. S8 in ESI[†]).⁵² The observed vibrational modes of the $\text{Cs}_3\text{Bi}_2\text{I}_9$ lattice (space group $P6_3/mmc$) are derived mainly from the vibrations of the $[\text{Bi}_2\text{I}_9]^{3-}$ anion. The crystal structure consists of molecular $[\text{Bi}_2\text{I}_9]^{3-}$ anions bound together by three Cs^+ cations per unit cell (Fig. 1f). The dominant vibrations in the crystalline lattice of $\text{Cs}_3\text{Bi}_2\text{I}_9$ arise from the strong bonds of the $[\text{Bi}_2\text{I}_9]^{3-}$ sub-unit and the weaker modes arise from the ionic interactions of that sub-unit with the bridging Cs^+ cations (Table S1 in ESI[†]).^{51,53,54} The peak positions within the Raman spectra of the $\text{Cs}_3\text{Bi}_2\text{Br}_9$ and $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ NCs were also in agreement with the data previously reported for larger $\text{Cs}_3\text{Bi}_2\text{Br}_9$ and $\text{Cs}_3\text{Bi}_2\text{Cl}_9$ crystals.⁵²

Time-resolved PL spectra were acquired using time-correlated single photon counting (TCSPC) to investigate the dynamics of exciton recombination associated with the NCs (Fig. 6, and S10 in ESI[†]). The PL decay of the Cs₃Bi₂I₉ NCs was fit with a biexponential decay function composed of a short-lived PL lifetime (τ_1) of 0.92 ns and a long-lived PL lifetime (τ_2) of 5.3 ns (Fig. S11 in ESI[†]). Similar lifetimes were observed for the Cs₃Bi₂Br₉ and Cs₃Bi₂Cl₉ NCs. Each of the NCs exhibited a larger contribution from the short-lived PL decay processes over the long-lived PL decay processes (Table S3 in ESI[†]). Previous studies suggest that the processes associated with the short-lived lifetime can be attributed to direct electronic transitions within the NCs. In contrast, the long-lived component can be attributed to indirect electronic transitions, such as through recombination events at surface defects.^{55,57} The fluorescence decay associated with the Cs₃Bi₂X₉ NCs is likely governed

Nanoscale Adv., 2019, **1**, 4442–4449 | 4447

predominantly by exciton recombination within the NCs.^{22,58} The Cs₃Bi₂I₉ NCs were also studied over a period of 150 days while stored under ambient conditions to assess the stability of their optical properties. A small blue-shift (~8 nm) and slight peak broadening (~3 nm) were observed in the UV-Visible absorbance spectra of the nanocrystals over the course of the five months of storage (Fig. S14 in ESI†). This indicated that the Cs₃Bi₂I₉ NCs exhibited stable optical properties when stored in air as no significant changes were observed to their absorption spectra over this period of time. A slight blue-shift (~25 nm) was observed in their PL spectra along with a similar FWHM following the 150 days of exposure to air, which indicated the relative stability of the optical properties of these NCs (Fig. S15 in ESI†).

Conclusions

In summary, we have demonstrated a solution-phase route to prepare single-crystalline Cs₃Bi₂I₉ NCs *via* a facile sonication-assisted method. This single-step process uses propylene carbonate as a green solvent for the synthesis. The PL spectra of the perovskite Cs₃Bi₂X₉ NCs were tuned from 410 to 550 nm by controlling their composition through an anion exchange process carried out at room temperature using tetraalkylammonium halides (TAA-X) as a source of halide ions (X = Br[−] or Cl[−]). Controlling the rates of the anion exchange process had a significant influence on the quality of the products. For example, following a relatively slow anion exchange reaction the dimensions of the Cs₃Bi₂Br₉ NCs and Cs₃Bi₂Cl₉ NCs were comparable to those of the parent Cs₃Bi₂I₉ NCs. A faster anion exchange reaction yielded NCs of Cs₃Bi₂Br₉ and Cs₃Bi₂Cl₉ with an increase in the relative dimensions of these products and an increase in their polydispersity. Time-resolved PL measurements indicated that the fluorescence decay associated with the NCs proceeds predominately through an exciton recombination within the NCs. The Cs₃Bi₂I₉ NCs were also air stable for over 150 days with a slight blue-shift of their absorbance and PL properties.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported in part by the Natural Sciences and Engineering Research Council (NSERC) of Canada (Discovery Grant No. 1077758), and through the Collaborative Health Research Projects (CHRP) Partnership Program supported in part by the Canadian Institutes of Health Research (Grant No. 134742) and the Natural Science Engineering Research Council of Canada (Grant No. CHRP 462260), the Canada Research Chairs Program (B. D. Gates, Grant No. 950-215846), and CMC Microsystems (MNT Grants No. 6345 and No. 5954). This work made use of 4D LABS (<http://www.4dlabs.com>) and the Center for Soft Materials shared facilities supported by the Canada Foundation for Innovation (CFI), British Columbia Knowledge

Development Fund (BCKDF), Western Economic Diversification Canada, and Simon Fraser University. We also thank Dr Saeid Kamal (4D LABS), Dr Ryan Roberts, and Prof. Daniel Leznoff for discussions and assistance with acquiring the fluorescence lifetimes and PLQE data for the samples described herein.

References

- 1 S.-T. Ha, R. Su, J. Xing, Q. Zhang and Q. Xiong, *Chem. Sci.*, 2017, **8**, 2522–2536.
- 2 W. Zhang, G. E. Eperon and H. J. Snaith, *Nat. Energy*, 2016, **1**, 16048.
- 3 Q. A. Akkerman, G. Rainò, M. V Kovalenko and L. Manna, *Nat. Mater.*, 2018, **17**, 394–405.
- 4 S. Yakunin, L. Protesescu, F. Krieg, M. I. Bodnarchuk, G. Nedelcu, M. Humer, G. De Luca, M. Fiebig, W. Heiss and M. V Kovalenko, *Nat. Commun.*, 2015, **6**, 8056.
- 5 S. De Wolf, J. Holovsky, S.-J. Moon, P. Löper, B. Niesen, M. Ledinsky, F.-J. Haug, J.-H. Yum and C. Ballif, *J. Phys. Chem. Lett.*, 2014, **5**, 1035–1039.
- 6 A. R. Srimath Kandada and A. Petrozza, *Acc. Chem. Res.*, 2016, **49**, 536–544.
- 7 C. C. Stoumpos and M. G. Kanatzidis, *Acc. Chem. Res.*, 2015, **48**, 2791–2802.
- 8 Y. Wang and H. Sun, *Small Methods*, 2018, **2**, 1700252.
- 9 H. Huang, L. Polavarapu, J. A. Sichert, A. S. Susa, A. S. Urban and A. L. Rogach, *NPG Asia Mater.*, 2016, **8**, e328.
- 10 A. Walsh, *J. Phys. Chem. C*, 2015, **119**, 5755–5760.
- 11 Q. Zhang and Y. Yin, *ACS Cent. Sci.*, 2018, **6**, 668–679.
- 12 M. V Kovalenko, L. Protesescu and M. I. Bodnarchuk, *Science*, 2017, **358**, 745–750.
- 13 Z. Shi, J. Guo, Y. Chen, Q. Li, Y. Pan, H. Zhang, Y. Xia and W. Huang, *Adv. Mater.*, 2017, **29**, 1605005.
- 14 L. Liang and P. Gao, *Adv. Sci.*, 2018, **5**, 1700331.
- 15 Z. Xiao, Z. Song and Y. Yan, *Adv. Mater.*, 2019, 1803792.
- 16 X. Wang, T. Zhang, Y. Lou and Y. Zhao, *Mater. Chem. Front.*, 2019, **3**, 365–375.
- 17 W. Ning and F. Gao, *Adv. Mater.*, 2019, 1900326.
- 18 D. S. Dolzhenkov, C. Wang, Y. Xu, M. G. Kanatzidis and E. A. Weiss, *Chem. Mater.*, 2017, **29**, 7901–7907.
- 19 J. Zhang, Y. Yang, H. Deng, U. Farooq, X. Yang, J. Khan, J. Tang and H. Song, *ACS Nano*, 2017, **11**, 9294–9302.
- 20 B. Yang, J. Chen, F. Hong, X. Mao, K. Zheng, S. Yang, Y. Li, T. Pullerits, W. Deng and K. Han, *Angew. Chem.*, 2017, **129**, 12645–12649.
- 21 M. Leng, Y. Yang, K. Zeng, Z. Chen, Z. Tan, S. Li, J. Li, B. Xu, D. Li and M. P. Hautzinger, *Adv. Funct. Mater.*, 2018, **28**, 1704446.
- 22 M. Leng, Z. Chen, Y. Yang, Z. Li, K. Zeng, K. Li, G. Niu, Y. He, Q. Zhou and J. Tang, *Angew. Chem., Int. Ed.*, 2016, **55**, 15012–15016.
- 23 Y. Lou, M. Fang, J. Chen and Y. Zhao, *Chem. Commun.*, 2018, **54**, 3779–3782.
- 24 R. D. Nelson, K. Santra, Y. Wang, A. Hadi, J. W. Petrich and M. G. Panthani, *Chem. Commun.*, 2018, **54**, 3640–3643.
- 25 B. Park, B. Philippe, X. Zhang, H. Rensmo, G. Boschloo and E. M. J. Johansson, *Adv. Mater.*, 2015, **27**, 6806–6813.



