Materials Advances

REVIEW



Cite this: Mater. Adv., 2021, 2, 7187

Received 9th August 2021, Accepted 4th October 2021

DOI: 10 1039/d1ma00703c

rsc.li/materials-advances



Muhammad Ali Raza,^a Feng Li, 🔎 ^a Meidan Que, 🕑 *^b Liangliang Zhu 🕩 *^a and Xi Chen * C

Photocatalytic CO₂ reduction to generate energy-rich fuels through solar energy provides an attractive route to alleviate the global energy crisis and environmental concerns. Searching for various photocatalysts with high catalytic activity and selectivity for the transformation of CO_2 is the key strategy to accomplish this goal. Halide perovskite nanomaterials, with the advancements of facile synthesis, excellent light-harvesting, efficient exciton generation, long carrier diffusion length, and abundant surface sites, have great potential in solar energy conversion. In this review, the fundamental photocatalytic mechanism for CO₂ reduction is firstly highlighted and the impact of the structural properties of halide perovskites is presented. Then, recent advancements of the reaction medium, halide perovskites (e.g., ABX₃ structure and A₂B'B"X₆ structure), and their composites (e.g., oxide, sulfide, carbide, metal-organic framework, noble metal, and carbon derivative) as photocatalysts are described and analyzed. Finally, potential research approaches and future perspectives for the improvement of halide perovskite-based photocatalysts toward efficient CO2 reduction are briefly discussed. This review sheds light on the upcoming innovative photocatalysts for CO₂ reduction into high value-added products.

1. Introduction

Tremendous natural environmental changes have made people around the world increase crisis awareness when we are facing

unprecedented nature. Great attention has been paid to the

depletion of natural resources and the impact of the emission

of greenhouse gases on the environment due to the burning

of fossil fuels.¹⁻⁴ Solar-driven carbon dioxide (CO₂) conversion

is an encouraging strategy to alleviate the negative effect of

greenhouse gases,^{5,6} which uses artificial photosynthesis and

- ^a School of Chemical Engineering, Northwest University, Xi'an 710069, China. E-mail: zhu.liangliang@nwu.edu.cn
- ^b College of Materials Science and Engineering, Xi'an University of Architecture and Technology, Xi'an 710055, China. E-mail: mdque@xauat.edu.cn
- ^c Earth Engineering Center, Center for Advanced Materials for Energy and Environment, Department of Earth and Environmental Engineering, Columbia University, New York, NY10027, USA. E-mail: xichen@columbia.edu

Muhammad Ali Raza

Muhammad Ali Raza received his M.S. in Environmental Engineering from Northwestern Polytechnical University in 2017. Now, he is pursuing the PhD degree at Northwest University, China. His research direction is photocatalytic CO_2 reduction.

Feng Li is a graduate student at Northwest University, Xi'an, China. His research interests focus on materials and processes for carbon capture and utilization.

ROYAL SOCIETY

OF CHEMISTRY

View Article Online

Feng Li

photocatalysis of solar energy for carbon feedbacks and is also a straightforward and flexible pathway of CO_2 valorization.^{7,8}

Since the landmark breakthrough in 1972, the pioneering work on ultraviolet (UV) driven photocatalytic production of hydrogen by TiO_2^9 has spurred enormous interest and motivated decades of scientific research and progress, which are of particular importance for energy transformation (*e.g.*, reduction of CO₂ and water splitting), chemical transformations, and the decontamination of organic pollutants.¹⁰ During recent years, the rapid increase in the CO₂ concentration in the environment has caused widespread concern.¹¹ Extensive efforts have been devoted to stabilizing and controlling the concentration of CO₂ in the environment, leading to CO₂ capture and renewable energy production. In particular, the state-of-the-art photocatalytic reduction of CO₂ has been considered as one of the most promising ways.¹²

From the perspective of long-term development, it is essential to explore cost-efficient photocatalysts with outstanding properties and performances. An ideal photocatalytic material should possess wide-range and superior light absorption, effective charge separation, excellent stability and proper redox ability.¹³



Meidan Que

Meidan Que is currently working as an associate professor at Xi'an University of Architecture and Technology in China. She got her PhD at Xi'an Jiaotong University in 2018 working on optical materials for perovskite solar cells. From Sep. 2017 to Sep. 2018, she studied as a Brown visiting scholar at University. Currently, her research interests focus on semiconductor quantum dots for photovoltaic systems and nanocomposites for photocatalyst applications.

Upon illumination, the photogenerated charge carriers are produced in the conduction band (CB) and valence band (VB) in semiconductors, respectively. When the energy structure of these semiconductors straddles the redox potentials, their photogenerated charge carriers would involve the surface redox reaction. However, most pure semiconductors (g-C₃N₄,¹⁴ TiO₂,¹⁵ and Cu₂O¹⁶) as photocatalysts are far from the ideal state yet, because of various limitations, *e.g.*, quick recombination of photo-generated charge carriers, large bandgap, and poor photoreduction potential. Hence, there is still a huge demand to explore low-cost, stable, and effective artificial photocatalysts for CO₂ fixation.

Recently, halide perovskites have drawn enormous attention by virtue of their excellent photoelectric properties, for example, long charge carrier diffusion length, adjustable bandgap, high absorption coefficient, and excellent external quantum efficiency.^{17–21} Due to these impressive characteristics and attractive properties, halide perovskites have been extensively employed in the fields of photoelectric conversion,²² reduction reaction of CO₂, and hydrogen evolution reaction.²³⁻²⁷ These successful applications also encourage more applications in other traditional fields.²⁸ Recent developments in the synthesis methods (e.g., hot-injection, ligandassisted reprecipitation scheme, ultrasonic method, solvothermal method, microwave assisted method, and ball milling)²⁹⁻³⁵ have promoted halide perovskites marching to practical usage.³⁶ Through controlling the production method, reaction temperature, capping ligand, and additional reaction conditions, halide perovskites with variable chemical components (e.g., inorganic, organic, and inorganic hybrid), dimensions, sizes, and morphologies can be obtained.³⁷⁻⁴¹ These efforts are expected to bring new opportunities for halide perovskites in the application of photocatalysis.

Halide perovskites have recently attracted great attention towards the reduction of CO_2 into high value-added products, from basic and theoretical research to applied science.^{42–52} Shown in Fig. 1 is a timeline of the development of halide perovskites as photocatalysts for CO_2 reduction.

Up to now, there have been some review works of halide perovskites as photocatalysts focusing on the stability issues, or



Liangliang Zhu

Liangliang Zhu is working as an associate professor at the School of Chemical Engineering of Northwest University, Xi'an, China. He received his PhD degree from Xi'an Jiaotong University, Xi'an, China, in 2018. His research interest is in multi-scale materials for carbon capture and utilization, and flexible structures.



Xi Chen

Xi Chen is a professor at the Department of Earth and Environment Engineering at Columbia University. He is the Director of the Earth Engineering Center, and the Center for Advanced Materials for Energy and Environment at Columbia University. He received his PhD from Harvard University in 2001 and joined Columbia in 2003. He has received numerous awards including the Presidential Early Career Award for Scientists and

Engineers (PECASE), ASME Sia Nemat-Nasser Early Career Award, and the SES Young Investigator Medal.



Fig. 1 The development of halide perovskites as photocatalysts for CO_2 reduction.

modification strategies through structural engineering and interfacial modulations.⁵³⁻⁵⁷ However, a timely and comprehensive review is still in demand concerning the photoreduction mechanism, reductants and products, the structure and photocatalytic performances, and the exploration efforts on halide perovskites and their composites for further improvements. In this review, we start with the basic mechanism of the photoreduction of CO₂, and the reductants and products. After that, the fundamental photoelectrical properties of halide perovskites are described collectively, including their crystal structure, defect tolerance, toxicity, luminescence properties, and photostability issues. Insights into the molecular calculations of halide based perovskites concerning their unique electronic structure and physio-chemical properties are also included. Then, we summarize the existing exploration efforts on halide perovskites and their composites in tuning the selectivity of photocatalytic reduction of CO_2 as well as increasing the active sites. Finally, we present the outlook for upcoming directions and the great potential of halide perovskites toward photocatalytic CO2 reduction.

2. Photocatalytic mechanism for CO_2 reduction

In the process of photocatalysis, the abundantly available solar energy is transformed into electrical/chemical/thermal energies through semiconductor materials.^{13,58–61} In general, the photocatalysis process for CO_2 reduction mainly consists of three critical synergistic steps, as illustrated in Fig. 2. In the first step, photon absorption occurs to create electron–hole pairs. During this catalytic reaction, incident light induces the transition of electrons from the valence band (VB) to the conduction band (CB), leaving an equal number of holes in the VB. A suitable band structure of the photocatalyst is required to reduce CO_2 or oxidize water. However, in the second step, a large number of fractions of photogenerated electron-hole pairs may be consumed by recombination. The recombination is dominant over charge separation or *vice versa*, depending on the relative time scale among the rate of recombination and photogenerated carriers. This issue can be resolved *via* a very complex interaction among dimension, surface properties, material crystallinity, and several other structural factors. The design of balanced active sites was utilized to facilitate charge separation. The final step is the CO_2 adsorption. This redox reaction involves the transfer of electrons from the photocatalyst to CO_2 molecule. In general, larger surface area of the photocatalyst can lead to higher rate of CO_2 adsorption thanks to more active sites.^{62–64} The photocatalytic activity is generally associated with two main conditions: (i) the



Fig. 2 Schematic diagram of the photocatalytic CO₂ reduction mechanism.

bandgap energy (E_g) of the photocatalyst should be lower than the energy of the incident light (hv; the absorption energy). (ii) The reduction potential of the reacting species should be positioned between the CB and VB values of the photocatalyst material. The former condition specifies a narrower bandgap that can help the effective utilization of incident photons. Conversely, the latter condition reveals that a higher value of CB potential and a lower value of VB potential are thermodynamically advantageous toward the reduction as well as oxidation reactions of the reacting species, respectively. Therefore, it is inevitable to seek the balance point owing to the existence of the noticeable inconsistency as discussed in the above conditions. However, this is quite a challenging task to obtain both broad light absorption and robust redox capability simultaneously for pure component semiconductor materials. Moreover, the photogenerated electrons in the CB can easily recombine with holes, or be trapped in the defect state, or easily come back to the VB for a pure-component material, which would decrease the efficiency of solar energy utilization.65 Hence, designing a suitable heterogeneous photocatalyst is an effective approach to overcome the above-mentioned issues. Generally, there are four vital rules played by cocatalysts: (i) enhancing the separation and transfer of charges, (ii) boosting the performance, and the selectivity of photoreduction of CO_{2} , (iii) improving the durability of photocatalysts in a peculiar environment (e.g. high humidity and high temperature), and (iv) suppressing the side reactions (e.g., H₂ reduction).

Photocatalytic reduction of CO_2 with a semiconductor-based cocatalyst is affected by many aspects, for example, photocatalyst loading, particle size, structure, composition, dispersion, crystal facets, alloy phase, morphology, and valence states. In a photocatalyst system, the maximum photocatalytic performance is accomplished at an optimum loading of cocatalysts. An additional loading of the cocatalyst may lead to deterioration of catalytic activity owing to the following factors. (i) Too much cocatalyst can hinder the incident light and reduce the light absorption ability, hence decreasing the photogenerated electron-hole pairs. (ii) Excessive cocatalyst percentage could in turn shield the active sites on the surface of the photocatalyst, therefore lessening the contact with H₂O and CO₂ molecules. (iii) Excessive loading may cause the irregular dispersion and formation of bigger particles, consequently reducing the catalytic performance.

A closed gas circulation reactor is usually used for photoreduction of CO₂, where the responded CO₂ decreased in the existence of semiconductors under continuous illumination.66-71 Since the Gibbs free-energy (ΔG) value for the reduction reaction of CO₂ to produce carbon monoxide (CO) is ~ 258.95 kJ mol⁻¹, the bandgap of no less than 1.35 eV is needed. Then rapid separation and transfer of the photogenerated charge carriers to the particular catalytic active sites of the photocatalysts triggers the electrochemical reaction, resulting in chemical fuel. For photocatalytic reduction of CO₂ in the existence of water, the CB must be negatively paralleled to the reduction potential of CO₂ (-1.07 V vs. normal hydrogen electrode (NHE)) for CO₂ reduction to CO at pH = 0. Simultaneously, the VB should be larger than the oxidation potential of water (1.23 V vs. NHE at pH 0) to procedure O₂. Fig. 3 displays the schematic representation of the bandgap and band position of reported typical halide perovskite materials and CO₂ reduction potential.

Photocatalytic CO₂ reduction reaction is a high energydriven process, because of the carbon-based compound that has a thermodynamically stable and high bond energy of C=O (750 kJ mol⁻¹).^{72,73} Therefore, the photocatalytic reduction reaction of CO2 also needs prior activation. The process of mass transfer of reactants, CO₂ adsorption and creation of active sites for CO₂ reduction can be improved by increasing the surface area of a photocatalyst. A large number of nanostructured materials for the photocatalyst were developed to achieve larger surface areas, including zero dimensional (0D) nanoparticles,⁷⁴ one dimensional (1D) nanowires/nanotubes,⁷⁵ two dimensional (2D) nanosheets,^{76,77} and three dimensional (3D) hierarchical nanostructures.⁷⁸ Furthermore, various porous and hollow materials were extensively studied for CO2 conversion because of their increased surface area and porosity. The adsorption and activation of CO₂ can also be facilitated by tuning the surface defects of photocatalysts, which can be quite helpful in improving the reactivity and photochemical properties of the photocatalytic processes.^{79,80} Strongly negative reduction



Fig. 3 Conduction and valence band position of halide-based perovskite materials with relative CO2 reduction potential.

Table 1 CO₂ reduction processes at different reduction potentials, E^0 (V vs. NHE at pH = 7)^{81,86-88}

| Equation | Product | E^0 (V) |
|--|-------------------------|-----------|
| | | (-) |
| $CO_2 + 1e^- = CO_2^{\bullet-}$ | Carbonate anion radical | -1.90 |
| $CO_2 + 2H^+ + 2e^- = HCOOH (aq)$ | Formic acid | -0.61 |
| $CO_2 + 2H^+ + 2e^- = CO(g) + H_2O$ | Carbon monoxide | -0.53 |
| $CO_2 + 4H^+ + 4e^- = HCHO(aq) + H_2O$ | Formaldehyde | -0.48 |
| $CO_2 + 6H^+ + 6e^- = CH_3OH(aq) + H_2O$ | Methanol | -0.38 |
| $CO_2 + 8H^+ + 8e^- = CH_4 (g) + H_2O$ | Methane | -0.24 |
| | | |

potential is required for the activation of CO₂, which occurs on the surface of photocatalysts by the chemisorption method to convert a linear molecule to bend carbonate anion radical (CO2^{•-}) via mono- or bi-dentate coordination. Hence, this reactive carbonate anion is the critical factor for various photoreduction of CO2. To create chains of hydrocarbons, more reactive CO₂^{•-} species can promote reactions *via* two different ways (carbene and formaldehyde), as illustrated in Table 1.81 However, the obtained products are methane (CH₄) and the formation of some additional products (C₁-C₃ hydrocarbons) in the photocatalytic reduction of CO2. Hori et al. suggested the conversion tracking of CO_2 to CO by reactive $CO_2^{\bullet-}$, and subsequently the reaction with a proton.⁸² For the photocatalytic CO₂ reduction reaction, the selectivity of product formation is still challenging and relies on several factors, such as reaction intermediate, and active sites of the photocatalysts. The release of protons initiates these reactions in the presence of water vapor, H₂, or in both cases. These above-mentioned protons form different reduction products after reaction with CO₂ in the existence of photogenerated electrons. The efficiency of the photoreduction process of CO2 can be shown in terms of product formation rate and the conversion rate of CO₂.⁸³ CO₂ reduction starts with the formation of new carbon bonds by the cleavage of the O=C=O bond. Photocatalytic reduction of CO₂ is a protonassisted multielectron reduction process that comprises various intermediate steps as shown in Table 1, for obtaining high-value products (e.g., CO, formic acid, methane, and methanol).^{84,85}

3. Crystal structure property of halide perovskites

3.1. ABX₃ structure

Halide perovskites employed by photocatalytic CO_2 reduction facilitate band alignment with the CB position and hinder the photogenerated charge carriers from undergoing recombination. For achieving the higher productivity and selectivity of halide perovskite nanocrystals (NCs) for photoreduction of CO_2 , fundamental understandings of the relationships between the structure (chemical composition as well as morphology) and CO_2 selectivity need to be determined.⁸⁹ In this section, the impact stemming from halide perovskites from the unit cell will be reviewed. The unit cell is the simplest and smallest volume of a material. The properties of materials derive from special characteristics of the unit cell, *e.g.*, the bond angle, bond length, and symmetry. Moreover, the diffusion lengths and lifetimes of charge carriers in optoelectronic materials are more affected by crystal boundaries and crystal defects.

One of the main chemical formulas of halide perovskites can be symbolized as ABX₃, where A and B represent two different kinds of cations and X represents a halide anion (*i.e.*, Cl, Br, and I). Cation B restricts at the median of the octahedron body composed of six halide anions (Fig. 4a).^{90–92} Conventionally, A and B are cations with 12- and 6-fold coordination with X anions at the corner in ABX₃ halide perovskites (Fig. 4a), respectively.^{93–95} Recently, various high-performing perovskite materials were developed with A being formamidinium (FA), methylammonium (MA), or Cs; B being Pb, Bi, or Sn; and X being Cl, Br or I.^{93–106}

When A site is employed with higher organic cations, lowdimensional halide perovskite structures may form, where the inorganic network connectivity has degenerated to 2D sheets, 1D chains, or 0D clusters (Fig. 4b).¹⁰⁷ Conversely, the crystal symmetry will reduce and the cubic structure is distorted. In bulk lead halide perovskites, three polymorphs are usually noticed: cubic, tetragonal, and orthorhombic phases in the order of decreasing symmetry (Fig. 4a).⁹² At higher temperatures, the more stable phase is the cubic phase, and the temperature of phase transitions is clearly defined. For NCs, surface effects may regulate the relative stabilities of several polymorphs, which gains limited attention. All as-synthesized lead halide perovskite NCs crystallize into three-dimensional (3D) phases as follows: MAPbI₃ NC is tetragonal; FAPbBr₃, FAPbI₃, and MAPbBr₃ NCs are pseudocubic; and CsPbI3 and CsPbBr3 NCs are orthorhombic at room temperature.92 One of the most significant features of halide perovskites is their higher tolerance for defects. The nature of halide perovskites is defect-tolerant generally owing to their electronic band structure, where the VB maximum is mostly composed of an anti-bonding orbital,^{108–110} and the CB minimum becomes stabilized via the strongest spin-orbit coupling. Such defect tolerance behavior involves the conservation of a pristine E_{g} upon the formation of typical defects, due to their defect energy levels residing entirely in either the VB or CB, rather than within the E_{g} itself. The large hollow between octahedra (A-site) is preoccupied through one or a combination of three big cations (CH(NH₂)²⁺, CH₃NH₃⁺, or Cs⁺), yielding generally the structure of ABX₃. The tolerance factor calculated by $t = (R_A + R_X)/\sqrt{2}(R_B + R_X)$, where R_A , R_B , and R_X are the ionic radii of the corresponding ions, should be near 1 to keep a higher symmetry cubical structure of the perovskite. Fig. 4c presents the tolerance factors for the best widespread Pb or Sn halide perovskites. Due to the larger numbers of Pb or Sn atoms occupying the B sites of halide perovskites, the A site must be larger enough to placate the tolerance factor.¹¹¹

3.2. Luminescence properties

Halide perovskite NCs have excellent luminescence without advance electronic surface passivation. Protesescu *et al.* presented nearly ideal photoluminescence efficiency from colloidal CsPbBr₃ NCs.³² The composition of lead halide perovskite NCs can be appropriately adjusted through cation or anion exchange, as shown in Fig. 5a.³⁸ The photoluminescence spectra of lead halide perovskite NCs span the whole visible light range and their peak



Fig. 4 Structures and physical properties of halide perovskites. (a) Crystal structure of 3D-cubic, 3D-orthorhombic, 1D-hexagonal, and 1D-orthorhombic phases. From ref. 92, reprinted with permission from AAAS. (b) Schematic structural diagrams of the change network of octahedra. Reproduced with permission from ref. 107 at https://pubs.acs.org/doi/10.1021/acsenergylett.6b00705; further permissions are directed to the ACS. (c) Tolerance factor of ABX₃ halide perovskites. Republished with permission of the Royal Society of Chemistry, from ref. 111; permission conveyed through Copyright Clearance Center, Inc.

positions are tunable through modifying the composition (Fig. 5b), size, and shape.⁹² Higher photoluminescence quantum yield with tunable emission, low costs, and simple synthesis of halide perovskite NCs make them appealing in practical applications. However, the toxicity of lead, sensitivity to the atmosphere condition (humidity, oxygen, daylight, and temperature), and limited yield still hamper further photocatalysis application of lead-based halide perovskite NCs. Halide perovskites have great photophysical properties, including high absorption coefficients,

low trap densities, long charge diffusion lengths, and broadly tunable bandgaps. These properties allow for light-harvesting from ultra-visible to the near inferred spectral range.^{46,112} Besides, the band positions of halide perovskites mostly fulfill the thermodynamic requirements for photocatalytic reduction of CO_2 .¹¹³

3.3. Other structures

The lead halide perovskite-based NCs with a 3D $APbX_3$ crystal structure and composition have become the focus of much



Fig. 5 (a) Schematic of the halide anion-exchange process. Reproduced with permission from ref. 38 at https://pubs.acs.org/doi/abs/10.1021/acs. nanolett.5b02404; further permissions are directed to the ACS. (b) Photoluminescence spectra and the corresponding photographs (under varied daylight and UV excitation) of colloid composition-tuned APbX₃ NCs. From ref. 92, reprinted with permission from AAAS.



Fig. 6 Schematic illustration of different halide structures: (a) pseudocubic ABX₃ (3D) and (b) A_4BX_6 (reproduced with permission from ref. 115 at https:// pubs.acs.org/doi/abs/10.1021/acs.nanolett.6b05262; further permissions are directed to the ACS); (c) AB_2X_5 (2D), reprinted with permission from ref. 116, Copyright 2017 by the American Physical Society; (d) A_2BX_4 , from ref. 118, reprinted with permission from AAAS. (e) A_2BX_6 (0D), reproduced from ref. 120 under the Creative Commons CC BY license (https://creativecommons.org/licenses/by/4.0/); (f) $A_2B^+B^{3+}X_6$ (3D), reprinted with permission from ref. 123, Copyright 2016 American Chemical Society; (g) $A_3B_2X_9$ (2D), reprinted with permission from ref. 121, Copyright 2017 American Chemical Society.

research interest up to now. However, the inherent toxicity and overall reactivity of these halide perovskites have also motivated the scientists to investigate them in various research directions. Firstly, the structural instability and higher ionicity of LHP NCs could usually be taken as a positive aspect, as the APbX₃ lattice could be easily rationalized into other phases. This has motivated the researchers to investigate NCs more extensively by exploring their composition and structural characteristics that are defined as "perovskite-related structures", for example Cs₄PbX₆ and CsPb₂X₅ (often called zero-dimensional (0D) and two dimensional (2D) structures, respectively), whereas the characterization of the 3D APbX₃ structure was observed to have corner-sharing $[PbX_6]^{4-}$ octahedra with the A⁺ cations filling the holes formed by four neighboring PbX₆⁴⁻ octahedra ensuing in a cubic or pseudo-cubic structure (Fig. 6a). The PbX_6^{4-} octahedra in A₄PbX₆ structures are dissociated in all extents and the halide ions are no longer shared between them (Fig. 6b).^{114,115} Layered perovskites have recently been under a lot of scrutinization process. Similar to that of layered double hydroxides containing alternating Cs⁺ and [Pb₂X₅]⁻ polyhedron layers, the CsPb₂X₅ has emerged as a 2D version of lead halide perovskite materials with a tetragonal phase (Fig. 6c).^{116,117} Another type that contains an alternating layer of corner-sharing [PbX₆]⁴⁻ octahedra and bulky cations is known as the 2D perovskite A₂PbX₄ phase (Fig. 6d).¹¹⁸

In APbX₃ NC systems, the lead toxicity and its bioaccumulation in the ecosystem are known as key drawbacks, which in turn motivate the researchers to find alternative materials with similar optoelectronic characteristics, such as Cs_2SnI_6 NCs.^{119–121} To date, there has been very little success. Cs_2SnI_6 crystallizes in the facecentered cubic structure. Four $[SnI_6]^{2-}$ octahedra at the corners and face centers and eight Cs_+ cations at the tetragonal interstitials make up the unit cell (Fig. 6e). A Cs_2SnI_6 structure is a perovskite derivative that is made by removing half of the Sn atoms at regular intervals from each center of the [SnI₆] octahedron.¹²⁰ Because of this, the structure is also known as a "vacancy ordered double perovskite." Two primary techniques are now being explored in the search for lead-free metal halide compounds: a "simple" substitution of Pb²⁺ cations with other less toxic divalent metal ions from the same group IV, such as Sn or Ge, and a "complex" substitution of Pb²⁺ cations with other less toxic divalent metal ions from the same group IV,¹²² such as Sn or Ge or a substitution of one monovalent M⁺ and one trivalent M^{3+} cation for every two divalent Pb^{2+} ions (*i.e.*, $2Pb^{2+} \rightarrow B^{+} + B^{3+}$), resulting in quaternary A₂B⁺B³⁺X₆ systems also known as "double perovskites" as shown in Fig. 6f.¹²³ Other transition or posttransition metals, like Fe³⁺ and Bi³⁺, were used to examine the diversity of halide compounds associated with LHPs.124-127 $Cs_3M_2X_9$ (M = Fe³⁺ and Bi³⁺) crystallizes in the hexagonal space group P63/mmc. This is made up of isolated clusters, each of which is made up of two face-sharing octahedra and has the $M_2Br_9^{3-}$ formula, with Cs⁺ acting as a bridging ion between the clusters. Antimony-based halide compounds, on the other hand, form in a layered shape with each Sb₂Br₉³⁻ cluster sharing corners with three octahedra (Fig. 6g).¹²¹

4. Performance of photocatalytic CO₂ reduction

4.1. Reaction medium

The solvent plays a critical role in photocatalytic reactions. Halide perovskites are unstable in a polar solvent; therefore, extensive research studies have been accomplished to find a suitable medium for photocatalytic reduction of CO_2 . Low-polar ethyl acetate was utilized as the solvent due to the higher solubility of CO_2 , which guarantees durable stability for

CsPbBr₃ NCs.⁴² Thereafter, various groups reported the boost in the selectivity of CO₂ conversion (99%) with the suppression of production of H₂, with the addition of a small amount of water (<50 µl) in ethyl acetate medium.^{45,100,101,113} However, employing acetonitrile/water (0.3 vol%) mixture showed photocatalytic reduction of CO₂ with a high conversion rate (149 µmol g⁻¹ h⁻¹) of CO₂ to CO, compared to the ethyl acetate/water (0.3 vol%) mixture upon light irradiation using CsPbBr₃ NCs combined with porous g-C₃N₄. Moreover, enhanced selectivity as well as productivity of the photocatalytic reduction of CO₂ was obtained with a high content of diluted water (1.2 vol%).¹²⁸

Owing to several polarities, dielectric constant, and CO₂ solubility, the selection of solvents can exert a higher effect on the reaction rate and selectivity. The pairing of a robust co-catalyst is the key factor for enhancing the performance of photocatalysis. Meanwhile, it can not only separate the photogenerated electrons by the creation of a Schottky junction within the co-catalyst and photocatalyst to hinder the charge recombination, but also lower the kinetic bottlenecks in the activation of CO₂.^{129,130} In the present case, the best nonaqueous solvent was ethyl acetate, which resulted in the reduction reaction of CO₂ with an electron yield rate of 2.74 µmol g⁻¹ h⁻¹ along with 95.2% selectivity. Furthermore, a photo-deposition of Pt co-catalyst boosts the electron yield rate to 5.66 µmol g⁻¹ h⁻¹.¹³¹ Numerous additional solvents such as toluene, benzene, etc. were also explored for photocatalytic reduction of CO2 as a photocatalysis medium in halide perovskite NCs.¹⁰¹ Besides, owing to reducing the formation of less active CO₂, higher hydration products and selectivity, solidvapor CO_2 reduction systems also remain very attractive. Mu *et al.* utilized hexafluorobutyl methacrylate to protect cobalt-doped CsPbBr₃/Cs₄PbBr₆ NCs for the photoreduction of CO_2 in the aqueous medium. They adopted pure water as a solvent, where water was used as a sacrificial reductant and electron source. The content of 2% Co on the surface of the NCs (2%Co@CsPbBr₃/Cs₄PbBr₆) was employed to enhance the activity for photocatalytic reduction of CO_2 .⁹³ They proposed that Co^{2+} acted as an active center to promote CO_2 absorption and accrued two electrons from CsPbBr₃/Cs₄PbBr₆; on account of that, the Co^{2+} center formed a Co-CO₂ complex and reacted with H⁺ to facilitate the formation of CO.

4.2. Halide perovskites

4.2.1. ABX₃ **structure**. The conventional ABX₃ structure halide perovskites have various phases such as cubic,¹³² monoclinic,⁴² orthorhombic,⁴⁵ hexagonal,⁹⁸ *etc.* Recently, Xu *et al.* theoretically proved that CsPbBr₃ with a cubic phase is an active catalyst for photocatalytic reduction of CO₂ in the presence of benzene.¹⁰⁰ The usage of organic solvents makes it challenging to find out the product source. Meanwhile, organic solvents may have smaller molecules that support the final product. Research should be focused on the synthesis of waterstable CsPbX₃ NCs that can be utilized for catalytic reactions in water or other polar solvents. The water-resistance of CsPbX₃ will also encourage their application in various fields. Most of the reported photocatalytic reductions of CO₂ into CO and CH₄ were performed in the non-aqueous system employing orthorhombic-CsPbBr₃ NCs as photocatalysts. Guo *et al.* reported



Fig. 7 (a) Crystal structure of the cubic FAPbBr₃ perovskite and (b) schematic band diagram of photocatalytic CO_2 reduction into chemical fuels for FAPbBr₃ QDs. Reprinted from ref. 51, Copyright 2021, with permission from Elsevier. (c) CO_2 reduction reaction by FAPbBr₃ QDs in DI, DI/EA, and EA systems (data from ref. 51). (d) TEM and HRTEM images of non-cubes, hexapods, and cube-shaped nanostructures. (e) Schematic representation of the conduction and valence band position of the CsPbBr₃ catalyst with the relative potential of CO_2 reduction reactions using noncube, polyhedron, or hexapod photocatalysts (data from ref. 136).

that CsPbBr3 with a cubic phase was more active than that with the orthorhombic ones because the phase transformation affects the efficiency of photocatalytic reduction of CO₂.⁹⁷ Recently, some perovskite materials with a uniform cubic shape, such as FAPbBr₃ QDs, have received much consideration owing to their long carrier recombination, along with the remarkable thermal, moisture, and illumination stabilities.^{133,134} Que et al. developed FAPbBr₃ QDs with higher crystallinity as well as cubic shape by a hot injection method, which demonstrated high stability and the optimal yield of CO in the mixed solvent of ethyl acetate/deionized water. The results showed that FAPbBr₃ QD, as an alternative to halide perovskites, was a better reduction and capturing agent for CO₂ (Fig. 7a-c).⁵¹ Bandgap and band position are the major parameters for efficient photocatalysts. Therefore, tuning the bandgap energy of halide perovskites could also improve the catalytic activity. Hou et al. reported that, from the view of the different quantum sizes of CsPbBr₃, 8.5 nm CsPbBr₃ NCs (~8.5 nm) achieved the optimal yields of CO, CH₄, and H₂ after 8 h of daylight illumination in an ethyl acetate/water medium.¹³⁵ For catalysis application, active facets for reacting species or products as well as the reduction of electron-hole recombination were facilitated for the efficient adsorption/desorption process. The highest production rate of CH_4 and CO was 7.6 and 16.4 μ mol g⁻¹, respectively, for the CsPbBr3 cubic shaped NCs, which matched well with the previously reported literature.^{43,99,135} Conversely, the maximum activity was found to be higher for the hexapod nanostructures. The optimum yields of CH4 and CO attained for hexapod NCs were 38.4 and 79.5 μ mol g⁻¹, respectively, as compared to the 58.8 and 130.7 μ mol g⁻¹ for non-cubic NCs. The above-mentioned performance further demonstrated that poorly emitting non-cubic NCs that keep new facets showed a

better photocatalytic activity as compared to the usual six-faceted cube nanostructures, as shown in Fig. 7d–f. 136

4.2.2. Other structures. Lead-based halide perovskites are developing as the best encouraging type of materials for newgeneration solar conversion energy.¹³⁷⁻¹³⁹ The metal-based halide perovskite (MHP) NCs are proposed to solve the problem via the usage of organic photosensitizers, and to form highly effective photocatalytic systems. Despite the considerable success, the key problems of stability and toxicity are yet to be fixed. The photostability of metal-based halide perovskites is usually low in the presence of molecular oxygen (O_2) .^{140,141} The soft nature of MHP crystal lattices renders their surfaces prone to structural modification and degradation. Previous research has indicated that a partial or complete replacement of A site organic cations with Cs⁺ can result in many new MHP compositions (all-inorganic chemical structure), which significantly promotes the photo- and humidity-stability.¹⁴² Some studies have shown that the ionization energy can be used to predict the stability of perovskites. The ionization energy difference between cesium and methylammonium provides stability to all-inorganic HPs. For example, CsPbBr3 nanocrystals are more stable in polar solvents, which is promising for a wide range of photo-redox catalysis reactions.¹⁴³

Several approaches have been reported and applied to deal with the instability issues of MHPs. Examples include (i) replacing organic cations MA or FA with inorganic cations (*e.g.*, Cs^+);^{144,145} (ii) creating heterostructures to spatially separate photogenerated excitons;⁹⁹ and (iii) encapsulating halide perovskites to minimize direct contact with highly polar environments.^{45,93} In this context, the incident light absorption range for metallic complexes can be extended by coupling with



Fig. 8 (a) Crystal structure of cubic $Cs_2AgBiBr_6$. (b) Schematic diagram of the CO_2 photoreduction on the surface of $Cs_2AgBiBr_6$ NCs. (a and b) Reproduced with permission from ref. 44, Copyright 2018 Wiley. (c) SEM image of $Cs_3Sb_2Br_9$ NCs. The inset shows the yellow color and high transparency of the solution. (d) CO_2 reduction mechanism by $Cs_3Sb_2Br_9$ NCs. (c and d) Republished (adapted) with permission from the Royal Society of Chemistry from ref. 48; permission conveyed through Copyright Clearance Center, Inc.

halide perovskite NCs. Meanwhile, these metallic complexes are expected to be responsible for catalytic sites designed for halide perovskite NCs and capture excited electrons from halide perovskite NCs for selective photoreduction of CO₂. Lead-free inorganic halide double perovskites were based on antimony or bismuth and noble metals.³³ Most halide double perovskites have been described to have a cubic face-centered structure, which has the space group $Fm\bar{3}m$ and a lattice parameter ranging from approximately 10 to 12 Å.^{123,146} This new type of perovskite consists of B'Cl₆ and B''Cl₆ octahedra alternating in a rock-salt face-centered cubic structure. George Volonakis et al.¹⁴⁷ used first-principles calculations to observe the patterns in the electronic and optical properties in the whole family of double halide perovskites, $A_2B'B''X_6$ with A = Cs; B'' = Bi and Sb; B' = Cu, Ag, and Au; and X = Cl, Br, and I. Their calculations showed highly tunable carrier effective masses as well as optical gaps across the visible-light range of the electromagnetic spectra. Moving away from lead-based metal halide perovskites toward lead-free halide perovskites, Zhou et al. proved the photocatalytic reduction of CO₂ over double halide perovskite Cs2AgBiBr6 NCs in the presence of light in ethyl acetate.^{44,148} The crystal structure of cubic Cs₂Ag-BiBr₆ NCs as well as constant advancement of CH₄ and CO on double halide perovskite Cs₂AgBiBr₆ NCs in the presence of solar light radiation is illustrated in Fig. 8(a and b). Lu et al. reported that substitution of unsaturated oleic acid with saturated octanoic acid was hazardous to synthesize pure Cs₃Sb₂Br₉ NCs without the CsBr contamination as shown in

Fig. 8c.⁴⁸ Cs₃Sb₂Br₉ NCs showed much higher efficiency of photocatalytic reduction reaction of CO₂, compared to Pb-based CsPbBr₃ NCs. For photocatalytic reduction of CO₂, a bound state is observed for COOH* on the surface of Cs₃Sb₂Br₉ NCs in which a Br ion is partially replaced to allow for Sb–C bond formation as shown in Fig. 8d.⁴⁸ Dai *et al.* reported that the mesoporous silica-supported Cs₃Bi₂Br₉ NCs were developed. They observed that the Cs₃Bi₂Br₉ revealed outstanding photocatalytic properties in selective aromatic as well as nonaromatic C–H bond activation in the presence of sunlight.¹⁴⁹ Moreover, several environmentally friendly MHPs, such as Cs₂InAgCl₆,¹⁵⁰ CsSnI₃,¹⁵¹ Cs₃Sb₂I₉,¹⁵² and Cs₃Sb₂Br₉,¹²¹ have been successfully produced. These metal-based HPs showed great optoelectronic properties for photocatalytic applications.

4.3. Semiconductors with halide perovskites

4.3.1. Oxide with halide perovskites. Inspired by the earthabundant and nontoxic nature, TiO_2 has potential for application in CO_2 photoreduction. Hence, it is of significance to design a TiO_2 and perovskite-based heterojunction to enhance the photocatalytic reduction of CO_2 . Xu *et al.* developed an S-scheme $TiO_2/$ CsPbBr₃ heterojunction as a photocatalyst which showed higher activity for photocatalytic reduction of CO_2 into solar energies under UV-light radiation (Fig. 9a and b).¹⁵³ Xu *et al.* demonstrated novel amorphous-TiO₂-encapsulated CsPbBr₃ NCs for higher photocatalytic reduction of CO_2 .⁴³ The amorphous TiO₂ encapsulation has been witnessed as a critical driving force for excellent photocatalytic performance through increasing the efficiency of



Fig. 9 (a) Band structure of the $TiO_2/CsPbBr_3$ composite photocatalyst. (b) Photocatalytic activities of CO_2 reduction for TiO_2 , $CsPbBr_3$ QDs, and $TiO_2/CsPbBr_3$ composite, respectively. (a and b) Reproduced from ref. 153, under the Creative Commons CC BY license (http://creativecommons.org/ licenses/by/4.0/). (c) A schematic illustration of CO_2 fixation and conversion in TiO_2 -encapsulated CsPbBr₃ NCs, and (d) photocatalytic CO₂ reduction test results. (c and d) Reproduced with permission from ref. 43, Copyright 2018 Wiley.



Fig. 10 (a) Z-Scheme photocatalytic diagram of the 0D/2D CsPbBr₃/Bi₂WO₆ composite for CO₂ reduction. (b) Schematic illustration of Z-scheme of the energy band structure of the CsPbBr₃/Bi₂WO₆ composite. (c) Gas yields in the ethyl acetate/water system over various catalysts. (a–c) Reprinted with permission from ref. 159, Copyright 2020 American Chemical Society. (d) Schematic diagram of the 2D/2D CsPbBr₃/Bi₂WO₆ heterojunction for CO₂ reduction. (e) Schematic diagram of the energy band structure of the 2D/2D CsPbBr₃/Bi₂WO₆ heterojunction for CO₂ reduction. (e) Schematic diagram of the energy band structure of the 2D/2D CsPbBr₃/Bi₂WO₆ heterojunction. (f) Photocatalytic activity of different samples. (d–f) Reproduced with permission from ref. 167. Copyright 2020 Wiley.

extraction and separation of the photoinduced charges. Such effects finally enhanced the consumption of photoelectrons from 25.7 to 193.3 µmol g⁻¹ as shown in Fig. 9c and d. Moreover, the adsorption and activation of CO₂ were also boosted. Based on these synergetic effects, an almost 6.5 times improvement in the consumption of the photoelectrons was attained through the photocatalytic CO₂ reduction reactions.⁴³

When developing the stronger reduction potential of CsPbBr₃ to produce a Z-scheme heterojunction photocatalyst, it is best to search for a suitable oxidative semiconductor. Moreover, the oxidative semiconductor has the following properties: (i) strong interactions with CsPbBr₃; (ii) visiblelight response; (iii) high catalytic activity for the oxidation reaction; and (iv) compatible band structure with CsPbBr₃. Bismuth tungsten oxide (Bi₂WO₆) is a unique oxide with visible-light response,154 which contains perovskite-type $[WO_4]^{2-}$ layers and alternating $[Bi_2O_2]^{2+}.^{155,156}$ For oxidative reactions, Bi₂WO₆ also has an oxygen-deficient surface that provides abundant active sites, and it is preferred as an ideal photocatalyst for O_2 evolution.^{157,158} Notably, the band structures among CsPbBr3 and Bi2WO6 were well-matched, and in principle, they can also be incorporated into a Z-scheme heterojunction. Wang et al. developed a 0D/2D heterojunction of CsPbBr₃ QDs/ Bi₂WO₆ nanosheet (CPB/BWO) photocatalyst for photocatalytic reduction of CO2.159 The larger surface area of 2D Bi2WO6 effectively decorated 0D CsPbBr3 on its surface. The close contact between Bi₂WO₆ and CsPbBr₃ permitted an excellent interface for the charge transfer and separation.^{160,161} The advanced CPB/BWO heterojunction photocatalyst exhibited higher activities for photocatalytic reduction of CO₂ as compared to the Bi₂WO₆ nanosheets and pristine CsPbBr₃ QDs (Fig. 10a-c), respectively.¹⁵⁹ The separated holes and electrons in CsPbBr3 QDs and Bi2WO6

nanosheets can be proficiently used for photocatalytic reduction of CO₂. The yield of CPB/BWO is 503 μ mol g⁻¹, which is 9.5 fold that of CsPbBr₃.

Besides, a 2D/2D heterojunction is considered as the most promising approach to manipulate the photoreduction efficiency of semiconductor catalysts. Recently, a lot of efforts have been devoted to preparing 2D/2D heterostructures.162,163 This is because the large surface area of 2D ultrathin nanosheets, rich active sites, special electronic structure, and short charge transport distance are useful for the catalytic reaction.¹⁶⁴⁻¹⁶⁶ Recently, Jiang et al. designed a lead halide perovskite-based 2D/2D direct Z scheme heterojunction by assembling ultrathin Bi₂WO₆ nanosheets on the surface of CsPbBr₃ nanosheets through an electrostatic self-assembly process (Fig. 10d-f).¹⁶⁷ Bi₂WO₆ has been identified as one of the best visible-light oxidation photocatalysts, which have higher oxidation ability, low manufacturing costs and controlled synthesis.^{168,169} The CsPbBr₃/Bi₂WO₆ heterostructure provided higher photocatalytic performance for CO₂ reduction activity. The yield of the 2D/2D CsPbBr₃/Bi₂WO₆ hybrid was 153.0 μ mol g⁻¹ (10.9 μ mol g⁻¹ for H_2 , 56.4 µmol g⁻¹ for CO, and 86.0 µmol g⁻¹ for CH₄).¹⁶⁷

4.3.2. Sulfide with halide perovskites. A high-quality interface is strongly desired in heterojunctions for effectively separating electron–hole pairs both temporarily and spatially.¹⁷⁰ Co-sharing of atoms by two different materials in a heterojunction system could increase the charge separation and boost the carrier lifetime, facilitating the catalytic reaction. Recently, Wang *et al.* reported that 0D Cs₂SnI₆ QDs anchored on flower-like 2D SnS₂ nanosheets by co-sharing of Sn atoms can improve the photochemical CO₂ reduction rate.⁴⁶ All-inorganic Cs₂SnI₆ is favorable owing to its outstanding conductivity and strong chemical stability. For example, Cs₂SnI₆ thinner films have a high hole



Fig. 11 (a) Schematic illustration of the synthesis of the Cs_2Snl_6/SnS_2 heterostructure. (b) Diagram of the energy band structure of Cs_2Snl_6 and SnS_2 . (c) Comparison of photocatalytic CO_2 reduction activities of SnS_2 , $Cs_2Snl_6(0.5)/SnS_2$, $Cs_2Snl_6(1.0)/SnS_2$, and $Cs_2Snl_6(2.0)/SnS_2$. Reprinted with permission from ref. 46, Copyright 2019 American Chemical Society.

mobility of 3.82×10^2 cm² V⁻¹ s⁻¹,¹⁷¹ much larger than that of Si single crystals and MAPbBr₃ as a hole transport material.¹⁷²⁻¹⁷⁶ In particular, the incorporation of Cs₂SnI₆ boosted the catalytic activity of SnS₂ owing to the facilitated charge separation. A flower-like Cs₂SnI₆/SnS₂ heterostructure was synthesized by dispersing the hydrothermally produced SnS₂ nanosheets in

hydroiodic acid and ethanol alcohol (HI/EtOH) solution containing CsI, as shown in Fig. 11.⁴⁶ Joint research with DFT calculations, transient absorption, and kelvin probe force microscopy characterization proved a Cs_2SnI_6/SnS_2 hybrid having an intimate contact interface, which indicated that holes transferred from SnS_2 to Cs_2SnI_6 and electrons transferred from Cs_2SnI_6 to



Fig. 12 Heterostructure of CsPbBr₃/GO composite photocatalysts for enhanced CO₂ reduction. (a) Schematic model, (b) TEM image, and (c) histogram of different products in the presence and absence of GO with CsPbBr₃ QDs. (a–c) Reprinted with permission from ref. 42, Copyright 2017 American Chemical Society. (d) Amino-assisted anchoring of CsPbBr₃ QDs on porous $g-C_3N_4$ for photocatalytic CO₂ reduction. (e) TEM image of CsPbBr₃-PCN. (f) Generation of CO in acetonitrile/water and ethyl acetate/water systems over various photocatalysts. (d–f) Reproduced with permission from ref. 182, Copyright 2018 Wiley. (g) Photocatalytic CO₂ reduction by CsPbBr₃ nanocrystals with graphitic carbon nitride nanosheets containing titanium-oxide composite. (h) TEM images of TiO-CN without and with CsPbBr₃ nanocrystals. (i) The yield of CO generation from photocatalytic CO₂ reduction reactions with TiO-CN, CsPbBr₃, CsPbBr₃@g-C₃N₄, and CsPbBr₃@TiO-CN. (g–i) Republished with permission of the Royal Society of Chemistry, from ref. 98; permission conveyed through Copyright Clearance Center, Inc.

 SnS_2 .¹⁷⁷ As a proof-of-concept application, photocatalytic reduction of CO₂ and photo-electrochemical experiments were conducted to demonstrate that the longer lifetime of accumulated electrons in SnS₂ boosted the performance by 5.4 times and 10.6 times compared to pristine SnS₂.⁴⁶

4.3.3 Carbide with halide perovskites. Recently, carbonbased photocatalysts have aroused great concern and became more prevalent in photocatalytic reduction of CO_2 owing to their exceptional physicochemical and photo-/electrochemical properties. Various carbon materials (*e.g.* GO and g- C_3N_4) used as supports for many photocatalysts are greatly promising as carbon can regulate photocatalytic CO_2 reduction performance in the visible light region and extract photogenerated electrons from the surface of semiconductors because of its admirable electrical conductivity.^{178–180}

Fig. 12a–c shows the representation of the CsPbBr₃ QD/GO composite photocatalyst and its corresponding TEM image.⁴² It was noted that, in ethyl acetate, the pure CsPbBr₃ QDs catalyzed the photocatalytic reduction of CO₂ with an electron consumption rate of 23.75 μ mol g⁻¹ h⁻¹ over 99.2% selectivity. Through the combination of highly conducting materials, such as GO, which has charge extraction abilities, the charge recombination was suppressed.¹⁸¹ The CsPbBr₃ NCs/GO composite enhanced the electron consumption rate from 23.75 to 29.82 μ mol g⁻¹ h⁻¹ with 99.15% selectivity.

Ou *et al.* described that anchoring of CsPbBr₃ QDs over porous $g-C_3N_4$ (PCN) also improved the performance of photocatalytic reduction of CO₂ in acetonitrile/water or ethyl acetate/ water solution.¹⁸² With 20 wt% CsPbBr₃ QDs (CPB) on NH_x-rich porous $g-C_3N_4$ nanosheets (CPB-PCN), CsPbBr₃ QDs were linked with PCN by a N-Br bond which boosted the photogenerated charge carrier separation, as shown in Fig. 12d–f.¹⁸² The above-mentioned strategy helped to achieve the maximum rate of CO formation in the acetonitrile/water mixture compared with bare CsPbBr₃ QDs.¹⁸³

Based on the above-mentioned composite structure, Guo *et al.* functionalized CsPbBr₃ NCs with graphitic carbon nitride, which had a titanium-oxide species (TiO-CN) through N–Br and O–Br bonding, and developed an effective catalyst system for photocatalytic reduction of CO₂ utilizing water as the source of electrons.⁹⁸ The introduction of TiO-CN could improve the number of catalytic active sites, along with a rapid interfacial charge separation between CsPbBr₃ and TiO-CN owing to their promising energy-offsets as well as chemical bonding performances (Fig. 12g–i). They also reported that the CsPbBr₃@ TiO-CN composite increased the separation of photogenerated charges and improved the number of catalytic active sites that led to the formation of CO after 10 hours of irradiation, which was 3 times higher than that of pure CsPbBr₃.⁹⁸

4.3.4 Metal-organic framework with halide perovskites. With unique structural architecture and admirable chemical and physical properties, metal-organic frameworks (MOFs) have recently attracted remarkable consideration regarding encapsulation of halide perovskites owing to their distinctive characteristics, such as tunable structure, higher surface areas, and flexibility.¹⁸⁴ Besides, zeolitic imidazolate framework (ZIF) based MOFs have shown great potential to capture CO₂, and cobalt possessing ZIFs can be co-catalysts to stimulate CO₂ activation and conversion.^{185–187} Kong *et al.* described that the core@shell CsPbBr₃ NC@ZIF heterostructure boosted the yield



Fig. 13 (a) Schematic illustration of the fabrication process and CO_2 photoreduction process of CsPbBr₃/ZIFs. (b) The product yield after 3 h of photocatalytic reaction. (a and b) Reprinted with permission from ref. 102, Copyright 2018 American Chemical Society. (c) Schematic illustration of a possible mechanism of photocatalytic CO_2 reduction. (d) Photocatalytic CO_2 reduction performance for CsPbBr₃ QDs and *x*%-CsPbBr₃ QDs/UiO-66(NH₂) nanocomposite. (c and d) Reprinted from ref. 113, Copyright (2019), with permission from Elsevier. (e) Schematic representation for the synthesis of PCN-221(Fe_x) MOF and MAPbl₃@PCN221(Fe_x) composite photocatalyts for stable and product selective CO_2 reduction. (f) Histogram of product formation using PCN-221(Fe_x) and MAPbl₃@PCN-221(Fe_x). (e and f) Reproduced with permission from ref. 45, Copyright 2019 Wiley.

of photocatalytic reduction of CO₂.¹⁰² The maximum quantity of CO2 reduction yield was attained for the CsPbBr3 NC@ZIF-67 composite with the highest electron consumption rate of 29.6 μ mol g⁻¹ h⁻¹, which was a 2.65 times increase compared to bare CsPbBr₃ NCs as shown in Fig. 13a and b. It was stated that CsPbBr₃ NCs covered by a ZIF shell can enhance the moisture stability and the CH4 formation instead of CO as the main product.¹⁰² Wan et al. developed a CsPbBr₃ NC/UiO-66(NH₂) composite toward the reduction of CO₂ in water/ethyl acetate with volume ratio (1/300) solution.¹¹³ The highest conversion of CO₂ was accomplished for the 15%-CsPbBr₃ QD/UiO-66(NH₂) heterostructure.¹¹³ The formation of CO was up to 98.5 μ mol g⁻¹, which was higher as compared to the individual CsPbBr₃ QDs and UiO-66(NH₂) photocatalysts, as shown in Fig. 13c and d. The enhanced catalytic activity toward the reduction of CO₂ for the CsPbBr₃ QD/UiO-66(NH₂) composite was mainly ascribed to the creation of an appropriate band alignment of UiO-66(NH2), which favored fast photogenerated electron transfer from the CsPbBr3 QDs and repressed the charge recombination.188-190 Lu and co-workers also demonstrated another promising application of MOF encapsulation, Fe-porphyrin-based $MOFs(PCN221(Fe_x))$ secured where CH₃NH₃PbI₃ (MAPbI₃) perovskite NCs in a reaction medium containing the maximum amount of H₂O (1.2 vol%) in ethyl acetate.⁴⁵ Fig. 13e and f shows that the MAPbI₃@PCN-221(Fe_r) composite photocatalyst shows the close contact of NCs and Fe photocatalytic site in the MOFs, favoring the rapid transfer of photogenerated electrons to the Fe catalytic sites and improving the performance of photoreduction.42,102 The maximum yield of 1559 µmol g⁻¹ was reported for the MAPbI₃@PCN-221(Fe 0.2) composite toward the photocatalytic reduction of CO₂ to CO (34.5%) and CH₄ (65.5%), where H₂O was used as an electron source.45

4.4. Conductor with halide perovskites

4.4.1. Noble Metal with halide perovskites. Recently the plasmon–exciton exchange dynamic method has been broadly suggested in metal–semiconductor systems. With the help from the famous localized surface plasmon resonance (LSPR) effect, noble metal Au nanoparticles (NP) were demonstrated by introducing light extinction into the visible and even near-infrared zone.^{191,192} The CsPbBr₃–Au nanocomposite was successfully produced through the *in situ* reduction of AuCl₃ by the surface-bound oleylamine ligand, while the obtained Au NP size is too small to form the LSPR effect.^{193,194}

Xiao and co-workers examined the energy conversion in the Ag-CsPbBr₃ system as well as dynamics of plasmon-induced hot electrons, which showed a significant hot-electron transfer efficiency near 50%.¹⁹⁵ The studies about plasmon-exciton interaction for the hybrid method of plasmonic Au NPs over halide perovskite NCs are still at a nascent development.

The CsPbBr₃–Au nanocomposite was used as a photocatalyst for artificial photoreduction of CO₂ by two different types of light sources ($\lambda > 420$ nm and $\lambda > 580$ nm). Based on the Kelvin probe force microscopy (KPFM) results and the spectroscopic characterization, two-dimensional interaction processes



Fig. 14 (a) Band structure of CsPbBr₃ nanocrystals and Au nanoparticles before contact. (b) Fermi level alignment after their close contact in the dark. Schematic diagram of two excitation wavelength-dependent charge separation mechanisms in the CsPbBr₃–Au nanocomposite under light irradiation with (c) $\lambda > 420$ nm or (d) $\lambda > 580$ nm. (a–d) Reprinted from ref. 194, Copyright 2021, with permission from Elsevier.

for the CsPbBr₃-Au nanocomposite are shown in Fig. 14.¹⁹⁴ Even though there is a significant difference between the Fermi level $(E_{\rm F})$ of CsPbBr₃ and the work function $(W_{\rm F})$ of Au, energy level alignment can be obtained with their close contact (Fig. 14a and b). Consequently, photogenerated electrons would mostly accumulate in the CB of CsPbBr₃, which raises its $E_{\rm F}$ negatively, and thermodynamically supports the electrons to transfer into the Au.^{196,197} The electrons accumulated in Au consequently contribute to the photoreduction reaction of CO_2 , as demonstrated in Fig. 14c. Only the Au nanoparticle-based photo-responsive absorption occurred under the light condition of $\lambda > 580$ nm, while CsPbBr₃ based photo-responsive absorption started at wavelength $\lambda > 530$ nm. To initiate CO₂ reduction more efficiently, the LSPR-induced hot electrons encompassing higher energy potential in plasmonic Au nanoparticles could be further transferred rapidly to CsPbBr₃. Hence, this kind of plasmonexciton exchange process makes the CsPbBr3-Au nanocomposite work well over the longer wavelength in turn as shown in Fig. 14d.

Xu *et al.* described an innovative 0D CsPbBr₃ nanocrystal (CsPbBr₃ NC)/2D Pd nanosheet (Pd-NS) composite photocatalyst for the effective and stable photocatalytic reduction of CO₂ under sunlight in the existence of water vapor.¹⁰⁰ The Pd-NS not only played an important role as an electron collector to rapidly separate the electron–hole pairs in CsPbBr₃ NC and controlled the unwanted radiative charge recombination, but also modified





Fig. 15 (a) Diagram of the CsPbBr₃ NC/Pd-NC composite. (b) The sketch of the composite materials (CsPbBr₃ NC)/(Pd-NC) and their band alignments. (c) Photocatalytic CO₂ reduction performance. (a–c) Reprinted (adapted) with permission from ref. 100, Copyright 2018 American Chemical Society.

the kinetics of catalytic reduction of CO_2 reaction. Therefore, the addition of Pd-NS increased the consumption rate of photoelectrons from 9.85 µmol g⁻¹ h⁻¹ to 33.7 µmol g⁻¹ h⁻¹ under visible light (>420 nm);¹⁰⁰ especially, the incorporation of a 2D metallic semiconductor not only formed a Schottky junction at the interface to increase the electron transfer from the semiconductor to the metal, but also presented photocatalytic reaction sites to promote the transfer of electrons and increased the resulting chemical reactions,^{164,198} as presented in Fig. 15a–c.

4.4.2. Carbon derivative with halide perovskites. Recently, 2D ultrathin carbon-based materials, such as carbon nanotubes (CNTs), graphene, and graphitic carbon nitride (g- C_3N_4), have drawn great attention toward photo/electrocatalytic applications. These materials possess the advantages of great metallic conductivity, strong volumetric capacitance, flexible interlayered

regulation, hydrophilic surfaces, ^{199–203} tunable electronic structure, high surface area, excellent thermal/chemical stability, and environmental friendliness.^{204,205} These properties have endorsed these materials to be employed in various applications, such as gas separation, cell imaging, catalysts, energy storage, and conversion.^{206–208} Currently, some novel functional heterostructure for CO₂ reduction was prepared *via in situ* development of CsPbBr₃ perovskite NCs on 2D MXene nanosheets to further improve the charge transfer, separation, and effective photoexciton. The rapid charge transfer efficiency also encouraged the use of CsPbBr₃/ MXene as an active catalyst towards the CO₂ conversion to CO and CH₄.²⁰⁹ The low conduction band (1.5 eV) value among the CsPbBr₃ NCs and MXene can efficiently help the separation of the exciton in CsPbBr₃ NCs and electron transfer to MXene nanosheets. Photo-excitons will be shifted from a high energy level to a lower



Fig. 16 (a) Schematic illustration and (b) the relative energy diagram of the $CsPbBr_3$ NC/MXene heterostructures suitable for photocatalytic CO_2 reduction. (a and b) Reprinted with permission from ref. 47, Copyright 2019 American Chemical Society. (c) Schematic diagram of the potential mechanism of photocatalytic CO_2 reduction in the FAPbBr₃/MXene composite. (d) Energy diagram of the band structure of FAPbBr₃/MXene. (c and d) Reprinted with permission from ref. 210, Copyright 2021 American Chemical Society.

one, therefore sustaining the charge at a stable state. In this way, electrons are moved to the surface of the photocatalyst, which offers a comparatively negative position based on the band arrangement.

Pan and co-workers demonstrated that the incorporation of MXene to CsPbBr₃ (CsPbBr₃ NCs/MXene-20) increased the yields of CO and CH4 linearly. The maximum CH4 and CO yield rate was 7.25 and 26.32 μ mol g⁻¹ h⁻¹, respectively (Fig. 16a and b),⁴⁷ which was superior or at least comparable to that of the MXene free CsPbBr₃ NCs ($<4.42 \mu$ mol g⁻¹ h⁻¹) or other state-of-the-art CsPbBr3 NC-based heterostructure photocatalysts.^{42,43,102,112,135,183} Que and co-workers successfully synthesized a FAPbBr3 QD/MXene nanosheet heterostructure via a facile process. Under visible-light irradiation, the as-prepared FAPbBr₃ OD/MXene composite exhibited a remarkable photocatalytic activity in the presence of water. To stimulate the quick separation of excitons, the nanosheets of MXene played a role as an electron acceptor and facilitated a large number of active sites. Optimized performance with a higher electron consumption rate of 717.18 μ mol g⁻¹ h⁻¹ was achieved *via* the FAPbBr₃ QD/MXene composite (Fig. 16c and d), which showed a 2.08 times better performance as compared to the pure FAPbBr₃ QDs.²¹⁰

5. Molecular computation

Halide based perovskites have been extensively studied through theoretical/computational analysis concerning their unique electronic structure and physio-chemical properties. Their photo-conversion efficiency greatly depends on the balance electron, bandgap, absorption coefficient, hole mobility and intrinsic recombination rates.^{211–213} Changes (element or molecular ion) in the structure of halide perovskites could significantly alter the optoelectronic properties. In many cases, replacing cations or anions in HPs may cause different Coulomb interaction which results in the shifting of conduction and valence band positions according to their Fermi level energy.²¹⁴ Bandgap is considered as one of the critical properties of a photocatalyst. To extend the light absorption to the visible region, the bandgap required for photocatalytic reaction is ~2.00 eV. However, the position of the conduction band minimum (CBM) should be lower than -0.52 eV (ν s. NHE PH = 0, the energy barriers of reducing CO₂ to CO) for the CO₂ reduction reaction,^{215,216} which is thermodynamically more feasible for the reduction reaction.

Liu and co-workers²¹⁷ conducted density functional theory (DFT) calculations of lead-free perovskites to investigate the valves of band gaps of CsGeI₃, MAGeI₃, and FAGeI₃ using exchange-correlation functionals. Some commonly used exchange-correlation functionals are Generalized Gradient Approximation (GGA) and Perdew-Burke-Ernzerhof (PBE) which were found to be consistent with experimental values. The same group also performed hybrid functional Heyd-Scuseria-Ernzerhof-06 (HSE06) calculations to obtain more precise values of band gaps, which were very close to experimental values. The optimized structures, calculated band structure, and density of states (DOS) of MAGeI₃ are shown in Fig. 17a-c. HSE06 and PBE functionals were used to calculate the bandgap of ABX₃ HPs, with and without spin orbit coupling (SOC) calculations.²¹⁸ Tang et al. elucidated the catalytic ability of pure CsPbBr₃ perovskite and doped CsPbBr₃ perovskites with different metals (Co, Fe, Ni, etc.) by density functional theory calculations.¹³⁹ It was shown that methane is formed with higher selectivity and the smaller band gap between Co-doped and Fe-doped perovskites improved the



Fig. 17 (a) Optimized structure, (b) calculated band structure, and (c) DOS of MAGel₃. Reprinted with permission from ref. 217, Copyright 2019 American Chemical Society. (d) Calculated density of state diagrams of Co-doped CsPbBr₃, (e) calculated density of state diagrams of Fe-doped CsPbBr₃, and (f) free-energy diagrams of the most favored paths of CO₂ reduction by pristine, Co-doped and Fe-doped CsPbBr₃. Republished with permission of the Royal Society of Chemistry, from ref. 139; permission conveyed through Copyright Clearance Center, Inc.

Table 2 Photocatalytic and CO₂ reduction performance using halide perovskites

Materials Advances

| Photocatalyst | Medium | Light source | Products | $(\mu mol g^{-1} h^{-1})$ | efficiency (%) | (h) | Ref |
|--|---------------------------------|--|----------------------------|---------------------------------|------------------|---------------|-----|
| CsPbBr ₃ QDs | Ethyl acetate/water | 300 W Xe lamp (AM 1.5G) | $CO + CH_4 +$ | 4.3 + 1.5 + 0.1 | _ | >8 | 13 |
| | | | H ₂ | | | | |
| CsPbBr ₃ @g-C ₃ N ₄ | Ethyl acetate | 450 W Xe lamp AM 1.5G | $\tilde{CO} + CH_4$ | 2.1 + 22.8 | _ | >12 | 220 |
| $CsPb(Br_{0.5}/Cl_{0.5})_3$ NCs | Ethyl acetate | 300 W Xe lamp (AM 1.5G) | $CO + CH_4$ | 85.2 + 12.0 | _ | >9 | 97 |
| CsPbBr ₃ QD/GO | Ethyl acetate | 150 mW cm^{-2} (AM 1.5G) | $CO + CH_4 +$ | 4.9 + 2.5 + 0.1 | 0.025 | >12 | 42 |
| CsPhBr_@TiO-CN | Ethyl acetate/water | 300 W Xe lamp (>400 nm) | 112 CO | 12.9 | | >10 | 98 |
| CsPhBr ₂ NCs/MXene | Ethyl acetate | 300 W Xe lamp (>420 nm) | CO + CH | 26.3 ± 7.3 | _ | > 10 | 47 |
| CsPbBr ₃ NCs/BZNW/ | $(CO_2 + water vapor)$ | 150 W Xe lamp (AM 1.5G) | $CO + CH_4$ $CO + CH_4$ | 0.9 + 6.3 | _ | >3 | 99 |
| CsPbBr ₃ NCs/Pd NS | (CO ₂ + water vapor) | 150 W Xe lamp (≥420 nm) | $CO + CH_4 +$ | 1.9 + 3.5 + 1.1 | 0.035 | >3 | 100 |
| CophBr - Pe(600) | Toluene/icopropanol | 150 W Ye lamp (> 420 pm) | Π_2 | 104.4 ± 5.6 | | <u>> 2</u> | 10- |
| $CsPbBr_NCs/a-TiO$ | Ftbyl acetate/ | 150 W Xe lamp (\geq 420 mm) | CO + CH + | 104.4 ± 5.0 20 ± 67 ± 15 | | > 3 | 101 |
| $CSPDBI_3 NCS/a-11O_2$ | isopropanol | | H_2 | 3.9 + 0.7 + 1.3 | _ | 20 | 43 |
| CsPbBr ₃ NCs@ZIF-67 | $(CO_2 + water vapor)$ | 150 mW cm^{-2} (AM 1.5G) | $CO + CH_4$ | 2.1 + 3.5 | 0.035 | >3 | 102 |
| CsPbBr ₃ NCs@ZIF-8 | $(CO_2 + water vapor)$ | 100 W Xe lamp (AM 1.5G) | $CO + CH_4$ | 0.7 + 2.0 | _ | >3 | 102 |
| CsPbBr ₃ QDs/ UiO66(NH ₂) | Ethyl acetate/water | 300 W Xe lamp (\geq 420 nm) | $CO + CH_4$ | 8.2 + 0.3 | _ | >12 | 113 |
| MAPbI ₃ @PCN221(Fe _x) | Ethyl acetate/water | $300 \text{ W} \text{ Xe lamp} (\geq 400 \text{ nm}) 100 \text{ mW cm}^{-2}$ | $CO + CH_4$ | 4.2 + 13.0 | | 25 | 45 |
| Fe: CsPbBr ₃ NCs | Ethyl acetate/water | 450 W Xe lamp 150 mW cm^{-2} | $CO + CH_4$ | 3.2 + 6.1 | _ | >3 | 221 |
| FAPbBr ₃ /Bi ₂ WO ₆ | Benzyl alcohol | 150 W Xe lamp AM 1.5G 100 mW cm ⁻² | CO + Benzaldebyde | 170.0 + 250.0 | — | _ | 222 |
| FAPbBr ₃ QDs | Ethyl acetate/water | 300 W Xe lamp $100 \text{ mW} \text{ cm}^{-2}$ | $CO + CH_4 + H_2$ | 181.3 + 16.9 + 2.37 | — | >3 | 51 |
| CsPhBr, ODs/Bi,WO | Ethyl acetate/water | $100 \text{ mW cm}^{-2} > 400 \text{ nm}$ | CO + CH | Totally 50 3 | | >10 | 159 |
| Cs_2SnI_6/SnS_2 NCs | $(CH_3OH + CO_2 + water vapor)$ | $150 \text{ mW cm}^{-2} (\ge 400 \text{ nm})$ | CH_4 | 6.1 | _ | >3 | 46 |
| Cs.Sh.Br. | Octadecene | 300 W Xe lamp $100 \text{ mW} \text{ cm}^{-2}$ | CO | 127.2 | | >6 | 48 |
| α -Fe ₂ O ₂ /Amine-RGO/ | $(CO_{a} + water vapor)$ | 150 W Xe lamp 100 mW em | $CO + CH_{\ell} +$ | 127.2 $24 \pm 95 \pm 03$ | | >15 | 222 |
| CsPbBr ₃ | | | H_2 | 2.4 + 5.5 + 0.5 | | > 15 | 220 |
| CsPbBr ₃ -Ni(tpy) | Ethyl acetate/water | $300 \text{ W Xe lamp} > 400 \text{ nm } 100 \text{ mW cm}^2$ | $\rm CO + CH_4$ | 431.0 + 48.8 | 0.23 | >4 | 50 |
| $Cs_2AgB_1Br_6 NCs$ | Ethyl acetate | 150 mW cm^{-2} (AM 1.5G) | $CO + CH_4$ | 2.4 + 1.6 | 0.028 | >6 | 44 |
| $CS_3Bl_2l_9$ | $(CO_2 + water vapor)$ | $80.38 \ \mu\text{W cm}^{-1}$ (AM 1.5G) | $CO + CH_4$ | /./ + 1.5 | _ | >10 | 224 |
| Co _{2%} (a)CsPbBr ₃ / Cs ₄ PbBr ₆ | Water | 300 W Xe lamp 100 mW cm ⁻² | $CO + CH_4$ | 12.0 + 1.8 | _ | >20 | 22: |
| Mn/CsPb(Br/Cl) ₃ | Ethyl acetate | 300 W Xe-lamp with AM 1.5 filter | CO, CH_4 | 213, 9.1 | — | 9 | 226 |
| Co-CsPbBr ₃ /Cs ₄ PbBr ₆ | Acetonitrile/water/ Methanol | 300 W Xe lamp $100 \text{ mW} \text{ cm}^{-2}$ | CO | 122 | — | 15 | 227 |
| Pt/CsPbBr ₃ | Ethyl acetate | 150 W Xe-lamp with 380 nm cut o filter | CO | 5.6 | 0.012 | 30 | 131 |
| Ni and Mn-doped CsPbCl ₂ NCs | $(\dot{CO_2} + water vapor)$ | 300 W Xe-lamp with AM 1.5 filter | Ni=CO Mn=CO | 169.37, 152.49 | _ | 6 | 228 |
| Cs ₄ PbBr ₆ /rGO | Ethyl acetate/water | 300 W Xe-lamp with 420 nm filter (light intensity 100 mW cm ^{-2}) | CO | 11.4 | _ | 60 | 229 |
| Cu-RGO-CsPhBr- | (CO ₂ /water vapor) | Xe-lamp irradiation with a 400 pm filter | CH. | 12.7 | (1.1 ± 0.15) | 12 | 40 |
| TiO ₂ /CsPbBr ₂ | Acetonitrile/water | 300 W Xe-arc lamp | CO | 9.02 | (1.1 ± 0.13) | 16 | 159 |
| $Cs_2AgBiBr_6@g-C_3N_4$ | Ethyl acetate/ | Xe-lamp (80 mW cm ^{-2} light intensity) | CO, CH_4 | 2 | _ | 12 | 52 |

efficiency of the photocatalyst as shown in Fig. 17f. The adsorption free energy of intermediates was found to be much lower than that of pure perovskite (Fig. 17f). Besides, the calculations also showed that the Co and Fe doped catalyst can enhance the catalytic activity of CsPbBr₃ towards CO₂ reduction. When dopants (Co or Fe) were introduced into CsPbBr₃, the band-edge states were created by Co-d and Fe-d orbitals as they contributed more actively to the CB. The formed band-edge states reduced the bandgap from 2.32 eV to 1.79 and 1.71 eV for Co-doped for Fe-doped cases, respectively. The reduced bandgap not only improved light absorption in the visible spectrum but also promoted effective charge separation and transfer efficiency.139,219 Density of states was calculated as shown in Fig. 17d and e for the Co-doped and the Fe-doped cases respectively. The electron-donating ability of Co and Fe is greater than that of Pb, leading to improved reduction performance of doped HPs. Besides, calculation results showed that the C=O double bond becomes weaker for the Co-doped and Fe-doped structures and CO2* is activated to produce HCOO*.139

Conclusion and future outlook

In this review, we summarize the recent progress achieved in exploring perovskite nanomaterials in terms of photocatalysts for CO₂ reduction. Improvement methods in this field are discussed systematically including utilizing newly emerging halide perovskite nanomaterials along with their modifications in terms of structural engineering, interfacial modulation through the formation of the heterostructure, metal ion

doping, surface modification, encapsulation with several types of co-catalysts, or using conducting substrates. Table 2 displays the performance of recent perovskite-based photocatalysts. Significant advances have been made to the conversion of CO_2 into useful energy-bearing hydrocarbons by many attractive approaches, while significant research effort is still needed for improvement in the field to accelerate practical implementation. Moreover, some fundamental studies are highly required to resolve the bottleneck problems, including the kinetic problem in multi-electron reduction processes, water oxidation reaction, poor reduction selectivity, and low quantum yield of the photocatalysts. These issues should be extensively examined and studied for future improvements to be employed on an industrial scale.

Promising research directions in halide perovskite-based photocatalysts for future exploration are forecasted including: (i) application of halide perovskites with various modulation strategies,^{43,150,230,231} such as employing interface engineering, fabricating 3D hierarchical architectures, exploiting ultrathin 2D nanosheets, using the surface fluorination effects, preparing surfaces over layers, creating surface vacancies, etc. and (ii) accomplishing higher light-harvesting ability and enhancing charge separation efficiency via rational design of a novel halide perovskite-based heterostructure.47,232-234 (iii) It's well known that solvent/electrolyte plays a significant role in any catalytic reaction. Since the halide perovskites are unstable in polar solvents, a wide range of research efforts have been devoted towards the exploration of a more suitable medium for efficient photocatalytic CO2 reduction. Owing to the high solubility of CO_2 , the use of low-polar ethyl acetate was preferred as a better solvent.42 (iv) The utilization of co-catalysts in the photocatalytic process has been proved to be an environmentally benign method with high performance.⁵⁶ Some efforts could be devoted towards the development of an innovative noble-metal-free co-catalyst. (v) Despite attracting enormous research interest in the efficient photoreduction of CO₂, the use of halide perovskites is still restricted on the industrial scale owing to their low scale (µmol range). For artificial photosynthesis, the up to date solarto-fuel efficiency value is $\sim 1.1\%$,⁴⁹ which is ~ 10 times that of natural photosynthesis,235 but is still very low for industrial applications. Given that solar energy conversion efficiency is >20% in solar photovoltaics, the value required for the feasible artificial photosynthesis should be 10% or above. The commercialization of CO₂ photoreduction reaction is currently obstructed by the poor stability, low selectivity and high cost. One promising way to address the challenge is combining the halide perovskite with other efficient semiconductors for improving charge separation capacity and optical behaviors, so as to enhance the catalytic efficiency and stability. Therefore, the development of long-lasting, cost-effective, and potentially scalable halide perovskites is highly required for a sustainable future. (vi) Doping with proper metal ions and altering the reaction system for obtaining multiple doped halide perovskites should also be proposed for the possible improvement of the photocatalytic performance and their stability for reduction reaction of CO2. (vii) Another issue which should be addressed

is the toxic nature of halide perovskites that hinders their commercial applications. In order to get environmentally friendly halide perovskites, substitution of lead (Pb) with other transition metals such as Sn, Sb and Bi is necessary. However, these transition metal substituted HPs have relatively poor stability as compared to Pb-based halide perovskites. Any further development of Pb-free HPs should address the limitations related to stability. (viii) In recent years, there has been an increasing amount of literature on photocatalytic reduction of CO₂ which focuses mainly on higher conversion rate of CO₂. The typical products of this photocatalytic reaction are single carbon atom compounds such as methane, carbon monoxide, formic acid, etc. However, current research in photocatalytic CO2 reduction by halide perovskites has emphasized the productivity as well as selectivity of compounds with two or more carbons (C2+), for example, ethanol, ethane, acetic acid, etc.⁸⁷ Further research is required to investigate the productivity and selectivity of these C2+ products via photocatalytic reduction of CO₂ by halide perovskites to valuable products such as alkenes, aromatic hydrocarbons and alcohols, rather than less valuable products. These challenges we are facing could provide countless opportunities for further improvement in photocatalytic activity. We hope that the readers can get more new insights into the recent advancements and future directions toward the energy conversion applications of halide perovskites in the field of photocatalysis.

Conflicts of interest

The authors declare no competing financial interest.

Acknowledgements

This work was supported by the National Natural Science Foundation of China (12002271, 11872302, and 62004155), Scientific Research Project of Shaanxi Provincial Department of Education (20JK0714), Xi'an Science and Technology Plan Project, China (2019220914SYS024CG046), and Earth Engineering Center and Center for Advanced Materials for Energy and Environment at Columbia University.

References

- 1 X. Duan, J. Xu, Z. Wei, J. Ma, S. Guo, S. Wang, H. Liu and S. Dou, *Adv. Mater.*, 2017, **29**, 1701784.
- 2 H. He, M. Zhong, D. Konkolewicz, K. Yacatto, T. Rappold, G. Sugar, N. E. David, J. Gelb, N. Kotwal and A. Merkle, *Adv. Funct. Mater.*, 2013, **23**, 4720–4728.
- 3 Y. He, L. Zhang, B. Teng and M. Fan, *Environ. Sci. Technol.*, 2015, **49**, 649–656.
- 4 W. Zhang, A. R. Mohamed and W.-J. Ong, *Angew. Chem.*, 2020, **59**, 22894–22915.
- 5 J. H. Montoya, L. C. Seitz, P. Chakthranont, A. Vojvodic, T. F. Jaramillo and J. K. Nørskov, *Nat. Mater.*, 2017, 16, 70–81.

- 6 J. L. White, M. F. Baruch, J. E. Pander III, Y. Hu,
 I. C. Fortmeyer, J. E. Park, T. Zhang, K. Liao, J. Gu and
 Y. Yan, *Chem. Rev.*, 2015, **115**, 12888–12935.
- 7 D. Kim, K. K. Sakimoto, D. Hong and P. Yang, Angew. Chem., Int. Ed., 2015, 54, 3259–3266.
- 8 P. V. Kamat, J. Phys. Chem. C, 2007, 111, 2834–2860.
- 9 P. V. Kamat, ACS Energy Lett., 2017, 2, 1586-1587.
- 10 Ş. Neaţu, J. A. Maciá-Agulló, P. Concepción and H. Garcia, J. Am. Chem. Soc., 2014, 136, 15969–15976.
- 11 T. Masson-Delmotte, P. Zhai, H. Pörtner, D. Roberts, J. Skea, P. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan and R. Pidcock, *World Meteorological Organization*, Geneva, Tech. Rep, 2018.
- 12 E. Karamian and S. Sharifnia, J. CO2 Util., 2016, 16, 194–203.
- 13 H. Zhou, Y. Qu, T. Zeid and X. Duan, *Energy Environ. Sci.*, 2012, 5, 6732–6743.
- 14 J. Wen, J. Xie, X. Chen and X. Li, *Appl. Surf. Sci.*, 2017, **391**, 72–123.
- M. Ge, Q. Li, C. Cao, J. Huang, S. Li, S. Zhang, Z. Chen,
 K. Zhang, S. S. Al-Deyab and Y. Lai, *Adv. Sci.*, 2017,
 4, 1600152.
- 16 K. Li, A. D. Handoko, M. Khraisheh and J. Tang, *Nanoscale*, 2014, 6, 9767–9773.
- 17 Q. A. Akkerman, G. Rainò, M. V. Kovalenko and L. Manna, *Nat. Mater.*, 2018, **17**, 394–405.
- 18 Z. Shi, S. Li, Y. Li, H. Ji, X. Li, D. Wu, T. Xu, Y. Chen, Y. Tian, Y. Zhang, C. Shan and G. Du, *ACS Nano*, 2018, **12**, 1462–1472.
- 19 H. Zai, C. Zhu, H. Xie, Y. Zhao, C. Shi, Z. Chen, X. Ke, M. Sui, C. Chen, J. Hu, Q. Zhang, Y. Gao, H. Zhou, Y. Li and Q. Chen, ACS Energy Lett., 2018, 3, 30–38.
- 20 F. Cao, D. Yu, X. Li, Y. Zhu, Z. Sun, Y. Shen, Y. Wu, Y. Wei and H. Zeng, *J. Mater. Chem. C*, 2017, 5, 7441–7445.
- 21 Q. Chen, H. Zhou, Y. Fang, A. Z. Stieg, T.-B. Song, H.-H. Wang, X. Xu, Y. Liu, S. Lu, J. You, P. Sun, J. McKay, M. S. Goorsky and Y. Yang, *Nat. Commun.*, 2015, 6, 7269.
- 22 K. Chen, X. Deng, G. Dodekatos and H. Tüysüz, J. Am. Chem. Soc., 2017, 139, 12267–12273.
- 23 Y. Wu, P. Wang, X. Zhu, Q. Zhang, Z. Wang, Y. Liu, G. Zou,
 Y. Dai, M. H. Whangbo and B. Huang, *Adv. Mater.*, 2018,
 30, 1704342.
- 24 G. Do Park, C. W. Lee and K. T. Nam, *Curr. Opin. Electrochem.*, 2018, **11**, 98–104.
- 25 X. Song, G. Wei, J. Sun, C. Peng, J. Yin, X. Zhang, Y. Jiang and H. Fei, *Nat. Catal.*, 2020, **3**, 1027–1033.
- 26 L.-F. Gao, W.-J. Luo, Y.-F. Yao and Z.-G. Zou, *Chem. Commun.*, 2018, **54**, 11459–11462.
- 27 A. Guerrero and J. Bisquert, *Curr. Opin. Electrochem.*, 2017, 2, 144–147.
- 28 X. Li, J. Yu, M. Jaroniec and X. Chen, *Chem. Rev.*, 2019, **119**, 3962–4179.
- 29 E. A. Tsiwah, Y. Ding, Z. Li, Z. Zhao, M. Wang, C. Hu, X. Liu, C. Sun, X. Zhao and Y. Xie, *CrystEngComm*, 2017, **19**, 7041–7049.
- 30 D. M. Jang, D. H. Kim, K. Park, J. Park, J. W. Lee and J. K. Song, *J. Mater. Chem. C*, 2016, 4, 10625–10629.

- 31 Z. Long, H. Ren, J. Sun, J. Ouyang and N. Na, Chem. Commun., 2017, 53, 9914–9917.
- 32 L. Protesescu, S. Yakunin, M. I. Bodnarchuk, F. Krieg, R. Caputo, C. H. Hendon, R. X. Yang, A. Walsh and M. V. Kovalenko, *Nano Lett.*, 2015, **15**, 3692–3696.
- 33 F. Zhang, H. Zhong, C. Chen, X. Wu, X. Hu, H. Huang, J. Han, B. Zou and Y. Dong, ACS Nano, 2015, 9, 4533–4542.
- 34 L. Protesescu, S. Yakunin, O. Nazarenko, D. N. Dirin and M. V. Kovalenko, ACS Appl. Nano Mater., 2018, 1, 1300–1308.
- 35 J. Wang, J. Liu, Z. Du and Z. Li, *J. Energy Chem.*, 2021, 54, 770–785.
- 36 C. Zhang, B. Wang, W. Li, S. Huang, L. Kong, Z. Li and L. Li, *Nat. Commun.*, 2017, 8, 1138.
- 37 P. Fu, Q. Shan, Y. Shang, J. Song, H. Zeng, Z. Ning and J. Gong, *Sci. Bull.*, 2017, 62, 369–380.
- 38 G. Nedelcu, L. Protesescu, S. Yakunin, M. I. Bodnarchuk, M. J. Grotevent and M. V. Kovalenko, *Nano Lett.*, 2015, 15, 5635–5640.
- 39 D. Yang, M. Cao, Q. Zhong, P. Li, X. Zhang and Q. Zhang, J. Mater. Chem. C, 2019, 7, 757–789.
- 40 Y. Chen, M. He, J. Peng, Y. Sun and Z. Liang, *Adv. Sci.*, 2016, **3**, 1500392.
- 41 S. Bonabi Naghadeh, B. Luo, G. Abdelmageed, Y.-C. Pu, C. Zhang and J. Z. Zhang, *J. Phys. Chem. C*, 2018, **122**, 15799–15818.
- 42 Y.-F. Xu, M.-Z. Yang, B.-X. Chen, X.-D. Wang, H.-Y. Chen, D.-B. Kuang and C.-Y. Su, *J. Am. Chem. Soc.*, 2017, **139**, 5660–5663.
- 43 Y. F. Xu, X. D. Wang, J. F. Liao, B. X. Chen, H. Y. Chen and D. B. Kuang, *Adv. Mater. Interfaces*, 2018, 5, 1801015.
- 44 L. Zhou, Y. F. Xu, B. X. Chen, D. B. Kuang and C. Y. Su, *Small*, 2018, **14**, 1703762.
- 45 L. Y. Wu, Y. F. Mu, X. X. Guo, W. Zhang, Z. M. Zhang, M. Zhang and T. B. Lu, *Angew. Chem.*, *Int. Ed.*, 2019, 58, 9491–9495.
- 46 X.-D. Wang, Y.-H. Huang, J.-F. Liao, Y. Jiang, L. Zhou, X.-Y. Zhang, H.-Y. Chen and D.-B. Kuang, *J. Am. Chem. Soc.*, 2019, **141**, 13434–13441.
- 47 A. Pan, X. Ma, S. Huang, Y. Wu, M. Jia, Y. Shi, Y. Liu, P. Wangyang, L. He and Y. Liu, *J. Phys. Chem. Lett.*, 2019, 10, 6590–6597.
- 48 C. Lu, D. S. Itanze, A. G. Aragon, X. Ma, H. Li, K. B. Ucer, C. Hewitt, D. L. Carroll, R. T. Williams and Y. Qiu, *Nanoscale*, 2020, **12**, 2987–2991.
- 49 S. Kumar, M. Regue, M. A. Isaacs, E. Freeman and S. Eslava, ACS Appl. Energy Mater., 2020, 3, 4509–4522.
- 50 Z. Chen, Y. Hu, J. Wang, Q. Shen, Y. Zhang, C. Ding, Y. Bai,
 G. Jiang, Z. Li and N. Gaponik, *Chem. Mater.*, 2020, 32, 1517–1525.
- 51 M. Que, Y. Zhao, L. Pan, Y. Yang, Z. He, H. Yuan, J. Chen and G. Zhu, *Mater. Lett.*, 2021, 282, 128695.
- 52 Y. Wang, H. Huang, Z. Zhang, C. Wang, Y. Yang, Q. Li and D. Xu, *Appl. Catal.*, B, 2021, 282, 119570.
- 53 H. Huang, B. Pradhan, J. Hofkens, M. B. J. Roeffaers and J. A. Steele, ACS Energy Lett., 2020, 5, 1107–1123.

- 54 J. Luo, W. Zhang, H. Yang, Q. Fan, F. Xiong, S. Liu, D.-S. Li and B. Liu, *EcoMat*, 2021, **3**, e12079.
- 55 C. B. Hiragond, N. S. Powar and S.-I. In, *Nanomaterials*, 2020, **10**, 2569.
- 56 S. Shyamal and N. Pradhan, J. Phys. Chem. Lett., 2020, 11, 6921–6934.
- 57 Y. Xu, M. Cao and S. Huang, Nano Res., 2021, 14, 3773-3794.
- 58 L. Li and M. Wang, Advanced Nanomatericals for Solar Photocatalysis, in Advanced Catalytic Materials – Photocatalysis and Other Current Trends, ed. L. E. Norena and J.-A. Wang, IntechOpen, 2016.
- 59 S. Linic, P. Christopher and D. B. Ingram, *Nat. Mater.*, 2011, **10**, 911–921.
- 60 F. Wang, Q. Li and D. Xu, *Adv. Energy Mater.*, 2017, 7, 1700529.
- 61 L. Ran, J. Hou, S. Cao, Z. Li, Y. Zhang, Y. Wu, B. Zhang, P. Zhai and L. Sun, *Sol. RRL*, 2020, 4, 2070045.
- 62 J. M. Elward and A. Chakraborty, J. Chem. Theory Comput., 2013, 9, 4351–4359.
- 63 F. Le Formal, S. R. Pendlebury, M. Cornuz, S. D. Tilley, M. Grätzel and J. R. Durrant, *J. Am. Chem. Soc.*, 2014, 136, 2564–2574.
- 64 P. Zhou, J. Yu and M. Jaroniec, *Adv. Mater.*, 2014, 26, 4920–4935.
- 65 H. Du, Y.-N. Liu, C.-C. Shen and A.-W. Xu, *Chin. J. Catal.*, 2017, 38, 1295–1306.
- M. Liu, Y. Pang, B. Zhang, P. De Luna, O. Voznyy, J. Xu,
 X. Zheng, C. T. Dinh, F. Fan, C. Cao, F. P. G. de Arquer,
 T. S. Safaei, A. Mepham, A. Klinkova, E. Kumacheva,
 T. Filleter, D. Sinton, S. O. Kelley and E. H. Sargent, *Nature*,
 2016, 537, 382–386.
- 67 X. Chen, S. Shen, L. Guo and S. S. Mao, *Chem. Rev.*, 2010, 110, 6503–6570.
- 68 K. Sivula and R. van de Krol, *Nat. Rev. Mater.*, 2016, 1, 15010.
- 69 W. Tu, Y. Zhou and Z. Zou, *Adv. Mater.*, 2014, 26, 4607-4626.
- 70 Z. Li, J. Feng, S. Yan and Z. Zou, *Nano Today*, 2015, **10**, 468–486.
- 71 K. Li, X. An, K. H. Park, M. Khraisheh and J. Tang, *Catal. Today*, 2014, **224**, 3–12.
- 72 K. Li, B. Peng and T. Peng, ACS Catal., 2016, 6, 7485-7527.
- 73 J. H. Zejian Wang, S.-F. Ng, W. Liu, J. Huang, P. Chen and W.-J. Ong, Acta Phys. - Chim. Sin, 2021, 37, 2011033.
- 74 J. Y. Choi, C. K. Lim, B. Park, M. Kim, A. Jamal and H. Song, *J. Mater. Chem. A*, 2019, 7, 15068–15072.
- 75 Z. He, J. Zhang, X. Li, S. Guan, M. Dai and S. Wang, *Small*, 2020, **16**, 2005051.
- 76 W. Chen, B. Han, C. Tian, X. Liu, S. Liang, H. Deng and Z. Lin, *Appl. Catal.*, *B*, 2019, 244, 996–1003.
- 77 Z. Sun, Q. Fan, M. Zhang, S. Liu, H. Tao and J. Texter, *Adv. Sci.*, 2019, 6, 1901084.
- 78 Z. Jiang, W. Wan, H. Li, S. Yuan, H. Zhao and P. K. Wong, *Adv. Mater.*, 2018, **30**, 1706108.
- 79 Y. Wang, S. Wang and X. W. D. Lou, Angew. Chem., Int. Ed., 2019, 58, 17236–17240.

- 80 H. Shen, T. Peppel, J. Strunk and Z. Sun, *Solar RRL*, 2020, 4, 1900546.
- 81 P. Kar, S. Farsinezhad, N. Mahdi, Y. Zhang, U. Obuekwe, H. Sharma, J. Shen, N. Semagina and K. Shankar, *Nano Res.*, 2016, 9, 3478–3493.
- 82 Y. Hori, H. Wakebe, T. Tsukamoto and O. Koga, *Electrochim. Acta*, 1994, **39**, 1833–1839.
- 83 Z. Sun, N. Talreja, H. Tao, J. Texter, M. Muhler, J. Strunk and J. Chen, *Angew. Chem., Int. Ed.*, 2018, 57, 7610–7627.
- 84 R. Shi, G. I. Waterhouse and T. Zhang, *Sol. RRL*, 2017, 1, 1700126.
- 85 X. Chang, T. Wang and J. Gong, *Energy Environ. Sci.*, 2016, 9, 2177–2196.
- 86 S. C. Roy, O. K. Varghese, M. Paulose and C. A. Grimes, ACS Nano, 2010, 4, 1259–1278.
- 87 J. Albero, Y. Peng and H. García, ACS Catal., 2020, 10, 5734–5749.
- 88 J. Wu, Y. Huang, W. Ye and Y. Li, Adv. Sci., 2017, 4, 1700194.
- 89 S. Wang, B. Y. Guan and X. W. D. Lou, J. Am. Chem. Soc., 2018, 140, 5037–5040.
- 90 Z. Fan, K. Sun and J. Wang, J. Mater. Chem. A, 2015, 3, 18809–18828.
- 91 Y. Zhao and K. Zhu, Chem. Soc. Rev., 2016, 45, 655-689.
- 92 M. V. Kovalenko, L. Protesescu and M. I. Bodnarchuk, *Science*, 2017, 358, 745–750.
- 93 Y. F. Mu, W. Zhang, X. X. Guo, G. X. Dong, M. Zhang and T. B. Lu, *ChemSusChem*, 2019, **12**, 4769–4774.
- 94 J. S. Manser, J. A. Christians and P. V. Kamat, *Chem. Rev.*, 2016, **116**, 12956–13008.
- 95 B. Saparov and D. B. Mitzi, *Chem. Rev.*, 2016, **116**, 4558-4596.
- 96 D. Weber, Z. Naturforsch. B, 1978, 33, 1443-1445.
- 97 S.-H. Guo, J. Zhou, X. Zhao, C.-Y. Sun, S.-Q. You, X.-L. Wang and Z.-M. Su, J. Catal., 2019, 369, 201–208.
- 98 X.-X. Guo, S.-F. Tang, Y.-F. Mu, L.-Y. Wu, G.-X. Dong and M. Zhang, *RSC Adv.*, 2019, 9, 34342–34348.
- 99 Y. Jiang, J.-F. Liao, Y.-F. Xu, H.-Y. Chen, X.-D. Wang and D.-B. Kuang, *J. Mater. Chem. A*, 2019, 7, 13762–13769.
- 100 Y.-F. Xu, M.-Z. Yang, H.-Y. Chen, J.-F. Liao, X.-D. Wang and D.-B. Kuang, ACS Appl. Energy Mater., 2018, 1, 5083–5089.
- 101 Z.-C. Kong, H.-H. Zhang, J.-F. Liao, Y.-J. Dong, Y. Jiang, H.-Y. Chen and D.-B. Kuang, Sol. RRL, 2020, 4, 1900365.
- 102 Z.-C. Kong, J.-F. Liao, Y.-J. Dong, Y.-F. Xu, H.-Y. Chen, D.-B. Kuang and C.-Y. Su, ACS Energy Lett., 2018, 3, 2656–2662.
- 103 J. Chen, J. Yin, X. Zheng, H. Ait Ahsaine, Y. Zhou, C. Dong, O. F. Mohammed, K. Takanabe and O. M. Bakr, ACS Energy Lett., 2019, 4, 1279–1286.
- 104 Q. Wang, L. Tao, X. Jiang, M. Wang and Y. Shen, *Appl. Surf. Sci.*, 2019, 465, 607–613.
- 105 S. S. Bhosale, A. K. Kharade, E. Jokar, A. Fathi, S.-M. Chang and E. W.-G. Diau, *J. Am. Chem. Soc.*, 2019, 141, 20434–20442.
- 106 M.-Z. Yang, Y.-F. Xu, J.-F. Liao, X.-D. Wang, H.-Y. Chen and D.-B. Kuang, J. Mater. Chem. A, 2019, 7, 5409–5415.

- 107 M. I. Saidaminov, O. F. Mohammed and O. M. Bakr, ACS Energy Lett., 2017, 2, 889–896.
- 108 V. K. Ravi, G. B. Markad and A. Nag, ACS Energy Lett., 2016, 1, 665–671.
- 109 S. Yakunin, L. Protesescu, F. Krieg, M. I. Bodnarchuk, G. Nedelcu, M. Humer, G. De Luca, M. Fiebig, W. Heiss and M. V. Kovalenko, *Nat. Commun.*, 2015, 6, 8515.
- 110 A. Filippetti and A. Mattoni, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2014, **89**, 125203.
- 111 Z. Zhu, Q. Sun, Z. Zhang, J. Dai, G. Xing, S. Li, X. Huang and W. Huang, *J. Mater. Chem. C*, 2018, **6**, 10121–10137.
- 112 D. Shi, V. Adinolfi, R. Comin, M. Yuan, E. Alarousu, A. Buin, Y. Chen, S. Hoogland, A. Rothenberger and K. Katsiev, *Science*, 2015, 347, 519–522.
- 113 S. Wan, M. Ou, Q. Zhong and X. Wang, *Chem. Eng. J.*, 2019, 358, 1287–1295.
- 114 Q. A. Akkerman, A. L. Abdelhady and L. Manna, J. Phys. Chem. Lett., 2018, 9, 2326–2337.
- 115 Q. A. Akkerman, S. Park, E. Radicchi, F. Nunzi, E. Mosconi, F. De Angelis, R. Brescia, P. Rastogi, M. Prato and L. Manna, *Nano Lett.*, 2017, 17, 1924–1930.
- 116 F. Iyikanat, E. Sari and H. Sahin, *Phys. Rev. B*, 2017, **96**, 155442.
- 117 K. A. Huynh, D. L. T. Nguyen, V.-H. Nguyen, D.-V. N. Vo, Q. T. Trinh, T. P. Nguyen, S. Y. Kim and Q. V. Le, *J. Chem. Technol. Biotechnol.*, 2020, **95**, 2579–2596.
- 118 L. Dou, A. B. Wong, Y. Yu, M. Lai, N. Kornienko, S. W. Eaton, A. Fu, C. G. Bischak, J. Ma, T. Ding, N. S. Ginsberg, L. W. Wang, A. P. Alivisatos and P. Yang, *Science*, 2015, 349, 1518–1521.
- 119 Y. Fu, H. Zhu, C. C. Stoumpos, Q. Ding, J. Wang,
 M. G. Kanatzidis, X. Zhu and S. Jin, *ACS Nano*, 2016, 10, 7963–7972.
- 120 M. Faizan, K. C. Bhamu, G. Murtaza, X. He, N. Kulhari, M. M. Al-Anazy and S. H. Khan, *Sci. Rep.*, 2021, **11**, 6965.
- 121 J. Zhang, Y. Yang, H. Deng, U. Farooq, X. Yang, J. Khan, J. Tang and H. Song, ACS Nano, 2017, 11, 9294–9302.
- 122 T. C. Jellicoe, J. M. Richter, H. F. J. Glass, M. Tabachnyk, R. Brady, S. E. Dutton, A. Rao, R. H. Friend, D. Credgington, N. C. Greenham and M. L. Böhm, *J. Am. Chem. Soc.*, 2016, 138, 2941–2944.
- 123 E. T. McClure, M. R. Ball, W. Windl and P. M. Woodward, *Chem. Mater.*, 2016, **28**, 1348–1354.
- 124 F. Wei, F. Brivio, Y. Wu, S. Sun, P. D. Bristowe and A. K. Cheetham, *J. Mater. Chem. C*, 2018, **6**, 3573–3577.
- 125 Y. Zhang, J. Yin, M. R. Parida, G. H. Ahmed, J. Pan,
 O. M. Bakr, J.-L. Brédas and O. F. Mohammed, *J. Phys. Chem. Lett.*, 2017, 8, 3173–3177.
- 126 B. Yang, J. Chen, F. Hong, X. Mao, K. Zheng, S. Yang, Y. Li, T. Pullerits, W. Deng and K. Han, *Angew. Chem., Int. Ed.*, 2017, 56, 12471–12475.
- 127 Y. Hu, S. Zhang, X. Miao, L. Su, F. Bai, T. Qiu, J. Liu and G. Yuan, *Adv. Mater. Interfaces*, 2017, 4, 1700131.
- 128 M. Ou, W. Tu, S. Yin, W. Xing, S. Wu, H. Wang, S. Wan, Q. Zhong and R. Xu, Angew. Chem., Int. Ed., 2018, 57, 13570.

- 129 W. Tu, Y. Xu, J. Wang, B. Zhang, T. Zhou, S. Yin, S. Wu, C. Li, Y. Huang and Y. Zhou, ACS Sustainable Chem. Eng., 2017, 5, 7260–7268.
- 130 J. Fu, K. Jiang, X. Qiu, J. Yu and M. Liu, *Mater. Today*, 2020, 32, 222–243.
- 131 Y.-X. Chen, Y.-F. Xu, X.-D. Wang, H.-Y. Chen and D.-B. Kuang, *Sustainable Energy Fuels*, 2020, 4, 2249–2255.
- 132 S. Thapa, K. Bhardwaj, S. Basel, S. Pradhan, C. J. Eling,
 A. M. Adawi, J.-S. G. Bouillard, G. J. Stasiuk, P. Reiss and
 A. Pariyar, *Nanoscale Adv.*, 2019, 1, 3388–3391.
- 133 L. Protesescu, S. Yakunin, M. I. Bodnarchuk, F. Bertolotti, N. Masciocchi, A. Guagliardi and M. V. Kovalenko, J. Am. Chem. Soc., 2016, 138, 14202–14205.
- 134 I. Lignos, L. Protesescu, D. B. R. Emiroglu, R. Maceiczyk, S. Schneider, M. V. Kovalenko and A. J. deMello, *Nano Lett.*, 2018, **18**, 1246–1252.
- 135 J. Hou, S. Cao, Y. Wu, Z. Gao, F. Liang, Y. Sun, Z. Lin and L. Sun, *Chem. – Eur. J.*, 2017, 23, 9481–9485.
- 136 S. Shyamal, S. K. Dutta, T. Das, S. Sen, S. Chakraborty and N. Pradhan, *J. Phys. Chem. Lett.*, 2020, **11**, 3608–3614.
- 137 S. De Wolf, J. Holovsky, S.-J. Moon, P. Löper, B. Niesen, M. Ledinsky, F.-J. Haug, J.-H. Yum and C. Ballif, *J. Phys. Chem. Lett.*, 2014, 5, 1035–1039.
- 138 Y. Fu, H. Zhu, J. Chen, M. P. Hautzinger, X.-Y. Zhu and S. Jin, *Nat. Rev. Mater.*, 2019, 4, 169–188.
- 139 C. Tang, C. Chen, W. Xu and L. Xu, J. Mater. Chem. A, 2019, 7, 6911–6919.
- G. Abdelmageed, L. Jewell, K. Hellier, L. Seymour, B. Luo, F. Bridges, J. Z. Zhang and S. Carter, *Appl. Phys. Lett.*, 2016, 109, 233905.
- 141 N. Aristidou, C. Eames, I. Sanchez-Molina, X. Bu, J. Kosco, M. S. Islam and S. A. Haque, *Nat. Commun.*, 2017, 8, 15218.
- 142 J.-W. Lee, D.-H. Kim, H.-S. Kim, S.-W. Seo, S. M. Cho and N.-G. Park, *Adv. Energy Mater.*, 2015, 5, 1501310.
- 143 Y. Kim, E. Yassitepe, O. Voznyy, R. Comin, G. Walters, X. Gong, P. Kanjanaboos, A. F. Nogueira and E. H. Sargent, ACS Appl. Mater. Interfaces, 2015, 7, 25007–25013.
- 144 S. You, S. Guo, X. Zhao, M. Sun, C. Sun, Z. Su and X. Wang, Dalton Trans., 2019, 48, 14115–14121.
- 145 Y. Jiang, J.-F. Liao, H.-Y. Chen, H.-H. Zhang, J.-Y. Li, X.-D. Wang and D.-B. Kuang, *Chem*, 2020, **6**, 766–780.
- 146 A. H. Slavney, T. Hu, A. M. Lindenberg and H. I. Karunadasa, J. Am. Chem. Soc., 2016, **138**, 2138–2141.
- 147 G. Volonakis, M. Filip, A.-A. Haghighirad, N. Sakai,
 B. Wenger, H. Snaith and F. Giustino, *J. Phys. Chem. Lett.*, 2016, 7, 1254–1259.
- 148 Z. Liu, H. Yang, J. Wang, Y. Yuan, K. Hills-Kimball, T. Cai, P. Wang, A. Tang and O. Chen, *Nano Lett.*, 2021, 21, 1620–1627.
- 149 Y. Dai, C. Poidevin, C. Ochoa-Hernández, A. A. Auer and H. Tüysüz, *Angew. Chem., Int. Ed.*, 2020, **59**, 5788–5796.
- 150 G. Volonakis, A. A. Haghighirad, R. L. Milot, W. H. Sio, M. R. Filip, B. Wenger, M. B. Johnston, L. M. Herz, H. J. Snaith and F. Giustino, *J. Phys. Chem. Lett.*, 2017, 8, 772–778.
- 151 I. Chung, J.-H. Song, J. Im, J. Androulakis, C. D. Malliakas, H. Li, A. J. Freeman, J. T. Kenney and M. G. Kanatzidis, *J. Am. Chem. Soc.*, 2012, **134**, 8579–8587.

- 152 J. Pal, S. Manna, A. Mondal, S. Das, K. V. Adarsh and A. Nag, Angew. Chem., Int. Ed., 2017, 56, 14187–14191.
- 153 F. Xu, K. Meng, B. Cheng, S. Wang, J. Xu and J. Yu, *Nat. Commun.*, 2020, **11**, 4613.
- 154 X.-F. Cao, L. Zhang, X.-T. Chen and Z.-L. Xue, *CrystEng-Comm*, 2011, **13**, 306–311.
- 155 H. Huang, R. Cao, S. Yu, K. Xu, W. Hao, Y. Wang, F. Dong, T. Zhang and Y. Zhang, *Appl. Catal.*, *B*, 2017, **219**, 526–537.
- 156 C. Zhang and Y. Zhu, Chem. Mater., 2005, 17, 3537–3545.
- 157 Y. Zhou, Y. Zhang, M. Lin, J. Long, Z. Zhang, H. Lin, J. C.-S. Wu and X. Wang, *Nat. Commun.*, 2015, **6**, 8340.
- 158 J. Hu, D. Chen, Z. Mo, N. Li, Q. Xu, H. Li, J. He, H. Xu and J. Lu, Angew. Chem., Int. Ed., 2019, 58, 2073–2077.
- 159 J. Wang, J. Wang, N. Li, X. Du, J. Ma, C. He and Z. Li, *ACS Appl. Mater. Interfaces*, 2020, **12**, 31477–31485.
- 160 Q. Lu, Y. Yu, Q. Ma, B. Chen and H. Zhang, Adv. Mater., 2016, 28, 1917–1933.
- 161 D. Deng, K. Novoselov, Q. Fu, N. Zheng, Z. Tian and X. Bao, *Nat. Nanotechnol.*, 2016, **11**, 218–230.
- 162 J. Li, Y. Zhao, M. Xia, H. An, H. Bai, J. Wei, B. Yang and G. Yang, *Appl. Catal.*, *B*, 2020, **261**, 118244.
- 163 Z. Xing, J. Hu, M. Ma, H. Lin, Y. An, Z. Liu, Y. Zhang, J. Li and S. Yang, *J. Am. Chem. Soc.*, 2019, **141**, 19715–19727.
- 164 C. Tan, X. Cao, X.-J. Wu, Q. He, J. Yang, X. Zhang, J. Chen,
 W. Zhao, S. Han and G.-H. Nam, *Chem. Rev.*, 2017, 117, 6225–6331.
- 165 Y. Zhao, S. Zhang, R. Shi, G. I. Waterhouse, J. Tang and T. Zhang, *Mater. Today*, 2020, 34, 78–91.
- 166 W. Wang, W. Zhao, H. Zhang, X. Dou and H. Shi, *Chin. J. Catal.*, 2021, 42, 97–106.
- 167 Y. Jiang, H. Y. Chen, J. Y. Li, J. F. Liao, H. H. Zhang,
 X. D. Wang and D. B. Kuang, *Adv. Funct. Mater.*, 2020, 2004293.
- 168 N. Zhang, R. Ciriminna, M. Pagliaro and Y.-J. Xu, Chem. Soc. Rev., 2014, 43, 5276–5287.
- 169 H. Huang, C. Zhou, X. Jiao, H. Yuan, J. Zhao, C. He, J. Hofkens, M. B. Roeffaers, J. Long and J. A. Steele, ACS Catal., 2019, 10, 1439–1443.
- 170 P. Schulz, D. Cahen and A. Kahn, *Chem. Rev.*, 2019, **119**, 3349–3417.
- 171 G. Kapil, T. Ohta, T. Koyanagi, M. Vigneshwaran, Y. Zhang, Y. Ogomi, S. S. Pandey, K. Yoshino, Q. Shen and T. Toyoda, *J. Phys. Chem. C*, 2017, **121**, 13092–13100.
- 172 H. S. Rao, W. G. Li, B. X. Chen, D. B. Kuang and C. Y. Su, *Adv. Mater.*, 2017, **29**, 1602639.
- 173 Z. Chen, Q. Dong, Y. Liu, C. Bao, Y. Fang, Y. Lin, S. Tang,
 Q. Wang, X. Xiao and Y. Bai, *Nat. Commun.*, 2017, 8, 1–7.
- 174 Y. Liu, J. Sun, Z. Yang, D. Yang, X. Ren, H. Xu, Z. Yang and S. Liu, *Adv. Opt. Mater.*, 2016, 4, 1829–1837.
- 175 A. Kaltzoglou, M. Antoniadou, A. G. Kontos, C. C. Stoumpos, D. Perganti, E. Siranidi, V. Raptis, K. Trohidou, V. Psycharis and M. G. Kanatzidis, *J. Phys. Chem. C*, 2016, **120**, 11777–11785.
- 176 B. Lee, C. C. Stoumpos, N. Zhou, F. Hao, C. Malliakas, C.-Y. Yeh, T. J. Marks, M. G. Kanatzidis and R. P. Chang, *J. Am. Chem. Soc.*, 2014, **136**, 15379–15385.

- 177 X. Jiao, X. Li, X. Jin, Y. Sun, J. Xu, L. Liang, H. Ju, J. Zhu,
 Y. Pan, W. Yan, Y. Lin and Y. Xie, *J. Am. Chem. Soc.*, 2017,
 139, 18044–18051.
- 178 M. M. Kandy, Sustainable Energy Fuels, 2020, 4, 469-484.
- 179 S. Zhang, Z. He, S. Xu, X. Li, J. Zhang, X. Zhan, M. Dai and S. Wang, *Solar RRL*, 2021, 5, 2100233.
- 180 J. Low, B. Cheng, J. Yu and M. Jaroniec, *Energy Storage Mater.*, 2016, 3, 24–35.
- 181 S. Kaniyankandy, S. Rawalekar and H. N. Ghosh, *J. Phys. Chem. C*, 2012, **116**, 16271–16275.
- 182 M. Ou, W. Tu, S. Yin, W. Xing, S. Wu, H. Wang, S. Wan, Q. Zhong and R. Xu, *Angew. Chem.*, 2018, **130**, 13758–13762.
- 183 C. Li, Y. Du, D. Wang, S. Yin, W. Tu, Z. Chen, M. Kraft, G. Chen and R. Xu, *Adv. Funct. Mater.*, 2017, 27, 1604328.
- 184 C. Cao, D.-D. Ma, J.-F. Gu, X. Xie, G. Zeng, X. Li, S.-G. Han, Q.-L. Zhu, X.-T. Wu and Q. Xu, *Angew. Chem., Int. Ed.*, 2020, 59, 15014–15020.
- 185 S. Wang, W. Yao, J. Lin, Z. Ding and X. Wang, Angew. Chem., Int. Ed., 2014, 126, 1052–1056.
- 186 J. Qin, S. Wang and X. Wang, *Appl. Catal.*, *B*, 2017, **209**, 476–482.
- 187 S. Yan, S. Ouyang, H. Xu, M. Zhao, X. Zhang and J. Ye, J. Mater. Chem. A, 2016, 4, 15126–15133.
- 188 L. Shen, S. Liang, W. Wu, R. Liang and L. Wu, J. Mater. Chem. A, 2013, 1, 11473–11482.
- 189 G. Gao, Q. Xi, H. Zhou, Y. Zhao, C. Wu, L. Wang, P. Guo and J. Xu, *Nanoscale*, 2017, 9, 12032–12038.
- 190 M. Kandiah, M. H. Nilsen, S. Usseglio, S. Jakobsen, U. Olsbye, M. Tilset, C. Larabi, E. A. Quadrelli, F. Bonino and K. P. Lillerud, *Chem. Mater.*, 2010, 22, 6632–6640.
- 191 A. A. Zhumekenov, M. I. Saidaminov, M. A. Haque, E. Alarousu, S. P. Sarmah, B. Murali, I. Dursun, X.-H. Miao, A. L. Abdelhady and T. Wu, *ACS Energy Lett.*, 2016, 1, 32–37.
- 192 G. Xing, N. Mathews, S. Sun, S. S. Lim, Y. M. Lam, M. Grätzel, S. Mhaisalkar and T. C. Sum, *Science*, 2013, 342, 344–347.
- 193 J. Shamsi, A. S. Urban, M. Imran, L. De Trizio and L. Manna, *Chem. Rev.*, 2019, **119**, 3296–3348.
- 194 J.-F. Liao, Y.-T. Cai, J.-Y. Li, Y. Jiang, X.-D. Wang, H.-Y. Chen and D.-B. Kuang, *J. Energy Chem.*, 2021, 53, 309–315.
- 195 X. Huang, H. Li, C. Zhang, S. Tan, Z. Chen, L. Chen, Z. Lu, X. Wang and M. Xiao, *Nat. Commun.*, 2019, **10**, 1163.
- 196 K. Wu, G. Liang, Q. Shang, Y. Ren, D. Kong and T. Lian, J. Am. Chem. Soc., 2015, 137, 12792–12795.
- 197 F. Liu, Y. Zhang, C. Ding, T. Toyoda, Y. Ogomi, T. S. Ripolles, S. Hayase, T. Minemoto, K. Yoshino, S. Dai and Q. Shen, J. Phys. Chem. Lett., 2018, 9, 294–297.
- 198 Z. Fan, X. Huang, C. Tan and H. Zhang, *Chem. Sci.*, 2015, 6, 95–111.
- 199 M. Naguib, M. Kurtoglu, V. Presser, J. Lu, J. Niu, M. Heon, L. Hultman, Y. Gogotsi and M. W. Barsoum, *Adv. Mater.*, 2011, 23, 4207.
- 200 B. Anasori, M. R. Lukatskaya and Y. Gogotsi, *Nat. Rev. Mater.*, 2017, **2**, 1–17.

- 201 S. Zhang, Z. He, X. Li, J. Zhang, Q. Zang and S. Wang, *Nanoscale Adv.*, 2020, **2**, 3610–3623.
- 202 R. Meng, J. Huang, Y. Feng, L. Zu, C. Peng, L. Zheng, L. Zheng, Z. Chen, G. Liu and B. Chen, *Adv. Energy Mater.*, 2018, 8, 1801514.
- 203 H. Tao, Q. Fan, T. Ma, S. Liu, H. Gysling, J. Texter, F. Guo and Z. Sun, *Prog. Mater. Sci.*, 2020, **111**, 100637.
- 204 M. Arif, G. Yasin, M. Shakeel, M. A. Mushtaq, W. Ye,
 X. Fang, S. Ji and D. Yan, *J. Energy Chem.*, 2021, 58, 237–246.
- 205 T. P. Nguyen, D. M. Tuan Nguyen, D. L. Tran, H. K. Le, D.-V. N. Vo, S. S. Lam, R. S. Varma, M. Shokouhimehr, C. C. Nguyen and Q. V. Le, *Mol. Catal.*, 2020, **486**, 110850.
- 206 Q. Xue, H. Zhang, M. Zhu, Z. Pei, H. Li, Z. Wang, Y. Huang,
 Y. Huang, Q. Deng and J. Zhou, *Adv. Mater.*, 2017,
 29, 1604847.
- 207 L. Ding, Y. Wei, L. Li, T. Zhang, H. Wang, J. Xue, L.-X. Ding,
 S. Wang, J. Caro and Y. Gogotsi, *Nat. Commun.*, 2018, 9, 1–7.
- 208 M. Alhabeb, K. Maleski, T. S. Mathis, A. Sarycheva,
 C. B. Hatter, S. Uzun, A. Levitt and Y. Gogotsi, *Angew. Chem., Int. Ed.*, 2018, 130, 5542–5546.
- 209 C. B. Hiragond, N. S. Powar and S.-I. In, *Nanomaterials*, 2020, **10**, 2569.
- 210 M. Que, Y. Zhao, Y. Yang, L. Pan, W. Lei, W. Cai, H. Yuan, J. Chen and G. Zhu, ACS Appl. Mater. Interfaces, 2021, 13, 6180–6187.
- 211 X. Mao, L. Sun, T. Wu, T. Chu, W. Deng and K. Han, *J. Phys. Chem. C*, 2018, **122**, 7670–7675.
- 212 W.-J. Yin, J.-H. Yang, J. Kang, Y. Yan and S.-H. Wei, *J. Mater. Chem. A*, 2015, **3**, 8926–8942.
- 213 Y. Park and B. Park, Results Phys., 2018, 11, 302-305.
- 214 M. Irfan, S. Azam, S. Hussain, S. A. Khan, M. Sohail, M. Makhdoom, Z. Ali, I. V. Kityk, S. Muhammad and A. G. Al-Sehemi, *J. Alloys Compd.*, 2018, **766**, 536–545.
- 215 P. Kanhere and Z. Chen, *Molecules*, 2014, **19**, 19995–20022.
- 216 J. Schneider, H. Jia, J. T. Muckerman and E. Fujita, *Chem. Soc. Rev.*, 2012, **41**, 2036–2051.
- 217 D. Liu, Q. Li, H. Jing and K. Wu, *J. Phys. Chem. C*, 2019, **123**, 3795–3800.

- 218 S. T. A. G. Melissen, F. Labat, P. Sautet and T. Le Bahers, *Phys. Chem. Chem. Phys.*, 2015, **17**, 2199–2209.
- 219 X. Liu, J. Fan and C. Huang, *Front. Nanotechnol.*, 2021, 3, 695490.
- 220 S. You, S. Guo, X. Zhao, M. Sun, C. Sun, Z. Su and X. Wang, Dalton Trans., 2019, 48, 14115–14121.
- 221 S. Shyamal, S. K. Dutta and N. Pradhan, J. Phys. Chem. Lett., 2019, 10, 7965–7969.
- 222 H. Huang, J. Zhao, Y. Du, C. Zhou, M. Zhang, Z. Wang,
 Y. Weng, J. Long, J. Hofkens and J. A. Steele, *ACS Nano*, 2020, 14, 16689–16697.
- 223 Y. Jiang, J.-F. Liao, H.-Y. Chen, H.-H. Zhang, J.-Y. Li, X.-D. Wang and D.-B. Kuang, *Chem*, 2020, **6**, 766–780.
- 224 S. S. Bhosale, A. K. Kharade, E. Jokar, A. Fathi, S.-M. Chang and E. W.-G. Diau, *J. Am. Chem. Soc.*, 2019, **141**, 20434–20442.
- 225 Y.-F. Mu, W. Zhang, X.-X. Guo, G.-X. Dong, M. Zhang and T.-B. Lu, *ChemSusChem*, 2019, **12**, 4769–4774.
- 226 Y.-W. Liu, S.-H. Guo, S.-Q. You, C.-Y. Sun, X.-L. Wang, L. Zhao and Z.-M. Su, *Nanotechnology*, 2020, **31**, 215605.
- 227 G.-X. Dong, W. Zhang, Y.-F. Mu, K. Su, M. Zhang and T.-B. Lu, *Chem. Commun.*, 2020, **56**, 4664–4667.
- 228 J. Zhu, Y. Zhu, J. Huang, L. Hou, J. Shen and C. Li, *Nanoscale*, 2020, **12**, 11842–11846.
- 229 X. Wang, K. Li, J. He, J. Yang, F. Dong, W. Mai and M. Zhu, *Nano Energy*, 2020, **78**, 105388.
- 230 Z. Wang, H. Kim and H. N. Alshareef, *Adv. Mater.*, 2018, 30, 1706656.
- 231 J. Song, L. Xu, J. Li, J. Xue, Y. Dong, X. Li and H. Zeng, Adv. Mater., 2016, 28, 4861–4869.
- 232 H. Huang, J. Li, Y. Yi, J. Wang, Y. Kang, P. K. Chu, H. Ong and X.-F. Yu, *Chem. Commun.*, 2018, **54**, 2365–2368.
- 233 R. Begum, M. R. Parida, A. L. Abdelhady, B. Murali, N. M. Alyami, G. H. Ahmed, M. N. Hedhili, O. M. Bakr and O. F. Mohammed, *J. Am. Chem. Soc.*, 2017, 139, 731–737.
- 234 W. Deng, H. Huang, H. Jin, W. Li, X. Chu, D. Xiong,
 W. Yan, F. Chun, M. Xie and C. Luo, *Adv. Opt. Mater.*,
 2019, 7, 1801521.
- 235 Y. Shiraishi, T. Hagi, M. Matsumoto, S. Tanaka, S. Ichikawa and T. Hirai, *Commun. Chem.*, 2020, **3**, 169.