



Cite this: *Dalton Trans.*, 2024, **53**, 8093

Recent advances in organolead halide crystalline materials for photocatalytic H₂ evolution and CO₂ reduction applications

Xueling Song,^a Xiaoman Li,^a Yuxuan Song,^a Jingyi Bi,^a Lei Wang,^a Jigao Wang,^c Junjie Liu,^b Yanyan Li^b and Hui Wang^{*b}

The photocatalytic technique has been widely recognized as a feasible technological route for sustainable energy conversion of solar energy into chemical energy. Photocatalysts play a vital role in the whole catalytic process. In particular, organolead halide perovskites have become emerging photocatalysts, owing to their precisely tunable light absorption range, high carrier diffusion mobility, and longer carrier lifetime and diffusion length. Nevertheless, their intrinsic structural instability and high carrier recombination rate are the major bottlenecks for further development in photocatalytic applications. This Frontier is focused on the recent research about the instability mechanism of organolead halide perovskites. Then, we summarize the recently developed strategies to improve the structural stability and photocatalytic activity of organolead halide materials, with an emphasis on the construction of organolead halide crystalline catalysts with high intrinsic structural stability. Finally, an outlook and challenges of organometal halide photocatalysts are presented, demonstrating the irreplaceable role of this class of emergent materials in the field of photo-energy conversion.

Received 12th December 2023,

Accepted 18th April 2024

DOI: 10.1039/d3dt04144a

rsc.li/dalton

1. Introduction

With the rapid development of society and the economy, energy scarcity and the greenhouse effect have become two major global challenges.^{1,2} To satisfy the sustainable development of humanity, it is urgent to exploit efficient and environmentally friendly strategies for green energy synthesis (such as clean hydrogen energy and high value-added chemicals) and environmental purification. Although much attention has been paid to thermocatalysis and electrocatalysis for overcoming these two problems, solar energy-driven catalysis has been regarded as a more promising technique in recent years. As is well known, the design and development of photocatalysts is one of the prerequisites in photocatalytic applications. To date, various efficient photocatalysts have been reported, such as metal oxides,^{3,4} metal (oxygen) sulfides,^{5,6} metal (oxygen) nitrides,^{7,8} metal halide perovskites (all inorganic and hybrid organic–inorganic),^{9–11} metal–organic frameworks,^{12,13} covalent organic frameworks,^{14,15} and organometal halide coordination polymers.¹⁶ Taking the utilization of sunlight and the designability of the structure into consideration,

hybrid organic–inorganic semiconductors have attracted much attention in contrast to all inorganic photocatalysts.

Generally, the photocatalytic process of a semiconductor–photocatalyst system involves the following three sequential steps (Fig. 1): (i) light absorption to generate carriers, (ii) the separation and migration of photo-generated carriers, and (iii) free-carrier induced surface redox catalytic reactions. The above three steps directly depend on the intrinsic properties of semiconductor photocatalysts, together determining the photocatalytic efficiency.^{17,18} In the photocatalytic process, the




Fig. 1 Basic photocatalytic mechanism of a semiconductor system (VBM represents the valence band maximum).

^aSchool of Materials and Chemistry, University of Shanghai for Science and Technology, Shanghai 200093, P. R. China

^bSchool of Polymer Science and Engineering, College of Chemistry and Molecular Engineering, College of Economics and Management, Qingdao University of Science and Technology, Qingdao 266042, P. R. China

^cChemical Engineering & Applied Chemistry, University of Toronto, Toronto, Canada

photocatalyst is undoubtedly the key component to transform solar energy to chemical energy. The appropriate conduction band minimum (CBM) position to match the reduction potential of the target reaction is the prerequisite to drive photocatalytic reactions (such as H_2 evolution and CO_2 reduction). Apparently, an ideal photocatalyst should exhibit the following desirable characteristics: broad light absorption, efficient carrier separation and migration efficiency, good catalytic stability, and tunable energy band position. However, most of the existing photocatalysts are far from the desirable materials.

Metal halide perovskites are a class of excellent crystalline optoelectronic materials with the formula ABX_3 (A and B are cations, X is halide anions). Considering their excellent light-harvesting ability and suitable band structure, metal halide perovskites have been developed as attractive photocatalysts. Very recently, organolead halide perovskites with the general formula of APbX_3 (A = organoammonium cations, such as methylammonium (MA^+), formamidinium (FA^+)) have been widely exploited for photocatalytic H_2 evolution and CO_2 reduction owing to their intriguing photochemical advantages, structural diversity, as well as low cost and easy availability.^{19,20} However, the moisture-sensitive nature of organolead halide perovskites largely limited their rapid development in the photocatalytic field.^{21,22} Since 2016, many breakthrough strategies have been gradually explored and employed to realize photocatalytic applications in the presence of water.

To date, most existing reviews have mainly focused on the enhancement strategies for photocatalytic applications (such as H_2 generation, CO_2 reduction, pollutant degradation, organic transformation, *etc.*) of metal halide perovskites (including all-inorganic and organic-inorganic hybrid materials).^{23–26} A comprehensive, systematic review about the developed approaches to maintain the structural stability while enhancing the photocatalytic efficiency of the most concerned organolead halide perovskites is scarce. In this Frontier, we briefly summarize the structural diversity and excellent optoelectronic properties of organolead halide perovskites in the first section. Subsequently, the moisture-sensitive nature of organolead halide perovskites was overviewed from the point of experimental results and theoretical calculation. The enhancement strategies for structural stability and photocatalytic performance were emphasized. Finally, we present our perspective on the future directional aspects of organometal halide crystalline materials and further improvement strategies in photocatalytic applications.

2. Diverse structure and photochemical properties of organolead halide perovskites

2.1 Diverse structure

Organolead halide perovskites are a class of ionic crystals. Normally, one Pb^{2+} cation coordinates six X^- anions to form one $[\text{PbX}_6]^{4-}$ octahedron, with Pb^{2+} at the center site and X^- at




Fig. 2 (a) Basic crystal structure of a traditional organolead halide perovskite. (b) Different dimensions of the reported organolead halide perovskite. Reproduced from ref. 27 with permission from the Royal Society of Chemistry, Copyright 2018.

the six vertex sites (Fig. 2a). Subsequently, the formed $[\text{PbX}_6]^{4-}$ octahedra extended to chains, layers and networks by sharing vertices. The inorganic components of lead halide are surrounded by A-site cations *via* ionic interactions to construct diverse organolead halide structures. According to the dimensionality of the extended corner-sharing PbX_6 octahedron at the molecular level, researchers have reported diverse crystal structures of organolead halide perovskites, including 0D, 1D, 2D and 3D topology networks (Fig. 2b).²⁷ Generally, the low-dimensional structures were accessible due to the introduction of large-sized A-site cations.²⁸ Obviously, the structure of organolead halide perovskites can be modulated flexibly just by altering the coordination modes between lead halide and organoammonium ligands in contrast to all-inorganic photocatalysts, leading to excellent photochemical properties.

2.2 Photochemical properties

As a class of ionic crystal semiconductors, the band structure of organolead halide perovskites mainly includes CB, VB and bandgap (E_g). As illustrated in Fig. 3a, the energy band edge of common lead halide perovskites can be adjusted flexibly to modulate the photochemical properties.²⁴ The VB of organolead halide perovskites is mainly composed of the antibonding hybrid state of the 6s orbitals of Pb^{2+} and $n\text{p}$ orbitals of X^- ($n = 3, 4, \text{ and } 5$ for Cl, Br, and I, respectively), with major contribution from X $n\text{p}$. Taking $\text{CH}_3\text{NH}_3\text{PbX}_3$ (MAPbX_3) as an example, the VB position is 1.4, 1.2, and 1.0 eV *vs.* the reversible hydrogen electrode (RHE) for MAPbCl_3 , MAPbBr_3 , and MAPbI_3 , respectively. Thus, the position of VB shifts to a more negative potential while varying the halogen from Cl (3p) to Br (4p) to I (5p). However, the CB composition is somewhat disputed. One view demonstrated the CB only consisting of the 6p orbitals of Pb^{2+} . It is hard to explain the reason of the variation of the CB position for APbX_3 with the same A-site cation. Specifically, the CB position is -1.5 , -1.0 , and -0.5 eV *vs.* RHE for MAPbCl_3 , MAPbBr_3 , and MAPbI_3 , respectively. Obviously, the contribution from X^- to CB cannot be neglected. A more mainstream view demonstrated the CB consisting of the antibonding states with dominant Pb^{2+} 6p orbitals and minor X^-




Fig. 3 (a) Band energy positions of the common lead halide perovskites (vs. RHE) and the redox potential of photocatalytic reactions. Reproduced from ref. 24 with permission from the American Chemical Society, Copyright 2020. (b) Schematic illustration of bonding/antibonding orbitals in the CB and VB of APbX_3 . Reproduced from ref. 29 with permission from American Chemical Society, Copyright 2016. (c) Density of states (DOS) of the pure MAPbI_3 without the spin-orbit coupling effect. Reproduced from ref. 30 with permission from the Royal Society of Chemistry, Copyright 2017. (d) Steady-state absorbance and photoluminescence spectra (left) and time-dependent photoluminescence spectra (right) of a MAPbI_3 crystal. Reproduced from ref. 31 with permission from Science, Copyright 2015.

np orbitals (Fig. 3b) on the basis of theoretical and experimental results.²⁹ Generally, the hybridization extent was enhanced from I to Br to Cl owing to the decreased bond lengths of Pb–X, leading to the shifting of the CB position to higher energies. Additionally, the influence of organic cations on the band structure is slight (Fig. 3c).³⁰ On the basis of the above discussion, the X-site anions play a vital role in adjusting the energy band position, the band gap, and the light absorption range of organolead halide photocatalysts.

According to the requirements for desirable photocatalysts, organolead halide perovskites have the potential to develop as a class of highly efficient photocatalysts owing to their attractive optoelectronic properties, including a precisely tunable direct bandgap, low excitonic binding energy, high light-absorption coefficient as well as carrier diffusion mobility. Taking MAPbX_3 as an example, (a) the band gap was varied from 2.9 eV (MAPbCl_3) to 2.2 eV (MAPbBr_3) to 1.5 eV (MAPbI_3); meanwhile, the value of the bandgap was also adjusted by changing the organoammonium cations (Fig. 3a);²⁴ (b) the tunable bandgap is in favour of a broad light absorption range; MAPbI_3 possesses a wide light absorption edge of above 800 nm, promoting the utilization of sunlight (Fig. 3d, left);³¹ (c) MAPbI_3 also exhibited a microsecond carrier lifetime ($\tau \approx 22$ and 1032 ns) and a micrometer carrier diffusion length (2–8 μm) (Fig. 3d, right),³¹ efficiently enhancing the separation efficiency of carriers and further improving the photocatalytic performance. The reaction potentials of the common photocatalytic reactions are also displayed in Fig. 3a. In general, the more negative CB potential than the target reduction reaction

or the more positive VB potential than the target oxidation reaction is the basic energy band requirement for photocatalysts. On the basis of the reaction thermodynamics, the electronic band structure of organolead halide perovskites should be suitably matched with the target redox potentials to trigger the reactions. Impressively, the existing organolead halide perovskites can almost drive photocatalytic H_2 evolution and CO_2 reduction. Therefore, organolead halide perovskites are promising photocatalysts to synthesize high-valued chemical fuels and promote the conversion efficiency of solar energy.

3. Moisture-sensitive nature of organolead halide perovskites

Organolead halide perovskites have been considered as promising photoelectric semiconductor materials. However, the moisture-sensitive nature has developed as the major bottleneck due to: (1) the labile ionic crystalline structures, (2) the hydrophilic organoammonium cations in the lattice, and (3) the susceptible dissociation and migration of the corner halides in this class of perovskites, which severely limit their practical utilization and further development in photocatalytic applications.^{32,33} In most cases, this structural damage results in a negative effect on the photoelectric performance of perovskites and perovskite-based devices. As displayed in Fig. 4a, the resistance of the MAPbI_3 film decreased in different relative humidity (RH) environments.³⁴ Obviously, the resistance of the perovskite film decreased rapidly in the presence of $\geq 75\%$




Fig. 4 (a) Dynamic resistance curves of the perovskite film in various RH environments at room temperature. Reproduced from ref. 34 with permission from the American Chemical Society, Copyright 2015. (b) Structure transition from MAPbI₃ to PbI₂ under an ambient atmosphere for twelve days at three days interval. Reproduced from ref. 35 with permission from Elsevier, Copyright 2023. (c) Structure transition from MAPbI₃ to the monohydrate phase (MAPbI₃·H₂O) and the dihydrate phase (MA₄PbI₆·2H₂O). Reproduced from ref. 36 with permission from the American Chemical Society, Copyright 2015. (d) Colour change of MAPbI₃ nanowires after moisture exposure under 40% RH air conditions for two days (A); cryo-electron microscopy images of MAPbI₃ nanowires after 10 s (B), 45 min (C), and 2 h (D) moisture exposure; and proposed nano-scale decomposition mechanism (E). Reproduced from ref. 37 with permission from Elsevier, Copyright 2019.

RH conditions. The composition of the MAPbI₃ film during the degradation process was also verified by powder X-ray diffraction data. As shown in Fig. 4b, the as-synthesized (D0) MAPbI₃ perovskite phase gradually vanished along with the appearance of a new PbI₂ phase by prolonging the exposure time in air.³⁵ And the noticeable colour change from the deep-brown colour of perovskites to the bright-yellow colour of PbI₂ after storage in the lab for twelve days, also provide the first-hand experimental phenomenon for the moisture-sensitive feature of organolead halide perovskites. Therefore, it is valuable to figure out the detailed decomposition procedure of MAPbI₃ to guide the research direction for enhancing the structural stability and photocatalytic performance.

To date, much effort has been devoted to elucidate the degradation mechanism of organolead halide perovskites. The speculated humidity-induced decomposition mechanism in the early stage was gradually verified by more rigorous experimental control and advanced characterization methods. Kelly *et al.*³⁸ and Leguy *et al.*³⁶ revealed the existence of a dihydrate phase (MA₄PbI₆·2H₂O) and a monohydrate phase (MAPbI₃·H₂O) during the degradation process by *in situ* absorption spectroscopy and grazing-incidence wide-angle X-ray scattering, respectively. The pale-yellow MAPbI₃·H₂O consists of an isolated [PbI₃]⁻ double chain architecture and ionic coordinated MA⁺. The H₂O molecules are inserted into [PbI₃]⁻ double chains *via* the hydrogen bond interaction between H₂O and MA⁺ (Fig. 4c).³⁶ The 0D MA₄PbI₆·2H₂O intermediate is built by isolated [PbI₆]⁴⁻ octahedra and MA⁺·H₂O·MA⁺ (Fig. 4c).³⁶ The transformation from MAPbI₃·H₂O to MA₄PbI₆·2H₂O with PbI₂ as the by-product is worth noting.³⁹ The discovery of two intermediate phases demonstrated the moisture-driven degradation steps of organolead halide perovskites. Generally, the hydration reaction is likely to occur when the perovskites were placed in the moist environment due to the rapid formation of hydrogen bonds between water molecules and organoammonium cations and [PbX₆]⁴⁻ octahedra.^{40–42} The surface coordinated H₂O molecules gradually penetrate into the perovskite crystals to form monohydrate and dihydrate intermediate phases. The whole moisture-sensitive reaction can be simply considered as the decomposition of organolead halide perovskites to organoammonium halide and PbX₂.

The above degradation mechanism was proposed mainly based on the chemical reaction between organolead halide perovskites and H₂O molecules. In general, this mechanism was confirmed by various *in situ* and *ex situ* characterization methods as well as theoretical calculations. However, the atomic-scale information was severely lacking due to the highly beam-sensitive nature of organolead halide perovskites.^{43,44} In recent years, high-resolution (scanning) transmission electron microscopy ((S)TEM) with ultra-low electron doses and equipped with advanced electron detectors and image-acquisition technology has been successfully applied to reveal the nature of boundaries, defects and decomposition pathways.^{45–47} Cui *et al.* have developed cryo-electron microscopy protocols to study the nanoscale moisture-sensitive decomposition process of MAPbI₃ nanowires *via* capturing atomic-level information. Similarly, the colour change from dark-brown to light-yellow was optically observed after moisture exposure for two days under 40% RH air conditions, indicating the complete degradation of MAPbI₃.³⁷ The initial degradation state can be preserved well by plunge-freezing in liquid nitrogen, and further detected by high-resolution cryo-electron microscopy. As shown in Fig. 4d, an apparent rough surface was observed only after 10 s moisture exposure, indicating the extreme sensitivity of MAPbI₃ without any protecting layers. After 45 min moisture exposure, a thin amorphous layer assigned to hydrated intermediates formed on the surface of MAPbI₃. Prolonging the moisture exposure time to 2 h, nano-

scale whiskers containing PbI_2 nanograins dispersed in the amorphous layer were detected on the rougher perovskite surface. The observed nanoscale information indicated the rapid moisture-induced MAPbI_3 degradation process. A nanoscale degradation pathway was also demonstrated: (1) an amorphous hydrated compound layer was firstly formed on the surface of MAPbI_3 and (2) this layer then facilitated the further degradation of MAPbI_3 to PbI_2 and other gases. Obviously, the cryo-electron microscopy protocol plays a vital role in investigating the initial degradation process from a nano-scale view.

4. Enhancement strategies for structural stabilization and photocatalytic activity of organolead halide crystalline materials

The common hydration of organolead halide perovskites results in a significant change of the light-absorption and crystalline structures, further influencing their optical and electronic properties. For photocatalytic applications, most of the catalytic environments involve aqueous solution or humid conditions. Therefore, the structural instability of organolead halide catalysts must be resolved. Additionally, in contrast to photocatalytic H_2 evolution, the CO_2 photoreduction reaction is a multi-electron transfer process, resulting in the difficulty of control of products. The common reduction products contain CO ($2e^-$ reduction pathway), CH_4 ($8e^-$ reduction pathway), and other polycarbonate chemicals (multielectron pathway). Therefore, except for the photocatalytic CO_2 reduction rate, the selectivity of the reduction product is also an important criterion to evaluate the photocatalytic performance of organolead halide crystalline materials. In this section, we will review the enhancement strategies for the structural stability against H_2O of organolead halide materials (including establishing suitable catalytic reaction media, encapsulation protection layers as well as efficient direct crystal engineering methods). The improved photocatalytic H_2 evolution and CO_2 reduction pathways are also simultaneously summarized in this section.

4.1 Establishing dynamic equilibrium reaction media of organolead halide perovskites for photocatalytic H_2 evolution

To overcome the hydrolysis-reaction-induced decomposition of organolead halide perovskites in aqueous solution or humid conditions, establishing a dynamic interfacial equilibrium or other suitable organic reaction media is an efficient strategy to improve structural stability.^{48–50} Until 2016, Park and co-workers pioneered the photocatalytic hydrogen generation applying organolead halide perovskites in hydriodic acid aqueous solution *via* building the dynamic equilibrium to maintain the relative stability of photocatalysts (Fig. 5a).⁴⁸ This strategy is beneficial for keeping organolead halide perovskites well and driving photocatalytic HX splitting into H_2 . Under

this circumstance, the oxidation of I^- occurred along with the HX reduction reaction, leading to a deepened colour change. So, a reducing agent of H_3PO_2 is essential in this reaction system to reduce I_3^- to I^- for maintaining the light absorption of the solution undisturbed. The initial STH value of MAPbI_3 is reported as 0.81%.⁴⁸

This strategy has been widely adopted by many research groups. To further improve the photocatalytic efficiency, various decoration methods have been explored to enhance the separation and transfer efficiency of photo-generated carriers. In particular, diverse organolead halide perovskite-based heterojunctions and co-catalysts modified composites have been reported. Tao *et al.*⁵¹ anchored black phosphorus (BP) on the surface of MAPbI_3 *via* electrostatic interaction to construct an efficient type I heterojunction for promoting the electron transfer (Fig. 5b). The optimized photocatalyst of 1.2% BP/ MAPbI_3 exhibited a high HI splitting rate of $3742 \mu\text{mol h}^{-1} \text{g}^{-1}$, a high AQE value of 23.2% at 420 nm, and an enhanced HI splitting efficiency of 0.93% under visible-light irradiation. More interestingly, Zhang *et al.*⁵² designed a type II heterostructure consisting MoS_2 nanoflowers and MAPbI_3 microcrystals, which efficiently promote the carrier separation and provide more H_2 evolution reaction sites (Fig. 5c). The reported H_2 evolution rate reached up to $\sim 30\,000 \mu\text{mol h}^{-1} \text{g}^{-1}$ with a high solar HI splitting efficiency of 7.35%, that outperforming the previous composites (such as $\text{MAPbI}_3/\text{reduced graphene oxide (rGO)}$,⁵³ $\text{Ni}_3\text{C}/\text{MAPbI}_3$,⁵⁴ $\text{MAPbI}_3/\text{Pt}/\text{TiO}_2$,⁵⁵ *et al.*). As is well known, Pt is considered as the most efficient electron-capturing agent to drive the H_2 evolution reaction, originating from its larger work function than other noble metals. However, the photocatalytic H_2 performance of most of the Pt modified organolead halide perovskites was far from the expected effect, probably due to the falling off of Pt nanoparticles in the built dynamic dissolution–precipitation equilibrium and the low utilization efficiency of the residual Pt nanoparticles on the surface of perovskites. Recently, the single-atom photocatalysts have received much more research attention.⁵⁶ Wang *et al.*⁵⁰ loaded the individual Pt single-atoms onto the $\text{FAPbBr}_{3-x}\text{I}_x$ (FA = $\text{CH}(\text{NH}_2)_2$) substrate perovskite material *via* a facile self-adsorption and photoreduction method (Fig. 5d1). The reported single Pt atoms modified $\text{FAPbBr}_{3-x}\text{I}_x$ exhibited a surprising photocatalytic H_2 evolution rate of $6826 \mu\text{mol h}^{-1} \text{g}^{-1}$ (Fig. 5d2) and an extraordinarily high STH efficiency of 4.5%. This work further demonstrated the promotion effect of Pt single-atoms in capturing photo-generated electrons for enhancing photocatalytic H_2 evolution performance. In contrast to 3D organolead halide perovskites, 2D layered counterparts showed significantly improved environmental stability and slightly inferior optoelectronic properties. Therefore, Zong *et al.* investigated the visible-light driven photocatalytic H_2 evolution performance of a series of 2D organolead halide perovskites with different chain length organoammonium cations.⁵⁷ The 2D hybrid perovskite showed superior carrier separation efficiency in favour of the photocatalytic redox reaction (Fig. 5e1). The perovskites with the shortest organoammonium cation chain loading with 2.0 wt%




Fig. 5 (a1) Schematic illustration of the dynamic dissolution–precipitation equilibrium for MAPbI₃ perovskites in a saturated HI solution. (a2) Schematic energy band diagram of MAPbI₃ perovskites for the photocatalytic HI splitting reaction. NHE is the abbreviation for normal hydrogen electrode. (a3) Stable photocatalytic H₂ evolution performance of MAPbI₃ over 160 h. Reproduced from ref. 48 with permission from the Nature Publishing Group, Copyright 2016. (b) Schematic illustration of the photocatalytic mechanism for the type I BP/MAPbI₃ heterojunction. Reproduced from ref. 51 with permission from Elsevier, Copyright 2019. (c1) Schematic illustration of the photocatalytic mechanism and enhanced activity for the type II MAPbI₃/MoS₂ heterojunction. (c2) Stable photocatalytic H₂ yield of the MAPbI₃/MoS₂ composite in 30 consecutive cycles. Reproduced from ref. 52 with permission from the American Chemical Society, Copyright 2021. (d1) Schematic illustration of electron transfer in the Pt/FAPbBr_{3-x}I_x composite. (d2) Photocatalytic H₂ evolution activity of individual FAPbBr_{3-x}I_x and w-Pt/FAPbBr_{3-x}I_x composites (w represented the weight percent of Pt single-atom, wt%). Reproduced from ref. 50 with permission from the Royal Society of Chemistry, Copyright 2022. (e1) Schematic illustration of the efficient carrier separation and transfer pathway in 2D hybrid perovskites for the photocatalytic redox reaction. (e2) Cycling performance of photocatalytic H₂ evolution applying Pt(2.0 wt%)/PMPI as the photocatalyst (PMPI = (C₆H₅CH₂NH₃)₂PbI₄). Reproduced from ref. 57 with permission from Wiley, Copyright 2021. (f1) Schematic illustration of the strategy for robust pure water splitting by tandem photocatalytic H₂ production and electrocatalytic O₂ evolution with I₃⁻/I⁻ as a redox shuttle mediator. (f2) Reaction mechanism of this pure water splitting strategy. (f3) Cycling performance of 3.0 wt% MoSe₂/MAPbBr_{3-x}I_x for photocatalytic pure water spitting. Reproduced from ref. 59 with permission from Wiley, Copyright 2023.

Pt cocatalysts exhibited an optimum H₂ evolution rate of 333 μmol h⁻¹ with a solar-to-chemical conversion efficiency (STC) of ~1.57% (Fig. 5e2). Additionally, 2D halide perovskites exhibited enhanced humidity resistance and appropriate band edge position for photocatalytic HI splitting activity when exposed to an external electric field.⁵⁸ Very recently, an efficient and feasible pure water splitting strategy was proposed by integrating MoSe₂/MAPbBr_{3-x}I_x photocatalytic HI splitting and electrocatalytic I₃⁻ reduction-O₂ evolution reaction into one loop (Fig. 5f1 and f2).⁵⁹ The 3.0 wt% MoSe₂/MAPbBr_{3-x}I_x composite showed pure water splitting into H₂ and O₂ (a stoichiometric rate of 1 : 2) with high total H₂ production energy conversion efficiency of 2.67% and good cycling stability in the whole photocatalytic and electrocatalytic synergetic system (Fig. 5f3).

4.2 Encapsulating protection layers for organolead halide perovskites to enhance stability against moisture and improve photocatalytic performance

Over the past few years, great progress has been made to overcome the moisture-sensitivity of organolead halide perovskites. And various efficient enhanced methods are still needed to exploit. An encapsulation-based stability strategy has been developed as a feasible way to enhance stability against moisture of organolead halide perovskites.^{22,60,61} Notably, the crafted protection layers could not affect the original photochemical advantages (*e.g.*, wide light absorption range, high carrier transfer efficiency, *etc.*) and the mass transfer capability of perovskites in practice. To realize this purpose, a few efficient encapsulation materials have been reported.

Wang *et al.* firmly crafted a continuous organic passivating membrane on the surface of MAPbI₃ crystals *via* a light-irradiation pathway in saturated HI aqueous solution.²² The formed passivating membrane was a homogeneous and dense MA⁺ cation capping layer with hydrophobic -CH₃ moieties exposed on the surface (Fig. 6a1), resulting in enhanced stability and crystallinity against moisture conditions. More importantly, the perovskite catalysts with the MA⁺ passivating layer manifested a 2.24 times improvement of photocatalytic H₂ generation rate due to the drastically increased carrier mobility rate and lifetime (Fig. 6a2).

Similarly, the photocatalytic CO₂ reduction performance of organolead halide perovskites was also considerably improved by introducing protection layers. For example, Shen *et al.* introduced GO to wrap MAPbBr₃ quantum dots (QDs) to block out the solvent molecules and maintain the quantum size of perovskites in tetrabutylammonium hexafluorophosphate-propylene carbonate solution.⁶² The reported GO/MAPbBr₃ composites showed higher photoelectrochemical CO₂ reduction activity with a CO yield of 1.05 μmol cm⁻² h⁻¹ under solar irradiation (Fig. 6b2), benefiting from the protection as well as

excellent photoelectrons extraction and transfer ability of GO (Fig. 6b1). Impressively, GO co-catalysts provided efficient catalytic sites for the accumulated photoexcited electrons and the absorbed CO₂ molecules. Considering the well-known diversity and confinement effect of the pore structure in metal-organic frameworks (MOFs), Lu *et al.* encapsulated MAPbI₃ QDs in the pores of Fe-porphyrin based MOFs (PCN-221(Fe)_x, *x* represents the Fe contents) to improve the stability against H₂O and photocatalytic CO₂ reduction activity (Fig. 6c1).⁶⁰ As shown in Fig. 6c2, the MAPbI₃@PCN-221(Fe)_x composites exhibited much enhanced photocatalytic stability and CO₂ reduction activity applying H₂O as a sacrificial reductant. Intriguingly, the optimal catalyst MAPbI₃@PCN-221(Fe)_{0.2} possessed a record-high CO₂ photoreduction total yield of 1559 μmol g⁻¹ and high stability over 80 h illumination. The selectivity of CO and CH₄ was 34% and 66%, respectively. The excellent photocatalytic performance was attributed to the outstanding photo-physical properties and enhanced stability of organolead halide perovskites as well as the rich catalytic active sites in MOFs. Furthermore, Chen *et al.* picked out the In_{0.4}Bi_{0.6} alloy from ternary In-Bi-Sn alloys as a catalytic, protective and con-




Fig. 6 (a1) Schematic illustration of the growth of the organic passivating membrane on the surface of MAPbI₃ crystals. (a2) Time-dependent photocatalytic H₂ evolution of the individual MAPbI₃ and MAPbI₃ with the passivating layer. Reproduced from ref. 22 with permission from American Chemical Society, Copyright 2021. (b1) Possible photoelectron transfer pathway in GO/MAPbBr₃ composites for photoelectrochemical CO₂ reduction. (b2) Yield of CO and CH₄ for electrochemical and photoelectrochemical CO₂ reduction on MAPbBr₃ and GO/MAPbBr₃ composites (EC and PEC were the abbreviations of electrochemical and photoelectrochemical CO₂ reduction, respectively). Reproduced from ref. 62 with permission from Elsevier, Copyright 2019. (c1) Schematic illustration of the synthesis and photocatalytic CO₂ reduction mechanism of MAPbI₃@PCN-221(Fe)_x. (c2) Yields of CO and CH₄ on the pristine PCN-221(Fe)_x and MAPbI₃@PCN-221(Fe)_x in the CO₂-saturated ethyl acetate/water solution over 80 h irradiation. Reproduced from ref. 60 with permission from Wiley, Copyright 2019. (d1) Schematic illustration of a halide perovskite photocathode coated with the catalytic, protective, and conductive alloy layer for CO₂ conversion. (d2) Stability curve of the In_{0.4}Bi_{0.6}/perovskite photocathode under AM 1.5G irradiation at -0.6 V vs. RHE. Reproduced from ref. 63 with permission from the American Chemical Society, Copyright 2019.

ductive alloy layer to coat on the lead halide perovskite photovoltaic devices (Fig. 6d1).⁶³ The designed photoelectrocatalytic system could be operated stably in aqueous solution for converting CO₂ to value-added HCOOH with a nearly 100% faradaic efficiency at an applied potential of -0.6 V vs. RHE at least 1.5 h (Fig. 6d2). Additionally, Cheng *et al.* employed a microfluidic blow spinning technique to build MAPbBr₃/polyacrylonitrile (PAN) composite photocatalysts.⁶⁴ With the encapsulation of the outer PAN polymer, MAPbBr₃ showed excellent structural stability in water. The optimal MAPbBr₃/PAN nanofiber film with 7.40 wt% MAPbBr₃ perovskites exhibited high CH₄ photocatalytic rate of 63.25 μmol g⁻¹ h⁻¹ in deionized water under simulated sunlight.

4.3 Direct crystal engineering of organolead halide materials with high intrinsic stability for photocatalytic applications in the presence of water

Note that this section reviewed the direct crystal engineering for organolead halide crystalline materials with intrinsic stability, which was different from the improved strategies based on unstable perovskites. It is still challenging to construct high-stability organolead halide crystalline materials from the point of the crystalline structure. The efficient approaches are the modification and substitution of organoammonium cations.

Modification of organoammonium cations to construct robust organolead halide perovskites. The hydrophobic modification for cations and increasing the interactions between cations or between organic and inorganic components are regarded as efficient methods to improve structural robustness of organolead halide perovskites. Zhao *et al.* grafted chiral propylene oxide (PO) onto 1,6-hexamethylenediamine (HDA) to increase the hydrophobicity of the hybrid organic-inorganic halide perovskite.⁶⁵ And the constructed (R/S-PO-HDA)PbI₄ thin film showed stability in water for over 1 h. Sheikh *et al.* built a new approach to realize intrinsic stability of two 1D organolead bromide perovskites in water, other polar as well as non-polar solvents.⁶⁶ The expected stability stems from the introduction of long-range intermolecular cation-π interactions between the A-site cations leading to the formation of a polymer network. Moreover, organoammonium cations containing SH functional groups were also introduced to build organolead iodide perovskites with exceptional water stability or phase stability under ambient conditions.^{67,68} This is probably attributed to the strong interactions of SH groups with lead. Additionally, the polymerized perovskite with enhanced water/thermal stability was also developed.⁶⁹ It is mainly attributed to two aspects: (1) the high molecular weight of the polymerized ligands and (2) the strong covalent bond between organoammonium cations. However, the photocatalytic research on these organolead halide perovskites with improved stability is still scarce.

Substitution of organoammonium cations to construct rigid organolead halide crystalline materials. Among the reported available organic ligands to replace organoammonium cations, organic carboxylate anions have been employed to synthesize a series of crystalline materials with excellent stability. And they

showed great prospects for photocatalytic applications in the presence of water. In recent years, Fei and co-workers has pioneered a series of highly robust carboxylate-based organolead halide semiconductors by employing organic carboxylates instead of organoammonium ligands as the structure-directing agents since 2017.¹⁶ This class of materials usually exhibited high structural stability in high-humidity environment and polar solvents, as well as thermal treatment and under illumination, mainly originating from the formation of strong coordination chemical bonds. Meanwhile, the excellent photochemical properties of organolead halide perovskites were also retained in these carboxylate-based organolead halide materials, such as the precisely tunable energy band position, high carrier diffusion mobility and long diffusion length. More importantly, they also exhibited promising stability and activity in photocatalytic H₂ evolution and CO₂ reduction.

Generally, organic linkers could be applied to modulate the dimensionality of lead halide sublattices. Specifically, the aminoterephthalic acid coordinated with PbX₂ (X = Br, I) to afford carboxylate-based organolead halide materials with 1D Pb-X-Pb secondary building units (Fig. 7a1), with chemical formula [Pb₂X]³⁺(NH₂-bdc)₂ (TMOF-10-NH₂(X)).⁷⁰ Similarly, 2D layered (Fig. 7b1, TJU-16) and 3D skeleton-like (Fig. 7c1, TJU-32) carboxylate-based organolead halide materials were also obtained by applying adipate anions and iminodiacetate anions as template agents, respectively.^{71,72} TJU-16 and TJU-32 showed outstanding structural rigidity under aqueous conditions over a wide range of pH and even in boiling water, in contrast to TMOF-10-NH₂(I) and traditional organolead halide perovskites (Fig. 7a2-c2). Taking TJU-16 as an example, the intrinsic stability was attributed to the following characteristics: (1) the halide anions were usually coordinated in the inner region in the inorganic component, reducing the direct contact with guest H₂O molecules and (2) the hydrophobic and low-polar feature of organic carboxylates greatly suppressed the adsorption and penetration of guest H₂O molecules. DFT calculations also demonstrated the higher energy cost and reaction carrier for the hydrolysis reaction on the surface of this layered organolead iodide crystalline material than the perovskites with a similar structure. This demonstrated that the organocarboxylate-oriented strategy is efficient to construct diverse and robust materials. As shown in Fig. 7a3 and b3, the edge of light-absorption was gradually shifted to the visible-light range from the chloride to the bromide to the iodide with the same crystalline structure. Taking TMOF-10-NH₂(X) as an example, the optical bandgap is 2.82 eV and 2.77 eV for the bromine and the iodide, respectively. This trend is more obvious for layered organolead halide materials. And the displayed three organolead iodide crystalline materials all responded to visible light (Fig. 7a3-c3), indicating their great potential in solar-energy conversion. According to the calculated density of states (DOS) (Fig. 7a4-c4), the filled I 5p orbitals and the empty Pb 6p orbitals mainly contributed to the VBM and CBM, respectively, similar to the energy band composition of organolead iodide perovskites (Fig. 3c). More impressively, this kind of rigid organolead halide crystalline materials showed




Fig. 7 Crystallographic views of (a1) TMOF-10-NH₂(I) with 1D Pb-X-Pb building units (Pb sky blue, I gold, O red and C grey), (b1) TJU-16 with 2D Pb-X-Pb building units (Pb purple, I lime, O red and C grey) and (c1) TJU-32 with 3D Pb-X-Pb building units (I dark red, N blue). PXRD patterns of (a2) TMOF-10-NH₂(I), (b2) TJU-16 and (c2) TJU-32 before and after different treatments, indicating good structural stability. Photo-absorption ability of (a3) TMOF-10-NH₂(X), (b3) the layered organolead halide materials and (c3) TJU-32. Calculated DOS of (a4) TMOF-10(I), (b4) TJU-16 and (c4) TJU-32. Reproduced from ref. 71 and 70, with permission from the Nature Publishing Group, Copyright 2020 and 2022, respectively, and reproduced from ref. 72, with permission from Wiley, Copyright 2024.

excellent carrier transfer properties, including high carrier mobility, microsecond-scaled carrier lifetime and micrometer-scaled carrier diffusion length, which is an essential factor for photocatalytic applications.

The constructed organolead halide crystalline materials have emerged as promising photocatalysts to achieve efficient solar-energy transformation. The reported robust layered organolead iodide crystalline material of TJU-16 has been explored as a semiconductor photocatalyst to drive the photocatalytic water splitting reaction.⁷¹ It is worth mentioning that this layered semiconductor showed a visible-light absorption edge of *ca.* 480 nm, the appropriate energy band position straddling the water-splitting redox potential as well as excellent carrier diffusion and transfer characteristics. The overall water-splitting photocatalytic reaction was realized by applying TJU-16 as the photocatalyst without any additional photosensitizers and

sacrificial agents. The optimal H₂ evolution activity and solar-to-hydrogen energy conversion efficiency was up to 31 $\mu\text{mol g}^{-1} \text{h}^{-1}$ and 0.014%, by loading trace Rh of 0.22 wt.% as the co-catalyst, respectively (Fig. 8a1). TJU-16-Rh_{0.22} also showed excellent photocatalytic sustainability over five cycles (Fig. 8a2). Much attention has also been paid to explore the CO₂ photoreduction performance of highly robust organolead halide crystalline materials. Chen *et al.* modified TJU-16 with Au co-catalysts, promoting the spatial charge accumulation and the photocatalytic activity for CO₂ reduction with a solar-to-fuel conversion efficiency of 0.034%.⁷³ TMOF-10-NH₂(I) consisting of lead iodide chains and coordinated carboxylate ligands was capable of driving CO₂ photoreduction and water oxidation simultaneously (Fig. 8b1).⁷⁰ The pristine TMOF-10-NH₂(I) exhibited a high CO evolution rate of 78 $\mu\text{mol g}^{-1} \text{h}^{-1}$ and high CO selectivity of $\sim 100\%$ in the solid-gas photo-




Fig. 8 (a1) Photocatalytic activity of TJU-16 and Rh modified TJU-16. (a2) Photocatalytic stability of TJU-16-Rh_{0.22} for five repeated cycles. Reproduced from ref. 71, with permission from Nature Publishing Group, Copyright 2020. (b1) Schematic band structure diagram of TMOF-10- $\text{NH}_2(\text{I})$. (b2) Photocatalytic CO evolution rate over pristine TMOF-10- $\text{NH}_2(\text{I})$ and Ru-modified composites. Reproduced from ref. 70, with permission from Nature Publishing Group, Copyright 2022. (c1) Schematic illustration of photocatalytic CO_2 reduction to $\text{C}_2\text{H}_5\text{OH}$ for TJU-32. (c2) Gas yields of TJU-32 in photocatalytic CO_2 reduction. (c3) Enhanced photocatalytic $\text{C}_2\text{H}_5\text{OH}$ evolution rate and excellent stability over five cycles of the $\text{Rh}_{0.11}@\text{TJU-32}$ catalyst. Reproduced from ref. 72, with permission from Wiley, Copyright 2024.

catalytic system applying water vapor as the reductant (Fig. 8b2). In particular, the $\text{Ru}_{1.58}@\text{TMOF-10-NH}_2(\text{I})$ composite afforded a nearly 2-fold enhancement in the CO evolution rate of $154 \mu\text{mol g}^{-1} \text{h}^{-1}$ and an apparent quantum yield (AQY) of $\sim 1.36\%$ at 400 nm. Very recently, TJU-32 with a 3D lead iodide skeleton achieved artificial photosynthesis of $\text{C}_2\text{H}_5\text{OH}$ with an evolution rate of $17.6 \mu\text{mol g}^{-1} \text{h}^{-1}$ and a high selectivity of 80.4% in the presence of H_2O (Fig. 8c1 and c2).⁷² Similarly, the photocatalytic performance of TJU-32 was further improved by loading the Rh co-catalyst. The optimal catalyst of $\text{Rh}_{0.11}@\text{TMOF-10-NH}_2(\text{I})$ with the Rh amount of 0.11 wt% exhibited a three-fold enhancement in $\text{C}_2\text{H}_5\text{OH}$ evolution rate of $50.5 \mu\text{mol g}^{-1} \text{h}^{-1}$ and photocatalytic stability over consecutive five runs (Fig. 8c3), affording a high AQY of 1.4% at $400(\pm 15)$ nm.

In general, the development of high-stability organolead halide crystalline materials with excellent photocatalytic stability provides a critical advancement in applying H_2O as the green catalytic environment instead of HX aqueous solution or water vapor as the green reductant. To date, the involved enhancement strategy for photocatalytic performance has been mainly focused on loading metallic co-catalysts (such as Rh, Ru, Au). It is still a key research topic to design and construct high-stability and high-efficiency organometallic halide catalysts to shorten the gap between the experimental study and commercial-scale requirements.

5. Summary and outlook

The Frontier mainly focuses on the diverse structure, excellent optoelectronic characteristics, and moisture-sensitive nature of organolead halide perovskites. Meanwhile, it emphasizes the diverse enhancement strategies for structural stability and photocatalytic activity of organolead halide crystalline materials. However, the photocatalytic research on the highly efficient organometallic halide catalysts is still in the initial stage. Several further research challenges were proposed as follows.

I. Especially for organolead halide crystalline photocatalysts with high intrinsic stability, it is still urgent to explore enhancement strategies to widen the light absorption and solar-energy conversion efficiency. It is wise to choose or design organic carboxylates with visible-light absorption for enhancing the utilization of the solar spectrum. Moreover, the improved conductivity of organolead halide materials is also urgent to accelerate the photocarrier separation and transfer.

II. Considering the high toxicity of Pb to the environment and human beings, the development of organolead halide photocatalysts has been largely limited in practical industrial applications. To date, several lead-free (Sn^{2+} , Bi^{3+} , Cu^+ , etc.) halide crystalline materials have been explored. However, their stability against H_2O and photocatalytic durability are still far from satisfactory in long-term photocatalysis. As a result, more

efficient strategies should be further explored to enhance structural and photocatalytic stability in water or construct desired robust lead-free organometallic halide crystalline materials.

III. Photocatalytic CO₂ reduction measurement was primarily carried out under a high-purity CO₂ atmosphere. Nevertheless, the emitted CO₂ concentration in the industrial exhaust gas is in the range of 5–20%, resulting in unsatisfactory photoreduction activity and/or selectivity. Organometallic halide crystalline materials exhibited the huge potential to achieve efficient low concentration CO₂ photoreduction, benefiting from the precisely tunable structures and excellent photochemical properties.

IV. In contrast to C₁ products, the research on C₂/C₂₊ products has attracted much more attention due to their higher market price. Nonetheless, the main products of CO₂ photoreduction are CO (the two-electron pathway) and CH₄ (the eight-electron pathway) for our concerned organolead halide crystalline. It exhibited great potential to obtain C₂/C₂₊ products *via* Cu-element doping or constructing organocopper halide catalysts for overcoming the high C–C coupling reaction energy barrier.

Author contributions

Hui Wang: conceiving the idea and supervision. Xueling Song: writing – original draft, visualization and funding acquisition. Xiaoman Li, Yuxuan Song, Jingyi Bi, Lei Wang, Jigao Wang, Junjie Liu, Yanyan Li and Hui Wang: reviewing and editing.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was financially supported by the National Natural Science Foundation of China (No. 22201180).

References

- L. Gibson, E. N. Wilman and W. F. Laurance, *Trends Ecol. Evol.*, 2017, **32**, 922–935.
- J. Q. Luo, W. W. Zhang, H. B. Yang, Q. W. Fan, F. Q. Xiong, S. J. Liu, D. S. Li and B. Liu, *EcoMat*, 2021, **3**, e12079.
- C. Karthikeyan, P. Arunachalam, K. Ramachandran, A. M. Al-Mayouf and S. Karuppuchamy, *J. Alloys Compd.*, 2020, **828**, 154281.
- W. B. Jiang, H. Y. Loh, B. Q. L. Low, H. J. Zhu, J. X. Low, J. Z. X. Heng, K. Y. Tang, Z. B. Li, X. J. Loh, E. Y. Ye and Y. J. Xiong, *Appl. Catal., B*, 2023, **321**, 122079.
- Q. Wang, M. Nakabayashi, T. Hisatomi, S. Sun, S. Akiyama, Z. Wang, Z. H. Pan, X. Xiao, T. Watanabe, T. Yamada, N. Shibata, T. Takata and K. Domen, *Nat. Mater.*, 2019, **18**, 827–832.
- Q. H. Zhu, Q. Xu, M. M. Du, X. F. Zeng, G. F. Zhong, B. C. Qiu and J. L. Zhang, *Adv. Mater.*, 2022, **34**, 2202929.
- Z. Wang, Y. Inoue, T. Hisatomi, R. Ishikawa, Q. Wang, T. Takata, S. S. Chen, N. Shibata, Y. Ikuhara and K. Domen, *Nat. Catal.*, 2018, **1**, 756–763.
- J. D. Xiao, S. Nishimae, J. J. M. Vequizo, M. Nakabayashi, T. Hisatomi, H. H. Li, L. H. Lin, N. Shibata, A. Yamakata, Y. Inoue and K. Domen, *Angew. Chem., Int. Ed.*, 2022, **61**, e202116573.
- H. W. Huang, B. Pradhan, J. Hofkens, M. B. J. Roeffaers and J. A. Steele, *ACS Energy Lett.*, 2020, **5**, 1107–1123.
- H. W. Huang, D. Verhaeghe, B. Weng, B. Ghosh, H. W. Zhang, J. Hofkens, J. A. Steele and M. B. J. Roeffaers, *Angew. Chem., Int. Ed.*, 2022, **61**, e202203261.
- Z. Y. Chen, N. Y. Huang and Q. Xu, *Coord. Chem. Rev.*, 2023, **481**, 215031.
- Y. Chen, D. K. Wang, X. Y. Deng and Z. H. Li, *Catal. Sci. Technol.*, 2017, **7**, 4893–4904.
- S. Y. Wang, Z. W. Ai, X. W. Niu, W. J. Yang, R. Kang, Z. Y. Lin, A. Waseem, L. Jiao and H. L. Jiang, *Adv. Mater.*, 2023, **35**, 2302512.
- H. Wang, H. Wang, Z. W. Wang, L. Tang, G. M. Zeng, P. Xu, M. Chen, T. Xiong, C. Y. Zhou, X. Y. Li, D. N. Huang, Y. Zhu, Z. X. Wang and J. W. Tang, *Chem. Soc. Rev.*, 2020, **49**, 4135–4165.
- G. B. Wang, S. Li, C. X. Yan, F. C. Zhu, Q. Q. Lin, K. H. Xie, Y. Geng and Y. B. Dong, *J. Mater. Chem. A*, 2020, **8**, 6957–6983.
- C. Sun, R. A. Xi and H. H. Fei, *Acc. Chem. Res.*, 2023, **56**, 452–461.
- C. B. Bie, L. X. Wang and J. G. Yu, *Chem*, 2022, **8**, 1567–1574.
- J. Wang, J. L. Liu, Z. L. Du and Z. Q. Li, *J. Energy Chem.*, 2021, **54**, 770–785.
- T. M. Brenner, D. A. Egger, L. Kronik, G. Hodes and D. Cahen, *Nat. Rev. Mater.*, 2016, **1**, 1–16.
- S. Park, S. Choi, S. Kim and K. T. Nam, *J. Phys. Chem. Lett.*, 2021, **12**, 8292–8301.
- J. L. Yang and T. L. Kelly, *Inorg. Chem.*, 2017, **56**, 92–101.
- F. Y. Liu, M. Y. Wang, X. L. Liu, B. Wang, C. F. Li, C. N. Liu, Z. Lin and F. Huang, *Nano Lett.*, 2021, **21**, 1643–1650.
- J. Chen, C. W. Dong, H. Idriss, O. F. Mohammed and O. M. Bakr, *Adv. Energy Mater.*, 2020, **10**, 1902433.
- H. W. Huang, B. Pradhan, J. Hofkens, M. B. J. Roeffaers and J. A. Steele, *ACS Energy Lett.*, 2020, **5**, 1107–1123.
- X. Wang, Y. Peng, S. Yang, H. G. Yang and Y. Hou, *Mater. Chem. Front.*, 2023, **7**, 4635–4657.
- H. Zhao, K. Kordas and S. Ojala, *J. Mater. Chem. A*, 2023, **11**, 22656–22687.
- E. Z. Shi, Y. Gao, B. P. Finkenauer, Akriti, A. H. Coffey and L. T. Dou, *Chem. Soc. Rev.*, 2018, **47**, 6046–6072.
- C. K. Zhou, H. R. Lin, S. Lee, M. Chaaban and B. W. Ma, *Mater. Res. Lett.*, 2018, **6**, 552–569.
- V. K. Ravi, G. B. Markad and A. Nag, *ACS Energy Lett.*, 2016, **1**, 665–671.

- 30 J. L. Chang, G. Z. Wang, Y. H. Huang, X. K. Luo and H. Chen, *New J. Chem.*, 2017, **41**, 11413–11421.
- 31 D. Shi, V. Adinolfi, R. Comin, M. J. Yuan, E. Alarousu, A. Buin, Y. Chen, S. Hoogland, A. Rothenberger, K. Katsiev, Y. Losovyj, X. Zhang, P. A. Dowben, O. F. Mohammed, E. H. Sargent and O. M. Bakr, *Science*, 2015, **347**, 519–522.
- 32 S. Chen, H. J. Yin, P. R. Liu, Y. Wang and H. J. Zhao, *Adv. Mater.*, 2023, **35**, 2203836.
- 33 K. K. Ren, S. Z. Yue, C. H. Li, Z. B. Fang, K. A. M. Gasem, J. Leszczynski, S. C. Qu, Z. J. Wang and M. H. Fan, *J. Mater. Chem. A*, 2022, **10**, 407–429.
- 34 L. Hu, G. Shao, T. Jiang, D. B. Li, X. L. Lv, H. Y. Wang, X. S. Liu, H. S. Song, J. Tang and H. Liu, *ACS Appl. Mater. Interfaces*, 2015, **7**, 25113–25120.
- 35 K. Dhivyaprasath and M. Ashok, *Sol. Energy*, 2023, **255**, 89–98.
- 36 A. M. A. Leguy, Y. Hu, M. Campoy-Quiles, M. I. Alonso, O. J. Weber, P. Azarhoosh, M. van Schilfgaarde, M. T. Weller, T. Bein, J. Nelson, P. Docampo and P. R. F. Barnes, *Chem. Mater.*, 2015, **27**, 3397–3407.
- 37 Y. B. Li, W. J. Zhou, Y. Z. Li, W. X. Huang, Z. W. Zhang, G. X. Chen, H. S. Wang, G. H. Wu, N. Rolston, R. Vila, W. Chiu and Y. Cui, *Joule*, 2019, **3**, 2854–2866.
- 38 J. L. Yang, B. D. Siempelkamp, D. Y. Liu and T. L. Kelly, *ACS Nano*, 2015, **9**, 1955–1963.
- 39 J. A. Christians, P. A. M. Herrera and P. V. Kamat, *J. Am. Chem. Soc.*, 2015, **137**, 1530–1538.
- 40 U. G. Jong, C. J. Yu, G. C. Ri, A. P. McMahon, N. M. Harrison, P. R. F. Barnes and A. Walsh, *J. Mater. Chem. A*, 2018, **6**, 1067–1074.
- 41 R. T. Wang, Y. Zhang, X. X. Wu, W. W. Zhang, L. X. Chi and F. Xu, *Sustainable Energy Fuels*, 2023, **7**, 1974–1980.
- 42 R. T. Wang, A. F. Xu, W. Q. Li, Y. N. Li and G. Xu, *J. Phys. Chem. Lett.*, 2021, **12**, 5332–5338.
- 43 J. H. Ran, O. O. Dyck, X. Z. Wang, B. Yang, D. B. Geohegan and K. Xiao, *Adv. Energy Mater.*, 2020, **10**, 1903191.
- 44 B. Yuan and Y. Yu, *Chem*, 2022, **8**, 327–339.
- 45 Y. H. Deng, *Nature*, 2021, **594**, E6–E7.
- 46 M. U. Rothmann, J. S. Kim, J. Borchert, K. B. Lohmann, C. M. O’Leary, A. A. Sheader, L. Clark, H. J. Snaith, M. B. Johnston, P. D. Nellist and L. M. Herz, *Science*, 2020, **370**, eabb5940.
- 47 J. Lv, H. Zhang, D. L. Zhang, L. M. Liu and Y. Han, *Acc. Mater. Res.*, 2022, **3**, 552–564.
- 48 S. Park, W. J. Chang, C. W. Lee, S. Park, H. Y. Ahn and K. T. Nam, *Nat. Energy*, 2017, **2**, 1–8.
- 49 C. Cai, Y. Teng, J. H. Wu, J. Y. Li, H. Y. Chen, J. H. Chen and D. B. Kuang, *Adv. Funct. Mater.*, 2020, **30**, 2001478.
- 50 Y. Q. Wu, Q. Wu, Q. Q. Zhang, Z. Z. Lou, K. F. Liu, Y. D. Ma, Z. Y. Wang, Z. K. Zheng, H. F. Cheng, Y. Y. Liu, Y. Dai, B. B. A. Huang and P. Wang, *Energy Environ. Sci.*, 2022, **15**, 1271–1281.
- 51 R. Li, X. T. Li, J. J. Wu, X. D. Lv, Y. Z. Zheng, Z. J. Zhao, X. Q. Ding, X. Tao and J. F. Chen, *Appl. Catal., B*, 2019, **259**, 118075.
- 52 W. H. Guan, Y. Li, Q. X. Zhong, H. Y. Liu, J. N. Chen, H. C. Hu, K. X. Lv, J. Gong, Y. Xu, Z. H. Kang, M. H. Cao and Q. Zhang, *Nano Lett.*, 2021, **21**, 597–604.
- 53 Y. Q. Wu, P. Wang, X. L. Zhu, Q. Q. Zhang, Z. Y. Wang, Y. Y. Liu, G. Z. Zou, Y. Dai, M. H. Whangbo and B. B. Huang, *Adv. Mater.*, 2018, **30**, 1704342.
- 54 Z. J. Zhao, J. J. Wu, Y. Z. Zheng, N. Li, X. T. Li and X. Tao, *ACS Catal.*, 2019, **9**, 8144–8152.
- 55 W. S. Han, Y. Z. Wei, J. W. Wan, N. Nakagawa and D. Wang, *Inorg. Chem.*, 2022, **61**, 5397–5404.
- 56 Z. H. Xue, D. Y. Luan, H. B. Zhang and X. W. Lou, *Joule*, 2022, **6**, 92–133.
- 57 H. Wang, H. F. Zhang, J. H. Wang, Y. Y. Gao, F. T. Fan, K. F. Wu, X. Zong and C. Li, *Angew. Chem., Int. Ed.*, 2021, **60**, 7452–7457.
- 58 S. Park, S. Oh and J. Lee, *J. Mater. Chem. A*, 2023, **11**, 6311–6320.
- 59 X. L. Liu, Q. Q. Zhang, S. L. Zhao, Z. Y. Wang, Y. Y. Liu, Z. K. Zheng, H. F. Cheng, Y. Dai, B. B. Huang and P. Wang, *Adv. Mater.*, 2023, **35**, 2208915.
- 60 L. Y. Wu, Y. F. Mu, X. X. Guo, W. Zhang, Z. M. Zhang, M. Zhang and T. B. Lu, *Angew. Chem., Int. Ed.*, 2019, **58**, 9491–9495.
- 61 H. Y. Zhang, X. X. He, H. Wang, L. J. Chen, G. P. Xu, N. Zhang, K. Qu, Q. Q. He, Y. W. Peng and J. Pan, *Nanotechnology*, 2023, **34**, 245601.
- 62 Q. L. Wang, L. M. Tao, X. X. Jiang, M. K. Wang and Y. Shen, *Appl. Surf. Sci.*, 2019, **465**, 607–613.
- 63 J. Chen, J. Yin, X. P. Zheng, H. A. Ahsaine, Y. Zhou, C. W. Dong, O. F. Mohammed, K. Takane and O. M. Bakr, *ACS Energy Lett.*, 2019, **4**, 1279–1286.
- 64 R. Cheng, Z. B. Liang, L. L. Zhu, H. Li, Y. Zhang, C. F. Wang and S. Chen, *Angew. Chem., Int. Ed.*, 2022, **61**, e202204371.
- 65 Y. Zhao, H. Y. Zhong, L. Li, W. L. Lin, Y. E. Huang, B. Y. Su, X. H. Wu, X. Y. Huang and K. Z. Du, *ACS Appl. Energy Mater.*, 2021, **4**, 13550–13555.
- 66 T. Sheikh, S. Maqbool, P. Mandal and A. Nag, *Angew. Chem., Int. Ed.*, 2021, **60**, 18265–18271.
- 67 A. Leblanc, N. Mercier, M. Allain, J. Dittmer, T. Pauporté, V. Fernandez, F. Boucher, M. Kepenekian and C. Katan, *ACS Appl. Mater. Interfaces*, 2019, **11**, 20743–20751.
- 68 S. K. Yu, Z. R. Zhang, Z. H. Ren, H. L. Zhai, Q. Y. Zhu and J. Dai, *Inorg. Chem.*, 2021, **60**, 9132–9140.
- 69 W. J. Chen, Y. L. Shi, J. Chen, P. C. Ma, Z. B. Fang, D. Ye, Y. Y. Lu, Y. B. Yuan, J. Zhao and Z. G. Xiao, *Adv. Mater.*, 2021, **33**, 2104842.
- 70 X. F. Chen, C. D. Peng, W. Y. Dan, L. Yu, Y. N. Wu and H. H. Fei, *Nat. Commun.*, 2022, **13**, 4592.
- 71 X. L. Song, G. F. Wei, J. Sun, C. D. Peng, J. L. Yin, X. Zhang, Y. L. Jiang and H. H. Fei, *Nat. Catal.*, 2020, **3**, 1027–1033.
- 72 J. L. Yin, X. L. Song, C. Sun, Y. L. Jiang, Y. N. He and H. H. Fei, *Angew. Chem., Int. Ed.*, 2024, e202316080.
- 73 R. Chen, G. D. Gao and J. S. Luo, *Nano Res.*, 2022, **15**, 10084–10089.