



Cite this: *Chem. Sci.*, 2021, **12**, 12651

All publication charges for this article have been paid for by the Royal Society of Chemistry

Atomic origins of the strong metal–support interaction in silica supported catalysts†

Feng Yang, ^{‡ab} Haofei Zhao, ^c Wu Wang, ^{‡d} Lei Wang, ^b Lei Zhang, ^b Tianhui Liu, ^b Jian Sheng, ^a Sheng Zhu, ^a Dongsheng He, ^e Lili Lin, ^f Jiaqing He, ^{*d} Rongming Wang ^{‡c} and Yan Li ^{*a}

Silica supported metal catalysts are most widely used in the modern chemical industry because of the high stability and tunable reactivity. The strong metal–support interaction (SMSI), which has been widely observed in metal oxide supported catalysts and significantly affects the catalytic behavior, has been speculated to rarely happen in silica supported catalysts since silica is hard to reduce. Here we revealed at the atomic scale the interfacial reaction induced SMSI in silica supported Co and Pt catalysts under reductive conditions at high temperature using aberration-corrected environmental transmission electron microscopy coupled with *in situ* electron energy loss spectroscopy. In a Co/SiO₂ system, the amorphous SiO₂ migrated onto the Co surface to form a crystallized quartz-SiO₂ overlayer, and simultaneously an interlayer of Si was generated in-between. The metastable crystalline SiO₂ overlayer subsequently underwent an order-to-disorder transition due to the continuous dissociation of SiO₂ and the interfacial alloying of Si with the underlying Co. The SMSI in the Pt–SiO₂ system was found to remarkably boost the catalytic hydrogenation. These findings demonstrate the universality of the SMSI in oxide supported catalysts, which is of general importance for designing catalysts and understanding catalytic mechanisms.

Received 26th June 2021
Accepted 9th August 2021

DOI: 10.1039/d1sc03480d
rsc.li/chemical-science

Introduction

Oxide supported metal catalysts are of fundamental importance in a broad range of applications such as petrochemical engineering, energy conversion, and heterogeneous catalysis,^{1–5} for both organic and inorganic synthesis.⁶ Oxide supports were previously considered to be inert, and their primary role is to disperse and stabilize the metal catalysts. However, later it was

demonstrated that oxide supports can manipulate the physicochemical properties of metal nanoparticles and influence the catalytic performance through so-called carrier effects.^{7,8} The so-called strong metal–support interaction (SMSI) was reported more than 40 years ago.^{9–11} It presents geometric, electronic, and compositional effects that can be used to control the catalyst structure, properties, and performance. SMSI in oxide-supported metal catalysts has been intensively studied.^{12–15}

Many efforts have been focused on addressing the SMSI effect using either reducible or hard-to-reduce oxides or inert non-oxides^{16,17} as supports. Among various supports, reducible oxide supports, such as TiO₂,^{18–28} CeO₂,^{29–32} FeO_x,^{33–35} Ta₂O₅,³⁶ and Nb₂O₅,³⁶ were commonly adopted to establish the classical SMSI systems. These reducible oxide supports undergo redox-induced dynamic structural changes and then migrate onto the metal surface to encapsulate the metal nanoparticles, maximizing the metal–oxide contact surface and the interfacial energy.¹⁹ For example, in metal/TiO₂ systems, SMSI resulted from the partial reduction of the oxide support, which induced the removal of the surface lattice oxygen of TiO₂ and the migration of substoichiometric TiO_{2–x} onto the metal surface to form an overlayer.^{18–20} It was hypothesized that bonding between the Ti atoms of the reducible TiO₂ support and the metal catalyst surface made the migration of the oxide support onto the metal thermodynamically favorable.^{23,37} The chemical bonding between reducible TiO₂ and the metal catalyst may also induce electron transfer

^aBeijing National Laboratory for Molecular Science, Key Laboratory for the Physics and Chemistry of Nanodevices, State Key Laboratory of Rare Earth Materials Chemistry and Applications, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, China. E-mail: yanli@pku.edu.cn

^bDepartment of Chemistry, Southern University of Science and Technology, Shenzhen, Guangdong 518055, China

^cBeijing Advanced Innovation Center for Materials Genome Engineering, Center for Green Innovation, Beijing Key Laboratory for Magneto-Photoelectrical Composite and Interface Science, School of Mathematics and Physics, University of Science and Technology Beijing, Beijing 100083, China. E-mail: rmwang@ustb.edu.cn

^dDepartment of Physics, Southern University of Science and Technology, Shenzhen, Guangdong 518055, China. E-mail: hejq@sustech.edu.cn

^eCore Research Facilities, Southern University of Science and Technology, Shenzhen, Guangdong 518055, China

^fState Key Laboratory of Green Chemistry Synthesis Technology, Zhejiang University of Technology, Hangzhou 310032, China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1sc03480d

‡ These authors contributed equally.



from Ti^{3+} species to metal nanoparticles, and further migration to reactant molecules.²¹ Consequently, classical SMSI has been utilized to improve the catalyst stability^{20,38–40} and activity,⁴¹ and identify the mechanisms.¹⁸

It is generally accepted that encapsulation of metal nanoparticles hardly occurs on hard-to-reduce oxide-supports such as SiO_2 ,¹⁰ MgO ,⁴² and ZnO .^{23,43,44} Nonetheless, building an appropriate oxide–metal interface has always attracted great attention in industrial processes, in which SiO_2 is of greater interest.^{45–48} For instance, the Fe/SiO_2 catalyst has been shown to be promising for direct nonoxidative conversion of methane to ethylene, aromatics, and hydrogen. Iron species were found to interact extensively with SiO_2 supports, becoming embedded in the silica matrix through bonding with Si after annealing at 1500 °C. Thus, these otherwise extremely reactive and coordinatively unsaturated iron atoms were stabilized and persisted under the very harsh reaction conditions.⁴⁵ Recent reports proposed the construction of a Si–metal interface by depositing thin film SiO_2 onto metal nanoparticles at high temperature.^{46,49} Owing to the interaction between SiO_2 and metal, the catalyst was resistant to sintering and accelerated the activation of O_2 (ref. 46) and the hydrogenation of CO_2 to ethanol.⁴⁹ Besides, a thin layer of Al_2O_3 between the metal catalysts and the silicon substrate was generally adopted to improve the growth efficiency of vertical single-walled carbon nanotube forests. It is believed that the presence of the Al_2O_3 layer is critical for the formation of high-density metal nanocatalysts of small size, which are stable throughout the high temperature (800–1000 °C) process.^{6,50–53} However, SiO_2 was proven to be invalid in the same process. Though the mechanism is still not very clear, the interaction between silica and the metal catalyst may play a role. There have been only a few examples of metal–silica interaction revealed by X-ray photoelectron/absorption spectroscopy, diffraction or magnetic measurements.^{10,37,54–56} However, much

less is known about the atomic-scale origins of the silica-based SMSI, silica–metal interface and their interfacial interaction under reactive conditions compared to that of titania–metal systems.

Here, we report the unequivocal finding of SMSI in an industrially relevant Co/SiO_2 model catalyst where SiO_2 migrated onto Co nanocrystals and the SMSI originated from the interfacial reduction induced SiO_2 –Si–Co structure, by employing the state-of-the-art aberration-corrected environmental transmission electron microscopy (ETEM)^{18,26,57–64} combined with *in situ* electron energy loss spectroscopy (EELS),^{65,66} thus providing direct visualization and chemical evolution at the atomic scale. The dynamic evolution of the interface accompanied by the interfacial Si–Co alloying was also investigated in this SMSI system. These findings greatly broaden the applicability of the SMSI concept on hard-to-reduce oxide supports and unlock new opportunities to design thermally stable, surface-alloyed metal catalysts.

Results and discussion

Sinter-resistant Co nanoparticles with an overlayer on the SiO_2 substrate

The heating chips fitted in the Titan G² 80-300 ETEM microheater used in this work contain an amorphous SiN_x membrane with a native oxide layer of SiO_2 , which was confirmed by energy dispersive X-ray (EDX) elemental mapping and quantification analysis (Fig. S1 and Table S1†). A Co thin film (thickness: ~1 nm) was sputtered on the surface of the SiO_2 film. Co nanoparticles formed on the substrate when annealing in 3% H_2/Ar (50 Pa) at 750 °C with a size distribution of 5–10 nm. To avoid the effect of beam irradiation, we performed *in situ* heating with beam off and then captured the ETEM images with beam on under 80 kV. When annealing Co nanoparticles




Fig. 1 *In situ* ETEM characterization of the stability of Co nanocrystals. (a–d) Sequential ETEM images showing Co nanoparticles before and after annealing on SiO_2/SiN_x (a and b) and carbon film (c and d) in 3% H_2/Ar , which were acquired at the same region of the sample. The circles are meant to help with comparison. (e–g) Typical high resolution ETEM images of semi-suspended Co nanoparticles with an overlayer on SiO_2/SiN_x acquired under different reactive conditions: CO (280 Pa) (e), 3% H_2/Ar (50 Pa) (f), and CH_4 (63 Pa) (g). Inset: FFT patterns of the particle region.

for 7294 s, surprisingly, we did not observe any significant aggregation or leaching of Co nanoparticles on the substrate (Fig. 1a and b), indicating the high thermal stability of these nanoparticles on $\text{SiO}_2/\text{SiN}_x$. The selected-area electron diffraction (SAED) patterns of the nanoparticles before and after annealing both show the diffraction rings of metallic Co (Fig. S2†). For comparison, we also prepared Co nanoparticles on amorphous carbon films and performed ETEM. It was clearly observed that some Co metal nanoparticles evaporated at 550 °C (Fig. 1c and d, marked by dashed circles, and Fig. S3†). The behaviors of Co nanocrystals on $\text{SiO}_2/\text{SiN}_x$ and carbon substrates indicate different thermal stabilities.

To investigate the origin of the unexpected thermal stability of Co nanoparticles on $\text{SiO}_2/\text{SiN}_x$ and achieve an atomic-scale observation, we chose the semi-suspended Co nanocrystals standing on the edge of the substrate to study the interaction between Co and $\text{SiO}_2/\text{SiN}_x$. We found that a crystallized single layer formed as a conformal coating on the surface of a Co nanocrystal from the ETEM image acquired in the H_2 atmosphere (Fig. 1f) and Co nanoparticles of 4–20 nm could all be coated. The *in situ* high-angle annular dark field scanning TEM (HAADF-STEM) images also clearly demonstrated that the Co

nanoparticles were partially covered by a layer which showed a similar contrast to the Co and $\text{SiO}_2/\text{SiN}_x$ substrate (Fig. S4†), which excluded the overlayer consisting of light elements such as carbon. Furthermore, the crystallized overlayer was also observed when exposing Co nanoparticles to various reductive gases, such as CO (280 Pa), CH_4 (63 Pa), and a mixture of CH_4/H_2 (v/v = 7/3, 50 Pa) (Fig. 1e and g, and S5†), and both face-centered-cubic (fcc) and hexagonal-close-packing (hcp) Co nanoparticles of 4–20 nm were coated with overlayers (Fig. S5†), suggesting the universality of the formation of the overlayer. Generally, there is only one atomic layer coated on each Co particle. In a few cases, there are 2 to 4 layers (Fig. S6†). It is also worth noting that all the overlayers started from the metal–substrate boundaries (see arrows in Fig. 1e–g and S5†), arguably through the diffusion of species from the substrate to the Co surface.

Atom-resolved structure and composition of the Co– SiO_2 interface

To confirm the composition and structure of the overlayer on the Co particle surface, we performed *in situ* STEM-EELS




Fig. 2 *In situ* EELS characterization of the crystalline SiO_2 overlayer on the Co surface. (a and b) *In situ* HAADF-STEM (a) and EELS spectrum (b) showing a Co nanoparticle on $\text{SiO}_2/\text{SiN}_x$ in 3% H_2/Ar (50 Pa) at 750 °C. (c–g) Corresponding EELS elemental mapping images of the N K-edge (c), Si $\text{L}_{2,3}$ -edge (d), O K-edge (e), and Co $\text{L}_{2,3}$ -edge (f), and the combined image (g). Mapping step size: 1.1 nm. (h) Schematic of the SiO_2 overlayer on a Co nanoparticle with a Si interface. (i–k) EELS spectra extracted from regions I and II in (b), showing Si (i), O (j), and Co (k) signals from the near-surface of the nanoparticle and substrate. (l) Merged EELS spectra of the Si L-edge from different Co nanoparticles (NP1–8). Commercial Si and SiO_2 , Si_3N_4 , Co, CoO, and Co_3O_4 from the EELS database were used as references. All the spectra were calibrated using the zero-loss peak (0 eV).



characterization of Co nanoparticles on $\text{SiO}_2/\text{SiN}_x$ under H_2 at 750°C . It was demonstrated by EELS elemental mapping that Si, O, and N were distributed continuously and uniformly on the substrate, again suggesting a homogeneous coating of SiO_2 on SiN_x (Fig. 2a–e). The EELS elemental mapping of an individual Co nanoparticle semi-suspended on the substrate confirmed that the overlayer on the Co nanoparticle was composed of both O and Si (Fig. 2d–f). It was consistently found from the line scan profile of EELS across the Co-overlayer that only Si and O coexist on the surface of Co (Fig. S7†). Carbon and SiN_x were also excluded because there was no C or N signal on the Co particle (Fig. 2c, and S8a and b†). The study performed in a reductive H_2 environment excluded the possibility of the presence of CoO_x in the overlayer because CoO_x can be reduced by H_2 at 750°C . For those Co nanoparticles annealed in CO and CH_4 , we also performed the EELS mapping of the sample under ETEM and did not find the C signal (Fig. S8c and d†). Hence, the overlayer is not a graphene layer.

In situ EELS spectra extracted from elemental mapping were also used to reveal the fine structure of the overlayer. The Si $\text{L}_{2,3}$ -edge spectra extracted from the near-surface (thickness: 1.6 nm) of a particle (Fig. 2b, region I) showed that its peak positions and fine structures were very similar to those of both quartz-structure $\alpha\text{-SiO}_2$ (107.7 and 115.0 eV) and Si (100.1 eV), while the Si signal from the substrate (Fig. 2b, region II, and Fig. 2i) exhibited a mixture of structures of Si_3N_4 and SiO_2 . We also performed EELS simulation with the combination of standard Si and SiO_2 (molar ratio of Si : SiO_2 = 1 : 2). The simulated EELS spectrum matched well with the experimental result (Fig. 2i, dashed line), which further confirmed the existence of Si in the overlayer. The energy loss peaks of the O K-edge from the overlayer and substrate were both associated with SiO_2 instead of Co_3O_4 or CoO (Fig. 2j). These data further verified that there was no cobalt oxide in the overlayer, and O was attributed to SiO_2 . In the Co regime, the energy loss peaks of the $\text{L}_{2,3}$ -edge (780.6 and 795.7 eV) and the intensity ratio of L_2/L_3 acquired from the near-surface were similar to those of metallic Co (Fig. 2k). The *in situ* EELS result clearly evidenced that the SiO_2 overlayer migrated from $\text{SiO}_2/\text{SiN}_x$ onto the Co surface with the formation of Si in-between and such interfaces existed in all observed nanoparticles (Fig. 2l). The configuration of the SiO_2 –Si–Co interface is schematically illustrated in Fig. 2h.

Based on EELS results, we combined the high-resolution ETEM images to resolve the atomic structure of the crystalline overlayer. Fig. 3a shows a close-up view of an overlayer stabilized on the surface of a Co nanocrystal. The fast Fourier transform (FFT) derived from the interfacial region between Co and the overlayer shows at least two groups of diffraction spots, indicating the inhomogeneous structure (Fig. 3b). Among them, one group of spots marked by circles corresponds to the fcc-Co along the [110] direction. Another group marked by boxes with spacings of 3.4 Å, 3.4 Å, and 4.3 Å could readily be attributed to quartz SiO_2 along the [101] direction (ICSD 16331, space group: $P3_21$) (Fig. S9†). Additionally, we also noted that a pair of diffraction spots at around 3.4 Å expanded (Fig. 3b, marked by dashed ellipses), which probably originated from different interlayer distances of SiO_2 –Si–Co as Si was evidenced by *in situ*




Fig. 3 Atomic-resolution ETEM characterization of the crystalline SiO_2 overlayer on the Co surface. (a) Close-up view of Co with a double overlayer acquired at 750°C under 3% H_2/Ar (50 Pa). (b) Corresponding FFT from the interface region marked in (a). (c–e) Experimental TEM image (c) and simulated TEM image (d) obtained from the proposed atomic model of the SiO_2 –Si–Co interface (e), along the orientations of $\alpha\text{-SiO}_2$ [101], Si [100], and fcc-Co [110], respectively.

EELS. An interface structure of SiO_2 –Si–Co was proposed, in which Si (ICSD 51688, space group $Fd\bar{3}m$) was orientated along the [001] direction. The simulated TEM image based on this proposed atomic interface structure matched well with the experimental image (Fig. 3c–e). These *in situ* ETEM and EELS results demonstrated that a crystallized SiO_2 overlayer was formed on the Co surface with an interface structure of SiO_2 –Si–Co.

We also prepared supported Co nanoparticles on SiO_2 spheres (~ 400 nm in size). The powder sample was annealed in a tube furnace under 10% H_2/Ar at 750°C for 6 h. It was found from STEM-EDX elemental mapping that Si and O appeared on Co nanoparticles (Fig. S10†), demonstrating the general observation of diffusion of SiO_2 onto Co.

SMSI of Co/ SiO_2 induced surface evolution of Co nanocrystals

Fig. 4a–d show a round-to-faceted Co particle transformation coinciding with the migration of the SiO_2 overlayer on the Co surface, which was captured *in situ* under 3% H_2/Ar (50 Pa) at 750°C . At a moment designated as 0 s, the low index facets, {020} and {220}, and high index facet, {420}, were identifiable. The shape of Co appeared to be a truncated polyhedron with rounded corners. A crystallized SiO_2 overlayer already formed on the (020) plane of the Co nanoparticle (Fig. 4a). When further heated, the SiO_2 overlayer gradually grew from the (220) plane to the (200) plane of the Co particle accompanied by the transformation of SiO_2 from an amorphous to a crystallized single layer. Meanwhile, the low index (220) and (200) facets gradually expanded, while the high index (420) facet shrank, as shown in the sequence of Fig. 4a–d. The FFT pattern derived from the particle region confirmed the orientation of the Co nanoparticle (Fig. 4d, inset). We further quantified the shape evolution by tracking the propagation of different Co facets. Changes in the length of each Co facet as a function of time were plotted in Fig. 4e, which clearly showed the transformation described above. Besides, we also noted that the high index (420) facet, which is adjacent to the (200) facet, exhibited a clean surface




Fig. 4 SMSI induced dynamic shape evolution of a Co nanocrystal with a SiO₂ overlayer. (a–d) Time-sequenced ETEM images of a Co nanocrystal during SiO₂ overlayer formation. The same TEM images were highlighted with facets of the nanocrystal. The growth direction of SiO₂ was marked by arrows. Inset in (d): FFT pattern derived from the particle region. (e) Length of facets plotted against annealing time. (f) Statistic of the formation of the SiO₂ overlayer on different crystal planes of fcc and hcp Co nanoparticles.

without the SiO₂ overlayer and did not significantly change during the process (Fig. 4a–e).

To exclude the effect of electron beam irradiation induced facet evolution, we also performed *in situ* heating with beam off and then captured the ETEM images with beam on. It was found from single-shot ETEM images that the Co surface with a SiO₂ overlayer exhibited a flat facet with a low index, such as fcc-Co (002), (111) and hcp-Co (1010), while the surface without the SiO₂ overlayer exposed the round surface consisting of high index crystal planes (Fig. S11†). The statistical TEM analysis based on these *in situ* observations further showed that the SiO₂ overlayer preferentially stabilized on the low index facets of fcc-Co {111}, {200}, and {220} as well as hcp-Co (1010) and (1011) (Fig. 4f). The reconstruction and evolution of high index (420) facets to low index (200) facets during the SMSI process could be thermodynamically favourable. Because it was reported that adhesion energy between the metal and oxide overlayer is negative ($\gamma_{\text{adh}} < 0$ eV) and the extension energy of the two facets is inversely proportional to their surface energy, that is, the lower the surface energy, the more the facet is extended ($A_{200}/A_{420} \propto \gamma_{420}/\gamma_{200} > 1$).^{4,19} Contact of the SiO₂ overlayer with Co will result in a net increase of the ratio of the surface area A_{200}/A_{420} (*i.e.*, a net increase of ratio of surface energies $(\gamma_{420} + \gamma_{\text{adh}})/(\gamma_{200} + \gamma_{\text{adh}})$). A similar tendency has been reported in a TiO₂-SMSI system where the decrease of the whole surface energy is

generally considered to be the driving force for the encapsulation of reducible oxide TiO₂.^{19,67} Besides the effect of SiO₂ coverage, other factors such as alloying of two components⁶⁸ and gas adsorption^{4,69} may also affect the surface energies and reconstruction of Co nanocrystal facets. From these results, it was believed that SMSI was initiated by the partial reduction of SiO₂ at the SiO₂-Co interface, which can be projected by the facet evolution of Co nanocrystals.

It was generally accepted that the ordered crystalline oxide was very effective in blocking access of gas molecules to the underlying metal surface, while the amorphous oxide overlayer was gas permeable.^{9,70} We found that most of the Co nanoparticles were coated by the amorphous SiO₂ overlayer after heating at 750 °C for 8 h (Fig. 5a). The sample was annealed using an ETEM with the electron beam off. The order-to-disorder transition of the SiO₂ overlayer could be attributed to continuous reduction of SiO₂ at the interface, thus destroying the lattice of quartz SiO₂. The as-reduced Si atoms gradually diffused into Co to probably form a silicide alloy, which was schematically shown in Fig. 5d and e. This deduced process was evidenced by *in situ* STEM-EELS measurement. The *in situ* EELS mapping showed that Si distributed in both the surface and body of Co nanoparticles while the O was surface-rich (Fig. 5b), indicating the diffusion of Si into the body of the Co nanoparticle. More Co/SiO₂ particles displaying the similar






Fig. 5 Order-to-disorder transition of the SiO_2 overlayer on Co nanoparticles. (a) Single-shot ETEM image showing the amorphous SiO_2 overlayer on Co nanoparticles. (b) *In situ* EELS mapping of a Co/ SiO_2 showing the distributions of O, Co, and Si. (c) *In situ* EELS Co $\text{L}_{3,2}$ spectra after the SiO_2 order-to-disorder transition. The metallic Co and CoSi_2 were used as references. The spectra were calibrated by the zero-loss peak (0 eV) and then normalized by the energy loss peak of the Co L_2 -edge. (d and e) Proposed model of ordered to amorphous transition of the SiO_2 overlayer coinciding with diffusion of Si in Co.

behaviour of Si diffusion are shown in Fig. S12.† It was consistently found from *in situ* EELS spectra by comparing the intensity ratio of the Co L_3/L_2 edge that the Co signal was close to that of the Si–Co alloy instead of metallic Co after the order-to-disorder transition of the SiO_2 overlayer (Fig. 5d, S13 and S14†).

These ETEM and *in situ* EELS results clearly reveal that SiO_2 migrated to the Co surface and a quartz SiO_2 overlayer was formed. The formation of Si most probably originated from a mechanism proposed by D. Duprez *et al.*,⁷¹ in which silica is reduced to form Si by hydrogen spillover from the metal to the oxide. In our *in situ* experiments, various reductive gases such as H_2 , CH_4 , and CO were used (Fig. 1e–g and S5†), which may undergo spillover from metallic Co to SiO_2 and reduce SiO_2 at 750 °C. The hydrogen spillover effect lowers the reduction temperature of SiO_2 as follows:



Subsequently, the interfacial alloying of Co–Si promotes the interaction between Co and the SiO_2 support and prevents the diffusion of Co atoms or the migration of Co nanoparticles, thus inhibiting the sintering of Co nanoparticles. The two-step reaction was dependent on the reaction temperature and the pressure of H_2 (or other reducible gases) and O_2 . At lower temperature (<600 °C), we did not find the interfacial reaction

induced SMSI effect. The vacuum could also promote the interfacial alloying of Co and Si, similar to what was proposed in early studies for the interaction of Cu/ SiO_2 (ref. 72) and Rh/ SiO_2 .³⁷ In the metal–silica (metal–O–Si–O) contact, oxygen was first transformed into a chemisorption state on the metal surface as shown in the above step (i), from where it is subsequently thermally desorbed and vacuumed. Additionally, the interaction between the metal and Si could further induce interfacial alloying to form a silicide alloy.

Boosting the catalysis of hydrogenation with SMSI induced Pt/ SiO_2 catalysts

Inspired by the ETEM results of SMSI in metal–silica, the special chemical properties derived from the strong interaction between supported metal and the silica substrates have been utilized in the catalytic hydrogenation reaction. We prepared Pt nanoparticles supported on SiO_2 spheres (400 nm in size) (Fig. S16†). A series of high-resolution ETEM images of the same Pt nanoparticle on the SiO_2 substrate annealed at different temperatures in 3% H_2/Ar (50 Pa) are shown in Fig. 6a–d. The sample was annealed in ETEM with electron beam off. The SMSI




Fig. 6 Pt/ SiO_2 catalysts for the hydrogenation reaction. (a–d) ETEM images of the same Pt/ SiO_2 particle acquired at 600–900 °C in H_2 (50 Pa). (e–g) *Ex situ* STEM-EDX elemental mapping of Pt/ SiO_2 after annealing at 500, 600, and 900 °C. (h–j) Catalytic performance for the 4-nitroethylbenzene hydrogenation over Pt/ SiO_2 catalysts annealed at different temperatures (500, 600, 750, and 900 °C). The conversion values are the average of 3 parallel catalysis experiments. The TOF values were calculated under the conversion of <20% based on the total Pt loading in the catalysts.



induced by the migration of SiO_2 on Pt and diffusion of Si in Pt nanoparticles also occurred when annealing the sample at temperatures higher than 600 °C, which was simultaneously evidenced by *in situ* ETEM and *ex situ* STEM-EDX elemental mapping (Fig. 6a–g). The *ex situ* high-resolution TEM images and corresponding FFT showed that the Pt nanoparticles were partially alloyed with Si to form Pt_3Si (Fig. S16†), which show similar behavior to that of Co/SiO_2 . The thickness of the overlayer increased with increasing temperature from 600–750 °C (Fig. 6a–d).

The Pt/SiO_2 (0.1 at% Pt) powder samples annealed at 500–900 °C in H_2 were tested for the catalytic hydrogenation of 4-nitroethylbenzene at 50 ± 1 °C (Fig. 6h). The conversion of 4-nitroethylbenzene as a function of time was plotted in Fig. 6i for a series of catalysts annealed at 500–900 °C, and different catalytic behaviors were evident. The best performance with a turnover frequency (TOF) of 792 h^{-1} was observed for the 600 °C-annealed Pt/SiO_2 catalyst (Fig. 6j). Since the formation of a SiO_2 overlayer on Pt and diffusion of Si in Pt nanoparticles were observed in the sample annealed at 600 °C, we believe the strong interaction between Pt and diffused Si in the Pt/SiO_2 catalyst played a great role in boosting the catalytic performance. Pt atoms became more electron-rich *via* the donation of electrons from Si because the electronegativity of Pt (2.28) is larger than that of Si (1.91). The electron-rich characteristics of Pt induced by the SMSI would lead to a higher hydrogen coverage and thus accelerate the hydrogenation reaction.⁷³ However, the decreased activities of samples prepared at higher temperatures (750 °C and 900 °C) could be tentatively ascribed to two critical factors. One is the over-coated SiO_2 layer on Pt, which may block the access of molecules to the underlying metal surface. This was evidenced by CO adsorption characterization where the active Pt surface area reaches the largest value of $4.15 \text{ m}^2 \text{ per g}$ of catalyst (600 °C) and decreases sharply to $1.73 \text{ m}^2 \text{ per g}$ of catalyst (900 °C) (Table S2†). The other is the catalyst particle aggregation, which may also result in decreased activities. We performed a statistical TEM analysis of the Pt nanoparticle size prepared at 500–900 °C. The average size of Pt nanoparticles increased from $\sim 3.6 \text{ nm}$ to $\sim 5.7 \text{ nm}$ when increasing the annealing temperature to 750–900 °C (Fig. S17†). The above results provide possibilities for controlling the electronic structure of the metal catalyst by accommodating diffusion of the Si *via* metal–silica SMSI. We performed a statistical analysis of size distribution of the Pt nanoparticles supported on SiO_2 after the hydrogenation reaction and did not find the aggregation of catalysts (Fig. S18†). This indicated that the catalysts were also stable after the hydrogenation reaction.

Conclusion

The present observations illustrate spatially and chemically resolved evidence for SMSI induced structural and compositional evolution of SiO_2 supported metal catalysts. Both atom and element resolved characterization clearly demonstrated that amorphous SiO_2 migrated onto the Co nanoparticle surface to form a crystallized quartz SiO_2 overlayer. We found that the SMSI is induced by the formation of Si at the Co– SiO_2 interface

at high temperature under various reductive atmospheres of H_2 , CO, and CH_4 . Upon subsequent exposure to high temperature, the metastable crystalline SiO_2 transformed to an amorphous overlayer, with the diffusion of Si into Co and the formation of a silicide alloy at the surface of the Co nanoparticles. The SMSI was also validated in a Pt– SiO_2 system, and it greatly boosted the catalytic hydrogenation. The metal nanocrystals with a Si-based intermetallic surface are stable and potentially open new possibilities for catalysis. Our research may also provide a route for the synthesis of nano-sized silicide intermetallic compounds that have recently become a central focus of research in magnetism.⁷⁴

Experimental section

Preparation of Co/SiO_2 and ETEM experiments

The *in situ* experiments were conducted using an aberration-corrected Titan G² 80-300 ETEM operated at 80 kV equipped with a MEMS-based heating holder (NanoEx-i/v). The TEM images were acquired at an electron dose-rate of $107 \text{ e}^- \text{ \AA}^{-2} \text{ s}^{-1}$. A thin film of Co (thickness: 1 nm) was sputtered onto the amorphous $\text{SiO}_2/\text{SiN}_x$ thin film of the MEMS chip purchased from Thermo Fisher Scientific. The as-prepared specimen was heated to 750 °C under 3% H_2/Ar (50 Pa). After that, TEM images and videos were captured. Other reducing gases, CH_4 (99.99%, 63 Pa), CH_4/H_2 (v/v = 7/3, 50 Pa), and CO (99.999%, 280 Pa), were also used instead of H_2/Ar to introduce to TEM chamber. Besides the sputtered Co film, we also used cobalt(II) acetate ($\text{Co}(\text{OAC})_2$) dissolved in ethanol (0.1 mmol L^{-1}) as a precursor to prepare Co nanoparticles on the $\text{SiO}_2/\text{SiN}_x$ thin film. The as-prepared $\text{Co}(\text{OAC})_2$ specimen was first heated to 500 °C in pure O_2 (50 Pa) for 30 min to form Co_3O_4 and reduced in H_2 (50 Pa) at 700 °C for 30 min to form metallic Co catalysts. The sizes of Co nanoparticles prepared from $\text{Co}(\text{OAC})_2$ are larger than those from the sputtering method. These larger Co nanoparticles ($\sim 5\text{--}20 \text{ nm}$) were also used to perform ETEM, EELS, and EDX mapping to achieve high spatial resolution.

In situ EELS experiments

In situ STEM-EELS data were collected in another, but otherwise the same, aberration-corrected Titan G² 80-300 ETEM. It was equipped with a Gatan image filter (Quantum 936) with an energy dispersion of 0.25 eV operated at an accelerating voltage of 300 kV. The zero-loss EELS was acquired immediately after obtaining the core-loss EELS on individual nanoparticles. The obtained EELS data were further analyzed in Digital Micrograph. The position of core-loss EELS was corrected with the corresponding zero-loss peak and the extrapolated background was then subtracted from the edge of interest. A Fourier-ratio deconvolution was further performed to remove the effect of plural scattering.

Ex situ EDX mapping

STEM-EDX mapping was carried out on an FEI Talos F200X electron microscope with an HAADF detector operating at 200 kV. EDX was acquired using a Bruker Super-X detection system.



TEM image simulation

The atomic coordination of the Co, Si, and SiO₂ was obtained from the Inorganic Crystal Structure Database (ICSD). Structural models and simulated electron diffraction patterns were generated using CrystalMaker and SingleCrystal (CrystalMaker Software Ltd.). TEM image simulation was performed using the Quantitative STEM (QSTEM) simulation package.⁷⁵ The atomic model of the Co-Si-SiO₂ interface was constructed using the QSTEM Model Builder. The microscope parameters used for the simulations were similar to those for imaging.

Preparation of SiO₂ sphere supported Co and Pt powder samples

Typically, the SiO₂/Co (weight ratio of Co to silica is 0.5) catalyst was prepared by an incipient wetness impregnation method. 150 mg cobalt acetate was dissolved in 3 mL distilled water, followed by the addition of 100 mg SiO₂ spheres (diameter ~500 nm). The solid-solution mixture was stirred at room temperature for 15 min and subsequently dried overnight at 80 °C in an oven. The obtained catalyst precursor was finally reduced in a quartz tube furnace under 10% H₂/Ar at 750 °C for 4 h, resulting in a SiO₂ supported Co powder catalyst. The preparation of Pt/SiO₂ was carried out following the same procedures using H₂PtCl₆·6H₂O as the precursor.

Evaluation of catalytic performance of Pt/SiO₂ catalysts

Pt/SiO₂ was annealed at 500, 600, 750, and 900 °C under H₂ (100 mL min⁻¹) for 2 h, respectively. In a typical catalysis experiment, 0.5 mmol of 4-nitroethylbenzene, a certain amount of freshly prepared Pt/SiO₂ catalyst, and 2 mL of ethyl acetate were added into a glass reaction vessel. Then the reaction vessel was placed into an autoclave reactor, subsequently purged using pure H₂ feed 5 times, and pressurized to 4 bars. The catalytic reactions were carried out at 50 ± 1 °C with a stirring speed of 800 rpm. After reaction, the reactants and products were analyzed using a gas chromatograph (GC9720, Fuli Analytical Instruments Co., Ltd.) with a flame ionization detector and Agilent column (30 m × 0.320 mm × 0.25 µm).

Author contributions

F. Y. and Y. L. contributed to the idea and experimental design and wrote the manuscript. F. Y. and H. Z. prepared the samples, collected the ETEM data, and analysed the results. F. Y. and W. W. contributed to the EELS data. F. Y., L. W., L. Z., and T. L. prepared the powder sample, evaluated the catalysis, and performed ETEM. L. L. contributed to the CO adsorption characterization. All authors contributed to data analysis, interpreted the data, and approved the final manuscript. F. Y., H. Z., and W. W. contributed equally to this work.

Conflicts of interest

The authors declare no financial interest.

Acknowledgements

We gratefully acknowledge the Core Research Facilities of Southern University of Science and Technology for the TEM measurements. This work is financially supported by the National Key Research and Development Program of China (2016YFA0201904, 2018YFA0703700), National Natural Science Foundation of China (NSFC) (21631002, 12034002, 22120102004, 51971025), Beijing National Laboratory for Molecular Sciences (BNLMS-CXTD-202001), Shenzhen Basic Research Project (JCYJ20170817113121505), Shenzhen KQTD Project (KQTD20180411143400981) as well as Fundamental Research Funds for the Central Universities (FRFBD2013A). J. H. acknowledges the NSFC (11934007, 11874194, 51632005), the leading talents of Guangdong Province Program (00201517), the Science and Technology Innovation Committee Foundation of Shenzhen (KQTD2016022619565991, JCYJ20200109141205978, ZDSYS20141118160434515), High Level of Special Funds (G02206302). F. Y. acknowledges the NSFC (52002165), Beijing National Laboratory for Molecular Sciences (BNLMS202013), Guangdong Provincial Natural Science Foundation (2021A1515010229), Shenzhen Basic Research Project (JCYJ20210317150714001) Innovation Project for Guangdong Provincial Department of Education (2019KTSCX155), and a start-up fund from SUSTech.

Notes and references

- 1 C. Xie, Z. Niu, D. Kim, M. Li and P. Yang, *Chem. Rev.*, 2019, **120**, 1184–1249.
- 2 G. Chen, Y. Zhao and N. F. Zheng, *Science*, 2014, **344**, 495–499.
- 3 N. J. Divins, I. Angurell, C. Escudero, V. Perez-Dieste and J. Llorca, *Science*, 2014, **346**, 620–623.
- 4 P. L. Hansen, J. B. Wagner, S. Helveg, J. R. Rostrup-Nielsen, B. S. Clausen and H. Topsoe, *Science*, 2002, **295**, 2053–2055.
- 5 Y. He, J. C. Liu, L. Luo, Y. G. Wang, J. Zhu, Y. Du, J. Li, S. X. Mao and C. Wang, *Proc. Natl. Acad. Sci. U. S. A.*, 2018, **115**, 7700–7705.
- 6 T. Tsuji, K. Hata, D. N. Futaba and S. Sakurai, *J. Am. Chem. Soc.*, 2016, **138**, 16608–16611.
- 7 T. W. van Deelen, C. H. Mejia and K. P. de Jong, *Nat. Catal.*, 2019, **2**, 955–970.
- 8 Q. Fu, F. Yang and X. H. Bao, *Acc. Chem. Res.*, 2013, **46**, 1692–1701.
- 9 S. J. Tauster, S. C. Fung and R. L. Garten, *J. Am. Chem. Soc.*, 1978, **100**, 170–175.
- 10 H. Praliaud and G. A. Martin, *J. Catal.*, 1981, **72**, 394–396.
- 11 S. J. Tauster, *Acc. Chem. Res.*, 1987, **20**, 389–394.
- 12 T. W. Hansen, A. T. Delariva, S. R. Challa and A. K. Datye, *Acc. Chem. Res.*, 2013, **46**, 1720–1730.
- 13 Z. Li, Y. Cui, Z. Wu, C. Milligan, L. Zhou, G. Mitchell, B. Xu, E. Shi, J. T. Miller, F. H. Ribeiro and Y. Wu, *Nat. Catal.*, 2019, **1**, 349–355.
- 14 L. Wang, L. Wang, X. Meng and F. S. Xiao, *Adv. Mater.*, 2019, **31**, 1901905.



15 A. Parastaev, V. Muravev, E. Huertas Osta, A. J. F. van Hoof, T. F. Kimpel, N. Kosinov and E. J. M. Hensen, *Nat. Catal.*, 2020, **3**, 526–533.

16 J. Dong, Q. Fu, H. Li, J. Xiao, B. Yang, B. Zhang, Y. Bai, T. Song, R. Zhang, L. Gao, J. Cai, H. Zhang, Z. Liu and X. Bao, *J. Am. Chem. Soc.*, 2020, **142**, 17167–17174.

17 T. W. Hansen, J. B. Wagner, P. L. Hansen, S. Dahl, H. Topsoe and C. J. Jacobsen, *Science*, 2001, **294**, 1508–1510.

18 J. C. Matsubu, S. Zhang, L. DeRita, N. S. Marinkovic, J. G. Chen, G. W. Graham, X. Pan and P. Christopher, *Nat. Chem.*, 2017, **9**, 120–127.

19 S. Zhang, P. N. Plessow, J. J. Willis, S. Dai, M. Xu, G. W. Graham, M. Cargnello, F. Abild-Pedersen and X. Pan, *Nano Lett.*, 2016, **16**, 4528–4534.

20 S. Liu, W. Xu, Y. Niu, B. Zhang, L. Zheng, W. Liu, L. Li and J. Wang, *Nat. Commun.*, 2019, **10**, 5790.

21 J. Huang, S. He, J. L. Goodsell, J. R. Mulcahy, W. Guo, A. Angerhofer and W. D. Wei, *J. Am. Chem. Soc.*, 2020, **142**, 6456–6460.

22 W. Yuan, D. Zhang, Y. Ou, K. Fang, B. Zhu, H. Yang, T. W. Hansen, J. B. Wagner, Z. Zhang, Y. Gao and Y. Wang, *Angew. Chem., Int. Ed.*, 2018, **57**, 16827–16831.

23 X. Y. Liu, M. H. Liu, Y. C. Luo, C. Y. Mou, S. D. Lin, H. K. Cheng, J. M. Chen, J. F. Lee and T. S. Lin, *J. Am. Chem. Soc.*, 2012, **134**, 10251–10258.

24 J. Zhang, H. Wang, L. Wang, S. Ali, C. T. Wang, L. X. Wang, X. J. Meng, B. Li, D. S. Su and F. S. Xiao, *J. Am. Chem. Soc.*, 2019, **141**, 2975–2983.

25 Y. Zhang, X. Yang, X. Yang, H. Duan, H. Qi, Y. Su, B. Liang, H. Tao, B. Liu, D. Chen, X. Su, Y. Huang and T. Zhang, *Nat. Commun.*, 2020, **11**, 3185.

26 A. Beck, X. Huang, L. Artiglia, M. Zabilskiy, X. Wang, P. Rzepka, D. Palagin, M.-G. Willinger and J. A. van Bokhoven, *Nat. Commun.*, 2020, **11**, 3220.

27 H. L. Tang, Y. Su, B. S. Zhang, A. F. Lee, M. A. Isaacs, K. Wilson, L. Li, Y. G. Ren, J. H. Huang, M. Haruta, B. T. Qiao, X. Liu, C. Z. Jin, D. S. Su, J. H. Wang and T. Zhang, *Sci. Adv.*, 2017, **3**, e1700231.

28 X. Du, Y. Huang, X. Pan, B. Han, Y. Su, Q. Jiang, M. Li, H. Tang, G. Li and B. Qiao, *Nat. Commun.*, 2020, **11**, 5811.

29 S. Bernal, J. J. Calvino, J. M. Gatica, C. Larese, C. LopezCartes and J. A. PerezOmil, *J. Catal.*, 1997, **169**, 510–515.

30 S. Penner and M. Armbrüster, *ChemCatChem*, 2015, **7**, 374–392.

31 S. W. Li, Y. Xu, Y. F. Chen, W. Z. Li, L. L. Lin, M. Z. Li, Y. C. Deng, X. P. Wang, B. H. Ge, C. Yang, S. Y. Yao, J. L. Xie, Y. W. Li, X. Liu and D. Ma, *Angew. Chem., Int. Ed.*, 2017, **56**, 10761–10765.

32 A. Bruix, J. A. Rodriguez, P. J. Ramirez, S. D. Senanayake, J. Evans, J. B. Park, D. Stacchiola, P. Liu, J. Hrbek and F. Illas, *J. Am. Chem. Soc.*, 2012, **134**, 8968–8974.

33 M. G. Willinger, W. Zhang, O. Bondarchuk, S. Shaikhutdinov, H. J. Freund and R. Schlogl, *Angew. Chem., Int. Ed.*, 2014, **53**, 5998–6001.

34 J. Liu, L. Wang, F. Okejiri, J. Luo, J. Zhao, P. Zhang, M. Liu, S. Yang, Z. Zhang, W. Song, W. Zhu, J. Liu, Z. Zhao, G. Feng, C. Xu and S. Dai, *ACS Catal.*, 2020, **10**, 8950–8959.

35 X. Mao, A. C. Foucher, T. Montini, E. A. Stach, P. Fornasiero and R. J. Gorte, *J. Am. Chem. Soc.*, 2020, **142**, 10373–10382.

36 M. E. Strayer, J. M. Binz, M. Tanase, S. M. K. Shahri, R. Sharma, R. M. Rioux and T. E. Mallouk, *J. Am. Chem. Soc.*, 2014, **136**, 5687–5696.

37 S. Labich, A. Kohl, E. Taglauer and H. Knözinger, *J. Chem. Phys.*, 1998, **109**, 2052–2055.

38 H. L. Tang, F. Liu, J. K. Wei, B. T. Qiao, K. F. Zhao, Y. Su, C. Z. Jin, L. Li, J. Y. Liu, J. H. Wang and T. Zhang, *Angew. Chem., Int. Ed.*, 2016, **55**, 10606–10611.

39 J. Lee, S. P. Burt, C. A. Carrero, A. C. Alba-Rubio, I. Ro, B. J. O'Neill, H. J. Kim, D. H. K. Jackson, T. F. Kuech, I. Hermans, J. A. Dumesic and G. W. Huber, *J. Catal.*, 2015, **330**, 19–27.

40 M. Li, F. Yang, L. Ding, X. Liu, Z. Zhang, D. Zhang, X. Zhao, J. Yang and Y. Li, *Carbon*, 2017, **118**, 485–492.

41 P. Sonstrom, D. Arndt, X. D. Wang, V. Zielasek and M. Baumer, *Angew. Chem., Int. Ed.*, 2011, **50**, 3888–3891.

42 H. Wang, L. Wang, D. Lin, X. Feng, Y. Niu, B. Zhang and F.-S. Xiao, *Nat. Catal.*, 2021, **4**, 418–424.

43 T. Lunkenstein, J. Schumann, M. Behrens, R. Schlögl and M. G. Willinger, *Angew. Chem., Int. Ed.*, 2015, **54**, 4544–4548.

44 V. Schott, H. Oberhofer, A. Birkner, M. Xu, Y. Wang, M. Muhler, K. Reuter and C. Woll, *Angew. Chem., Int. Ed.*, 2013, **52**, 11925–11929.

45 X. G. Guo, G. Z. Fang, G. Li, H. Ma, H. J. Fan, L. Yu, C. Ma, X. Wu, D. H. Deng, M. M. Wei, D. L. Tan, R. Si, S. Zhang, J. Q. Li, L. T. Sun, Z. C. Tang, X. L. Pan and X. H. Bao, *Science*, 2014, **344**, 616–619.

46 Y. Zhang, J. Zhang, B. Zhang, R. Si, B. Han, F. Hong, Y. Niu, L. Sun, L. Li, B. Qiao, K. Sun, J. Huang and M. Haruta, *Nat. Commun.*, 2020, **11**, 558.

47 H. G. Zhu, C. D. Liang, W. F. Yan, S. H. Overbury and S. Dai, *J. Phys. Chem. B*, 2006, **110**, 10842–10848.

48 V. Sudheeshkumar, A. Shihhare and R. W. J. Scott, *Catal. Sci. Technol.*, 2017, **7**, 272–280.

49 L. Wang, E. Guan, Y. Wang, L. Wang, Z. Gong, Y. Cui, X. Meng, B. C. Gates and F. S. Xiao, *Nat. Commun.*, 2020, **11**, 1033.

50 F. Peng, Y. Liu, R. L. Cui, D. L. Gao, F. Yang and Y. Li, *Chin. Sci. Bull.*, 2012, **57**, 225–233.

51 A. E. Islam, P. Nikolaev, P. B. Amama, S. Saber, D. Zakharov, D. Huffman, M. Erford, G. Sargent, S. L. Semiatin, E. A. Stach and B. Maruyama, *Nano Lett.*, 2014, **14**, 4997–5003.

52 M. Li, X. Liu, X. Zhao, F. Yang, X. Wang and Y. Li, *Top. Curr. Chem.*, 2017, **375**, 29.

53 F. Yang, M. Wang, D. Zhang, J. Yang, M. Zheng and Y. Li, *Chem. Rev.*, 2020, **120**, 2693–2758.

54 S. Penner, D. Wang, D. S. Su, G. Rupprechter, R. Podloucky, R. Schlögl and K. Hayek, *Surf. Sci.*, 2003, **532**–535, 276–280.

55 J.-S. Park, D. K. Sohn, Y. Kim, J.-U. Bae, B. H. Lee, J. S. Byun and J. J. Kim, *Appl. Phys. Lett.*, 1998, **73**, 2284–2286.

56 L. D. Deng, H. Miura, T. Shishido, S. Hosokawa, K. Teramura and T. Tanaka, *Chem. Commun.*, 2017, **53**, 6937–6940.

57 D. S. Su, B. Zhang and R. Schlögl, *Chem. Rev.*, 2015, **115**, 2818–2882.



58 F. Yang, X. Wang, D. Zhang, J. Yang, D. Luo, Z. Xu, J. Wei, J.-Q. Wang, Z. Xu, F. Peng, X. Li, R. Li, Y. Li, M. Li, X. Bai, F. Ding and Y. Li, *Nature*, 2014, **510**, 522–524.

59 F. Yang, X. Wang, M. Li, X. Liu, X. Zhao, D. Zhang, Y. Zhang, J. Yang and Y. Li, *Acc. Chem. Res.*, 2016, **49**, 606–615.

60 W. Yuan, B. Zhu, X.-Y. Li, T. W. Hansen, Y. Ou, K. Fang, H. Yang, Z. Zhang, J. B. Wagner, Y. Gao and Y. Wang, *Science*, 2020, **367**, 428–430.

61 X. Zhang, S. Han, B. Zhu, G. Zhang, X. Li, Y. Gao, Z. Wu, B. Yang, Y. Liu, W. Baaziz, O. Ersen, M. Gu, J. T. Miller and W. Liu, *Nat. Catal.*, 2020, **3**, 411–417.

62 L. Luo, Y. Nian, S. Wang, Z. Dong, Y. He, Y. Han and C. Wang, *Angew. Chem., Int. Ed.*, 2020, **59**, 2505–2509.

63 X. Zhang, F. Yang, D. Tian, H. Zhao, R. Wang and W.-M. Lau, *Adv. Mater. Interfaces*, 2020, **7**, 2001112.

64 W. Yuan, B. Zhu, K. Fang, X. Y. Li, T. W. Hansen, Y. Ou, H. Yang, J. B. Wagner, Y. Gao, Y. Wang and Z. Zhang, *Science*, 2021, **371**, 517–521.

65 F. Yang, H. Zhao, X. Wang, X. Liu, Q. Liu, X. Liu, C. Jin, R. Wang and Y. Li, *J. Am. Chem. Soc.*, 2019, **141**, 5871–5879.

66 F. Yang, H. Zhao, W. Wang, Q. Liu, X. Liu, Y. Hu, X. Zhang, S. Zhu, D. He, Y. Xu, J. He, R. Wang and Y. Li, *CCS Chem.*, 2021, **3**, 154–167.

67 Q. Fu and T. Wagner, *Surf. Sci. Rep.*, 2007, **62**, 431–498.

68 Y. T. Pan, Y. Yan, Y. T. Shao, J. M. Zuo and H. Yang, *Nano Lett.*, 2016, **16**, 6599–6603.

69 A. R. Harutyunyan, G. Chen, T. M. Paronyan, E. M. Pigos, O. A. Kuznetsov, K. Hewaparakrama, S. M. Kim, D. Zakharov, E. A. Stach and G. U. Sumanasekera, *Science*, 2009, **326**, 116–120.

70 S. J. Tauster, S. C. Fung, R. T. K. Baker and J. A. Horsley, *Science*, 1981, **211**, 1121–1125.

71 F. Sadi, D. Duprez, F. Gerard and A. Miloudi, *J. Catal.*, 2003, **213**, 226–234.

72 L. C. A. van den Oetelaar, A. Partridge, S. L. G. Toussaint, C. F. J. Flipse and H. H. Brongersma, *J. Phys. Chem. B*, 1998, **102**, 9541–9549.

73 M. Crespo-Quesada, F. Cardenas-Lizana, A. L. Dessimoz and L. Kiwi-Minsker, *ACS Catal.*, 2012, **2**, 1773–1786.

74 B. Das, B. Balasubramanian, P. Manchanda, P. Mukherjee, R. Skomski, G. C. Hadjipanayis and D. Sellmyer, *Nano Lett.*, 2016, **16**, 1132–1137.

75 C. T. Koch, Ph.D. thesis, Arizona State University, May, 2002.

