

Cite this: *Mater. Adv.*, 2022,
3, 526Received 1st September 2021,
Accepted 4th November 2021

DOI: 10.1039/d1ma00794g

rsc.li/materials-advances

The chemodynamic antibacterial effect of MnO_x nanosheet decorated silicon nanowire arrays†

Mingkang Li,‡ Guize Li,‡ Hongwei Wang* and Lin Yuan *

Bacteria exist everywhere and pose a threat to human health. Reactive oxygen species (ROS), as a highly reactive chemical substance, can effectively oxidize and break lipids, DNA, protein and other bioactive molecules, leading to the death of bacteria. Modification of manganese oxide on the surface of silicon nanowire arrays deposited with polydopamine (SN@PDA@MnO_x) can significantly increase the yield of ROS in a short period of time, which provides SN@PDA@MnO_x with a strong chemodynamic antibacterial effect. Both manganese ions and manganese oxides in the reaction system promote the generation of ROS, and their mechanisms of action can be synergistic with each other. The results show that SN@PDA@MnO_x can achieve a 99.99% antibacterial effect by using the ROS generated by chemodynamic reactions within 1 hour. SN@PDA@MnO_x has great potential as a novel antibacterial material.

1. Introduction

Bacteria are one of the most abundant types of organisms, widely distributed in soil and water, or in symbiosis with other organisms. Bacteria are the pathogens of many diseases. They can spread diseases between humans in various ways, seriously threatening human life and health, and hindering the development of society.¹ In the long struggle against bacteria, humans already possess a variety of weapons, such as the application of physical methods (temperature,^{2,3} radiation,^{4,5} and electrical stimulation⁶), chemical methods (antibiotics,^{7,8} metals, and metal oxides^{9–11}), and biological methods (bacteriophage,¹² and biological control bacteria¹³). However, physical methods are often limited by the lack of exogenous stimuli. Chemical methods may cause bacterial resistance and inevitable biological toxicity. Biological methods are difficult to be developed due to their low antibacterial efficiencies. Therefore, it is particularly important to develop new antibacterial materials as soon as possible to protect human health.

Reactive oxygen species (ROS) are one of the main causes for the bactericidal effect of many natural substances.^{11,14} ROS are a single-electron reduction product of oxygen. They have high chemical activity due to their structure containing unpaired electrons and can oxidize and break lipids, DNA, protein and

other bioactive molecules. ROS are widely used in antibacterial applications,^{15,16} tumor treatment,^{17,18} immune regulation¹⁹ and other biomedical fields. ROS can be produced through the catalysis of metals and metal oxides,^{20,21} electron transfer in redox reactions, normal mitochondrial metabolism,²² etc. The excitation conditions include chemodynamics,^{23,24} photodynamics^{25,26} and acoustic dynamics.^{27,28} The generation of ROS by metal oxide nanosheets often requires external energy stimulation.^{29,30} Thomas *et al.* used the ROS generated on the AuPd catalyst during the synthesis of hydrogen peroxide from hydrogen and air to achieve efficient sterilization and disinfection, providing a new technique for water disinfection.²⁰ Liu *et al.* developed a catechol-chitosan film that could continuously produce ROS. This film can inhibit the growth of bacteria at the wound site in the presence of ascorbic acid, reduce inflammation and promote wound healing.³¹ Although these materials can produce ROS effectively, they must rely on a large amount of a reducing agent to achieve excellent antibacterial performance, which limits their wide application.

Manganese is a transition metal element abundant in nature. Manganese oxides (oxides, hydroxides and oxyhydroxides) produced by spontaneous oxidation have the advantages of low cost, simple preparation, and low biological toxicity.³² Because of its multiple valence states and multiple structural morphologies,³³ and the rapid transfer of electrons and oxygen,³⁴ manganese oxide is considered to be a potential catalyst. By interacting with various peroxides, manganese oxide can catalyze the production of ROS.^{35,36} Jia *et al.* designed a low-cost, highly active MnO_x/g-C₃N₄ (MCN) nanocomposite material, which could stimulate a variety of active substances,

State and Local Joint Engineering Laboratory for Novel Functional Polymeric Materials, College of Chemistry, Chemical Engineering and Materials Science, Soochow University, 199 Ren'ai Road, Suzhou 215123, P. R. China.

E-mail: wanghw@suda.edu.cn, yuanl@suda.edu.cn

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1ma00794g

‡ These authors contributed equally to this work.

such as $\cdot\text{O}^{2-}$, $\cdot\text{OH}$ and h^+ , under the synergistic effect of photoelectricity.³⁷ Forooshani *et al.* functionalized the microgel with catechol and heme. The material uses heme to react with H_2O_2 generated in the process of oxidizing catechol to produce hydroxyl radicals with obvious antibacterial effects.³⁸ However, due to the limited autooxidation of dopamine, the generation of H_2O_2 is still at a low level. Therefore, the overall production efficiency of ROS is unsatisfactory, which restricts the sterilization effect of related materials.

In order to solve these problems, based on the efficient promotion of manganese oxide on the generation of ROS, we modified the silicon nanowire arrays deposited with polydopamine *in situ* reduced manganese oxide nanosheets (SN@PDA@MnO_x). Silicon nanowires were good candidates for energy conversion and were selected as substrates because of their good biocompatibility. The silicon nanowire arrays strongly support the adhesion of dopamine and dispersion of manganese oxide nanomaterials, which is beneficial to increase the specific surface area. Polydopamine was widely used as a material with excellent biocompatibility and degradability. The exceptional adhesive capability of polydopamine allows the nanomaterials to adhere closely to the substrate, ensuring the stability of the material.³⁹ At the same time, the reducibility of polydopamine due to its own structure also provided convenience for the production of manganese oxide.^{40,41} SN@PDA@MnO_x uses a chemodynamic, only in the presence of water and oxygen without addition of external stimuli, pathway to significantly generate the ROS in a short period of time. It can release a high concentration of ROS equivalent to more than 115 mM H_2O_2 within 2 h, which can achieve a 99.99% antibacterial effect, greatly improving the antibacterial efficiency.

2. Experimental

2.1. Materials

Silicon wafers were obtained from Guangzhou Institute of Semiconductor Materials (Guangzhou, China), and the specific model was (1,0,0)-oriented, with 0.56 mm thickness, 100 mm diameter, n-doped, and one side polished. Tris(hydroxymethyl)-amino-methane hydrochloride (Tris-HCl) was bought from Beijing Solar-bio Science & Technology (China). Dopamine hydrochloride (DA), hydrofluoric acid (HF), nitric acid (HNO_3), hydrochloric acid (HCl), silver nitrate (AgNO_3), acetone, potassium permanganate (KMnO_4), hydrogen peroxide (H_2O_2), manganese dichloride tetrahydrate ($\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$), and manganese dioxide (MnO_2) were purchased from Sinopharm Chemical Reagent (China). Gram-negative *E. coli* MG1655 was provided by the China General Microbiological Culture Collection Center (Beijing, China). Bacterial culture media (tryptone, yeast extract and agar) were obtained from Oxoid (England). Ultrapure water was prepared using a Millipore water purification system to a minimum resistivity of 18.2 M Ω cm.

2.2. Fabrication of silicon nanowire arrays (SN)

Pre-cut silicon wafers (0.5 cm $\times$ 0.5 cm) were ultrasonically cleaned alternately with ultrapure water and acetone 3 times,

each for 2 min. The reaction solution (5 M HF, 0.05 M AgNO_3) was prepared in a polytetrafluoroethylene container soaked in aqua regia ($\text{HCl}:\text{HNO}_3 = 3:1$) for more than 4 h, and it was preheated in an oven at 50 $^\circ\text{C}$ for 5 min. The silicon wafer was placed evenly in the polytetrafluoroethylene reaction dish, and the preheated reaction solution was slowly poured into the reaction dish to completely immerse the silicon wafer. After reacting at 50 $^\circ\text{C}$ for 15 min, the reaction solution was sucked out, and 20% HNO_3 was added to terminate the reaction. When there were no more bubbles on the surface of the silicon wafer, the solution was sucked out, and another 20% HNO_3 was added to clean it. After being washed with ultrapure water, the wafer was put in an oven at 50 $^\circ\text{C}$ for drying.

2.3. Depositing polydopamine on the surface of silicon nanowire arrays (SN@PDA)

20 mg of dopamine hydrochloride was weighed and dissolved in 10 ml Tris-HCl solution (10 mM, pH = 8.5), and the silicon nanowire arrays were quickly immersed in the reaction solution for 3 h. After the reaction was finished, SN@PDA was washed three times with ultrapure water, then dried naturally at room temperature.

2.4. Surface modification of polydopamine-deposited silicon nanowire arrays with MnO_x (SN@PDA@MnO_x)

The polydopamine-deposited silicon nanowire arrays were put into the prepared KMnO_4 solution (10 $\mu\text{g ml}^{-1}$) and reacted for 12 h. Then SN@PDA@MnO_x was rinsed with ultrapure water and dried at room temperature.

2.5. Modified MnO_x on the surface of silicon nanowire array after reduction treatment (SN@MnO_x)

After immersing the etched silicon nanowires in HF solution (5%, V/V) for 5 min, the reduced silicon nanowire arrays were cleaned with ultrapure water. The processed SN was put into the prepared KMnO_4 solution (10 $\mu\text{g ml}^{-1}$) and reacted for 12 h. Then SN@MnO_x was taken out and rinsed with ultrapure water. Finally, it was dried at room temperature.

2.6. Characterization of material structure

SEM (FESEM, S4700, Hitachi, Japan) is used to characterize the morphology of the material surface, and XPS (EscaLab 250Xi, Thermo Scientific, USA) is used to qualitatively, quantitatively and chemically analyze the chemical composition of the material surface.

2.7. The release of reactive oxygen species (ROS) of SN, SN@PDA , SN@PDA@MnO_x (converted to H_2O_2 amount)

Non-fluorescent DCFH can be oxidized by ROS to produce fluorescent DCF, and the concentration of the generated ROS can be analyzed by detecting the intensity of the fluorescence signal.⁴² As a kind of ROS, hydrogen peroxide is often used to quantify the concentration of ROS produced by materials due to its relatively stable chemical properties.

2.7.1. Standard curve of H_2O_2 . H_2O_2 was diluted to different concentrations. Equal volumes of H_2O_2 solution and an active



oxygen detection reagent (DCFH-DA, Beyotime, China) were mixed well, and incubated at 37 °C for 30 min. The fluorescence of the mixture was detected at 488 nm (excitation) and 525 nm (emission) with a microplate reader (Varioskan Flash, Thermo Fisher Scientific, USA).

2.7.2. ROS detection. Mix the material with 700 µl of a 1000-fold diluted reactive oxygen species detection reagent. After a period of incubation at 37 °C, three parallel samples are taken to test the fluorescence values at EX₄₈₈/EM₅₂₅ using a microplate reader (Varioskan Flash, Thermo Fisher Scientific, USA). ROS of different concentrations released from different samples were calculated from the corresponding fluorescence values.

2.8. Release of manganese ions from SN@PDA@MnO_x

SN@PDA@MnO_x was soaked in 500 µl PBS for 0.5 h, 1 h, and 2 h respectively, and the solution was diluted to 5 ml with a volume fraction of 2% hydrochloric acid solution. Manganese ions were measured by atomic absorption spectroscopy (AA240FS + GTA120, Varian, USA).

2.9. Antibacterial test

E. coli strain (*E. coli* MG1655) was inoculated into the liquid medium with a pipette tip and cultivated overnight in a shaking incubator at constant temperature (37 °C). After centrifugation, the supernatant was discarded, and PBS was added into it. The centrifugation was repeated twice. Bacteria were diluted to an OD₆₀₀ value of 0.01 and dropped on the surface of the material. Then the material was put into an incubator and incubated at 37 °C for 0.5 h, 1 h, and 2 h, respectively. After the incubation, the bacteria were diluted, and applied onto LB agar plates. The killing efficiency or the antibacterial effect of the material was calculated *via* the colony forming unit (CFU) using the equation

$$\text{KillingEfficiency}(\%) = \left(1 - \frac{\text{CFU}_{\text{experimentalgroup}}}{\text{CFU}_{\text{controlgroup}}}\right) \times 100\%$$

2.10. Observation of the morphology of bacteria

100 µl of bacterial solution (OD₆₀₀ = 0.01) was dropped on SN@PDA@MnO_x and incubated at 37 °C for 2 h. 400 µl of 2.5% glutaraldehyde solution was added and allowed to stand for 1.5 h. Then all the liquid was sucked out, and ethanol at different concentrations (30–100%) was added step by step from low to high concentration. The liquid was aspirated at every 10 min of reaction and the next concentration of ethanol was added. The morphological changes of bacteria after being treated were observed by SN@PDA@MnO_x with SEM (FESEM, S4700, Hitachi, Japan).

3. Results and discussion

3.1. Characterization of SN@PDA@MnO_x

The preparation process of SN@PDA@MnO_x is shown in Fig. 1. First, we fabricated silicon nanowire arrays (SN) by chemical etching.⁴³ The cross-sectional analysis of SEM shows that the silicon nanowires are uniformly and vertically distributed (Fig. 2a). Dopamine uses its excellent adhesion to form polydopamine to be fixed and attached to the surface of silicon nanowires. At the same time, it can also use its own reducibility to reduce KMnO₄ to MnO_x and bond to silicon nanowires. According to Fig. 2b, a large number of MnO_x nanosheet structures appear on the surface of the silicon nanowires.

In order to know the chemical properties of the achieved material, SN@PDA@MnO_x was analyzed by XPS (Fig. 2c and d). The result showed that SN@PDA@MnO_x has two specific peaks at 642.4 eV and 654.1 eV, which correspond to Mn2p_{3/2} and Mn2p_{1/2}, respectively. The energy difference between the two peaks is 11.7 eV, indicating that Mn⁴⁺ in MnO_x is the main oxidation state of Mn.^{41,44} MnO₂ can induce the production of ROS, increase the activity of ATPase and cause the leakage of electrolyte and protein content, leading to the death of bacteria.⁴⁵





Fig. 1 Preparation of SN@PDA@MnO_x.





It can be seen from the above results that the presence of MnO_x may be the main reason for the enhanced antibacterial effect of the material. In order to verify the role of the SN and PDA components in SN@PDA@MnO_x in the antibacterial process, we compared their antibacterial performance differences with Si@PDA@MnO_x and SN@MnO_x . According to Fig. 4a and b, there was no significant difference between the number of bacteria after 2 h incubation on the silicon chip and the number of bacteria after 0.5 h incubation, only a reduction of less than 10%.

ROS is a one-electron reduction product of oxygen, including one-electron reduction product of oxygen superoxide anion (O_2^-), two-electron reduction product hydrogen peroxide (H_2O_2), three-electron reduction product hydroxyl radical ($\bullet OH$), *etc.* ROS has a high reactivity and a short lifespan, which can cause damage to biological molecules such as bacterial cell walls, protein peptide chains and nucleic acids, and ultimately produce an antibacterial effect. After SN and SN@PDA were incubated in PBS for a period of time, the concentration of ROS




Fig. 3 Antibacterial effect of SN, SN@PDA and SN@PDA@MnO_x. (a) Colony formation (agar plate) of *E. coli* treated by different nanomaterials. (b) Colony formation unit of *E. coli*. (c) Colony formation (agar plate) of *S. aureus* treated by different nanomaterials. (d) Colony formation unit of *S. aureus*. Data were expressed as mean $\pm$ SD, $n = 3$, *** $p < 0.001$, SN (b) and 0 h (d) were used as a control group for significant difference analysis.

generated was about 2 mM (Fig. 5a). There is little difference between SN and SN@PDA in the amount of ROS released.

However, SN@PDA@MnO_x had a strong activity for generating ROS through its specific chemodynamic properties. It was




Fig. 4 Antibacterial effect of Si@PDA@MnO_x, SN@MnO_x and SN@PDA@MnO_x. (a) Colony formation (agar plate) of *E. coli* on Si and Si@PDA@MnO_x. (b) Colony formation unit of *E. coli* on Si, Si@PDA@MnO_x and SN@PDA@MnO_x. (c) Colony formation (agar plate) of *E. coli* on control and SN@MnO_x. (d) Colony formation unit of *E. coli* on control, SN@MnO_x and SN@PDA@MnO_x. Data were expressed as mean $\pm$ SD, $n = 3$, ** $p < 0.05$, *** $p < 0.001$, Si (b) and control (d) were used as a control group for significant difference analysis.






Fig. 5 (a) ROS generation of SN, SN@PDA, SN@PDA@MnO_x immersed in PBS for different time. (b) The effect of Mn²⁺ and MnO₂ on the generation of ROS from SN@PDA. (c) The release of Mn²⁺ from SN@PDA@MnO_x. (d) Bacterial killing efficiency of Mn²⁺. The data were expressed as mean ± SD, $n = 3$, *** $p < 0.001$, 0 h (a) and SN@PDA (b) were used as a control group for significant difference analysis.

found that ROS produced by SN@PDA@MnO_x was 7 mM after just 0.5 h of incubation in PBS (Fig. 5a), which was higher than that produced by the catechol reaction for 50 h.³⁸ And surprisingly, the concentrations of ROS generated by SN@PDA@MnO_x increased significantly with time, reaching 115 mM within 2 h. This result corresponds to the enhancement of the antibacterial effect with the prolonged reaction time with the bacteria, indicating that the antibacterial performance of SN@PDA@MnO_x might be directly related to the continuous production of ROS through chemical reactions catalyzed by MnO_x sheets.

Since MnO₂ was the important component in MnO_x sheets on SN@PDA@MnO_x and Mn²⁺ could be released from MnO_x materials,^{46,47} Mn²⁺ and MnO₂ might be mainly responsible for the production of ROS. In order to explore the influence of different components in the system on the generation of ROS, we added Mn²⁺ and MnO₂ to the PBS solution soaked with SN@PDA. It can be seen from Fig. 5b that the ROS released by both SN@PDA and Mn²⁺ treated SN@PDA were less than 1 mM even after 2 h. However, the addition of MnO₂ could effectively increase the production of ROS so that the production of reactive oxygen species could reach 21 mM within 2 h. When SN@PDA was treated by both Mn²⁺ and MnO₂, it could generate the concentration of active oxygen of as high as 37 mM. Generally, manganese oxides such as manganese dioxide achieve catalysis through the mechanism of adsorption of oxygen and the mechanism of lattice oxygen.^{48,49} Manganese ions achieve catalysis through the formation of complexes and other intermediates.^{50,51} Therefore, Mn²⁺ and MnO₂ might be

synergistic with each other for promoting ROS generation on SN@PDA, which can effectively increase the catalytic efficiency of manganese oxide.

Transition metal ions are important for the formation of ROS. The ability of these ions to remove electrons is the basis for the formation and expansion of many highly toxic ROS reactions. Because of the presence of polydopamine, manganese oxide can be reduced and dissolved in the solution, thereby leaching trace manganese ions to catalyze the production of ROS. Actually, the release of manganese ions was observed from SN@PDA@MnO_x (Fig. 5c). The result showed that there was about 0.3 μg of manganese ions released from a chip of SN@PDA@MnO_x (0.5 cm × 0.5 cm) in 0.5 h. With the prolongation of the immersion time in PBS, more manganese ions released from the material. However, even after 2 h, the amount of manganese ions released from SN@PDA@MnO_x was as low as around 0.7 μg. It may be due to both the oxidation reaction of polydopamine and the reduction process of manganese oxide in the solution were slow, leading to a low amount of manganese ions being released.

Considering that the antibacterial effects of metal ions (such as Ag⁺) might come from the disturbance of the bacterial metabolism, the effect of Mn²⁺ in inhibiting bacterial growth was investigated. It was observed that the killing efficiency of Mn²⁺ in an amount of 0.1–1 μg was only about 10%. This result further proved that manganese ions were not the main reason of the antibacterial effect of SN@PDA@MnO_x. However, the addition of manganese ions will inhibit the activity of enzymes in the microorganisms,⁵² resulting in a decrease in the activity of microorganisms, which may be favorable for killing bacteria.




Fig. 6 (a and b) Antibacterial effect of different H_2O_2 concentration (colony formation of *E. coli*). The data was expressed as mean $\pm$ SD, $n = 3$, *** $p < 0.001$, control was used as a control group for significant difference analysis. (c and d) SEM images of normal *E. coli* and *E. coli* (in the red circle) treated with SN@PDA@MnO_x.

3.4. Research on the mechanism of bacterial death

E. coli is a Gram-negative bacterium. Under normal conditions, both ends of *E. coli* are blunt, round and full in shape (Fig. 6c). ROS can enter the bacteria and react with biological macromolecules, such as protein, lipid and DNA, etc. They will destroy the antioxidant capacity of the intracellular protective enzymes, and cause changes in the permeability of the bacterial cell membrane, leading to the death of the bacteria.⁵³ It can be seen from Fig. 6a and b that the bacteria have a very low tolerance to hydrogen peroxide, and 15 mM hydrogen peroxide can achieve a 99.99% killing efficiency of *E. coli*. The concentration of ROS released by SN@PDA@MnO_x catalyzed by chemodynamic action is calculated by the equivalent of hydrogen peroxide, which was 115 mM, far exceeds this value. Therefore, the generation of ROS might be the main reason for the excellent sterilization performance of SN@PDA@MnO_x. Such high concentrations of ROS released from SN@PDA@MnO_x had a significant effect on changing the morphology of the bacteria. From the SEM image (Fig. 6d), it can be found that *E. coli* had obviously shrunk, indicating that the permeability of the bacterial cell membrane had changed, which also confirms that SN@PDA@MnO_x achieves the antibacterial effect through ROS.

4. Conclusions

In the present study, the specific adhesion property and weak reducibility of polydopamine (PDA) were used to modify manganese oxide (MnO_x) on the surface of the silicon nanowire arrays (SN) to prepare SN@PDA@MnO_x. SN@PDA@MnO_x has excellent antibacterial effects, which reaches 99.99% killing

efficiency in 1 h treatment. Mn^{2+} and MnO₂ from SN@PDA@MnO_x have a synergistic effect for generating ROS through a chemodynamic reaction. The concentration of ROS increased to as high as 115 mM, leading to bacterial death. These results demonstrate that SN@PDA@MnO_x has great potential in antibacterial applications.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the National Natural Science Foundation of China (21774088), the Priority Academic Program Development of Jiangsu Higher Education Institutions (PAPD), and Jiangsu Clinical Research Center for Cardiovascular Surgery.

References

- 1 A. P. Magiorakos, A. Srinivasan, R. B. Carey, Y. Carmeli, M. E. Falagas, C. G. Giske, S. Harbarth, J. F. Hindler, G. Kahlmeter, B. Olsson-Liljequist, D. L. Paterson, L. B. Rice, J. Stelling, M. J. Struelens, A. Vatopoulos, J. T. Weber and D. L. Monnet, *Clin. Microbiol. Infect.*, 2012, **18**, 268–281.
- 2 J. Huo, Q. Jia, H. Huang, J. Zhang, P. Li, X. Dong and W. Huang, *Chem. Soc. Rev.*, 2021, **50**, 8762–8789.
- 3 Y. Xie, Y. Qian, Z. Li, Z. Liang, W. Liu, D. Yang and X. Qiu, *ACS Sustainable Chem. Eng.*, 2021, **9**, 6479–6488.



- 4 V. K. Sharma, S. T. Tan, Z. Haiyang, S. Shendire, A. Baum, F. Chalvet, J. Tirén and H. V. Demir, *Adv. Opt. Mater.*, 2021, **9**, 2100072.
- 5 J. Wadsworth and C. S. Cockell, *Sci. Rep.*, 2017, **7**, 4662.
- 6 P. Liu, K. Jin, W. Wong, Y. Wang, T. Liang, M. He, H. Li, C. Lu, X. Tang, Y. Zong and C. Li, *Chem. Eng. J.*, 2021, **415**, 129025.
- 7 I. Keren, Y. Wu, J. Inocencio, L. R. Mulcahy and K. Lewis, *Science*, 2013, **339**, 1213.
- 8 F. Baquero and B. R. Levin, *Nat. Rev. Microbiol.*, 2021, **19**, 123–132.
- 9 A. Bhargava, V. Pareek, S. Roy Choudhury, J. Panwar and S. Karmakar, *ACS Appl. Mater. Interfaces*, 2018, **10**, 29325–29337.
- 10 S. Rtimi and J. Kiwi, *Appl. Catal., B*, 2017, **213**, 62–73.
- 11 R. Pachaiappan, S. Rajendran, P. L. Show, K. Manavalan and M. Naushad, *Chemosphere*, 2021, **272**, 128607.
- 12 K. A. McCarthy, M. A. Kelly, K. Li, S. Cambray, A. S. Hosseini, T. van Opijnen and J. Gao, *J. Am. Chem. Soc.*, 2018, **140**, 6137–6145.
- 13 A. Soenens and J. Imperial, *Phytochem. Rev.*, 2020, **19**, 577–587.
- 14 P. L. Lam, R. S. M. Wong, K. H. Lam, L. K. Hung, M. M. Wong, L. H. Yung, Y. W. Ho, W. Y. Wong, D. K. P. Hau, R. Gambari and C. H. Chui, *Chem.-Biol. Interact.*, 2020, **320**, 109023.
- 15 G. Wang, W. Jin, A. M. Qasim, A. Gao, X. Peng, W. Li, H. Feng and P. K. Chu, *Biomaterials*, 2017, **124**, 25–34.
- 16 Y. Wu, L. Zhang, Y. Zhou, L. Zhang, Y. Li, Q. Liu, J. Hu and J. Yang, *Chin. J. Catal.*, 2019, **40**, 691–702.
- 17 S. Wang, G. Yu, Z. Wang, O. Jacobson, L.-S. Lin, W. Yang, H. Deng, Z. He, Y. Liu, Z.-Y. Chen and X. Chen, *Angew. Chem., Int. Ed.*, 2019, **58**, 14758–14763.
- 18 S. Wang, Z. Wang, G. Yu, Z. Zhou, O. Jacobson, Y. Liu, Y. Ma, F. Zhang, Z.-Y. Chen and X. Chen, *Adv. Sci.*, 2019, **6**, 1801986.
- 19 J. Lloberas, J. P. Muñoz, M. I. Hernández-Álvarez, P.-J. Cardona, A. Zorzano and A. Celada, *Autophagy*, 2020, **16**, 2307–2309.
- 20 T. Richards, J. H. Harrhy, R. J. Lewis, A. G. R. Howe, G. M. Suldecki, A. Folli, D. J. Morgan, T. E. Davies, E. J. Loveridge, D. A. Crole, J. K. Edwards, P. Gaskin, C. J. Kiely, Q. He, D. M. Murphy, J.-Y. Maillard, S. J. Freakley and G. J. Hutchings, *Nat. Catal.*, 2021, **4**, 575–585.
- 21 M. Misawa and J. Takahashi, *Nanomedicine*, 2011, **7**, 604–614.
- 22 P. Hernansanz-Agustín and J. A. Enríquez, *Antioxidants*, 2021, **10**.
- 23 Q. Tian, F. Xue, Y. Wang, Y. Cheng, L. An, S. Yang, X. Chen and G. Huang, *Nano Today*, 2021, **39**, 101162.
- 24 Z. Ren, S. Sun, R. Sun, G. Cui, L. Hong, B. Rao, A. Li, Z. Yu, Q. Kan and Z. Mao, *Adv. Mater.*, 2020, **32**, 1906024.
- 25 C. Mao, Y. Xiang, X. Liu, Y. Zheng, K. W. K. Yeung, Z. Cui, X. Yang, Z. Li, Y. Liang, S. Zhu and S. Wu, *ACS Appl. Mater. Interfaces*, 2019, **11**, 17902–17914.
- 26 Q. Jiang, F. E. J. Tian, J. Yang, J. Zhang and Y. Cheng, *ACS Appl. Mater. Interfaces*, 2020, **12**, 16150–16158.
- 27 Y. He, S. Hua Liu, J. Yin and J. Yoon, *Coord. Chem. Rev.*, 2021, **429**, 213610.
- 28 S. Son, J. H. Kim, X. Wang, C. Zhang, S. A. Yoon, J. Shin, A. Sharma, M. H. Lee, L. Cheng, J. Wu and J. S. Kim, *Chem. Soc. Rev.*, 2020, **49**, 3244–3261.
- 29 Y. Cao, T. Wu, W. Dai, H. Dong and X. Zhang, *Chem. Mater.*, 2019, **31**, 9105–9114.
- 30 X. Li, H. Yang, K. Lv, L. Wen and Y. Liu, *Appl. Surf. Sci.*, 2020, **503**, 144080.
- 31 H. Liu, X. Qu, E. Kim, M. Lei, K. Dai, X. Tan, M. Xu, J. Li, Y. Liu, X. Shi, P. Li, G. F. Payne and C. Liu, *Biomaterials*, 2018, **162**, 109–122.
- 32 S. K. Ghosh, *ACS Omega*, 2020, **5**, 25493–25504.
- 33 S. Zhu, S.-H. Ho, C. Jin, X. Duan and S. Wang, *Environ. Sci.: Nano*, 2020, **7**, 368–396.
- 34 H. Fang, C. Wang, D. Li, S. Zhou, Y. Du, H. Zhang, C. Hang, Y. Tian and T. Suga, *J. Mater. Sci. Technol.*, 2021, **91**, 5–16.
- 35 S. Zhu, X. Li, J. Kang, X. Duan and S. Wang, *Environ. Sci. Technol.*, 2019, **53**, 307–315.
- 36 A. Wang, H. Wang, H. Deng, S. Wang, W. Shi, Z. Yi, R. Qiu and K. Yan, *Appl. Catal., B*, 2019, **248**, 298–308.
- 37 X. Jia, L. Xie, Z. Li, Y. Li, R. Ming, Q. Zhang, X. Mi and S. Zhan, *Sci. Total Environ.*, 2021, **768**, 144368.
- 38 P. Kord Forooshani, R. Pinnaratip, E. Polega, A. G. Tyo, E. Pearson, B. Liu, T.-O. Folayan, L. Pan, R. M. Rajachar, C. L. Heldt and B. P. Lee, *Chem. Mater.*, 2020, **32**, 8182–8194.
- 39 I. Singh, G. Dhawan, S. Gupta and P. Kumar, *Front. Microbiol.*, 2021, **11**, 3326.
- 40 S.-C. Chou, C. Lin, B.-Y. Sun, K.-C. Tso, T.-S. Chan and P.-W. Wu, *J. Taiwan Inst. Chem. Eng.*, 2021, **119**, 196–203.
- 41 Z. Wang, H. Yu, Y. Xiao, L. Guo, L. Zhang and X. Dong, *J. Hazard. Mater.*, 2021, **407**, 124795.
- 42 S. Liu, D. Lu, X. Wang, D. Ding, D. Kong, Z. Wang and Y. Zhao, *J. Mater. Chem. B*, 2017, **5**, 4918–4925.
- 43 H. Wang, W. Jiang, L. Yuan, L. Wang and H. Chen, *ACS Appl. Mater. Interfaces*, 2013, **5**, 1800–1805.
- 44 Z. Wang, H. Yu, Y. Xiao, L. Zhang, L. Guo, L. Zhang and X. Dong, *Chem. Eng. J.*, 2020, **394**, 125014.
- 45 T. Du, S. Chen, J. Zhang, T. Li, P. Li, J. Liu, X. Du and S. Wang, *Nanomaterials*, 2020, **10**.
- 46 T. He, C. Jiang, J. He, Y. Zhang, G. He, J. Wu, J. Lin, X. Zhou and P. Huang, *Adv. Mater.*, 2021, **33**, 2008540.
- 47 Y. Cai, J. He, J. Li, J. Zhang and Y. Luo, *Biochem. Eng. J.*, 2020, **159**, 107600.
- 48 H. Wang, H. Chen, Y. Wang and Y.-K. Lyu, *Chem. Eng. J.*, 2019, **361**, 1161–1172.
- 49 J. Jia, P. Zhang and L. Chen, *Appl. Catal., B*, 2016, **189**, 210–218.
- 50 M. Xiao, Y. Qi, Q. Feng, K. Li, K. Fan, T. Huang, P. Qu, H. Gai and H. Song, *Chemosphere*, 2021, **269**, 129436.
- 51 X. Li, P. Gao, J. Tan, K. Xiong, M. F. Maitz, C. Pan, H. Wu, Y. Chen, Z. Yang and N. Huang, *ACS Appl. Mater. Interfaces*, 2018, **10**, 40844–40853.
- 52 H. Chaudhry, N. Fatima and I. Z. Ahmad, *BioMed Res. Int.*, 2015, **2015**, 708691.
- 53 D. Wang, Q. Li, J. Qiu, X. Zhang, N. Ge and X. Liu, *Adv. Mater. Interfaces*, 2019, **6**, 1900514.

