

REVIEW

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *RSC Adv.*, 2017, 7, 42242

Design and synthesis of coordination polymers with chelated units and their application in nanomaterials science

Gulzhian I. Dzhardimalieva^a and Igor E. Uflyand ^b

The advances and problems associated with the preparation, properties and structure of coordination polymers with chelated units are presented and assessed. The metalloligand strategy, and columnar-layered strategy, as well as approaches based on supramolecular building blocks and supramolecular building layers in the design of coordination polymers with chelated units are considered. The conventional (solvent evaporation, diffusion, hydro(solvo)thermal, ionothermal, microfluidic, surfactant-thermal, and *in situ* spacer methods as well as synthesis in supercritical CO₂) and alternative (microwave-assisted, electrochemical, mechanochemical, and sonochemical methods) synthesis routes are described. Special attention is paid to the post-synthetic approaches to the preparation of coordination polymers with chelated units including post-synthetic modification, post-synthetic deprotection, and post-synthetic exchange. The thermal transformations of coordination polymers, resulting in the formation of nanocomposite materials, are considered. The bibliography includes the papers published within last five years.

Received 10th May 2017
Accepted 19th August 2017

DOI: 10.1039/c7ra05302a

rsc.li/rsc-advances

^aLaboratory of Metallopolymers, The Institute of Problems of Chemical Physics RAS, Academician Semenov Avenue 1, Chernogolovka, Moscow Region, 142432 Russian Federation. E-mail: dzhardim@icp.ac.ru

^bDepartment of Chemistry, Southern Federal University, B. Sadovaya Str. 105/42, Rostov-on-Don, 344006 Russian Federation. E-mail: ieuftyand@sfsu.ru




Gulzhian I. Dzhardimalieva, Dr. Sci. (Chem.), Ph.D. is the Head of Laboratory, Institute of Problems of Chemical Physics Russian Academy of Sciences and Professor of Department of Applied Mechanics, Moscow Aviation Institute (National Research University). She received her Ph.D. in 1987 from the Institute of Chemical Physics, RAS in Moscow, and her Doctorate in Chemistry in 2010

from Institute of Problems of Chemical Physics RAS in Chernogolovka. The scope of her scientific interest is: metal-containing monomers and polymers on their base, macromolecular metal carboxylates, coordination polymers, metallopolymer nanocomposites, and nanomaterials. Dr. Dzhardimalieva is author of about 150 articles and 4 monographs. She has been as invited researcher of Auburn University, USA (2001), Warsaw Technology University, Poland (2002, 2011), Bremen University, Germany (2007), Turin University, Italy (2008), and Institute of composite and biomedical materials CNR, Neapol, Italy (2011, 2013). She was issue editor of *Journal of Inorganic and Organometallic Polymers and Materials* (2016, Vol. 26, 6).



Prof. Igor E. Uflyand, Dr. Sci. (Chem.) is the Head of Chemistry Department, Southern Federal University, Rostov-on-Don, Russia. He was born in 1956 and graduated from Rostov State University, Department of Physical and Colloid Chemistry. Prof. Uflyand received his Ph.D. in 1981 and his Doctorate in Chemistry in 1996 from the Rostov State University. He received the title of Professor in

1996. The scope of his scientific interest is: coordination and organometallic chemistry, metal chelate monomers and polymers on their basis, metal-containing polymers, catalysis by metal complexes, nanomaterials. Prof. Uflyand is the author of over 150 scientific papers, 10 patents and two books.



RSC Adv., 2017, 7, 42242–42288 | 42243




Fig. 1 The crystal structure and underlying network topology of PCN-222(Fe). The Fe–L¹ (a; blue square) is connected to four 8-connected Zr₆ clusters (b; light orange cuboid), generating a 3D network with Kagome-like topology (d, e) and large 1D channels (c; green pillar). Zr: black spheres, C: gray, O: red, N: blue, and Fe: orange. [Reprinted with permission from ref. 56. Copyright 2012, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.]

angle forming 3D network with Kagome-like topology (Fig. 1). It is remarkable that the mesoporous framework contains large 1D hexagonal open channels with a larger diameter 3.7 nm ranking among the largest for MOFs.^{77,78} In addition, this framework is preserved even after immersion in concentrated HCl, which is rare in MOF materials. We shall also notice highly stable MOFs with 3D nanochannels PCN-224(Ni, Co, Fe) assembled with six-connected Zr_6 cluster and M-L¹ metal-ligands.⁷⁹ The PCN-224 series not only demonstrates high BET surface area (2600 m² g⁻¹), but also stays unchanged at pH of aqueous solution from 0 to 11.

Metal-metalloporphyrin frameworks (MMPFs) form a class of coordination networks self-assembled using reasonable choice of metal-containing SBUs and specially developed M-Pp metalloligands.⁸⁰ As an example of CP of MMPF series, we shall consider MMPF-6 based on FeL¹-Cl metalloligand and SBU Zr oxide cluster, which is obtained under solvothermal conditions (Fig. 2).⁵⁷

Porous MMPFs including $[\text{Zn}_2(\text{HCOO})_2(\text{MnL}^1)]$, $[\text{Cd}_2(\text{HCOO})_2(\text{MnL}^1)]$, $[\text{Zn}_2(\text{HCOO})(\text{FeL}^1)]$ and $[\text{Cd}_3(\text{H}_2\text{O})_6(\mu_2\text{-O})(\text{FeL}^1)_2]$ units are synthesized by heating the mixture MCl-L^1 ($\text{M} = \text{Mn}$ and Fe) and nitrates M' ($\text{M}' = \text{Zn}$ or Cd) in mixed solvent from DMF and acetic acid.⁸¹ First three compounds are built from $\text{M}'_2(\text{COO})_4$ paddlewheel subunits linked with ML^1 bridge and formate ligands for formation of their 3D




Fig. 2 (a) FeL¹-Cl metalloligand. (b) Zr₆O₈(CO₂)₈(H₂O)₈ SBU. (c) Hexagonal and triangular 1D channels of MMPF-6. Color scheme: C, gray; O, red; Cl, green; Zr, turquoise. [Reprinted with permission from ref. 57. Copyright 2012, American Chemical Society.]




Fig. 3 (a) Deprotonated Mn-Pp ligand, (b) view of the coordination mode of Mn-Pp and the coordination environments of M' and Mn atoms, (c) lamellar network of Mn-Pp linking up $M'_2(\text{COO})_4$ paddle-wheel SBUs, (d) perspective view of the 3D Pp framework. Color codes: M' , cyan or light-blue square pyramids; Mn, orange; O, red; N, blue; C, gray. [Reprinted with permission from ref. 81. Copyright 2013, American Chemical Society.]

connectivity. Formate column is heterogeneously connected with M and M' cations in two first CPs and links homogeneously M' cations in third CP. A μ_2 -O bridging FeL^1 dimer plays a role of decadentate ligand for linking of 10 Cd cations with formation of interesting 3D coordination network of fourth CP (Fig. 3).

The reaction of $M-L^1$ ($M = \text{Co}, \text{Ni}, \text{Cu}, \text{VO}$) with lead nitrate gives MOFs with $[\text{Pb}_2(M-L^1)]$ units, which differ in framework topologies and Pp configurations changing from flat to wavy to bowl-shaped.⁸² It is important that Pp cores play pivotal role in the formation of different coordination frameworks by controlling Pp stacking, L^1 coordination modes and the coordination spheres of the Pb(II) cations.

We should also notice CZJ-1 with $[\text{Zn}_2(\text{MnOH-L}^1)(L')]$ unit, where $L' = N,N'$ -di(4-pyridyl)-1,4,5,8-naphthalenetetracarboxydiimide.⁸³ This porous MOF has a type of twice interpenetrated cubic α -Po topology, in which $\text{Zn}_2(\text{COO})_4$ paddlewheel clusters

are bridged by MnOH-L^1 in 2D sheets additionally linked by bridging organic pillared spacer L' with formation of 3D porous structure.

Among other used Pp ligand, we shall notice 5,15-bis(dicarboxyphenyl)-Pp. Thus, for example, frameworks with $[\text{Cu}_2(\text{ML})_n]$ unit have been obtained from ML metalloligands, where $M = \text{Zn}, \text{Ni}, \text{Pd}, \text{MnCl}, \text{Ru}(\text{CO})$,⁸⁴ using two different methods: interaction between Cu nitrate and ML in DMF at 80 °C during 24 h or by diffusion of triethylamine vapor into the abovementioned mixture. It is interesting that this framework forms 3D network consisting of two-component combination (Cu_2 paddlewheel nodes and ZnL building units) and having internal spherical cavity of 20 Å in diameter. This interior cavity is surrounded totally by 16 available metal centers of two different metals, *i.e.* with eight Zn atoms from ZnL units and eight Cu atoms from paddlewheel units (Fig. 4).

In another interesting example, narrowly distributed nano- and micro-meter CPs are obtained from Mn(III)-L metalloligand and Co acetate, in which morphologies are diversified from amorphous spheres in crystalline cubes through different periods of reaction (Fig. 5).⁸⁵

In order to develop CPs based on Pp ligands with a possibility to coordinate more metal centers, more than four carboxyl or Py groups were involved as, for example, in octatopic Pp-ligand 5,10,15,20-tetrakis(3,5-biscarboxyl-phenyl)-Pp.^{60,62} In particular, it is used for building of three porous M-Pp frameworks ZJU-18, ZJU-19 and ZJU-20,⁶² whose structures are 3-periodical, binodal, edge-transitive **tbo** networks (Fig. 6) showing intercrossed porous windows of about 11.5 Å and porous cavities of about 21.3 Å in diameter. These three isostructural MOFs were synthesized by heating Mn(III)Cl-L and MnCl_2 , NiCl_2 or CdCl_2 mixture, respectively, in mixed solvent from DMF and acetic acid at 80 °C during a week.

We shall also notice MOF based on tetrazolyl-Pp with $\{[\text{Mn(II)}]_4\text{Cl}[\text{Mn(III)Cl-L}]_2\}$ unit, called UTSA-57, which is built from $\text{Mn}_4\text{Cl}(\text{L})_8(\text{H}_2\text{O})_4$ clusters, linked with metalloligand Mn(III)Cl-L (Scheme 1).⁸⁶ UTSA-57 has a rare **scu** MOF topology and is built of 8-connected bridging SBUs with 1D square




Fig. 4 (a) A ZnL moiety of $[\text{Cu}_2(\text{ZnL})]_n$; and (b) a cage consisting of eight ZnL ligands and eight paddlewheel Cu_2 nodes. [Reprinted with permission from ref. 84. Copyright 2012, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.]






Fig. 5 A series of narrowly dispersed nano- and micro-sized CPs prepared from a Mn(III)-Pp metalloligand acid and Co(OAc)₂, which morphologies diversified from amorphous spheres to crystalline cubes by varying reaction periods. [Reproduced from ref. 85 with permission from The Royal Society of Chemistry.]

nanotube-like 20 Å channels along *c* axis. In addition, UTSA-57 presents 3D stable microporous structure.

An example of metalloligand for MOF formation through H-bonds can be Co(II)-5,10,15,20-tetra(4-(4-acetateethyl)phenoxy)phenyl-Pp.⁸⁷ In it, M-Pp molecules are linked with each other by intermolecular H-bonds with formation of 2D layer, which is additionally linked by $\pi \cdots \pi$ interactions for formation of 3D supramolecular structure having one type of micropores with $3.98 \times 6.47 \text{ \AA}^2$. MOF has a permanent porosity with Langmuir surface area of $158.79 \text{ m}^2 \text{ g}^{-1}$ and BET surface area of $97.70 \text{ m}^2 \text{ g}^{-1}$. In another example, M-Pp coordination framework $[\text{Co}(\text{H}_3\text{L})]_n$, where $\text{H}_6\text{L} = \text{meso-tetra}(4\text{-carboxyphenyl})\text{-Pp}$, having 2D layered coordination network structure shows H-bonds between carboxyl groups within 2D layer as well as between neighboring layers.





Fig. 6 The porous 3D crystal structure of ZJU-18. [Reprinted with permission from ref. 62. Copyright 2012, American Chemical Society.]

The popular metalloligands are metallosalens (salen is *N,N'*-bis(salicylidene)ethylenediamine),⁸⁸ in which additional functional groups, such as carboxylate, pyridine and benzoate groups are in *para*- and *meta*-positions with respect to OH-groups on aromatic ring. As an example, it can be noted using solvothermal synthetic strategy for CPs building based on metallosalens as spacers.⁸⁹ In this strategy, a metalloligand based on carboxy-functionalized salen spacer 2,6-bis[(4-carboxyanilino)carbonyl]pyridine and a metal salt are solved in DMSO/DMF mixture, and then heated, which leads to CPs formation with governed size from nano- to micro-meter level. The ligand chelates metal cations in the center of the structure and provides two terminal carboxylate groups for CP growth. The particle size is regulated by changing the reaction temperature, so that a temperature increasing leads to bigger particles. Initially formed nanowires aggregate with formation of cub-like clusters, which undergo intrastructural fusion into uniform cubic-shaped particles. In addition, the size of the formed structures is influenced by DMSO/DMF ratio, at that higher content of DMSO leads to bigger cubes.

A special attention should be given to the metalloligand strategy in synthesis of heterometallic CPs, since used metalloligand already containing ion of an initial metal fits ideally for interaction with respective secondary metal ions.^{89–91} In conventional synthesis using the reaction between mixture of metal salts and organic ligands, it is very difficult to control synthesis of heterometallic complexes, since there is always high probability of formation of homometallic polynuclear complexes. At the same time, when metalloligand strategy is used, side reaction is minimal, and exclusively heterometallic CP can be obtained. A great number of metalloligands is developed, which provide targeted production of ordered heterometallic architectures.^{93–99} Interesting heterometallic Cu(II)-Zn(II) CPs **2A** and **2B** are synthesized by interaction of CuL metalloligand, where $\text{H}_2\text{L} = \text{N,N'$ -bis(salicylidene)-1,3-propanediamine, with Zn perchlorate and sodium dicyanamide (dca) using different molar ratios of reagents (Scheme 2).¹⁰⁰ The obtained compounds are 2D and 3D CPs,





Scheme 1 A representation of processes from metallogand Mn(III)Cl-L to a 3D crystal structure of UTSA-57. [Reprinted with permission from ref. 86. Copyright 2015, American Chemical Society.]

respectively, with a common $[(\text{CuL})_2\text{Zn}(\text{N}(\text{CN})_2)_2]$ trinuclear unit, in which dca fragments have $\mu_{1,5}$ -bridging coordination regime. It is interesting that the isomeric CPs is a rare example of «genuine supramolecular isomerism». It should be noted that the reaction of similar $[\text{CuL}^1]$ metallogand (where H_2L^1 is N,N' -bis(α -methylsalicylidene)-1,3-propanediamine) with zinc perchlorate hexahydrate and sodium dicyanamide, in a 2 : 1 : 2 molar ratio at room temperature, resulted in a heterometallic discrete trinuclear complex, $[(\text{CuL}^1)_2\text{Zn}(\text{N}(\text{CN})_2)_2]$ (**1**).


Cu(II)-salen CPs $\{[\text{NiL}]_2[\text{Cu(II)CN}]_9\}_n$, $\{[\text{Cu(II)L}]_2[\text{Cu(II)CN}]_9\}_n$ and $\{[\text{NiL}][\text{Cu(I)I}]_2\}_n$ are obtained by direct linking metallosalen precursors with $[\text{Cu(I)CN}]_n$ chains and Cu_2I_2 clusters using the metallogand strategy (Scheme 3).¹⁰¹ In these CPs, efficient integration of catalytically active transition metals of Ni(II) / Cu(II) (salen) units and photoactive Cu(I) species in one solid

polymer is achieved, which makes it possible to obtain materials with double catalytic properties.


Heterometallic CPs based on metallosalens have shown their efficiency in a range of catalytic processes, in particular, Mn(II) / Cu(II)-salen MOFs in separation of chiral and achiral small molecules,⁹¹ $\text{Mn(II)/Ni(II)-salen}$ 1D CPs in olefin epoxidation,⁹⁰ $\text{Cu(II)/Cu(II)-salen}$ -based 1D CP in three-component Strecker reaction.¹⁰²

Wide range of metallogands is presented by acac-complexes, which are used, for example, in synthesis of heterometallic CPs with $[\text{NiAg}_3(\text{acac})_3(\text{NO}_3)_2]_n$, $[\text{NiAg}_3(\text{acac})_3(\text{ClO}_4)_2]_n$ and $[\text{NiAg}_2(\text{acac})_2(\text{CF}_3\text{SO}_3)_2]_n$ units, where acac is acetylacetonate anion, through integration of respective Ag salts into the reaction with Ni(acac)_2 metallogand (Scheme 4).¹⁰³ It is important that anions in CPs are decisive factors for formation of different structures. For example, first CP is outstanding 3D chiral framework, second CP has 2D inorganic layers, and third CP shows 2D (4,5)-connected layered architecture.


We shall notice crystal engineering of heterometallic CPs based on FeL_3 and Fe(L')_3 chelates, where $\text{L} = 1,3\text{-di(4-pyridyl)propane-1,3-dionato}$ and $\text{L}' = 1,3\text{-di(3-pyridyl)propane-1,3-dionato}$, which act as metallogands in reactions with Ag salts



Scheme 2 Formation of the compounds **1**, **2A** and **2B**. [Reproduced from ref. 100 with permission from The Royal Society of Chemistry.]



Scheme 3 Synthesis of $[\text{NiL}]_2[\text{Cu(I)CN}]_9_n$, $[\text{Cu(II)L}]_2[\text{Cu(II)CN}]_9_n$ and $[\text{NiL}][\text{Cu(I)I}]_2_n$. [Reproduced from ref. 101 with permission from The Royal Society of Chemistry.]



Scheme 4 The assembly of three Ag–Ni heterometallic CPs. [Reproduced from ref. 103 with permission from The Royal Society of Chemistry.]

forming CPs with $[\text{AgFeL}_3]_n$ and $[\text{AgFe(L')}_3]_n$ units (Scheme 5).¹⁰⁴ It is important that structure of obtained CPs depends on nature of used counter-ions. Thus, reaction between FeL_3 and AgBF_4 leads to CP, in which Ag centers link metalloligands in discrete nanotubes, while the reactions with AgPF_6 and AgSbF_6 have given CPs, in which metalloligands are bound in sheets. At the same time, interaction between Fe(L')_3 and AgNO_3 leads to layered CP with $[\text{Ag}_2\text{Fe(L')}_3]_n$ unit.

Metalloligand strategy is used for production of heterometallic 3D CPs containing Cu(II) and trimethyltin as nodes.¹⁰⁵ The first step of this synthetic way was *in situ* preparation of generated 2D CP with $[\text{Cu}(\mu\text{-LH})_2]_n$ unit ($\text{LH}_2 = \text{pyridine-2,5-dicarboxylic acid}$), whose reaction with Me_3SnCl has given heterometallic 3D CP with $[\text{Cu}(\text{Me}_3\text{Sn})_2(\mu\text{-L})_2]_n$ unit (Scheme 6). The obtained CP is 4,4-connected polymer with **sqc** topology, which contains the paddlewheel-shaped core consisting of two heterometallic Sn(IV)/Cu(II) macrocycles.


In another interesting example, 3d–4d heterometallic Co(III)–Zn(II) and Co(III)–Cd(II) CPs are obtained from two Co(III)-based metalloligands containing appended groups of arylcarboxylic acids 5-(picolinamido)-isophthalic acid and 4-[(pyridine-2-carbonyl)-amino]benzoic acid in different positions.¹⁰⁶ Arylcarboxylate groups coordinate secondary metal ions, Zn(II) and Cd(II), with production of different 3D networks (Fig. 7). It is important that all networks show ordered positions of secondary metal ions and unique, even unprecedented network topologies.

An example of using chelating bpy ligands is porous 3D CP with $[\text{La}_2\text{Cu}]_n$ unit based on tetranuclear La_4 cluster and Cu(I)-metalloligand, including 6,6'-dimethyl-5,5'-dicarboxy-bpy, where bpy is 2,2'-bipyridine.¹⁰⁷ In flexible porous heterometallic MOFs of rock-salt-type based on $[\text{CoL}_3]^{3-}$ metalloligand ($\text{H}_2\text{L} = 4,4'$ -dicarboxy-bpy) and trivalent lanthanide cations La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, and Er, six carboxylates in the upper part of each coordination octahedron of Co(III)-metalloligand are bound with M cations.¹⁰⁸ If a MOF contains M cation smaller than Nd(III), the MOF is crystallized in cubic spatial group $Fm\bar{3}m$, while other MOFs with larger M are crystallized in low-symmetric rhombic spatial group $Fddd$ due to asymmetric 10-coordinated bicapped structure of square anti-prism of larger M cation.


There is an interesting using of macrocyclic metalloligand NiL ($\text{H}_2\text{L} = 1,4$ -dihydro-2,3-dioxo-5,6-9,10:13,14-tribenzo [1,4,8,11]tetraazacyclotetradeca-7,11-diene-7,12-dicarboxylate) for production of CPs with $[\text{Mg}(\text{NiL})]_n$, $[\text{Zr}_2(\text{NiL})_2]_n$ and $[\text{Pb}(\text{NiL})_2]_n$ units having infinite one-chained helical structures.¹⁰⁹ All NiL metalloligands in CPs are located in head-to-tail positions (Fig. 8, left column), in order to form very similar single-twisted helical CPs (Fig. 8, right column).

2.2. Pillar-layered strategy

Pillared MOFs are widely studied platforms with numerous applications; they consist of 2D layers, which have ligating sites



Scheme 5 A dependence of CP structure on nature of counter-ions during the reactions of FeL_3 with AgX ($\text{X} = \text{BF}_4^-$, ClO_4^- , PF_6^- , AsF_6^- , SbF_6^- , NO_3^- , CF_3SO_3^- , tosylate). [Reproduced from ref. 104 with permission from The Royal Society of Chemistry.]



Scheme 6 A metalloligand type of synthetic route for production of heterometallic 3D CP containing Cu(II) and trimethyltin as nodes. [Reprinted with permission from ref. 105. Copyright 2014, American Chemical Society.]

for linking with ditopic columns, as a rule, derivatives of 4,4'-bipy, where 4,4'-bipy is 4,4'-bipyridine, leading to 3D architectures. Functionalization either with spacers within 2D layers or ditopic columnar ligands allows to easily adjusting structures and properties of pillared MOFs.⁶⁷

Most widely used for building pillared-layered CPs are M-Pp, since they form rigid 2D sheets, which are easily connected by pillared ligands. Thus, for example, Pp paddlewheel frameworks

(PPF family) are obtained using M-Pp and columnar molecules for connection of paddlewheel SBUs.¹¹⁰ The PPF assembling can be considered as two-staged process. At the first stage, carboxyl groups of M-Pp, where Pp = tetra-(4-carboxyphenyl)-Pp, bind to $\text{M}_2(\text{COO})_4$ paddlewheel SBUs ($\text{M} = \text{Zn}, \text{Co}$), which are insensitive to Pp metals. In the resulting 2D layer consisting of M-Pp and paddlewheel SBUs, axial paddlewheel directions are easily available for connection with ancillary ligands. At the second stage,




Fig. 7 The synthesis of Co(III)-Zn(II) and Co(III)-Cd(II) heterometallic coordination networks. [Reprinted with permission from ref. 106. Copyright 2015, American Chemical Society.]







Fig. 8 Coordination environments of metal centers, and metal-binding mode, «head-to-tail» arrangement and saddle shape of NiL (left column) and left- (M) and right-handed (P) helical chains (right column) in $[Mg(NiL)]$ (top), $[Zr_2(NiL)_2]$ (middle) and $[Pb(NiL)_2]$ (bottom). Mg, Zr, and Pb, pine green; Ni, cyan; N, blue; O, red; C, grey. [Reprinted from ref. 109 with permission of Springer.]

the class of bipyridyl molecules is used as pillars for linking 2D layers occupying axial sites. Therefore, for demonstration of targeted M-Pp pillaring, the controlled strategy of production of Pp-based pillared-paddlewheel frameworks PPF-11, including metal pairs Zn/Zn, Co/Co, Mn/Zn and Fe/Zn, is developed, where first and second metal are the metal centers in a Pp core and in a paddlewheel cluster, respectively, by changing pillaring ligands from 4,4'-bipy to 2,2'-dimethyl-4,4'-bipy. These compounds have 3D framework, in which 2D layers are pillared with a steric controlled 2,2'-dimethyl-4,4'-bipy remaining structurally

unbound metal centers inside Pp. Therefore, using this approach, a desired control over pillar coordination is reached.

Another example is F-MOF and DA-MOF, which consist of two Zn(II)-Pp columns of [5,15-dipyridyl-10,20-bis(pentafluorophenyl)porphyrin]-Zn(II) and [5,15-bis[4-(pyridyl)ethynyl]-10,20-diphenylporphyrinato]-Zn(II), respectively (Scheme 7).¹⁹ Photogenerated exciton migrates at a pure distance up to ~45 Pp pillars during its lifetime in DA-MOF, and only up to ~3 Pp pillars in F-MOF with high anisotropy along specific direction. This means that Pp molecular structures play important role in





Scheme 7 Synthesis routes of the isostructural F-MOF and DA-MOF compounds and photographs of resulting crystals. [Reprinted with permission from ref. 19. Copyright 2013, American Chemical Society.]

exciton jump. Great distance and directed energy transfer in DA-MOF suggest promising applications of this compound for development of efficient light-harvesting and energy-transporting materials.

2.3. Approach based on supramolecular building blocks

Other approaches to MOFs design were inspired by success in supramolecular chemistry. Thus, supramolecular building blocks (SBB) approach is a powerful method for achievement of hierarchical assembling, which provide qualitatively far higher level of control over structural properties and porous structures.¹¹¹ This concept is based on using preliminary chosen 0-periodical metal-organic polyhedron (MOP) as a building unit, which allows to self-assembling greater and more complicated ensembles of several metallic nodes and organic spacers at the supramolecular level. As compared with molecular building units, these supramolecular cages or clusters can sharply increment porous architecture, and very often they have well-defined coordination geometry, which results in considerable degree of predictability in synthetic design. MOFs having high symmetry based on highly-connected polyhedral cage of molecular building units, which actually are SBBs, can provide elegant control over a structure due to their high connectivity, and also can design themselves features of limited nanospace and very high surface area. In most detail, this approach was studied for the example of M-Pp CP by MOP building using $[M_2(\text{carboxylate})_4]$ paddlewheel fragments. It is important that MOPs can be functionalized either on vertices, or on faces.

Using MOPs as building units promotes scale of MOFs to higher complexity level, and can give interesting MOF platforms. Thus, for example, 24-, 18-, or 12-connected MOPs were

used as SBBs for formation of highly connected **rht**-MOFs,^{112–115} **gea**-MOFs,¹¹⁶ and **fcu**-MOFs, respectively.¹¹⁷

Moreover, several isophthalate derived Pp ligands were successfully prepared during building nanometer polyhedral





Fig. 9 The three types of polyhedral cages presented in MMPF-3: (a) cubohemioctahedron, (b) truncated tetrahedron, and (c) truncated octahedron. (d) 3D structure of MMPF-3 illustrating how its polyhedral cages are connected. [Reprinted with permission from ref. 61. Copyright 2012, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.]





which made it possible to design and produce pillared MOFs with far higher complexity (Fig. 10).¹¹⁸ This unique and powerful assembling strategy is based on using pre-targeted 2-periodical MOF layers as SBLs for deliberate building 3-periodical functional MOFs. This is carried out by chemical cross-linking layers through available bridging sites on layers (for example, open metal site or modified positions of organic spacer). SBL structural method requires reasonable choice of organic ligands, which will be pillars for layers. Definitely, this unique strategy is not confined to complicated pillaring; it is also applied to simple pillaring. As a result of countless combinations of cross-linkings, numerous MOFs with certain 3D network topologies can be pre-targeted developed and synthesized using preliminary obtained SBLs. Additional advantage of this approach is the fact that the common framework and topology of the network will remain unchanged basing on pillared layers, which provides almost unlimited expansion of the limited space (for example, cavities and porosity). In addition, it should be noted that if pores or windows of the layers remain unexpanded (*i.e.* expansion takes place only due to pillars), interpenetration of MOFs is excluded. No less important is the fact that modularity typical of this method provides easy functionalization or introduction of additional functionalities for deliberate applications.

We shall also notice another conceptual strategy, in particular, the approach based on supramolecular building layers (SBLs),






Fig. 11 (a) Layer segment of a *kgm*-MOF. (b) (Left) 5-(isonicotinamido)isophthalic acid (H_2L^1) and right: 5-(nicotinamido)isophthalic acid (H_2L^2). (c) Hourglass-shaped channels with two primary types of cavities. C – gray, O – red, N – blue, Cu – plum. [Reproduced from ref. 119 with permission from The Royal Society of Chemistry.]

SBL approach is used for deliberate synthesis of MOF with open massif of amide or amine functionalities inside the porous system.¹¹⁹ Two MOF platforms, *eea*-MOF and *rtl*-MOF based on pillaring *kgm*-a or *sql*-a layers with hetero-functional 3-connected organic building units, are directed and built deliberately for desired incorporation and

demonstration of amide or amine functionalities (Fig. 11 and 12). Distinctive *kgm*-a and *sql*-a networks can be considered as ideal blueprints for targeted 2-periodical MOFs based on assembling square building units produced from well-known metal paddlewheel clusters used as molecular building units.





Fig. 12 (a) Layer segment of a *sql*-MOF. (b) (Left, up) 5-(pyridin-4-ylamino)isophthalic acid (H_2L^3). (Right, up) 5-(pyridin-3-ylamino)isophthalic acid (H_2L^4). (Bottom) 5-(pyrimidin-5-ylamino)isophthalic acid (H_2L^5). (c) Projection along the *a*-axis of the *rtl*-MOF-2 displaying channel. C – gray, O – red, N – blue, and Cu – plum. [Reproduced from ref. 119 with permission from The Royal Society of Chemistry.]



Other 3-periodical porous MOFs can be potentially targeted through pillaring SBLs based on one of five edge-transitive 2-periodical networks: **sql** (square lattice), **k_{gm}** (Kagomé), **hcb** (honeycomb), **k_{gd}** (Kagomé double), and **hex** (hexagonal lattice). In addition, the obtained MOF layers can be perceived as SBLs, which are subjected to pillaring through 2-, 3-, 4-, or 6-connected organic building units for building desired 3-periodical MOF platforms.¹¹⁸

3. Synthetic methodologies

3.1. Conventional synthesis

By now, quite many approaches to MOF synthesis have been developed, which are usually conventionally divided into two big groups: conventional synthesis and alternative methods of synthesis.^{120–123} The term conventional synthesis is applied to reactions performed without heating or using traditional electric heating without parallelization of reactions. Most MOF synthesis is carried out in liquid phase, in which separate solutions of metal salt and ligand are mixed together or a solvent is added to a solid salt and a ligand mixture in a reaction vessel. In order to obtain new MOFs, different factors should be taken into account during synthesis, such as nature of a metal ion, structural features of organic ligand, counterion, and some experimental variables including temperature of reaction, ratio of reacting agents and their concentrations, pH, system of solvents, crystallization methods, *etc.*¹²⁴ Even small variations of only one from several factors having effect on the synthesis process can change dramatically structure of the formed MOFs.


Thus, if reaction between metal(II) acetates and a [1-(2-hydroxyphenyl)propylidene]-hydrazide ligand is performed in 1 : 2 (M : L) molar ratio, only Mn(II) forms 1 : 2 complex in

ethanol, while Cu(II) and Zn(II) form 1 : 1 1D CPs in methanol (Scheme 9).¹²⁵ Interaction of ligand with Mn(II) acetate in methanol instead of formation of expected Mn(II) complex leads to heterocyclic derivative of quinazoline 2,2-dimethyl-3-[1-(2-hydroxy-phenyl)-propylideneamino]-2,2-dimethyl-2,3-dihydro-1H-quinazolin-4-one.

Using interaction between 2-substituted 8-hydroxyquinolinate ligand (HL) including Py group and Zn or Cd salts, CPs with [ZnL₂]_n and [CdL₂]_n units are produced (Scheme 10).¹²⁶ The first CP has 2D square network containing *meso*-helical chains, while the second CP is a 2D network made of binuclear Zn₂ SBUs. By incorporation of two dicarboxylate anions into the reaction system, four CPs are obtained with [Zn₂L₂(L')]_n, [Zn₃-L₂I₂(L'')]_n, [Cd₂L₂(L')]_n, and [Cd₂L₂(L'')]_n units (H₂L' = 1,4-benzenedicarboxylic acid, H₂L'' = 4,4'-biphenyldicarboxylic acid). The L'-based CPs show 2D structures built by cyclic hexamers Zn₆L₄, which are divided in half by coordinated H₂L. In CPs based on L'', four ligands bridge 1D ML chains into 2D layered structure or present an interesting 3D structure in which L'' ligands link binuclear Cd units into multiple *meso*-helical chains along *a* and *b* axes, respectively. Therefore, skeletons of dicarboxylate anions play important role in assembling different MOF structures.


In the case of using organic acid, a base is needed, usually, amine, which is used to deprotonate the acid (future bridging fragment) and to initiate the reaction. At that, it is important to exclude competitive coordination of the base and organic acid.

3.1.1. Solvent evaporation method. A solvent evaporation is most conventional and widely used method of crystal growth which carried out by evaporation or cooling a saturated solution. For this method, the following conditions are needed: crystals grow in saturated solutions, solubility increases as temperature rises, and crystals can appear during cooling,



Scheme 9 Versatile coordination behavior of Schiff base ligand, 2-amino-benzoic acid [1-(2-hydroxy-phenyl)-propylidene]-hydrazide, and results of the formation of mono-/polynuclear complexes of Mn(II), Cu(II) and Zn(II). [Reprinted from ref. 125. Copyright 2015, with permission from Elsevier.]





Scheme 10 Synthesis of CPs based on 2-substituted 8-hydroxyquinolate ligand including Py group, where H₂BDC is 1,4-benzenedicarboxylic acid and H₂BPDC is 4,4'-biphenyldicarboxylic acid. [Reproduced from ref. 126 with permission from The Royal Society of Chemistry.]

which should be well controlled, since the cooling rate and final temperature are interrelated. Its main drawback is long duration of the process as compared to other known ordinary methods.

As an example of a simple water-based method of solution-slow evaporation, we shall consider synthesis of Pb-based CP with [Pb₂Cl₂(HL)₂]_n unit, where H₂L = pyrazine-2,3-dicarboxylic acid, under optimized conditions.¹²⁷ In the same way, the CP with [Pb₃L₃]_n unit is obtained without any additives. Reactions between Zr(IV) salt and Pp-tetracarboxylic acid lead to MOF with two types of open channels presenting MOF distinguished by (4,8)-connected **sqc** network. It is interesting to notice that MOF remains unchanged in boiling water and in aqueous solutions with pH changing from 1 to 11, surprisingly wide range, which MOF can endure.¹²⁸ 3D heterobimetallic CP with [MnL₂-Hg(SCN)₄]_n asymmetric unit (L = 2-benzoylpyridine) is synthesized by slow addition of NH₄SCN and Hg(SCN)₂ aqueous solution to methanol solution of Mn chloride and L followed by mixing at room temperature during 12 h.¹²⁹

The final dimensionality of crystal structure depends on such important factor as M-L ratio. It is known that 1 : 1 ratio often leads to 1D structures, and high coefficients, as a rule, advance CP of higher dimensionality.¹³⁰ Not only covalence has relation to these structures: bridging action of non-covalent interactions such as H-bonds or π - π stacking can change final structures even with very similar components. This result depends strongly on reactivity of involved types and H-bonded donor/acceptor interactions.


Reactions of alkyl substituted aromatic monocarboxylic acids (HL) with transition metal ions in presence of chelating and bridging N,N-donor ligands (L') give either discrete or polymer complexes depending on position of a substituent on benzoic acid and ability of ancillary ligand to work as chelating or bridging ligand.¹³¹ For example, when phen was used as an

ancillary ligand, and for carboxylic acid was taken 4-*tert*-butylbenzoic acid, discrete complexes were deposited. However, for the same ancillary ligand with 2,4,6-trimethylbenzoic acid, 1D helical polymers with [ML₂(L')]_n unit (M = Mn, Co, Cu and Zn) were obtained. This clearly shows ability of *o,o*-disubstituted benzoic acids to form helical polymers, while *p*-substitution on aryl ring leads to discrete complexes.

Ancillary ligands, such as bpy and phen, are often used with multicarboxylate ligands for building new functional CP architectures with chelated units.¹³² Phen as an ancillary ligand is most preferable since it generates 3D supramolecular interactions, such as aromatic π - π stacking and -CH- π interaction stacking, which provides stability of supramolecular ensembles.¹³³⁻¹³⁵ In this connection, reasonable combination of bridging carboxylates with phen-like chelating ligands and metal ions has generated many interesting coordinated architectures. As length of a linear spacer increases, a tendency to interpenetration of 3D CP also increases, and if a structure is already penetrated, a degree of interpenetration, as a rule, increases with length of a spacer ligand.

Counter-ions are present in CP structure, when neutral ligands are used. They can have effect on geometrical environment of a metal ion (more or less coordinating counter-ions), and can control generally CP structure by involving into weak interactions or acting as guest molecules in voids of a crystal architecture. As a typical example, we shall consider assembling tripyridyltriazole ligand 3,4-bis(2-pyridyl)-5-(3-pyridyl)1,2,4-triazole (L) with dca anion, where dca is dicyanamide, and different Cd(II) salts in CH₃OH-H₂O medium, which leads to CPs with [Cd₂L₂(dca)₄(H₂O)]_n, [CdL(dca)(ClO₄)]_n and [CdL(dca)X]_n (X⁻ = Cl⁻ and Br⁻) units.¹³⁶ In the first two CPs, Cd(II) centers are linked by L spacers forming [Cd₂L₂] bimetal units, which are bridged with dca anions, thus leading to 1D motif and 2D layer, respectively. The latter two CPs reflect 3D isostructural






Scheme 11 The assemblies of the tripyridyltriazole ligand 3,4-bis(2-pyridyl)-5-(3-pyridyl)1,2,4-triazole with $\text{Cu}(\text{II})$ chloride and dca anion at different M–L ratios into CPs displaying 1D double-chained massif and 3D chiral dia network, respectively. [Reprinted from ref. 137. Copyright 2014, with permission from Elsevier.]

homochiral coordination networks built by 1D $[\text{CdL}]_n$ helical units and dca bridges. Therefore, $\text{Cd}(\text{II})$ salt counter-ions are responsible for different CP structures. We shall also notice that assemblies of the same ligand with $\text{Cu}(\text{II})$ chloride and dca anion at different M–L ratios give CPs with $[\text{Cu}_5\text{L}_4(\text{dca})_{10}]_n$ and $[\text{CuL}(\text{dca})\text{Cl}]_n$ units displaying 1D double-chained massif and 3D chiral dia network, respectively (Scheme 11).¹³⁷

Depending on nature of anion of the initial metal salt $\text{Cu}(\text{NO}_3)_2$ or $\text{Cu}(\text{ClO}_4)_2$, mixing their aqueous solutions with methanol L solution [$\text{L} = 3$ -(2-pyridyl)-4-(4-pyridyl)1,2,4-triazole] leads either to a mononuclear complex $[\text{CuL}_2(\text{H}_2\text{O})_2](\text{NO}_3)_2$, or to 1D linear CP with $[\text{CuL}_2]_n$ unit, respectively.¹³⁸ It is interesting that incorporation of NaN_3 in these assembled systems under similar conditions gives two different 2D layered networks with $[\text{CuL}(\text{N}_3)]_n$ units, both of which contain double inorganic anions as counter-ions ($\text{NO}_3^-/\text{N}_3^-$ and $\text{ClO}_4^-/\text{N}_3^-$, respectively). In addition, 1D linear massif $[\text{CuL}(\text{N}_3)_2]_n$ is obtained with N_3^- compensating positive charges with subtle change in reaction

conditions. It should be noted that stepwise structural transformations between these crystal phases can also be achieved by direction of azide anion (Scheme 12). In other example, $\text{Cd}(\text{II})$ CPs with $[\text{Cd}(\text{L})(\text{H}_2\text{O})\text{Cl}_2]_n$, $[\text{Cd}(\text{L})(\text{H}_2\text{O})\text{Br}_2]_n$ and $[\text{CdLI}_2]_2$ units are assembled from CdX_2 ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) and the same ligand.¹³⁹ The first two CPs are isostructural and show 1D loop-like chain, while the third complex has prominent dimeric macrocyclic motif. It is interesting that another 1D chain $[\text{CdLI}(\text{SCN})]_n$ can be reached when NH_4SCN is incorporated in the assembled system of third complex. Thus, halogenide- and thiocyanate-anions in these coordination complexes act not only as counter-ions, but as structure-directing agents.

We shall also notice 3,3'-di(pyrazinamoyl)-bpy (H_2L) ligand consisting of different linking units, which can facilitate CP formation.¹⁴⁰ Reaction of the ligand with Cu acetate in presence of $\text{Et}_3\text{N} \cdot \text{HCl}$ gives CP with $[\text{Cu}_6\text{L}_2\text{Cl}_2(\text{OAc})_6]_n$ unit, at that *trans*-configuration of bpy-unit presented in the ligand remains in the resulting CP. In other words, a bpy fragment is not chelating,



Scheme 12 A diagram illustrating self-assembled and structural transforming processes including 3-(2-pyridyl)-4-(4-pyridyl)1,2,4-triazole, metal salt $\text{Cu}(\text{NO}_3)_2$ or $\text{Cu}(\text{ClO}_4)_2$, and NaN_3 . [Reprinted from ref. 138. Copyright 2015, with permission from Elsevier.]





Among a vast variety of polytopic ligands used in hydro-(solvothermal) MOF synthesis, the leading role, undoubtedly belongs to carboxylate ligands,¹⁻⁴ therefore they, first of all, were used in design of CPs with chelated units. Thus, solvothermal reaction of Co(II) or Zn(II) salts with dianhydride of 1,2,4,5-benzenetetracarboxylic acid (H₄L) leads to formation of 3D CPs with [Co₂L]_n and [Zn₄L₂]_n units. In the first polymer, 1D Co(II) carboxylate chains are interconnected by organic fragment of L⁴⁻ ligands. In the second polymer, 1D ZnL⁴⁻ ribbons are interconnected by [Zn₂(H₂O)₃] building units creating 3D porous framework with 1D rectangular channels.¹⁵⁰ Often in similar synthesis, ancillary ligands such as 1,2-di(4-pyridyl) ethylene (L') are also used apart from the main ones. It is with this ligand, CP with [ZnL_{0.5}(L')_{0.5}]_n unit is obtained, which has a complicated 3D framework with (3,4)-connected **fsh** topology.¹⁵¹ An interesting example is 3D CP with [Cd₃(L')₂L₂]_n unit synthesized based on a main ligand of 1,2,4-benzenetricarboxylic acid (H₃L) and ancillary ligand of 1,4-bis(imidazolyl)butane (L') under hydrothermal conditions. The obtained

An interesting example is hydro(solvo)thermally synthesized CPs with $[\text{Mn}_2\text{L}_2(\text{phen})_2]_n$, $[\text{Mn}_2\text{L}_2(\text{phen})]_n$ and $[\text{Mn}_4\text{L}_4(\text{phen})_4]_n$ units based on 1,4-naphthalene dicarboxylic acid (H_2L).¹⁵⁹ L^{2-} ligands take various coordination regimes in different solvents and concentrations, which provides formation of different crystal structures. Thus, first CP has Mn_2 dimers linked with L^{2-} spacers, and stacked in 2D structures of grid pattern. The next CP has 3D framework, which is formed by Mn_2 dimers and L^{2-} spacers, and each MnO_4N_2 node of the third CP is linked with other node through L^{2-} ligands with formation of 2D structure (Scheme 13).





Fig. 15 (a) Molecular square structure of CP with $[\text{Cd}(\text{HL})(\text{phen})]_n$ unit based on 2-ethyl-1H-imidazole-4,5-dicarboxylic acid. (b) 1D chain of CP. (c) 2D sheet of CP supported by π - π stacking interactions. [Reprinted from ref. 158 Copyright 2012, with permission from Elsevier.]

It should be also noted synthesized under hydrothermal conditions CPs with $[\text{CdL}(\text{L}')_{0.5}]$ (1), $[\text{NiL}(\text{L}')]$ (2), $[\text{Cd}_2\text{L}_2(\text{L}')_2]$ (3), $[\text{CdL}(\text{L}')]_2$ (4), $[\text{NiL}(\text{L}')]_2$ (5), $[\text{NiL}(\text{L}')]_2$ (6), $[\text{CdL}(\text{L}')_{0.5}]$ (7), $[\text{CdL}(\text{phen})]$ (8), $[\text{Cd}_3\text{L}_3(\text{H}_2\text{O})]$ (9), and $[\text{Cd}_3\text{L}_3(\text{L}')_{0.5}]$ (10) units including the main ligand 3-carboxy-1-(4'-(2''-carboxy) biphenylmethyl)-2-oxidopyridinium (H_2L) and ancillary (L') ligands 1,4-bis(imidazol-1-ylmethyl)benzene (compounds 1 and 2), 2-(6'-(pyridin-2''-yl)-4'-p-tolylpyridin-20-yl)pyridine (compounds 3 and 5), 2-(4'-(4''-tert-butylphenyl)-6'-(pyridin-2''-yl)pyridin-20-yl)pyridine (compounds 4 and 6), 1,10-(1,6-hexanedidyl)bis(imidazole) (compound 7), 1,10-(1,4-butanediyl)bis(imidazole) (compound 10).¹⁶⁰ It is important that the crystal structures of the obtained CPs are influenced to a great extent by L-anions and N-donor ligands.

Solvothermal reactions of terphenyl-2,5,2',5'-tetracarboxylic acid (H_4L) and $\text{M}(\text{n})$ in presence of bpy give three CPs with $[\text{ML}_{0.5}(\text{bpy})]_n$ ($\text{M} = \text{Co}, \text{Ni}$) and $[\text{Cu}(\text{H}_2\text{L})(\text{bpy})]_n$ units.¹⁶¹

Of interest are systematic arrays of CPs including bpy chelating ligand and different derivatives of isophthalic acid such as 5-(4'-methylphenyl) group (1D linear chain linked with L



Scheme 13 The formation of various crystal structures in different solvents and concentrations during interaction of 1,4-naphthalene dicarboxylic acid, phen and MnCl_2 . [Reproduced from ref. 159 with permission from The Royal Society of Chemistry.]

bridge),¹⁶² OH group (1D zigzag chains linked by H-bonding and π - π stacking interactions to form a 3D supramolecular structure),¹⁶³ 5-(4-carboxybenzylamino) group (1D, 2D and 3D frameworks),¹⁶⁴ 5-(imidazol-1-yl-methyl) group (double-chained and 3D supramolecular structures through H-bond/ π - π interactions),¹⁶⁵ 4,5-di(3'-carboxylphenyl) group (0D, 1D, 2D and 3D structures) *etc.*¹⁶⁶ Such arrays make it possible to reveal fundamental structure-property relations to define possible directions of practical applications for CPs.

It should be also noted using 3,5-disulfobenzoate (L) in hydrothermal synthesis of Ln -based 2D MOFs with $[\text{LnL}(\text{phen})]_n$ unit, where $\text{Ln} = \text{La}, \text{Pr}, \text{Nd}$.¹⁶⁷ They belong to two 2D structural types, and their networks have different topologies: the isostructural La and Pr compounds are uninodal 5-connected CP 2-periodical (6,3) networks and the Nd compound has a binodal 3- and 6-connected **kgd** network.

It is interesting the using flexible fatty carboxylic acids, for example heptane and hexane diacids, as bridging ligands, and phen derivatives, for example, 2-(3-pyridyl)imidazo[4,5-f]phen and 2-(4-pyridyl)imidazo[4,5-f]phen, as chelating ligands.¹⁶⁸

Another direction of hydro(solvo)thermal synthesis of CPs with chelated units is linking monomer metal chelates with various bridging ligands. Thus, CP with $[\text{Co}_2(\mu_{1,1}-\text{N}_3)_2(\text{phen})_2(\text{N}_3)_2]_n$ unit has been obtained by hydrothermal method using a phen as ancillary chelating ligand and bridging azide-linking ligand.¹³⁰ Macrocyclic ML complexes based on 2,3-dioxo-5,6,15,15-dibenzo-1,4,8,12-tetraazacyclo-pentadeca-7,13-diene (H_2L) are applied as main building units for preparation of CPs with $[\text{Cd}(\text{L}')(\text{NiL})]_n$ and $[\text{Mn}(\text{L}'')(\text{NiL})_2]_n$ units including bridging ligands 5-aminoisophthalic acid ($\text{H}_2\text{L}'$) or 5-aminoisophthalic acid ($\text{H}_2\text{L}''$). It is important that CPs consist of different 1D chains formed by L and L' or L'' bridge, and they are bound through H-bonds into 2D architecture.¹⁶⁹

The 2D CPs with $\{[\text{ZnL}(\text{phen})]_2\}_n$, $\{[\text{CdL}(\text{phen})]_2\}_n$, $\{[\text{Zn}(\text{L}')(\text{phen})]_2\}_n$ and $[\text{Zn}(\text{L}')(\text{phen})]_n$ units are obtained as a result of reaction of $\text{Zn}(\text{II})$ - or $\text{Cd}(\text{II})$ -phen with biphenyl-4,4'-dicarboxylic acid (H_2L) and 4,4'-azidobenzonic acid ($\text{H}_2\text{L}'$).¹⁷⁰ The coordination-induced effect of their morphology is shown; in



particular, grain and flowery morphology of non-coordinated ligands H_2L and H_2L' , respectively, changes with coordination of metal salts. The ridged surface, cracks of 2 μm width, parallelepiped structure and feathery appearance are established for the CPs, respectively (Scheme 14).

At the same time, when using bpy-4,4'-dicarboxylate (H_2L) and the respective transition metal(II) salt under hydrothermal conditions, CPs with $[MnL(H_2O)_2]_n$, $\{[NiL(H_2O)_2] \cdot 2H_2O\}_n$, $[NiL(H_2O)_2]_n$, and $[CuL(H_2O)]_n$ units are obtained, in which each metal ion is coordinated with chelating bpy fragment, two carboxylate oxygen L^{2-} and water molecules.¹⁷¹

There is interest in other 3d-4f heterometallic CPs with $[Ln_3Co_2L_5(HL)_5(H_2O)_5]_n$ ($Ln = \text{Eu, Gd, Tb, Dy, Ho, Tm, Lu}$) unit shaped as 3D sandwich-like framework.¹⁷²

Heterocyclic polycarboxylates are widely used in synthesis of CPs with chelated units.¹⁻⁴ Thus, hydrothermally synthesized are 2D lanthanide CPs with $[LnL(HL)]_n$ ($Ln = \text{Pr, Nd, Sm, Eu and Tb}$, $H_2L = \text{pyridine-2,3-dicarboxylic acid}$) unit, which are built from sheets consisting of carboxylate-bridging Ln dimers folded along [100] direction and held together by H-bonds between carboxylic groups.¹⁷³ Using 1,4-bis(1*H*-imidazol-1-yl) butane (L') as an ancillary ligand, CPs with $[ZnL(L')]_n$ and $[CdL(L')]_n$ units are obtained, first CP of which shows wave-like layered structure, where layers are additionally stacked through π - π interactions to generate 3D supramolecular architecture (Fig. 16).¹⁷⁴ For the second CP, 3D three-fold interpenetrating diamondoid architectures are typical.

It should be also noted the using pyridine-2,5-dicarboxylic,^{175,176} pyridine-2,4-dicarboxylic,¹⁷⁷ and pyridine-2,6-dicarboxylic^{178,179} acids in the design of CPs.


Under hydrothermal conditions from Co(OH)_2 and chelidamic acid in the molar ratio 1 : 1, the Co(II) CP with $[\text{Co}_{1.5}L]_n$ unit is obtained, which crystallizes into 1D stair-like structure.¹⁸⁰

There is interest in CP with $[\text{Ca}_2L(L')]_n$ unit based on pyrazine-2-carboxylate (L) and benzene-1,3,5-tricarboxylate (L') synthesized by hydro(solvo)thermal method forming a double layered network, in which inorganic zigzag chains of coordination Ca polyhedron are bound with organic ligands.¹⁸¹ CPs with $[\text{M}_2L_4]_n$ unit are obtained through interaction between 2,3-pyrazinedicarboxylic acid (H_2L) and Y and Sm nitrates under hydrothermal conditions in presence of ammonia for pH regulation. The obtained CPs are isostructural and show a 3D network structure based on $[\text{M}_2L_4(H_2O)_2]$ building units.¹⁸²


Different synthetic strategies are used in hydro(solvo)thermal synthesis of CPs based on the different imidazole-dicarboxylic acids: imidazole-4,5-dicarboxylic,¹⁸³ 2-*p*-methoxyphenyl-1*H*-imidazole-4,5-dicarboxylic,¹⁸⁴ 1-(4-carboxybenzyl)-1*H*-imidazole-4,5-dicarboxylic,¹⁸⁵ and 2-(pyridine-3-yl)-1*H*-imidazole-4,5-dicarboxylic¹⁸⁶ acids.

CPs with $[\text{PbL}_2]_n$ and $[\text{MnL}]_n$ units based on imidazo[4,5-*f*]phen (L) are synthesized using hydrothermal method.¹⁸⁷ In the structure of the first polymer, a Pb(II) center is six-coordinated and has octahedral geometry. In the second CP, Mn(II) ion is six-coordinated with formation of distorted octahedral configuration, and the polymer shows 1D supramolecular chain formed *via* H-bonds.

Hydro(solvo)thermal method proves to be very efficient for production of chiral CPs, which are of great interest not only due to intriguing variety of architectures and topologies, but



Scheme 14 CPs obtained by the reaction of metal $[\text{Zn(II)}, \text{Cd(II)}]$, phen separately with biphenyl-4,4'-dicarboxylic acid and 4,4'-azodibenzoic acid. [Reprinted with permission from ref. 170. Copyright 2012, American Chemical Society.]






Fig. 16 (a) Coordination environment of the Zn(II) atom in CP. (b) View of the 2D undulating layer of CP. (c) View of the 3D supramolecular architecture connected by face-to-face π - π interactions. [Reprinted from ref. 174. Copyright 2013, with permission from Elsevier.]

because of their potential applications in many areas.^{92,93,188,189} It is important that chiral CPs can be developed controllably by targeted choice of ligands or metal centers.^{30,190–193} Among the developed by now methods of designing chiral materials, it is worth noticing incorporation of chiral ligands, chiral templates, or chiral ancillary agents, and also spontaneous resolution without chiral auxiliary.¹⁹⁴ From this view, the most rational method of design of chiral CPs is integration of a chiral center into the structure, such as a chiral ligand; however, this process is not always convenient because of difficulty of a chiral ligand synthesis.^{195–198} In addition, more attention is attracted to use of achiral ligands for building various chiral frameworks, especially by different conformed rotations of a ligand skeleton or self-assembling achiral building units.¹⁹⁹ Principally important strategy for structuring chiral materials is development of left-hand and right-hand helical structures, which requires efficient transfer of stereochemical information between neighboring chiral helices.²⁰⁰ Considerable contribution to transfer of chirality between helices can be made using supramolecular interactions including M–L bonds and non-covalent interactions, such as H-bonds and π - π stacking interactions.²⁰¹ Therefore, it is promising to use associated functionalities providing supramolecular interactions and performing efficient chiral transfer along whole supramolecular assembling. At the same time, enantioselective synthesis is straight and efficient method of synthesis of enantiopure chiral-open MOF using enantiopure building units as precursors of reagents. Therefore, many chiral-open frameworks with high thermal stability are obtained using enantioselective synthesis and are successfully used in enantioselective catalysis and


separation. It should be noted that chirality is a unique property of CPs with chelated units when tris-chelate is used.

In order to integrate inherent chirality of a ligand and chirality induced by conformation rotations of asymmetric skeleton of the ligand during its coordination, CPs with $[\text{CoL}(\text{Py})_2]_n$, $[\text{NiL}(\text{Py})_2]_n$, $[\text{CuL}(\text{Py})]_n$, $[\text{Zn}_2\text{L}_2(\text{Py})_2]_n$ and $[\text{Cd}_2\text{L}_2(\text{Py})_2]_n$ units are obtained through the reaction between (1*R*,3*S*)-1,2,2-trimethyl-3- $\{[5-(2\text{-hydroxy})\text{phenyl}-1,3,4\text{-oxadiazol}-2\text{-yl}]\}$ cyclopentanecarboxylic acid (H_2L) and transition metal ions.²⁰² Among them, the first two CPs had only right-hand helical chains with homochiral helical discrimination due to formation of interhelical non-classic H-bonds $\text{C}-\text{H}\cdots\text{O}$. Other polymers contained simultaneously alternating right- and left-handed helical chains, interaction between which was due to π - π interactions (CP with Cu atoms) and interchain bonds $\text{M}-\text{O}-\text{M}$ (CPs with Zn and Cd atoms) (Scheme 15). In these compounds, chirality is stipulated by inherent chirality of a ligand and conformation twisting the main asymmetric chain of a ligand. Therefore, the effect of metal ion nature on structure of a chiral CP is obvious.

Using solvothermal method with Cd(II) salt and enantiopure chiral ligand based on D-isosorbide (L), a homochiral luminescent porous CP with $[\text{CdL}(\text{H}_2\text{O})]_n$ unit has been synthesized, which is 2D porous material and forms 1D channel along *a* axis with the size $\sim 6.2 \times 4.4 \text{ \AA}^2$.²⁰³

A chiral CP with $[\text{AgSCN}(\text{phen})]_n$ unit obtained using solvothermal reaction between AgSCN and phen shows unusual asymmetric 1D network formed from a zigzag $[\text{Ag}-\text{S}-\text{Ag}]_n$ chain with thiocyanate ions and phen ligands hanging along opposite sides of the chain, respectively (Fig. 17a).²⁰⁴ It is important that





Scheme 15 Conformational twists of the asymmetric skeleton of (1*R*,3*S*)-1,2,2-trimethyl-3-[(5-(2-hydroxy)phenyl)-1,3,4-oxadiazol-2-yl]cyclopentanecarboxylic acid and different interhelical interactions in the prepared CPs. [Reprinted with permission from ref. 202. Copyright 2012, American Chemical Society.]

asymmetry of the chain is clear in *b* direction (Fig. 17b), and in one unit cell there are two [AgSCN(phen)]_n chains stacked in opposite direction (Fig. 17c). It is interesting to notice that the scheme of the unit cell along *b* axis is very similar to Chinese “Tai Ji” patterning, which means two opposite principles of nature (Fig. 17d).

Also it is worth noticing homochiral CPs with [ML(H₂L')]_n unit, where M = Zn or Co, based on D-(+)-camphoric acid (L) and 4,4'-methylenebis(3,5-dimethylpyrazole) (H₂L') obtained through interaction between ligands and transition metal ions under hydrothermal conditions.²⁰⁵

Of interest is chiral infrequent azolate-based octanuclear metallomacrocyclic 3D [Co₂L₂(H₂O)₂]_n complex based on 5'-(pyridin-2-yl)-2*H*,4'*H*-3,3'-bi(1,2,4-triazole) (H₂L) (Fig. 18).²⁰⁶ It is important that asymmetric polymer unit consists of one-half Co1 and Co3 ions and one independent Co2 ion, two L²⁻ anions, two aqua-ligands, and four and half lattice water molecules, at that each Co(II) ion is six-coordinated and takes slightly distorted octahedral geometry.

Solvothermal synthesis is successful approach to obtaining a broad series of 2D and 3D Pp MOFs.^{63,207–211} For this purpose, most often spacers based on Pp with carboxylic acid and Py-linked functional groups are used, in particular, *meso*-tetra(4-carboxyphenyl)-Pp and *meso*-tetra(4-pyridyl)-Pp.^{22,79,82} During building MOFs based on Pp spacer, macrocycles can be metalized *in situ* with the same metal ions, which present in SBUs,^{58,59,61} that is attractive approach for development of high density metallic sites in 3D nanospace, and can be especially enticing for catalysis, if metal centers inside Pp rings, and in SBUs are catalytically active.^{60,61}




Fig. 17 (a) Diagram of the asymmetric chain in CP exhibiting strong π - π interactions among the phen rings (orange dash lines). (b) Perspective view of the chain along the *b* direction. (c) The unit cell packing structure of CP along the *b* direction. (d) The patterning of <Tai Ji>. [Reprinted from ref. 204. Copyright 2016, with permission from Springer.]

As a typical example, it should be noted solvothermal reaction of Fe(III) chloride with the tetrakis(4-carboxyphenyl)-Pp in the presence of different bases, which results in the formation of four Fe-Pp MOFs representing three different topologies and inorganic SBU (Scheme 16).²¹² In particular, depending on the synthesis conditions, isolated Fe(III) octahedra, diiron(II) paddlewheel dimers or extended [Fe(III)(OH)O₄]_n chains can be obtained controllably.

Of interest are solvothermally synthesized rare indium-based porous MMPF-7 and MMPF-8 with the *pts* topology constructed by self-assembly of In(III) and two custom-designed *meso*-tetra(4-carboxyphenyl)-Pp.²¹³

Among other Pp ligands for CP synthesis, there is interest in octatopic Pp ligand tetrakis[3,5-bis[(4-carboxy)phenyl]phenyl]-Pp, which forms <pillar-free> highly porous M-Pp framework {[Zn₂(H₂O)₂]₂·[(ZnL)(H₂O)₂]_n} called UNLPF-1 in the solvothermal reaction of L with Zn nitrate in DMF and acetic acid at 80 °C during 72 h.²⁰⁹ UNLPF-1 has 3D non-interpenetrating structure with widespread type of SBU, in particular, square paddlewheel [Zn₂(COO)₄(H₂O)₂], which connects four L ligands,







Fig. 18 View of (a) the 3D structure along the *c* axis, (b) the octanuclear metallamacrocycle, (c) the unidirectional helices in CP. [Reprinted with permission from ref. 206. Copyright 2013, Elsevier.]

and each L ligand links eight *in situ* generated (four above and four below Pp plane) SBUs (Fig. 19). It is important that two adjacent Pp macrocycles along with four paddlewheel SBUs form a cavity of great sizes $14.5 \times 23.7 \text{ \AA}^2$. In addition, the same ligand is linked to *in situ* generated a distorted Co trigonal



Scheme 16 The CPs obtained by the solvothermal reaction of Fe(III) chloride with tetrakis(4-carboxyphenyl)-Pp in the presence of different bases. [Reprinted with permission from ref. 212. Copyright 2015, American Chemical Society.]

prism SBU, producing strong, (6, 8, 8)-connected MMPF-2 with **msq** topology.⁵⁸

During hydrothermal synthesis of Cd-Pp CPs based on *meso*-tetra-(pyridyl)-Pp, the Pp molecule shows three types of coordination regimes, in which each Pp molecule is linked to one, two, four, and five Cd centers.²¹⁴

Another attractive ligand 5,10,15,20-tetrakis(4,4'-dipyridylamino-phenylene)-Pp can be coordinated with 4–7 metal centers using its multiple peripheral Py and a Pp core leading to rich structural variety: H-bonding 1D chains linked by $[(\text{H}_2\text{O})_2\text{Cl}_2]^{2-}$ fragments, 3D structure formed by π - π stacking interactions between interpenetrating 2D networks, 2D structure with big cavities consisting of 50- and 70-members metal-lomacrocycles (Fig. 20), complex 2D structure linked with zigzag chains, and stair-like 2D structure containing binuclear $[\text{Cd}_2(\text{CO}_2)_4]$ subunits. It is important that 4,4'-dipyridylaminophenylene fragments can rotate around Pp framework, leading to good conformation flexibility of a Pp ligand.²¹⁵

Coordination of Mn(II) and Zn(II) acetates with 5,15-bis(4-carboxyphenyl)-10,20-dipyridyl-Pp (H_4L) gives two CPs with $[\text{Mn}(\text{HL})]_n$ and $[\text{Zn}(\text{H}_2\text{L})]_n$ units, respectively.²¹⁶ First CP has 2D coordination networks, which are then bound by H-bonds with formation of a 3D network structure. In the second polymer, 1D coordination zigzag chains are obtained, and are then linked by H-bonds into a 2D structure (Scheme 17). It is important that carboxyl residuals in the CPs are noncoordinated and the Py moieties are either coordinated or noncoordinated, at that noncoordinated carboxyl and Py fragments take part in intermolecular H-bonds, which are favorable for formation of H-bonding networks.

There is a great practical interest in using a solvothermal approach for production of uniform thin films based on Zr-Pp




Fig. 19 Side view (a) and top view (b) of a single square-shaped tubular supramolecular building block; (c) 3D network connectivity along the [001] direction between paddlewheels and V-shaped terphenyl arms connecting with the Pp spacer; (d) side view of the 1D eclipsed packing of Pp (cages are represented by red spheres). [Reproduced from ref. 58 with permission from The Royal Society of Chemistry.]






Fig. 20 (a) The interpenetrated 2D coordination networks constructed by Pp and MnCl_2 . (b) The 2D network composed of 50- and 70-membered metallomacrocycles, constructed from Pp and $\text{Cu}(\text{OAc})_2$. [Reprinted with permission from ref. 215. Copyright 2013, American Chemical Society.]

MOF (MOF-525) grown on conducting glass substrates.²¹⁷ In particular, the fabricated MOF-525 thin film is electrochemically targeted in aqueous solution and can be used as an amperometric nitrite sensor.


It should be noted the microcrystalline structure containing up to 10 different types of bivalent metals, namely, Mg, Ca, Sr, Ba, Mn, Fe, Co, Ni, Zn, and Cd, based on MOF-74 with $[\text{Zn}_2\text{L}]_n$ unit (L = dioxidoterephthalate),^{77,218–222} which has high CO_2 adsorption capacity under practical atmospheric pressure conditions. The one-pot reaction makes it possible to obtain MOF-74 with 2 (Mg and Co), 4 (Mg, Co, Ni, and Zn), 6 (Mg, Sr, Mn, Co, Ni, and Zn), 8 (Mg, Ca, Sr, Mn, Fe, Co, Ni, and Zn), and 10 (Mg, Ca, Sr, Ba, Mn, Fe, Co, Ni, Zn, and Cd) different types of bivalent metals. It turned out that all metal ions used in MOF synthesis are integrated in the same MOF-74 structure, and

metal ions are heterogeneously distributed within each of crystalline particles. It should be noted that this approach is also used for incorporation of other metal ions (for example, Ca, Sr, Ba, and Cd), of which the original structure of the MOF cannot be made in the form of monometallic MOF.

Presently combinations of different methods are very popular, and hydro(solvo)thermal method is no exception.²²³ In particular, hydro(solvo)thermal hybrid methods are often applied for synthesis of CPs and functional materials, including nanomaterials. A considerable body of studies has been performed for hybridization of the hydrothermal method with microwaves, electrochemistry, ultrasound, mechanochemistry, optical radiation and hot pressing. Contrary to ordinary heating hydro(solvo)thermal method, which requires a lot of time (as a rule, from half to several days) and high electrical power (more than thousand watts), microwave-assisted heating is a greener approach to synthesis of materials for shorter time (from several minutes to several hours), and lower energy consuming (hundreds watts), as a result of direct and uniform heating a matter. As an example, we can consider UV-absorber $(\text{Ti}_5\text{O}_5\text{F}_{12}) \cdot \text{L}_2$ obtained using microwave-heating-assisted hydrothermal synthesis,²²⁴ whose 3D network is built from $\infty(\text{Ti}_5\text{O}_5\text{F}_{12})$ infinite inorganic layers separated by guanidinium (L) cations. Under UV irradiation at 254 nm during 40 h, white microcrystalline powder transformed into light-purple-gray due to reduction of $\text{Ti}(\text{IV})$ to $\text{Ti}(\text{III})$, which is confirmed by magnetic measurements.

3.1.4. Urothermal synthesis. Recently urothermal synthesis has opened a new approach to creation of porous framework materials with promising applications.^{225–230} It is based on using different derivatives of urea as solvents. One of very useful features of urothermal synthesis is reversible coordination of urea derivatives to metal sites, which allows them to competitively link with metal sites of a framework, and in many cases they can be easily removed after crystallization for generation both porosity and open metal sites. Competition for coordination to metal sites among derivatives of urea and other solvents, such as DMF or DEF, is an interesting aspect of this process of synthesis, and can also be used to provide additional structural control.

3.1.5. Ionothermal synthesis. Using room temperature ionic liquids or deep eutectic solvents in CP production is called ionothermal synthesis.^{231,232} Usually in MOFs synthesis ionic



Scheme 17 CPs obtained by the interaction of $\text{Mn}(\text{II})$ and $\text{Zn}(\text{II})$ acetates with 5,15-bis(4-carboxyphenyl)-10,20-dipyridyl-Pp. [Reprinted from ref. 216. Copyright 2014, with permission from Elsevier.]



liquids serve as solvents, reagents, structure-directing agents, charge-compensating templates in anion networks or functional inclusions. Ionic liquids attract attention as a solvent for chemical synthesis due to their unique properties, such as, actually, zero vapor pressure, excellent solvating properties, easy secondary using, and high thermal stability. They received much attention as promising media for design and production of known and unprecedented new MOFs. As compared with water or traditional molecular organic liquid, different and easily tunable properties of the solvent for the ionic liquid supplement considerable attention to eco-friendly and safe solvents. Unfortunately, high cost of ionic liquids limits their usage in large scale synthesis of MOFs.

Most works concerned with ionothermal MOF synthesis is focused on ionic liquids obtained from 1-alkyl-3-methylimidazolium. Thus, 3D MOF $\{[\text{EMIM}][\text{In}_3(\mu_3\text{-OH})_2\text{L}_2 \cdot 2\text{H}_2\text{-O}]\}_n$ based on 1,2,4,5-benzenetetracarboxylate (L) is synthesized using ionic liquid bromide 1-ethyl-3-methylimidazolium ([EMIM] Br) as a solvent.²³³ In this polymer, 7-coordinated pentagonal bipyramidal In(1) and octahedral In(2) atoms are linked by $\mu_3\text{-OH}$ groups with formation of infinite $[\text{In}_3(\mu_3\text{-OH})_2]_n$ inorganic chain along *a* axis, which are additionally extended by L ligands for creation of 3D anion microporous framework. The [EMIM]⁺ cations occupy 1D channels acting as a template and charge-compensating species.

3.1.6. Synthesis in supercritical CO₂. Eco-efficient method based on using only supercritical CO₂ as a solvent without the addition of any other additive or co-solvent is applied for synthesis of 1D Cu(II) MOFs.²³⁴ For example, neutral Cu(acac)₂ chelates and two linear spacers, the bidentate 4,4'-bipy and trimethylene-4,4'-bipy, were subjected to interaction under compressed CO₂ at 60 °C and 20 MPa during 4 or 24 h, respectively (Fig. 21). The reaction yield of the CPs synthesized through the supercritical route was close to 100%, since both the reagents were almost completely consumed in the

performed experiments. It should be noted that success reached in synthesis of different 1D MOFs is due to high solubility of reagents in supercritical CO₂.

3.1.7. Surfactant-thermal method. Another approach to ensure a high degree of control over size and shape of MOF crystals and over their textural properties is use of surfactants (for example, amphiphiles and block-copolymers).^{235,236} It is important that the surfactants play different roles in control over morphology of MOF crystals. In particular, under special conditions, surfactants are self-assembling to form micelles, which can act as nanoreactors.²²² In addition, in this case, MOFs grow on external surface of a micelle, not inside, so that a surfactant works as a molecular template, not a nanoreactor leading to formation of meso- and/or macro-pores, which together with intrinsic microporosity of MOF leads to particles with hierarchical porosity.^{237,238}

As compared with organic solvents, surfactants are more thermally stable and more environmentally. At the same time, surfactants with low or no pressure vapor make reactions in the surfactant medium possible at far higher temperatures. In addition, surfactants have more multifunctional properties than ionic liquids, such as cationic, anionic, neutral, zwitter-ionic, acidic, basic, *etc.* Which is more important, their low cost and commercial availability of surfactants make them ideal reaction medium for production of functional materials. Presently, the surfactant medium is used for preparation of nano-materials, and it should be noted that use of surfactants as reaction medium for the growth of crystalline materials is unprecedented. Janus characteristics of surfactants, which contain hydrophobic and hydrophilic groups, can increase efficiently solubility of metal ions and organic ligands, making them ideal medium for MOF growth.

We note the study of length-controlled synthesis of 1D M-Pp CP using «bottom-up» strategy under action of anion surfactant.²³⁹ For example, using this method, the 1D structure of




Fig. 21 The preparation of Cu(II) 1D MOFs using an eco-efficient method based exclusively on supercritical CO₂ as a solvent. [Reproduced from ref. 234 with permission from The Royal Society of Chemistry.]



We shall also notice CPs with $[\text{Cu}(\text{II})_2(\mu_3\text{-L})_2(\mu_1\text{-Cl})_2]_m$, $[\text{Cu}(\text{I})\text{Cu}(\text{II})(\mu_2\text{-L})_2(\mu_2\text{-Cl})(\text{H}_2\text{O})]_n$ and $[\text{Cu}(\text{I})_2\text{Cu}(\text{II})(\mu_2\text{-L})_2(\mu_3\text{-I})_2(\text{H}_2\text{O})]_n$ units based on chelating ligand of 2-pyrazinecarboxylate (HL), which is formed *in situ* by hydrolysis of the initial *N,N'*-(5,7-dihydro-1,3,5,7-tetraoxobenzo[1,2-*c*:4,5-*c'*]dipyrrole-2,6(1*H*,3*H*)-diyl)bis(9CI)-3-pyrazinecarboxamide upon its reaction with Cu(II) chloride, iodide, and perchlorate, respectively.²⁴⁶ The first CP has 2D double-layer structure, which can be considered as a binodal (3,3)-connected network, the second polymer is (4,4) net, and the third CP has a 3D open framework built by linking 1D sawtooth chains of Cu(II) iodide clusters with $[\text{Cu}(\text{II})(\mu_2\text{-L})]$ units. It is interesting that all compounds cannot be synthesized directly using HL and the respective Cu ions as initial reagents under the same conditions of reaction. Therefore, the structural diversity of this system is adjusted *in situ* by hydrolysis reactions.

3.2. Alternative synthesis routes

In hydro(solvo)thermal processes, considerable volumes of a solvent are necessary to produce great quantities of CP for commercial using, which is environmentally unfavorable, and makes products costly. It is also necessary to accelerate crystallization process and generate uniform crystals with diminished size; therefore it is important to develop easily available, non-expensive, fast, and commercially viable synthetic routes. Many efforts were taken for development of alternative methods of CP synthesis, such as electrochemical, sonochemical, microwave, and mechanochemical methods. These methods provide possibilities for MOF synthesis in reduced time and with high quality, which is favorable for commercial application of MOFs. In this view, detailed studies were performed for optimization of MOF synthesis conditions to obtain high yields of solid products for industrial applications.^{243,244}

This journal is © The Royal Society of Chemistry 2017




Fig. 23 (a) View of the coordination environments of the Pb_1 center in CP. (b) View of one dinuclear $[Pb_2L_2^{-2}]$ ring-like unit of CP. (c) View of a section of the 1D double chain extending along the c axis. (d) View of a 3D porous structure in CP along the c axis. (e) Topological view showing the equivalent 3D framework of CP. The purple pillars represent the 1D channel in CP. Atom color codes: Pb, cyan; O, red; N, blue; and C, green. [Reprinted with permission from ref. 245. Copyright 2012, American Chemical Society.]

3.2.1. Microwave-assisted synthesis. It is important to emphasize that microwave-assisted MOF syntheses are mainly focused on the following moments: acceleration of crystallization, formation of nanometer materials, improvement of purity of a final product, and selective synthesis of polymorphs. This is reached by direct heating solvents and increase in crystal nucleation rate. To optimize the reaction conditions, systematic studies of changes in the composition and process parameters (solvent, irradiation time, temperature of reaction, power level, the molar ratio of reagents, reagent concentration, *etc.*) were carried out.²²¹ It should be noted that microwave irradiation makes it possible to accelerate synthesis of fine crystals as compared with conventional heating. On the whole, advantages of this method are high efficiency, phase selectivity, particle size diminishing, and morphology control.

As a typical example, we consider microwave-assisted synthesis of Co-MOF-74 under different conditions, in particular, temperature of synthesis, power level of microwave

irradiation, and time of synthesis.²²¹ Optimized Co-MOF-74 was synthesized at 180 °C at 180 W power in a microwave oven during 1 h, which resulted in the highest textural properties (1314 m² g⁻¹ of BET surface area) with high product yield (about 76% per ligand). Co-MOF-74 (*ca.* 50 μm long and 8 μm wide) obtained by microwave heating was smaller in size than the solvothermally prepared Co-MOF-74 (*ca.* 300 μm long and 70 μm wide).


Another interesting example is production of rare earth based CP submicrospheres from pyridine-2,5-dicarboxylic acid and $M(NO_3)_3$ using the method of light microwave heating during 5 min with DMF as a solvent.²⁴⁷ Submicrospheres have diameters 100–400 nm, and the microspheres' surface is smooth. Straw-sheaf-like Tb-based CP architectures are successfully synthesized using a simple and ecological microwave heating in great scales during 15 min without any template or surfactant using 1,2,4,5-benzenetetracarboxylic acid as organic building unit.²⁴⁸ The measured specific surface area of Tb-based CP was 152.51 m² g⁻¹.



Sonochemical methods through uniform and accelerated nucleation also provide decrease in crystallization time and far less sizes of particles, than those provided by conventional solvothermal synthesis. For this purpose, a solution of mixture of substrates for this MOF structure is input in a horn-type Pyrex reactor equipped with an ultrasonic bar with regulated output power without external cooling. As an example, we shall consider sonochemical synthesis of nanometer MOF with $[\text{Pb}_2(\text{N}_3)(\text{NO}_3)_2\text{Q}_2]$ unit, where HQ is 8-hydroxyquinoline.²⁵⁴

High quality Mg-MOF-74 crystals ($1.640 \text{ m}^2 \text{ g}^{-1}$ BET surface area) with particle size about $0.6 \text{ }\mu\text{m}$ are successfully synthesized during 1 h by sonochemical method after addition of triethylamine as a deprotonating agent. It is interesting that mesopores are formed, probably, due to competitive linking triethylamine to $\text{Mg}(\text{II})$ ions.²²⁰

There are metal centers and initial ligands with functional groups, which can take part in a reaction under normal conditions of MOF synthesis for the preparation of MOFs with specified crystal structures and pore sizes. Then the functional groups on ligands can react with post-synthetic reagents to obtain final desired functionalities.^{2,37} PSM MOFs can be realized using multiple interactions, among which covalent and coordination bonds are the most important. Post-synthetic methods, which modify MOFs with chemical reagents with the lattice structure unchanged, make it possible to integrate functional groups in MOFs.^{2,58}



Scheme 18 Scheme illustrating for the functionalization of IRMOF-3 with salicylaldehyde and subsequent binding a vanadyl complex. [Reproduced from ref. 258 with permission from The Royal Society of Chemistry.]

Chelating groups can be introduced more easily by post- than by presynthetic functionalization in MOFs since they may compete in the coordination to inorganic nodes. There are various examples in the literature that show how to produce chelating groups by PSM. It is important that potential chelating fragments can be introduced in MOFs by covalent post-synthetic modification, so that they do not cause interference to the synthesis, but are still available for further coordination modification.

In particular, universality of 2-amino-1,4-benzenedicarboxylate as a building block has been showed: it can be smoothly subjected to PSM in three different prototypic MOF topologies: IRMOF-1, DMOF-1 (D = dabco), and UCM-1. The important features of PSM on IRMOF-3 include (1) facile introduction of a wide range of functional groups using simple reagents (*e.g.*, anhydrides and isocyanates), (2) the introduction of multiple (as many as four different) substituents into the MOF lattice, and (3) control over reaction conditions to preserve the crystallinity and microporosity of the resultant MOFs.

As a typical example, we note imine condensation of IRMOF-3 wetted in toluene solution and excess of salicylaldehyde during 7 days, which has given a PSM-product with ~13% conversion of amino groups.²⁵⁹ Then V(O)acac₂ was loaded in the framework for coordination with the salicylidene groups, and the second step was almost quantitative (Scheme 18). In this case, post-synthetic derivatization of a porous material gives functionalized material, which links a metal complex VO(acac)₂ in contrast to non-functionalized precursor, which is inactive for complex linking.

In conversion of roles, aldehyde can be a part of MOF, as in the case of ZIF-90 (isostructural to ZIF-8, but with a tag aldehyde

group).²⁶⁰ Specifically, reduction of aldehyde to alcohol functionality was successfully achieved by reacting ZIF-90 with NaBH₄ in methanol at 60 °C for 24 h to give ZIF-91 with about 80% conversion (Fig. 24A). The chemical versatility of the aldehyde group was highlighted by performing another organic transformation on ZIF-90. Reaction of ZIF-90 with ethanolamine in methanol at 60 °C gave ZIF-92 (Fig. 24B). Quantitative conversion to the imine was completed within three hours.

Tandem PSM is useful, since it can be realized in one-pot synthesis. PSM MIL-101(Fe)-NH₂ with Py-2-carboxaldehyde and NiCl₂ in the one-pot reaction has given ~30% conversion of amino groups into pyridine imino groups (Scheme 19).³⁵ Nickel centers are integrated as catalytic sites into pores by coordination with a nitrogen atom of imino group and a pyridine nitrogen atom. Ni complex is formed, first of all, to stop any competition with aldehyde reagent for amino groups.

Additional set of examples is observation that traditional batch hydro(solvo)thermal methods of synthesis, as a rule, exclude direct incorporation of free-base Pp as a spacer in MOF, since spacers spontaneously link metal ions present as building blocks and nodes.⁶³ A promising particular solution of the abovementioned problem is post-synthetic treatment afterwards renamed and generalized in PSM, *i.e.* chemical substitution (atom, ion or functional group, addition, substitution or transformation) of a framework without a change in parent topology. Really, a task with participation of metal-free Pp or salen-based spacers was first met by assembling metallized spacer in variants of compounds, and then by substitution of non-structural (*i.e.* spacer-localized) metal ions with a pair of protons. The second stage of PSM accepts new metal ions.





Fig. 24 Crystal structure of ZIF-90 and the covalent postsynthetic functionalization of aldehyde groups with ethanolamine to give ZIF-92. Color scheme: for C atoms, black; for N atoms, green; for O atoms, red. [Reprinted with permission from ref. 260. Copyright 2017, American Chemical Society.]



Scheme 19 One-pot synthesis of the MOF-anchored nickel complex Ni@FeMIL-101. [Reprinted with permission from ref. 35. Copyright 2013, American Chemical Society.]

It should be noted that covalent modification of bridging ligands is studied in detail.^{49,261} One of the most widely applied PSM approaches is modification of organic spacers using chemical reactions with preservation of a lattice structure. In particular, azide-functionalized MOFs are used for click

reactions.²⁶² A special interest is MOF, where metal centers are subjected to modification. Also a possibility is demonstrated of PSM *via* coordination of additional metal ions with centers in bridging ligands²⁶³ and addition or removal of metal ions in metal centers.²⁶⁴

Of particular note is the linker installation method, in which a stable Zr-MOF with inherent missing linker sites, namely, PCN-700, with coordinatively unsaturated Zr₆ clusters was employed and linkers bearing different functional groups were post-synthetically installed (Fig. 25).²⁶⁵ At first, the bpy-5,5'-dicarboxylate and terphenyl-4,4'-dicarboxylate were sequentially installed by treating PCN-700 crystals with solutions of bpy-5,5'-dicarboxylate and terphenyl-4,4'-dicarboxylate in DMF at 75 °C. The modified MOF bears open bpy sites that readily react with CuI in acetonitrile to form the metalated framework. According to the crystal structure, the Cu⁺ center is chelated by a bpy group and further coordinated with an N from acetonitrile and an I[−] ion as a counter-ion. The Cu⁺ center is arranged around the 1D channel along the *c*-axis, whereas the terphenyl-4,4'-dicarboxylate controls the accessibility of the Cu⁺ center by partially blocking the channels. Therefore, the size selectivity of the whole material can be tuned by changing the size of substituents on the terphenyl-4,4'-dicarboxylate linker. In particular, the terphenyl-4,4'-dicarboxylate linker was functionalized by methyl groups, phenyl groups, and hexyl groups, which is expected to result in different selectivity toward the substrates.

Unsaturated metal sites were used in an alternative method, in which MOF with [Cu₃L₂] unit (L = 1,3,5-benzenetricarboxylate) was modified with en followed desolvation under vacuum to prepare free coordinating fragments.²⁶⁶






Fig. 25 (a) Size-selective catalytic system for aerobic alcohol oxidation reaction built in PCN-700 through linker installation. (b, c) Structure of catalytic center and size-selective moiety. Coordinated CH₃CN on the Cu is removed for clarity. [Reprinted with permission from ref. 265. Copyright 2016, American Chemical Society.]



RSC Adv., 2017, 7, 42242–42288 | 42271




Scheme 20 Schematic view of the synthesis of UiO-66-TCAT and UiO-66-PdTCAT. [Reprinted with permission from ref. 277. Copyright 2015, American Chemical Society.]

at the atomic level structural characterization. Thus, relative occupation of cation on two crystallographically different metal sites in Fe(II)-, Cu(II)-, and Zn(II)-exchanged versions of microporous MnMnL MOF (L = 1,3,5-benzenetristetrazolate), was established. It is important that using dispersion differences between Mn, Fe, Cu, and Zn, degree and localization of cation exchange are determined. In addition, the replacement degree for Mn(II) depends on the identity of the substituting metal.²⁸³

Different amounts of Co and Ni were substituted in Mg-MOF-74 using one-pot solvothermal reaction.²⁸⁴ Based on elemental


analysis, Co and Ni were more efficiently incorporated into MOF-74 framework from solution than Mg was. In addition, temperature of the reaction has stronger effect on the final composition of metal in these mixed metallic MOF-74 structures than a solvent composition of the reaction.

Fast room-temperature cation exchange is also observed during soaking of CP with [Pb₂Cl₂(HL)₂(H₂O)₂]_n unit based on pyrazine-2,3-dicarboxylic acid (H₂L) in Cu(II) aqueous solutions (Scheme 22).¹²⁷



Scheme 21 Schematic illustration of the introduction of 4,4'-bipy to the crystals of PPF-18 (a) and PPF-20 (b) for the transformation of PPF-27 (c) and PPF-4 (d), respectively. [Reproduced from ref. 110 with permission from The Royal Society of Chemistry.]





Scheme 22 Cation exchange by simple soaking of Pb(II) MOF into an aqueous solution of Cu(II) cation at room temperature. [Reprinted with permission from ref. 127. Copyright 2015, American Chemical Society.]

Series of metallosalen-based MOFs is prepared using post-synthetic modification of $\text{Mn}^{\text{III}}\text{SO-MOF}$, $\text{Mn}^{\text{III}}(\text{salen})$ -based MOF.²⁸⁵ Treatment of $\text{Mn}^{\text{III}}\text{SO-MOF}$ with H_2O_2 leads to removal of Mn^{3+} ions from salen pillar, which then can be remetalated with different metal precursors with formation of isostructural MSO-MOF materials (Scheme 23). Presence of new metallosalen pillars in MSO-MOF is entirely confirmed. It is important that remetalated $\text{Mn}^{\text{II}}\text{SO-MOF}$ material reflects similar catalytic activity and porosity to initial MOF.

Exchange of metal cations within a MOF has also been demonstrated for M-Pp MOF. Thus, easy route to M-Pp-based nanoreactor with post-synthetic metal-ion exchange with active metal cations and catalytically inactive MMPF, which consists of nanoscopic multifaced cages is developed.⁶⁰ Local coordination of the active metal center in Pp macrocycle after the metal-ion exchange was crystallographically identified.

It should be noted cationic PCN-223(Fe) formed by synthetic treatment of PCN-223, Pp Zr-MOF with **shp-a** network, which is excellent recycled heterogeneous catalyst for hetero-Diels-Alder reaction.²⁸⁶


Two isostructural Zr-Pp and Hf-Pp MOF (FJI-H6 and FJI-H7) are rationally synthesized and built from 2.5 nm cubic cages.²⁸⁷

It is worth noticing that in FJI-H6 and FJI-H7 two nitrogen atoms of the Pp ring are not deprotonated, therefore metal ion of another type is integrated in the framework. Submergence of FJI-H6 or FJI-H7 single crystals in 0.5 M solution of $\text{Cu}(\text{NO}_3)_2$ in DMF at the temperature 85 °C during 72 h leads to metalated FJI-H6(Cu) or FJI-H7(Cu). As was expected, both in FJI-H6 and FJI-H7 Cu(II) ions were inbuilt in Pp rings, and Cu(II) ions in plane-square N_4 coordination with two axial sites were exposed, which is typical of bivalent metal ions in Pp MOFs.

Of interest are isostructural Pp MOFs, in particular, UNLPF-10b, -11, and -12, which consist of In^{III} , $\text{Sn}^{\text{IV}}\text{Cl}_2$, and Sn^{IV} -Pp building units, respectively.²⁸⁸ Metalation with high valence metal cations (In^{III} and Sn^{IV}) considerably changes electronic structure of Pp macrocycle and provides high oxidation photoexcited state, which can be subjected to efficient reduction extinguishing processes to facilitate organic reactions.

It should be noted Pp-based MOF MMPF-5, in which each small cubicoctahedral cavity consists of faces of six Cd(II)-metalated tetrakis(3,5-dicarboxyphenyl)porphine units inter-linked by eight triangular $\text{Cd}(\text{CO}_2)_3$ fragments (Fig. 27a).⁶⁰ In MMPF-5 crystal structure, a Cd(II) cation within Pp ligand ring is far from Pp plane (Fig. 27b), which points to weak linking Cd(II) cations in Pp macrocycle and on a possibility to replace big Cd(II) by a smaller cation of a bivalent metal. Submerging the MMPF-5 crystals into DMSO solution of $\text{Co}(\text{NO}_3)_2$ at 85 °C for two days gives Co(II)-exchanged MMPF-5(Co). Complete substitution of Cd(II) by Co(II) is confirmed exclusively within Pp macrocycles, however, Cd(II) cations in the framework have remained untouched, possibly, due to their strong chelating with six carboxylic oxygen atoms. Therefore, small cubicoctahedral cavity in MMPF-5(Co) is distinguished by faces of six Co(II) metalated Pp fragments, which are linked through triangular $\text{Cd}(\text{CO}_2)_3$ fragments (Fig. 27c and d). It is important that MMPF-5 preserves its single crystalline character after the metal ion exchanges with Co(II).

Post-synthetic incorporation of Zn into free-base of Al(III) MOF with formation of light-harvesting MOFs proceeds by similar way.⁶³ Reaction of MOF with anhydrous zinc acetate in DMF at 100 °C afforded a highly crystalline purple material, consistent with 90% occupancy of the Pp center sites by Zn(II). Visible light catalytic activity of this Zn-Pp based material is shown on sacrificial segregation of hydrogen from water.



Scheme 23 Demetalation of $\text{Mn}^{\text{III}}\text{SO-MOF}$ and its subsequent remetalation. [Reprinted with permission from ref. 285. Copyright 2011, American Chemical Society.]




Fig. 27 (a) Representation of the crystal structure of the small cubicuboctahedron in MMPF-5 formed by 6 square Cd-Pp moieties and 8 triangular $\text{Cd}(\text{CO}_2)_3$ moieties. (b) The M-Pp macrocycle in MMPF-5, showing that the $\text{Cd}(\text{II})$ cation lies far out of the Pp plane. (c) The M-Pp macrocycle in MMPF-5(Co), showing that $\text{Co}(\text{II})$ cation is located within the plane of the Pp. (d) The small cubicuboctahedron in MMPF-5(Co) formed by 6 square Co-Pp moieties and 8 triangular $\text{Cd}(\text{CO}_2)_3$ moieties. [Reprinted with permission from ref. 60. Copyright 2013, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.]

Of interest is post-synthetic metalation of reliable chiral and porous BINAP-based Zr-MOFs UiO topologies with $\text{Rh}(\text{nbd})_2\text{BF}_4$ and $[\text{Rh}(\text{nbd})\text{Cl}]_2/\text{AgSbF}_6$, where nbd is norbornadiene, to give highly active enantioselective one-site solid catalysts for reaction of asymmetric cyclization of 1,6-enynes.²⁸⁹

Extremely flexible and strong Cd-MOF anion accessible with tetra-acid spacer, in particular, 3,3',5,5'-tetrakis(*p*-carboxyphenyl)-2,2',6,6'-tetramethoxy-1,1'-biphenyl, shows abundant post-synthetic metal exchange of metal sites with the metal ion set, which differs significantly by their charges, ion radius, and chemical origin.²⁹⁰ In particular, there are as many as 16 iso-structural new MOFs with transition, lanthanide, and basic groups of metal ions.

Taking into account universality and practical usefulness of PSM and PSE for access to other difficult-to-synthesize MOFs as bulk materials, their application to MOFs in thin film can also be useful. Among the most universal and useful approaches to synthesis of MOF films is layer-by-layer (LbL) coordination, which is called liquid phase epitaxy.^{50,291–294} LbL approach successfully and repetitively inputs solutions of each building


block of a framework in contact with functionalized substrates, and then a MOF film grows. It is important that composition of additional layer not necessarily coincides with previous layers.^{295,296} Reliability of LbL-assembled pillared-paddlewheel MOF films in direction of transformation into new or modified MOFs through SALE and post-synthetic metalation has been demonstrated.^{297,298} In particular, it is shown that LbL synthesis provides MOFs, which are unavailable through other *de novo* strategies (Scheme 24). MOF contains 5,10,15,20-(4-carboxyphenyl)-Pp units as tetratopic spacers, which coordinate pairs of $\text{Zn}(\text{II})$ ions in paddlewheel mode, and 4,4'-bipy spacer, which work as $\text{Zn}(\text{II})$ -ligating spacers or pillars between Pp defined layers. A dabco was used as a spacer for exchange or replacement of 4,4'-bipy pillars MOF. In addition, after 12 h reaction in excess magnesium bromide diethyl etherate, the free-base Pp containing films grown of quartz slides were transformed into M-Pp form.

Nevertheless, there are some drawbacks of post-synthetic approaches. For example, it is difficult to solve spatial distribution of functional groups post-synthetically included in MOF. As a result, most MOF structures are hypothetical. In some cases, a degree of post-synthetic incorporation of functional groups in MOFs is very limited. Moreover, further studies should investigate chemical principles of their specific phenomena, including SALE and transmetalation in order to improving the direct synthesis of MOFs with required chelating functionality.

5. Thermolysis of coordination polymers as a route to nanostructures materials

Recently CPs have become widely used as templates for a variety of nanomaterials.^{52,298} Unlike other templates, they produce monodisperse nanoparticles of high quality, while maintaining the porosity and morphology of the template precursor. Especially CPs widely used for the preparation of metal, metal oxide and carbon nanomaterials.

As a typical example, we note the strategy of using MOF thermolysis for the preparation of metal and metal oxides nano-



Scheme 24 SALE and post-synthetic metalation of MOF films. [Reproduced from ref. 297 with permission from The Royal Society of Chemistry.]






Fig. 28 Relation between the formed nanoparticle size and reduction potential. [Reproduced from ref. 299 with permission from The Royal Society of Chemistry.]

sized particles, such as Cu/CuO, Co/Co₃O₄, ZnO, Mn₂O₃, MgO and CdS/CdO.²⁹⁹ According to this strategy, during thermolysis in N₂, metals with a reduction potential of -0.27 V or higher contained in MOFs always form pure metal nano-sized particles, whereas metals with a reduction potential lower than -0.27 V form metal oxide nano-sized particles (Fig. 28). It is important that there is a relationship between the size of the formed nanoparticle and the distance between the SBU inside the MOF precursors. In addition, the crystallinity of the carbon matrix was also influenced by the thermolysis conditions (N₂ and air).

5.1. Synthesis of carbon materials

Interest in various forms and allotropic modifications of carbon is very wide from use as adsorbents, carriers for catalysts and drug delivery to the electrode materials. The highly porous carbon materials may be prepared by various methods, including physical and chemical activation of the carbon, polymer aerogels carbonization and templating methods using zeolites and mesoporous silica.³⁰⁰ Often, however, obtained mesoporous carbon materials are characterized by a broad polydispersity to micron-sized particle and their fuzzy shape.

The direct thermal transformation of CPs was used for the preparation of porous carbons with special morphologies (for example, cube and polyhedron *etc.*),^{301–303} and their pore structures may be easily varied depending on the as-formed metal or metal oxide nano-sized particles. However, using thermolysis of CPs for the preparation of nanocomposites is restrained by their high cost.^{202,304}

Aluminium-diethylenetriamine pentaacetic acid (Al-DTPA) microfibers were used as cost-effective precursors (Fig. 29) to prepare nitrogen-doped carbon microfibers (NCF).³⁰⁵

In particular, thermal transformation and acid-leaching of Al-DTPA leads to the well-defined NCFs. It is important to

underline that the microfiber morphology of Al-DTPA persists in the resulting carbon materials (Fig. 30B–E). The typical NCFs prepared at 900 °C (NCF-900) have the diameters of ~ 500 nm and lengths of about 50 mm (Fig. 30B–D). It should be noted that some graphitization regions are observed in the high-resolution TEM image of NCF-900 (Fig. 30E). Increasing thermolysis temperature leads to a slight increase in the graphitization degree of carbon microfibers (Fig. 30E inset). Moreover, considerable interconnected pores are homogeneously distributed in the whole microfibers (Fig. 30D). The pore size distribution curves exhibited the mesopores with





Fig. 29 Schematic illustration of the formation process of the nanoporous N-doped carbon microfibres and solid acids microfibers. [Reproduced from ref. 305 with permission from The Royal Society of Chemistry.]






Fig. 30 (A) SEM images of Al-DTPA microfibers; (B and C) SEM images of NCF-900; (D and E) TEM images of NCF-900. Inset is the corresponding selected area electron diffraction pattern of NCF-900; (F) SEM images of γ - Al_2O_3 obtained by heating Al-DTPA at 800 °C in air. [Reproduced from ref. 305 with permission from The Royal Society of Chemistry.]

sizes of 2–30 nm. The total BET surface area of NCF-750, -900, and -1000 are equal to 604, 933 and 1072 $\text{m}^2 \text{g}^{-1}$, respectively. Thus, the NCFs with nanoporous structure, uniform fiber morphology, and appropriate degree of graphitization were successfully obtained by thermolysis of Al-DTPA. It should be noted that Al-DTPA microfibers can be also used as the precursors of γ - Al_2O_3 microfibers. After thermolysis of Al-DTPA in air at 800 °C, the well-defined microfiber morphology in γ - Al_2O_3 was observed in SEM images (Fig. 30F). As compared to Al-DTPA microfibers, there is decreasing the diameter (350 nm) and length (50 mm) (Fig. 30A). The prepared γ - Al_2O_3 has a smaller BET surface area (50 $\text{m}^2 \text{g}^{-1}$) and pore size distribution in the range of 2–15 nm.

Various types of porous carbon materials may be prepared in a simple manner, based on the MOF structures as template molecules and a carbon source. Due to the high thermal stability, the nanoporous structure and the possibility to penetrate into the pores of small molecules with their subsequent participation in different «ship-in-bottle» reactions, MOFs can be considered as rigid templates similar to the mesoporous silica gel and zeolites. Given the wide variety of MOFs of different compositions and morphology, the carbon materials can be produced with controlled pore texture and surface area. Moreover, the synthetic strategy based on MOFs allows to producing various carbon materials with catalytic and magnetic properties.³⁰⁶

Advantages of MOFs templates can be realized very efficiently in the production of various composite carbon




Fig. 31 Scheme of the transformation of MOFs in M/MO@C composite. [Reproduced from ref. 307 with permission from The Royal Society of Chemistry.]

materials, for example, type M/MO@C (Fig. 31). The general approach of the synthesis is based on the fact that the 1st stage of polymerization is carried out in MOFs carbon precursor (Fig. 31a), then a M@C nanocomposite is formed by thermolysis (Fig. 31b), and finally post-thermal treatment is carried out to convert the metal to metal oxide nanoparticles (Fig. 31c). The porosity of the carbon matrix and M/MO nanoparticle sizes are controlled in stages.³⁰⁷

It should be noted the obtaining a porous cobalt oxide-carbon hybrid by carbonizing in an inert atmosphere and subsequently air-calcining nanocrystals of ZIF-67.³⁰⁸ It is important that the synthesized carbon composite material can act as an efficient electrochemical water oxidation catalyst.


5.2. The preparation of metal oxide materials

As a rule, the basis of the methods for producing metal oxide nanocomposites from CP is a single-stage solid-phase thermolysis of the precursor source, as, in general, quite comfortable, well-reproducible and easily scalable process. The methodology was used in the synthesis of nanoparticles of various metal oxides, for example, PbO ,³⁰⁹ ZnO ,³¹⁰ Fe_2O_3 ,³¹¹ Co_3O_4 ,³¹² CdO ,⁵² $\text{CuO/Cu}_2\text{O}$,^{313,314} Ti_2O_3 ,³¹⁵ etc. We consider some of the most common examples.

Thus, $[\text{Pb}_2(2,9\text{-dimethyl-phen})_2(\mu\text{-N}_3)_2(\mu\text{-ClO}_4)_2]_n$ (ref. 316) and $[\text{Cd}(2,9\text{-dimethyl-phen})(1\text{-}(2\text{-thenoyl})\text{-}3,3,3\text{-trifluoroacetate})_2]_n$ (ref. 317) were used for PbO and CdO nanoparticles preparation, respectively. Thermal decomposition of the 3D CP $[\text{Pb}(\text{phen})(1\text{-N}_3)(1\text{-NO}_3)]_n$ containing an azide-anion ligand gave PbO nanoparticles.³¹⁸

ZnO nanomaterials with desired morphologies have been obtained by thermal decomposition of appropriate CPs and MOF precursors.^{52,309,319} For example, calcination of infinite rectangular-tubular helices $[\text{ZnCl}_2\text{L}]$ and $[\text{ZnBr}_2\text{L}]$ (L is bis(3-pyridyl)cyclotetramethylenesilane) at 500 °C gives uniform hexagonal tubular spire crystals of $1.2 \times 1.2 \times 4.0 \mu\text{m}^3$ dimensions and spheres, respectively.³²⁰ SEM images of the products of $[\text{MX}_2\text{L}]$ thermolysis at 500 °C (Fig. 32) show that the compounds ultimately change to zinc(II) oxide crystals. For $[\text{ZnCl}_2\text{L}]$, calcination at 500 °C leads to the growth of each ZnO single crystal.

The Zn(II) oxide and Cd(II) oxide nanoparticles were prepared by thermolysis of Zn(II) and Cd(II) CPs, $[\text{Zn}(\text{L})_2(\text{N}_3)_2]_n$, $[\text{Zn}(\text{L})_2(\text{SCN})_2]_n$, $[\text{Cd}(\text{L})_2(\text{N}_3)_2]_n$ and $[\text{Cd}(\text{L})_2(\text{SCN})_2]_n$, where L is 2-aminomethylpyridine.³²¹ SEM images exhibit the average size of prepared ZnO and CdO nanoparticles of 60–70 nm.






Fig. 32 SEM images of thermal decomposition residue of [ZnCl₂L] (a) and [ZnBr₂L] (b) calcined at 500 °C for 2 h. [Reproduced from ref. 320 with permission from The Royal Society of Chemistry.]

The calcinations of nanoparticles of a 3D Cd(II) compound, [Cd(L)₂(H₂O)₂] (L[−] is 1*H*-1,2,4-triazole-3-carboxylate), at 650 °C under air yielded CdO nanoparticles.³²²

A series of lead-containing CPs have been applied for PbO nanoparticle formation. PbO nanoparticles serve as catalyst for multicomponent organic synthesis reactions, for instance Paal-Knorr reaction and oxidative coupling of methane, due to the significant catalytic property with operational simplicity, high reactivity, environmental friendliness, reduction of reaction times, and reusability of PbO nanoparticles.³²³ In this respect, a CP of lead(II) nitrate complexes with bridging *trans*-1,2-bis-(4-pyridyl) ethene (L) ligand, [Pb(μ-NO₃)₂(L)(MeOH)]_n, was used³²⁴ to prepare PbO nanoparticles *via* two different methods.

The nanostructure of 1D copper CP, [Cu(HL)NO₃]_n (H₂L is [2-[1-(2-hydroxypropylimino)ethyl] phenol]), was used as precursor to obtain single phase CuO nano-sized particles by thermolysis.³²⁵ According to the SEM images the diameters of the prepared products were equal to 40 nm (Fig. 33).

Calcinations of the nano-sized copper(II) CP, [Cu(L)(H₂O)₂]_n [L = 2,6-pyridinedicarboxylate], at 500 °C under air yielded CuO nanoparticles.³²⁶

After calcining the cerium-based CPs with three isomers of benzenedicarboxylic acid at high temperature, micro/nanostructures of ceria such as nanoparticles, nanorods, and microflowers with retained morphologies were achieved.³²⁷

Thermolysis of the porous CPs with nanorod morphology based on a catechol-substituted Pp [*meso*-tetrakis(3,4-dihydroxyphenyl)-




Fig. 33 SEM images of CuO nanoparticles prepared by direct calcination of Cu(II) CP. [Reprinted with permission from ref. 325. Copyright 2016, Taylor & Francis.]

Pp] led to carboniferous materials containing metal oxide nanoparticles with large surface areas (up to 800 m² g^{−1}).³²⁸

The advantages of these CP precursors are simplicity of processing and long-range ordering that allow the synthesis of metal oxides with various morphologies. Phase composition and properties of the resulting metal oxide nanocomposites depend on the crystal structure and morphology of the starting CP precursor, its particle size, and the synthesis conditions (the influence of the temperature, environment, the nature of the surfactant and *etc.*).

5.2.1. Influence of the original morphology and particle size of coordination polymers. Size and morphology of the produced nanomaterials are highly dependent on the type and morphology of the CP precursor.^{52,329–331}

Porous γ-Fe₂O₃ nanoparticles were prepared *via* a solid-state transformation process of a mesoporous iron(III) carboxylate crystal, MIL-100(Fe).³³² The N₂ adsorption-desorption analysis also demonstrates the mesoporous character of the derived γ-Fe₂O₃ material, with type IV N₂ isotherm at 77 K. This material has a relatively large specific surface area 123.5 m² g^{−1}, which is presumed to be benefited from the two-step calcination of the template MIL-100(Fe). On the other hand, the pore size distribution reveals that most of the pores are focused on 10 nm, indicating the mesopores are effectively formed for the γ-Fe₂O₃.

Of interest is using MOF thermolysis to develop the porous iron oxides.^{333–336} As an example, we note the fabrication of spindle-like mesoporous α-Fe₂O₃ using MOF MIL-88(Fe) as template.³¹⁰ The prepared spindle-like mesoporous α-Fe₂O₃ was composed of clustered Fe₂O₃ nanoparticles with size of <20 nm. In another example, a facile synthesis of porous Fe₂O₃ nanocubes by simultaneous oxidative decomposition of Prussian blue nanocubes was demonstrated.^{337,338} The derived porous Fe₂O₃ nanocubes are composed of very fine Fe₂O₃ nanoparticles with size of several nanometers. It is important that MOFs show distinct advantages due to their well-ordered crystalline



structure, high porosity, large surface area, and tunable pore size, in comparison with other templates.

It should be noted that during the MOF pyrolysis it can also be prepared metal oxide nanostructure consisting of the same primary particles, but with a different secondary and tertiary architecture thus modulating the macroscopic structure of the initial CP. For example, two types of Co_3O_4 nanomaterials with plate-like and rod-like morphology of the nanoparticles, based on the Co-containing plate-shaped $[\text{Co}_3(\text{L})_3(\text{DMF})_4]_n$, p-MOF and rod-shaped $[\text{Co}(\text{L})(\text{DMSO})]_n$, r-MOF CPs, consisting of the same composite units (Co^{2+} and 1,4-benzenedicarboxylate (L)), were prepared through pseudomorphic transformation.³³⁸

Thermolysis of nano plates of two Cd(II)-based MOFs, $[\text{Cd}_2(\text{L})_2(\text{L}')_2]_n \cdot (\text{DMF})_x$ (TMU-8) and $[\text{Cd}(\text{L})(4,4'\text{-bipy})]_n \cdot (\text{DMF})_y$ (TMU-9) where H_2L is V-shaped flexible dicarboxylate ligand 4,4'-oxybis(benzoic acid) and the L' is N-donor ligand 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene, leads to CdO nano-sized particles (Fig. 34).³³⁹ SEM images of the products exhibit the formation of aggregation of CdO nano-sized particle in the range of 60–160 nm. Particle sizes of CdO prepared by thermolysis of TMU-9 are smaller than those prepared from calcination of TMU-8 that is associated with the influence of the structures of these two MOFs on the final morphologies of CdO particles.⁵²

The 1D CP, $[\text{Zn}(4,4'\text{-bpy})(\text{H}_2\text{O})_4](\text{L}) \cdot 4\text{H}_2\text{O}$ (H_2L is acetylenedicarboxylic acid), and 3D MOF, $\text{Zn}(\text{L})_2 \cdot (\text{L}')_2$ (L' is triethylamine) were applied as precursors for the synthesis of ZnO nanocrystals *via* direct thermal decomposition.³⁴⁰ Interestingly, changing the precursor from 1D CP to 3D MOF changes the morphology from nanorods to nanoparticles.

Thermolysis of the bulk powder and nano-sized Ni(II) MOF with cubic building units and 1D open channels, *i.e.* $\{[\text{Ni}_{16}(\text{Ni}_8\text{L}_{12})(\text{H}_2\text{O})_{20}(\text{H}_2\text{O})_4](\text{CH}_3\text{CN})(\text{H}_2\text{O})_{18.5}]\}_\infty$ (H_3L = 4,5-

imidazolecarboxylic acid), at 700 °C under air yielded NiO nanoparticles, which size and morphology depends on the particle size of the initial compound.³⁴¹ The crystalline and nano-structures of two Pb(II) CPs, $[\text{Pb}_2(\text{L})_4(\text{MeOH})]_n$ (L = 2-pyrazinecarboxylic acid) and $[\text{Pb}(\text{L}')_2]_n$ (L' = 2-quinolinecarboxylic acid), were thermolyzed to prepare PbO nanoparticles with various morphology and size.²⁵⁴

It should be noted that N,S-containing ligands were used not only to prepare metal sulfide nanoparticles, as expected, but also metal oxides, more thermodynamically stable in air. Thus, a ZnO nanostructure was prepared by thermolysis of nanoparticles of a Zn(II) CP, $[\text{Zn}(\text{L})(\text{CH}_3\text{COO})_2]_n$ (L = 2,2'-diamino-5,5'-dimethyl-4,4'-bithiazole), at 500 °C under air.³⁴²

Saving macroscopic MOFs structure during their thermal transformation may serve as a promising strategy in the design of nanomaterials with predetermined properties and morphology.

5.2.2. Influence of temperature. Temperature is an important parameter controlling the phase composition and morphology of the resulting nanostructures. Thus, controlled thermolysis of $[\text{Mn}_2(\text{L})(\text{DMA})_2]_n$ (L is *meso*-butane-1,2,3,4-tetracarboxylate, DMA is *N,N*-dimethylacetamide)³⁴³ and $\text{Mn}_2(\text{L}')$ (L' is 2,5-dihydroxyterephthalate)³⁴⁴ by varying the temperature and the atmosphere leads to the formation of a series of nanoporous manganese oxides with different degrees of oxidation: MnO , Mn_3O_4 , Mn_5O_8 , and Mn_2O and preserving the original morphology of the starting precursor (Fig. 35). In addition, varying the thermolysis temperature (300–700 °C) of $\text{Mn}_2(\text{L}')$ ³⁴⁴ leads to reduction of lattice defects, increasing the crystallinity degree of the thermolysis products. At the same time, the crystal surface becomes uneven and a plurality of voids appears with temperature increasing. The prepared MnO_x are characterized by type IV adsorption isotherms, indicating their mesoporous structure. It should be noted that in this way




Fig. 34 FE-SEM images and the corresponding particle size distribution histogram of CdO nanoparticles prepared by thermolysis of (a) TMU-8 and (b) TMU-9 at 550 °C. [Reprinted with permission from ref. 339. Copyright 2016, Elsevier.]






Fig. 35 SEM micrographs and diagram of structural transformations of $[\text{Mn}_2(\text{L})(\text{DMA})_2]_n$ in manganese oxides during thermolysis. [Reproduced from ref. 343 with permission from The Royal Society of Chemistry.]

rare low-valence oxides MnO and metastable phases of Mn_5O_8 with nanoporous architecture can be obtained, *i.e.* MOF thermal transformation can significantly enrich the composition, structure and functional properties of the resulting nanoporous metal oxide materials.³⁴⁵

Similar patterns are characteristic of thermal transformations of MIL-100(Fe).³⁴⁶ The average size of nanorods Fe_2O_3 , obtained at temperatures of 350, 550 and 750 °C is 50, 150 and 200 nm, respectively. Character of adsorption-desorption isotherms in this case is consistent with the general trend of the formation of the mesoporous structure of metal oxide nanocomposites obtained by MOF thermolysis. As a rule, surface area, pore volume, and pore size decreases with increasing thermolysis temperature, which also is in agreement with the fact that the thermally controlled crystal growth reduces the porosity with increasing process temperature.

Thermolysis temperatures of two silver(I) CPs, $[\text{Ag}(\text{HQ})(\text{Q})]_n$ and $\{[\text{Ag}(\text{HQ})_2]\text{NO}_3\}_n$, has effect on the formation of silver nanomaterials.³⁴⁷ In particular, increasing temperature leads to increase of agglomeration of silver nanoparticles. Calcination of sinusoidal CP $[\text{Ag}(\text{L})](\text{ClO}_4)$, where L is a diethylbis(4-pyridyl) silane, at 400 °C gives circle morphology with evolving burned organics. At the same time, at 600 °C, network circles involving of a silver(0)/silver chloride (chlorargyrite)/silicon(IV) oxide composite with a micro-sized convexo-concave surface are formed.³⁴⁸ However, thermolysis of $[\text{Ag}(\text{L})](\text{BF}_4)$ crystals at 600 °C gives silver(0) nanocomposites without silicon(IV) oxide.

It should be noted the zinc(II) oxide nanoparticles prepared by thermolysis of $[\text{Zn}(\text{L})_2(\text{H}_2\text{O})_4]_n$, $[\text{Zn}(\text{L}')_2(\text{H}_2\text{O})_2]_n$ and

$[\text{Zn}(\text{H}_2\text{O})_6] \cdot (\text{L}'')_2$, where L is nicotinic acid N-oxide, L' is picolinic acid N-oxide and L'' is isonicotinic acid N-oxide, at two temperatures (200 and 600 °C) using two methods (with surfactant and without surfactant).³⁴⁹ Analysis of the SEM images of the prepared ZnO nanoparticles exhibits that small and spherical ZnO nanoparticles were prepared by thermolysis of compounds at 200 °C using surfactant (oleic acid).

5.2.3. Influence of surfactants. It should be noted using surfactants in the synthesis of nanomaterials to change the morphology and particle size. For example, Zn(II) CPs were used for the preparation of nano-sized materials in the presence of surfactants.^{350,351}


Pure phase ZnO nanoparticles with various morphologies and sizes were synthesized by thermolysis of zinc(II) CPs, $[\text{Zn}(\text{L})(\text{OAc})]\text{ClO}_4$, $[\text{Zn}(\text{L})\text{I}_2]$, and $[\text{Zn}(\text{L})_2](\text{ClO}_4)_2(\text{H}_2\text{O})_{2.9}$ based on the same ligand L.³⁵²

Of interest is the synthesis of PbO nanoparticles (~30 nm) by thermolysis of a Pb(II) complex, $\{[\text{Pb}_2(\text{L})_2(\text{NO}_3)_4] \cdot \text{MeOH}\}_n$, where L is *N,N',N''*-tris(pyrid-3-ylmethyl)-1,3,5-benzenetricarboxamide, at 180 °C with oleic acid as a surfactant.³⁵³

We note also PbO nanoparticles (~25 nm) obtained by thermolysis of plate-shaped nanostructures of a 1D lead(II) CP involving the $\text{Pb}_2(\mu\text{-I})_2$ fragment, $[\text{Pb}(\text{L})\text{I}_2]_n$ (L = neocuproine or 2,9-dimethyl-phen), with oleic acid as a surfactant.³⁵⁴

5.3. Mixed-oxide nanocomposites

Heterometallic chelates are of interest for preparation of functional oxide materials (*e.g.*, metal-oxide ceramics). The main advantages of using heterometallic chelates as precursors of



750 °C (2), followed by storage for 12 h at the same temperatures (Fig. 36).


Mesoporous nickel ferrite (NiFe_2O_4) spheres were prepared by an aerosol spray pyrolysis method using Pluronic F127 as a structure-directing agent, and metal nitrates were used as inorganic precursors for the oxide.³⁶⁰ Self-assembly of organic and inorganic species followed by metal nitrate decomposition and inorganic polymerization were accomplished in the ethanol aerosol droplets in N_2 atmosphere at 400 °C. It is important that the solvent evaporation at 50 °C in the chamber induced the self-assembly between the structure-directing agent and the metal ions. It should be noted that mesoporous crystalline nickel ferrite spheres were obtained after the spheres were calcined at 300 °C in air to remove the structure-directing agent and increase crystallinity. Mesoporous NiFe_2O_4 spheres of high specific surface area ($278 \text{ m}^2 \text{ g}^{-1}$) with a highly crystalline framework were prepared by adjusting the amount of structure-directing agent and the calcining condition.

Of interest is the preparation of Ni-Fe bimetallic oxide nanotubes with a hollow and porous structure by MOF thermolysis.³⁶¹ It is important that the Ni/Fe molar ratios in the binary metal oxide can be regulated. In particular, Ni_{0.62}Fe_{2.38}O₄ nanotubes with a tube shell of around 10 nm have a specific surface area of 134.3 m² g⁻¹ and are composed of nano-sized primary particles.

Of course, the range of nanostructures produced in the course of thermal transformations of CP is quite wide, and is not limited to the examples discussed here. Huge selection of precursor organometallic structures and coordination polymers with a wide arsenal of synthetic methods for their preparation, ease of many recipes, scalability and acceptable ratio price/quality provide a methodological platform to build on the basis of CP promising new materials including metal nanostructures, nanoalloys, metal chalcogenides, metal carbides, *etc.*

6. Concluding remarks and outlook

As the contents of this review show, the current stage of development of CPs with chelated units has reached its peak in the accumulation of experimental facts and their theoretical



This journal is © The Royal Society of Chemistry 2017

interpretation and generalization; all major groups of researchers are involved in this area of science.

How we see development of the chemistry of coordination polymers with chelated units?

Firstly, it is the search for more “precision” of the directed synthesis of the polytopic ligands containing chelating sites with controlled flexibility, allowing design of the unstressed metallocycles. In this regard, structural homogeneity of CPs with chelated units and the lack of functional groups capable of forming other coordination centers are important. It is important to develop CPs with chelated units, chelating centers which include non-traditional heteroatoms. The optimization of the synthesis methods of CPs with chelated units will continue by reducing the number of synthetic steps (for example, by combining the synthesis of chelating polytopic ligands and CPs on their basis, *etc.*).

It should be noted that the CPs with chelated units make important contribution to developing the chemistry of polymeric metal chelates. Among the most important tasks in this direction are the continued development and optimization of low cost, high-yielding synthetic routes toward final CP with minimal impurities or contaminations; the continued introduction of new “green” chemistries and solvent-free or aqueous solution of preparation processes (in the absence of organic solvents) into synthetic methodologies of CP, which would minimize the cost and environmental impact; control over site-specific functionality (for example, core-shell-periphery); design of shape/morphology changing CP on application of an external stimulus; further investigation into CP for targeted biological applications.

The promising way will be further development of nanomaterials preparation by thermolysis of CPs. This is an intensely developed field of chemistry and materials science, which possesses its objects and investigation methods. Information in this field is accumulated continuously collecting the facts that seemed strange earlier and completing logical structuring of new ways of production of nanomaterials with high marketing potential. Nevertheless, till now, as a rule, it is impossible to recognize correlations between content, structural features, and properties of the nanomaterials prepared by this method, which in many respects restrains scientifically grounded approach to structuring of these materials and prediction of their promising properties.

Conflicts of interest

No potential conflict of interest was reported by the authors.

References

- 1 K. Naka, Metal Organic Framework (MOF), in *Encyclopedia of Polymeric Nanomaterials*, ed. S. Kobayashi and K. Müllen, Springer, 2015.
- 2 *Metal-Organic Frameworks: Materials Modeling towards Engineering Applications*, ed. J. Jiang, CRC, 2015.
- 3 R. Zhai, F. Jiao, H. Lin, F. Hao, J. Li, H. Yan, N. Li, H. Wang, Z. Jin, Y. Zhang and Ö. Qian, *Chin. J. Chromatogr.*, 2014, **32**, 107–116.
- 4 *Metal-Organic Framework Materials*, ed. L. R. MacGillivray and C. M. Lukehart, Wiley, 2014.
- 5 H.-C. Zhou, J. R. Long and O. M. Yaghi, *Chem. Rev.*, 2012, **112**, 673–674.
- 6 W. Lu, Z. Wei, Z.-Y. Gu, T.-F. Liu, J. Park, J. Park, J. Tian, M. Zhang, Q. Zhang, T. Gentle III, M. Bosch and H.-C. Zhou, *Chem. Soc. Rev.*, 2014, **43**, 5561–5593.
- 7 O. L. Ortiz and L. D. Ramirez, *Coordination Polymers and Metal Organic Frameworks: Properties, Types, and Applications*, Nova Science Publishers, 2012.
- 8 M. O’Keeffe and O. M. Yaghi, *Chem. Rev.*, 2012, **112**, 675–702.
- 9 S.-L. Wu, J.-P. Zou, M.-H. Chen, H.-B. Yang, M.-J. Li, X.-B. Luo, F. Luo, M.-F. Wu and G.-C. Guo, *Polyhedron*, 2012, **48**, 58–67.
- 10 R. Haldar, N. Sikdar and T. K. Maji, *Mater. Today*, 2015, **18**, 97–116.
- 11 K. E. Knope, D. T. Lill, C. E. Rowland, P. M. Cantos, A. Bettencourt-Dias and C. L. Cahill, *Inorg. Chem.*, 2012, **51**, 201–206.
- 12 W. Q. Kan, J. F. Ma, Y. Y. Liu and J. Yang, *CrystEngComm*, 2012, **14**, 2316–2326.
- 13 J.-R. Li, J. Sculley and H.-C. Zhou, *Chem. Rev.*, 2012, **112**, 869–932.
- 14 H. Wu, Q. Gong, D. H. Olson and J. Li, *Chem. Rev.*, 2012, **112**, 836–868.
- 15 K. Sumida, D. L. Rogow, J. A. Mason, T. M. McDonald, E. D. Bloch, Z. R. Herm, T.-H. Bae and J. R. Long, *Chem. Rev.*, 2012, **112**, 724–781.
- 16 M. P. Suh, H. J. Park, T. K. Prasad and D.-W. Lim, *Chem. Rev.*, 2012, **112**, 782–835.
- 17 Y. He, W. Zhou, G. Qian and B. Chen, *Chem. Soc. Rev.*, 2014, **43**, 5657–5678.
- 18 S. Qiu, M. Xue and G. Zhu, *Chem. Soc. Rev.*, 2014, **43**, 6116–6140.
- 19 H.-J. Son, S. Jin, S. Patwardhan, S. J. Wezenberg, N. C. Jeong, M. So, C. E. Wilmer, A. A. Sarjeant, G. C. Schatz, R. Q. Snurr, O. K. Farha, G. P. Wiederrecht and J. T. Hupp, *J. Am. Chem. Soc.*, 2013, **135**, 862–869.
- 20 S. Jin, H.-J. Son, O. K. Farha, G. P. Wiederrecht and J. T. Hupp, *J. Am. Chem. Soc.*, 2013, **135**, 955–958.
- 21 P. Horcajada, R. Gref, T. Baati, P. K. Allan, G. Maurin, P. Couvreur, G. Férey, R. E. Morris and C. Serre, *Chem. Rev.*, 2012, **112**, 1232–1268.
- 22 W. Morris, B. Voloskiy, S. Demir, F. Gándara, P. L. McGrier, H. Furukawa, D. Cascio, J. F. Stoddart and O. M. Yaghi, *Inorg. Chem.*, 2012, **51**, 6443–6445.
- 23 J. Liu, P. K. Thallapally, B. P. McGrail, D. R. Brown and J. Liu, *Chem. Soc. Rev.*, 2012, **41**, 2308–2322.
- 24 C. He, D. Liu and W. Lin, *Chem. Rev.*, 2015, **115**, 11079–11108.
- 25 K. Lu, C. He and W. Lin, *J. Am. Chem. Soc.*, 2015, **137**, 7600–7603.



- 26 Z. Hu, B. J. Deibert and J. Li, *Chem. Soc. Rev.*, 2014, **43**, 5815–5840.
- 27 L. E. Kreno, K. Leong, O. K. Farha, M. Allendorf, R. P. Van Duyne and J. T. Hupp, *Chem. Rev.*, 2012, **112**, 1105–1125.
- 28 Y. Cui, Y. Yue, G. Qian and B. Chen, *Chem. Rev.*, 2012, **112**, 1126–1162.
- 29 J. Heine and K. Muller-Buschbaum, *Chem. Soc. Rev.*, 2013, **42**, 9232–9242.
- 30 M. Yoon, R. Srirambalaji and K. Kim, *Chem. Rev.*, 2012, **112**, 1196–1231.
- 31 J. Liu, L. Chen, H. Cui, J. Zhang, L. Zhang and C.-Y. Su, *Chem. Soc. Rev.*, 2014, **43**, 6011–6061.
- 32 P. Phuengphai, S. Youngme, P. Gamez and J. Reedijk, *Dalton Trans.*, 2010, **39**, 7936–7942.
- 33 T. Zhang and W. Lin, *Chem. Soc. Rev.*, 2014, **43**, 5982–5993.
- 34 A. H. Chughtai, N. Ahmad, H. A. Younus, A. Laypkov and F. Verpoort, *Chem. Soc. Rev.*, 2015, **44**, 6804–6849.
- 35 J. Canivet, S. Aguado, Y. Schuurman and D. Farrusseng, *J. Am. Chem. Soc.*, 2013, **135**, 4195–4198.
- 36 A. N. Mlinar, B. K. Keitz, D. Gygi, E. D. Bloch, J. R. Long and A. T. Bell, *ACS Catal.*, 2014, **4**, 717–721.
- 37 Y. Zhang, Y. Zhou, Y. Zhao and C. Liu, *Catal. Today*, 2016, **263**, 61–68.
- 38 A. Bhunia, S. Dey, J. M. Moreno, U. Diaz, P. Concepcion, K. Van Hecke, C. Janiak and P. Van Der Voort, *Chem. Commun.*, 2016, **52**, 1401–1404.
- 39 S. Ou and C.-D. Wu, *Inorg. Chem. Front.*, 2014, **1**, 721–734.
- 40 P. Ramaswamy, N. E. Wong and G. K. H. Shimizu, *Chem. Soc. Rev.*, 2014, **43**, 5913–5932.
- 41 C.-Y. Sun, X.-L. Wang, X. Zhang, C. Qin, P. Li, Z.-M. Su, D.-X. Zhu, G.-G. Shan, K.-Z. Shao, H. Wu and J. Li, *Nat. Commun.*, 2013, **4**, 2717.
- 42 Y. Cui, F. Zhu, B. Chen and G. Qian, *Chem. Commun.*, 2015, **51**, 7420–7431.
- 43 J. Pan, C.-P. Liu, F.-L. Jiang, M.-Y. Wu, L. Chen, J.-J. Qian, K.-Z. Su, X.-Y. Wan and M.-C. Hong, *CrystEngComm*, 2015, **17**, 1541–1548.
- 44 X.-P. Wang, T.-P. Hu and D. Sun, *CrystEngComm*, 2015, **17**, 3393–3417.
- 45 A. D. Pomogailo and G. I. Dzhardimalieva, *Nanostructured Materials Preparation via Condensation Ways*, Springer, 2014.
- 46 A. D. Pomogailo and G. I. Dzhardimalieva, *Metallopolymeric Hybrid Nanocomposites*, Nauka, 2015.
- 47 B. I. Kharisov, O. V. Kharissova and U. O. Méndez, *J. Coord. Chem.*, 2013, **66**, 3791–3828.
- 48 O. Carp, Materials Obtained by Solid-State Thermal Decomposition of Coordination Compounds and Metal-Organic Coordination Polymers, in *Reactions and Mechanisms in Thermal Analysis of Advanced Materials*, ed. A. Tiwari and B. Raj, Scrivener Publishing LLC, 2015.
- 49 Y. Song, X. Li, L. Sun and L. Wang, *RSC Adv.*, 2015, **5**, 7267–7279.
- 50 J.-K. Sun and Q. Xu, *Energy Environ. Sci.*, 2014, **7**, 2071–2100.
- 51 B. I. Kharisov, H. V. Rasika Dias, O. V. Kharissova, V. M. Jiménez-Pérez, B. O. Pérez and B. M. Flores, *RSC Adv.*, 2012, **2**, 9325–9358.
- 52 M. Y. Masoomi and A. Morsali, *Coord. Chem. Rev.*, 2012, **256**, 2921–2943.
- 53 A. D. Pomogailo and I. E. Uflyand, *Adv. Polym. Sci.*, 1990, **97**, 61–105.
- 54 A. D. Pomogailo and I. E. Uflyand, *Makromolekulayrnye Metallokhelatnyye Macromolecular Metal Chelates*, Khimiya, 1991.
- 55 G. Kumar and R. Gupta, *Chem. Soc. Rev.*, 2013, **42**, 9403–9453.
- 56 D. Feng, Z.-Y. Gu, J.-R. Li, H.-L. Jiang, Z. Wei and H.-C. Zhou, *Angew. Chem., Int. Ed.*, 2012, **51**, 10307–10310.
- 57 Y. Chen, T. Hoang and S. Ma, *Inorg. Chem.*, 2012, **51**, 12600–12602.
- 58 X.-S. Wang, M. Chrzanowski, C. Kim, W.-Y. Gao, L. Wojtas, Y.-S. Chen, X. P. Zhang and S. Ma, *Chem. Commun.*, 2012, **48**, 7173–7175.
- 59 X.-S. Wang, M. Chrzanowski, W.-Y. Gao, L. Wojtas, Y.-S. Chen, M. J. Zaworotko and S. Ma, *Chem. Sci.*, 2012, **3**, 2823–2827.
- 60 X.-S. Wang, M. Chrzanowski, L. Wojtas, Y.-S. Chen and S. Ma, *Chem.-Eur. J.*, 2013, **19**, 3297–3301.
- 61 L. Meng, Q. Cheng, C. Kim, W.-Y. Gao, L. Wojtas, Y.-S. Cheng, M. J. Zaworotko, X. P. Zhang and S. Ma, *Angew. Chem., Int. Ed.*, 2012, **51**, 10082–10085.
- 62 X.-L. Yang, M.-H. Xie, C. Zou, Y. He, B. Chen, M. O’Keeffe and C.-D. Wu, *J. Am. Chem. Soc.*, 2012, **134**, 10638–10645.
- 63 A. Fateeva, P. A. Chater, C. P. Ireland, A. A. Tahir, Y. Z. Khimyak, P. V. Wiper, J. R. Darwent and M. J. Rosseinsky, *Angew. Chem., Int. Ed.*, 2012, **51**, 7440–7444.
- 64 V. S. P. K. Neti, A. J. Metta-Magaña and L. Echegoyen, *J. Coord. Chem.*, 2013, **66**, 3193–3198.
- 65 D. Feng, H.-L. Jiang, Y.-P. Chen, Z.-Y. Gu, Z. Wei and H.-C. Zhou, *Inorg. Chem.*, 2013, **52**, 12661–12667.
- 66 J. A. Johnson, X. Zhang, T. C. Reeson, Y. S. Chen and J. Zhang, *J. Am. Chem. Soc.*, 2014, **136**, 15881–15884.
- 67 B. J. Burnett and W. Choe, *CrystEngComm*, 2012, **14**, 6129–6131.
- 68 J. M. Falkowski, T. Sawano, T. Zhang, G. Tsun, Y. Chen, J. V. Lockard and W. Lin, *J. Am. Chem. Soc.*, 2014, **136**, 5213–5216.
- 69 Z. Zhang, L. Wojtas, M. Eddaoudi and M. J. Zaworotko, *J. Am. Chem. Soc.*, 2013, **135**, 5982–5985.
- 70 Z. Zhang and M. J. Zaworotko, *Chem. Soc. Rev.*, 2014, **43**, 5444–5455.
- 71 Z. Zhang, L. Zhang, L. Wojtas, P. Nugent, M. Eddaoudi and M. J. Zaworotko, *J. Am. Chem. Soc.*, 2012, **134**, 924–927.
- 72 Z. Zhang, L. Zhang, L. Wojtas, M. Eddaoudi and M. J. Zaworotko, *J. Am. Chem. Soc.*, 2012, **134**, 928–933.
- 73 A. Fidalgo-Marijuan, G. Barandika, B. Bazán, M.-K. Urteaga and M. I. Arriortua, *CrystEngComm*, 2013, **15**, 4181–4188.
- 74 L. Xu, J. Wang, Y. Xu, Z. Zhang, P. Lu, M. Fang, S. Li, P. Sun and H.-K. Liu, *CrystEngComm*, 2014, **16**, 8656–8659.



- 75 B. J. Burnett, P. M. Barron, C. Hu and W. Choe, *Eur. J. Inorg. Chem.*, 2012, **2012**, 4885–4897.
- 76 K. Wang, D. Feng, T.-F. Liu, J. Su, S. Yuan, Y.-P. Chen, M. Bosch, X. Zou and H.-C. Zhou, *J. Am. Chem. Soc.*, 2014, **136**, 13983–13986.
- 77 H. Deng, S. Grunder, K. E. Cordova, C. Valente, H. Furukawa, M. Hmadeh, F. Gandara, A. C. Whalley, Z. Liu, S. Asahina, H. Kazumori, M. O'Keeffe, O. Terasaki, J. F. Stoddart and O. M. Yaghi, *Science*, 2012, **336**, 1018–1023.
- 78 J. An, O. K. Farha, J. T. Hupp, E. Pohl, J. I. Yeh and N. L. Rosi, *Nat. Commun.*, 2012, **3**, 604.
- 79 D. Feng, W.-C. Chung, Z. Wei, Z.-Y. Gu, H.-L. Jiang, Y.-P. Chen, D. J. Darensbourg and H.-C. Zhou, *J. Am. Chem. Soc.*, 2013, **135**, 17105–17110.
- 80 W.-Y. Gao, M. Chrzanowski and S. Ma, *Chem. Soc. Rev.*, 2014, **43**, 5841–5866.
- 81 C. Zou, T. Zhang, M.-H. Xie, L. Yan, G.-Q. Kong, X.-L. Yang, A. Ma and C.-D. Wu, *Inorg. Chem.*, 2013, **52**, 3620–3626.
- 82 C. Zou, M.-H. Xie, G.-Q. Kong and C.-D. Wu, *CrystEngComm*, 2012, **14**, 4850–4856.
- 83 M.-H. Xie, X.-L. Yang, Y. He, J. Zhang, B. Chen and C.-D. Wu, *Chem.–Eur. J.*, 2013, **19**, 14316–14321.
- 84 S. Matsunaga, N. Endo and W. Mori, *Eur. J. Inorg. Chem.*, 2012, **2012**, 4885–4897.
- 85 K. Y. Lee, Y. S. Lee, S. Kim, H. M. Ha, S.-E. Bae, S. Huh, H. G. Jang and S. J. Lee, *CrystEngComm*, 2013, **15**, 9360–9363.
- 86 Z. Guo, D. Yan, H. Wang, D. Tesfagaber, X. Li, Y. Chen, W. Huang and B. Chen, *Inorg. Chem.*, 2015, **54**, 200–204.
- 87 Z. Zhang, J. Li, Y. Yao and S. Sun, *Cryst. Growth Des.*, 2015, **15**, 5028–5033.
- 88 C. Zhu, G. Yuan, X. Chen, Z. Yang and Y. Cui, *J. Am. Chem. Soc.*, 2012, **134**, 8058–8061.
- 89 Z.-Y. Gu, J. Park, A. Raiff, Z. Wei and H.-C. Zhou, *ChemCatChem*, 2014, **6**, 67–75.
- 90 A. Bhunia, M. A. Gotthardt, M. Yadav, M. T. Gamer, A. Eichöfer, W. Kleist and P. W. Roesky, *Chem.–Eur. J.*, 2013, **19**, 1986–1995.
- 91 M. C. Das, Q. Guo, Y. He, J. Kim, C.-G. Zhao, K. Hong, S. Xiang, Z. Zhang, K. M. Thomas, R. Krishna and B. Chen, *J. Am. Chem. Soc.*, 2012, **134**, 8703–8710.
- 92 A. Ali, G. Hundal and R. Gupta, *Cryst. Growth Des.*, 2012, **12**, 1308–1319.
- 93 G. Kumar, H. Aggarwal and R. Gupta, *Cryst. Growth Des.*, 2013, **13**, 74–90.
- 94 S. Srivastava, A. Ali, A. Tyagi and R. Gupta, *Eur. J. Inorg. Chem.*, 2014, **2014**, 2113–2123.
- 95 S. Srivastava, M. S. Dagur and R. Gupta, *Eur. J. Inorg. Chem.*, 2014, **2014**, 4966–4974.
- 96 G. Kumar and R. Gupta, *Inorg. Chem. Commun.*, 2012, **23**, 103–108.
- 97 D. Bansal, G. Hundal and R. Gupta, *Eur. J. Inorg. Chem.*, 2015, **2015**, 1022–1032.
- 98 G. Kumar and R. Gupta, *Inorg. Chem.*, 2012, **51**, 5497–5499.
- 99 G. Kumar and R. Gupta, *Inorg. Chem.*, 2013, **52**, 10773–10787.
- 100 L. K. Das, A. M. Kirillov and A. Ghosh, *CrystEngComm*, 2014, **16**, 3029–3039.
- 101 Y.-L. Hou, S.-X. Li, R. W.-Y. Sun, X.-Y. Liu, S. W. Ng and D. Li, *Dalton Trans.*, 2015, **44**, 17360–17365.
- 102 Y.-L. Hou, R. W.-Y. Sun, X.-P. Zhou, J.-H. Wang and D. Li, *Chem. Commun.*, 2014, **50**, 2295–2297.
- 103 Q.-L. Zhang, G.-W. Feng, Y.-Q. Zhang and B.-X. Zhu, *RSC Adv.*, 2014, **4**, 11384–11392.
- 104 A. D. Burrows, M. F. Mahon, C. L. Renouf, C. Richardson, A. J. Warren and J. E. Warren, *Dalton Trans.*, 2012, **41**, 4153–4163.
- 105 C. Mohapatra and V. Chandrasekhar, *Cryst. Growth Des.*, 2014, **14**, 406–409.
- 106 S. Srivastava, H. Aggarwal and R. Gupta, *Cryst. Growth Des.*, 2015, **15**, 4110–4122.
- 107 A. Kobayashi, A. Sugiyama, T. Ohba, Y. Suzuki, H.-C. Chang and M. Kato, *Chem. Lett.*, 2014, **43**, 1070–1072.
- 108 A. Kobayashi, Y. Suzuki, T. Ohba, T. Ogawa, T. Matsumoto, S.-i. Noro, H.-C. Chang and M. Kato, *Inorg. Chem.*, 2015, **54**, 2522–2535.
- 109 H.-L. Wang, S.-B. Wu, X.-M. Shi, X.-Z. Li, P.-P. Hao and L.-N. Zhu, *J. Inorg. Organomet. Polym.*, 2015, **25**, 730–738.
- 110 C. Zou and C.-D. Wu, *Dalton Trans.*, 2012, **41**, 3879–3888.
- 111 L. Wang, J. Morales, T. Wu, X. Zhao, W. P. Beyermann, X. Bu and P. Feng, *Chem. Commun.*, 2012, **48**, 7498–7500.
- 112 D.-X. Xue, A. J. Cairns, Y. Belmabkhout, Ł. Wojtas, Y. Liu, M. H. Alkordi and M. Eddaoudi, *J. Am. Chem. Soc.*, 2013, **135**, 7660–7667.
- 113 J. Eubank, F. Nouar, R. Luebke, A. Cairns, L. Wojtas, M. Alkordi, T. Bousquet, M. Hight, J. Eckert, J. Embs, P. Georgiev and M. Eddaoudi, *Angew. Chem., Int. Ed.*, 2012, **51**, 10099–10103.
- 114 R. Luebke, J. F. Eubank, A. J. Cairns, Y. Belmabkhout, L. Wojtas and M. Eddaoudi, *Chem. Commun.*, 2012, **48**, 1455–1457.
- 115 R. Luebke, Ł. J. Weseliński, Y. Belmabkhout, Z. Chen, Ł. Wojtas and M. Eddaoudi, *Cryst. Growth Des.*, 2014, **14**, 414–418.
- 116 V. Guillermin, Ł. J. Weselinski, Y. Belmabkhout, A. J. Cairns, V. D'Elia, Ł. Wojtas, K. Adil and M. Eddaoudi, *Nat. Chem.*, 2014, **6**, 673–680.
- 117 U. Stoeck, S. Krause, V. Bon, I. Senkovska and S. Kaskel, *Chem. Commun.*, 2012, **48**, 10841–10843.
- 118 V. Guillermin, D. Kim, J. F. Eubank, R. Luebke, X. Liu, K. Adil, M. S. Lah and M. Eddaoudi, *Chem. Soc. Rev.*, 2014, **43**, 6141–6172.
- 119 Z. Chen, K. Adil, Ł. J. Weseliński, Y. Belmabkhout and M. Eddaoudi, *J. Mater. Chem. A*, 2015, **3**, 6276–6281.
- 120 N. Stock and S. Biswas, *Chem. Rev.*, 2012, **112**, 933–969.
- 121 Y.-R. Lee, J. Kim and W.-S. Ahn, *Korean J. Chem. Eng.*, 2013, **30**, 1667–1680.
- 122 Y. Sun and H.-C. Zhou, *Sci. Technol. Adv. Mater.*, 2015, **16**, 054202.

- 177 F.-J. Meng, H.-Q. Jia, N.-H. Hu and J.-W. Xu, *Inorg. Chem. Commun.*, 2012, **21**, 186–190.
- 178 L. Yang, S. Song, H. Zhang, W. Zhang, L. Wu, Z. Bu and T. Ren, *Synth. Met.*, 2012, **162**, 261–267.
- 179 S. Song, C. Shao, H. Zhang, W. Zhang, L. Yang, T. Ren and Z. Bu, *Synth. React. Inorg., Met.-Org., Nano-Met. Chem.*, 2013, **43**, 169–174.
- 180 X.-Q. Zhao and Y.-C. Li, *J. Coord. Chem.*, 2013, **66**, 937–945.
- 181 R. K. Vakiti, B. D. Garabato, N. P. Schieber, M. J. Rucks, Y. Cao, C. Webb, J. B. Maddox, A. Celestian, W.-P. Pan and B. Yan, *Cryst. Growth Des.*, 2012, **12**, 3937–3943.
- 182 K. Yang, J.-H. Luo and Z.-H. Liu, *Inorg. Chim. Acta*, 2012, **391**, 206–209.
- 183 C. Cruz, E. Spodine, A. Vega, D. Venegas-Yazigi and V. Paredes-García, *Cryst. Growth Des.*, 2016, **16**, 2173.
- 184 X. Cao, Y. Liu, L. Wang and G. Li, *Inorg. Chim. Acta*, 2012, **392**, 16–24.
- 185 B. Roy, S. Mukherjee and P. S. Mukherjee, *CrystEngComm*, 2013, **15**, 9596–9602.
- 186 L. Yang, L. Zeng, W. Gu, J. Tian, S. Liao, M. Zhang, X. Wei, L. Xin and X. Liu, *Inorg. Chem. Commun.*, 2013, **29**, 76–81.
- 187 K. Cheng and X. L. Zhang, *Russ. J. Coord. Chem.*, 2013, **39**, 458–462.
- 188 K. Suh, M. P. Yutkin, D. N. Dybtsev, V. P. Fedin and K. Kim, *Chem. Commun.*, 2012, **48**, 513–515.
- 189 T. Kawamoto, N. Suzuki, T. Ono, D. Gong and T. Konno, *Chem. Commun.*, 2013, **49**, 668–670.
- 190 A. J. McConnell, C. S. Wood, P. P. Neelakandan and J. R. Nitschke, *Chem. Rev.*, 2015, **115**, 7729–7793.
- 191 Z. L. Luo and S. G. Zhang, *Chem. Soc. Rev.*, 2012, **41**, 4736–4754.
- 192 F. Vidal, R. R. Gowda and E. Y. X. Chen, *J. Am. Chem. Soc.*, 2015, **137**, 9469–9480.
- 193 S. C. Xu, Y. Magoon, R. R. Reinig, B. M. Schmidt, A. Ellern and A. D. Sadow, *Organometallics*, 2015, **34**, 3508–3519.
- 194 H. Tan, Y. Li, W. Chen, A. Yan, D. Liu and E. Wang, *Cryst. Growth Des.*, 2012, **12**, 1111–1117.
- 195 L. L. Yan, C. H. Tan, G. L. Zhang, L. P. Zhou, J. C. Bunzli and Q. F. Sun, *J. Am. Chem. Soc.*, 2015, **137**, 8550–8555.
- 196 B. M. Trost and M. Rao, *Angew. Chem., Int. Ed.*, 2015, **54**, 5026–5043.
- 197 W. R. Xu, G. J. Xia, H. F. Chow, X. P. Cao and D. Kuck, *Chem.-Eur. J.*, 2015, **21**, 12011–12017.
- 198 J. P. Byrne, J. A. Kitchen, J. E. O'Brien, R. D. Peacock and T. Gunnlaugsson, *Inorg. Chem.*, 2015, **54**, 1426–1439.
- 199 J. He, G. Zhang, D. Xiao, H. Chen, S. Yan, X. Wang, J. Yanga and E. Wang, *CrystEngComm*, 2012, **14**, 3609–3614.
- 200 Y. Gong, T. Wu, J. Lin and B. Wang, *CrystEngComm*, 2012, **14**, 5649–5656.
- 201 S.-L. Cai, S.-R. Zheng, Z.-Z. Wen, J. Fan and W.-G. Zhang, *Cryst. Growth Des.*, 2012, **12**, 2355–2361.
- 202 Z. Chen, S. Qin, D. Liu, Y. Shen and F. Liang, *Cryst. Growth Des.*, 2013, **13**, 3389–3395.
- 203 B. Joarder, A. K. Chaudhari and S. K. Ghosh, *Inorg. Chem.*, 2012, **51**, 4644–4649.
- 204 L. Song, C. Jiang, C. Ling, Y.-R. Yao, Q.-H. Wang and D. Chen, *J. Inorg. Organomet. Polym.*, 2016, **26**, 320–325.
- 205 W. Chen, S.-Q. Su, S.-Q. Song, X.-Z. Song, H.-J. Zhang, G. Xuexiao and H. Xuebao, *Chem. J. Chin. Univ.*, 2012, **33**, 215–218.
- 206 Z. Xu, H. Li, A. Li, W. Menga, H. Hou and Y. Fan, *Inorg. Chem. Commun.*, 2013, **36**, 126–129.
- 207 A. A. Sinelshchikova, S. E. Nefedov, Y. Y. Enakieva, Y. G. Gorbunova, A. Y. Tsivadze, K. M. Kadish, P. Chen, A. Bessmertnykh-Lemeune, C. Stern and R. Guillard, *Inorg. Chem.*, 2013, **52**, 999–1006.
- 208 J. A. Johnson, Q. Lin, L.-C. Wu, N. Obaidi, Z. L. Olson, T. C. Reeson, Y.-S. Chen and J. Zhang, *Chem. Commun.*, 2013, **49**, 2828–2830.
- 209 N. C. Smythe, D. P. Butler, C. E. Moore, W. R. McGowan, A. L. Rheingold and L. G. Beauvais, *Dalton Trans.*, 2012, **41**, 7855–7858.
- 210 J. Park, D. Feng, S. Yuan and H.-C. Zhou, *Angew. Chem., Int. Ed.*, 2015, **54**, 430–435.
- 211 Z. Guo and B. Chen, *Dalton Trans.*, 2015, **44**, 14574–14583.
- 212 A. Fateeva, J. Clarisse, G. Pilet, J.-M. Grenèche, F. Nouar, B. K. Abeykoon, F. Guegan, C. Goutaudier, D. Luneau, J. E. Warren, M. J. Rosseinsky and T. Devic, *Cryst. Growth Des.*, 2015, **15**, 1819–1826.
- 213 W.-Y. Gao, Z. Zhang, L. Cash, L. Wojtas, Y.-S. Chen and S. Ma, *CrystEngComm*, 2013, **15**, 9320–9323.
- 214 W. Zhang, P. Jiang, Y. Wang, J. Zhang and P. Zhang, *Inorg. Chem. Commun.*, 2015, **61**, 100–104.
- 215 Q. Zha, C. Ding, X. Rui and Y. Xie, *Cryst. Growth Des.*, 2013, **13**, 4583–4590.
- 216 X. Rui, Q.-Z. Zha, T.-T. Wei and Y.-S. Xie, *Inorg. Chem. Commun.*, 2014, **48**, 111–113.
- 217 C.-W. Kung, T.-H. Chang, L.-Y. Chou, J. T. Hupp, O. K. Farha and K.-C. Ho, *Electrochem. Commun.*, 2015, **58**, 51–56.
- 218 D. Feng, K. Wang, Z. Wei, Y.-P. Chen, C. M. Simon, R. K. Arvapally, R. L. Martin, M. Bosch, T.-F. Liu, S. Fordham, D. Yuan, M. A. Omary, M. Haranczyk, B. Smit and H.-C. Zhou, *Nat. Commun.*, 2014, **5**, 5723.
- 219 T. M. McDonald, W. R. Lee, J. A. Mason, B. M. Wiers, C. S. Hong and J. R. Long, *J. Am. Chem. Soc.*, 2012, **134**, 7056–7065.
- 220 D. A. Yang, H. Y. Cho, J. Kim, S. T. Yang and W. S. Ahn, *Energy Environ. Sci.*, 2012, **5**, 6465–6473.
- 221 H. Y. Cho, D. A. Yang, J. Kim, S. Y. Jeong and W. S. Ahn, *Catal. Today*, 2012, **185**, 35–40.
- 222 L. J. Wang, H. Deng, H. Furukawa, F. Gándara, K. E. Cordova, D. Peri and O. M. Yaghi, *Inorg. Chem.*, 2014, **53**, 5881–5883.
- 223 B. I. Kharisov, O. V. Kharissova and U. O. Méndez, Microwave Hydrothermal and Solvothermal Processing of Materials and Compounds, in *The Development and Application of Microwave Heating*, ed. W. Cao, InTech, 2012.
- 224 J. Lhoste, X. Rocquefelte, K. Adil, R. Dessapt, S. Jobic, M. Leblanc, V. Maisonneuve and I. Bujoli-Doeuff, *Inorg. Chem.*, 2011, **20**, 5671–5678.
- 225 E. Yang, H.-Y. Li, Z.-S. Liu and Q.-D. Ling, *Inorg. Chem. Commun.*, 2013, **30**, 152–155.



- 226 H. Liu, X. Meng, L. Zhang and A. Jia, *Aust. J. Chem.*, 2015, **68**, 1299–1304.
- 227 Z.-Q. Jiang, G.-Y. Jiang, D.-C. Hou, F. Wang, Z. Zhao and J. Zhang, *CrystEngComm*, 2013, **15**, 315–323.
- 228 M. Zhu, W. Fu and G. Zou, *J. Coord. Chem.*, 2012, **65**, 4108–4114.
- 229 S.-Y. Chen, E. Yang, Z.-S. Liu and X.-L. Ye, *Chin. J. Struct. Chem.*, 2012, **31**, 535–538.
- 230 X. Li, Q. Liu and Y. Dong, *Synth. React. Inorg., Met.-Org., Nano-Met. Chem.*, 2016, **46**, 1202–1206.
- 231 H. Fu, C. Qin, Y. Lu, Z.-M. Zhang, Y.-G. Li, Z.-M. Su, W.-L. Li and E.-B. Wang, *Angew. Chem., Int. Ed.*, 2012, **51**, 7985–7989.
- 232 E. Ahmed and M. Ruck, *Angew. Chem., Int. Ed.*, 2012, **51**, 308–323.
- 233 W.-J. Ji, Q.-G. Zhai, S.-N. Li, Y.-C. Jiang and M.-C. Hu, *Inorg. Chem. Commun.*, 2013, **28**, 16–19.
- 234 A. López-Periago, O. Vallcorba, C. Frontera, C. Domingo and J. A. Ayllón, *Dalton Trans.*, 2015, **44**, 7548–7553.
- 235 J. Gao, M. He, Z. Y. Lee, W. Cao, W.-W. Xiong, Y. Li, R. Ganguly, T. Wuc and Q. Zhang, *Dalton Trans.*, 2013, **42**, 11367–11370.
- 236 S. K. Nune, P. K. Thallapally, B. P. McGrail, H. V. R. Annapureddy, L. X. Dang, D. Mei, N. Karri, K. J. Alvine, M. J. Olszta, B. W. Arey and A. Dohnalkova, *ACS Appl. Mater. Interfaces*, 2015, **7**, 21712–21716.
- 237 A. Carné-Sánchez, I. Imaz, M. Cano-Sarabia and D. Maspoch, *Nat. Chem.*, 2013, **5**, 203–211.
- 238 H. Furukawa, U. Müller and O. M. Yaghi, *Angew. Chem., Int. Ed.*, 2015, **54**, 3417–3430.
- 239 Y. Sun and B. Yoo, *New J. Chem.*, 2015, **39**, 4218–4221.
- 240 G. Lu, S. Z. Li, Z. Guo, O. K. Farha, B. G. Hauser, X. Y. Qi, Y. Wang, X. Wang, S. Y. Han, X. G. Liu, J. S. DuChene, H. Zhang, Q. C. Zhang, X. D. Chen, J. Ma, S. C. J. Loo, W. D. Wei, Y. H. Yang, J. T. Hupp and F. W. Huo, *Nat. Chem.*, 2012, **4**, 310–316.
- 241 W.-W. Xiong, E. U. Athresh, Y. T. Ng, J. Ding, T. Wu and Q. Zhang, *J. Am. Chem. Soc.*, 2013, **135**, 1256–1259.
- 242 Y.-Y. Yin, J.-G. Ma, Z. Niu, X.-C. Cao, W. Shi and P. Cheng, *Inorg. Chem.*, 2012, **51**, 4784–4790.
- 243 J. Kim, S. H. Kim, S. T. Yang and W. S. Ahn, *Microporous Mesoporous Mater.*, 2012, **161**, 48–55.
- 244 H. Y. Cho, J. Kim, S. N. Kim and W. S. Ahn, *Microporous Mesoporous Mater.*, 2013, **169**, 180–184.
- 245 D. Deng, L. Liu, B.-M. Ji, G. Yin and C. Du, *Cryst. Growth Des.*, 2012, **12**, 5338–5348.
- 246 Z.-Z. Wen, X.-L. Wen, S.-L. Cai, S.-R. Zheng, J. Fan and W.-G. Zhang, *CrystEngComm*, 2013, **15**, 5359–5367.
- 247 S. Zhong, H. Jing, Y. Li, S. Yin, C. Zeng and L. Wang, *Inorg. Chem.*, 2014, **53**, 8278–8286.
- 248 M. Shi, C. Zeng, L. Wang, Z. Nie, Y. Zhao and S. Zhong, *New J. Chem.*, 2015, **39**, 2973–2979.
- 249 M. Joaristi, J. Juan-Alcaniz, P. Serra-Crespo, F. Kapteijn and J. Gascon, *Cryst. Growth Des.*, 2012, **12**, 3489–3498.
- 250 H. Sakamoto, R. Matsuda and S. Kitagawa, *Dalton Trans.*, 2012, **41**, 3956–3961.
- 251 D. Crawford, J. Casaban, R. Haydon, N. Giri, T. McNally and S. L. James, *Chem. Sci.*, 2015, **6**, 1645–1649.
- 252 D. Matoga, M. Oszejca and M. Molenda, *Chem. Commun.*, 2015, **51**, 7637–7640.
- 253 V. Safarifard and A. Morsali, *Coord. Chem. Rev.*, 2015, **292**, 1–14.
- 254 M. J. S. Fard, F. Rastaghi and N. Ghanbari, *J. Mol. Struct.*, 2013, **1032**, 133–143.
- 255 A. Morsali and A. Panjehpour, *Inorg. Chim. Acta*, 2012, **391**, 210–217.
- 256 V. Safarifard and A. Morsali, *Ultrason. Sonochem.*, 2012, **19**, 300–306.
- 257 Z. Zhang, W.-Y. Gao, L. Wojtas, S. Ma, M. Eddaoudi and M. J. Zaworotko, *Angew. Chem., Int. Ed.*, 2012, **51**, 9330–9334.
- 258 J. D. Evans, C. J. Sumby and C. J. Doonan, *Chem. Soc. Rev.*, 2014, **43**, 5933–5951.
- 259 M. Servalli, M. Ranocchiari and J. A. Van Bokhoven, *Chem. Commun.*, 2012, **48**, 1904–1906.
- 260 L. Zhu, X.-Q. Liu, H.-L. Jiang and L.-B. Sun, *Chem. Rev.*, 2017, **117**, 8129–8176.
- 261 B. Gui, X. Meng, H. Xu and C. Wang, *Chin. J. Chem.*, 2016, **34**, 186–190.
- 262 B. Li, B. Gui, G. Hu, D. Yuan and C. Wang, *Inorg. Chem.*, 2015, **54**, 5139–5141.
- 263 P. Deria, J. E. Mondloch, O. Karagiari, W. Bury, J. T. Hupp and O. K. Farha, *Chem. Soc. Rev.*, 2014, **43**, 5896–5912.
- 264 H. Wang, W. Meng, J. Wu, J. Ding, H. Hou and Y. Fan, *Coord. Chem. Rev.*, 2016, **307**, 130–146.
- 265 S. Yuan, Y.-P. Chen, J.-S. Qin, W. Lu, L. Zou, Q. Zhang, X. Wang, X. Sun and H.-C. Zhou, *J. Am. Chem. Soc.*, 2016, **138**, 8912–8919.
- 266 C. Montoro, E. Garcia, S. Calero, M. A. Perez-Fernandez, A. L. Lopez, L. Barea and J. A. Navarro, *J. Mater. Chem.*, 2012, **22**, 10155–10158.
- 267 P. V. Dau and S. M. Cohen, *Chem. Commun.*, 2013, **49**, 6128–6130.
- 268 K. M. Zwoliński, P. Nowak and M. J. Chmielewski, *Chem. Commun.*, 2015, **51**, 10030–10033.
- 269 A. S. Gupta, R. K. Deshpande, L. Liu, G. I. N. Waterhouse and S. G. Telfer, *CrystEngComm*, 2012, **14**, 5701–5704.
- 270 W. Bury, D. Fairen-Jimenez, M. B. Lalonde, R. Q. Snurr, O. K. Farha and J. T. Hupp, *Chem. Mater.*, 2013, **25**, 739–744.
- 271 A. F. Gross, E. Sherman, S. L. Mahoney and J. J. Vajo, *J. Phys. Chem. A*, 2013, **117**, 3771–3781.
- 272 T. Li, M. T. Kozłowski, E. A. Doud, M. N. Blakely and N. L. Rosi, *J. Am. Chem. Soc.*, 2013, **135**, 11688–11691.
- 273 S. Takaishi, E. J. DeMarco, M. J. Pellin, O. K. Farha and J. T. Hupp, *Chem. Sci.*, 2013, **4**, 1509–1513.
- 274 D. H. Hong and M. P. Suh, *Chem.–Eur. J.*, 2014, **20**, 426–434.
- 275 M. Kim, J. F. Cahill, Y. Su, K. A. Prather and S. M. Cohen, *Chem. Sci.*, 2012, **3**, 126–130.
- 276 H. Fei, J. Shin, Y. S. Meng, M. Adelhadt, J. Sutter, K. Meyer and S. M. Cohen, *J. Am. Chem. Soc.*, 2014, **136**, 4965–4973.



- 277 H. Fei and S. M. Cohen, *J. Am. Chem. Soc.*, 2015, **137**, 2191–2194.
- 278 C. Liu, T.-Y. Luo, E. S. Feura, C. Zhang and N. L. Rosi, *J. Am. Chem. Soc.*, 2015, **137**, 10506–10509.
- 279 V. Safarifar and A. Morsali, *Inorg. Chim. Acta*, 2013, **405**, 203–208.
- 280 J. B. Rivest and P. K. Jain, *Chem. Soc. Rev.*, 2013, **42**, 89–96.
- 281 Y. Kim, S. Das, S. Bhattacharya, S. Hong, M. G. Kim, M. Yoon, S. Natarajan and K. Kim, *Chem.–Eur. J.*, 2012, **18**, 16642–16648.
- 282 D. Denysenko, T. Werner, M. Grzywa, A. Puls, V. Hagen, G. Eickerling, J. Jelic, K. Reuter and D. Volkmer, *Chem. Commun.*, 2012, **48**, 1236–1238.
- 283 C. K. Brozek, A. F. Cozzolino, S. J. Teat, Y.-S. Chen and M. Dincă, *Chem. Mater.*, 2013, **25**, 2998–3002.
- 284 Y. Jiao, C. R. Morelock, N. C. Burtch, W. P. Mounfield III, J. T. Hungerford and K. S. Walton, *Ind. Eng. Chem. Res.*, 2015, **54**, 12408–12414.
- 285 A. M. Shultz, A. A. Sarjeant, O. K. Farha, J. T. Hupp and S. T. Nguyen, *J. Am. Chem. Soc.*, 2011, **133**, 13252–13255.
- 286 D. Feng, Z.-Y. Gu, Y.-P. Chen, J. Park, Z. Wei, Y. Sun, M. Bosch, S. Yuan and H.-C. Zhou, *J. Am. Chem. Soc.*, 2014, **136**, 17714–17717.
- 287 J. Zheng, M. Wu, F. Jiang, W. Su and M. Hong, *Chem. Sci.*, 2015, **6**, 3466–3470.
- 288 J. A. Johnson, J. Luo, X. Zhang, Y.-S. Chen, M. D. Morton, E. Echeverria, F. E. Torres and J. Zhang, *ACS Catal.*, 2015, **5**, 5283–5291.
- 289 T. Sawano, N. C. Thacker, Z. Lin, A. R. McIsaac and W. Lin, *J. Am. Chem. Soc.*, 2015, **137**, 12241–12248.
- 290 S. Seth, G. Savitha and J. N. Moorthy, *J. Mater. Chem. A*, 2015, **3**, 22915–22922.
- 291 M. C. So, S. Jin, H.-J. Son, G. P. Wiederrecht, O. K. Farha and J. T. Hupp, *J. Am. Chem. Soc.*, 2013, **135**, 15698–15701.
- 292 V. Stavila, J. Volponi, A. M. Katzenmeyer, M. C. Dixon and M. D. Allendorf, *Chem. Sci.*, 2012, **3**, 1531–1540.
- 293 A. A. Talin, A. Centrone, A. C. Ford, M. E. Foster, V. Stavila, P. Haney, R. A. Kinney, V. Szalai, F. El Gabaly, H. P. Yoon and M. D. Allendorf, *Science*, 2014, **343**, 66–69.
- 294 M. Tu, S. Wannapaiboon and R. Fischer, *Inorg. Chem. Front.*, 2014, **1**, 442–463.
- 295 P. Szilágyi, R. Westerwaal, R. van de Krol, H. Geerlings and B. Dam, *J. Mater. Chem. C*, 2013, **1**, 8146–8155.
- 296 M. Tu and R. A. Fischer, *J. Mater. Chem. A*, 2014, **2**, 2018–2022.
- 297 M. C. So, M. H. Beyzavi, R. Sawhney, O. Shekha, M. Eddaoudi, S. S. Al-Juaid, J. T. Hupp and O. K. Farha, *Chem. Commun.*, 2015, **51**, 85–88.
- 298 Z. Wang, J. Liu, H. K. Arslan, S. Grosjean, T. Hagendorn, H. Gliemann, S. Bräse and C. Wüll, *Langmuir*, 2013, **29**, 15958–15964.
- 299 R. Das, P. Pachfule, R. Banerjee and P. Poddar, *Nanoscale*, 2012, **4**, 591–599.
- 300 T.-Y. Ma, L. Liu and Z.-Y. Yuan, *Chem. Soc. Rev.*, 2013, **42**, 3977–4003.
- 301 Q. Tian, Z. Zhang, L. Yang and S. Hirano, *Carbon*, 2015, **93**, 887–895.
- 302 C. P. Li, J. Chen, C. S. Liu and M. Du, *Chem. Commun.*, 2015, **51**, 2768–2781.
- 303 R. Matsuoka, R. Toyoda, R. Sakamoto, M. Tsuchiya, K. Hoshiko, T. Nagayama, Y. Nonoguchi, K. Sugimoto, E. Nishibori, T. Kawai and H. Nishihara, *Chem. Sci.*, 2015, **6**, 2853–2858.
- 304 W. Xia, A. Mahmood, R. Zou and Q. Xu, *Energy Environ. Sci.*, 2015, **8**, 1837–1866.
- 305 Z. Han, Y. Yu, Y. Zhang, B. Dong, A. Kong and Y. Shan, *J. Mater. Chem. A*, 2015, **3**, 23716–23724.
- 306 N. L. Torad, M. Hu, S. Ishihara, H. Sukegawa, A. A. Belik, M. Imura, K. Ariga, Y. Sakka and Y. Yamauchi, *Small*, 2014, **10**, 2096–2107.
- 307 W. Bak, H. S. Kim, H. Chun and W. C. Yoo, *Chem. Commun.*, 2015, **51**, 7238–7241.
- 308 M. Zhang, Y.-L. Huang, J.-W. Wang and T.-B. Lu, *J. Mater. Chem. A*, 2016, **4**, 1819–1827.
- 309 B. Mirtamizdoust, D. C. Bienko, Y. Hanifehpour, E. R. T. Tiekink, V. T. Yilmaz, P. Talemi and S. W. Joo, *J. Inorg. Organomet. Polym.*, 2016, **26**, 819–828.
- 310 S. Aghabeygi, F. Bigdeli and A. Morsali, *J. Inorg. Organomet. Polym.*, 2012, **22**, 526–529.
- 311 X. Xu, R. Cao, S. Jeong and J. Cho, *Nano Lett.*, 2012, **12**, 4988–4991.
- 312 F. Zhang, D.-D. Qi and X.-G. Zhang, *Int. J. Electrochem. Sci.*, 2016, **11**, 189–199.
- 313 L. Hu, Y. Huang, F. Zhang and Q. Chen, *Nanoscale*, 2013, **5**, 4186–4190.
- 314 S. Zhang, H. Liu, C. Sun, P. Liu, L. Li, Z. Yang, X. Feng, F. Huo and X. Lu, *J. Mater. Chem. A*, 2015, **3**, 5294–5298.
- 315 M. Moeinian and K. Akhbari, *J. Inorg. Organomet. Polym.*, 2016, **26**, 1–13.
- 316 B. Mirtamizdoust, B. Shaabani, A. Khandar, H.-K. Fun, S. Huang, M. Shadman and P. Hojati-Talemi, *Z. Anorg. Allg. Chem.*, 2012, **638**, 844–846.
- 317 Y. Hanifehpour, B. Mirtamizdoust and S. W. Joo, *J. Inorg. Organomet. Polym.*, 2012, **22**, 816–821.
- 318 Y. Hanifehpour, B. Mirtamizdoust, A. R. Farzam and S. W. Joo, *J. Inorg. Organomet. Polym.*, 2012, **22**, 957–962.
- 319 K. Bijanzad, A. Tadjarodi and O. Akhavan, *Chin. J. Catal.*, 2015, **36**, 742–749.
- 320 H. Kim, M. Park, H. Lee and O. S. Jung, *Dalton Trans.*, 2015, **44**, 8198–8204.
- 321 F. Marandi, L. Hashemi, A. Morsali and H. Krautscheid, *J. Inorg. Organomet. Polym.*, 2016, **26**, 962–974.
- 322 V. Safarifar and A. Morsali, *Ultrason. Sonochem.*, 2012, **19**, 1227–1233.
- 323 A. V. Borhadea, B. K. Uphadeb and D. R. Tope, *J. Chem. Sci.*, 2013, **125**, 583–589.
- 324 L. Hashemi, A. Aslani and A. Morsali, *J. Inorg. Organomet. Polym.*, 2012, **22**, 867–872.
- 325 S. Saeednia, P. Iranmanesh, H. A. Rudbari and L. Saeednia, *J. Macromol. Sci., Part A: Pure Appl. Chem.*, 2016, **53**, 227–236.



- 326 R. Gupta, S. Sanotra, H. Nawaz Sheikh, B. Lal Kalsotra, V. Kumar Gupta and Rajnikant, *J. Coord. Chem.*, 2012, **65**, 3917–3931.
- 327 L. Wang, H. Zou, Y. Li, X. Li and S. Zhong, *Mater. Manuf. Processes*, 2017, **32**, 484–488.
- 328 S. Jin, J. P. Hill, Q. Ji, L. Kumar Shrestha and K. Ariga, *J. Mater. Chem. A*, 2016, **4**, 5737–5746.
- 329 L. Hashemi and A. Morsali, *J. Inorg. Organomet. Polym.*, 2012, **22**, 272–277.
- 330 M. A. Alavi, A. Morsali, S. W. Joo and B. K. Min, *Ultrason. Sonochem.*, 2015, **22**, 349–358.
- 331 A. Mehrani, A. Morsali, Y. Hanifehpour and S. W. Joo, *Ultrason. Sonochem.*, 2014, **21**, 1430–1434.
- 332 S. Hei, Y. Jin and F. Zhang, *J. Chem.*, 2014, **2014**, 546956.
- 333 F. Meng, Z. Fang, Z. Li, W. Xu, M. Wang, Y. Liu, J. Zhang, W. Wang, D. Zhao and X. Guo, *J. Mater. Chem. A*, 2013, **1**, 7235–7241.
- 334 N. Nasihat Sheno, A. Morsali and S. Woo Joo, *Mater. Lett.*, 2014, **117**, 31–33.
- 335 M. Hu, A. A. Belik, M. Imura, K. Mibu, Y. Tsujimoto and Y. Yamauchi, *Chem. Mater.*, 2012, **24**, 2698–2707.
- 336 L. Zhang, H. B. Wu, S. Madhavi, H. H. Hng and X. W. Lou, *J. Am. Chem. Soc.*, 2012, **134**, 17388–17391.
- 337 L. Zhang, H. B. Wu, R. Xu and X. W. Lou, *CrystEngComm*, 2013, **15**, 9332–9335.
- 338 K. J. Lee, T.-H. Kim, T. K. Kim, J. H. Lee, H.-K. Song and H. R. Moon, *J. Mater. Chem. A*, 2014, **2**, 14393–14400.
- 339 M. Y. Masoomi and A. Morsali, *Ultrason. Sonochem.*, 2016, **28**, 240–249.
- 340 A. Abbasi, M. Gharib and M. Najafi, *J. Sci., Islamic Repub. Iran*, 2016, **27**, 217–221.
- 341 A. Tahmasian and A. Morsali, *Inorg. Chim. Acta*, 2012, **387**, 327–331.
- 342 A. Hosseini, S. Jabbari, A. Reza Mahjoub and M. Movahedi, *J. Coord. Chem.*, 2012, **65**, 2623–2633.
- 343 J. H. Lee, Y. J. Sa, T. K. Kim, H. R. Moon and S. H. Joo, *J. Mater. Chem. A*, 2014, **2**, 10435–10443.
- 344 H. Jiang, C. Wang, H. Wang and M. Zhang, *Mater. Lett.*, 2016, **168**, 17–19.
- 345 T. K. Kim, K. J. Lee, J. Y. Cheon, J. H. Lee, S. H. Joo and H. R. Moon, *J. Am. Chem. Soc.*, 2013, **135**, 8940–8946.
- 346 Z.-M. Liu, S.-H. Wu, S.-Y. Jia, F.-X. Qin, S.-M. Zhou, H.-T. Ren, P. Na and Y. Liu, *Mater. Lett.*, 2014, **132**, 8–10.
- 347 K. Akhbari, N. B. Bahman, A. Morsali and P. Retailleau, *J. Iran. Chem. Soc.*, 2016, **13**, 165–169.
- 348 S. Y. Moon, M. W. Park, T. H. Noh and O.-S. Jung, *J. Mol. Struct.*, 2013, **1054–1055**, 326–332.
- 349 F. Marandi, L. Hashemi, A. Morsali and H. Krautscheid, *Ultrason. Sonochem.*, 2016, **32**, 86–94.
- 350 F. Shahangi Shirazi and K. Akhbari, *Inorg. Chim. Acta*, 2015, **436**, 1–6.
- 351 M. Moeinian and K. Akhbari, *J. Solid State Chem.*, 2015, **225**, 459–463.
- 352 A. Mehrani, A. Morsali and P. Ebrahimpour, *J. Coord. Chem.*, 2013, **66**, 856–867.
- 353 G. H. Shahverdizadeh, F. Hakimi, B. Mirtamizdoust, A. Soudi and P. Hojati-Talemi, *J. Inorg. Organomet. Polym.*, 2012, **22**, 903–909.
- 354 B. Mirtamizdoust, B. Shaabani, A. Khandar, H. Pourradi, Y. Abbasiyula, H. Goudarziashar, D. Viterbo, G. Croce and P. Hojati-Talemi, *J. Inorg. Organomet. Polym.*, 2012, **22**, 1293–1299.
- 355 T. Demars, M. Boltoeva, N. Vigier, J. Maynadié, J. Ravaux, C. Genre and D. Meyer, *Eur. J. Inorg. Chem.*, 2012, **2012**, 3875–3884.
- 356 Z. V. Dobrokhotova, N. V. Gogoleva, E. N. Zorina-Tikhonova, M. A. Kiskin, V. V. Chernyshev, A. L. Emelina, M. A. Bukov, A. S. Goloveshkin, I. S. Bushmarinov, A. A. Sidorov, A. S. Bogomyakov, M. L. Kovba, V. M. Novotortsev and I. L. Eremenko, *Eur. J. Inorg. Chem.*, 2015, **2015**, 3116–3127.
- 357 A. V. Gavrikov, P. S. Koroteev, Z. V. Dobrokhotova, A. B. Ilyukhin, N. N. Efimov, D. I. Kirdyankin, M. A. Bykov, M. A. Ryumin and V. M. Novotortsev, *Polyhedron*, 2015, **102**, 48–59.
- 358 N. Zauzolkova, Z. Dobrokhotova, A. Lermontov, E. Zorina, A. Emelina, M. Bukov, V. Chernyshev, A. Sidorov, M. Kiskin, A. Bogomyakov, A. Lytyvnenko, S. Kolotilov, Y. Velikodnyi, M. Kovba, V. Novotortsev and I. Eremenko, *J. Solid State Chem.*, 2013, **197**, 379–391.
- 359 M. A. Ryumin, Z. V. Dobrokhotova, A. L. Emelina, M. A. Bukov, N. V. Gogoleva, K. S. Gavrichev, E. N. Zorina-Tikhonova, L. I. Demina, M. A. Kiskin, A. A. Sidorov, I. L. Eremenko and V. M. Novotortsev, *Polyhedron*, 2015, **87**, 28–37.
- 360 D. Hong, Y. Yamada, M. Sheehan, S. Shikano, C.-H. Kuo, M. Tian, C.-K. Tsung and S. Fukuzumi, *ACS Sustainable Chem. Eng.*, 2014, **2**, 2588–2594.
- 361 Y. Xia, B. Wang, G. Wang, X. Liu and H. Wang, *ChemElectroChem*, 2016, **3**, 299–308.

