

REVIEW

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *RSC Adv.*, 2017, 7, 44199

Multiphase TiO₂ nanostructures: a review of efficient synthesis, growth mechanism, probing capabilities, and applications in bio-safety and health

Rajni Verma,^{ab} Jitendra Gangwar^{bc} and Avanish K. Srivastava^{ID}*^{ab}

This review article provides an exhaustive overview of the efficient synthesis, growth mechanism and research activities that mainly concern an assortment of multiphase TiO₂ nanostructures and their structural, morphological, optical and biological properties co-relations. First, a systematic review is provided for the state-of-art and synthetic mechanisms utilized to generate these nanostructured systems. A range of remarkable photoactive characteristics with respect to the effects of the structural phases as well as morphogenesis are then briefly covered and organized into sections presenting the nanostructures' photo-luminescence and photo-catalysis properties. A plausible mechanism for their nano-bio interaction is also reviewed, and clearly shows their potential in bio-safety and health applications. These studies should inspire researchers involved in both fundamental and application based research to pursue further developments in multiphase TiO₂ nanostructures.

Received 21st June 2017
Accepted 27th August 2017

DOI: 10.1039/c7ra06925a

rsc.li/rsc-advances

^aAcademy of Scientific and Innovative Research, CSIR – National Physical Laboratory, Dr. K. S. Krishnan Road, New Delhi – 110 012, India. E-mail: aks@nplindia.org; avanish.aks555@gmail.com

^bSophisticated and Analytical Equipments Division, CSIR – National Physical Laboratory, Dr. K. S. Krishnan Road, New Delhi – 110 012, India

^cDepartment of Physics, RPS Degree College, Balana, Mohindergarh, Haryana – 123 029, India



Dr Avanish Kumar Srivastava is a Scientist at CSIR – National Physical Laboratory, New Delhi and an adjunct faculty member of the Academy of Scientific and Innovative Research (AcSIR) at the NPL campus. He received his Master's degree in Physics from the Indian Institute of Technology Roorkee (1986), M.Tech. in Materials Science from the Indian Institute of Technology Kanpur (1988), and Ph.D. in Metallurgy from the Indian Institute of Science, Bangalore (1996). He works in the field of the processing, characterization, properties and possible applications of metals and alloys, composites, semi-conductors and various nanostructures. His prolific research to understand the nucleation-growth mechanisms, phase transformations, microstructures and defects of materials is well known. Dr Srivastava has solved complex crystalline structures with the help of reciprocal space analysis employing electron microscopy. He has carried out collaborations with many institutions, including the Indian Institute of Science Bangalore, Banaras Hindu University Varanasi, Indian Institute of Technologies Delhi, Kanpur & Hyderabad, University of Paris & University of Reims France, Technical University Darmstadt Germany; Okayama University of Science Japan, University of Arkansas USA, Pohang

University of Science and Technology South Korea, Department of Energy, Center for NanoEngineered Materials and Surfaces Milano Italy and Institute for Technical Physics and Materials Science, Hungarian Academy of Sciences Hungary and Argonne National Laboratory USA. He has more than 200 publications in reputed international journals and more than 200 papers and invited talks at different scientific meetings in India and abroad. He has edited a book on Oxide Nanostructures: Growth, Microstructure and Properties, published by PanStanford Singapore and printed by Taylor and Francis, USA. He is the recipient of many awards and positions, including: (i) DST-BOYSCAST fellowship of Government of India, (ii) Kwan Im Thong Travel Fellowship Singapore, (iii) INSA-KOSEF fellowship of the Governments of India & South Korea, (iv) Materials Research Society of India (MRSI) Medal-2011 and (v) Metallurgist of the Year Award – 2011 by the Ministry of Steel, Government of India. He is an elected Fellow of The Indian Institute of Metals and Electron Microscope Society of India.



-bels³³ and -tubes^{34,35}) are the most enthralling classes of SMON with a variety of physico-chemical properties. The dominant physicochemical properties of TiO₂ nanostructures are classified in terms of their crystallinity, purity, structure, chemical composition, size- and/or shape-distribution, dimensionality and defect centres, which can be easily modified by changing the parameters during various synthetic methods. TiO₂ nanostructures have been widely explored owing to their extensive applications across a myriad of areas, particularly in photocatalysis, including those for the decomposition of organic/inorganic dyes,^{16,23,36–40} hydrogen production from water,^{41–44} removal of pollutants and plastics from the environment,^{45–48} dye-sensitized solar cells,⁴⁹ sensors,⁵⁰ sunscreens,^{51–54} paints,^{55,56} rechargeable batteries,^{57–59} supercapacitors,⁶⁰ food colouring,^{61–64} environmental remediation^{65–94} and biomedical fields.^{95,96} Over the past few decades, extensive research effort has been dedicated to the engineering of TiO₂ nanostructures synthesized *via* chemical routes, such as sol–gel,^{97–107} hydrothermal,^{108–126} solvothermal,⁸ wet-chemical,^{6,8,23,127} thermolysis^{128,129} and electrodeposition techniques.¹³⁰ TiO₂ is effectively used in the aforementioned applications based on its various structural phases, morphologies, exceptional low-cost, non-toxicity, high abundance in nature and slow rate of charge-carrier recombination,^{131–139} and therefore is the main concern of this review article. Moreover, the excellent photoactive performances of multiphase TiO₂ nanostructures mainly depend on the various synthesis routes. Due to the outburst of publications in this field, the authors do not claim that this dominantly multiphase TiO₂ nanostructures review includes all of the published work, but rather an exposure of the efficient syntheses, probing capabilities, photoactive potential and application of these TiO₂ nanostructures in biosafety and health. We apologize to the authors of the excellent work that,

Table 1 Summary of different binary and ternary SMONs based on photoactive potential with their band gap, structural phase and melting point^a

Metal oxides	Band gap (eV)	Structural phases	Melting point (°C)	Ref.
Binary oxides				
CuO: cupric oxide	1.2	Monoclinic	1326	10 and 157
Fe ₂ O ₃ : iron(III) oxide	1.7–2.7	Rhombohedral (α), cubic (γ)	1566	11 and 12
NiO: nickel oxide	3.6–4.2	Cubic (rock salt)	1955	13
Sb ₂ O ₃ : antimony trioxide	2.8–3.1	Cubic	656	14
Sb ₂ O ₄ : antimony tetroxide	3.26	Orthorhombic (α), monoclinic (β)	>930	15
SnO ₂ : tin dioxide	3.5–3.9	Tetragonal (R)	1630	11
TiO ₂ : titanium dioxide	2.8–3.3	Tetragonal (R, A); orthorhombic (B)	1843	16
VO ₂ : vanadium oxide	0.5–0.7	Monoclinic, tetragonal	1967	8
WO ₃ : tungsten trioxide	2.5–3.7	Triclinic, tetragonal, monoclinic, orthorhombic	1473	17 and 18
ZnO: zinc oxide	3.3–3.5	Hexagonal (wurtzite), cubic (zinc blend)	1975	19–21
Ternary oxides				
BiVO ₄ : bismuth vanadate	2.2–2.8	Tetragonal, monoclinic	2700	22
SrTiO ₃ : strontium titanate	3.2–3.4	Cubic	2080	23 and 24
ZnAl ₂ O ₄ : zinc aluminate	4.1	Cubic	NA	25
ZnFe ₂ O ₄ : zinc iron oxide	1.9	Cubic	NA	25 and 26
Zn ₂ SnO ₄ : zinc stannate	3.6	Cubic	570	25
Zn ₂ SiO ₄ : zinc silicate	5.5	Hexagonal	1509	27–29

^a Symbols introduced: $\alpha \rightarrow$ alpha, $\beta \rightarrow$ beta, $\gamma \rightarrow$ gamma, R $\rightarrow$ rutile, A $\rightarrow$ anatase and B $\rightarrow$ brookite.

due to the large activity in this area, we have inadvertently left out.

Thus, in order to modify the structural, morphological, optical, antimicrobial, physico-chemical and photocatalytic properties of various multiphase-TiO₂ nanostructures, by necessity, it is essential to develop and emphasize the design of cost-efficient, high yield and long charge-carrier lifetime materials with desirable controlled morphology as well as specific multifunctional properties based on basic chemistry and physics concepts/models.

2. Properties of multiphase TiO₂ nanostructures

Titanium dioxide is an alkaline oxide of titanium (Ti) containing the elements Ti and oxygen (O) with the chemical formula TiO₂ and is commonly referred to as titania. Moreover, TiO₂ is one of the most abundant and nontoxic compounds on our planet and is a very appealing material for a variety of applications in catalysis, UV sunscreens, cosmetics, medical implants and self-cleaning and antifogging surfaces.⁹⁷ TiO₂ nanostructures are conventional wide band gap ($E_g = 2.8\text{--}3.3$ eV) semiconductor materials with tunable properties, which have attracted growing interest in recent decades from the scientific and engineering community.

2.1. Structural phases (multiphase TiO₂)

Structurally, TiO₂ nanomaterials are a kind of versatile polymorph material (a material with the same composition but a different crystal structure) and exist in both crystalline and noncrystalline or amorphous (a-TiO₂) forms.^{141–143} Up to now, 14 structural phases of TiO₂ have been identified in which 11 phases are crystalline and 3 are noncrystalline. The crystalline phases of TiO₂ are rutile, anatase, brookite, TiO₂-B (bronze), TiO₂-R (ramsdellite), TiO₂-H (hollandite), TiO₂-II (columbite), TiO₂-III (baddeleyite), TiO₂-OI (fluorite), TiO₂-OII (cotunnite) and TiO₂-cubic,¹⁴⁴ whereas the noncrystalline-TiO₂ phases are a low-density a-TiO₂ and two high-density a-TiO₂ forms.¹⁴² Mesoporous a-TiO₂ with a periodic ordering of the pores was first reported in 1995 *via* a modified sol-gel process applying an alkyl phosphate surfactant.¹⁴⁴

To date, the structural characteristics, particularly the nature of phase formation as well as transformations in TiO₂, have been inadequately established. The three main naturally existing polymorphs of TiO₂ (especially rutile, anatase and brookite) are stable at ambient or low-pressure but differ in how they share the adjacent TiO₆ octahedra coordination such that the overall stoichiometry remains TiO₂. The relative stability of the TiO₂ phases depends mainly on the particle size, with rutile-TiO₂ being the thermodynamically most stable form in bulk TiO₂. The anatase-TiO₂ phase is the most stable phase of TiO₂ at sizes below 14 nm. Moreover, brookite-TiO₂ is the metastable form, which is not commonly observed in minerals and is difficult to synthesize in a pure form.^{140,145} Their densities vary in range from ~ 4.24 (TiO₂-rutile)¹⁴⁶ to 3.89 (TiO₂-anatase)^{146,147} and 4.12 (TiO₂-brookite)¹⁴⁸ g cm⁻³. Anatase- and brookite-TiO₂ are regarded amongst the most

widely studied phases with the thermodynamically stable rutile-TiO₂ phase.^{149,150} However, based on the different arrangements of oxide anions (O²⁻) adjoining the titanium cations (Ti⁴⁺), these transition/multiphase TiO₂ polymorphs can be divided into two main categories: (i) a tetragonal structure (in rutile- and anatase-TiO₂), (ii) an orthorhombic structure (in brookite-TiO₂).¹⁵¹ On the basis of the available literature reviews and the experimental Ti-O phase diagram, anatase-TiO₂ is more stable than rutile¹⁵² at room temperature and atmospheric pressure, in contrast to the thermodynamic data, which indicates anatase-TiO₂ is metastable with regard to rutile-TiO₂.¹⁴⁵ The rutile phase of TiO₂ consists of TiO₆ units with both edge as well as corner sharing, whereas the anatase phase of TiO₂ contains TiO₆ units only with edge sharing. Additionally, in the brookite phase of TiO₂, the TiO₆ units are connected through the edges of neighbouring units.^{153–156}

In the rutile phase structure, two opposite edges of each octahedra are united forming a linear chain along the (001) direction. These linear chains are then linked to each other by sharing corner oxygen atoms. However, zigzag chains of octahedra are linked through sharing edges, as no corner sharing is observed in the crystal structure of anatase. Four edges are shared per octahedron in anatase. Interstitial spaces between octahedra are larger because of there being more edge sharing and thus this phase structure is less dense than rutile.¹⁴⁵ The orthorhombic crystal structure of brookite is even more complex, wherein, it comprises an orthorhombic unit constructed by an octahedron of oxygen ions arranged about a single titanium ion. Three edges with adjoining octahedra are shared per octahedron. Moreover, the remarkable properties and excellent performance in various potential applications for the different polymorphs of multiphase TiO₂ are outlined in Table 2. Fig. 1(a–d₃) illustrate the various applications: (a), ball-and-stick models (b₁–b₃), Wulff structures (c₁–c₃) and polyhedron models (d₁–d₃) of different polymorph TiO₂, in particular anatase-, brookite- and rutile-TiO₂.¹⁴²

2.2. Morphogenesis characteristics (TiO₂ nanostructures)

Accumulating all the available reviews from the early 2000s, a variety of nanostructured materials with fascinating morphologies have piqued the interests of material scientists because of their higher surface-to-volume ratio, which is beneficial to enhancing the efficiency of oxide surface reactions. Based on the orientation of nanocrystals, nanostructured materials or nanomaterials are divided into three main categories within a size range of 1–100 nm: (i) spherical (nano-particles,²³ -spheres,¹⁵⁸ -granules,¹⁵⁹ -platelets,¹⁶⁰ -pores¹⁶¹), (ii) elongated (nano-rods,¹⁶² -tubes,^{34,35} -wires,³¹ -fibres,^{98,163} -needles,¹⁶⁴ -petals,¹⁶⁵ -whiskers,^{166,167} -trees,⁵⁵ -filaments^{168,169}) and (iii) planar (nano-plates,^{170,171} -sheets,¹⁷² -films,¹⁷³ -coatings^{174,175}).

Spherical nanomaterials show a diverse range of applications, such as in electronics,¹⁷⁶ photodynamic therapy,^{177,178} sensors,⁵⁰ probes,¹⁷⁹ catalysis^{23,180} and antimicrobial.^{51,181,182} Elongated nanomaterials, on the other hand, also demonstrate various potential applications, such as in display technologies,^{183,184} microelectromechanical systems (MEMS),¹⁸⁵ optical sensors¹⁷⁵ and biological areas, such as cancer



Table 2 Polymorphs-TiO₂ structure with their possible properties and applications

Phase-TiO ₂	Properties	Advanced applications
Anatase-TiO ₂	Brown to black, metastable polymorph, lustrous, lower absorption rate, hard, high density, larger band gap	Gems, paints, papers, ceramics, photocatalysis
Brookite-TiO ₂	Dark brown to greenish black, brittle, very rare metastable polymorph, non-fluorescent	Photocatalysis, photovoltaic devices, jewellery
Rutile-TiO ₂	Dark red, high refractive index, hard, chemical resistant, UV-ray absorbent, obtained at high temperature	Paint, paper, plastic, food, sunscreens, photocatalysis, interference applications

therapeutics,^{186,187} sensing,^{188,189} imaging^{186,187} and drug delivery. Planar nanomaterials are utilized for packaging purposes, as anti-corrosives,^{190,191} -bacterial,^{192,193} -abrasion,¹⁹¹ -reflection,^{194,195} -graffiti coatings¹⁹¹ and in surgical procedures.¹⁹⁶ such as wound dressing materials and in tissue engineering,^{197,198} such as cellular scaffolds.¹⁹⁹ Amongst various morphogenesis, nano-particles,^{23,30} -fibres,^{98,163} -tubes,^{34,35} -rods¹⁶² and layers of multiphase-TiO₂ are the most desired nanostructures for many industrial, scientific and technological applications (Fig. 2).

2.3. Impact of multiphase TiO₂ nanostructures on photoactive and biological responses

The photoactive potential states the capability of a substance to undergo any physical or chemical changes in response to illumination. Herein, the photoactive potential of multiphase TiO₂

nanostructures stands for: (i) UV-Vis characteristics, (ii) photoluminescence and (iii) photocatalysis properties.

2.3.1. Influence on photoactive potential. Generally, ultraviolet-visible (UV-Vis or UV/Vis) spectroscopy is aimed at absorption or reflectance ranging from 190 nm (6.52 eV) to 800 nm (1.55 eV). When an atom or molecule absorbs UV or visible light, electrons are promoted from their ground state (bonding: σ -, and π - or non-bonding: n-electrons) to an excited state (anti-bonding: σ^* - or π^* -electrons).^{23,200} Atomic vibrations/rotations also have discrete energy levels, which are considered as being packed on top of each electronic level and appear in the form of a continuous absorption band.¹³⁰ In the luminescence process, an energy source stimulates an electron within a material to rise from a ground state to an excited state, and the electron is then released to the ground energy state by liberating the energy in the form of light. In the photoluminescence process, photons are the primary energy source and can be used to analyse the PL spectra of nanomaterials. The separation of photogenerated electron-hole pairs (excitons) when UV rays are illuminated provides a platform for photodegradation by generating reactive oxygen species (ROS).^{201–205} A mechanism related to this photodegradation is depicted in Fig. 3.

Multiphase TiO₂ nanostructures have been widely explored in terms of photocatalysis owing to their high surface area, high absorption capability and slow rate of charge-carrier recombination.^{23,180} The photocatalysis property is useful in many applications that provide a therapeutic action for human health by decontaminating water/air^{206,207} and also by degrading toxic organic/inorganic dyes.^{23,208} Thus, the ability to manipulate the surface property is an extremely vital factor to optimize multiphase TiO₂ nanostructures for photo-related phenomena. However, the existing recent reviews scrutinized that the surface modification of multiphase TiO₂ nanostructures can be achieved either by organic/inorganic surface coating or by adding dopants. However, surface coating on TiO₂ nanostructures with




Fig. 1 (a) Various applications, (b₁–b₃) ball-and-stick models, (c₁–c₃) Wulff structures and (d₁–d₃) polyhedron models of different polymorphs TiO₂ for (b₁, c₁, d₁) anatase-TiO₂, (b₂, c₂, d₂) brookite-TiO₂ and (b₃, c₃, d₃) rutile-TiO₂. The unit cells in polyhedron models are outlined using thin lines.¹⁴² By courtesy of <https://www.google.co.in/search?q=wulff+structure+of+tio2&tbm=isch&tbo=u&source=univ&sa=X&ved=0ahUKewiYgZiDnYXUAhUFT48KHWRafQQsAQIjg&biw=1280&bih=591#imgsrc=X5z468XQyZyqOM>. Reprinted with permission from ref. 142. Copyright 2014, American Chemical Society.




Fig. 2 Illustration showing the orientation of nanomaterials: (a₁) spherical, (a₂) elongated and (a₃) planar.¹³⁰ Reprinted with permission from ref. 130. Copyright 2015, The Royal Society of Chemistry.







Fig. 3 Photocatalysis mechanism in multiphase TiO_2 nanostructures.

numerous inorganic oxide materials, such as SiO_2 ,²⁰⁹ Al_2O_3 ,²¹⁰ ZrO_2 ,²¹¹ WO_3 (ref. 212) and MoO_3 (ref. 213) can lose their intrinsic property, thus, organic surface coatings are preferred to circumvent this property. In addition, coating with an organic moiety can provide various functional groups, such as hydroxyl-, aldehydic- and carboxyl-groups, as well as the benefit from organic species being cheaper as well as generally more abundant in nature.^{214,215}

2.3.2. Influence on bio-safety and human health. When nanostructures enter into the human body, they are distributed into various organs and thus interact with biological moieties, such as proteins and cells. They can either remain in the same structure or become altered.²¹⁶ Nanomaterials may also get absorbed *via* inhalation,²¹⁷ dermal exposure^{218,219} and could potentially cause some toxic characteristics^{220–225} in the human body. Thus, the pharmacokinetics of nanomaterials depends on various physico-chemical properties of both nanomaterials as well as biological systems, which are elaborated in detail herein.

2.3.2.1. Physico-chemical influences of the nanostructures. The driving forces for nano-bio interactions mainly include the physico-chemical properties of: (i) nanomaterials, such as the structural aspects (size and shape), surface properties (crystallinity, hydrophobicity, coating, stereochemical interactions) and chemical composition (atomic/molecular features, polymorphism); (ii) biological systems, such as the surface charge, conformation, H- and π -bonds and (iii) environmental prospects, such as the polarity, pH, viscosity, temperature and ionic strength, as shown in Scheme 1(a–c).^{226–228} The available exciting and existing reviews clearly demonstrate the interaction of multiphase TiO_2 nanostructures with biological systems through various plausible mechanisms. It is an imperative task, therefore, to present a review to assist composing a novel mechanism emphasizing the effect of multiphase TiO_2 nanostructures on human health using fundamental evidence.

2.3.2.2. Pharmacokinetics of nanostructures in the human body. Pharmacokinetics (e.g. absorption, distribution, metabolism and excretion) is defined as the study of the mobility of nanomaterials in a biological system.^{229–233} Nanostructures can be administered *in vivo* by major routes, such as inhalation, ingestion, transdermal and intravenous injection. Once nanostructures enter into the human body, they are distributed into



Scheme 1 Schematic representation of nano-bio interactions and: (a) factors influencing the nano-bio interactions,⁶⁰ (b) physico-chemical properties of nanomaterials essential to establish nano-bio relations,²³⁹ (c) effects of the protein corona surrounding a nanoparticle; the corona constitutes a primary nano-bio interface that determines the fate of the nanoparticle and can cause deleterious effects on the interactive proteins,²²⁶ (d) interactions between nanoparticles. Traditional forces for colloidal fabrication (for example, electrostatic, VDW, covalent) and other important interactions (for example, solvation, solvophobic, biomolecular, depletion) that occur when particles are suspended in biological media and come into contact with cells.²²⁶ (a) is reprinted with permission from ref. 60. Copyright 2014, American Chemical Society. (b) is reprinted with permission from ref. 239. Copyright 2014, Wiley Online Library. (c and d) is reprinted with permission from ref. 226. Copyright 2009, Nature Publishing Group.

various organs, where they may remain in the same structure or become amended or metabolised before leaving towards other organs or to be excreted.^{234,235} The study to date on the influence of multiphase TiO_2 nanostructures on human health has been focused and debated extensively over the past decade. Several participating factors, including the partial absorption of nanostructures, and parameters associated with the particles (such as the material characteristics, shape, size and concentration) have been considered to account for the anomalous influence on biosafety/human health.^{236–239} The present review briefly outlines the issues around biosafety by taking into account the multiphase TiO_2 nanostructures, employing data reported in the various review articles in this area.

3. Efficient synthesis routes and growth mechanisms

Synthetic methods of multiphase TiO_2 play a crucial role in the development of nanostructures from zero-dimensional (0D) to three-dimensional (3D) structures. The synthesis of multiphase TiO_2 nanostructures in a variety of shapes with controlled morphologies, sizes (~ 100 nm) and more complex nanostructures are of substantial interest due to their exceptional properties and prevalent application possibilities straddling from physico-chemical to biological fields.^{240,241} With a high degree of synthetic control, the size and shape of multiphase TiO_2 nanostructures can be easily tuned from the micro- and



nanometre to the molecular level and from spherical nanoparticles to nano-rods/-tubes/-wires. Moreover, owing to its excellent stoichiometry (Ti/O: 1/2), multiphase TiO₂ nanostructures have always been a subject of enormous research interest and there is emerging attention paid now to the controlled synthesis or fabrication of structurally stoichiometric TiO₂ with diverse shapes, with results reported on single and mixed phase TiO₂ polymorphs. The synthesis of multiphase TiO₂ nanostructures, therefore, is very interesting in terms of: (i) the structural phases (anatase-, brookite- and rutile-TiO₂), (ii) the well-controlled morphogenesis (nano-particles,^{23,158} -tubes,^{34,35} -wires,³¹ -rods,¹⁶² -crystals^{242,243} and -flowers^{144,244}), and (iii) the particle size (regime 1–100 nm) for a variety of technological and biosafety applications.

With the emergence of new synthetic techniques that are inexpensive, highly scalable and have a high yield, development of the large-scale cost-effective production of SMON is one of the key challenges for today's nanoscience and nanotechnology.²⁴⁵ Each fabrication method of SMON has its own advantages and strategy for the synthesis of SMON in 0D to 3D systems. In this section, we briefly describe the numerous synthesis methods for producing SMON, especially multiphase TiO₂ nanostructures. Generally, two fundamental strategies have been developed to broadly prepare multiphase TiO₂ nanostructures: the top-down approach and the bottom-up approach.

3.1. Top-down approach

Basically, the top-down approach is a miniaturization technique, in which small structures are fabricated from larger ones. The key advantageous of this approach are that the components, e.g. in the production of integrated circuits, are both patterned and assembled in position, so that no separate fabrication step is needed. Lithography, attrition or milling, quenching, etching and successive cutting are all typical examples of the top-down approach for the synthesis of metal oxide nanomaterials.^{108,246}


3.2. Bottom-up approach

In this context, synthesis through a bottom-up approach, in which molecular precursors react to form the final larger structures, is a unique approach for the preparation of SMONs owing to its exceptional versatility.^{157,247–249} In the bottom-up approach, the molecular precursors self-associate, interact and combine with each other in a coordinated way to give rise to simple and more complex nanostructures. The bottom-up approach has four major branches: (i) physical, (ii) chemical, (iii) hybrid and (iv) biological. Nowadays, these synthetic routes have been established for the engineering of emerging multiphase TiO₂ nanostructures (spherical, elongated and planar with sizes smaller than 100 nm).^{103,109,250,251} The existing physical, hybrid and/or biological synthesis methods typically involve toxic organic/inorganic reagents and need sophisticated instrumentation with complicated reaction conditions to produce the required materials, which are low in quantity as well as quality, even with a low-yield of the required

material.^{252,253} Thus, the technological challenge has moved to the facile synthesis of multiphase TiO₂ nanostructures *via* chemical routes and that could maintain their activity, selectivity and suitability over long-term operation in various potential technological and biosafety applications. In addition, the chemical method is an easy way to produce multiphase-TiO₂ nanostructures using harmless precursors in a short reaction time and at low cost for high scale-up with high purity in high throughput and good yield in industrial production. Due to numerous advantages such as simplicity, inexpensive instrumental set-up, easy operation and good control over the experimental conditions, the chemical routes are encouraged from the view-point of practical application. The chemical synthesis processes to obtain multiphase crystalline TiO₂ nanostructures, including amongst others sol-gel or even hydrothermal approaches, wet chemical solution and precipitation methods, have become increasingly popular in recent years to achieve the goals of identically shaped, uniformly sized, perfect crystals, defect-free and high-purity materials. The entire synthetic mechanism, which provides exquisite control over many of the parameters cited above for the synthesis of nanostructures, is demonstrated in Scheme 2.

Using these approaches, various morphologies of multiphase TiO₂ have been synthesized and can be easily scaled up for large-scale production. The synthesis methods *via* a top-down approach normally require harmful organic/inorganic surfactants complex technologies as well as sophisticated instruments. Consequently, the bottom-up approach is preferred and has attracted key interest due to its versatility and potential to produce SMONs for many applications. Moreover, the chemical synthesis of multiphase TiO₂ nanostructures *via* the sol-gel, hydrothermal and co-precipitation methods provides numerous significant advantages, such as:

- (i) precise control of the structural phases and stoichiometry,
- (ii) control of the size, morphology and homogeneity,
- (iii) reproducible process suitable for the large-scale, cost-effective and high-purity production of nanomaterials,
- (iv) short reaction conditions and inexpensive procedures.



Scheme 2 Schematic representation of the chemical synthesis routes of SMON *via* (a) sol-gel, (b) hydrothermal, and (c) co-precipitation methods⁸ Reprinted with permission from ref. 8. Copyright 2016, DRDO.



3.2.1. Sol-gel method. The sol-gel method is broadly used to synthesize oxide materials, especially SMONs. Processing by this method involves the transformation of a sol (a colloidal suspension of nanometre-sized solid particles in a liquid phase) into a gel (a 3D network of metal-oxygen bonds, containing a continuous solid skeleton attached to a continuous liquid phase), which is then usually thermally treated to obtain the desired SMON.⁹⁸ Namely, when the liquid is removed from the sol, the sol turns into a gel. The first gel derived from a metal alkoxide was synthesized by Ebelmen as early as 1846.¹⁰¹ Amongst all the available processes, the sol-gel approach is mainly based on the controlled hydrolysis, the condensation of appropriate precursors and inorganic polymerization reactions.²⁵⁴ The sol-gel process includes four steps: (i) hydrolysis, (ii) polycondensation, (iii) drying and (iv) thermal decomposition. The precursors of metal alkoxides hydrolyze with H₂O or alcohols according to the hydrolysis process, followed by either H₂O or alcohol condensation. Additionally, H₂O or alcohol, an acid or a base can also assist hydrolysis of the precursor. In the case of acids, a reaction takes place between the alkoxide and acid to form a solution. After the sol formation, the solution is condensed to a gel and the solvent (H₂O or alcohol) must be removed. A higher annealing/calcination temperature is needed to decompose the organic/inorganic precursor.²⁴⁰ Furthermore, the sol-gel method usually results in SMONs that are amorphous or badly crystalline because they are fabricated at or near room temperature. A thermal treatment (annealing or calcination) is normally needed to transform the gel into the final required SMON.^{97–107}

The sol-gel processing of multiphase TiO₂ nanostructures is an interesting approach with a high level of control of the shape based on the controlled hydrolysis and condensation of the appropriate precursors. The sol-gel method is valuable for a high-throughput production of multiphase TiO₂ nanostructures and much work has been carried out to date on this process, mainly involving the grain nanostructures. Varying the synthesis reaction conditions and parameters (particularly the solution composition, pH value and temperature) in sol-gel processing markedly affects the fabricated multiphase TiO₂ nanostructures with varying sizes and different morphologies.²⁵⁵ A schematic diagram of the sol-gel processing for the synthesis of SMONs is shown in Scheme 2(a).

Multiphase TiO₂ with different types of nanostructures, such as nano-particles, -whiskers, -fibrous and -spindles, have been successfully synthesized using this method (as shown in Fig. 4). The upper segment of Fig. 4 shows the sol-gel-derived spherical nanostructures of TiO₂, whereas the lower segment presents the elongated nanostructures. Fig. 4a₁ elucidates anatase-TiO₂ with 20–60 nm crystallites agglomerated into 2 μ m spherical spheres. Fig. 4a₂ demonstrates the brookite-TiO₂ nanoparticles are in a uniform spherical shape morphology with a diameter of about 400 nm.⁹⁸ Fig. 4a₃ shows the nano-scaled aggregates of a-TiO₂ crystallites in particulate structure synthesized at ratios of EGMT : HCl = 1 : 5.4.¹⁴⁴ Fig. 4a₄ and b₃ show the TEM images of highly crystalline anatase-TiO₂ nanoparticles with different sizes and shapes prepared by the sol-gel method.²⁵⁶ Fig. 4a₅




Fig. 4 Sol-gel synthesis of multiphase TiO₂ nanostructures; (a₁–a₄) nanoparticles, (a₅) nanowhiskers, (b₁) nanofibrous, (b₂) nanofibres, (b₃) nanoparticles, (b₄ and b₅) nanospindle. Ref: [a₁, b₁],¹⁰² [a₃, a₅],¹⁴⁴ [a₄, b₃],²⁵⁶ [b₂],¹⁶³ [b₄ and b₅].⁹⁷ (a₁, b₁) are reprinted with permission from ref. 102. Copyright 2012, American Chemical Society. (a₃, a₅) are reprinted with permission from ref. 144. Copyright 2012, The Royal Society of Chemistry. (a₄, b₃) are reprinted with permission from ref. 256. (b₂) is reprinted with permission from ref. 163. Copyright 2011, American Chemical Society. (b₄, b₅) are reprinted with permission from ref. 97. Copyright 2014, American Chemical Society.



shows the cauliflower-like nanowhisker arrangements of rutile-TiO₂ with a diameter of 4–5 nm and a length of 50 nm.¹⁴⁴ Fig. 4b₁ represents the higher magnification SEM image of the TiO₂ nanofibrous structure.⁹⁸ The fibre-like rutile-TiO₂ nanostructures are illustrated in Fig. 4b₂.¹⁶³ Fig. 4b₄ and b₅ indicate the anatase-TiO₂ particles with a spindle-like morphology depending on the pH value of the initial solution.⁹⁷

3.2.2. Hydrothermal method. The hydrothermal method is a simple, versatile and universal synthesis method that employs a solvent (generally water, H₂O) at a moderate temperature and high pressure for producing SMONs. A schematic illustration for the formation of a SMON through the hydrothermal method is depicted in Scheme 2(b). The hydrothermal method is very comparable to the solvothermal method, with the main distinction between these two methods being in the precursor solutions. Specifically, aqueous and non-aqueous precursor solutions are used for the hydrothermal and solvothermal methods, respectively. Besides, the solvothermal method offers a better control of the size distribution, shape and crystallinity in SMONs than the hydrothermal method. The major chemical reactions occur at a critical temperature (374 °C) and pressure (218 atm) in a stainless steel Teflon autoclave. In the hydrothermal method, the dielectric constant and viscosity of H₂O decrease with increasing the temperature and increase with the expanding pressure with the temperature effect predominating. Due to the changes in such characteristics of H₂O, the raised temperature within a hydrothermal system has a considerable effect on the sample solubility and the transport of solids.^{108,109} In hydrothermal processing, mostly a lamellar phase is formed before the hydrothermal condition, in which the anions play the key role of surfactant to stabilize the layered organization of metal cation species. The layer, then, rolls up to generate one-dimensional (1D) nanostructures (particularly nano-tubes, -wires, -polyhedrons and -rods) in the process of crystallization under hydrothermal treatment. The crystalline/amorphous metal-hydroxide phase is, thus, obtained. After heat treatment annealing or calcination or sintering, the metal-hydroxide



Numerous morphologies of multiphase TiO_2 nanostructures (nano-particles, -cuboid shape, -wires, -tubes, -belts and many others) have been effectively fabricated in this way (as represented in Fig. 5). A typical SEM micrograph of TiO_2 nanowires made with the hydrothermal method is shown in Fig. 5a₁.²⁵⁶ Fig. 5a₂ and a₅ correspond to the SEM and TEM images of TiO_2 nanotubes, indicating a fibrous texture with lengths up to 1–3 μm , outer diameters between 7 nm and 10 nm, inner diameters of 5 nm and an inter-wall spacing of about 0.5 nm.²⁵⁷ Fig. 5a₃ and a₄ illustrates the representative SEM micrographs of anatase- TiO_2 nanopolyhedrons (possessing diameters in the range of 300–600 nm) and nano-belts (approximately 130 nm in width, 50 nm in thickness and several micrometres in length), respectively.³³ In addition to elongated TiO_2 nanostructures, spherical TiO_2 nanostructures (nanoparticles and cuboid shaped or thin sheets, as depicted in Fig. 5b₁–b₃) have also been synthesized with this method.¹⁷² Fig. 5b₁ clearly shows uniform ultra-fine anatase- TiO_2 nanoparticles (about 5–15 nm). Fig. 5b₂ elucidates either a cuboid shaped or thin sheets of these anatase- TiO_2 nanoparticles. One of these thin sheets with an edge length of 15 nm is marked in the micrograph (Fig. 5b₂) and a set of Moiré fringes are also marked (encircled in Fig. 5b₂). Fig. 5b₄ and b₅ represent the TEM images of TiO_2 nano-tubes and -rods, respectively.^{108,110–126}

Here, we review all the literature reports, to the best of our knowledge, concerning an easy way to produce multiphase TiO_2 .



nanostructures in a short reaction time, using hazardless starting ingredients and that are inexpensive for feasible scale-up and to produce a high yield with high purity in industrial production *via* the mainly sol-gel, hydrothermal and co-precipitation methods. Table 3 presents an overview of the facile chemical synthesis approaches for multiphase-TiO₂ nanostructures that are usually available through these routes.

3.3. Growth mechanism

One of the most demanding concerns in the efficient processing of these multiphase TiO₂ nanostructures is the control of their size, morphology and microstructure. An apparent interpretation of the growth mechanism for the formation of multiphase TiO₂ nanostructures is mandatory in this respect and is shown in Scheme 3. It is well known that the synthesis process for the formation of nanostructures is classically categorized into two events: (i) nucleation and (ii) growth.^{260–262} In the nucleation process, small clusters composed of a few atoms (nuclei) are formed in the solution starting from monomers; while in the growth regime, existing nuclei grow to form larger particles.⁹⁷ The mechanistic understanding of various aspects of the synthesis procedure can be established from a combination of crystallography and kinetics. Interestingly, the detailed mechanism still needs further investigation of the phase, structure and shape formation of TiO₂. The chemical growth of nanostructured materials certainly entails the process of gelation or precipitation of a solid phase from the solution depending on the synthetic routes. An excellent perceptive of the processes and parameters ensuring the gel or precipitate formation helps to enhance the growth of nanoparticles to obtain the desired size and morphology.¹²⁷ As the recent literature search indicated, there is immense interest in explaining the preliminary mechanisms, such as Finke–Watzky two step mechanisms, coalescence and oriented attachment as well as the LaMer burst nucleation followed by Ostwald ripening,¹³⁷ aggregation and

many more.^{262–265} The study of the nucleation and growth process, the tailored morphology and crystalline structure and annealing/calcination treatments, has thus, become an exciting concern to produce multiphase nanostructures. With that in mind, the present review expresses the description of phase transformation, nucleation, growth, coarsening and agglomeration processes, including the change in temperature and chemical environment of multiphase TiO₂ nanostructures synthesized *via* facile chemical routes.


Herein, the present review elaborates a brief description on the phase formation/transformation and different morphological characteristics of multiphase TiO₂ nanostructures. The optimized procedures and growth mechanisms for the sol-gel, hydrothermal and co-precipitation methods of multiphase TiO₂ nanostructures are also reviewed. In addition, the impacts of these nanostructures on the photoactive and biological responses are also described. Moreover, the review discusses the phase-, size- and morphology-dependent different transitions relating to the defect sites on multiphase TiO₂ nanostructures as assessed by UV-Vis and PL spectroscopy. Furthermore, a comparative study assessed photocatalysis by modifying the surface of multiphase TiO₂ nanostructures with inorganic (SiO₂) to that of an organic coating derived from green tea (*Camellia sinensis*), independently with a comprehensive mechanism given. Additionally, it covers the fundamental concepts on efficient formation *via* facile chemical routes and the growth mechanism of multiphase TiO₂ nanostructures. Finally, the present review composes a novel mechanism emphasizing the effect of multiphase TiO₂ nanostructures on biosafety/human health by using essential evidence available in the literature.

4. Crystallographic structures

X-ray diffraction (XRD) analysis is essential to identify the crystallographic characteristics, such as gross structural analysis, phase transition, phase identification and phase purity determination of multiphase TiO₂ nanostructures. Illustrations of the XRD patterns of the anatase-, -brookite and -rutile structural phases of TiO₂ nanostructures are depicted in Fig. 7–9, which reveal the crystallinity, phase identification and phase purity of multiphase TiO₂ nanostructures. In specific 2θ ranges (20–80°), the XRD patterns are sufficiently distinct, creating a clear classification of the multiphase TiO₂ nanostructures.

4.1. Anatase-TiO₂

Fig. 7a₁ provides the XRD pattern of anatase-TiO₂ nanostructures. The Bragg's position of the diffraction peaks and the relative intensity of the diffraction peaks accord perfectly with the standard JCPDF card no. 73-1764, corresponding to the tetragonal crystal system of anatase-TiO₂ (space group: *I*₄/amd (141); *a* = *b* = 0.377 nm, *c* = 0.948 nm).²³ All of the diffraction peaks were identified as characteristic of the XRD pattern of anatase-TiO₂. The presence of diffraction peaks at ~25.06°, 36.9°, 37.8°, 38.6°, 48.1°, 54.1°, 55.1°, 62.7°, 68.7°, 70.1° and 75.1° indicate the (101), (103), (004), (112), (200), (105), (211), (204), (116), (220) and (215) lattice planes, respectively, indexing



Scheme 3 Different possible growth mechanisms for the synthesis of nanostructured TiO₂ materials. (a) is reprinted with permission from ref. 325. Copyright 2014. American Chemical Society. (c) is reprinted with permission from ref. 326. Copyright 2015. The Royal Society of Chemistry.






Fig. 7 Structural characteristics of anatase-TiO₂: (a₁) XRD pattern,²⁷⁵ (b₁) ball-and-stick structure,¹⁴² (c₁) the tetragonal system with a dipyr-amidal habit.²⁵⁶ Colour code; O atoms: red (small balls), grey (large balls) and Ti atoms: blue (large balls), black (small balls). Unit cells are outlined using thin lines. (a₁) is reprinted with permission from ref. 275. Copyright 2015. VBRI Press. (b₁) is reprinted with permission from ref. 142. Copyright 2014. American Chemical Society. (c₁) is reprinted with permission from ref. 256.

to a pure and highly crystalline anatase-TiO₂ phase. No additional peaks corresponding to impurities and other structural phases were detected, which indicates the phase purity and high crystallinity synthesis of the anatase-TiO₂ phase. The representative ball-and-stick structure of anatase-TiO₂ is illustrated in Fig. 7b₁. The anatase-TiO₂ has a crystalline structure that agrees with the tetragonal system with a dipyr-amidal habit (as shown in Fig. 7c₁).^{142,256}

4.2. Brookite-TiO₂

The XRD pattern of brookite-TiO₂ nanostructures is shown in Fig. 8a₁. The Bragg's position of the diffraction peaks and the relative intensity of the diffraction peaks accord perfectly with the standard JCPDF card no. 76-1936, corresponding to an orthorhombic crystal system of brookite-TiO₂ (space group: *Pbca* (61); *a* = 0.919 nm, *b* = 0.546 nm, *c* = 0.515 nm). All of the diffraction peaks were identified as characteristic of the XRD pattern of brookite-TiO₂. The presence of diffraction peaks at ~25.26°, 37.9°,




Fig. 8 Structural characteristics of brookite-TiO₂: (a₁) XRD pattern,²⁷⁵ (b₁) ball-and-stick structure,¹⁴² (c₁) an orthorhombic crystalline structure.²⁵⁶ Colour code; O atoms: red (small balls), grey (large balls) and Ti atoms: blue (large balls), black (small balls). Unit cells are outlined using thin lines. (a₁) is reprinted with permission from ref. 275. Copyright 2015. VBRI Press. (b₁) is reprinted with permission from ref. 142. Copyright 2014. American Chemical Society. (c₁) is reprinted with permission from ref. 256.




Fig. 9 Structural characteristics of rutile-TiO₂: (a₁) XRD pattern,²³ (b₁) ball-and-stick structure,¹⁴² (c₁) the tetragonal system with a prismatic habit.²⁵⁶ Colour code; O atoms: red (small balls), grey (large balls) and Ti atoms: blue (large balls), black (small balls). Unit cells are outlined using thin lines. (a₁) is reprinted with permission from ref. 23. Copyright 2016. Elsevier. (b₁) is reprinted with permission from ref. 142. Copyright 2014. American Chemical Society. (c₁) is reprinted with permission from ref. 256.

47.9°, 54.1°, 55.1°, 62.7°, 68.9°, 70.3° and 75.3° indicate the (210), (021), (321), (230), (421), (331), (040), (332) and (531) lattice planes, respectively, indexing to a pure and highly crystalline brookite-TiO₂ phase. No additional peaks corresponding to impurities and other structural phases were detected, which indicates the phase purity and high crystallinity synthesis of the anatase-TiO₂ phase. The representative ball-and-stick structure of brookite-TiO₂ is illustrated in Fig. 8b₁. The brookite-TiO₂ phase has a crystalline structure that agrees with the orthorhombic crystal system (as shown in Fig. 8c₁).^{142,256}

4.3. Rutile-TiO₂

Fig. 9a₁ provides the XRD pattern of TiO₂ nanostructures. The Bragg's position of the diffraction peaks and the relative intensity of the diffraction peaks accord perfectly with the standard JCPDF card no. 73-1765, also corresponding to the tetragonal crystal system of rutile-TiO₂ (space group: *P4₂/mnm* (136); *a* = *b* = 0.458 nm, *c* = 0.295 nm). All of the diffraction peaks were identified as characteristic of the XRD pattern of rutile-TiO₂. The presence of diffraction peaks at ~27.5°, 36.2°, 39.3°, 41.4°, 44.0°, 54.3°, 56.5°, 62.7°, 63.9°, 69.1°, 69.8° and 76.7° indicate the (110), (101), (200), (111), (210), (211), (220), (002), (310), (301), (311) and (202) lattice planes, respectively, indexing to a pure and highly crystalline rutile-TiO₂ phase. No additional peaks corresponding to impurities and other structural phases were detected, which indicates the phase purity and high crystallinity synthesis of the anatase-TiO₂ phase. The representative ball-and-stick structure of rutile-TiO₂ is illustrated in Fig. 9b₁. The rutile-TiO₂ has a crystalline structure that agrees with the tetragonal system with a prismatic habit (as shown in Fig. 9c₁).^{142,256}

5. Morphological and microstructural features

Electron microscopy (EM) studies using scanning EM (SEM), field emission scanning EM (FE-SEM) and high-resolution transmission EM (HR-TEM) were utilized to investigate the different morphologies and for microstructural identification in real as well






Fig. 10 SEM micrographs of a-TiO₂ nanostructures: (a–d) nanotube arrays, (e) nanoparticles, (f) nanotube, (g) thin film. Ref: [a],²⁶⁶ [b, c, f],²⁶⁷ [d],²⁶⁸ [e],³²⁸ [g].¹⁷³ (a) is reprinted with permission from ref. 266. Copyright 2011. American Scientific Publisher. (b, c and f) are reprinted with permission from ref. 267. Copyright 2012. John Wiley and Sons. (d) is reprinted with permission from ref. 268. Copyright 2014. The Chemical Society of Japan. (e) is reprinted with permission from ref. 328. Copyright 2012. John Wiley and Sons. (g) is reprinted with permission from ref. 173. Copyright 2005. Elsevier.

as in reciprocal spaces for assessing the phase-dependent morphology of amorphous- and crystalline-TiO₂ nanostructures.

5.1. SEM aspects

The representative micrographs of amorphous- and multi-phase-TiO₂ (anatase-, brookite- and rutile-TiO₂) nanostructures

using SEM and FE-SEM images are shown in Fig. 10–13. These figures reveal the general/surface morphology of the TiO₂ nanostructures.

5.1.1. Amorphous-TiO₂. Fig. 10 depicts the SEM micrographs of amorphous-TiO₂ (a-TiO₂) nanostructures synthesized *via* different fabrication routes. Fig. 10(a) shows a SEM image of a-TiO₂ nanotube arrays synthesized after electrochemical cycling at a current density of 400 $\mu\text{A cm}^{-2}$.²⁶⁶ Fig. 10(b, c and f) represent the FE-SEM images of a-TiO₂ nanotube arrays synthesized *via* the hydrothermal method under different reaction conditions.²⁶⁷ Fig. 10(d) illustrates the bottom surface of double-wall a-TiO₂ nanotube arrays produced *via* anodization.²⁶⁸ Uniform a-TiO₂ nanoparticles with an average diameter of 500 nm obtained through a sol-gel process is represented in Fig. 10(e). Fig. 10(g) elucidates the electrodeposited thin film of a-TiO₂.¹⁷³

5.1.2. Multiphase-TiO₂. When atoms/ions/molecules are arranged in an infinite, periodic, regular and ordered way, the nanomaterials become crystalline and have different structural phases (polymorph materials). The SEM/FE-SEM images of multiphase TiO₂, in particular anatase-, brookite- and rutile-TiO₂, nanostructures, are represented in Fig. 11–13.

5.1.2.1. Anatase-TiO₂. Fig. 11(a₁–c₆) show various morphological features of anatase-TiO₂ nanostructures (elongated and spherical) synthesized *via* numerous methods. Fig. 11(a₁ and a₂) clearly demonstrate the SEM images of nanotubes synthesized





Fig. 11 SEM micrographs of anatase-TiO₂ nanostructures: (a₁ and a₂) nanotubes, (a₃ and a₄) nanofibres, (a₅) nanorods, (a₆) nanorods with nanoflakes, (b₁) nanorod arrays, (b₂) nanoribbons, (b₃) nanowires, (b₄–b₆) nanosheets, (c₁) 3D network, (c₂) nanospheres, (c₃) nanocups, (c₄ and c₅) nanospheres and (c₆) nanoparticles. Insets (a₁, a₄, a₆, b₅ and c₁) provide the corresponding higher magnification images. Ref: [a₁, a₂],⁵⁰ [a₃],³²⁹ [a₄],⁵⁰ [a₅],²⁶⁹ [a₆],²⁷⁰ [b₁],³³⁰ [b₂],²⁷¹ [b₃],⁵⁰ [b₄],²⁹² [b₅],⁴¹ [b₆],³³¹ [c₁],⁵⁰ [c₃],²⁷⁴ [c₂, c₄ and c₅],²⁷³ [c₆].²⁷⁵ (a₁, a₂, a₄, b₃ and c₁) are reprinted with permission from ref. 50. Copyright 2014. American Chemical Society. (a₃) is reprinted with permission from ref. 329. Copyright 2005. Elsevier. (a₅) is reprinted with permission from ref. 269. Copyright 2013. The Royal Society of Chemistry. (a₆) is reprinted with permission from ref. 270. Copyright 2012. The Royal Society of Chemistry. (b₁) is reprinted with permission from ref. 330. Copyright 2004. The Royal Society of Chemistry. (b₂) is reprinted with permission from ref. 271. Copyright 2011. American Chemical Society. (b₄) is reprinted with permission from ref. 292. Copyright 2009. American Chemical Society. (b₅) is reprinted with permission from ref. 41. Copyright 2009. American Chemical Society. (b₆) is reprinted with permission from ref. 331. Copyright 2011. John Wiley and Sons. (c₂, c₄ and c₅) are reprinted with permission from ref. 273. Copyright 2007. American Chemical Society. (c₃) is reprinted with permission from ref. 274. Copyright 2013. The Royal Society of Chemistry. (c₆) is reprinted with permission from ref. 275. VBRI Press.






Fig. 12 SEM micrographs of brookite- TiO_2 nanostructures: (a₁ and a₂) nanorices,²⁷⁶ (a₃) nanoparticles,²⁷⁵ (a₄) nanobullets,²⁹³ (b₁) nanorices,²⁷⁶ (b₂) eggshell,²⁷⁷ (b₃) nanotubes,²⁷⁸ (b₄) nanoflowers, (c₁ and c₂) nanorods,^{279,280} (c₃) nanotubes,²⁷⁸ (c₄) nanorods.²⁸¹ Inset (a₄) illustrates the corresponding tilt-view of nanobullets. (a₁, a₂ and b₁) are reprinted with permission from ref. 276. Copyright 2014. The Royal Society of Chemistry. (a₃) is reprinted with permission from ref. 275. Copyright 2015. VBRI Press. (a₄) is reprinted with permission from ref. 293. Copyright 2016. Nature Publishing Group. (b₂) is reprinted with permission from ref. 277. (b₃, c₃) are reprinted with permission from ref. 278. Copyright 2008. The Royal Society of Chemistry. (c₁) is reprinted with permission from ref. 279. Copyright 2013. The Royal Society of Chemistry. (c₂) is reprinted with permission from ref. 280. Copyright 2012. Elsevier. (c₄) is reprinted with permission from ref. 281. Copyright 2013. The Royal Society of Chemistry.





Fig. 13 SEM micrographs of rutile- TiO_2 nanostructures: (a₁) nanorods,²⁸² (a₂–a₅) nanorod arrays,²⁸³ (a₆) nanorod spheres,²⁸⁴ (b₁, b₃ and b₄) nanorod bundles,^{283,285} (b₂) flower-like super architectures,²⁸⁶ (b₅) urchin-like,²⁸⁶ (b₆) nanospheres,²⁸⁶ (b₇) nanotrees,²⁸⁶ (b₈) a single nanoparticle,²⁸⁷ (c₁) self-assembled nanowires,²⁸⁸ (c₂) microspheres,²⁸⁶ (c₃) nanorod arrays,²⁸⁶ (c₄) quasi spheres,²⁸⁶ (c₅) microspheres²⁸⁶ and (c₆) nanoparticles.²⁷⁵ Insets: (lower inset in a₁) nanorods at higher magnification, (upper inset in c₂) top view of the nanorods with square-shaped ends. (a₁) is reprinted with permission from ref. 282. Copyright 2011. The Royal Society of Chemistry. (a₂–a₅) are reprinted with permission from ref. 283. Copyright 2014. Nature Publishing Group. (a₆) is reprinted with permission from ref. 284. Copyright 2014. American Chemical Society. (b₁) is reprinted with permission from ref. 285. Copyright 2014. Nature Publishing Group. (b₂, b₅–b₇, c₂–c₅) are reprinted with permission from ref. 286. Copyright 2012. The Royal Society of Chemistry. (b₃ and b₄) are reprinted with permission from ref. 283. Copyright 2014. Nature Publishing Group. (b₈) is reprinted with permission from ref. 287. Copyright 2002. The Royal Society of Chemistry. (c₁) is reprinted with permission from ref. 288. Copyright 2010. The Royal Society of Chemistry. (c₆) is reprinted with permission from ref. 275. Copyright 2015. VBRI Press.



via a liquid-phase deposition and ten cycles of TiCl_4 followed by the H_2O deposition method, respectively.⁵⁰ Fig. 11(a₃ and a₄) illustrate nanofibres of anatase- TiO_2 synthesized by calcination at 700 °C for 4 h (ref. 268) and an atomic layer deposition process, respectively.⁵⁰ Fig. 11(a₅ and a₆) represent the FE-SEM images of nanorods,²⁶⁹ and nanorods with a nanoflake film, respectively.²⁷⁰ In addition, Fig. 11(b₁–b₆) show the SEM micrographs of elongated anatase- TiO_2 nanostructures: (b₁) nanorod arrays,²⁷¹ (b₂) nanoribbons,²⁷¹ (b₃) nanobelts,⁵⁰ (b₄–b₆) nanosheets.^{41,272,292,331} Moreover, the spherical morphologies of anatase- TiO_2 nanostructures are depicted in Fig. 11(c₁–c₆), such as (c₁) a 3D network grown on the silicon through a surface-reaction-limited pulsed chemical vapour deposition process,⁵⁰ (c₂) uniform, smooth, solid spherical particles,²⁷³ (c₃) nanocups,²⁷⁴ (c₄ and c₅) nanospheres²⁷³ (c₆) nanoparticles.²⁷⁵

5.1.2.2. Brookite- TiO_2 . Fig. 12(a₁–c₄) represent the spherical and elongated nanostructures of brookite- TiO_2 obtained at various reaction conditions. Fig. 12(a₁ and a₂) elucidate the SEM images of nanorices obtained hydrothermally with prolonging the reaction time to 24 h and 48 h.²⁷⁶ The SEM images of brookite- TiO_2 nanostructures: (a₃) nanoparticles synthesized by the sol-gel method,²⁷⁵ (a₄) top-view SEM image of nanobullets grown hydrothermally showing sharpened tips, with the upper inset providing the corresponding tilt-view,²⁷⁷ (b₁) a single rice-like particle,²⁷⁶ (b₂) eggshell morphology obtained with the thermolysis method.²⁷⁷ Fig. 12(b₃ and c₃) show the SEM images of hydrothermally derived nanotubes,²⁷⁸ (b₄) nanoflowers obtained by a one-step hydrothermal synthesis route,¹⁸¹ (c₁, c₂ and c₄) nanorods^{279–281} of brookite- TiO_2 synthesized *via* facile chemical routes.

5.1.2.3. Rutile- TiO_2 . Fig. 13(a₁–c₆) depict the microstructural features in the elongated and spherical forms of rutile- TiO_2 nanostructures. Fig. 13(a₁) represents the SEM micrographs of rutile- TiO_2 nanorods synthesized under different reaction conditions in the sol-gel process under 365 nm UV light illumination. The inset in Fig. 13(a₁) elucidates the nanorods at a higher magnification.²⁸² Fig. 13(a₂–a₅) show bundles of nanorods under different reaction conditions.²⁸³ Fig. 13(a₆) demonstrates a nanorod sphere.²⁸⁴ Fig. 13(b₁, b₃ and b₄) show nanorod bundles grown hydrothermally.^{283,285} Fig. 13(b₂ and b₅) represent the flower-like super architecture and urchin-like structure composed of loose nanorods.²⁸⁶ Fig. 13(b₆ and b₇) represent the SEM micrographs of nano-spheres and -trees, respectively.²⁸⁶ Fig. 13(b₈) depicts a rutile- TiO_2 particle with an average size of ~ 1 μm showing a tetragonal prism structure with four planes, which are assigned to the $\{110\}$ faces. Each end of the prism is capped by four planes, which are assigned to the $\{011\}$ faces.²⁸⁷ Fig. 13(c₁) represents the self-assembled nanowires synthesized *via* microwave heating.²⁸⁸ Fig. 13(c₂) displays domain like arrangements of the TiO_2 quasi spheres leading apparently to a flat surface. The upper inset in Fig. 13(c₂) provides the top view of the nanorod with a square-shaped end.²⁸⁶ Fig. 12(c₃) shows the microspheres connected to each other but not merging together.²⁸⁶ Fig. 13(c₄, c₅ and c₆) demonstrate the SEM micrographs of microspheres composed of nanorods, spherical architectures²⁸⁶ and nanoparticles,²⁷⁵ respectively.

5.2. TEM/HR-TEM aspects

The detailed microstructural evidence, fine structure arrangement at the atomic level and selected area electron diffraction (SAED) and fast Fourier transform (FFT) patterns of amorphous- TiO_2 (a- TiO_2) and crystalline- TiO_2 (anatase-, brookite- and rutile- TiO_2) nanostructures can be realized in real and reciprocal spaces through taking and analyzing the TEM and HR-TEM images, which are discussed in Fig. 14–17.

5.2.1. Amorphous- TiO_2 . Amorphous solids do exhibit short-range order in their structures. Fig. 14(a₁–a₆) provide the TEM and HR-TEM images and SAED and FFT patterns of a- TiO_2 nanostructures. Fig. 14(a₁) represents the TEM micrograph of a- TiO_2 nanoparticles having a narrowly distributed size of about 10–15 nm.²⁵⁹ Fig. 14(a₂ and a₃) show the morphological changes of the nanotube arrays with the introduction (as shown in Fig. 14(a₂)) and without the introduction (as depicted in Fig. 14(a₃)) of oxygen (O_2) gas.²⁶⁸ Fig. 14(a₄ and a₅) elucidate the typical HR-TEM micrograph at low and high magnifications, respectively. The FFT pattern of a- TiO_2 (as illustrated in the upper inset of Fig. 14(a₅)) represents the semicircle-like diffuse spots centred at 3.1 ± 0.1 Å. The FFT pattern reveals that the contrast patterns in the micrograph can be assigned to the chains of octahedral species linked through Ti–O–Ti bridges at a distance that is: (i) lower than that related to the corner sharing (generally ~ 3.5 Å), but (ii) higher than the characteristic distance for Ti–O–Ti octahedrons in an edge-sharing configuration (normally ~ 3.0 Å).²⁸⁹ Fig. 14(a₆) shows the TEM image of a- TiO_2 nanotube arrays with a gradually thickened wall with depth. The upper inset of Fig. 14(a₆) reveals the diffuse ring SAED pattern of the single nanotube and indicates the amorphous nature of nanotube arrays.²⁶⁷

5.2.2. Multiphase TiO_2 . Most solids are crystalline, with the atoms, ions, or molecules of which they are composed falling into regular, repeated 3D patterns. The presence of long-range order is thus the defining property of a crystal. The




Fig. 14 TEM/HR-TEM micrographs of a- TiO_2 nanostructures: (a₁) TEM image of nanoparticles,²⁵⁹ (a₂) nanotubes with the introduction of O_2 gas,²⁶⁸ (a₃) nanotubes without the introduction of O_2 gas,²⁶⁸ HR-TEM image of nanoparticles at low (a₄) and high (a₅) magnification,²⁸⁹ (a₆) TEM images of a single nanotube.²⁶⁷ Insets provide: (a₅) corresponding FFT pattern and (a₆) corresponding SAED pattern. (a₁) is reprinted with permission from ref. 259. Copyright 2013. Indian Journal of Engineering & Materials Sciences. (a₂ and a₃) are reprinted with permission from ref. 268. Copyright 2014. The Chemical Society of Japan. (a₄ and a₅) are reprinted with permission from ref. 289. (a₆) is reprinted with permission from ref. 267. Copyright 2012. John Wiley and Sons.






Fig. 15 TEM/HR-TEM micrographs of anatase-TiO₂ nanostructures: (a₁) bright-field TEM image of a nanobelt and the corresponding HR-TEM image,²⁹⁰ (a₂) taken along the [100] direction,²⁹⁰ (b₁) low- and (b₂) high-magnification TEM images of nanorods,²⁹¹ (c₁) low- and (c₂) high-magnification TEM images of nanoflakes,²⁹¹ (d₁) HR-TEM image of a nanocrystal and its corresponding lattice fringe image (d₂),²⁹² (e₁) TEM and (e₂) HR-TEM images of the nanofibres³²⁹ and (f₁) TEM and corresponding HR-TEM image (f₂) of nanoparticles.²³ Insets in (a₁, e₁, f₁) provide their corresponding SAED pattern. (a₁ and a₂) are reprinted with permission from ref. 290. Copyright 2015. John Wiley and Sons. (b₁, b₂, c₁ and c₂) are reprinted with permission from ref. 291. Copyright 2012. The Royal Society of Chemistry. (d₁ and d₂) are reprinted with permission from ref. 292. Copyright 2009. American Chemical Society. (e₁ and e₂) are reprinted with permission from ref. 329. Copyright 2005. Elsevier. (f₁ and f₂) are reprinted with permission from ref. 23. Copyright 2016. Elsevier.




Fig. 16 TEM/HR-TEM micrographs of brookite-TiO₂ nanostructures: (a₁, b₁, c₁, d₁) TEM images of nanotubes,^{244,278,289,293} (a₂, b₂, c₂, d₂) HR-TEM images of nano-tubes, -flowers, -particles, -bullets, respectively.^{244,278,289,293} Insets (in b₂, c₁, d₁) correspond to the FFT patterns. (a₁ and a₂) are reprinted with permission from ref. 278. Copyright 2008. The Royal Society of Chemistry. (b₁ and b₂) are reprinted with permission from ref. 244. Copyright 2009. The Royal Society of Chemistry. (c₁ and c₂) are reprinted with permission from ref. 289. (d₁ and d₂) are reprinted with permission from ref. 293. Copyright 2016. Nature Publishing Group.

observation of multiphase TiO₂ (especially anatase-, brookite-, and rutile-TiO₂) nanostructures by means of TEM/HR-TEM are commonly overlooked, but here the results are displayed as well as discussed in Fig. 15–17.

5.2.2.1. Anatase-TiO₂. Fig. 15(a₁–f₂) provide the TEM/HR-TEM micrographs at low and high magnifications as well as the SAED and FFT patterns of anatase-TiO₂ nanostructures. Fig. 15(a₁ and a₂) represent the bright-field TEM and HR-TEM micrographs of nanobelts obtained from an alkali-hydrothermal process with the growth direction along the





Fig. 17 TEM/HR-TEM micrographs of rutile-TiO₂ nanostructures: (a₁ and a₂) TEM image and corresponding HR-TEM image of a nanobelt,²⁹⁰ (b₁ and b₂) TEM images of one individual nanowire and nanorod,²⁷¹ (b₂ and c₂) corresponding HR-TEM images of the nanowire and nanorod,²⁷¹ (d₁ and d₂) low magnification TEM and HR-TEM images of multilevel branched architectures,²⁸⁶ (e₁) the lattice image and (e₂) reconstructed image from the square region in (e₁).²⁹⁴ Insets (in a₁, b₁ and c₁) illustrate the corresponding SAED patterns. (a₁ and a₂) are reprinted with permission from ref. 290. Copyright 2015. John Wiley and Sons. (b₁, b₂, c₁ and c₂) are reprinted with permission from ref. 271. Copyright 2011. American Chemical Society. (d₁ and d₂) are reprinted with permission from ref. 286. Copyright 2012. The Royal Society of Chemistry. (e₁ and e₂) are reprinted with permission from ref. 294. Copyright 2004. Nature Publishing Group.

[010] plane.²⁹⁰ Fig. 15(b₁ and b₂) show the low- and high-magnification TEM images of nanorods, respectively. From the figures, it can clearly be observed that the crystalline behaviour is along their entire lengths. The calculated interplanar spacing $d_{(101)} = 0.35$ nm, which affirms the presence of anatase-TiO₂.²⁹¹ Fig. 15(c₁ and c₂) elucidate the low- and high-magnification TEM images of nanoflakes. The lattice fringes with interplanar spacings of $d_{(101)} = 0.35$ nm are consistent with the anatase-TiO₂.²⁹¹ Fig. 15(d₁ and d₂) show the continuous (200) atomic planes with a lattice spacing of 0.19 nm.²⁹² Fig. 15(e₁ and e₂) indicate the TEM and HR-TEM images of the nanofibres, respectively.²⁶⁸ Moreover, the TEM and HR-TEM images of nanoparticles synthesized by a wet chemical method are displayed in Fig. 15(f₁ and f₂), respectively.²³

5.2.2.2. Brookite-TiO₂. Fig. 16(a₁–d₂) display the TEM/HR-TEM micrographs and SAED and FFT patterns of brookite-TiO₂ nanostructures. Fig. 16(a₁ and a₂) elucidate the TEM images of a nanotube adapting the tube-like morphology with a crystalline multiwall structure.²⁷⁸ Fig. 16(b₁) represents the TEM images of nanorods, revealing that the length of a single nanorod is about 1000 nm, and a single cluster of flowers can also be observed due to agglomerated nanorods. Fig. 16(b₂) shows the HR-TEM image of a nanorod with a diameter of about 40 nm. The SAED pattern represented in the upper inset of Fig. 16(b₂) also confirms that the nanorods are a single crystal of brookite-TiO₂.²⁴⁴ Fig. 16(c₁ and c₂) depict the TEM and HR-TEM images of agglomerated nanoparticles.²⁸⁹ Fig. 16(d₁ and d₂) also elucidate the TEM and HR-TEM images of nanobullets, respectively.²⁹³

5.2.2.3. Rutile-TiO₂. Fig. 17(a₁–e₂) illustrate the TEM/HR-TEM micrographs and SAED pattern of rutile-TiO₂ nanostructures. Fig. 17(a₁ and a₂) show the TEM and HR-TEM images of a nanobelt prepared by the hydrothermal method.²⁹⁰ Fig. 17(b₁) represents the TEM image of nanowires, indicating the nanowires are narrow with diameters of around



RSC Adv., 2017, 7, 44199–44224 | 44213




Fig. 19 FT-IR spectra of brookite-, anatase- and rutile-TiO₂ nanoparticles.^{23,301} Reprinted with permission from ref. 23. Copyright 2016. Elsevier and ref. 301. Copyright 2000. Springer.




Fig. 20 Optical characteristics: (a) UV-Vis reflectance spectra, (b) optical band gap evaluation of multiphase TiO₂ nanoparticles, where the symbols A, B and R correspond to anatase-, brookite- and rutile-TiO₂.²⁸⁹ Reprinted with permission from ref. 289.

6.3. UV-Vis spectroscopy

The optical properties and related band gap characteristics have been studied using UV-Vis spectroscopy and the results are displayed in Fig. 20(a and b). Fig. 20(a) shows the results from reflectance measurements of anatase-, brookite-, and rutile-

Table 4 Summary of the obtained parameters from UV-Vis spectra and the indirect and direct optical band gaps of multiphase-TiO₂ nanostructures

Multiphase-TiO ₂	Optical band gap values (E_g in eV)		
	Extrapolation	Indirect	Direct
Anatase-TiO ₂	3.21	3.20	3.53
Brookite-TiO ₂	3.13	3.13	3.56
Rutile-TiO ₂	3.00	3.01	3.37

TiO₂ nanostructures. The corresponding optical band gaps of the multiphase TiO₂ nanostructures are calculated from the UV-Vis reflectance spectra using the Tauc equation:

$$(\alpha h\nu)^n = B(h\nu - E_g)$$

where α is the absorption coefficient, $h\nu$ is the energy of the incident photon, B is a constant (characteristic of the SMON), n has two different values, either 2 for direct or 1/2 for indirect band gap transitions, and E_g is the optical band gap of SMON. The intercept on the abscissa (X -axis) of the Tauc plot $(\alpha h\nu)^n$ versus $h\nu$ gives the optical band gap energy of the SMON (Fig. 20(b)). The extrapolation of the reflectance versus the wavelength curves determines the optical band gap energy of multiphase TiO₂ nanoparticles: (i) 3.21 eV for anatase-TiO₂, (ii) 3.13 eV for brookite-TiO₂ and (iii) 3.00 eV for rutile-TiO₂ nanoparticles. The obtained reflectance spectra were converted to equivalent absorption coefficients²⁸⁹ providing the same results as those obtained from extrapolation for indirect transitions (as provided in the upper segment in Fig. 20(b)). Furthermore, analysis for the direct transitions (as shown in the lower segment in Fig. 20(b)) resulted in transitions at higher energies.²⁰⁴ A summary of the obtained parameters from the UV-Vis spectra and the indirect and direct optical band gaps are displayed in Table 4.

7. Applications

7.1. Photocatalysis

Photocatalysis is the surface phenomenon that is defined as the catalytic property of a SMON when photons are irradiated on it. The surface property of multiphase-TiO₂ nanoparticles (in particular anatase- and rutile-TiO₂) can be manipulated by coating their surfaces with either an inorganic (silica) or organic (green tea) layer *via* a chemical approach. In general, the main constituent of green tea extract is polyphenols, predominantly the catechins.^{303–305} Out of the four major catechins [(i) epicatechin (EC)

Table 3 Summary of various synthesis routes for multiphase-TiO₂ nanostructures

Phase-TiO ₂	Nanostructures	Synthesis routes
Anatase-TiO ₂	Nano-particles, -wires, -tubes, -cuboid, -belts, -tubes, -fibres, -cups, -spheres, -sheets	Sol-gel, hydrothermal and co-precipitation
Brookite-TiO ₂	Nano-particles, -bullets, -rices, -tubes, -flowers	Sol-gel, hydrothermal and co-precipitation
Rutile-TiO ₂	Nano-particles, -rods, -tree, -spheres, -rod arrays	Sol-gel, hydrothermal and co-precipitation






Fig. 21 Photocatalytic and photoluminescence spectra of anatase- and rutile-TiO₂ nanoparticles. UV-Vis spectra of the photodegradation of methyl orange dye by anatase (a₂₀) and rutile (b₂₀), respectively, at various time intervals. (a₂₁) and (b₂₁) show the PL characteristics of anatase and rutile, respectively at $\lambda_{\text{ex}} = 300$ nm.²³ Reprinted with permission from ref. 23. Copyright 2016. Elsevier.

(ii) epicatechin gallate (ECG) (iii) epigallocatechin (EGC) and (iv) epigallocatechin gallate (EGCG)], EGCG is the main component found in green tea.³⁰⁶ The antioxidant action of polyphenols found in green tea is known to increase the antioxidant capacity of blood.³⁰⁷ Thus, green tea extract was expected to be an attractive material for modifying the surface of photocatalysts.^{227,235} Herein, anatase- and rutile-TiO₂ were selected in the present context in regard to their photocatalytic applications. In addition, these two structural phases were coated with: (i) silica (TiO₂_silica; anatase/rutile_silica) and (ii) green tea (TiO₂_polyphenol; anatase/rutile_polyphenol).²³

7.1.1. Bare anatase- and rutile-TiO₂ nanoparticles. The photocatalytic activity of bare anatase- and rutile-TiO₂ nanoparticles was analyzed by studying the photodegradation of methyl orange (MO) solution and then confirmed by the PL spectra, as depicted in Fig. 21(a₁₀ and b₁₁). PL is an important tool for exploring the recombination phenomenon occurring in the excitons analysis of SMON. The UV-Vis absorption spectrum of MO solution with an initial concentration 0.153 mg l⁻¹ established as a broad band at 464 nm, which corresponds to $\pi \rightarrow \pi^*$ transition,³⁰⁸ as depicted in Fig. 21(a₁₀ and b₁₀). In the PL

spectrum (inset in Fig. 21(b₁₁)), three peaks can be observed at 334, 394 and 524 nm in the case of the bare MO solution. A summary of the photodegradation and photoluminescence characteristics of methyl orange dye by the catalysts, bare anatase- and rutile-TiO₂ nanoparticles at various UV irradiation time is represented in Table 5. However, the trend in photocatalytic activity as evidenced by UV-Vis absorption was found to be peculiar after 60 min and 30 min when anatase-TiO₂ and rutile-TiO₂, respectively, were used as the catalyst. The reason behind this is that deactivation of the catalyst occurs to some extent due to the formation of a number of degradation fragments of MO at the catalyst surface that block the active sites of the catalyst and also as the solution becomes concentrated, which scatters the UV light instead of transmitting it through the solution. These cause hindrance for further photodegradation.^{23,309,310}

7.1.2. Coated anatase- and rutile-TiO₂ nanoparticles

7.1.2.1. Anatase- and rutile-TiO₂_silica. The photocatalytic activity of anatase- and rutile-TiO₂_silica nanoparticles was also assessed by studying the photodegradation of methyl orange





Fig. 22 Photocatalytic and photoluminescence spectra of silica-coated anatase- and rutile-TiO₂ nanoparticles. UV-Vis spectra of the photodegradation of methyl orange dye by anatase_silica (a₂₀) and rutile_silica (b₂₀), respectively, at various time intervals. (a₂₁) and (b₂₁) show the PL characteristics of anatase_silica and rutile_silica, respectively.²³ Reprinted with permission from ref. 23. Copyright 2016. Elsevier.

Table 5 Summary of the photodegradation and photoluminescence (PL) characteristics of methyl orange dye by bare anatase- and rutile-TiO₂ nanoparticles^a

Bare TiO ₂	UV irradiation time (minutes)	Characteristics		Remarks	
		UV absorbance	PL intensity	Photodegradation	Recombination
Anatase TiO ₂	30	Decreases	Least peak	✓	✗
	60	Again decreases	Moderate peak	✓	✓
	120	Increases	Highest peak	✗	✓
Rutile TiO ₂	30	Decreases	Lower peak	✓	✗
	60	Increases	Highest peak	✗	✓
	120	Decreases	Moderate peak	✓	✓

^a Symbols introduced: ✓ → yes, ✗ → no.






Fig. 23 Photocatalytic and photoluminescence spectra of polyphenol-coated-anatase and -rutile-TiO₂ nanoparticles. UV-Vis spectra of the photodegradation of methyl orange dye by anatase-polyphenol (a₃₀) and rutile-polyphenol (b₃₀), respectively, at various time intervals. (a₃₁) and (b₃₁) show the PL characteristics of anatase-polyphenol and rutile-polyphenol, respectively.²³ Reprinted with permission from ref. 23. Copyright 2016. Elsevier.

(MO) solution, and then its corresponding PL spectra was also investigated, as depicted in Fig. 22(a₂₀ and b₂₁). The photocatalytic degradation of MO dye by anatase-silica and rutile-silica show a frequent decrease in absorbance at 0 min as compared to pristine MO solution, which may be due to inter/intra-chain interactions³¹¹ of the catalyst with the MO dye as shown in Fig. 22(a₂₀ and b₂₀). As UV irradiation is exposed at various time intervals, overlapping and diminished intensity absorbance curves are observed revealing the uniform nature of the silica coating helps to inhibit the photocatalytic activity of the catalyst. Silica, being a good radical scavenger, engulfs all the radicals produced by TiO₂. To understand the fate of the photogenerated charge carriers, PL spectrum analysis was also employed at $\lambda_{\text{ex}} = 300$ nm, which showed a decreasing trend with increasing irradiation time, indicating that the electrons and holes generated are involved in degradation and not in exciton generation, thus leading to a drop in PL emission, as shown in Fig. 22(a₂₁ and b₂₁). The reduction in the photodegradation of MO dye by coating the surface of rutile with silica correlates with the already reported results in the literature.³¹²

7.1.2.2. Anatase- and rutile-TiO₂-polyphenol. The photocatalytic activity of anatase- and rutile-TiO₂-polyphenol nanoparticles was also evaluated by studying the photodegradation of methyl orange (MO) solution, and then its corresponding PL spectra was also analyzed, as depicted in Fig. 23(a₃₀ and b₃₁). On 30 min exposure of UV irradiation, the absorbance increases, leading to the reduced photocatalytic degradation of MO dye by anatase-polyphenol, as shown in Fig. 23(b₃₀). However, at 60 min UV exposure, the photocatalysis is observed to be enhanced, which is accounted for as due to its microstructural characteristics, showing that a prolonged UV irradiation time (around 60 min) is required to increase photodegradation. A summary of the photodegradation and photoluminescence characteristics of methyl orange dye by anatase- and rutile-TiO₂-polyphenol nanoparticles is represented in Table 6. However, in the case of rutile-polyphenol as a photocatalyst, dye degradation was found to be higher up to the initial 60 min of UV irradiation, as shown in Fig. 23(b₃₀). The generation of excitons supporting e⁻-h⁺ separation (photocatalysis) as well as mild recombination are evidenced in the PL emission spectra. At 120 min of prolonged UV irradiation, PL emission is favoured. Thus, it can be inferred that the improved textural properties and efficient excitonic separation are responsible for the enhanced light photocatalytic activities.^{23,306,313,314}

7.2. Concomitant summary

On comparing the coated forms of anatase- and rutile-TiO₂ nanoparticles, the polyphenol-coated form shows a higher photocatalytic activity than silica-coated forms, which is accounted for by some microstructural alterations and by the nature and thickness of the coating moiety. In summary, (as illustrated in Scheme 4), the results show that anatase- and rutile-TiO₂-silica were found to be least photocatalytically active, ensuring their cosmetic application in sunscreens, whereas rutile-TiO₂-polyphenol and bare anatase-TiO₂ had the highest photocatalytic activity amongst their corresponding forms when reviewed in a broad research area including the photodegradation of toxic organic dyes.


7.3. Bio-safety and human health


TiO₂ nanoparticles are utilized to inhibit bacterial growth owing to their broad antibacterial characteristics. The influence of

Table 6 Summary of the photodegradation and photoluminescence characteristics of methyl orange dye by anatase- and rutile-TiO₂-polyphenol nanoparticles^a

Phase-TiO ₂ -polyphenol	UV irradiation time (minutes)	Characteristics		Remarks	
		UV absorbance	PL intensity	Photodegradation	Recombination
Anatase-TiO ₂ -polyphenol	30	Increases	Reduced peak	✗	✗
	60	Decreases	Highest intensity	✓	✓
	120	Increases	Least intensity	✗	✗
Rutile-TiO ₂ -polyphenol	30	Decreases	Lower intensity	✓	✗
	60	Again decreases	Least intensity	✓	✗
	120	Increases	Highest intensity	✗	✓

^a Symbols introduced: ✓ → yes, ✗ → no.





Scheme 4 Pictorial representation of the photodegradation of methyl orange by TiO_2 nanoparticles.²³ Reprinted with permission from ref. 23. Copyright 2016. Elsevier.




Fig. 24 Growth of bacterial species versus incubation time (h) for *Enterobacter* sp.⁵¹ Reprinted with permission from ref. 51. Copyright 2017. Taylor and Francis.

nano-sized anatase- TiO_2 particles on biofilms formed by *Enterobacter* sp. ($1.25 \mu\text{m}$)³¹⁵ was evaluated to treat wound infection. Different concentrations of anatase- TiO_2 nanoparticles were utilized to assist gaining an in-depth understanding. In our case, in the presence of nanoparticles, it was noticed that bacteria using their appendages expressed surface adhesion proteins, became adhered to the solid surface and formed a biofilm *via* a defence mechanism.

These nanoparticles showed antibacterial characteristics as evidenced by the serial dilution plate method, as displayed in Fig. 24, which clearly demonstrate that cell viability could be observed to be completely arrested at $700 \mu\text{g ml}^{-1}$ of nanoparticle concentration and at 72 h incubation time.

The obtained results from the serial dilution plate method were supported by electron microscopy analysis, SEM and TEM, as represented in Fig. 25(a–i). EM results revealed the interaction of the bacterial biofilm with nanoparticles. SEM




Fig. 25 (a)–(c) SEM micrographs of TiO_2 nanoparticles ($700 \mu\text{g ml}^{-1}$) interaction with *Enterobacter* sp. for 72 h incubation, TEM images of (d)–(f) bare *Enterobacter* sp. and (g)–(i) interaction of TiO_2 nanoparticles with bacterial biofilm. Blue squares (in (g) and (i)) represent a ruptured biofilm.⁵¹ Reprinted with permission from ref. 51. Copyright 2017. Taylor and Francis.

micrographs, as shown in Fig. 25(a–c), revealed the fact that nanoparticles were spread all over the bacterial lump and thus the biofilms were encrusted with nanoparticles. To orchestrate the bio-distribution of nanoparticles into the biofilm and to detect the size of bacterium, HR-TEM was performed, as elucidated in Fig. 25(d–i). The formation of a bacterial biofilm was again confirmed by TEM, as depicted in Fig. 25(d–e). The size of single *Enterobacter* sp. bacterium was observed to be $\sim 1.25 \mu\text{m}$, which was found to be in agreement with Bergey's *Manual of Determinative Bacteriology*.³¹⁵ Moreover, complete entrapment of agglomerated TiO_2 nanoparticles into the biological mass was affirmed by HR-TEM, as portrayed in Fig. 25(g–i). The nanoparticles also affected the morphology of bacterial cells as represented by blue squares, shown in Fig. 25(g and i). Thus, the antibacterial activity of anatase- TiO_2 nanoparticles against a biofilm can be used to treat human wound infection.^{51,316–320}

8. Conclusions

Thanks to the efficient efforts of experienced scientists and engineers throughout the world working on multiphase TiO_2 nanomaterials over the past decades, the advances made in research in this field are enormously significant and noteworthy. The present review article has presented a widespread analysis of the state-of-art research into the growth mechanism behind the efficient synthesis of multiphase TiO_2 nanostructures through chemical routes. More exploration on a wide variety of unique nanostructures has been analyzed according to their various structural, morphological and microstructural features.



In brief, the present review mainly provides key information to unveil more about the multiphase TiO₂ nanostructures, ranging from their efficient synthesis to control the morphology, growth mechanism and properties to their photoactive potential characteristics. Additionally, the opto-biological properties are strongly influenced by the tunable morphologies, particle sizes and phase transformations of multiphase TiO₂ nanostructures.

Ultimately, we hope that this review article not only summarizes the recent progress but will also help to inspire research activity in this field on understanding the intriguing characteristics of multiphase TiO₂ nanostructures. The present review has mainly focused on anatase, brookite and rutile; however, the research focus on the structural, morphological and microstructural features of the remaining crystalline and noncrystalline phases of TiO₂ should also be interesting in the near future. Moreover, their nano-bio assessment also deserves more attention in the future.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors sincerely thank the Director, NPL New Delhi, India for providing the necessary experimental facilities. We would like to acknowledge CSIR network project, BSC-0112 (Nano-SHE). We also acknowledge to all the authors whose published articles help us as a resource for completion of this review article. There is no financial concern to publish this review article.

Notes and references

- 1 C. C. Yang and Y. W. Mai, *Mater. Sci. Eng., R*, 2014, **79**, 1–40.
- 2 M. K. Song, S. Park, F. M. Alamgir, J. Cho and M. Liu, *Mater. Sci. Eng. R*, 2011, **72**, 203–252.
- 3 D. C. Sayle, J. A. Doig, S. A. Maicaneanu and G. W. Watson, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2002, **65**, 245414.
- 4 A. Chandran, J. Prakash, J. Gangwar, T. Joshi, A. K. Srivastava, D. Haranath and A. M. Biradar, *RSC Adv.*, 2016, **6**, 53873–53881.
- 5 J. M. Petroski, T. C. Green and M. A. El-Sayed, *J. Phys. Chem. A*, 2001, **105**, 5542–5547.
- 6 R. Datt, J. Gangwar, S. K. Tripathi, R. K. Singh and A. K. Srivastava, *Quantum Matter*, 2016, **5**, 1.
- 7 M. I. Khan, *J. Solid State Chem.*, 2000, **152**, 105–112.
- 8 J. Gangwar, B. K. Gupta and A. K. Srivastava, *Def. Sci. J.*, 2016, **66**, 323.
- 9 K. K. Dey, D. Bhatnagar, A. K. Srivastava, M. Wan, S. Singh, R. R. Yadav, B. C. Yadav and M. Deepa, *Nanoscale*, 2015, **7**, 6159–6172.
- 10 K. K. Dey, A. Kumar, R. Shanker, A. Dhawan, M. Wan, R. R. Yadav and A. K. Srivastava, *RSC Adv.*, 2012, **2**, 1387.
- 11 M. Niu, F. Huang, L. Cui, P. Huang, Y. Yu and Y. Wang, *ACS Nano*, 2010, **4**, 681–688.
- 12 J. Yu, X. Yu, B. Huang, X. Zhang and Y. Dai, *Cryst. Growth Des.*, 2009, **9**, 1474–1480.
- 13 J. Gangwar, K. K. Dey, S. K. Tripathi, M. Wan, R. R. Yadav, R. K. Singh, Samta and A. K. Srivastava, *Nanotechnology*, 2013, **24**, 415705.
- 14 C. Ye, G. Wang, M. Kong and L. Zhang, *J. Nanomater.*, 2006, **2006**, 1–5.
- 15 Z. Zhang, *J. Mater. Res.*, 2002, **17**, 1698–1701.
- 16 Y. R. Smith, A. Kar and V. Subramanian, *Ind. Eng. Chem. Res.*, 2009, **48**, 10268–10276.
- 17 P. P. González-Borrero, F. Sato, A. N. Medina, M. L. Baesso, A. C. Bento, *et al.*, *Appl. Phys. Lett.*, 2010, **96**, 061909.
- 18 Q. Wang, A. Puntambekar and V. Chakrapani, *Nano Lett.*, 2016, **16**, 7067–7077.
- 19 X. Hu, J. Gong, L. Zhang and J. C. Yu, *Adv. Mater.*, 2008, **20**, 4845–4850.
- 20 G. Z. Shen, Y. Bando, B. Liu, D. Golberg and C. Lee, *Adv. Funct. Mater.*, 2006, **16**, 410–416.
- 21 Z. Y. Wang, B. B. Huang, X. Y. Qin, X. Y. Zhang, P. Wang, J. Y. Wei, J. Zhan, X. Y. Jing, H. X. Liu, Z. H. Xu, H. F. Cheng, X. N. Wang and Z. K. Zheng, *Mater. Lett.*, 2009, **63**, 130–132.
- 22 V. Sivakumar, R. Suresh, K. Giribabu and V. Narayanan, *Cogent Chem.*, 2015, **1**, 1074647.
- 23 R. Verma, A. Awasthi, P. Singh, R. Srivastava, H. Sheng, J. Wen, D. J. Miller and A. K. Srivastava, *J. Colloid Interface Sci.*, 2016, **475**, 82–95.
- 24 K. Karthick, S. R. Ede, U. Nithiyannantham and S. Kundu, *New J. Chem.*, 2017, **41**, 3473–3486.
- 25 C. G. Anchietia, D. Sallet, E. L. Foletto, S. S. da Silva, O. C. Filhob and C. A. O. do Nascimento, *Ceram. Int.*, 2014, **40**, 4173–4178.
- 26 P. Guo, L. Cui, Y. Wang, M. Lv, B. Wang and X. S. Zhao, *Langmuir*, 2013, **29**, 8997–9003.
- 27 S. Zhang, L. Ren and S. Peng, *CrystEngComm*, 2014, **16**, 6195.
- 28 Dhiraj, B. K. Gupta, S. P. Singh, S. Singh, Govind and A. K. Srivastava, A Process for the Synthesis of highly Luminescent Green Emitting Undoped Zn₂SiO₄ afterglow Nano Phosphor, Indian Patent Filing No. 0044NF2017, 17-Mar-2017.
- 29 Y. Li, M. Gecevicius and J. Qiu, *Chem. Soc. Rev.*, 2016, **45**, 2090.
- 30 S. E. John, S. K. Mohapatra and M. Misra, *Langmuir*, 2009, **25**, 8240.
- 31 J. Yu, L. Qi and M. Jaroniec, *J. Phys. Chem. C*, 2010, **114**, 13118–13125.
- 32 R. A. Patil, R. S. Devan, Y. Liou and Y. R. Ma, *Sol. Energy Mater. Sol. Cells*, 2016, **147**, 240–245.
- 33 L. Huang, T. Liu, H. Zhang, W. W. Guo and W. Zeng, *J. Mater. Sci.: Mater. Electron.*, 2012, **23**, 2024.
- 34 Z. Miao, D. Xu, J. Ouyang, G. Guo, X. Zhao and Y. Tang, *Nano Lett.*, 2002, **2**, 717.
- 35 D. K. Yi, S. J. Yoo and D. Y. Kim, *Nano Lett.*, 2002, **2**, 1101.
- 36 T. Aarthi and G. Madras, *Ind. Eng. Chem. Res.*, 2007, **46**, 7.
- 37 R. Asahi, T. Morikawa, T. Ohwaki, K. Aoki and Y. Taga, *Science*, 2001, **293**, 269–271.




- 38 A. Fujishima, X. T. Zhang and D. A. Tryk, *Surf. Sci. Rep.*, 2008, **63**, 515–582.
- 39 I. K. Konstantinou and T. A. Albanis, *Appl. Catal., B*, 2004, **49**, 1–14.
- 40 J. C. Yu, J. G. Yu, W. K. Ho, Z. T. Jiang and L. Z. Zhang, *Chem. Mater.*, 2002, **14**, 3808–3816.
- 41 G. Liu, H. G. Yang, X. Wang, L. Cheng, H. Lu, L. Wang, G. Q. Lu and H. M. Cheng, *J. Phys. Chem. C*, 2009, **113**, 21784.
- 42 G. Liu, H. G. Yang, X. Wang, L. Cheng, J. Pan, G. Q. Lu and H. M. Cheng, *J. Am. Chem. Soc.*, 2009, **131**, 12868.
- 43 F. Turci, E. Peira, I. Corazzari, I. Fenoglio, M. Trotta and B. Fubini, *Chem. Res. Toxicol.*, 2013, **26**, 1579.
- 44 A. Jaroenworarluck, W. Sunsaneeyametha, N. Kosachan and R. Stevens, *Surf. Interface Anal.*, 2006, **38**, 473.
- 45 S. Li, S. Xu, L. He, F. Xu, Y. Wang and L. Zhang, *Polym.-Plast. Technol. Eng.*, 2010, **49**, 400–406.
- 46 S. Kumar and P. Maiti, *RSC Adv.*, 2016, **6**, 67449–67480.
- 47 E. Yousif and R. Haddad, *SpringerPlus*, 2013, **2**, 398.
- 48 X. Zhao, Z. Li, Y. Chen, L. Shi and Y. Zhu, *J. Mol. Catal. A: Chem.*, 2007, **268**, 101–106.
- 49 Y. Liu and Y. Yang, *J. Nanomater.*, 2016, **2016**, 8123652.
- 50 J. Bai and B. Zhou, *Chem. Rev.*, 2014, **114**, 10131–10176.
- 51 R. Verma, V. B. Chaudhary, L. Nain and A. K. Srivastava, *Mater. Tech.*, 2017, **32**, 385–390.
- 52 C. Y. Flores, C. Diaz, A. Rubert, G. A. Benitez, M. S. Moreno, M. A. F. L. De Mele, R. C. Salvarezza, P. L. Schilardi and C. Vericat, *J. Colloid Interface Sci.*, 2010, **350**, 402.
- 53 J. F. Jacobs, L. V. de Poel and P. Osseweijer, *Nanoethics*, 2010, **4**, 103–113.
- 54 J. M. Davis, T. C. Long, J. A. Shatkin and A. Wang, *Nanomaterials Case Studies: Nanoscale Titanium Dioxide in Water Treatment and in Topical Sunscreen*, Draft Agency, E. P., Research Triangle Park, NC, 2009.
- 55 P. Prasannalakshmia, N. Shanmugama, A. Senthil Kumarb and N. Kannadasan, *J. Electroanal. Chem.*, 2016, **775**, 356–363.
- 56 R. Kaegi, A. Ulrich, B. Sinnet, R. Vonbank, A. Wichser, S. Zuleeg, H. Simmler, S. Brunner, H. Vonmont, M. Burkhardt and M. Boller, *Environ. Pollut.*, 2008, **156**, 233–239.
- 57 A. Weir, P. Westerhoff, L. Fabricius and N. V. Goetz, *Environ. Sci. Technol.*, 2012, **46**, 2242–2250.
- 58 X. Li, Y. Zhang, T. Li, Q. Zhong, H. Li and J. Huang, *J. Power Sources*, 2014, **268**, 372–378.
- 59 J. Jin, S. Z. Huang, J. Liu, *et al.*, *J. Mater. Chem. A*, 2014, **2**, 9699–9708.
- 60 K. Liu, M. Cao, A. Fujishima and L. Jiang, *Chem. Rev.*, 2014, **114**, 7740.
- 61 ICIS Titanium Dioxide Uses and Market, <http://www.icis.com/Articles/2007/11/07/9076546/titanium-dioxide-tio2-uses-and-market-data.html>, 1st June 2011.
- 62 N. Pradhan, S. Singh, N. Ojha, A. Shrivastava, A. Barla, V. Rai and S. Bose, *BioMed Res. Int.*, 2015, **2015**, 365672.
- 63 K. A. Abbas, A. M. Saleh, A. Mohamed and N. MohdAzhan, *J. Food, Agric. Environ.*, 2009, **7**, 14–17.
- 64 M. C. E. Lomer, R. P. H. Thompson, J. Commisso, C. L. Keen and J. J. Powell, *Analyst*, 2000, **125**, 2339–2343.
- 65 K. Liu, M. Cao, A. Fujishima and L. Jiang, *Chem. Rev.*, 2014, **114**, 10044–10094.
- 66 F. Gao, Q. Y. Lu and S. Komarneni, *Chem. Mater.*, 2005, **17**, 856.
- 67 G. Q. Tan, Y. Q. Zheng, H. Y. Miao, A. Xia, H. J. Ren and H. Hintzen, *J. Am. Ceram. Soc.*, 2012, **95**, 280.
- 68 Z. H. Ai, K. J. Deng, Q. F. Wan, L. Z. Zhang and S. C. Lee, *J. Phys. Chem. C*, 2010, **114**, 6237.
- 69 M. Larhed, C. Moberg and A. Hallberg, *Acc. Chem. Res.*, 2002, **35**, 717.
- 70 J. Du, L. R. Espelt, I. A. Guzei and T. P. Yoon, *Chem. Sci.*, 2011, **2**, 2115.
- 71 Q. J. Xiang, J. G. Yu and M. Jaroniec, *Chem. Soc. Rev.*, 2012, **41**, 782.
- 72 K. F. Zhou, Y. H. Zhu, X. L. Yang, X. Jiang and C. Z. Li, *New J. Chem.*, 2011, **35**, 353.
- 73 J. T. Zhang, Z. G. Xiong and X. S. Zhao, *J. Mater. Chem.*, 2011, **21**, 3634.
- 74 Q. Shen, W. Zhang, Z. P. Hao and L. D. Zou, *Chem. Eng. J.*, 2010, **165**, 301.
- 75 F. Y. Shen, W. X. Que, Y. L. Liao and X. T. Yin, *Ind. Eng. Chem. Res.*, 2011, **50**, 9131.
- 76 M. Y. Xing, Y. M. Wu, J. L. Zhang and F. Chen, *Nanoscale*, 2010, **2**, 1233.
- 77 V. Iliev, D. Tomova and S. Rakovsky, *Desalination*, 2010, **260**, 101.
- 78 X. H. Peng, A. C. Santulli, E. Sutter and S. S. Wong, *Chem. Sci.*, 2012, **3**, 1262.
- 79 Z. Ren, E. Kim, S. W. Pattinson, K. S. Subrahmanyam, C. N. R. Rao, A. K. Cheetham and D. Eder, *Chem. Sci.*, 2012, **3**, 209.
- 80 N. Wang, T. Tachikawa and T. Majima, *Chem. Sci.*, 2011, **2**, 891.
- 81 L. W. Zhang, H. Y. Cheng, R. L. Zong and Y. F. Zhu, *J. Phys. Chem. C*, 2009, **113**, 2368.
- 82 J. T. Tian, L. J. Chen, Y. S. Yin, X. Wang, J. H. Dai, Z. B. Zhu, X. Y. Liu and P. W. Wu, *Surf. Coat. Technol.*, 2009, **204**, 205.
- 83 H. B. Fu, T. G. Xu, S. B. Zhu and Y. F. Zhu, *Environ. Sci. Technol.*, 2008, **42**, 8064.
- 84 L. A. Ghule, A. A. Patil, K. B. Sapnar, S. D. Dhole and K. M. Garadkar, *Toxicol. Environ. Chem.*, 2011, **93**, 623.
- 85 S. F. Chen, W. Zhao, S. J. Zhang and W. Liu, *Chem. Eng. J.*, 2009, **148**, 263.
- 86 D. Lin, H. Wu, R. Zhang and W. Pan, *Chem. Mater.*, 2009, **21**, 3479.
- 87 M. Gratzel, *Nature*, 2001, **414**, 338.
- 88 M. J. Zhou, Y. Hu, Y. Liu, W. L. Yang and H. S. Qian, *CrystEngComm*, 2012, **14**, 7686.
- 89 A. Kajbafvala, H. Ghorbani, A. Paravar, J. P. Samberg, E. Kajbafvala and S. K. Sadrezaad, *Superlattices Microstruct.*, 2012, **51**, 512.
- 90 L. Poul, S. Ammar, N. Jouini, F. Fieovet and F. Villain, *Solid State Sci.*, 2001, **3**, 31.
- 91 H. M. Kou, J. Wang, Y. B. Pan and J. K. Guo, *Mater. Chem. Phys.*, 2006, **99**, 325.



- 92 S. M. Wang, Z. S. Yang, M. K. Lu, Y. Y. Zhou, G. J. Zhou, Z. F. Qiu, S. F. Wang, H. P. Zhang and A. Y. Zhang, *Mater. Lett.*, 2007, **61**, 3005.
- 93 Y. Zhou and M. Antonietti, *J. Am. Chem. Soc.*, 2003, **125**, 14960.
- 94 J. J. Wu and C. C. Yu, *J. Phys. Chem. B*, 2004, **108**, 3377.
- 95 S. Pavasupreea, S. Ngamsinlapasathiana, M. Nakajimaa, Y. Suzukia and S. Yoshikawa, *J. Photochem. Photobiol., A*, 2006, **184**, 163–169.
- 96 A. Al-Kattan, A. Wichser, S. Zuin, Y. Arroyo, L. Golanski, A. Ulrich and B. Nowack, *Environ. Sci. Technol.*, 2014, **48**, 6710–6718.
- 97 M. Cargnello, T. R. Gordon and C. B. Murray, *Chem. Rev.*, 2014, **114**, 9319.
- 98 D. D. Camillo, F. Ruggieri, S. Santucci and L. Lozzi, *J. Phys. Chem. C*, 2012, **116**, 18427–18431.
- 99 J. Gangwar, K. K. Dey, P. Komal, S. K. Tripathi and A. K. Srivastava, *Adv. Mater. Lett.*, 2011, **2**, 402.
- 100 J. Gangwar, A. K. Srivastava, S. K. Tripathi, M. Wan and R. R. Yadav, *Appl. Phys. Lett.*, 2014, **105**, 063108.
- 101 Ebelmen, *Ann. Chim. Phys. Ser.*, 1846, **57**, 319.
- 102 R. Sui and P. Charpentier, *Chem. Rev.*, 2012, **112**, 3057.
- 103 R. Verma, K. K. Naik, J. Gangwar and A. K. Srivastava, *Mater. Chem. Phys.*, 2014, **148**, 1064–1070.
- 104 N. Pinna and M. Niederberger, *Angew. Chem., Int. Ed.*, 2008, **47**, 5292.
- 105 D. Kundu, T. Manna and G. De, *J. Sol-Gel Sci. Technol.*, 2002, **23**, 145.
- 106 G. L. Teoh, K. Y. Liew and W. A. K. Mahmood, *J. Sol-Gel Sci. Technol.*, 2007, **44**, 177.
- 107 S. W. Bian, J. Baltrusaitis, P. Galhotra and V. H. Grassian, *J. Mater. Chem.*, 2010, **20**, 8705.
- 108 K. K. Dey and A. K. Srivastava, in *Oxide Nanostructures: Growth, Microstructures, and Properties*, ed. A. K. Srivastava, Pan Stanford Publishing, 2014, vol. 1, pp. 1–98, ISBN-13: 978-9814411356.
- 109 R. S. Devan, R. A. Patil, J. H. Lin and Y. R. Ma, *Adv. Funct. Mater.*, 2012, **22**, 3326.
- 110 Y. Qi, H. Qi, C. Lu, Y. Yang and Y. Zhao, *J. Mater. Sci.: Mater. Electron.*, 2009, **20**, 479.
- 111 G. Zhu, C. Xi, H. Xu, D. Zheng, Y. Liu, X. Xu and X. Shen, *RSC Adv.*, 2012, **2**, 4236.
- 112 M. A. Shah, *Nanoscale Res. Lett.*, 2008, **3**, 255.
- 113 L. Liu, Y. Li, S. Yuan, M. Ge, M. Ren, C. Sun and Z. Zhou, *J. Phys. Chem. C*, 2010, **114**, 251.
- 114 W. L. Suchanek, J. M. Garcés, P. F. Fulvio and M. Jaroniec, *Chem. Mater.*, 2010, **22**, 6564.
- 115 W. L. Suchanek and J. M. Garcés, *CrystEngComm*, 2010, **12**, 2996.
- 116 L. Yan, J. Zhuang, X. Sun, Z. Deng and Y. Li, *Mater. Chem. Phys.*, 2002, **76**, 119.
- 117 W. Zhu, L. Zhang, G. L. Tian, R. Wang, H. Zhang, X. Piao and Q. Zhang, *CrystEngComm*, 2014, **16**, 308.
- 118 L. X. Yang, Y. J. Zhu, H. Tong, Z. H. Liang and W. W. Wang, *Cryst. Growth Des.*, 2007, **7**, 2716.
- 119 L. Dong, Y. Chu and W. Sun, *Chem.-Eur. J.*, 2008, **14**, 5064.
- 120 Y. Y. Xi, D. Li, A. B. Djurišić, M. H. Xie, K. Y. K. Man and W. K. Chan, *Electrochem. Solid-State Lett.*, 2008, **11**, D56.
- 121 L. Lepleux, B. Chavillon, Y. Pellegrin, E. Blart, L. Cario, S. Jobic and F. Odobel, *Inorg. Chem.*, 2009, **48**, 8245.
- 122 B. Zhao, X. K. Ke, J. H. Bao, C. L. Wang, L. Dong, Y. W. Chen and H. L. Chen, *J. Phys. Chem. C*, 2009, **113**, 14440.
- 123 X. Zhang, W. Shi, J. Zhu, W. Zhao, J. Ma, S. Mhaisalkar, T. L. Maria, Y. Yang, H. Zhang, H. H. Hng and Q. Yan, *Nano Res.*, 2010, **3**, 643.
- 124 S. Shang, K. Xue, D. Chen and X. Jiao, *CrystEngComm*, 2011, **13**, 5094.
- 125 H. Gao, F. Xiao, C. B. Ching and H. Duan, *ACS Appl. Mater. Interfaces*, 2012, **4**, 2801.
- 126 J. Yang, S. Mei and J. M. F. Ferreira, *Mater. Sci. Eng., C*, 2001, **15**, 183.
- 127 C. Burda, X. Chen, R. Narayanan and M. A. El-Sayed, *Chem. Rev.*, 2005, **105**, 1025.
- 128 A. Pottier, C. Chanéac, E. Tronc, L. Mazerolles and J. P. Jolivet, *J. Mater. Chem.*, 2001, **11**, 1116–1121.
- 129 M. Wu, G. Lin, D. Chen, G. Wang, D. He, *et al.*, *Mater. Chem.*, 2002, **14**, 1974.
- 130 J. Gangwar, B. K. Gupta, S. K. Tripathi and A. K. Srivastava, *Nanoscale*, 2015, **7**, 13313.
- 131 J. L. Gole, J. D. Stout, C. Burda, Y. B. Lou and X. B. Chen, *J. Phys. Chem. B*, 2004, **108**, 1230–1240.
- 132 M. Iwase, K. Yamada, T. Kurisaki, O. O. Prieto-Mahaney, B. Ohtani and H. Wakita, *Appl. Catal., B*, 2013, **132**, 39–44.
- 133 Y. K. Lai, L. Sun, Y. C. Chen, H. F. Zhuang, C. J. Lin and J. W. Chin, *J. Electrochem. Soc.*, 2006, **153**, D123–D127.
- 134 D. Li, H. Haneda, S. Hishita and N. Ohashi, *Chem. Mater.*, 2005, **17**, 2596–2602.
- 135 S. Sato, R. Nakamura and S. Abe, *Appl. Catal., A*, 2005, **284**, 131–137.
- 136 L. Sun, J. Li, C. L. Wang, S. F. Li, Y. K. Lai, H. B. Chen and C. J. Lin, *J. Hazard. Mater.*, 2009, **171**, 1045–1050.
- 137 C. C. Yec and H. C. Zeng, *J. Mater. Chem. A*, 2014, **2**, 4843.
- 138 M. Wang, L. Sun, Z. Lin, J. Cai, K. Xie and C. Lin, *Energy Environ. Sci.*, 2013, **6**, 1211–1220.
- 139 Q. Wu, J. J. Ouyang, K. P. Xie, L. Sun, M. Y. Wang and C. J. Lin, *J. Hazard. Mater.*, 2012, **199**, 410–417.
- 140 Y. Ohno, K. Tomita, Y. Komatsubara, T. Taniguchi, K. Katsumata, N. Matsushita, T. Kogure and K. Okada, *Cryst. Growth Des.*, 2011, **11**, 4831–4836.
- 141 S. Hu, M. R. Shaner, J. A. Beardslee, M. Lichterman, B. S. Brunschwig and N. S. Lewis, *Science*, 2014, **344**, 1005.
- 142 H. Zhang and J. F. Banfield, *Chem. Rev.*, 2014, **114**, 9613–9644.
- 143 K. Lee, A. Mazare and P. Schmuki, *Chem. Rev.*, 2014, **114**, 9385–9454.
- 144 T. Froschl, U. Hormann, P. Kubiak, G. Kucherovala, M. Pfanzelt, C. K. Weiss, R. J. Behm, N. Husing, U. Kaiser, K. Landfester and M. Wohlfahrt-Mehrenes, *Chem. Soc. Rev.*, 2012, **41**, 5313.
- 145 M. Gopal, W. J. Moberlychan and L. C. De Jonghe, *J. Mater. Sci.*, 1997, **32**, 6001–6008.



- 146 K. Fujita, J. Konishi, K. Nakanishi and K. Hirao, *Appl. Phys. Lett.*, 2004, **85**, 5595.
- 147 A. Wypych, I. Bobowska, M. Tracz, A. Opasinska, S. Kadlubowski, A. K. Kaliszewska, J. Grobelny and P. Wojciechowski, *J. Nanomater.*, 2014, 124814.
- 148 D. Komaraiah, P. Madhukar, Y. Vijayakumar, M. V. R. Reddy and R. Sayanna, *Mater. Today*, 2016, **3**, 3770–3778.
- 149 J. L. Mi, C. Clausen, M. Bremholm, N. Lock, K. M. Ø. Jensen, M. Christensen and B. B. Iversen, *Cryst. Growth Des.*, 2012, **12**, 6092–6097.
- 150 Y. Qu, C. Sun, G. Sun, X. Kong and W. Zhang, *Results Phys.*, 2016, **6**, 100–106.
- 151 S. S. Watson, D. Beydoun, J. A. Scott and R. Amal, *Chem. Eng. J.*, 2003, **95**, 213–220.
- 152 S. Patra, C. Davoisne, H. Bouyanfif, D. Foix and F. Sauvage, *Sci. Rep.*, 2015, **5**, 10928.
- 153 W. Hu, L. Li, G. Li, Y. Liu and R. L. Withers, *Sci. Rep.*, 2014, **4**, 6582.
- 154 D. A. H. Hanaor and C. C. Sorrell, *J. Mater. Sci.*, 2011, **46**, 855.
- 155 J.-G. Li, T. Ishigaki and X. Sun, *J. Phys. Chem. C*, 2007, **111**, 4969.
- 156 K. Bourikas, C. Kordulis and A. Lycourghiotis, *Chem. Rev.*, 2014, **114**, 9754–9823.
- 157 K. K. Dey, P. Kumar, R. R. Yadav, A. Dhar and A. K. Srivastava, *RSC Adv.*, 2014, **4**, 10123.
- 158 S. Wang, Y. Ding, S. Xu, Y. Zhang, G. Li, L. Hu and S. Dai, *Chem.–Eur. J.*, 2014, **20**, 4916–4920.
- 159 H. Yaghoubi, N. Taghavinia, E. K. Alamdari and A. A. Volinsky, *ACS Appl. Mater. Interfaces*, 2010, **9**, 2629–2636.
- 160 R. Menzel, A. Duerrbeck, E. Liberti, H. C. Yau, D. McComb and M. S. P. Shaffer, *Chem. Mater.*, 2013, **25**, 2137–2145.
- 161 H. Ming, Z. Ma, H. Huang, S. Lian, H. Li, X. He, H. Yu, K. Pan, Y. Liu and Z. Kang, *Chem. Commun.*, 2011, **47**, 8025–8027.
- 162 Z. R. Tian, J. A. Voigt, J. Liu, B. McKenzie and H. Xu, *J. Am. Chem. Soc.*, 2003, **125**, 12384.
- 163 J. Zeng, R. Li, S. Liu and L. Zhang, *ACS Appl. Mater. Interfaces*, 2011, **3**, 2074–2079.
- 164 R.-C. Wang, C.-C. Hsu and S.-J. Chen, *Ind. Eng. Chem. Res.*, 2012, **51**, 3677–3681.
- 165 P. C. Shih, J. D. Peng, C. P. Lee, R. Y. Y. Lin, T. C. Chu, R. Vittal and K. C. Ho, *ChemElectroChem*, 2014, **1**, 532–535.
- 166 F. U. Rehman, C. Zhao, H. Jiang, M. Selke and X. Wang, *Photodiagn. Photodyn. Ther.*, 2016, **13**, 267–275.
- 167 C. Zhao, F. U. Rehman, Y. Yang, X. Li, D. Zhang, H. Jiang, M. Selke, X. Wang and C. Liu, *Sci. Rep.*, 2015, **5**, 11518.
- 168 M. H. Yang, P. C. Chen, M. C. Tsai, T. T. Chen, I. C. Chang, H. T. Chiu and C. Y. Lee, *CrystEngComm*, 2014, **16**, 441.
- 169 Y. Yamaguchi, T. Shimodo, S. Usuki, K. Torigoe, C. Terashima, K. Katsumata, M. Ikekita, A. Fujishima, H. Sakaia and K. Nakata, *Photochem. Photobiol. Sci.*, 2016, **15**, 988.
- 170 W. Sun, H. Liu, J. Hu and J. Li, *RSC Adv.*, 2015, **5**, 513–520.
- 171 C. Song, L. Wang, F. Gao and Q. Lu, *Chem*, 2016, **22**, 6368–6373.
- 172 P. Singh, O. P. Sinha, R. Srivastava, A. K. Srivastava, J. K. Bindra, R. P. Singh and M. N. Kamalasanan, *Mater. Chem. Phys.*, 2012, **133**, 317.
- 173 S. Karuppuchamy and J. M. Jeong, *Mater. Chem. Phys.*, 2005, **93**, 251–254.
- 174 V. K. Yemmireddy, G. D. Farrell and Y. C. Hung, *J. Food Sci.*, 2015, **80**, N1903–N1911.
- 175 L. Wensheng, J. C. Chang and S. T. Lee, *Nano Lett.*, 2008, **8**, 104–109.
- 176 S. Karmakar, S. Kumar, R. Rinaldi and G. Maruccio, *J. Phys.: Conf. Ser.*, 2011, **292**, 012002.
- 177 S. S. Lucky, K. C. Soo and Y. Zhang, *Chem. Rev.*, 2015, **115**, 1990–2042.
- 178 D. K. Chatterjee, L. S. Fong and Y. Zhang, *Adv. Drug Delivery Rev.*, 2008, **60**, 1627–1637.
- 179 A. B. Chinen, C. M. Guan, J. R. Ferrer, S. N. Barnaby, T. J. Merkel and C. A. Mirkin, *Chem. Rev.*, 2015, **115**, 10530–10574.
- 180 J. Schneider, M. Matsuoka, M. Takeuchi, J. Zhang, Y. Horiuchi, M. Anpo and D. W. Bahnemann, *Chem. Rev.*, 2014, **114**, 9919–9986.
- 181 A. Kubacka, M. S. Diez, D. Rojo, R. Bargiela, S. Ciordia, I. Zapico, J. P. Albar, C. Barbas, V. A. P. M. dos Santos, M. F. Garcia and M. Ferrer, *Sci. Rep.*, 2014, **4**, 4134.
- 182 M. A. Vargas and J. E. R. Pérez, *J. Non-Cryst. Solids*, 2017, **459**, 192–205.
- 183 N. Marwaha, B. K. Gupta, R. Verma and A. K. Srivastava, *J. Mater. Sci.*, 2017, **52**, 10480–10484.
- 184 F. Todescato, I. Fortunati, A. Minotto, R. Signorini, J. J. Jasieniak and R. Bozio, *Materials*, 2016, **9**, 672.
- 185 A. C. Fischer, F. Forsberg, M. Lapisa, S. J. Bleiker, G. Stemme, N. Roxhed and F. Niklaus, *Microsyst. Nanoeng.*, 2015, **1**, 15005.
- 186 G. Chen, I. Roy, C. Yang and P. N. Prasad, *Chem. Rev.*, 2016, **116**, 2826–2885.
- 187 J. Yao, M. Yang and Y. Duan, *Chem. Rev.*, 2014, **114**, 6130–6178.
- 188 N. Puri, S. K. Mishra, A. Niazi, A. K. Srivastava and Rajesh, *J. Chem. Technol. Biotechnol.*, 2015, **90**, 1699–1706.
- 189 S. K. Mishra, A. K. Srivastava, D. Kumar, A. M. Biradar and Rajesh, *Nanoscale*, 2013, **5**, 10494–10503.
- 190 D. Prasai, J. C. Tuberquia, R. R. Harl, G. K. Jennings and K. I. Bolotin, *ACS Nano*, 2012, **6**, 1102–1108.
- 191 M. J. Nine, M. A. Cole, D. N. H. Trana and D. Losic, *J. Mater. Chem. A*, 2015, **3**, 12580–12602.
- 192 S. S. Nanda, D. K. Yi and K. Kim, *Sci. Rep.*, 2016, **6**, 28443.
- 193 H. Ji, H. Sun and X. Qu, *Adv. Drug Delivery Rev.*, 2016, **105**, 176–189.
- 194 S. Yavuz, C. Kuru, D. Choi, A. Kargar, S. Jina and P. R. Bandaru, *Nanoscale*, 2016, **8**, 6473–6478.
- 195 X. Jiang, Y. Cao, K. Wang, J. Wei, D. Wu and H. Zhu, *Surf. Coat. Technol.*, 2015, **261**, 327–330.
- 196 K. O. Park, J. H. Lee, J. H. Park, Y. C. Shin, J. B. Huh, J. H. Bae, S. H. Kang, S. W. Hong, B. Kim, D. J. Ayng,



- D. W. Han and J. H. Yeum, *Appl. Spectrosc. Rev.*, 2016, **51**, 540.
- 197 S. R. Shin, H. L. Jang, P. Khoshakhlagh, M. Akbari, A. Nasajpour, Y. S. Zhang, A. Tamayol and A. Khademhosseini, *Adv. Drug Delivery Rev.*, 2016, **105**, 255–274.
- 198 S. Kumar and K. Chatterjee, *ACS Appl. Mater. Interfaces*, 2016, **8**, 26431–26457.
- 199 L. Wang and T. Sasaki, *Chem. Rev.*, 2014, **114**, 9455–9486.
- 200 E. Ertekin, L. K. Wagner and J. C. Grossman, *Phys. Rev. B: Condens. Matter*, 2013, **87**, 155210.
- 201 D. Jassby, J. F. Budarz and M. Wiesner, *Environ. Sci. Technol.*, 2012, **46**, 6934–6941.
- 202 L. Pan, X. Liu, Z. Suna and C. Q. Sun, *J. Mater. Chem. A*, 2013, **1**, 8299.
- 203 W. He, H. Jia, J. Cai, X. Han, Z. Zheng, W. G. Wamer and J. J. Yin, *J. Phys. Chem. C*, 2016, **120**, 3187–3195.
- 204 A. A. Alfadda and R. M. Sallam, *J. Biomed. Biotechnol.*, 2012, **2012**, 936486.
- 205 S. H. Lee, M. K. Gupta, J. B. Bang, H. Bae and H. J. Sung, *Adv. Healthcare Mater.*, 2013, **2**, 908–915.
- 206 E. L. Cates, *Environ. Sci. Technol.*, 2017, **51**, 757–758.
- 207 J. Zhao and X. Yang, *Build. Environ.*, 2003, **38**, 645–654.
- 208 Y. Yu, T. He, L. Guo, Y. Yang, L. Guo, Y. Tang and Y. Cao, *Sci. Rep.*, 2015, **5**, 9561.
- 209 L. Yuan, C. Han, M. Pagliaro and Y. J. Xu, *J. Phys. Chem. C*, 2016, **120**, 265–273.
- 210 W. Kim, T. Tachikawa, T. Majima and W. Cho, *J. Phys. Chem. C*, 2009, **113**, 10603–10609.
- 211 G. P. Fotou, T. T. Kodas and B. Anderson, *Aerosol Sci. Technol.*, 2000, **33**, 557–571.
- 212 M. M. Momeni and Y. Ghayeb, *Ceram. Int.*, 2016, **42**, 7014–7022.
- 213 Y. Takahashi, P. Ngaotrakanwivat and T. Tatsuma, *Electrochim. Acta*, 2004, **49**, 2025–2029.
- 214 T. K. Kim, M. N. Lee, S. H. Lee, Y. C. Park, C. K. Jung and J. H. Boo, *Thin Solid Films*, 2005, **475**, 171.
- 215 X. Fu, L. A. Clark, Q. Yang and M. A. Anderson, *Environ. Sci. Technol.*, 1996, **30**, 647.
- 216 A. Pietroiusti, *Nanoscale*, 2012, **4**, 1231.
- 217 L. Shang, K. Nienhaus and G. U. Nienhaus, *J. Nanobiotechnol.*, 2014, **12**, 5.
- 218 A. M. Holmes, Z. Song, H. R. Moghimi and M. S. Roberts, *ACS Nano*, 2016, **10**, 1810–1814.
- 219 M. Schneider, F. Stracke, S. Hansen and U. F. Schaefer, *Derm.-Endocrinol.*, 2009, **1**, 197–206.
- 220 D. Wang, Z. Lin, T. Wang, Z. Yao, M. Qin, S. Zheng and W. Lu, *J. Hazard. Mater.*, 2016, **308**, 328–334.
- 221 H. Zhang, Z. Ji, T. Xia, H. Meng, C. Low-Kam, R. Liu, S. Pokhrel, S. Lin, X. Wang and Y.-P. Liao, *ACS Nano*, 2012, **6**, 4349–4368.
- 222 M. Pandurangan and D. H. Kim, *J. Nanopart. Res.*, 2015, **17**, 1–8.
- 223 L. C. Wehmas, C. Anders, J. Chess, A. Punnoose, C. B. Pereira, J. A. Greenwood and R. L. Tanguay, *Toxicol. Rep.*, 2015, **2**, 702–715.
- 224 G. Applerot, A. Lipovsky, R. Dror, N. Perkas, Y. Nitzan, R. Lubart and A. Gedanken, *Adv. Funct. Mater.*, 2009, **19**, 842–852.
- 225 Y. Xiao, M. G. Vijver, G. Chen and W. J. Peijnenburg, *Environ. Sci. Technol.*, 2015, **49**, 4657–4664.
- 226 A. E. Nel, L. Mädler, D. Velegol, T. Xia, E. M. V. Hoek, P. Somasundaran, F. Klaessig, V. Castranova and M. Thompson, *Nat. Mater.*, 2009, **8**, 543.
- 227 M. C. Moulton, L. K. B. Stolle, M. N. Nadagouda, S. Kunzelman, S. M. Hussain and R. S. Varma, *Nanoscale*, 2010, **2**, 763.
- 228 S. K. Misra, A. Dybowska, D. Berhanu, S. N. Luoma and E. Valsami-Jones, *Sci. Total Environ.*, 2012, **438**, 225–232.
- 229 S. D. Li and L. Huang, *Mol. Pharmaceutics*, 2008, **5**, 496–504.
- 230 H. Arami, A. Khandhar, D. Liggitt and K. M. Krishnan, *Chem. Soc. Rev.*, 2015, **44**, 8576.
- 231 H. Kang, S. Mintri, A. V. Menon, H. Y. Lee, H. S. Choi and J. Kim, *Nanoscale*, 2015, **7**, 18848–18862.
- 232 S. M. Moghimi, A. C. Hunter and T. L. Andresen, *Annu. Rev. Pharmacol. Toxicol.*, 2012, **52**, 481–503.
- 233 S. E. Dunn, A. G. A. Coombes, M. C. Garnett, S. S. Davis, M. C. Davies and L. Illum, *J. Controlled Release*, 1997, **44**, 65–76.
- 234 S. Sharifi, S. Behzadi, S. Laurent, M. L. Forrest, P. Stroeve and M. Mahmoudi, *Chem. Soc. Rev.*, 2012, **41**, 2323–2343.
- 235 Z. Wang, C. Fang and M. Megharaj, *ACS Sustainable Chem. Eng.*, 2014, **1022**, 2.
- 236 D. E. Owens III and N. A. Peppas, *Int. J. Pharm.*, 2006, **307**, 93.
- 237 A. E. Nel, L. Mädler, D. Velegol, T. Xia, E. M. V. Hoek, P. Somasundaran, F. Klaessig, V. Castranova and M. Thompson, *Nat. Mater.*, 2009, **8**, 543–557.
- 238 Q. Mu, G. Jiang, L. Chen, H. Zhou, D. Fourches, A. Tropsha and B. Yan, *Chem. Rev.*, 2014, **114**, 7740–7781.
- 239 C. Y. Tay, M. I. Setyawati, J. Xie, W. J. Parak and D. T. Leong, *Adv. Funct. Mater.*, 2014, **24**, 5936.
- 240 A. Fujishima and K. Honda, *Nature*, 1972, **238**, 37–38.
- 241 X. Chen and A. Selloni, *Chem. Rev.*, 2014, **114**, 9281–9282.
- 242 G. Longoni, R. L. P. Cabrera, S. Polizzi, M. D'Arienzo, C. M. Mari, Y. Cui and R. Ruffo, *Nano Lett.*, 2017, **17**, 992–1000.
- 243 D. V. Potapenko, Z. Li and R. M. Osgood Jr, *J. Phys. Chem. C*, 2015, **119**, 28946–28953.
- 244 B. Zhao, F. Chen, Q. Huang and J. Zhang, *Chem. Commun.*, 2009, 5115.
- 245 C. T. Sousa, D. C. Leitao, M. P. Proenca, J. Ventura, A. M. Pereira and J. P. Araujo, *Appl. Phys. Rev.*, 2014, **1**, 031102.
- 246 Y. Wang and Y. Xia, *Nano Lett.*, 2004, **4**, 2047–2050.
- 247 E. Gazit, *Chem. Soc. Rev.*, 2007, **36**, 1263–1269.
- 248 Y. Wan, Y. Shia and D. Zhao, *Chem. Commun.*, 2007, 897–926.
- 249 S. H. Cai, S. N. Rashkeev, S. T. Pantelides and K. Sohlberg, *Phys. Rev. B: Condens. Matter*, 2003, **67**, 224104.
- 250 V. L. Colvin, *Nat. Biotechnol.*, 2003, **21**, 1166.
- 251 R. Yuan, X. Fu, X. Wang, P. Liu, L. Wu, Y. Xu, X. Wang and Z. Wang, *Chem. Mater.*, 2006, **18**, 4700.



- 252 C. N. R. Rao, S. R. C. Vivekchand, K. Biswas and A. Govindaraj, *Dalton Trans.*, 2007, **2007**, 3728.
- 253 A. I. Y. Tok, F. Y. C. Boey and X. L. Zhao, *J. Mater. Process. Technol.*, 2006, **178**, 270.
- 254 T. Fröschl, U. Hörmann, P. Kubiak, G. Kučerová, M. Pfanzelt, C. K. Weiss, R. J. Behm, N. Hüsing, U. Kaiser, K. Landfester and M. W. Mehrens, *Chem. Soc. Rev.*, 2012, **41**, 5313–5360.
- 255 D. P. Macwan, P. N. Dave and S. Chaturvedi, *J. Mater. Sci.*, 2011, **46**, 3669–3686.
- 256 M. M. Byranvanda, A. N. Kharata, L. Fatholahib and Z. M. Beiranvand, *J. Nanostruct.*, 2013, **3**, 1–9.
- 257 I. Tacchini, A. Ansón-Casaos, Y. Yu, M. T. Martínez and M. L. Cantu, *Mater. Sci. Eng., B*, 2012, **177**, 19–26.
- 258 H. A. Budiarti, R. N. Puspitasari, A. M. Hatta, Sekartedjo and D. D. Risanti, *Procedia Eng.*, 2017, **170**, 65.
- 259 H. Pan, X. D. Wang, S. S. Xiao, L. G. Yu and Z. J. Zhang, *Indian J. Eng. Mater. Sci.*, 2013, **20**, 561–567.
- 260 J. Gangwar, B. K. Gupta, P. Kumar, S. K. Tripathi and A. K. Srivastava, *Dalton Trans.*, 2014, **43**, 17034.
- 261 C. B. Murray, C. R. Kagan and M. G. Bawendi, *Annu. Rev. Mater. Sci.*, 2000, **30**, 545–610.
- 262 N. T. K. Thanh, N. Maclean and S. Mahiddine, *Chem. Rev.*, 2014, **114**, 7610.
- 263 K. Sabyrov, N. D. Burrows and R. L. Penn, *Chem. Mater.*, 2013, **25**, 1408–1415.
- 264 S. C. Zhu, S. H. Xie and Z. P. Liu, *J. Am. Chem. Soc.*, 2015, **137**, 11532.
- 265 J. Lee, J. Yang, S. G. Kwon and T. Hyeon, *Nat. Rev. Mater.*, 2016, 16034.
- 266 D. Guan, C. Cai and Y. Wang, *J. Nanosci. Nanotechnol.*, 2011, **11**, 3641–3650.
- 267 K. Huo, H. Wang, X. Zhang, Y. Cao and P. K. Chu, *ChemPlusChem*, 2012, **77**, 323–329.
- 268 C. Xue, T. Narushima, Y. Ishida, T. Tokunaga and T. Yonezawa, *Chem. Lett.*, 2014, **43**, 1514–1516.
- 269 D. H. Kim, W. M. Seong, I. J. Park, E. S. Yoo, S. S. Shin, J. S. Kim, H. S. Jung, S. Lee and K. S. Hong, *Nanoscale*, 2013, **5**, 11725.
- 270 B. Liu, A. Khare and E. S. Aydil, *Chem. Commun.*, 2012, **48**, 8565.
- 271 Z. Sun, J. H. Kim, Y. Zhao, F. Bijarbooneh, V. Malgras, Y. Lee, Y. M. Kang and S. X. Dou, *J. Am. Chem. Soc.*, 2011, **133**, 19314.
- 272 M. V. Dozzi and E. Selli, *Catalysts*, 2013, **3**, 455.
- 273 H. Li, Z. Bian, J. Zhu, D. Zhang, G. Li, Y. Huo, H. Li and Y. Lu, *J. Am. Chem. Soc.*, 2007, **129**, 8406.
- 274 J. Lu, P. Zhang, A. Li, F. Su, T. Wang, Y. Liu and J. Gong, *Chem. Commun.*, 2013, **49**, 5817–5819.
- 275 R. Verma, B. Mantri, Ramphal and A. K. Srivastava, *Adv. Mater. Lett.*, 2015, **6**, 324.
- 276 K. Li, J. Xu, W. Shi, Y. Wang and T. Peng, *J. Mater. Chem. A*, 2014, **2**, 1886.
- 277 A. D. Paola, M. Bellardita and L. Palmisano, *Catalysts*, 2013, **3**, 36.
- 278 Q. Deng, M. Wei, X. Ding, L. Jiang, B. Ye and K. Wei, *Chem. Commun.*, 2008, 3657.
- 279 T. A. Kandiel, L. Robben, A. Alkaim and D. Bahnemann, *Photochem. Photobiol. Sci.*, 2013, **12**, 602.
- 280 L. Zhanga, V. M. M. Floresa, N. Murakami and T. Ohno, *Appl. Surf. Sci.*, 2012, **258**, 5803.
- 281 H. Zhao, L. Liu, J. M. Andinobe and Y. Li, *J. Mater. Chem. A*, 2013, **1**, 8209.
- 282 T. Y. Ke, P. C. Chen, M. H. Yang, H. T. Chiuc and C. Y. Lee, *CrystEngComm*, 2011, **13**, 5292.
- 283 J. Lin, Y. U. Heo, A. Nattestad, Z. Sun, L. Wang, J. H. Kim and S. X. Dou, *Sci. Rep.*, 2014, **4**, 5769.
- 284 D. F. Rohlfing, A. Zaleska and T. Bein, *Chem. Rev.*, 2014, **114**, 9487–9558.
- 285 M. Yu, X. Ren, L. Ma and Y. Wu, *Nat. Commun.*, 2014, **5**, 5111.
- 286 D. Sarkar, C. K. Ghosh and K. K. Chattopadhyay, *CrystEngComm*, 2012, **14**, 2683.
- 287 T. Ohno, K. Sarukawa and M. Matsumura, *New J. Chem.*, 2002, **26**, 1167.
- 288 D. Zhang, G. Li, F. Wanga and J. C. Yu, *CrystEngComm*, 2010, **12**, 1759.
- 289 D. R. Coronado, G. R. Gattorno, M. E. E. Pesqueira, C. Cab, R. deCoss and G. Oskam, *Nanotechnology*, 2008, **19**, 145605.
- 290 Z. Zhao, J. Tian, Y. Sang, A. Cabot and H. Liu, *Adv. Mater.*, 2015, **27**, 2557–2582.
- 291 B. Liu, A. Khare and E. S. Aydil, *Chem. Commun.*, 2012, **48**, 8565.
- 292 H. G. Yang, G. Liu, S. Z. Qiao, C. H. Sun, Y. G. Jin, S. C. Smith, J. Zou, H. M. Cheng and G. Q. (Max) Lu, *J. Am. Chem. Soc.*, 2009, **131**, 4078–4083.
- 293 M. Choi, J. H. Lee, Y. J. Jang, D. Kim, J. S. Lee, H. M. Jang and K. Yong, *Sci. Rep.*, 2016, **6**, 36099.
- 294 M. H. Tsai, S. Y. Chen and P. Shen, *Nano Lett.*, 2004, **4**, 1197–1201.
- 295 M. Rezaee, S. M. M. Khoie and K. H. Liu, *CrystEngComm*, 2011, **13**, 5055.
- 296 B. Choudhary and A. Choudhary, *Int. Nano Lett.*, 2013, **3**, 55.
- 297 J. Zhang, M. Li, Z. Feng, J. Chen and C. Li, *J. Phys. Chem. B*, 2006, **110**, 927.
- 298 H. C. Choi, Y. M. Jung and S. B. Kim, *Vib. Spectrosc.*, 2005, **37**, 33.
- 299 S. Hu, F. Li and Z. Fan, *Bull. Korean Chem. Soc.*, 1895, **2012**, 33.
- 300 J. Das, F. S. Freitas, I. R. Evans, A. F. Nogueira and D. Khushalani, *J. Mater. Chem.*, 2010, **20**, 4425.
- 301 Z. Yanqing, S. Erwei, C. Suxian, L. Wenjun and H. Xingfang, *J. Mater. Sci. Lett.*, 2000, **19**, 1445–1448.
- 302 L. Pinho and M. J. Mosquera, *J. Phys. Chem. C*, 2011, **115**, 22851–22862.
- 303 H. N. Graham, *Prev. Med.*, 1992, **21**, 334.
- 304 S. P. J. N. Senanayake, *J. Funct. Foods*, 2013, **5**, 1529.
- 305 D. A. Balentine, S. A. Wiseman and L. C. Bouwens, *Crit. Rev. Food Sci. Nutr.*, 1997, **37**, 693.
- 306 L. Xiao, M. Mertens, L. Wortmann, S. Kremer, M. Valldor, T. Lammers, F. Kiessling and S. Mathur, *ACS Appl. Mater. Interfaces*, 2015, **7**, 6530–6540.
- 307 Canadian Food Inspection Agency, *Guide to Food Labelling and Advertising*, 2010.



- 308 J. B. Birks, *Photophysics of Aromatic Molecules*, Wiley-Interscience, London, 1970.
- 309 C. Chen, J. Liu, P. Liu and B. Yu, *Adv. Chem. Eng. Sci.*, 2011, **1**, 9–14.
- 310 Y. Yang, G. Wang, Q. Deng, D. H. L. Ng and H. Zhao, *ACS Appl. Mater. Interfaces*, 2014, **6**, 3008–3015.
- 311 P. Singh, O. P. Sinha, R. Srivastava, A. K. Srivastava, J. K. Bindra, R. P. Singh and M. N. Kamalasanan, *Mater. Chem. Phys.*, 2012, **133**, 317–323.
- 312 M. H. Lee, U. M. Patil, S. T. Kochuveedu, C. S. Lee and D. H. Kim, *Bull. Korean Chem. Soc.*, 2012, **33**, 3767–3771.
- 313 U. Soni, P. Tripathy and S. Sapra, *J. Phys. Chem. Lett.*, 2014, **5**, 1909–1916.
- 314 V. Etacheri, R. Roshan and V. Kumar, *ACS Appl. Mater. Interfaces*, 2012, **4**, 2717–2725.
- 315 J. G. Cappuccino and N. Sherman, *Microbiology: a laboratory manual*, Benjamin Cummings, California, CA, 1999, 10th edn, p. 471.
- 316 J. G. Holt, N. R. Krieg and P. H. A. Sneath, *et al.*, *Bergey's manual of determinative bacteriology*, Lippincott Williams & Wilkins, Baltimore, MD, 9th edn, 1994, p. 787.
- 317 C. M. Kunin and C. Steele, *J. Clin. Microbiol.*, 1985, **21**, 902–908.
- 318 J. Beranova, G. Seydlova, H. Kozak, *et al.*, *FEMS Microbiol. Lett.*, 2014, **351**, 179–186.
- 319 S. J. Parikh and J. Chorover, *Langmuir*, 2006, **22**, 8492–8500.
- 320 B. Girase, D. Depan, J. S. Shah, *et al.*, *Mater. Sci. Eng., C*, 2011, **31**, 1759–1766.
- 321 J. Gangwar, J. Kim, A. Kumar, D. Bhatnagar, K. Senthil, S. K. Tripathi, K. Yong and A. K. Srivastava, *Nanosci. Nanotechnol. Lett.*, 2013, **5**, 67.
- 322 J. Gangwar, A. Chandran, T. Joshi, R. Verma, A. M. Biradar, S. K. Tripathi, B. K. Gupta and A. K. Srivastava, *Mater. Res. Express*, 2015, **2**, 075013.
- 323 J. S. Tawale, K. K. Dey, R. Pasricha, K. N. Sood and A. K. Srivastava, *Thin Solid Films*, 2010, **519**, 1244–1247.
- 324 N. Jain, N. Marwaha, R. Verma, B. K. Gupta and A. K. Srivastava, *RSC Adv.*, 2016, **6**, 4960.
- 325 N. T. K. Thanh, N. Maclean and S. Mahiddine, *Chem. Rev.*, 2014, **114**, 7610–7630.
- 326 B. Stein, D. Zopes, M. Schmudde, R. Schneider, A. Mohsen, C. Goroncy, S. Mathur and C. Graf, *Faraday Discuss.*, 2015, **181**, 85–102.
- 327 P. Junlabhut and P. Nuthongkum, *Thai J. Nanosci. Nanotechnol.*, 2016, **1**, 1–7.
- 328 J. S. Lee, K. H. You and C. B. Park, *Adv. Mater.*, 2012, **24**, 1084–1088.
- 329 S. Pavasupreea, Y. Suzukia, S. Yoshikawaa and R. Kawahata, *J. Solid State Chem.*, 2005, **178**, 3110–3116.
- 330 X. Peng and A. Chen, *J. Mater. Chem.*, 2004, **14**, 2542–2548.
- 331 W. Q. Fang, J. Z. Zhou, J. Liu, Z. G. Chen, C. Yang, C. H. Sun, G. R. Qian, J. Zou, S. Z. Qiao and H. G. Yang, *Chem.-Eur. J.*, 2011, **17**, 1423–1427.

