

REVIEW

View Article Online
View Journal | View Issue



Cite this: *Biomater. Sci.*, 2024, **12**, 5450

Received 18th January 2024,
Accepted 29th August 2024
DOI: 10.1039/d4bm00094c
rsc.li/biomaterials-science

In situ modified mesoporous silica nanoparticles: synthesis, properties and theranostic applications

Chloe Trayford and Sabine van Rijt *

Over the last 20 years, mesoporous silica nanoparticles (MSNs) have drawn considerable attention in the biomedical field due to their large surface area, porous network, biocompatibility, and abundant modification possibilities. *In situ* MSN modification refers to the incorporation of materials such as alkoxysilanes, ions and nanoparticles (NPs) in the silica matrix during synthesis. Matrix modification is a popular approach for endowing MSNs with additional functionalities such as imaging properties, bioactivity, and degradability, while leaving the mesopores free for drug loading. As such, *in situ* modified MSNs are considered promising theranostic agents. This review provides an extensive overview of different materials and modification strategies that have been used and their effect on MSN properties. We also highlight how *in situ* modified MSNs have been applied in theranostic applications, oncology and regenerative medicine. We conclude with perspectives on the future outlooks and current challenges for the widespread clinical use of *in situ* modified MSNs.

1. Introduction

Mesoporous silica nanoparticles or MSNs are made of amorphous, polymerized, mesoporous silicate typically in the size range of 10–200 nm. The polymerization units of MSNs are SiO₄ tetrahedra, a covalent bonding structure where silicon and oxygen have oxidation states +4 and –2, respectively. Solid silica particles comprised of the same substance were first described as far back as 1968 in a pioneering report by Stöber *et al.*¹ In 1992 the first examples of ordered, mesoporous silica solids formed from supramolecular surfactant arrays were discovered separately in reports by Yanagisawa *et al.* and Mobil Research and Development Corporation.^{2–4} This, coupled with the discovery of mesoporous silicates as drug and biomolecule delivery systems,^{5–7} inspired the synthesis of MSNs with ordered mesostructures in 2001 by modification of the Stöber process.⁸ MSNs exhibit an exceptionally large surface area compared to solid silica NPs due to their uniform porous structure. Fundamentally, MSN synthesis is a sol–gel process involving the assembly and hydrolysis of tetraalkoxysilane precursors (usually tetraethoxysilane; TEOS) around surfactant micelles known as structure directing agents (usually cetyltrimethylammoniumbromide) in an alcohol–water mixture with ammonia as a catalyst.

Since their discovery, many additions and iterations of the basic synthesis protocol have led to control over the chemical and physical properties of MSNs and as such, allow them to be tailored for a variety of specific applications such as sensing,⁹ catalysis¹⁰ and drug delivery.¹¹ In particular, the Lin group pioneered a vast array of surface functionalization strategies that improved MSN drug delivery efficiency^{12–14} and catalytic performance.^{15–18} MSNs have been most popular in the biomedical field for use as drug delivery platforms. Compared to other porous nanomaterials such as porous polymer NPs, mesoporous carbon NPs and metal–organic frameworks, MSNs benefit from their ease of synthesis, stability, biocompatibility, tunable porosity, and vast functionalization possibilities.^{19,20} For example, easy and selective modification at the core, matrix or surface level has allowed MSNs to become multifunctional drug carriers.^{21–24} One such application of multifunctional MSNs is for theranostics. Applied to nanomedicine, theranostics describes the delivery of therapeutics by nanoconstructs that simultaneously provide a diagnostic readout.²⁵ MSNs used for theranostics usually take advantage of the high loading capacity of the mesopores to load drugs such as antibiotics and anti-cancer drugs while imaging agents are incorporated at the core, matrix or surface.^{26–28}

There are a vast number of strategies to create multifunctional, theranostic MSNs. For example, imaging agents such as gold or iron oxide nanoparticles (NPs) or dyes like rhodamine B or fluorescein can be encapsulated within the core of MSNs. Furthermore, antibodies, peptides, NPs or polymers can be attached to the surface to enable sensing, (sub)cellular target-

Department of Instructive Biomaterials Engineering, MERLN Institute for Technology-Inspired Regenerative Medicine, Maastricht University, P.O. Box 616, 6200 MD Maastricht, The Netherlands. E-mail: s.vanrijt@maastrichtuniversity.nl



ing and can also act as pore gating systems.^{14,29,30} Moreover, functional groups such as amines or thiols and ions such as Ca^{2+} or Eu^{3+} can be incorporated in the silica matrix *via* co-condensation or doping, respectively, which can endow bioactivity, biodegradability, luminescence and improve drug loading within the pores. *In situ* modification of MSNs refers to co-condensation, doping and electrostatically mediated silica nucleation to incorporate groups, ions and NPs within the silica matrix during synthesis by forming ionic or covalent bonds with framework oxygen atoms or by spatial entrapment, respectively. *In situ* modification of MSNs is a convenient functionalization method that is compatible with further post-modifications. Additionally, *in situ* modification allows control over many different aspects of MSN properties such as biodegradability, size, shape, porosity, and chemical properties. Incorporated materials can be separated into two categories: organo-alkoxysilane (RTES) including (3-aminopropyl)triethoxysilane (APTES) or mercaptopropyltriethoxysilane (MPTES) and non-siloxane species (in this manuscript referred to as X) such as ions or NPs (Fig. 1). For this review, RTES refers to alkoxysilanes where an alkoxyl group is replaced by an organic 'R' group as well as dimerized alkoxysilanes where 'R' acts as the dimer bridge. While all RTES residues are incorporated in the MSN matrix by a process called co-condensation, the incorporation mechanism of X is not always known.

1.1. RTES co-condensation

Co-condensation with RTES involves the spontaneous co-assembly of a siloxane precursor (usually TEOS) with RTES around surfactant micelles (usually CTAB) followed by simultaneous condensation and hydrolysis which connects the precursors by siloxane bonds (Si–O–Si) (Fig. 1). Co-condensation using RTES was first reported by Burkett *et al.* Here, PTES (phenyltriethoxysilane) and OTES (*n*-octyltriethoxysilane) were injected simultaneously with the siloxane TEOS to produce MSNs with hydrophobic surfaces.³¹ Since then, many different RTES analogs have been developed,³² commonly by substitution reactions of chlorine in chlorosilanes with nucleophilic organic compounds such as amines or alcohols. As such, charged RTES analogues where R = sulphonates, phosphonates, amines or thiols and hydrophobic RTES where R = long chain aliphatic or aromatic have been easily synthesized. When incorporated throughout the matrix of MSNs by co-condensation, RTES can endow properties such as charge, hydrophobicity, degradability and magnetism.³³ Alkoxysilanes can also be adapted before or after MSN synthesis. Modification of RTES prior to synthesis can assist in the homogeneous incorporation of dopants such as the fluorescent dyes rhodamine (RITC) and fluorescein isothiocyanate (FITC) by bonding amines of APTES with isothiocyanate




Fig. 1 A schematic of the synthetic route of RTES and X incorporation in MSNs, showing the different methods by which dopants incorporate within the surfactant template and their eventual distribution within MSNs.



1.2. Incorporation of ions and NPs (X) in MSNs

In this review, we discuss the synthesis of *in situ* modified MSNs and their use in imaging and therapeutic applications. In section 1, the effects of the size, charge, stoichiometry and the presence of additional modifiers on the MSN structural properties such as porosity, homogeneity, size, biodegradability and drug loading efficiency are outlined. In section 2, we summarize how *in situ* modified MSNs can be used in theranostic applications. In this review, we do not consider further (surface) modifications of *in situ* modified MSNs *e.g.* the post-synthetic attachment of ligands such as targeting agents or sensors since this is a large sub-field of MSN research with many excellent recent review articles.^{22,47–49}

Dopant chemical and physical properties as well as stoichiometry and the presence of co-dopants highly influence MSNs' morphology, degradability, and surface charge. Since MSN structural properties directly relate to cell uptake, clearance, and drug delivery, it is critical that they can be modulated for the successful use of MSNs as theranostic probes. In general, increasing material size and incorporation ratio increases MSN polydispersity. However, this can be regulated by the addition of further matrix modifiers that reduce material clustering and MSN heterogeneity. The morphological properties of MSNs such as the surface area, size and porosity are directly related to MSN degradability; a large surface area and higher porosity lead to increased rates of degradation. Degradation can also be controlled by co-condensing MSNs with alkoxysilanes, a siloxane dimer bridged by an organic group. With the use of organic groups that cleave under certain conditions, stimuli responsive degradation of MSNs is possible and enables targeted drug delivery. The efficiency of drug delivery depends on the surface properties of MSNs that facilitate drug loading/absorption. Incorporating charged/hydrophobic materials in MSNs enables a wider array of therapeutics to be loaded by non-covalent interactions. In section 2.1 we describe the factors that affect MSN formation and structural properties, in section 2.2 we explain how *in situ* modification of MSNs can be used to modulate MSN degradation and in section 2.3 we discuss how *in situ* modification can adjust the surface charge and drug loading efficiency of MSNs.

The size and charge of incorporation materials have a critical impact on the MSN structure. For RTES materials, the size and charge are dictated by the 'R' group composition. In reports by Huh⁵⁰ and Bein *et al.*,⁵¹ increasing R group hydrophobicity (R = benzyl/alkyl) stimulated the formation of smaller MSNs with sizes between 50 and 80 nm and higher aspect ratios while increasing hydrophilicity (R = amine/thiol) led to the formation of larger more spherical MSNs between 250 and 400 nm (Fig. 2a). The differences in the size and aspect ratio were explored in several studies by the Lin group who postulated that hydrophobic groups align better with organic tails of the surfactant while hydrophilic groups disrupt micelle formation.^{50,52,53} This effect only occurs if R group sizes are small. In a report by Urata *et al.* MSNs were synthesized with hydrophobic RTES residues where R = methylene, R = ethylene or R = ethynylene. As the size of the R groups increased, MSNs with higher polydispersity and diameter (20 to 100 nm) were formed.⁵⁴ Thus, increasing the size of the hydrophobic R groups past a certain threshold leads to reduced water solubility and disrupted MSN formation. The RTES co-condensation ratio is another factor that can drastically affect the formation of MSNs by disruption of the growth mechanism. Usually, the RTES doping ratio does not exceed 10 mol% (1 : 10, R : Si).⁵¹




Fig. 2 The effect of material type, chemical properties, ratio and the presence of additional matrix modifiers on the MSN morphology and structure. (a) RTES materials where (i) MSNs vs. APTES co-condensed MSNs which display increased size and reduced porosity. Reproduced from ref. 51 with permission from ACS, copyright 2008. (ii) 100% RTES where R = ethylene MSNs vs. 50%/50% RTES where R = ethylene/disulphide co-condensed MSNs. Dual RTES co-condensation reduces the size and aspect ratio of MSNs. Reproduced from ref. 56 with permission from Wiley, copyright 2014. (b) Small ion dopants where (i) 1% Cu-MSNs vs. 5% Cu-MSNs; increasing the Cu doping ratio increases the MSN size. Reproduced from ref. 58 with permission from Elsevier, copyright 2016. (ii) Ca-MSNs vs. Ca, Mg, and Sr co-doped MSNs. Co-doping reduces the size and increases the homogeneity of doped MSNs. Reproduced from ref. 59 with permission from MDPI, copyright 2021. (c) Lanthanide ion dopants where (i) 5% Eu-MSNs vs. 10% Eu-MSNs; increasing the Eu doping ratio increases the MSN size. Reproduced from ref. 60 with permission from Elsevier, copyright 2011. (ii) Gd-MSNs vs. Gd, Al co-doped MSNs. Co-doping decreases the MSN size. Reproduced from ref. 61 with permission from the RSC, copyright 2014. (d) NP incorporation where (i) high gold NP:surfactant ratio vs. low gold NP:surfactant ratio. Increasing the ratio of gold NP:surfactant reduces the size and gold NP clustering in MSNs. (ii) gold NP@MSNs without ethanol co-solvent vs. with ethanol. The presence of ethanol leads to the formation of MSNs with centrally located gold NPs with a disordered pore structure. (i and ii) Reproduced from ref. 62 with permission from ACS, copyright 2003.

However, when MSNs are co-condensed with organo-bridge type RTES residues, homogeneous MSNs may be formed even up to 100 mol%. This is a different class of materials called periodic mesoporous organosilica NPs or PMO-NPs which exhibit regular R incorporation at a high ratio (1:2, R:Si), the details of which are explained elsewhere.⁵⁵ Aside from using organo-bridged RTES, additional modifiers have been developed as another method to improve MSN homogeneity and control the morphology while imparting additional functional-

ities to the MSNs. In several studies by Croissant *et al.*, MSNs were co-condensed with multiple RTES residues where R = ethylene and either R = phenylene or R = disulphide.^{56,57} It was found that with an increase in the ratio of disulphide⁵⁶ or phenylene, MSNs become spherical, smaller and less porous (Fig. 2a).⁵⁷

Non-siloxane materials (X), such as Ca^{2+} , Cu^{2+} , P^{5+} , Sr^{2+} , Mn^{3+} and Zn^{2+} with similar sizes to those of Si and O are most likely to homogeneously distribute in the MSN framework.

Next to small ions, larger ions specifically the lanthanides (Ln) Gd^{3+} , Eu^{3+} , Tb^{3+} and Ce^{4+} have been doped into the MSN silica matrix.^{39,61,72–74} This causes substantial changes to the MSN morphology such as decreasing surface area, pore volume and homogeneity (Fig. 2c). Ln incorporation was confirmed by Si–O–Si NMR peak broadening which usually only occurs because of increasing Si–O bond distance and angle. Furthermore, depending on the Ln ion size, different mol% of doping can be achieved. For example, MSNs can be doped with Eu^{3+} (Eu-MSNs) up to 10 mol% (1 : 10, X : Si)^{73,75} while for Tb^{3+} (Tb-MSNs) 8 mol% was used (1 : 12.5, X : Si).⁷⁶ This is a result of the lanthanide contraction which increases ion field strength compared to small ions and enables greater electrostatic interaction with oxygen atoms in the siloxane network and the possibility for covalent bonding. Doping of Ln-MSNs has been quantified by ICP-MS, emerging photoluminescence at $^5\text{D}_0\text{--}^7\text{F}_{1-2}$ and $^5\text{D}_4\text{--}^7\text{F}_{5-6}$, as well as disappearing XRD peaks relating to Ln oxide reactants.^{73,75,76} Ln doped MSNs experience a reduction in the surface area and pore volume greater than undoped MSNs at the same doping ratio.^{60,76,77} This is a

Some X materials are too large to either interact or bond with atoms in polymeric silica. These consist of molecules or NPs such as solid silica (SSN), gold (AuNPs), iron (FeNPs) and quantum dots (QDs). NP incorporation in MSNs occurs by surfactant templated condensation of silica at the NP surface. Silica nucleation requires a charged and hydrophilic NP surface to interact with TEOS and the surfactant.⁸³ Therefore, hydrophobic NPs are brought into an aqueous phase by surface ligand exchange, usually with the surfactant, which also acts as the structure directing agent, cetyltrimethylammonium bromide (CTAB).^{84–89} Another approach is to modify the NP surface with silane coupling agents to form a silica monolayer that acts as a nucleation site for mesoporous silica. This is especially applicable for coating vitreophobic metal NPs.^{90–92} The location of NPs within the MSN structure is dependent on the dielectric constant of the solvent mixture. For example, a solvent mixture with a low ratio of alcohol: water encourages the formation of silica oligomer micelles with a high aspect ratio and directional silica condensation so that NP@MSNs are formed with NPs located at the MSN perimeter (Fig. 2d).⁸³ Increasing the alcohol (*e.g.* ethanol) ratio produces shorter micelles that pack discontinuously and form NP@MSNs with centrally located NPs and a disordered pore structure.⁶² The extent of NP clustering in MSNs, NP@MSN size and monodispersity is dependent primarily on the surfactant:silica ratio as well as the NP size and concentration.⁹³ In our previous report we found that ratios of AuNPs between 3 and 5 mol% (1:21 to 1:29, X:Si) were necessary to achieve singly occupied NP@MSNs.³⁴ While Nooney *et al.* investigated surfactant ratios, finding that ~50 mol% (1:0.5, Si:CTAB) was optimal for creating NP@MSNs with no NP clustering (Fig. 2d).⁶² However, some NP aggregation is inevitable especially at high concentrations, due to van der Waals interactions between hydrophobic surfactant tails at the NP surface and in solution.⁹³ NP flocculation also depends on size; smaller NPs aggregate at faster rates compared to large NPs due to decreased colloidal stability.⁹⁴ Clustering of NPs in the core of NP@MSNs can decrease MSN homogeneity but improve theranostic capability, for example by enhancing

photoluminescence^{95,96} or magnetism.⁹⁷ Clustering has also enabled multiple NP types with different imaging capabilities such as fluorescent QDs and magnetic FeNPs to be incorporated in one NP@MSN construct allowing multimodal imaging.^{84,98,99} Despite their tendency to cluster, very small (<5 nm) NPs such as gold^{100,101} or palladium¹⁰² can also be intercalated throughout the MSN structure by *in situ* nucleation at sulphurous sites upon dual incorporation with RTES; however, confinement to nanoscale dimensions remains a challenge.¹⁰³

It has also been possible to incorporate NPs and molecules such as dyes within the pore template.¹⁰⁴ Incorporation within the pore template is achieved by self-assembly of X materials in the hydrophobic core of surfactant micelles prior to siloxane condensation. This works best for hydrophobic materials such as aromatic dyes but risks the eventual leakage of dyes and surfactants, which can lead to cytotoxicity.

2.2. Degradability

The biodegradability of MSNs can be altered by *in situ* modification which can be used to increase drug delivery efficiency or longevity of bioimaging to enhance theranostic function. MSN dissolution typically occurs by a three-step process involving rapid initial bulk degradation by pore expansion that slows down due to the surface re-association of dissolved silicates and subsequently follows a diffusion-controlled pathway.^{105,106} The degradation rate of MSNs depends on their synthesis method and environment. For example, MSNs with larger pores and large surface areas exhibit faster degradation rates due to the higher probability of contact with H₂O and the increased number of active sites for hydrolysis.^{107–109} A report by Lin *et al.* also studied the influence of the environment where the presence of proteins alters the MSN degradation mechanism and increases the dissolution rate.¹¹⁰ Nevertheless, MSN degradation is relatively slow in biological fluids, with degradation rates reported for over 2 weeks.¹¹¹ Increasing the MSN degradation rate by *in situ* modification enables controlled drug release and promotes faster tissue excretion *in vivo*, which can prevent toxic downstream effects from tissue accumulation such as inflammation.^{112–114} On the other hand, reducing the MSN degradation rate increases cellular retention which can be beneficial for diagnostic applications such as tracking the long-term bioprocesses of tissue regeneration and maturation.^{115,116}

Doping MSNs with X introduces structural defects in the silica matrix that increase the degradation rate. Specifically, X doped MSNs contain weaker (Si–O–X) bonds throughout the siloxane framework which requires less energy to break than (Si–O–Si) bonds and as such increases the degradation rate of MSNs (Table 1). For example, Wang *et al.* showed that Ca, Mg and Zn doped MSNs degrade twice as fast as undoped MSNs, which was corroborated *in vivo*, where due to the renal clearance of degraded fragments, significantly less Si was observed in the vital organs of mice injected with X doped MSNs than with undoped MSNs.¹¹⁷ The cleavage of Si–O–X bonds is also quicker in the presence of acids and reducing agents that act

as catalysts, a feature beneficial for selective drug delivery to cells/tissues that are acidic or reducing. Accordingly, Ca and Mn doped MSNs were found to degrade significantly faster in the acidic, GSH rich environment of tumors and exhibited enhanced anti-tumor effects compared to undoped MSNs.^{37,67} In particular, manganese oxide bonds are easily reduced by GSH and since two GSH molecules are used to degrade one Mn–O bond, Mn-MSNs are able to efficiently deplete GSH and break the redox balance of tumor cells.^{37,118} Although ion doped MSNs exhibit increased degradation rates compared under acidic and reducing conditions, they still degrade faster than undoped MSNs under neutral conditions.








Incorporating RTES in MSNs by co-condensation can facilitate stimuli responsive degradation with RTES that are cleavable under specific stimuli such as bis(3-ethoxysilylpropyl)disulfide (BTES) which is bridged by disulfide (S–S) and reduced by intracellular glutathione (GSH). Incorporating different RTES analogs in MSNs has enabled enzyme,¹²⁷ light,¹²² redox,¹²³ temperature and pH¹²⁸ catalyzed MSN degradation (Table 1). Thus, MSN degradation can be triggered *in vivo* both by innate differences in tissue microenvironments such as acidic, hypoxic tumors¹²⁹ and GSH rich cell cytoplasm¹³⁰ or by an externally applied stimulus like light, sound or heat irradiation. Spatiotemporal and time control over MSN degradation *in vivo* can improve the therapeutic efficacy of MSNs by restricting drug release to the target microenvironment.¹²²

Since enzymes mostly reside in the cell cytoplasm, co-condensing enzymatically cleavable RTES analogs in MSNs is an efficient method to achieve intracellular specific MSN degradation and drug release. Enzyme degradable RTES analogs are formed by bridging alkoxysilanes with amino acid biocleavable groups such as oxamide or urea. In one study, Ratirotnanakul *et al.* created urea connected MSNs by incorporating amino acid (AA) bridged RTES residues such as glycine (Gly), aspartic acid (Asp) and cysteine (Cys).¹²⁰ It was observed that degradation of AA-MSNs was fastest for aspartic acid doped MSNs in the enzyme containing buffer due to the presence of carboxylate anions in the side chain that acted as degradation catalysts. In a similar approach, MSNs were co-condensed with oxamide (OA) bridged RTES.¹²¹ These OA-MSNs only degraded in the presence of trypsin containing buffer due to the enzymatic cleavage of oxamide into carboxylate and ammonium groups.

Another popular approach for creating intracellular degradable MSNs is to incorporate RTES where R = is a GSH responsive, disulphide bridge (DIS) such as BTES (Table 1). Since cells have high intracellular (100 μM) and low extracellular (1–10 μM) GSH levels, degradation of DIS-MSNs is almost intracellular specific.¹³¹ In a report by Croissant *et al.* it was found that MSNs with 10, 25 and even 50% DIS degraded minimally under extracellular conditions while degradation correlated with DIS incorporation % in the intracellular environment usually over a period of 3 days.⁵⁶ Other DIS-MSN systems loaded with drugs such as temozolomide similarly degraded and released drugs faster in cancer cells, thus displaying higher toxicity than MSNs without co-condensed RTES.³⁶



Table 1 An overview of incorporated materials that have increased or inhibited the MSN degradation rate, their responding stimulus and the mechanism of degradation

Material	Sensitive to	Mechanism/effect on degradation	Ref.
Ions: Ca^{2+} , Al^{3+} , Mn^{2+} , and Zn^{2+}	Acidic pH and GSH Enzymatic hydrolysis	→ Ion doped MSNs degrade by OH^- catalyzed by acids → Urea bridged siloxane is hydrolyzed by enzymes	26, 64 and 119 120
			
	Enzyme degradable	→ Oxamide bridge is cleaved by enzymes to form carboxylates and ammonium siloxanes	121
	GSH	→ Disulphide bridge is reduced by glutathione and other reducing agents to form thiol siloxanes	36 and 56
	Redox (GSH/ROS)	→ Diselenium bridge is cleaved by oxidation to form selenic acid siloxanes, reduction to form selenol siloxanes or X-ray irradiation	122, 123 and 124
	Singlet oxygen ($^1\text{O}_2$) degradable	→ Anthracene bridge is cleaved by cycloaddition of singlet oxygen ($^1\text{O}_2$) to produce anthraquinone	125
	UV-light	→ 2-Nitrobenzyl ether bridge is cleaved by exposure to UV-light	126
	Non-degradable	→ C=C bridge decreases the MSN degradation rate due to increased stability compared to siloxane bonds	54

Although DIS-MSNs are useful for GSH specific intracellular degradation, it has been of interest to develop MSNs capable of multiple destruction pathways to improve drug release efficiency. In this vein, RTES where R = diselenide (BTESe) has been incorporated in MSNs which can enable degradation by oxidization to release selenic acid, reduction to liberate selenol or cleavage by X-ray radiation.^{123,124} This has enabled efficient cancer therapeutics owing to the GSH and reactive oxygen species (ROS) rich cytoplasm of cancer cells and anti-cancer properties of the selenium degradation by-products. BTESe-MSNs also degrade faster than DIS-MSNs due to the lower bond energy of Se-Se (172 kJ mol^{-1}) compared to S-S (240 kJ mol^{-1}). Shao *et al.* found that BTESe-MSNs degraded in both $100 \mu\text{M H}_2\text{O}_2$ and 5 mM GSH over ~ 1 day at a rate proportional

to the selenium content while DIS-MSNs degraded only under GSH conditions over ~ 3 days. Furthermore, when BTESe-MSNs and DIS-MSNs were loaded with cytotoxic RNase and administered in tumor bearing mice *in vivo*, BTESe-MSN injected mice had a smaller tumor size than DIS-MSNs injected mice after 28 days at a rate inversely proportional to the selenium content.¹²³ The enhanced anti-cancer effect of BTESe-MSNs was similarly observed by Chen *et al.* where BTESe-MSNs loaded with cisplatin showed significantly higher inhibition of tumor growth compared to undoped MSNs when injected in mice *in vivo*.¹²⁴

Also, externally applied stimuli can be used to degrade MSNs. Manual control over MSN degradation and drug release mitigates influences of the biological environment. In one



method, BTESe-MSNs were modified with photosensitizers, which upon light irradiation produced ROS that oxidized Se-Se bonds and degraded BTESe-MSNs. For example, Yang *et al.* reported a BTESe-MSN system co-loaded with the photosensitizer methylene blue and anticancer drug, doxorubicin (DOX), which when irradiated with red light displayed a 2.3 times increase in DOX release as a result of BTESe-MSN degradation.¹²² In another report by Peng *et al.* DOX loaded BTESe-MSNs were capped with a thermoresponsive polymer complexed with photosensitizer indocyanine green (ICG) that acted both as a DOX gatekeeper and ROS generator.¹³² Upon light irradiation, photothermal effects degraded the thermoresponsive polymer and ROS generated by ICG degraded BTESe-MSNs, increasing DOX release by 16 times compared to MSNs that were not irradiated. Despite the ~7 times increased DOX release specificity observed by Peng *et al.* compared to Yang *et al.*, both approaches showed a significant anti-cancer effect *in vivo*. Specifically, in both approaches, tumor bearing mice injected with BTESe-MSNs and irradiated with light exhibited high levels of inflammatory cytokines and tumor growth inhibition, greater than groups without irradiation or photosensitizers.

Since BTESe-MSNs are responsive to all types of ROS as well as GSH, MSN degradation occurs in the cellular environment regardless of light irradiation. To harness complete control over MSN degradation it is useful to develop MSNs that only respond to specific ROS triggered by light irradiation. Thus, Fan *et al.* developed MSNs selectively responsive to singlet oxygen ($^1\text{O}_2$) by incorporating RTES where R = 9,10-dialkoxyanthracene (DAA).¹²⁵ DAA-MSNs were post-functionalized with graphene QDs which, upon exposure to UV light, produced singlet oxygen ($^1\text{O}_2$) that reacted with DAA and degraded the MSNs. Light triggered degradation of DOX loaded DAA-MSNs enabled the controlled release of DOX which was 16 times higher than the release without UV-light irradiation. This led to improved anti-cancer properties *in vivo*, where mice injected with DAA-MSNs and irradiated with UV-light showed 80% more tumor growth inhibition than mice left in the dark.

Another compelling approach has been to create MSNs that respond directly to light, eliminating the need for tedious post-modification with photosensitizers, which are also subject to *in vivo* leakage and off-target ROS production and toxicity. Accordingly, Picchetti *et al.* co-condensed MSNs with an RTES residue where R = 2-nitrobenzyl ether (NBE) that has two photocleavable ether groups (Table 1). It was found that MSNs with incorporated NBE that were loaded with cholesterol degraded upon light exposure to release cholesterol, while NBE-MSNs kept in the dark remained intact.¹²⁶

Interestingly, MSNs have also been made more resistant to degradation by incorporating carbon double bonds into the framework. Increasing the stability of MSNs is an attractive approach for enhancing cell retention and improving diagnostic function. Ethylene bonds are less reactive and less prone to hydrolysis than siloxane bonds in undoped MSNs. In a report by Urata *et al.* RTES where R = ethylene (E) were incorporated in MSNs.⁵⁴ It was found that the degradation of E-MSNs in

PBS over 15 days was <2% compared to 90% for undoped MSNs.

2.3. Surface charge

The surface properties of MSNs are significantly influenced by *in situ* modification, which can be exploited to increase the incorporation efficiency of various cargo such as drugs or imaging agents. For example, incorporation of cations in MSNs increases the surface charge and loading efficiency towards negatively charged drugs, which can improve therapeutic efficacy. In a report by Choi *et al.*, Ca^{2+} doping of MSNs led to increased pore size, surface charge, and siRNA loading efficiency compared to undoped MSNs. Furthermore, when applied in the acidic cancer cell environment, Ca-MSNs degraded to liberate Ca^{2+} and siRNA leading to significantly decreased cell survival after 24 h exposure compared to undoped MSNs.⁶³ Similarly, Gu *et al.* observed that Ca-MSNs had a 5 times increased alendronate loading efficiency and subsequent higher cytotoxicity in HeLa cells compared to undoped MSNs.⁶⁴ Enhanced loading effects have also been observed with Zn^{2+} and Ce^{4+} doped MSNs. Here, Neščáková *et al.* showed that Zn^{2+} doping significantly enhanced the adsorption of bovine serum albumin,¹³³ while Ce^{4+} doping enabled a 1.3 times higher loading of the anti-malarial drug artemisinin compared to undoped MSNs.¹³⁴ However, since only positive ions can be introduced into the MSN framework, ion-doped MSNs only facilitate active pore loading of negatively charged species.

On the other hand, RTES residues with differently charged R groups can be incorporated in MSNs and enable active loading of negative, positive as well as neutral/hydrophobic drugs. Similarly to doping MSNs with ions, RTES co-condensation with positively charged residues such as APTES (R = NH_2) has become a widely used strategy to efficiently load negatively charged oligonucleotides in MSNs.^{135,136}

Alternatively, MSNs with negatively charged surface groups such as $-\text{COOH}$ can be prepared to allow active loading of positively charged species. In reports by Xie *et al.* MSN-COOH was formed by *in situ* modification with CPTES where R = $\text{C}\equiv\text{N}$ (nitrile) followed by reduction with aqueous H_2SO_4 .^{137,138} Carboxylic acid functionalization facilitated increased water dispersivity, DOX loading, and pH responsive DOX release, which led to increased cancer cell toxicity compared to MSNs without co-condensed CPTES. In another study, Gou *et al.* showed that poorly water-soluble anti-inflammatory drugs Nimesulide (NMS) and Indomethacin (IMC) could be loaded and released more efficiently in MSN-COOH than in MSNs. Furthermore, MSN-COOH loaded with NMS and IMC exhibited significantly decreased swelling rate, cell infiltration and inflammatory marker expression in a foot swelling model in rats.¹³⁹

Orthogonal pore/surface functionalization of MSNs with RTES can also be achieved by the delayed co-condensation approach.¹⁴⁰ This can enable different pore and surface functions such as drug trapping in the pores while the surface can improve dispersion, and be modified for tissue targeting or pore gating. For example, MSNs with hydrophobic OTES



functionalized pores and a hydrophilic zwitterionic RTES functionalized surface were created to capture hydrophobic 4-heptylphenol in the pores while the surface facilitated good water dispersion.¹⁴¹ Smart gating mechanisms have also been established through the delayed co-condensation approach. Cauda *et al.* selectively decorated the outer MSN surface with $-NH_2$ groups and subsequently reacted with sulphophenyl isothiocyanate.¹⁴² The electrostatic interaction of sulphophenyl with protonated $-NH_2$ at acidic pH (~ 2) sealed the mesochannels while deprotonation under neutral conditions opened the pores enabling pH dependent ibuprofen release.

3. Theranostic applications of *in situ* modified MSNs

Theranostics describes an approach in medicine that combines therapy with diagnostics and can drastically improve the efficacy of treatments through the personalization of care. NPs are gaining attention as possible theranostic agents as they can be tailored for specific disease profiles. Ideal theranostic nanoprobe can target cells of interest, deliver sufficient therapeutics while providing a diagnostic readout, and be effectively cleared from tissues after use. *In situ* MSN modification (section 1) is an effective strategy to create theranostic agents by introducing diagnostic capability and degradability into the MSN matrix while retaining a porous structure for loading therapeutics and a modifiable surface for attaching targeting agents. Usually, *in situ* incorporated materials are imaging agents such as ferromagnetic ions, fluorescent dyes and metallic NPs to enable MSNs to be detected by MRI, ultrasound (US), and optical or photoacoustic imaging (PAI). As such, they have been researched as theranostic tools in oncology and regenerative medicine. In this section, we describe representative examples of the use of theranostic MSNs in these two fields. In section 3.1 we describe the use of MSNs in oncological applications and in section 3.2 we discuss how *in situ* modified MSNs can be used for tissue regeneration.

3.1. Oncology

Oncology is a branch of medicine dealing with the prevention, diagnosis, and treatment of cancer. Theranostics is revolutionizing cancer treatment by providing crucial information to clinicians about tumor localization and size while assessing treatment effectiveness to allow the adoption of therapeutic approaches for individual cases. Since *in situ* modified MSNs have been reported to target tissue, carry different sizes of cargo (small molecule chemotherapeutics, oligonucleotides, and proteins), exhibit tumor specific drug release and degradation, and accumulate in tumors by the enhanced permeability and retention (EPR) effect, they can act as ideal cancer theranostic (chemotheranostic) agents. A wide range of materials have been used to create MSNs for chemotheranostics including MRI active agents such as

Mn^{2+} , Gd^{3+} and superparamagnetic iron oxide nanoparticles (SPIONs) or optical agents such as fluorescent NPs and luminescent ions.

3.1.1. MSNs for MRI. Manganese ion doped MSNs have become popular agents in oncology since Mn^{2+} ions are themselves chemotheranostic; they are ferromagnetic, facilitating MRI imaging (T_1 weighted) but can also scavenge glutathione to induce cancer cell apoptosis (Fig. 3a).^{38,143–145} In one approach, Tang *et al.* described Mn^{2+} doped MSNs (Mn-MSNs) loaded with sorafenib.³⁷ It was found that degradation of Mn-MSNs led to the simultaneous release of Mn^{2+} ions and sorafenib, which scavenged glutathione and inhibited glutathione biosynthesis, respectively. The reduction in cellular glutathione of HepG2 cells following 24 h of incubation with Mn-MSNs led to apoptosis of 36% of the cell population. Furthermore, Mn-MSNs injected in the tail vein of mice reduced tumor volume by 97% after 22 days. Acid catalyzed Mn-MSN degradation (section 2.2) and Mn^{2+} liberation also led to enhanced T_1 weighted MRI contrast specific to tumor microenvironments. For example, the MRI signal at the hepatocellular carcinoma tumor site was observed to continuously increase over 4 h after Mn-MSN injection in the tail vein of mice and resulted from accumulating Mn^{2+} ions (Fig. 3b). In other approaches, Mn-MSNs were pore loaded with drugs to allow tumor-specific MRI imaging and simultaneous delivery of the chemotherapeutic agents DOX^{26,145} or temozolomide.¹⁴⁶ Doping with ferromagnetic ions and loading chemotherapeutic drugs has become a popular approach in cancer theranostics that is also extensively described with Gd^{3+} doped MSNs.^{74,147–149}

Similarly to Mn^{2+} , SPIONs have been used as chemotheranostic agents. SPIONs are MRI active (T_2 -weighted) and vibrate in the presence of an alternative magnetic field (AMF) to enable magnetic hyperthermia. Since tumoral tissues are highly sensitive to temperature changes, magnetic hyperthermia is tumor selective.¹⁵¹ Wang *et al.* developed SPION incorporated MSNs (SPION@MSNs) in different morphologies as gene therapy agents that induce cell suicide to treat hepatocellular carcinoma.¹⁵² These SPION@MSNs were loaded with herpes simplex virus thymidine kinase/ganciclovir and upon application of AMF facilitated a temperature increase to 46 °C, which both enhanced gene transfection through rousing dormant cells and apoptosis by magnetic hyperthermia. Furthermore, when applied *in vivo*, SPION@MSNs could be monitored by MRI and showed the highest tumor inhibitory effects compared to NP groups without loaded gene therapeutics or AMF. Applied magnetic fields were also used to increase the tumor retention of SPION@MSNs and therapeutic performance. The magnetic-responsive properties of SPION@MSNs have also been harnessed to control drug release from the mesopores. Guisasaola *et al.* showed that when DOX loaded SPION@MSNs were capped with a thermo-responsive polymer and exposed to AMF, the release of DOX could be controlled by heat-mediated polymer degradation (Fig. 3c).¹⁵⁰ SPION@MSNs administration in mice followed by AMF application, led to high tumor growth inhibition






Fig. 3 *In situ* modified MSNs as theranostic agents in oncology. (a) Cy5.5-labeled FaPEG-MnMSNs used for targeted *in vivo* fluorescence imaging of HepG2 tumors (left) and scavenging of GSH (right) in mice leading to tumor reduction and suppression. Reproduced from ref. 37 with permission from IIP, copyright 2020. (b) DOX@Au@Mn-MSN-Ald shown as simultaneous MRI contrast agents (left) and efficient tumor inhibitors (right) when injected in 143B tumor-bearing mice. Reproduced from ref. 38 with permission from the RSC, copyright 2021. (c) SPION@MSNs used as combined confocal imaging (left) and anti-tumor (right) agents when injected *in vivo* in mouse tumors followed by AMF stimulation. Reproduced from ref. 150 with permission from ACS, copyright 2018.

after 48 h, indicating AMF specific release of DOX. Furthermore, RITC labelling of these SPION@MSNs allowed their simultaneous detection in tumor slices by confocal imaging.

3.1.2. MSNs for optical imaging. MSNs modified *in situ* with optical and photoacoustic agents such as the luminescent lanthanide ion; Eu^{2+} , 153,154 up-conversion NPs (UCNPs)¹⁵⁵ or

gold NPs¹⁵⁶ and fluorescent dye conjugated RTES residues¹⁵⁷ have been extensively researched in cancer theranostics. A popular strategy incorporates light absorbing agents in MSNs and conjugates or traps photosensitizers at the surface or in the pores to enable combined optical imaging and photodynamic/photothermal therapy (PDT/PTT).^{155,156} For example, Lv *et al.* created MSNs incorporated with UCNPs

Although inflammation can aid in tissue regeneration; particularly in osteo- and angiogenesis, too much can cause cell death. Accordingly, *in situ* modified MSNs have also been developed as agents to regulate inflammation and assist in tissue regeneration.^{165–168} In a study by Li *et al.* MSNs were doped with Mn²⁺ to instill ROS scavenging and MRI imaging capabilities, then coated with a platelet membrane to enable targeting of inflamed sites.¹⁶⁷ Mn-MSNs displayed a ROS and pH dependent degradation and Mn²⁺ ion expulsion profile




Fig. 4 *In situ* modified MSNs as theranostic agents in regenerative medicine. (a) UCNP@MSN-azo-peptide-BHQ-3 enable real time detection (left) and induction (right) of osteogenic differentiation after uptake in MSCs and NIR irradiation. Reproduced from ref. 27 with permission from the RSC, copyright 2020. (b) Gd-FITC-MSN-IGF internalized in MSCs can be detected by MRI (left) after injection in mice as well as increase MSCs' metabolic activity (right). Reproduced from ref. 164 with permission from IIP, copyright 2015.

that correlated with increased ROS scavenging ability and MRI signal. Furthermore, when Mn-MSNs were injected *in vivo* in an acute liver failure mouse model they were able to selectively target the liver and display a localized MRI signal with intensity correlated to inflammation severity. After two daily treatments with Mn-MSNs, the MRI liver signal was similar to that of healthy mice, indicating a reduction in ROS to healthy levels to aid liver regeneration.

Besides administering theranostic doped MSNs and other synthetic biomaterials, stem cell therapy is an important method to promote *in vivo* tissue regeneration.¹⁶⁹ However, ensuring stem cell survival and directing differentiation post-transplantation is a significant challenge. As such, *in situ* modified theranostic MSNs can be used in combination with stem cells to improve therapy efficacy.^{164,170,171} For example, Kempen *et al.* developed a pro-survival drug, insulin-like growth factor (IGF) loaded MSNs, which was also doped with Gd³⁺ and FITC-APTES to enable fluorescence, MRI and ultrasound imaging (Fig. 4b).¹⁶⁴ The developed Gd-FITC-MSNs were taken up by MSCs, degraded under intracellular conditions within a month and displayed a concentration dependent US and MRI signal. Furthermore, when Gd-FITC-MSN labelled

MSCs were cultured under serum free conditions (simulating *in vivo* necrotic regions) a 40% increase in viability compared to MSCs cultured in complete media was observed after 1 week.

4. Conclusion and outlook

Theranostics is a medical strategy that can enable safer, more efficient disease treatment compared to traditional techniques by continuous therapy monitoring and care personalization. It is a particularly pivotal approach in oncology and regenerative medicine where disease profiles are complex and person specific. Rigorous research efforts over the last few decades have elucidated the modification possibilities of MSNs enabling them to become multifunctional agents. Specifically, *in situ* modification has propelled the use of MSNs in theranostics by endowing the matrix with imaging properties, bioactivity, charge and degradability while allowing post-synthetic modifications and pore loading. With this review we provide a relevant summary detailing the effect of various *in situ* modification strategies

In addition, much is still unknown about how to enhance *in situ* modified MSNs for theranostic applications. Optimal theranostic agents should overcome biological barriers, target specific locations, image at high resolution, and be able to controllably deliver both small drugs and large biomolecule therapeutics *in vivo*. Currently, MSN designs for theranostics focus on modifying the matrix and surface with imaging agents and delivering therapeutics by the mesopores. However, the delivery of large biomolecules such as DNA, RNA and proteins using MSNs is restricted by the small size of the mesopores (~2–6 nm). Furthermore, incorporating multiple contrast agents in MSNs to enable high resolution imaging usually requires a series of synthetic steps that increase their batch-to-batch variability and limit clinical use. Similarly, MSN tissue targeting and controlled therapeutic delivery are typically only

Although *in situ* modified MSNs have been primarily used as theranostic agents in oncology and regenerative medicine, they could easily be optimized for a vast number of medicinal fields such as wound healing, vaccines and infectious diseases. For example, incorporating antimicrobial silver NPs in MSNs and pore loading antibiotics could allow combinatory treatment of bacterial infections as well as active diagnostics due to the optical properties of silver NPs. In conclusion, *in situ* modified MSN designs for theranostic clinical use have the potential to transform not only oncology and tissue regen-

eration but also personalized medicine as a whole, significantly improving treatment outcomes of patients worldwide.

Author contributions

C. Trayford: conceptualization, collation of data, writing – original draft, revising and editing. S. Van Rijt: funding acquisition, project administration, supervision, editing and revising.

Data availability

No primary research results, software or code have been included and no new data were generated or analysed as part of this review.

Conflicts of interest

The authors declare that there are no competing financial interests or personal relationships that influenced the work reported in this review.

Acknowledgements

The authors would like to thank the Netherlands Organization for Health Research and Development (ZonMw TOP; 91217058) and LINK Limburg for funding.

References

- 1 W. Stöber, A. Fink and E. Bohn, *J. Colloid Interface Sci.*, 1968, **26**, 62–69.
- 2 J. S. Beck, J. C. Vartuli, W. J. Roth, M. E. Leonowicz, C. T. Kresge, K. D. Schmitt, C. T. W. Chu, D. H. Olson, E. W. Sheppard, S. B. McCullen, J. B. Higgins and J. L. Schlenker, *J. Am. Chem. Soc.*, 1992, **114**, 10834–10843.
- 3 C. T. Kresge, M. E. Leonowicz, W. J. Roth, J. C. Vartuli and J. S. Beck, *Nature*, 1992, **359**, 710–712.
- 4 T. Yanagisawa, T. Shimizu, K. Kuroda and C. Kato, *Bull. Chem. Soc. Jpn.*, 2006, **63**, 988–992.
- 5 M. Vallet-Regi, A. Rámila, R. P. del Real and J. Pérez-Pariente, *Chem. Mater.*, 2001, **13**, 308–311.
- 6 Y.-J. Han, G. D. Stucky and A. Butler, *J. Am. Chem. Soc.*, 1999, **121**, 9897–9898.
- 7 K. Unger, H. Rupprecht, B. Valentin and W. Kircher, *Drug Dev. Ind. Pharm.*, 1983, **9**, 69–91.
- 8 M. Grün, I. Lauer and K. K. Unger, *Adv. Mater.*, 1997, **9**, 254–257.
- 9 M. Parra, S. Gil, P. Gaviña and A. M. Costero, *Sensors*, 2021, **22**, 261.
- 10 J. A. Ronald, A. Shuhendler, W. A. Weber, A. A. Gilad, C. Müller, T. H. Witney and X. Chen, *Theranostics*, 2024, **14**, 2464–2488.
- 11 X. Li, X. Zhang, Y. Zhao and L. Sun, *J. Inorg. Biochem.*, 2020, **202**, 110887.
- 12 K. Wang, Q. Wu, X. Wang, G. Liang, A. Yang and J. Li, *Nanoscale*, 2020, **12**, 10106–10116.
- 13 H. Arkaban, J. Jaber, A. Bahramifar, R. Zolfaghari Enameh, G. Farnoosh, M. Arkaban and R. A. Taheri, *Inorg. Chem. Commun.*, 2023, **150**, 110398.
- 14 Q. Lei, W. X. Qiu, J. J. Hu, P. X. Cao, C. H. Zhu, H. Cheng and X. Z. Zhang, *Small*, 2016, **12**, 4286–4298.
- 15 S. Li, Y. Zhang, X. W. He, W. Y. Li and Y. K. Zhang, *Talanta*, 2020, **209**, 120552.
- 16 S. L. Burkett, S. D. Sims and S. Mann, *Chem. Commun.*, 1996, 1367–1368, DOI: [10.1039/CC9960001367](https://doi.org/10.1039/CC9960001367).
- 17 C. von Baeckmann, R. Guillet-Nicolas, D. Renfer, H. Kählig and F. Kleitz, *ACS Omega*, 2018, **3**, 17496–17510.
- 18 J. Wang, Y. Luo, K. Jin, C. Yuan, J. Sun, F. He and Q. Fang, *Polym. Chem.*, 2015, **6**, 5984–5988.

- 34 C. Trayford, D. Crosbie, T. Rademakers, C. van Blitterswijk, R. Nuijts, S. Ferrari, P. Habibovic, V. LaPointe, M. Dickman and S. van Rijt, *ACS Appl. Nano Mater.*, 2022, **5**, 3237–3251.
- 35 L. Travaglini, P. Picchetti, R. Totovao, E. A. Prasetyanto and L. De Cola, *Mater. Chem. Front.*, 2019, **3**, 111–119.
- 36 L. Maggini, I. Cabrera, A. Ruiz-Carretero, E. A. Prasetyanto, E. Robinet and L. De Cola, *Nanoscale*, 2016, **8**, 7240–7247.
- 37 H. Tang, C. Li, Y. Zhang, H. Zheng, Y. Cheng, J. Zhu, X. Chen, Z. Zhu, J.-G. Piao and F. Li, *Theranostics*, 2020, **10**, 9865–9887.
- 38 Z. Sha, S. Yang, L. Fu, M. Geng, J. Gu, X. Liu, S. Li, X. Zhou and C. He, *Nanoscale*, 2021, **13**, 5077–5093.
- 39 L. Zhang and S. Dong, *Anal. Chem.*, 2006, **78**, 5119–5123.
- 40 S. Chen, S. L. Greasley, Z. Y. Ong, P. Naruphontjirakul, S. J. Page, J. V. Hanna, A. N. Redpath, O. Tsigkou, S. Rankin, M. P. Ryan, A. E. Porter and J. R. Jones, *Mater. Today Adv.*, 2020, **6**, 100066.
- 41 M. A. Karakassides, K. G. Fournaris, A. Travlos and D. Petridis, *Adv. Mater.*, 1998, **10**, 483–486.
- 42 L. L. Hench, R. J. Splinter, W. C. Allen and T. K. Greenlee, *J. Biomed. Mater. Res.*, 1971, **5**, 117–141.
- 43 R. Li, A. E. Clark and L. L. Hench, *J. Appl. Biomater.*, 1991, **2**, 231–239.
- 44 F. Westhauser, S. Wilkesmann, Q. Nawaz, S. I. Schmitz, A. Moghaddam and A. R. Boccaccini, *J. Biomed. Mater. Res., Part A*, 2020, **108**, 1806–1815.
- 45 X. Yan, C. Yu, X. Zhou, J. Tang and D. Zhao, *Angew. Chem., Int. Ed.*, 2004, **43**, 5980–5984.
- 46 A. Landström, S. Leccese, H. Abadian, J.-F. Lambert, I. Concina, S. Protti, A. P. Seitsonen and A. Mezzetti, *Dyes Pigm.*, 2021, **185**, 108870.
- 47 S. Kovtareva, L. Kusepova, G. Tazhkenova, T. Mashan, K. Bazarbaeva and E. Kopishev, *Polymers*, 2024, **16**, 1105.
- 48 M. Mladenović, S. Jarić, M. Mundžić, A. Pavlović, I. Bobrinetskiy and N. Knežević, *Biosensors*, 2024, **14**, 326.
- 49 A. Nair, H. R. Chandrashekhkar, C. M. Day, S. Garg, Y. Nayak, P. A. Shenoy and U. Y. Nayak, *Int. J. Pharm.*, 2024, **660**, 124314.
- 50 S. Huh, J. W. Wiench, J.-C. Yoo, M. Pruski and V. S. Y. Lin, *Chem. Mater.*, 2003, **15**, 4247–4256.
- 51 J. Kobler, K. Möller and T. Bein, *ACS Nano*, 2008, **2**, 791–799.
- 52 S. Huh, J. W. Wiench, B. G. Trewyn, S. Song, M. Pruski and V. S. Y. Lin, *Chem. Commun.*, 2003, 2364–2365, DOI: [10.1039/B306255D](https://doi.org/10.1039/B306255D).
- 53 B. G. Trewyn, C. M. Whitman and V. S. Y. Lin, *Nano Lett.*, 2004, **4**, 2139–2143.
- 54 C. Urata, H. Yamada, R. Wakabayashi, Y. Aoyama, S. Hirose, S. Arai, S. Takeoka, Y. Yamauchi and K. Kuroda, *J. Am. Chem. Soc.*, 2011, **133**, 8102–8105.
- 55 J. G. Croissant, X. Cattoën, M. Wong Chi Man, J.-O. Durand and N. M. Khashab, *Nanoscale*, 2015, **7**, 20318–20334.
- 56 J. Croissant, X. Cattoën, M. W. C. Man, A. Gallud, L. Raehm, P. Trens, M. Maynadier and J.-O. Durand, *Adv. Mater.*, 2014, **26**, 6174–6180.
- 57 J. Croissant, D. Salles, M. Maynadier, O. Mongin, V. Hugues, M. Blanchard-Desce, X. Cattoën, M. Wong Chi Man, A. Gallud, M. Garcia, M. Gary-Bobo, L. Raehm and J.-O. Durand, *Chem. Mater.*, 2014, **26**, 7214–7220.
- 58 M. Shi, Z. Chen, S. Farnaghi, T. Friis, X. Mao, Y. Xiao and C. Wu, *Acta Biomater.*, 2016, **30**, 334–344.
- 59 G. K. Pouroutzidou, L. Liverani, A. Theocharidou, I. Tsamesidis, M. Lazaridou, E. Christodoulou, A. Beketova, C. Pappa, K. S. Triantafyllidis, A. D. Anastasiou, L. Papadopoulou, D. N. Bikiaris, A. R. Boccaccini and E. Kontonasiaki, *Int. J. Mol. Sci.*, 2021, **22**, 577.
- 60 M. Tagaya, T. Ikoma, T. Yoshioka, S. Motozuka, Z. Xu, F. Minami and J. Tanaka, *J. Colloid Interface Sci.*, 2011, **363**, 456–464.
- 61 D. Zhang, A. Gao, Y. Xu, X.-B. Yin, X.-W. He and Y.-K. Zhang, *Analyst*, 2014, **139**, 4613–4619.
- 62 R. I. Nooney, D. Thirunavukkarasu, Y. Chen, R. Josephs and A. E. Ostafin, *Langmuir*, 2003, **19**, 7628–7637.
- 63 E. Choi, D.-K. Lim and S. Kim, *J. Ind. Eng. Chem.*, 2020, **81**, 71–80.
- 64 J. Gu, M. Huang, J. Liu, Y. Li, W. Zhao and J. Shi, *New J. Chem.*, 2012, **36**, 1717–1720.
- 65 A. Gao, D. Zhang and X.-B. Yin, *Anal. Methods*, 2016, **8**, 214–221.
- 66 E. M. Valliant, C. A. Turdean-Ionescu, J. V. Hanna, M. E. Smith and J. R. Jones, *J. Mater. Chem.*, 2012, **22**, 1613–1619.
- 67 X. Hao, X. Hu, C. Zhang, S. Chen, Z. Li, X. Yang, H. Liu, G. Jia, D. Liu, K. Ge, X.-J. Liang and J. Zhang, *ACS Nano*, 2015, **9**, 9614–9625.
- 68 B. R. Barrioni, A. C. Oliveira, M. de Fátima Leite and M. de Magalhães Pereira, *J. Mater. Sci.*, 2017, **52**, 8904–8927.
- 69 Q. Nawaz, M. A. U. Rehman, A. Burkovski, J. Schmidt, A. M. Beltrán, A. Shahid, N. K. Alber, W. Peukert and A. R. Boccaccini, *J. Mater. Sci.: Mater. Med.*, 2018, **29**, 64.
- 70 A. Bari, N. Bloise, S. Fiorilli, G. Novajra, M. Vallet-Regí, G. Bruni, A. Torres-Pardo, J. M. González-Calbet, L. Visai and C. Vitale-Brovarone, *Acta Biomater.*, 2017, **55**, 493–504.
- 71 X. Li, L. Zhang, X. Dong, J. Liang and J. Shi, *Microporous Mesoporous Mater.*, 2007, **102**, 151–158.
- 72 K. Zheng, E. Torre, A. Bari, N. Taccardi, C. Cassinelli, M. Morra, S. Fiorilli, C. Vitale-Brovarone, G. Iviglia and A. R. Boccaccini, *Mater. Today Bio*, 2020, **5**, 100041.
- 73 M. Shi, L. Xia, Z. Chen, F. Lv, H. Zhu, F. Wei, S. Han, J. Chang, Y. Xiao and C. Wu, *Biomaterials*, 2017, **144**, 176–187.
- 74 J. Liu, S. Liu, Y. Li, J. Xue, Y. He, F. Liu, L. Yang, J. Hu, Z. Xiong and L. Long, *RSC Adv.*, 2019, **9**, 40835–40844.
- 75 M. Tagaya, T. Ikoma, T. Yoshioka, S. Motozuka, F. Minami and J. Tanaka, *Mater. Lett.*, 2011, **65**, 2287–2290.



- 76 T. Kataoka, L. Wang, K. Kobayashi, M. Nishikawa and M. Tagaya, *Jpn. J. Appl. Phys.*, 2016, **55**, 105503.
- 77 Y.-S. Lin, Y. Hung, J.-K. Su, R. Lee, C. Chang, M.-L. Lin and C.-Y. Mou, *J. Phys. Chem. B*, 2004, **108**, 15608–15611.
- 78 L. R. Corrales and B. Park, *J. Non-Cryst. Solids*, 2002, **311**, 118–129.
- 79 C. E. Moran, G. D. Hale and N. J. Halas, *Langmuir*, 2001, **17**, 8376–8379.
- 80 A. J. Silversmith, N. T. T. Nguyen, B. W. Sullivan, D. M. Boye, C. Ortiz and K. R. Hoffman, *J. Lumin.*, 2008, **128**, 931–933.
- 81 N. M. K. Tse, D. F. Kennedy, N. Kirby, B. A. Moffat, T. M. Hinton, B. W. Muir, R. A. Caruso and C. J. Drummond, *J. Mater. Chem. B*, 2013, **1**, 1219–1222.
- 82 V. Lebre, L. Raehm, J.-O. Durand, M. Smaïhi, C. Gérardin, N. Nerambourg, M. H. V. Werts and M. Blanchard-Desce, *Chem. Mater.*, 2008, **20**, 2174–2183.
- 83 T. Suteewong, H. Sai, J. Lee, M. Bradbury, T. Hyeon, S. M. Gruner and U. Wiesner, *J. Mater. Chem.*, 2010, **20**, 7807–7814.
- 84 J. Kim, J. E. Lee, J. Lee, J. H. Yu, B. C. Kim, K. An, Y. Hwang, C.-H. Shin, J.-G. Park, J. Kim and T. Hyeon, *J. Am. Chem. Soc.*, 2006, **128**, 688–689.
- 85 Y.-S. Lin and C. L. Haynes, *Chem. Mater.*, 2009, **21**, 3979–3986.
- 86 X. Yang, Z. Li, M. Li, J. Ren and X. Qu, *Chem. – Eur. J.*, 2013, **19**, 15378–15383.
- 87 L. Zhang, S. Qiao, Y. Jin, H. Yang, S. Budihartono, F. Stahr, Z. Yan, X. Wang, Z. Hao and G. Q. Lu, *Adv. Funct. Mater.*, 2008, **18**, 3203–3212.
- 88 H. Hiramatsu and F. E. Osterloh, *Chem. Mater.*, 2004, **16**, 2509–2511.
- 89 M. Liong, J. Lu, M. Kovichich, T. Xia, S. G. Ruehm, A. E. Nel, F. Tamanoi and J. I. Zink, *ACS Nano*, 2008, **2**, 889–896.
- 90 L. M. Liz-Marzán, M. Giersig and P. Mulvaney, *Langmuir*, 1996, **12**, 4329–4335.
- 91 T. T. Tan, S. T. Selvan, L. Zhao, S. Gao and J. Y. Ying, *Chem. Mater.*, 2007, **19**, 3112–3117.
- 92 C. Engelbrekt, Y. Gargasya and M. Law, *J. Phys. Chem. C*, 2021, **125**, 25119–25125.
- 93 M. Darbandi, R. Thomann and T. Nann, *Chem. Mater.*, 2005, **17**, 5720–5725.
- 94 C. Omurlu, R. Bonnacaze, L. Lake, C. Miranda and Q. Nguyen, *Appl. Nanosci.*, 2012, **4**, 169–178.
- 95 L. Han, Y. Lv, A. M. Asiri, A. O. Al-Youbi, B. Tu and D. Zhao, *J. Mater. Chem.*, 2012, **22**, 7274–7279.
- 96 P. Yang, N. Murase and J. Yu, *Colloids Surf., A*, 2011, **385**, 159–165.
- 97 N. Q. Yin, P. Wu, T. H. Yang and M. Wang, *RSC Adv.*, 2017, **7**, 9123–9129.
- 98 D. K. Yi, S. T. Selvan, S. S. Lee, G. C. Papaefthymiou, D. Kundaliya and J. Y. Ying, *J. Am. Chem. Soc.*, 2005, **127**, 4990–4991.
- 99 L. Amirav, S. Berlin, S. Olszakier, S. K. Pahari and I. Kahn, *Front. Neurosci.*, 2019, **13**, 12.
- 100 S. Ray, R. Biswas, R. Banerjee and P. Biswas, *Nanoscale Adv.*, 2020, **2**, 734–745.
- 101 L. Chen, J. Hu, Z. Qi, Y. Fang and R. Richards, *Ind. Eng. Chem. Res.*, 2011, **50**, 13642–13649.
- 102 S. H. Gage, J. Engelhardt, M. J. Menart, C. Ngo, G. J. Leong, Y. Ji, B. G. Trewyn, S. Pylypenko and R. M. Richards, *ACS Omega*, 2018, **3**, 7681–7691.
- 103 X. Wang, L. Chen, M. Shang, F. Lin, J. Hu and R. M. Richards, *Nanotechnology*, 2012, **23**, 294010.
- 104 Q. Liu, P. DeShong and M. R. Zachariah, *J. Nanopart. Res.*, 2012, **14**, 923.
- 105 J. M. Rosenholm, C. Sahlgren and M. Lindén, *Nanoscale*, 2010, **2**, 1870–1883.
- 106 Q. He, J. Shi, M. Zhu, Y. Chen and F. Chen, *Microporous Mesoporous Mater.*, 2010, **131**, 314–320.
- 107 C. Xu, J. Nam, H. Hong, Y. Xu and J. J. Moon, *ACS Nano*, 2019, **13**, 12148–12161.
- 108 N. Artzi, N. Oliva, C. Puron, S. Shitreet, S. Artzi, A. Bon Ramos, A. Groothuis, G. Sahagian and E. R. Edelman, *Nat. Mater.*, 2011, **10**, 890–890.
- 109 J. G. Croissant, Y. Fatieiev and N. M. Khashab, *Adv. Mater.*, 2017, **29**, 1604634.
- 110 C.-Y. Lin, C.-M. Yang and M. Lindén, *J. Colloid Interface Sci.*, 2022, **608**, 995–1004.
- 111 Y. Hu, S. Bai, X. Wu, S. Tan and Y. He, *Ceram. Int.*, 2021, **47**, 31031–31041.
- 112 X. Huang, L. Li, T. Liu, N. Hao, H. Liu, D. Chen and F. Tang, *ACS Nano*, 2011, **5**, 5390–5399.
- 113 Q. He and J. Shi, *J. Mater. Chem.*, 2011, **21**, 5845–5855.
- 114 L. Chen, J. Liu, Y. Zhang, G. Zhang, Y. Kang, A. Chen, X. Feng and L. Shao, *Nanomedicine*, 2018, **13**, 1939–1962.
- 115 V. P. Nguyen, W. Fan, T. Zhu, W. Qian, Y. Li, B. Liu, W. Zhang, J. Henry, S. Yuan, X. Wang and Y. M. Paulus, *ACS Nano*, 2021, **15**, 13289–13306.
- 116 C.-H. Chen, N. Tang, K. Xue, H.-Z. Zhang, Y.-H. Chen, P. Xu, K. Sun, K. Tao and K. Liu, *Biomolecules*, 2021, **11**, 958.
- 117 X. Wang, X. Li, A. Ito, Y. Sogo, Y. Watanabe, N. M. Tsuji and T. Ohno, *ACS Appl. Mater. Interfaces*, 2017, **9**, 43538–43544.
- 118 B. Ma, Y. Nishina and A. Bianco, *Carbon*, 2021, **178**, 783–791.
- 119 X. Bai, C. Lin, Y. Wang, J. Ma, X. Wang, X. Yao and B. Tang, *Dent. Biomater.*, 2020, **36**, 794–807.
- 120 W. Ratirotjanakul, T. Suteewong, D. Polpanich and P. Tangboriboonrat, *Microporous Mesoporous Mater.*, 2019, **282**, 243–251.
- 121 Y. Fatieiev, J. G. Croissant, K. Julfakyan, L. Deng, D. H. Anjum, A. Gurinov and N. M. Khashab, *Nanoscale*, 2015, **7**, 15046–15050.
- 122 Y. Yang, F. Chen, N. Xu, Q. Yao, R. Wang, X. Xie, F. Zhang, Y. He, D. Shao, W.-f. Dong, J. Fan, W. Sun and X. Peng, *Biomaterials*, 2022, **281**, 121368.
- 123 D. Shao, M. Li, Z. Wang, X. Zheng, Y.-H. Lao, Z. Chang, F. Zhang, M. Lu, J. Yue, H. Hu, H. Yan, L. Chen,



- W.-f. Dong and K. W. Leong, *Adv. Mater.*, 2018, **30**, 1801198.
- 124 F. Chen, F. Zhang, Y. Wang, J. Peng, L. Cao, Q. Mei, M. Ge, L. Li, M. Chen, W.-f. Dong and Z. Chang, *Front. Bioeng. Biotechnol.*, 2022, **10**, 860949.
- 125 J. Fan, Z. Zhang, Y. Wang, S. Lin and S. Yang, *J. Nanobiotechnol.*, 2020, **18**, 91.
- 126 P. Picchetti, B. N. DiMarco, L. Travaglini, Y. Zhang, M. C. Ortega-Liebana and L. De Cola, *Chem. Mater.*, 2020, **32**, 392–399.
- 127 J. Li, F. Liu, Q. Shao, Y. Min, M. Costa, E. K. L. Yeow and B. Xing, *Adv. Healthc. Mater.*, 2014, **3**, 1230–1239.
- 128 H. Omar, J. G. Croissant, K. Alamoudi, S. Alsaiani, I. Alradwan, M. A. Majrashi, D. H. Anjum, P. Martins, R. Laamarti, J. Eppinger, B. Moosa, A. Almalik and N. M. Khashab, *J. Controlled Release*, 2017, **259**, 187–194.
- 129 L. Feng, Z. Dong, D. Tao, Y. Zhang and Z. Liu, *Natl. Sci. Rev.*, 2017, **5**, 269–286.
- 130 S. P. Hadipour Moghaddam, M. Yazdimamaghani and H. Ghandehari, *J. Controlled Release*, 2018, **282**, 62–75.
- 131 H. J. Forman, H. Zhang and A. Rinna, *Mol. Aspects Med.*, 2009, **30**, 1–12.
- 132 J. Peng, F. Chen, Y. Liu, F. Zhang, L. Cao, Q. You, D. Yang, Z. Chang, M. Ge, L. Li, Z. Wang, Q. Mei, D. Shao, M. Chen and W.-F. Dong, *Theranostics*, 2022, **12**, 1756–1768.
- 133 Z. Neščáková, K. Zheng, L. Liverani, Q. Nawaz, D. Galusková, H. Kaňková, M. Michálek, D. Galusek and A. R. Boccaccini, *Bioact. Mater.*, 2019, **4**, 312–321.
- 134 I. Tsamesidis, D. Gkiliopoulos, G. K. Pouroutzidou, E. Lymperaki, C. Papoulia, K. Reybier, P. Perio, K. M. Paraskevopoulos, E. Kontonasi and A. Theocharidou, *Nanomaterials*, 2021, **11**, 2189.
- 135 S. Rahmani, J. Budimir, M. Sejalón, M. Daurat, D. Aggad, E. Vivès, L. Raehm, M. Garcia, L. Lichon, M. Gary-Bobo, J.-O. Durand and C. Charnay, *Molecules*, 2019, **24**, 332.
- 136 D. M. Schlipf, S. E. Rankin and B. L. Knutson, *Microporous Mesoporous Mater.*, 2017, **244**, 199–207.
- 137 M. Xie, H. Shi, K. Ma, H. Shen, B. Li, S. Shen, X. Wang and Y. Jin, *J. Colloid Interface Sci.*, 2013, **395**, 306–314.
- 138 M. Xie, Y. Xu, H. Shen, S. Shen, Y. Ge and J. Xie, *Int. J. Pharm.*, 2014, **474**, 223–231.
- 139 K. Gou, Y. Wang, X. Guo, Y. Wang, Y. Bian, H. Zhao, Y. Guo, Y. Pang, L. Xie, S. Li and H. Li, *Acta Biomater.*, 2021, **134**, 576–592.
- 140 V. Cauda, A. Schlossbauer, J. Kecht, A. Zürner and T. Bein, *J. Am. Chem. Soc.*, 2009, **131**, 11361–11370.
- 141 S. Li, X. Jiao and H. Yang, *Langmuir*, 2013, **29**, 1228–1237.
- 142 V. Cauda, C. Argyo, A. Schlossbauer and T. Bein, *J. Mater. Chem.*, 2010, **20**, 4305–4311.
- 143 W. Fei, D. Chen, H. Tang, C. Li, W. Zheng, F. Chen, Q. Song, Y. Zhao, Y. Zou and C. Zheng, *Nanoscale*, 2020, **12**, 16738–16754.
- 144 H. Tang, D. Chen, C. Li, C. Zheng, X. Wu, Y. Zhang, Q. Song and W. Fei, *Int. J. Pharm.*, 2019, **572**, 118782.
- 145 M. M. Joseph, A. N. Ramya, V. M. Vijayan, J. B. Nair, B. T. Bastian, R. K. Pillai, S. T. Therakathinal and K. K. Maiti, *Small*, 2020, **16**, 2003309.
- 146 C. Nie, X. Chu, Q. Pan, J. Zhang, Y. Hu, J. Yi, M. He, M. He, T. Chen and X. Chu, *ACS Appl. Bio Mater.*, 2020, **3**, 3337–3344.
- 147 Y. Zhang, J. Cheng, N. Li, R. Wang, G. Huang, J. Zhu and D. He, *Mater. Sci. Eng., C*, 2019, **98**, 560–571.
- 148 Q. Sun, Q. You, J. Wang, L. Liu, Y. Wang, Y. Song, Y. Cheng, S. Wang, F. Tan and N. Li, *ACS Appl. Mater. Interfaces*, 2018, **10**, 1963–1975.
- 149 Q. Sun, Q. You, J. Wang, L. Liu, Y. Wang, Y. Song, Y. Cheng, S. Wang, F. Tan and N. Li, *ACS Appl. Mater. Interfaces*, 2018, **10**, 1963–1975.
- 150 E. Guisasola, L. Asín, L. Beola, J. M. de la Fuente, A. Baeza and M. Vallet-Regí, *ACS Appl. Mater. Interfaces*, 2018, **10**, 12518–12525.
- 151 X. Liu, Y. Zhang, Y. Wang, W. Zhu, G. Li, X. Ma, Y. Zhang, S. Chen, S. Tiwari, K. Shi, S. Zhang, H. M. Fan, Y. X. Zhao and X. J. Liang, *Theranostics*, 2020, **10**, 3793–3815.
- 152 Z. Wang, Z. Chang, M. Lu, D. Shao, J. Yue, D. Yang, X. Zheng, M. Li, K. He, M. Zhang, L. Chen and W.-f. Dong, *Biomaterials*, 2018, **154**, 147–157.
- 153 M. H. Chan and H. M. Lin, *Biomaterials*, 2015, **46**, 149–158.
- 154 G. Shi, Z. Li, Z. Zhang, Q. Yin, N. Li, S. Wang, G. Qi and L. Hao, *Biochem. Biophys. Res. Commun.*, 2023, **674**, 1–9.
- 155 R. Lv, D. Wang, L. Xiao, G. Chen, J. Xia and P. N. Prasad, *Sci. Rep.*, 2017, **7**, 15753.
- 156 P. Ning, Y. Chen, Q. Bai, C. Xu, C. Deng, Q. Cheng and Y. Cheng, *ACS Appl. Mater. Interfaces*, 2022, **14**, 7551–7564.
- 157 S.-H. Cheng, C.-H. Lee, M.-C. Chen, J. S. Souris, F.-G. Tseng, C.-S. Yang, C.-Y. Mou, C.-T. Chen and L.-W. Lo, *J. Mater. Chem.*, 2010, **20**, 6149–6157.
- 158 X. Yang, X. Liu, Y. Li, Q. Huang, W. He, R. Zhang, Q. Feng and D. Benayahu, *Mater. Sci. Eng., C*, 2017, **81**, 341–348.
- 159 X. Yang, Y. Li, X. Liu, W. He, Q. Huang and Q. Feng, *Biomater. Transl.*, 2020, **1**, 58–68.
- 160 P. Sutthavas, M. Schumacher, K. Zheng, P. Habibović, A. Boccaccini and S. Rijt, *Nanomaterials*, 2022, **12**, 2918.
- 161 J. M. Rosenholm, T. Gulin-Sarfranz, V. Mamaeva, R. Niemi, E. Özliseli, D. Desai, D. Antfolk, E. von Haartman, D. Lindberg, N. Prabhakar, T. Näreaja and C. Sahlgren, *Small*, 2016, **12**, 1578–1592.
- 162 R. Prasad, N. K. Jain, A. S. Yadav, M. Jadhav, N. N. V. Radharani, M. Gorain, G. C. Kundu, J. Conde and R. Srivastava, *ACS Appl. Bio Mater.*, 2021, **4**, 1693–1703.
- 163 Z. Yang, X. Wang, G. Liang, A. Yang and J. Li, *J. Mater. Chem. B*, 2022, **10**, 518–536.
- 164 P. J. Kempen, S. Greasley, K. A. Parker, J. L. Campbell, H.-Y. Chang, J. R. Jones, R. Sinclair, S. S. Gambhir and J. V. Jokerst, *Theranostics*, 2015, **5**, 631–642.
- 165 Y. Xiong, X. Huang, Y. Jiao, C. Zhou and T. Yu, *Biomater. Adv.*, 2023, **152**, 213497.
- 166 Z. Zou, S. Wen, Y. Li, J. An, Q. Wu, L. Tong, X. Mei, H. Tian and C. Wu, *Mater. Today Adv.*, 2022, **15**, 100262.



- 167 X. Li, Y. Liu, X. Qi, S. Xiao, Z. Xu, Z. Yuan, Q. Liu, H. Li, S. Ma, T. Liu, Y. Huang, X. Zhang, X. Zhang, Z. Mao, G. Luo and J. Deng, *Adv. Mater.*, 2022, **34**, 2109004.
- 168 I. Tsamesidis, A. Theocharidou, A. Beketova, M. Bousnaki, I. Chatzimentor, G. K. Pouroutzidou, D. Gkiliopoulos and E. Kontonasi, *Pharmaceutics*, 2023, **15**, 655.
- 169 Y. Xue, R. Baig and Y. Dong, *Nanotechnology*, 2022, **33**, 132501.
- 170 F. Chen, E. R. Zhao, G. Hableel, T. Hu, T. Kim, J. Li, N. I. Gonzalez-Pech, D. J. Cheng, J. E. Lemaster, Y. Xie, V. H. Grassian, G. L. Sen and J. V. Jokerst, *ACS Nano*, 2019, **13**, 6605–6617.
- 171 J. Cheng, Q. Ding, J. Wang, L. Deng, L. Yang, L. Tao, H. Lei and S. Lu, *Nanoscale*, 2016, **8**, 2011–2021.
- 172 D. K. Zanoni, H. E. Stambuk, B. Madajewski, P. H. Montero, D. Matsuura, K. J. Busam, K. Ma, M. Z. Turker, S. Sequeira, M. Gonen, P. Zanzonico, U. Wiesner, M. S. Bradbury and S. G. Patel, *JAMA Network Open*, 2021, **4**, e211936.
- 173 E. Phillips, O. Penate-Medina, P. B. Zanzonico, R. D. Carvajal, P. Mohan, Y. Ye, J. Humm, M. Gönen, H. Kalaigian, H. Schöder, H. W. Strauss, S. M. Larson, U. Wiesner and M. S. Bradbury, *Sci. Transl. Med.*, 2014, **6**, 260ra149.
- 174 M. Cannio, D. Bellucci, J. A. Roether, D. N. Boccaccini and V. Cannillo, *Materials*, 2021, **14**, 5440.
- 175 R. Subbaiah and B. Thomas, *Med. Oral. Patol. Oral. Cir. Bucal.*, 2011, **16**, e239–e244.
- 176 R. Mengel, M. Soffner and L. Flores-de-Jacoby, *J. Periodontol.*, 2003, **74**, 899–908.
- 177 V. S. Yadav, S. C. Narula, R. K. Sharma, S. Tewari and R. Yadav, *J. Oral Sci.*, 2011, **53**, 481–488.