

Cite this: *Chem. Sci.*, 2024, 15, 4349

All publication charges for this article have been paid for by the Royal Society of Chemistry

Mesoporous Mo-doped PtBi intermetallic metallene superstructures to enable the complete electrooxidation of ethylene glycol†

Xiaotong Yang,^a Qiang Yuan,^{id}*^a Tian Sheng^{id}*^c and Xun Wang^{id}*^b

Metallenes, intermetallic compounds, and porous nanocrystals are the three types of most promising advanced nanomaterials for practical fuel cell devices, but how to integrate the three structural features into a single nanocrystal remains a huge challenge. Herein, we report an efficient one-step method to construct freestanding mesoporous Mo-doped PtBi intermetallic metallene superstructures (denoted M-PtBiMo IMs) as highly active and stable ethylene glycol oxidation reaction (EGOR) catalysts. The materials retained their catalytic performance, even in complex direct ethylene glycol fuel cells (DEGFCs). The M-PtBiMo IMs showed EGOR mass and specific activities of 24.0 A mg_{Pt}⁻¹ and 61.1 mA cm⁻², respectively, which were both dramatically higher than those of benchmark Pt black and Pt/C. *In situ* infrared spectra showed that ethylene glycol underwent complete oxidation via a 10-electron CO-free pathway over the M-PtBiMo IMs. Impressively, M-PtBiMo IMs demonstrated a much higher power density (173.6 mW cm⁻²) and stability than Pt/C in DEGFCs. Density functional theory calculations revealed that oxophilic Mo species promoted the EGOR kinetics. This work provides new possibilities for designing advanced Pt-based nanomaterials to improve DEGFC performance.

Received 15th January 2024
Accepted 12th February 2024

DOI: 10.1039/d4sc00323c

rsc.li/chemical-science

Introduction

Platinum (Pt) group nanostructures play a central role in renewable energy devices such as fuel cells, hydrogen-generating electrolyzers, and metal–air batteries.^{1–5} However, their activity and stability depend closely on their micromorphology (*e.g.*, dimensions, size, pore structure),^{6–9} crystal phase (*e.g.*, amorphous/crystalline, polycrystalline/monocrystalline, or disordered/ordered),^{9–11} and surface content. Metallenes, intermetallics, and mesoporous metal nanocrystals are the three most promising electrocatalysts for energy-related industrial devices because of their intrinsic physicochemical properties. For example, their ultrathin two-dimensional (2D) structures give metallenes many accessible active sites due to the presence of unsaturated coordination atoms on their surface, high specific surface area, and high conductivity.^{12–16} Ordered

intermetallics are more stable than random alloys because d–d orbital interactions between Pt and heteroatoms are stronger than those in random Pt-based nanoalloys. This also results in stronger electronic, ligand, and geometric effects.^{10,17,18} The mesoporous structure of metal nanostructures facilitates mass/electron transport and increases the number of accessible edge active sites.^{19–21} Because of these characteristics, metal nanocrystals have been used to boost the performance of electrocatalysis. Although great progress has been made in the preparation of metallenes, intermetallics, and mesoporous metal nanostructures, metal nanostructures that integrate these three structural features have not yet been reported.

Herein, we constructed freestanding three-dimensional (3D) nanoflower-like mesoporous Mo-doped PtBi intermetallic metallene superstructures via a one-pot wet chemical method. A study of the synthesis mechanism revealed that the combined use of molybdenum hexacarbonyl (Mo(CO)₆) and ammonium bromide (NH₄Br) was essential to the M-PtBiMo IMs. By integrating the advantages of the mesoporous structure and intermetallic metallene, M-PtBiMo IMs exhibited excellent ethylene glycol oxidation reaction (EGOR) and practical direct ethylene glycol fuel cell (DEGFC) performance in alkaline media. They displayed a mass activity (MA) and specific activity (SA) of 24.0 A mg_{Pt}⁻¹ and 61.1 mA cm⁻², respectively, which were higher than those of Pt black (2.8 A mg_{Pt}⁻¹/9.2 mA cm⁻²) and Pt/C (3.5 A mg_{Pt}⁻¹/5.3 mA cm⁻²). Electrochemical *in situ* infrared spectroscopy showed that EG achieved 10-electron complete oxidation via a direct pathway on M-PtBiMo IMs. Density functional

^aState-Local Joint Laboratory for Comprehensive Utilization of Biomass, Center for R&D of Fine Chemicals, College of Chemistry and Chemical Engineering, Guizhou University, Guiyang, Guizhou province 550025, P. R. China. E-mail: qyuan@gzu.edu.cn

^bKey Lab of Organic Optoelectronics & Molecular Engineering, Tsinghua University, Beijing 100084, P. R. China. E-mail: wangxun@mails.tsinghua.edu.cn

^cCollege of Chemistry and Materials Science, Anhui Normal University, Wuhu 241000, P. R. China. E-mail: TSheng@ahnu.edu.cn

† Electronic supplementary information (ESI) available: Experimental section; characterizations (TEM, HAADF-STEM, elemental mappings), computational methods, CV curves, EIS, DFT calculations, and tables. See DOI: <https://doi.org/10.1039/d4sc00323c>

Results and discussion

The X-ray diffraction (XRD) pattern indicates the high crystallinity of M-PtBiMo IMs (Fig. 2a), with diffraction peaks corresponding to the intermetallic PtBi phase (ICSD#58845) with a hexagonal close-packed (hcp) structure.^{29–31} The small-angle XRD pattern (Fig. 2b) further confirms the formation of mesoporous structures. X-ray photoelectron spectroscopy (XPS)

We explored the effect of different experimental parameters on the growth mechanism of M-PtBiMo IMSS through a series of comparative experiments. During synthesis, using an appropriate molar ratio of $\text{Mo}(\text{CO})_6/\text{NH}_4\text{Br}$ is crucial to ensure the growth of M-PtBiMo IMSS (Fig. S5 and S6†). In the absence of $\text{Mo}(\text{CO})_6$, $\text{Pt}_{68.5}\text{Bi}_{31.5}$ nanoparticles (Fig. S5a†) were formed, as confirmed by ICP-OES (denoted PtBi NPs), while in the absence of NH_4Br , nanochains (Fig. S6a†) were formed. $\text{Mo}(\text{CO})_6$ thermally decomposed to generate Mo and CO during synthesis, and the generated CO attached to the surface of metal atoms,^{35,36} thus inducing the directed formation of defect-rich M-PtBiMo IMSS. Due to this, we utilized $\text{W}(\text{CO})_6$, $\text{Cr}(\text{CO})_6$, $\text{Ru}(\text{CO})_{12}$, and $\text{Co}_2(\text{CO})_8$ instead of $\text{Mo}(\text{CO})_6$, which also produced CO during synthesis. When equal amounts of $\text{W}(\text{CO})_6$, $\text{Cr}(\text{CO})_6$, $\text{Ru}(\text{CO})_{12}$, and $\text{Co}_2(\text{CO})_8$ were used, irregular nanoparticles (Fig. S7a†), large plate-like structures (Fig. S7b†), dendrite-like structures (Fig. S7c†), and agglomerated irregular lamellar structures (Fig. S7d†) were obtained, respectively. These results indicated that M-PtBiMo IMSS could not form in the absence of $\text{Mo}(\text{CO})_6$. We also found that NH_4Br played a pivotal role in inducing the growth of M-PtBiMo IMSS. When NH_4F was employed instead of NH_4Br , bulk irregular nanocrystals were obtained (Fig. S8a†). When an equal amount of NH_4Cl was used instead of NH_4Br , 2D assembled sheets were formed, but they were thicker (Fig. S8b†). Replacing NH_4Br with NH_4I yielded unevenly-sized hexagonal nanosheets (Fig. S8c†), possibly because Br^- could be complexed with metal ions, which changed the reduction potentials of different metal atoms and the reduction kinetics.³⁷ This also avoided the random nucleation of metal atoms during synthesis and favored the selective growth of M-PtBiMo IMSS. The above control experiments indicated that $\text{Mo}(\text{CO})_6$ and NH_4Br played crucial roles in obtaining the target products, M-PtBiMo IMSS.

© 2024 The Author(s). Published by the Royal Society of Chemistry




Fig. 1 (a and b) SEM images of M-PtBiMo IMSs. (c) TEM image of M-PtBiMo IMSs. (d) High-resolution HAADF-STEM image (the inset shows the column chart of the size of pores) of M-PtBiMo IMSs. (e and f) High-resolution TEM images of M-PtBiMo IMSs. (g) High-resolution HAADF-STEM image (the inset shows the corresponding FFT patterns) of M-PtBiMo IMSs. (h) Crystal structure. (i) HAADF-STEM pattern and element mappings of M-PtBiMo IMSs.

Pt/C (Fig. S9b[†]), and PtBi NPs (Fig. S5a[†]) as references. The cyclic voltammograms (CVs) of all catalyst samples were recorded in 1 M KOH solution at room temperature, as shown in Fig. S10.[†] Compared with Pt black and Pt/C catalysts, no hydrogen adsorption/desorption peak was observed for PtBi NP and M-PtBiMo IMS catalysts because bismuth inhibited hydrogen adsorption on the Pt.^{29,31,37} The electrochemically active surface areas (ECSA) of M-PtBiMo IMSs, PtBi NPs, Pt black, and Pt/C were determined by the desorption peaks of CO stripping (Fig. S11[†]) and were calculated to be 39.3 m² g_{Pt}^{−1}, 24.2 m² g_{Pt}^{−1}, 30.4 m² g_{Pt}^{−1}, and 66.2 m² g_{Pt}^{−1}, respectively. Fig. 3a shows the EGOR CV curves recorded in 1 M KOH + 1 M EG electrolyte to investigate the electrocatalytic activities. The

onset potential (the MA of 0.1 A mg_{Pt}^{−1}) of M-PtBiMo IMSs (−0.582 V) was 154 mV, 114 mV, and 31 mV more negative than those of commercial Pt black (−0.428 V), Pt/C (−0.468 V), and PtBi NPs (−0.551 V), respectively, indicating a lower activation barrier during EG oxidation (Fig. 3b).^{38,39} In addition, M-PtBiMo IMSs exhibited the lowest Tafel slope (113 mV dec^{−1}), indicating the fastest kinetics during the EGOR (Fig. 3c). Notably, the M-PtBiMo IMSs exhibited the highest peak MA/SA of 24.0 A mg_{Pt}^{−1}/61.1 mA cm^{−2}, which were 8.6/6.6, 6.9/11.5, and 1.8/1.1 times higher than those of Pt black, Pt/C, and PtBi NPs, respectively (Fig. 3d). The MA of M-PtBiMo IMSs was also superior to most advanced EGOR electrocatalysts (Fig. 3e and Table S1[†]). For example, the MA of M-PtBiMo IMSs is 2.3, 4.5,





Fig. 2 (a) Wide-angle and (b) small-angle XRD patterns of M-PtBiMo IMSs. XPS spectra of (c) Pt 4f, (d) Bi 4f, and (e) Mo 3d of M-PtBiMo IMSs. (f) XPS valence-band spectra of Pt black and M-PtBiMo IMSs.

5.6, and 7.9 times those of PtPbBi hexagonal nanoplates,⁴⁰ PtBi nanoflowers,⁴¹ Pt/Rh metallene,⁴² and Au@PdPt,⁴³ respectively. Electrochemical impedance spectroscopy (EIS) was performed to assess the electron transfer rates of these electrocatalysts during the EGOR. According to the equivalent circuit used to fit the Nyquist plot (Fig. 3f), the charge-transfer resistance (R_{ct}) of the M-PtBiMo IMSs was smaller than that of PtBi NPs, Pt black, and Pt/C electrocatalysts, implying rapid charge-transfer and they provided improved catalytic performance.⁴⁴ These results once again indicate the superior performance of the M-PtBiMo IMS electrocatalyst during the EGOR.

The electrocatalytic stability of M-PtBiMo IMSs was also investigated by the I - t measurement at a working potential of -0.25 V (vs. Ag/AgCl) (Fig. 3g). The M-PtBiMo IMSs had the best durability from the I - t measurements, with a retained MA of $6.2 \text{ A mg}_{\text{Pt}}^{-1}$ at 10 000 s, which was 6.5, 44.3, and 620 times higher than those of PtBi NPs, Pt/C, and Pt black catalysts, respectively. Furthermore, Fig. 3h and S12† demonstrate that the M-PtBiMo IMSs exhibited negligible attenuation in their catalytic activity

after 10 000 s of the I - t test. The superior tolerance of these catalysts was revealed by *in situ* CO experiments (Fig. 3i). When CO was input during EGOR performance tests, the EGOR performance of M-PtBiMo IMSs was unaffected, confirming its resistance to CO poisoning. The enhanced CO tolerance was derived from the downshift of the d-band center of M-PtBiMo IMSs, which weakened CO adsorption.³⁰ Simultaneously, based on a dual-function mechanism, the introduction of oxophilic metals Bi and Mo promoted the production of reactive oxygen species around Pt active sites and also promoted the removal of adsorbed CO.^{33,45} The above results show that the superior EGOR stability of M-PtBiMo IMSs was due to the strong anti-CO poisoning capacity.

To further investigate the EGOR mechanism and reaction pathway, *operando* electrochemical *in situ* FTIR measurements of M-PtBiMo IMSs were conducted, as shown in Fig. 4a, and the characteristic IR bands are summarized in Fig. 4b. The EG molecules were activated at a low potential and exhibited distinct vibrational bands. The band at 1076 cm^{-1} belonged to






Fig. 3 (a and b) CV curves. (c) Tafel plots. (d) MA and SA. (e) Comparison of MA reported for various Pt/Pd-based EGOR catalysts. (f) Nyquist plots. (g) $I-t$ curves recorded at -0.25 V. (h) Normalized MA of commercial Pt black, Pt/C, PtBi NPs, and M-PtBiMo IMSs before and after the $I-t$ test. (i) CV curves of Pt black, Pt/C, PtBi NPs, and M-PtBiMo IMSs in CO-saturated electrolyte.

the stretching vibration of aldehyde from glyoxal and glycolate substances.^{30,46} The bands at 1076, 1240, 1326, 1409, and 1574 cm^{-1} indicated the formation of glycolate (Fig. 4a and c), and the band at 1308 cm^{-1} was ascribed to oxalate.^{29,47,48} The strong band at 2343 cm^{-1} indicated CO_2 formation (Fig. 4d) at -0.1 V. The bands at 1408 cm^{-1} and 1358 cm^{-1} were attributed to the characteristic vibration bands of carbonate (CO_3^{2-}) and bicarbonate (HCO_3^-). The presence of these C1 species (CO_2 , CO_3^{2-} , and HCO_3^-) indicated that M-PtBiMo IMSs cleaved C-C bonds to achieve the desired 10-electron complete oxidation of EG while providing a higher energy conversion efficiency ($\text{CH}_2\text{OH}-\text{CH}_2\text{OH} + 14\text{OH}^- \rightarrow 2\text{CO}_3^{2-} + 10\text{H}_2\text{O} + 10\text{e}^-$).^{49,50} Notably, no CO_{ad} signal was detected for M-PtBiMo IMSs, indicating that a CO-free direct pathway was realized. The proposed mechanism of the complete electrooxidation of ethylene glycol on M-PtBiMo IMSs in alkaline media is illustrated in Fig. 4e.

We were inspired by the EGOR kinetics, CO toxicity resistance, high activity, and stability of the M-PtBiMo IMS catalyst to evaluate its MEA performance (Fig. S13†) as a single DEGFC anode catalyst. We used commercial Pt/C as a benchmark anode catalyst for MEA testing. The DEGFC of M-PtBiMo IMSs delivered a current density of 720 mA cm^{-2} at 0.24 V and achieved a PPD of

173.6 mW cm^{-2} (Fig. 5a), which were 2.25 and 1.72 times higher than those of Pt/C (320 mA cm^{-2} , 100.7 mW cm^{-2}), respectively. The excellent PPD of M-PtBiMo IMSs is also better than recently published values (Table S2†). Compared with Pt/C, M-PtBiMo IMSs exhibited superior electron and mass transfer ability due to their 3D and mesoporous structures (Fig. 5b). Apart from the power density of the DEGFC, a catalyst's durability is also important to consider. Fig. 5c shows the durability of M-PtBiMo IMSs and Pt/C via a high constant current density at 400 mA cm^{-2} for 10 h. The result showed that commercial Pt/C exhibited a voltage decay as high as 70.3%, while M-PtBiMo IMSs exhibited only 12.5%, indicating the remarkable PPD and durability of M-PtBiMo IMSs for MEA. Furthermore, TEM (Fig. 5d and S14†) and high-resolution HAADF-STEM images (Fig. 5e–g) demonstrated that M-PtBiMo IMSs maintained their original morphology after long-term measurements under highly corrosive conditions. And the element diagrams (Fig. S15†) further proved the existence of Pt, Bi, and Mo. However, severe aggregation of Pt nanoparticles was observed in the Pt/C catalyst (Fig. S16†). The above results confirmed that the M-PtBiMo IMSs possessed significant electrochemical and structural stability because the 3D nanoflower morphology with lower surface total free energy greatly reduced agglomeration and Ostwald ripening.




Fig. 4 (a) *In situ* FTIR spectra of M-PtBiMo IMSs in 1 M KOH + 1 M EG. (b) IR bands and their assignment for the EGOR. Real-time *in situ* FTIR spectra of M-PtBiMo IMSs at (c) -0.5 V and (d) -0.1 V, with an interval of 2 s. (e) Schematic of the proposed reaction pathways for the EGOR at the M-PtBiMo IMSs in alkaline media.

The surface oxophilic Mo species in Pt-based electrocatalysts promoted water activation, thus generating more reactive oxygen species and promoting electrocatalysis.^{51,52} We performed DFT calculations to reveal the origin of the enhanced electrooxidation of EG on PtBiMo. As depicted in Fig. 6a, at a potential of -1.72 V (vs. Ag/AgCl), one O atom is attached to the top site of Mo, resulting in the formation of a Mo–O bond with a length of 1.71 Å. As the potential was increased to -1.22 V and -0.99 V, more O atoms adsorbed onto the Mo atom to form MoO₂ with a bond length of 1.76 Å and MoO₃, respectively. Within the MoO₃ group, the Mo atom connected to a surface Pt atom with a Pt–Mo bond length of 2.58 Å. Two O atoms bonded to the Pt and Bi atoms, while the remaining O atom was oriented upwards. Furthermore, at a potential of -0.69 V, the newly formed MoO₄ species lifted off from the surface, leaving a vacancy (Fig. S17†). MoO₄ exhibited tetrahedral coordination, with two O atoms bonded to two anchoring surface Bi atoms with a bond length of 1.84 Å; one O atom was bonded to a surface Pt atom and the other O atom was oriented upwards with a bond length of 1.73 Å. A similar MoO₄ structure was also identified for PtNiMo catalysts, which also showed that MoO₄ species enhanced electrocatalysis.⁵³ Notably, the presence of Mo

in PtBiMo provided a greater affinity for oxygen than pure Pt, allowing oxygen species to adsorb even at very low electrode potentials (Fig. S18†).

Next, we calculated the electro-oxidation mechanism of ethylene glycol, and a comparison of the reaction energies on PtBiMo and Pt is shown in Fig. 6b. The theoretical potential was set at -0.69 V, which matches the onset potential for the formation of MoO₄ and closely approximates the experimental onset potential for ethylene glycol electrooxidation. The dehydrogenation pathway of ethylene glycol on PtBiMo ($1 \rightarrow 4$) and Pt ($7 \rightarrow 10$) followed the same steps (Fig. S19–S21†): CH₂–OHCH₂OH* $\rightarrow$ CH₂OHCHOH* $\rightarrow$ CH₂OHCOH* $\rightarrow$ CH₂–OHCO*. The Pt surface exhibited greater activity for C–H bond activation. Subsequently, the O atom of MoO₄ bonded to a surface Pt atom and attacked the C atom in the C=O bond (Fig. 6c). This initiated the formation of a C–O bond to produce glycolate with a reaction energy of -0.37 eV ($4 \rightarrow 5$), thus confirming the oxidizing capability of MoO₄. However, on Pt, O adsorption required an energy input of 0.78 eV ($10 \rightarrow 11$), which explains the limited activity observed at lower electrode potentials.




Fig. 5 (a) Polarization plots of M-PtBiMo IMSs and commercial Pt/C. (b) Qualitative analysis of power density, ohmic, and mass transfer of the overall performance. (c) Stability tests of M-PtBiMo IMSs and commercial Pt/C in MEA. (d–g) TEM and high-resolution HAADF-STEM images of M-PtBiMo IMSs after the durability test.




Fig. 6 (a) Calculated onset potentials for the oxidation of surface Mo atoms by adsorbed O to form MoO, MoO₂, MoO₃, and MoO₄, respectively, with optimized structures. (b) Energy profiles for the ethylene glycol electrooxidation to glycolate on PtBiMo (red lines) and Pt (blue lines). (c) Optimized intermediate structures on PtBiMo and Pt. blue: Pt; purple: Bi; green: Mo; grey: C; white: H; red: O.

Conclusion

In conclusion, we obtained novel freestanding 3D nanoflower-like M-PtBiMo IMSs *via* a simple and effective one-step wet

chemical synthesis method. Due to the integrated functions of the mesoporous structure, abundant defects, and strong electronic/synergistic effects, M-PtBiMo IMSs achieved complete ethylene glycol oxidation and significant EGOR

activity and stability. Furthermore, when used as anode electrocatalysts in a practical DEFC, M-PtBiMo IMSS displayed a higher PPD and superior stability that greatly exceeded those of commercial Pt/C. DFT calculations revealed that the enhanced catalytic performance may have been derived from the formation of more-oxidizing MoO₄ by doping oxophilic Mo species in PtBiMo at low electrode potentials. This work adds a new member to the family of metal nanostructures and provides new ideas for the construction of superior Pt-based electrocatalysts for practical DEFCs.

Author contributions

The manuscript was written through contributions of all authors.

Conflicts of interest

The authors declare no competing financial interest.

Acknowledgements

This work was supported by the National Natural Science Foundation of China (21571038, 201903001, 22035004), Education Department of Guizhou Province (2021312) and Foundation of Guizhou Province (2019-5666), Natural Science Foundation of Anhui Province (1908085QB58) and the Open Fund of the Key Lab of Organic Optoelectronics & Molecular Engineering (Tsinghua University). We gratefully acknowledge the computing resources provided by the College of Chemistry and Materials Science of Anhui Normal University.

Notes and references

- K. Kodama, T. Nagai, A. Kuwaki, R. Jinnouchi and Y. Morimoto, *Nat. Nanotechnol.*, 2021, **16**, 140–147.
- L. Huang, S. Zaman, X. L. Tian, Z. T. Wang, W. S. Fang and B. Y. Xia, *Acc. Chem. Res.*, 2021, **54**, 311–322.
- F. Xiao, Q. Wang, G. L. Xu, X. P. Qin, I. H. Hwang, C. J. Sun, M. Liu, W. Hua, H. W. Wu, S. Q. Zhu, J. C. Li, J. G. Wang, Y. M. Zhu, D. J. Wu, Z. D. Wei, M. Gu, K. Amine and M. H. Shao, *Nat. Catal.*, 2022, **5**, 503–512.
- G. L. Gao, G. Zhu, X. L. Chen, Z. X. Sun and A. Cabot, *ACS Nano*, 2023, **17**, 20804–20824.
- L. B. Li, X. N. Tang, B. Wu, B. Y. Huang, K. Yuan and Y. W. Chen, *Adv. Mater.*, 2023, e2308326.
- C. Perego and R. Millini, *Chem. Soc. Rev.*, 2013, **42**, 3956–3976.
- S. Dutta, B. S. Gu and I. S. Lee, *Angew. Chem., Int. Ed.*, 2023, **62**, e202312656.
- D. Alloyeau, C. Ricolleau, C. Mottet, T. Oikawa, C. Langlois, Y. Le Bouar, N. Braidry and A. Loiseau, *Nat. Mater.*, 2009, **8**, 940–946.
- Y. M. He, L. R. Liu, C. Zhu, S. S. Guo, P. Golani, B. Koo, P. Y. Tang, Z. Q. Zhao, M. Z. Xu, P. Yu, X. Zhou, C. T. Gao, X. W. Wang, Z. D. Shi, L. Zheng, J. F. Yang, B. Shin, J. Arbiol, H. G. Duan, Y. H. Du, M. Heggen, R. E. Dunin-Borkowski, W. L. Guo, Q. J. Wang, Z. H. Zhang and Z. Liu, *Nat. Catal.*, 2022, **5**, 212–221.
- Y. Chen, Z. Lai, X. Zhang, Z. Fan, Q. He, C. Tan and H. Zhang, *Nat. Rev. Chem.*, 2020, **4**, 243–256.
- M. Zhou, C. Li and J. Y. Fang, *Chem. Rev.*, 2021, **121**, 736–795.
- M. H. Xie, S. S. Tang, B. W. Zhang and G. H. Yu, *Mater. Horiz.*, 2023, **10**, 407–431.
- C. S. Cao, Q. Xu and Q.-L. Zhu, *Chem Catal.*, 2022, **2**, 693–723.
- M. C. Luo, Z. L. Zhao, Y. L. Zhang, Y. J. Sun, Y. Xing, F. Lv, Y. Yang, X. Zhang, S. Hwang, Y. N. Qin, J. Y. Ma, F. Lin, D. Su, G. Lu and S. J. Guo, *Nature*, 2019, **574**, 81–85.
- Y. N. Qin, H. Huang, W. Yu, H. N. Zhang, Z. J. Li, Z. C. Wang, J. P. Lai, L. Wang and S. H. Feng, *Adv. Sci.*, 2022, **9**, 2103722.
- Q. Q. Mao, X. Mu, K. Deng, H. J. Yu, Z. Q. Wang, Y. Xu, X. N. Li, L. Wang and H. J. Wang, *Adv. Funct. Mater.*, 2023, **33**, 2304963.
- F. X. Lin, M. G. Li, L. Y. Zeng, M. C. Luo and S. J. Guo, *Chem. Rev.*, 2023, **123**, 12507–12593.
- T. Y. Yoo, J. M. Yoo, A. K. Sinha, M. S. Bootharaju, E. Jung, H. S. Lee, B. H. Lee, J. Kim, W. H. Antink, Y. M. Kim, J. Lee, E. Lee, D. W. Lee, S. P. Cho, S. J. Yoo, Y. E. Sung and T. Hyeon, *J. Am. Chem. Soc.*, 2020, **142**, 14190–14200.
- H. Lv, Y. Z. Wang, L. Z. Sun, Y. Yamauchi and B. Liu, *Nat. Protoc.*, 2023, **18**, 3126–3154.
- H. Lv and B. Liu, *Chem. Sci.*, 2023, **14**, 13313–13324.
- N. Linares, A. M. Silvestre-Albero, E. Serrano, J. Silvestre-Albero and J. Garcia-Martinez, *Chem. Soc. Rev.*, 2014, **43**, 7681–7717.
- W. J. Tian, X. Zhang, Z. Q. Wang, L. Cui, M. Li, Y. Xu, X. N. Li, L. Wang and H. J. Wang, *Chem. Eng. J.*, 2022, **440**, 135848.
- W. D. Ao, H. J. Ren, C. G. Cheng, Z. S. Fan, P. Q. Yin, Q. Qin, Q. Zhang and L. Dai, *Angew. Chem., Int. Ed.*, 2023, **62**, e202305158.
- H. Jin, Z. W. Xu, Z. Y. Hu, Z. W. Yin, Z. Wang, Z. Deng, P. Wei, S. H. Feng, S. H. Dong, J. F. Liu, S. C. Luo, Z. D. Qiu, L. Zhou, L. Q. Mai, B. L. Su, D. Y. Zhao and Y. Liu, *Nat. Commun.*, 2023, **14**, 1518.
- F. L. Zhao, S. Y. Nie, L. Wu, Q. Yuan and X. Wang, *Adv. Mater.*, 2023, **35**, e2303672.
- J. W.-J. Kang, Y. Feng, Z. Li, Z.-N. Chen, C.-K. Dong, J. Yang, P.-F. Yin, H. Liu and X.-W. Du, *ACS Energy Lett.*, 2023, **8**, 3512–3519.
- L. G. Li, S. H. Liu, C. H. Zhan, Y. Wen, Z. F. Sun, J. J. Han, T.-S. Chan, Q. B. Zhang, Z. W. Hu and X. Q. Huang, *Energy Environ. Sci.*, 2023, **16**, 157–166.
- X. L. Ji, K. T. Lee, R. Holden, L. Zhang, J. J. Zhang, G. A. Botton, M. Couillard and L. F. Nazar, *Nat. Chem.*, 2010, **2**, 286–293.
- B. W. Zhang, W. H. Lai, T. Sheng, X. M. Qu, Y. X. Wang, L. Ren, L. Zhang, Y. Du, Y. X. Jiang, S. G. Sun and S. X. Dou, *J. Mater. Chem. A*, 2019, **7**, 5214–5220.
- X. T. Yang, K. X. Yao, J. Y. Ye, Q. Yuan, F. L. Zhao, Y. F. Li and Z. Y. Zhou, *Adv. Funct. Mater.*, 2021, **31**, 2103671.
- T. Wan, X. Huang, S. Li, Q. Li, X. Yang, Z. Sun, D. Xiang, K. Wang, P. Li and M. Zhu, *Nano Res.*, 2023, **16**, 6560–6567.



- 32 J. D. Wu, J. C. Fan, X. Zhao, Y. Wang, D. W. Wang, H. T. Liu, L. Gu, Q. H. Zhang, L. R. Zheng, D. J. Singh, X. Q. Cui and W. T. Zheng, *Angew. Chem., Int. Ed.*, 2022, **61**, e202207512.
- 33 H. Luo, K. Wang, F. X. Lin, F. Lv, J. H. Zhou, W. Y. Zhang, D. W. Wang, W. S. Zhang, Q. H. Zhang, L. Gu, M. C. Luo and S. J. Guo, *Adv. Mater.*, 2023, **35**, e2211854.
- 34 X. L. Li, Y. Q. Huang, Z. Y. Chen, S. Q. Hu, J. L. Zhu, P. Tsiakaras and P. K. Shen, *Chem. Eng. J.*, 2023, **454**, 140131.
- 35 J. T. Zhang, X. Z. Liu, Y. J. Ji, X. R. Liu, D. Su, Z. B. Zhuang, Y. C. Chang, C. W. Pao, Q. Shao, Z. W. Hu and X. Q. Huang, *Nat. Commun.*, 2023, **14**, 1761.
- 36 E. Hornberger, M. Klingenhof, S. Polani, P. Paciok, A. Kormanyos, R. Chattot, K. E. MacArthur, X. Wang, L. Pan, J. Drnec, S. Cherevko, M. Heggen, R. E. Dunin-Borkowski and P. Strasser, *Chem. Sci.*, 2022, **13**, 9295–9304.
- 37 Y. N. Qin, M. C. Luo, Y. J. Sun, C. J. Li, B. L. Huang, Y. Yang, Y. J. Li, L. Wang and S. J. Guo, *ACS Catal.*, 2018, **8**, 5581–5590.
- 38 H. D. Li, Y. Han, H. Zhao, W. J. Qi, D. Zhang, Y. D. Yu, W. W. Cai, S. X. Li, J. P. Lai, B. L. Huang and L. Wang, *Nat. Commun.*, 2020, **11**, 5437.
- 39 Y. Guo, X. B. Yang, X. C. Liu, X. L. Tong and N. J. Yang, *Adv. Funct. Mater.*, 2022, **33**, 2209134.
- 40 Z. Zhu, F. Liu, J. Fan, Q. Li, Y. Min and Q. Xu, *ACS Appl. Mater. Interfaces*, 2020, **12**, 52731–52740.
- 41 Y. P. Zhang, F. Gao, P. P. Song, J. Wang, T. X. Song, C. Wang, C. Q. Wang, J. Guo and Y. K. Du, *J. Alloys Compd.*, 2019, **789**, 834–840.
- 42 H. Wang, Y. Liang, S. Liu, H. Yu, K. Deng, Y. Xu, X. Li, Z. Wang and L. Wang, *Inorg. Chem.*, 2023, **62**, 14477–14483.
- 43 X. Yang, Q. Wang, S. Qing, Z. Gao, X. Tong and N. Yang, *Adv. Energy Mater.*, 2021, **11**, 2100812.
- 44 K. W. Zhang, C. Wang, H. M. You, B. Zou, S. Y. Guo, S. J. Li and Y. K. Du, *Chem. Eng. J.*, 2022, **438**, 135666.
- 45 X. C. Wang, M. Xie, F. L. Lyu, Y. M. Yiu, Z. Q. Wang, J. T. Chen, L. Y. Chang, Y. J. Xia, Q. X. Zhong, M. Y. Chu, H. Yang, T. Cheng, T. K. Sham and Q. Zhang, *Nano Lett.*, 2020, **20**, 7751–7759.
- 46 J.-X. Tang, Q.-S. Chen, L.-X. You, H.-G. Liao, S.-G. Sun, S.-G. Zhou, Z.-N. Xu, Y.-M. Chen and G.-C. Guo, *J. Mater. Chem. A*, 2018, **6**, 2327–2336.
- 47 S.-C. Chang, Y. Ho and M. J. Weaver, *J. Am. Chem. Soc.*, 1991, **113**, 9506–9513.
- 48 J. S. Li, L. M. Li, X. Y. Ma, X. Han, C. C. Xing, Q. Qi, R. He, J. Arbiol, H. Y. Pan, J. Zhao, J. Deng, Y. Zhang, Y. Y. Yang and A. Cabot, *Adv. Sci.*, 2023, **10**, e2300841.
- 49 X. T. Yang, Q. Yuan, J. W. Li, T. Sheng, K. X. Yao and X. Wang, *Nano Lett.*, 2023, **23**, 3467–3475.
- 50 F. L. Zhao and Q. Yuan, *Inorg. Chem.*, 2023, **62**, 14815–14822.
- 51 J. J. Mao, W. X. Chen, D. S. He, J. W. Wan, J. J. Pei, J. C. Dong, Y. Wang, P. F. An, Z. Jin, W. Xing, H. L. Tang, Z. B. Zhuang, X. Liang, Y. Huang, G. Zhou, L. Y. Wang, D. S. Wang and Y. D. Li, *Sci. Adv.*, 2017, **3**, e1603068.
- 52 M. G. Li, Z. L. Zhao, W. Y. Zhang, M. C. Luo, L. Tao, Y. J. Sun, Z. H. Xia, Y. G. Chao, K. Yin, Q. H. Zhang, L. Gu, W. W. Yang, Y. S. Yu, G. Lu and S. J. Guo, *Adv. Mater.*, 2021, **33**, e2103762.
- 53 J. L. Li, Y. F. Li and Z. P. Liu, *JACS Au*, 2023, **3**, 1162–1175.

