


Cite this: *Nanoscale*, 2025, **17**, 1874

Nanomaterial-based synergistic strategies for combating dental caries: progress and perspectives

Ke Xu,^a Regina Huang,^a Xuan Li,^a Lijian Jin,^a ^a Chung-Nga Ko,^b Min Li,^c Hai Ming Wong ^{*a} and Ken Cham-Fai Leung ^{*b}

Dental caries, as the predominant global oral disease, remains a critical public health issue worldwide, particularly in socioeconomically disadvantaged communities. However, common caries prevention approaches (e.g., oral health education, mechanical plaque removal, and delivery of fluoride agents) are still insufficient for optimal caries management, and therefore, alternative regimens that can supplement existing strategies are highly warranted. Nanomaterials exhibit considerable potential in combating cariogenic pathogens and biofilms owing to their promising antimicrobial capacity, improved penetration into biofilms, targeted precision delivery, and versatile physicochemical properties. As unifunctional materials are limited in caries management, this review underscores the latest advancement in multifunctional anti-caries nanomaterials/nanomedicines. It highlights the cutting-edge materials developed or engineered to (i) incorporate diagnostic capabilities to prevent caries at an early stage, thus enhancing treatment efficiency, (ii) integrate mechanical "brushing" with anti-caries approaches to mechanochemically eradicate biofilms, (iii) exert antimicrobial/antibiofilm effects while preserving dental hard tissue. The current work also outlines future directions for optimizing nanosystems in the management of dental caries while emphasizing the need for innovative solutions to improve preventive and therapeutic efficacies.

Received 30th October 2024,
Accepted 6th December 2024

DOI: 10.1039/d4nr04515g

rsc.li/nanoscale

1 Introduction


Dental caries, the most prevalent oral disease worldwide, continues to be a major public health concern, especially causing severe impacts among the socioeconomically disadvantaged populations with limited oral health knowledge.^{1,2} Importantly, secondary caries can recur following initial treatment, leading to restorative treatment failure and imposing a significant burden on the dental care workforce.^{3,4} In general, the pathogenesis of this multifactorial disease can be primarily attributed to three interdependent aspects: (i) loss of symbiosis within the oral microenvironment, (ii) domination of cariogenic pathogens and (iii) formation of pathogenic polymicrobial biofilms, which eventually drive the chronic and progressive destruction of dental hard tissues. Specifically, external cariogenic factors, such as excessive intake of sugars and carbonated drinks, may disrupt the ecological balance, shifting the healthy

oral microbiota to a pro-cariogenic state.⁵ During this transition, the assembly of the matrix and dysbiotic microbiota-matrix interactions aggravate cariogenic plaque accumulation. Notably, excessive fermentable carbohydrates, especially sucrose, are metabolized to generate acid by-products, creating a low pH environment, which further facilitates the colonization and growth of acidogenic and aciduric species (e.g., *Streptococcus mutans* (*S. mutans*), *Lactobacillus*, *Actinomyces*, and *Candida albicans*).^{6–8} Consequently, these species dominate over commensals within the biofilm microbiota and synergistically shape the biofilm community.^{8,9} Additionally, the biofilm matrix, primarily composed of extracellular polymeric substances (EPSs) in a three-dimensional scaffold, provides a complex biochemical microenvironment that confers penetration barriers and mechanical resistance to support cariogenic microbes in caries pathogenesis.^{10,11} Simultaneously, acid production on the biofilm-enamel surface causes demineralization and erosion of the enamel or dentine, ultimately resulting in cavitation.¹² Therefore, although considerable attention and efforts have been invested in effective management, the advancement of early diagnosis, prevention and treatment is highly warranted with the primary aims targeting cariogenic polymicrobial biofilms, preventing demineralization and/or promoting remineralization of hard dental tissues.

^aFaculty of Dentistry, The University of Hong Kong, Hong Kong SAR, P. R. China.
E-mail: wonghmg@hku.hk

^bDepartment of Chemistry, Hong Kong Baptist University, Kowloon Tong, Kowloon, Hong Kong SAR, P. R. China. E-mail: cfleung@hkbu.edu.hk

^cSchool of Chinese Medicine, Hong Kong Baptist University, Kowloon Tong, Kowloon, Hong Kong SAR, P. R. China

Nanomaterials, either inorganically or organically synthesized, are defined as materials with sizes less than 100 nm,¹⁷ which can be categorized based on their dimensions into zero-dimensional, one-dimensional, and two-dimensional forms, represented by nanoparticles (NPs), nanowires/nanorods, and nanofilms, respectively.¹⁸ Particularly, many of them exhibit unique properties that are inherently linked to their nanoscale. A key characteristic of nanomaterials is their high surface area-to-volume ratio, which imparts high reactivity and enables them to serve diverse functional purposes. In combating dental caries, nanomaterials exhibit considerable potential in targeting cariogenic pathogens and biofilms, as well as preventing demineralization and facilitating remineralization processes, owing to their antimicrobial properties,

Recognizing the limitations of materials with single function in caries management, this review focuses on the development of multi-functional anti-caries nanomaterials. The nanotechnology-based platforms conferring anti-caries properties for dental restorative materials have been reviewed elsewhere.^{23–25} Mainly, we focus on advanced nanomaterials that are designed to (i) incorporate diagnostic capabilities, thereby offering a comprehensive strategy to enhance the caries prevention effectiveness, (ii) combine mechanical “brushing” with anti-caries approaches for synergistic mechanochemical biofilm eradication, (iii) integrate antimicrobial/antibiofilm effects with preservation of dental hard tissue (Scheme 1).

2 Theranostic nanomaterials for caries treatment

In addition to targeting cariogenic biofilms and promoting the mineralization process, detecting cariogenic pathogens can facilitate the effective management of dental caries. Specifically, detecting microbes enable early caries prevention, avoiding the progressive and irreversible destruction of dental hard tissues. Taken together, by combining therapeutic and diagnostic approaches (known as theranostics), the efficiency of caries management may be significantly improved through timely intervention to prevent the further progression of decay, as well as establishing personalized treatment/prevention to maximize the therapeutic outcomes. Therefore, the development of innovative methods incorporating these strategies is



highly crucial for providing a comprehensive and patient-centered oral healthcare.

Various nanomaterials can conveniently serve as a crucial part of theranostic systems due to their remarkable versatility.²⁶ When combined with materials possessing known antibacterial/antibiofilm properties, multifunctional nanoplateforms capable of biofilm sampling and imaging/staining can be achieved by utilizing multiple pathways. In addition to utilizing nanomaterials for biofilm removal, innovative approaches with novel designs, such as the above-mentioned nanorobots, have been applied for automated biofilm sampling. Furthermore, advancements in imaging and staining techniques for microbial cells and their biofilm formation have explored the use of photodynamic therapy (PDT)/photothermal therapy (PTT) and nanozymes that generate reactive oxygen species (ROS) for antibacterial and antibiofilm effects. These advancements aid in assessing the microbial conditions, facilitating the identification of caries-infected areas for timely preventive or early treatment interventions.

2.1 Magnetic robot-assisted biofilm sampling

Biofilm/saliva sampling and characterization are essential for understanding the microbial profile and risk/progression of dental caries. Generally, this process requires swabbing biofilms or collecting saliva from the oral cavity, followed by detailed microbial or microbiota analysis, which may enable early prediction, and then intervention of caries. Given that most of the current biofilm sampling approaches require direct manual operation in the oral cavity, they have difficulties or certain chances to cause errors in taking samples from inaccessible areas or non-compliant patients such as children. Hence, the application of nanomaterials may streamline biofilm sampling and retrieval in

hard-to-reach areas through straightforward yet reliable and efficient procedures, particularly beneficial for pediatric sampling.

For instance, the magnetic robot surface topography-adaptive robotic superstructures (STARS) could function for biofilm sampling by collecting and retrieving sufficient quantities of biofilm components using its extended bristle structure to mechanically sweep the biofilm with the assistance of a magnetic field generated by its electromagnet core (Fig. 1A). Subsequently, the microorganisms in the sampled biofilm could be analyzed by manifold diagnosis techniques, such as quantitative polymerase chain reaction and quantitative measurement of exoenzyme activity (Fig. 1B).²⁷ Meanwhile, the on-site visualization of biofilms is equally important in clinical examination for theranostic purposes, thereby user-friendly and cutting-edge techniques for biofilm imaging and staining have also been developed and implemented for managing dental caries effectively.

2.2 Nanomaterials with photoacoustic properties or aggregation-induced emission for biofilm imaging

Light-based therapies, such as PDT and PTT, have emerged as non-invasive treatment approaches that rely on producing ROS or heat, instead of antibiotics, to exert antibacterial effects. Recently, they have been synergistically utilized in diagnostics, leveraging the potential photoacoustic (PA) properties or aggregation-induced emission (AIE) for biofilm imaging. Typically, PA imaging combines optical illumination and ultrasound detection *via* the incorporation of special molecules for non-invasive monitoring. These special molecules absorb energy from a pulsed laser and convert it into heat, causing thermoelastic expansion and generating ultrasound waves, which are later converted into high-resolution images through a transdu-




Fig. 1 Magnetic robot-assisted biofilm sampling. (A) Demonstration of STARS bristles and entrained biofilm components. (B) Illustration of the collection workflow using STARS and further analysis. Reproduced with permission from ref. 27. Copyright 2022, the American Chemical Society.



cer system.²⁸ Gold nanocages, as a photosensitizer, have shown strong absorption in the near-infrared (NIR) light region, triggering both PTT and PA imaging.²⁹ Hajfathalian and colleagues reported that gold-in-gold cage photothermal nanoparticles (PTNP) coated with dextran could selectively target *S. mutans* biofilms (Fig. 2A). Specifically, under NIR irradiation, PTNP exhibited photothermal properties, rapidly killing *S. mutans* in the biofilms and generating strong contrast PA images for biofilm detection (Fig. 2B).³⁰

Moreover, the discovery of AIE³¹ has overcome the limitations of traditional fluorescence quenching, showing extensive potential in disease diagnosis and treatment.³² Aggregation-induced emission luminogens (AIEgens) can emit strong fluorescence in the aggregated state but not in the dispersed state.³¹ Previously, photosensitizers with AIE characteristics have been used in antimicrobial PDT to significantly enhance ROS generation.³³ Pan's group designed a type of cationic AIEgen to interact with negatively charged bacterial cell surfaces *via* electrostatic binding to selectively visualize *S. mutans*, while exerting anti-carries capability mediated by PDT (Fig. 2C and D).³⁴ Cationic pyridinium-substituted photosensitizers with AIE property possessed luminous fluorescence for biofilm visualization and efficient singlet oxygen generation ability for biofilm reduction under light irradiation.

Taken together, light-activated biofilm imaging and disruption *via* PA or AIE effects offer appealing prospects for implementing theranostic strategies for managing caries in a non-invasive and visually intuitive manner.

2.3 Nanozyme-induced colorimetric responses for detecting cariogenic bacteria/biofilms

Biofilm staining can be achieved through colorimetric methods mediated by pathogen interactions or pH changes. Notably, certain nanozymes possess peroxidase/oxidase-like activity, catalyzing hydrogen peroxide (H_2O_2) to generate ROS for antibacterial/anti-biofilm purposes,^{35–38} while these ROS can react with specific substrates to produce a discernible colorimetric readout. One typical substrate used in this type of reaction is 3,3',5,5'-tetramethylbenzidine (TMB), a widely employed chromogenic reagent in immunoassays. Upon exposure to ROS, the amine groups in TMB can be oxidized, shifting its color from colorless to blue.³⁹ Consequentially, the production of the blue-colored product can be quantified by measuring the absorbance at 625 nm. Hence, nanozymes can catalyze antibacterial/antibiofilm treatments and colorimetric staining of biofilms, making them serve as potent theranostic reagents for differentiating and eliminating cariogenic bacterial cells/biofilms.





Fig. 2 Biofilm imaging using nanomaterials with photoacoustic properties or aggregation-induced emission. (A) Evaluation of bacterial killing effects of PTNP on *S. mutans* using PTT. (B) Representative PA images of teeth with stronger signals after PTNP treatment. Reused from ref. 30. (C) Images of planktonic and biofilms of *S. mutans* stained by synthesized AIEgens, 4-(7-(2-(1-methyl-1H-pyridin-4-yl)vinyl)-2,3-dihydrothieno[3,4-b][1,4]dioxin-5-yl)-N,N-diphenylaniline (TDTPY). (D) Assessment of anti-carries effects of TDTPY using rodent caries models. Reproduced with permission from ref. 34. Copyright 2024, the American Chemical Society.



Followed by TMB oxidation, the corresponding responses from different cariogenic bacteria were analyzed and converted into visualized graphics using LDA and HCA. Similarly, single-atom nanozymes (SANs) exhibited excellent performances in identifying mixed cariogenic bacteria in artificial saliva samples with the assistance of machine learning (Fig. 3C).⁴² Particularly, different cariogenic bacteria could increase the oxidase-like activity of iron (Fe)–nitrogen (N)–carbon (C) SANs and reduced the activity of Fe–N–C SANs reconstructed with urea to various levels, resulting in varying colorimetric responses correlated as unique "fingerprints". Therefore, a colorimetric sensor array was developed based on the "fingerprint" examination and the results were analyzed and distinguished by machine learning, enabling the cost-effective, precise, and high throughput differentiation and identification of cariogenic bacteria.

Mechanical removal of dental plaque by toothbrushing and flossing is the most common and effective strategy in oral health care, owing to its simplicity, accessibility and cost-effec-

tiveness. Following this approach, novel designs have been introduced to utilize specific nanomaterials for mechanochemical biofilm clearance by actively generating mechanical force and integrating antibacterial/antibiofilm agents. Currently, there are two main materials being employed, micro/nano-robots and ultrasonic irradiation-based mechanochemical nanomaterials, demonstrating great potential for biofilm clearance through multiple mechanisms, which makes them ideal candidates for cariogenic biofilm elimination.

3.1 Magnetic nanoparticle-based multifunctional robots

Robots on the micro- and nanoscale are capable of operating in confined space and delivering drugs on-site, attracting considerable attention for biofilm treatment recently. They can be automatically propelled by the involvement of various sources, either intrinsically, such as catalyst and biological cells, or extrinsically, such as light and magnetic fields.^{43,44} These sources can work alone or collectively, creating oscillating motions by generating localized forces to mechanically clear out biofilms. Generally, magnetic materials, such as iron oxide nanoparticles (IONPs) and liquid metal droplets,⁴⁵ actuated by a magnetic field, can generate mechanical forces that facilitate the penetration and disruption of biofilms. This process is further enhanced by the employment of free radicals or active drugs, synergistically demonstrating a remarkable performance in cariogenic biofilm disruption.^{46–48} Previously, catalytic antimicrobial robots (CARs), based on magnetic IONPs, 1% H₂O₂ and EPS-degrading enzymes, were first developed by Hwang *et al.* for biofilm control to combat dental caries. This “kill-degrade-and-remove” robot system with both catalytic and antimicrobial capacities enabled the precise, efficient, and controllable treatment of *S. mutans* biofilms.⁴⁹ In particular, IONPs can act as a nanocatalyst with intrinsic peroxidase-like activity, catalyzing H₂O₂ to generate free radicals.³⁵ EPS-degrading enzymes, mutanase and dextranase can work

together to effectively break down the EPS structure,⁵⁰ facilitating bacterial killing within mature cariogenic biofilms. The magnetic IONPs assembled with biodegraded products, namely biohybrid CARs, could sweep across defined geometrical surfaces under magnetic control to prevent the recolonization of pathogens, thereby completely inhibiting biofilm formation.⁴⁹

In addition to eradicating biofilms, magnetic robots are also capable of handling the complex topographies of human teeth with irregular surfaces and positions. For example, Oh and co-workers synthesized reconfigurable STARS using a magnetic field-directed assembly of IONPs. Specifically, the dynamic telescoping bristle-like structures of STARS were controlled by a magnetic field coordinated by a programmable microcontroller to achieve multi-axis motion. These structures demonstrated multifunctional potential for eradicating cariogenic biofilms through “toothbrushing-like” and “flossing-like” behaviors and *in situ* catalysis-mediated antibacterial activity, allowing site-specific diagnosis and microbial sample retrieval (Fig. 4A).²⁷ Taken together, these studies demonstrate that self-supported magnetic robots using IONPs, in combination with enzymes, show great potential by generating mechanochemical effects against cariogenic biofilms.

3.2 Ultrasound-activated nano/micro materials

Sonochemistry, a field that investigates ultrasound (US)-induced physical and chemical effects for multiple applications, has been widely used in biomedicine, food industry, materials science, and environmental remediation.⁵¹ The implementation of ultrasound governs the collapse of microbubbles to induce acoustic cavitation in most liquid media, making it a novel strategy for the mechanochemical disruption for biofilms.^{52,53} Therefore, the incorporation of US irradiation through ultrasonic toothbrushes has become an increasingly attractive approach for the management of dental caries.




Fig. 4 Magnetic nanoparticle-based multifunctional robots for mechanochemical biofilm removal. (A) Schematic of the development of STARS with topography-adaptive and stiffness-controllable bristles for catalytic killing, mechanical scrubbing and pathogen sampling. Reused with permission from ref. 27. Copyright 2022, the American Chemical Society. (B) Schematic demonstrating the procedures for the synthesis/fabrication of the microreactors, US-induced cascade reactions for augmented ROS generation, and topical application of the microreactors for biofilm disruption with ultrasonic toothbrush irradiation. Reprinted with permission from ref. 58. Copyright 2023, Wiley-VCH GmbH.

In recent years, researchers have explored various approaches for developing other fluoride-loaded nanoparticles.^{69–71} One strategy involves loading NaF into diverse nanoplatforms to achieve synergistic functions. For example, NaF was co-loaded with antimicrobial molecules such as tannic, into a pH-responsive spherical polymeric micelles (3-maleimidopropionic acid-poly(ethylene glycol)-*block*-poly(L-lysine)/phenylboronic acid) with core-shell structures and conjugation of salivary-acquired peptide. This design endowed the polymeric micelles with essential features, such as intelligent release, cariogenic biofilm resistance and adherence of tooth surfaces.⁷² However, concerns have been raised regarding fluoride-loaded nanoparticles, including issues of insufficient loading and unpredictable release, which may lead to inappropriate and excessive fluoride usage. Thus, to address these concerns, Huang and colleagues found that stannous fluoride (SnF₂) could be stabilized by an FDA-approved iron oxide nanoparticle formulation named ferumoxylol (FerIONP). The binding between Sn and carboxylate groups of FerIONP could enhance its catalytic activity, and simultaneously improve the anticaries effects of SnF₂. This synergy resulted in the development of the Fe/SnF₂ nanocomplex, which, despite containing lower fluoride concentration, demonstrated significant anti-caries effects by controlling biofilm formation through the catalytic activity of Fe and utilizing the novel Fe/Sn/F-rich film formed on the tooth surface to prevent demineralization and promote remineralization.⁷³ Thus, nanomaterials with stable fluoride delivery and antibacterial/anti-biofilm functionality have the potential to provide superior anti-caries effects with low fluoride concentrations, holding promising prospects for effective caries management in the future.

4.2 Nanoparticles for delivering calcium and phosphate


The supplementation of Ca²⁺ and PO₄^{3−} on the tooth surface is the basis for promoting remineralization. Owing to the versatile properties of nanoparticles, such as efficient encapsulation of effector molecules and controlled and/or sustainable releasing of payloads, they have been extensively studied and developed to integrate calcium phosphate for remineralization. The typical nanocarriers used in this field include organic nanoparticles, such as chitosan and polymer nanoparticles, as well as inorganic nanoparticles, such as mesoporous silica nanomaterials. Importantly, these nanocarriers, either possessing inherent antimicrobial properties or loaded with additional antimicrobial agents, can demonstrate antimicrobial/anti-biofilm effects and promote remineralization *via* encapsulated Ca²⁺ and PO₄^{3−} ions to treat dental caries in a synergistic manner.

4.2.1 Amorphous calcium phosphate-based nanocomplexes. Transient amorphous calcium phosphate (ACP) has been identified in newly formed enamel minerals as the precursor of HAP crystals, with its orientation guided by an organic framework during the enamel mineralization process.^{74,75} Specifically, ACP agents are capable of releasing high levels of Ca²⁺ and PO₄^{3−} for the remineralization process,

showing potential for preventing and treating enamel demineralization and obstructing dentin tubules.^{76,77} However, ACP exhibits limited stabilities in preserving its temporary form in aqueous solution, while lacking antimicrobial abilities, significantly reducing their applicability for further use. Meanwhile, the sole ACP application often overlooks the presence of cariogenic biofilms in caries-affected areas, diminishing its remineralization ability and impairing treatment outcomes. Therefore, dual/multi-functional ACP nanocomposites/nanosystems have been mainly developed by (i) stabilizing ACP with molecules possessing antibacterial properties into nanostructures or (ii) loading/incorporating ACP with functional molecules into existing nanomaterials with or without antimicrobial capacity to achieve both remineralization and antimicrobial/biofilm inhibition.

A variety of biomacromolecules and polymers (*e.g.*, amelogenin and its analogs,^{78,79} casein phosphopeptides,⁸⁰ polyelectrolyte,⁸¹ and amyloid-like protein⁸²) has been developed based on the biomineralization process of dental hard tissues to stabilize ACP and prevent its transformation into the final apatite crystalline mineral through surface adsorption or ion substitution. Notably, several molecules, such as carboxymethyl chitosan (CMC), zwitterionic poly(carboxybetaine acrylamide) (PCBAA) and epigallocatechin gallate (EGCG), are capable of conferring antimicrobial and antibiofilm properties to ACP-based nanocomplexes, while simultaneously stabilizing ACP state. Among them, CMC is a derivative of chitosan with improved solubility by introducing carboxymethyl groups in its structure. Yao *et al.* demonstrated that CMC-based materials, such as CMC-containing dental adhesive, possessed anti-adhesion properties against *S. mutans*.⁸³ Meanwhile, the carboxyl groups in the CMC structure could sequester Ca²⁺ and stabilize ACP by forming nanocomplexes, contributing to the enamel remineralization and dentin tubule occlusion.^{84–86} Furthermore, the nanocomplexes could inhibit the adhesion of cariogenic pathogen and formation of biofilms on enamel without bactericidal activity, indicating an oral microbiota-friendly approach.⁸⁷ Likewise, zwitterionic carboxybetaine polymers such as PCBAA offer excellent biocompatibility and antifouling properties, inhibiting bacterial adhesion and biofilm formation of *S. mutans*.^{88,89} In particular, their positively charged quaternary ammonium groups can both suppress the growth of the bacteria and adsorb negatively charged ions such as PO₄^{3−}, while the structural carboxyl groups can bind with Ca²⁺ *via* electrostatic attraction. Therefore, the PCBAA/ACP nanocomposites with superior stability could effectively prevent *S. mutans* adhesion, eliminate the bacteria under acidic conditions, and enhance enamel remineralization and dentinal tubule occlusion (Fig. 5A).⁹⁰ Meanwhile, similar properties can also be observed in the multi-functional natural polyphenolic substance EGCG. Studies have shown that EGCG treatment can reduce planktonic growth and the biofilm virulence of *S. mutans*, including acidogenesis and EPS production.^{91–93} Specifically, the phenolic hydroxyl groups of EGCG could interact with Ca²⁺ and form an EGCG-stabilized ACP nanocomposite, which possessed pH-responsive release





Besides using antimicrobial molecules to directly stabilize ACP and forming nanocomplexes with antimicrobial/antibiofilm properties, ACP-based nanomaterials can also be conveniently incorporated with antimicrobial agents to further enhance their overall effects, offering efficient methods for enamel remineralization and dentin tubule occlusion in the treatment of polymicrobial cariogenic biofilms. Inspired by the nanogel formed *via* electrostatic interactions between CMC and lysozyme,⁸⁶ a chimeric lysin ClyR with lytic activity against *S. mutans* biofilms⁹⁵ together with ACP was loaded into CMC-formed nanocarriers, fabricating the CMC-ClyR-ACP nanogel. This nanogel reduced the biofilm viability and promoted more efficient remineralization, while the enamel surface hardness could be preserved by synergistic actions of released ACP and ClyR evaluated in a biofilm-based demineralization cycling model.⁹⁶ In another study by Chen *et al.*, the incorporation of gold nanoparticles (AuNPs) into as-synthesized CMC/ACP nanohybrids conferred dual functions of bactericidal activity under acidic conditions and superior enamel remineralization.⁹⁷ Particularly, AuNPs with known enhanced antimicrobial and HAP crystal growth regulation characteristics, alongside CMC-ACP could collaboratively augment remineralization effects and showed biofilm destructive activity. Furthermore, ACP-based nanocomplexes combined with antibacterial agents were made for collaboratively managing dentin caries and hypersensitivity. Recently, an innovative work carried out by Yu and co-workers showed that the co-delivery of EGCG and polycation poly(allylamine) hydrochloride (PAH)-stabilized ACP using hollow mesoporous silica (HMS) (E/PA@HMS) could effectively inhibit *S. mutans* biofilm growth and provide durable dentin tubule sealing.⁹⁸ This versatile E/PA@HMS nanosystem enabled the successful PAH-directed intrafibrillar mineralization of collagen with ACP,⁸¹ while providing an efficient delivery carrier for the storage and

4.2.2 Hydroxyapatite nanoparticles. HAP, the chemical analogue of the inorganic component of enamel, is a bioactive ceramic material with the formulation of $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$. Research has shown that nano-sized HAP particles have multiple functions in preventing caries. HAP nanoparticles (nHAP) have strong adsorption capabilities on enamel, and as a calcium phosphate reservoir, exhibit significant remineralization effects by releasing calcium and (hydrogen) phosphate ions.^{100–102} This property has been extensively evaluated in oral care products and dental materials, such as toothpaste,^{103,104} dental floss¹⁰⁵ and resin infiltrant.¹⁰⁶

Studies have indicated that the presence of biofilm layers significantly influences the remineralization effects of nHAP.¹⁰⁷ However, the investigations into antimicrobial/anti-biofilm capacities suggest that by reducing the agglomeration of nHAP, the disaggregated nHAP (DnHAP) could inhibit bacterial growth and biofilm formation of *S. mutans* compared to micro-HAP and untreated nHAP.¹⁰⁸ Furthermore, DnHAP could decrease biofilm metabolism and lactic acid production, while strongly inhibiting enamel demineralization in the regrown biofilm models.¹⁰⁹ Therefore, nHAP shows great potential as a substitute of fluoride agents, while its size and

synthesis require precise control for obtaining bifunctional particles.

In addition, nHAP has been co-delivered or conjugated with diverse molecules into multifunctional nanosystems for more effectively combating dental caries through synergistic antibacterial and remineralization effects. For example, nHAP and EGCG were co-loaded into mesoporous silica nanoparticles to create dentin bio-barriers, demonstrating good permeability and occlusion into dentin tubules, as well as inhibiting *S. mutans* biofilms by released EGCG.¹¹⁰ Moreover, photosensitizers have been incorporated into nanocomposites for antibacterial PDT with the addition of nHAP for remineralization. For instance, a nanosystem consisting of quaternary chitosan (QCS)-coated nHAP loaded with chlorin e6 (Ce6), denoted as Ce6@QCS/nHAP, was developed to eradicate *S. mutans* biofilms and protect enamel from demineralization through QCS-guided biofilm penetration and interaction with *S. mutans*, Ce6-mediated photodynamic killing, and nHAP-induced demineralization inhibition.¹¹¹ Likewise, titanium dioxide (TiO₂), activated by a dental curing lamp (385–515 nm) as a photosensitizer, together with nHAP, showed anti-bacterial activity upon exposure to a light-emitting diode and remineralization capacity by increasing the Ca/P ratio of the demineralized enamel surface.¹¹² Accordingly, nHAP functions as a bio-compatible reservoir of calcium and phosphate ions and represents a promising anti-caries agent for clinical applications.

4.2.3 Other nanosystems loading calcium phosphate (CaP). Calcium and phosphate ions can be loaded by some organic nanomaterials possessing antibacterial/antibiofilm capabilities, which can be converted to other forms, and eventually released for mineralization. For example, Yuan and colleagues synthesized antibacterial PNPDC/PGA nanogels by physically cross-linking *p*(*N*-isopropylacrylamide-*co*-2-methacryloyloxyethyl-trimethyl ammonium chloride) (PNPDC) copolymers with γ -polyglutamic acid (PGA), followed by the addition of calcium and phosphate ions and subsequent mineralization into low-crystallinity HAP. The resultant CaP-loaded PNPDC/PGA nanogels served as a multifunctional biomimetic system for dentin remineralization.¹¹³ Moreover, Li *et al.* developed a CaP coating on the surface of Mg-MOF@PDA particles by chelation of polydopamine (PDA), where a pH-responsive metal-organic framework (MOF) synthesized from magnesium (Mg) and gallic acid (GA) was coated with PDA. The antibacterial compound, GA, together with calcium and phosphate ions, was released from MOF in response to the acidic conditions induced by cariogenic biofilms. Furthermore, the photothermal sterilization activated by near infrared light could eradicate biofilms, while simultaneously facilitating the accumulation of Mg²⁺, Ca²⁺ and PO₄³⁻ to promote self-repairing of demineralized enamel.¹¹⁴ Therefore, CaP can be co-loaded into multifunctional nanosystems to provide ionic feedstock for biomimetic mineralization processes.

4.3 Novel protein nanofilm coating formed through amyloid-like aggregation

Recently, nanofilms formed through amyloid-like aggregation of protein have gained significant attention in the field of den-

tistry due to their ability to promote biomineralization and offer antifouling/antibacterial functions. Initially, Yang and colleagues discovered that lysozyme can undergo a phase transition and amyloid-like aggregation, transitioning from the soluble state to protein thin films (PTFs) through breaking the disulfide bonds in the presence of a disulfide reducing agent, tris(2-carboxyethyl) phosphine (TCEP).¹¹⁵ Surprisingly, the lysozyme-based PTFs could transform into a nanofilm-coating *via* simple one-step aqueous assembly, adhering stably to various surfaces, while exhibiting multifunctionality.¹¹⁶ The phase-transition lysozyme (PTL) nanofilms, enriched with arginine and tryptophan residues, demonstrated enhanced broad-spectrum antimicrobial efficacy.¹¹⁷ Additionally, due to the presence of abundant carboxyl and hydroxyl groups of PTL nanofilms for Ca²⁺ binding, they could effectively promote the biomimetic mineralization of HAP crystals.¹¹⁸

Remarkably, through the conjugation of the antifouling agent polyethylene glycol (PEG) with lysozyme, the as-obtained lyso-PEG oligomers could efficiently bind to HAP, forming nanofilms that rapidly coat the deep dentin tubular wall. These unique properties enabled the nanofilms to prevent *S. mutans* adherence, and significantly enhanced the occlusion of dentinal tubules, offering a potential treatment for dentin hypersensitivity (Fig. 6A).¹¹⁹ In addition, lyso-PEG could penetrate pits and fissures in teeth and promote enamel epitaxial growth with mechanical stability similar to natural enamel. The remineralized enamel-like layers exhibited bactericidal properties, which may be attributed to the antibiofilm capacity of PEG, the positive charge enrichment of the lysozyme nanofilms, and the disruption of EPS by the formed nanostructures.¹²⁰ Moreover, Fang and colleagues developed lysozyme nanofilms on tooth enamel, incorporating the antimicrobial peptide polyphemusin I (PI), which enhanced the bactericidal capacity, inhibited biofilm formation of *S. mutans*, prevented demineralization and promoted remineralization (Fig. 6B).¹²¹ Collectively, the lysozyme nanofilm coating formed through amyloid-like aggregation exhibited superior adhesive and remineralization capabilities for both enamel and dentin, offering immobilization sites for anchoring antibacterial agents to achieve synergistic functions.

Besides lysozyme-based nanofilms, other proteins can also form phase-transition nanofilms through amyloid-like aggregation. For instance, the intramolecular disulfide bonds of bovine serum albumin (BSA) could be rapidly reduced by TCEP, resulting in the formation of a robust antifouling proteinaceous nanofilm coating through amyloid-like aggregation.¹²² When BSA nanofilms were loaded with the cationic antibacterial agent octenidine (OCT), a phase-transited BSA-OCT (PTB-OCT) coating was formed, which efficiently covered teeth, resin composite and sealant surfaces through simple smearing. The PTB-OCT coating offered dual benefits, including the remineralization of demineralized enamel and dentin, while providing antibiofilm properties to prevent primary and secondary caries.¹²³ Likewise, a lactoferrin-derived amyloid (PTLF) nanofilm was developed as a bifunctional coating inspired by the saliva-acquired membrane (SAP), but unlike SAP, the PTLF nanofilm coating could inhibit






Fig. 6 Bifunctional lysozyme-based nanofilm coating formed through amyloid-like aggregation. (A) Schematic showing that lyso-PEG oligomers rapidly coated the deep dentin tubular wall to form nanofilms, demonstrating antifouling surfaces to prevent *S. mutans* adherence and significantly enhancing the occlusion of dentinal tubules after nucleation and crystallization. Reproduced from ref. 119. Copyright 2019, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim. (B) Graphic abstract demonstrating that phase-transition lysozyme nanofilms, absorbing an antimicrobial peptide, coated on the enamel to kill *S. mutans* for effective caries prevention. Reprinted with permission from ref. 121. Copyright 2022, Elsevier.

the adhesion of cariogenic bacteria, such as *S. mutans* and *Lactobacillus acidophilus*, while concurrently promoting *in situ* dentin remineralization.¹²⁴ In summary, the utilization of nanofilm coatings formed through amyloid-like protein aggregation provides a promising research avenue for the development of novel anti-caries materials. These coatings possess exceptional features, including simple and efficient synthesis, robust stability, strong adhesion to dental hard tissues and restorative materials, flexible structural modification, and the ability to promote mineralization, as well as offer antimicrobial capabilities.

5 Conclusions and perspectives

Currently, the focus of dental caries management is transitioning from reactive to proactive prevention. The precision dentistry emphasizes the unique risk factors brought by the patient, thereby advocating tailor-made preventive and treatment plans, which enable early detection and intervention, targeted therapies, and minimal interventions for the efficient and non-invasive treatment of dental caries. Meanwhile, the development of innovative nanomedicines to combat dental caries in multiple aspects aligns with the advanced concepts raised in caries treatment. Herein, we summarized the noteworthy strategies of developing nanomaterials to prevent and treat dental caries from different levels, such as simultaneously detecting and disrupting cariogenic pathogens within biofilms through nanomedicines with diagnostic capabilities, removing biofilms through a mechanochemical mechanism using magnetic nanorobots or ultrasound-responsive materials, and eradicating bacteria/biofilms, while promoting remineralization using multifunctional nanomaterials.

Moreover, together with the enriched understanding in this field, the importance of healthy oral microbiome has been

emphasized in maintaining oral health and preventing caries. Therefore, ecological preventive approaches aiming for long-term caries control have been proposed. Suppressing/neutralizing the virulence factors of cariogenic pathogens/biofilms, while preserving microbe viability or specifically targeting the cariogenic pathogens without interfering with oral microbiota are representative and promising approaches of this topic. Hence, we propose several aspects for the future development and optimization of novel nanosystems/nanomedicines in dental caries treatments, as follows:

(1) Improving biofilm removal efficiency using chemotherapeutic agent-free approaches such as mechanically disrupting biofilm structures using nanoparticles with specific surface properties or shapes, or dismantling biofilms from the tooth surface by nano-based "bulldozers" driven by remote force, such as magnetic field or ultrasound.

(2) Enabling early diagnosis and prevention to achieve the cost-effective management of dental caries by (i) constructing multifunctional theranostic nanomedicines for detecting early lesions and releasing therapeutic agents to promote remineralization or (ii) developing nanomedicines with pH-responsive properties to release therapeutic payloads such as acid neutralizer and remineralization agents in response to the changes of pH.

(3) Designing nanosystems with anti-virulence effects to combat dental caries, while preserving the oral microbiota *via* (i) targeted delivery of effector molecules to suppress virulence factors or constrain the growth of cariogenic pathogens and (ii) controlled release system to deliver anti-virulence agents in a sustained mode.

Taken together, the use of nanomedicines for treating dental caries offers numerous advantages, and ongoing research and development in this field accelerate the emergence of more effective and personalized approaches for caries management. By harnessing the unique characteristics of nanoparticles, the development of nanomedicines capable of



treating dental caries at different levels can benefit dentistry to improve the treatment efficiency and patient outcomes in the management of dental caries. Further studies on the safety, efficacy, and long-term effects of nanomedicines are essential for their subsequent clinical translation and broad utilization in dental practice.

Abbreviations

EPS	Extracellular polymeric substances
NPs	Nanoparticles
IONPs	Iron oxide nanoparticles
CARs	Catalytic antimicrobial robots
STARS	Surface topography-adaptive robotic superstructures
US	Ultrasound
PFH	Perfluorohexane
ROS	Reactive oxygen species
CaO ₂ TA-Fe	Iron-tannin modified calcium peroxide
PLGA	Poly(lactide-co-glycolide)
CPP-ACP	Casein phosphopeptide-amorphous calcium phosphate
nano-CaF ₂	Nano-sized calcium fluoride
NSF	Nano silver fluoride
FerIONP	Ferumoxytol
CaP	Calcium phosphate
ACP	Amorphous calcium phosphate
PNPDC	<i>p</i> (<i>N</i> -Isopropylacrylamide-co-2-methacryloylox-yethyl-trimethyl ammonium chloride)
PGA	Polyglutamic acid
MOF	Metal-organic frameworks
HAP	Hydroxyapatite
CMC	Carboxymethyl chitosan
PCBAA	Poly(carboxybetaine acrylamide)
EGCG	Epigallocatechin gallate
AuNPs	Gold nanoparticles
PAH	Poly(allylamine) hydrochloride
HMS	Hollow mesoporous silica
E/PA@HMS	EGCG and polycation poly(allylamine) hydro-chloride (PAH)-stabilized ACP using hollow mesoporous silica (HMS)
VMT	Vermiculite
nHAP	Hydroxyapatite nanoparticles
DnHAP	Disaggregated nHAP
QCS	Quaternary chitosan
PDT	Photodynamic therapy
Ce6	Chlorin e6
Ce6@QCS/ nHAP	Quaternary chitosan (QCS)-coated nHAP loaded with chlorin e6
PTFs	Protein thin films
TCEP	Tris(2-carboxyethyl) phosphine
PTL	Phase-transition lysozyme
PEG	Polyethylene glycol
PI	Polyphemusin I
BSA	Bovine serum albumin

OCT	Octenidine
SAP	Saliva-acquired membrane
PTT	Photothermal therapy
PA	Photoacoustic
AIE	Aggregation-induced emission
NIR	Near-infrared
PTNP	Photothermal nanoparticles
AIEgens	Aggregation-induced emission luminogens
TDTPY	4-(7-(2-(1-Methyl-1H-pyridin-4-yl)vinyl)-2,3-dihydrothieno[3,4- <i>b</i>][1,4]dioxin-5-yl)- <i>N,N</i> -diphenylaniline
TMB	3,3',5,5'-Tetramethylbenzidine
LDA	Linear discriminant analysis
HCA	Hierarchical clustering analysis
SANs	Single-atom nanozymes

Data availability

Data sharing is not applicable to this article as no datasets were generated or analysed during the current study.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the Health and Medical Research Fund (09203776) and Hong Kong Baptist University (RMGS-2022-13-07). The schematic figure and table of content graphical abstract were created in BioRender. Science Suite Inc. dba BioRender ("BioRender") has granted Xuan Li permission to use the Graphics in accordance with BioRender's Terms of Service and Academic License Terms.

References

- 1 H. Benzian, R. Watt, Y. Makino, N. Stauf and B. Varenne, *Lancet*, 2022, **400**, 1909–1910.
- 2 P. Y. F. Wen, M. X. Chen, Y. J. Zhong, Q. Q. Dong and H. M. Wong, *J. Dent. Res.*, 2022, **101**, 392–399.
- 3 I. A. Mjör, J. E. Moorhead and J. E. Dahl, *Int. Dent. J.*, 2000, **50**, 361–366.
- 4 I. Nedeljkovic, J. De Munck, A. Vanloy, D. Declerck, P. Lambrechts, M. Peumans, W. Teughels, B. Van Meerbeek and K. L. Van Landuyt, *Clin. Oral Investig.*, 2020, **24**, 683–691.
- 5 B. T. Rosier, M. De Jager, E. Zaura and B. P. Krom, *Front. Cell. Infect. Microbiol.*, 2014, **4**, 92.
- 6 N. Takahashi and B. Nyvad, *J. Dent. Res.*, 2011, **90**, 294–303.



- 50 Z. Ren, D. Kim, A. J. Paula, G. Hwang, Y. Liu, J. Li, H. Daniell and H. Koo, *J. Dent. Res.*, 2019, **98**, 322–330.
- 51 C. Siebenmorgen, A. Poortinga and P. van Rijn, *Ultrason. Sonochem.*, 2023, **100**, 106630.
- 52 G. LuTheryn, C. Hind, C. Campbell, A. Crowther, Q. Wu, S. B. Keller, P. Glynne-Jones, J. M. Sutton, J. S. Webb, M. Gray, S. A. Wilks, E. Stride and D. Carugo, *Front. Cell. Infect. Microbiol.*, 2022, **12**, 956808.
- 53 W. Xiu, L. Ren, H. Xiao, Y. Zhang, D. Wang, K. Yang, S. Wang, L. Yuwen, X. Li, H. Dong, Q. Li, Y. Mou, Y. Zhang, Z. Yin, B. Liang, Y. Gao and L. Wang, *Sci. Adv.*, 2023, **9**, eade5446.
- 54 R. Ramesh, C. Thimonier, S. Desgranges, V. Faugeras, F. Coulouvrat, J. Laurent, G. Marrelec, C. Contino-Pépin, W. Urbach, C. Tribet and N. Taulier, *Langmuir*, 2023, **39**, 15716–15729.
- 55 L. Xin, C. Zhang, J. Chen, Y. Jiang, Y. Liu, P. Jin, X. Wang, G. Wang and P. Huang, *ACS Appl. Mater. Interfaces*, 2022, **14**, 47420–47431.
- 56 R. Yang, H. Zhang, Y. Chen, L. Zhang, J. Chu, K. Sun, C. Yuan and K. Tao, *ACS Appl. Mater. Interfaces*, 2024, **16**, 21582–21594.
- 57 R. Yang, H. Zhang, Z. Marfavi, Q. Lv, Y. Han, K. Sun, C. Yuan and K. Tao, *ACS Appl. Mater. Interfaces*, 2024, **16**, 3126–3138.
- 58 J. Guo, M. Liu, W. Lei, Y. Xu, K. Li, J. Yu, Y. Sun, C. Huang and X. Zhang, *Adv. Funct. Mater.*, 2023, **33**, 2213729.
- 59 J. Moradian-Oldak and A. George, *J. Dent. Res.*, 2021, **100**, 1020–1029.
- 60 N. Philip, *Caries Res.*, 2018, **53**, 284–295.
- 61 Y. Y. Zhang, Q. L. Li and H. M. Wong, *Crystals*, 2021, **11**, 1385.
- 62 H. P. Whelton, A. J. Spencer, L. G. Do and A. J. Rugg-Gunn, *J. Dent. Res.*, 2019, **98**, 837–846.
- 63 C. M. Carey, *J. Evid. Based Dent. Pract.*, 2014, **14**(Suppl), 95.
- 64 L. Sun and L. C. Chow, *Dent. Mater.*, 2008, **24**, 111–116.
- 65 S. Kulshrestha, S. Khan, S. Hasan, M. E. Khan, L. Misba and A. U. Khan, *Appl. Microbiol. Biotechnol.*, 2016, **100**, 1901–1914.
- 66 A. Rosenblatt, T. C. M. Stamford and R. Niederman, *J. Dent. Res.*, 2009, **88**, 116–125.
- 67 A. G. R. Targino, M. A. P. Flores, V. E. dos Santos Junior, F. de Godoy Bené Bezerra, H. de Luna Freire, A. Galembeck and A. Rosenblatt, *J. Mater. Sci. Mater. Med.*, 2014, **25**, 2041–2047.
- 68 C. Pushpalatha, K. V. Bharkhavy, A. Shakir, D. Augustine, S. V. Sowmya, H. A. Bahammam, S. A. Bahammam, N. H. Mohammad Albar, B. Zidane and S. Patil, *Front. Bioeng. Biotechnol.*, 2022, **10**, 931327.
- 69 S. Nguyen, C. Escudero, N. Sediqi, G. Smistad and M. Hiorth, *Eur. J. Pharm. Sci.*, 2017, **104**, 326–334.
- 70 M. Iafisco, L. Degli Esposti, G. B. Ramírez-Rodríguez, F. Carella, J. Gómez-Morales, A. C. Ionescu, E. Brambilla, A. Tampieri and J. M. Delgado-López, *Sci. Rep.*, 2018, **8**, 17016.
- 71 H. Samarehfecri, M. Ranjbar, A. Pardakhty and A. Amanatfard, *J. Cluster Sci.*, 2020, **31**, 453–461.
- 72 Y. Xu, Y. You, L. Yi, X. Wu, Y. Zhao, J. Yu, H. Liu, Y. Shen, J. Guo and C. Huang, *Bioact. Mater.*, 2022, **20**, 418–433.
- 73 Y. Huang, Y. Liu, N. K. Pandey, S. Shah, A. Simon-Soro, J. C. Hsu, Z. Ren, Z. Xiang, D. Kim, T. Ito, M. J. Oh, C. Buckley, F. Alawi, Y. Li, P. J. M. Smeets, S. Boyer, X. Zhao, D. Joester, D. T. Zero, D. P. Cormode and H. Koo, *Nat. Commun.*, 2023, **14**, 6087.
- 74 E. Beniash, R. A. Metzler, R. S. K. Lam and P. U. P. A. Gilbert, *J. Struct. Biol.*, 2009, **166**, 133–143.
- 75 S. Habelitz and Y. Bai, *J. Dent. Res.*, 2021, **100**, 1434–1443.
- 76 J. Li, X. Xie, Y. Wang, W. Yin, J. S. Antoun, M. Farella and L. Mei, *J. Dent.*, 2014, **42**, 769–777.
- 77 C. Berg, E. Unosson, H. Engqvist and W. Xia, *ACS Biomater. Sci. Eng.*, 2020, **6**, 3599–3607.
- 78 Q. Ruan, Y. Zhang, X. Yang, S. Nutt and J. Moradian-Oldak, *Acta Biomater.*, 2013, **9**, 7289–7297.
- 79 J. Wang, Z. Liu, B. Ren, Q. Wang, J. Wu, N. Yang, X. Sui, L. Li, M. Li, X. Zhang, X. Li and B. Wang, *J. Mater. Sci. Mater. Med.*, 2021, **32**, 115.
- 80 K. J. Cross, N. L. Huq, J. E. Palamara, J. W. Perich and E. C. Reynolds, *J. Biol. Chem.*, 2005, **280**, 15362–15369.
- 81 L. Niu, S. E. Jee, K. Jiao, L. Tonggu, M. Li, L. Wang, Y. Yang, J. Bian, L. Breschi, S. S. Jang, J. Chen, D. H. Pashley and F. R. Tay, *Nat. Mater.*, 2017, **16**, 370–378.
- 82 D. Wang, J. Deng, X. Deng, C. Fang, X. Zhang and P. Yang, *Adv. Mater.*, 2020, **32**, 2002080.
- 83 S. Yao, S. Chen, R. Wang, K. Zhang, X. Lin and S. Mai, *Int. J. Adhes. Adhes.*, 2022, **119**, 103269.
- 84 Z. Chen, S. Cao, H. Wang, Y. Li, A. Kishen, X. Deng, X. Yang, Y. Wang, C. Cong, H. Wang and X. Zhang, *PLoS One*, 2015, **10**, e0116553.
- 85 Z. Xiao, K. Que, H. Wang, R. An, Z. Chen, Z. Qiu, M. Lin, J. Song, J. Yang, D. Lu, M. Shen, B. Guan, Y. Wang, X. Deng, X. Yang, Q. Cai, J. Deng, L. Ma, X. Zhang and X. Zhang, *Dent. Mater.*, 2017, **33**, 1217–1228.
- 86 J. Song, H. Wang, Y. Yang, Z. Xiao, H. Lin, L. Jin, Y. Xue, M. Lin, F. Chen, M. Zhu, Y. Zhao, Z. Qiu, Y. Li and X. Zhang, *J. Mater. Sci. Mater. Med.*, 2018, **29**, 84.
- 87 J. He, Y. Bao, J. Li, Z. Qiu, Y. Liu and X. Zhang, *J. Dent.*, 2019, **80**, 15–22.
- 88 M. Lee, H. Kim, J. Seo, M. Kang, S. Kang, J. Jang, Y. Lee and J.-H. Seo, *Appl. Surf. Sci.*, 2018, **427**, 517–524.
- 89 D. Kim, M.-J. Lee, J.-Y. Kim, D. Lee, J.-S. Kwon and S.-H. Choi, *Sci. Rep.*, 2019, **9**, 19550.
- 90 J. He, J. Yang, M. Li, Y. Li, Y. Pang, J. Deng, X. Zhang and W. Liu, *ACS Nano*, 2022, **16**, 3119–3134.
- 91 M. Schneider-Rayman, D. Steinberg, R. V. Sionov, M. Friedman and M. Shalish, *BMC Oral Health*, 2021, **21**, 447.
- 92 S. Han, Y. Abiko, J. Washio, Y. Luo, L. Zhang and N. Takahashi, *Caries Res.*, 2021, **55**, 205–214.
- 93 M. G. B. Aragão, X. He, C. P. Aires and S. A. M. Corona, *Arch. Oral Biol.*, 2024, **164**, 105990.



- 94 D. Dai, J. Wang, H. Xie and C. Zhang, *Mater. Today Bio*, 2023, **21**, 100715.
- 95 H. Yang, Y. Bi, X. Shang, M. Wang, S. B. Linden, Y. Li, Y. Li, D. C. Nelson and H. Wei, *Antimicrob. Agents Chemother.*, 2016, **60**, 7436–7443.
- 96 Y. Zhu, J. Yan, B. M. Mujtaba, Y. Li, H. Wei and S. Huang, *Eur. J. Oral Sci.*, 2021, **129**, e12784.
- 97 X. Chen, H. Liu, Q. Zhang, X. Chen, L. Wang, Y. Yu and Y. Hao, *Front. Bioeng. Biotechnol.*, 2024, **12**, 1421887.
- 98 J. Yu, H. Bian, Y. Zhao, J. Guo, C. Yao, H. Liu, Y. Shen, H. Yang and C. Huang, *Bioact. Mater.*, 2023, **23**, 394–408.
- 99 Y. Xu, J. Mou and J. Dai, *J. Nanobiotechnol.*, 2024, **22**, 490.
- 100 H. Chen, B. H. Clarkson, K. Sun and J. F. Mansfield, *J. Colloid Interface Sci.*, 2005, **288**, 97–103.
- 101 L. Li, H. Pan, J. Tao, X. Xu, C. Mao, X. Gu and R. Tang, *J. Mater. Chem.*, 2008, **18**, 4079–4084.
- 102 F. Cieplik, C. M. Rupp, S. Hirsch, D. Muehler, J. Enax, F. Meyer, K. A. Hiller and W. Buchalla, *BMC Oral Health*, 2020, **20**, 85.
- 103 P. Tschoppe, D. L. Zandim, P. Martus and A. M. Kielbassa, *J. Dent.*, 2011, **39**, 430–437.
- 104 A. C. Ionescu, G. Cazzaniga, M. Ottobelli, F. Garcia-Godoy and E. Brambilla, *J. Funct. Biomater.*, 2020, **11**, 36.
- 105 N. Babayevska, M. Woźniak-Budych, J. Litowczenko, B. Peplińska, M. Jarek, P. Florczak, G. Bartkowiak, B. Czarnecka and S. Jurga, *Mater. Sci. Eng., C*, 2021, **124**, 112062.
- 106 D. M. Andrade Neto, E. V. Carvalho, E. A. Rodrigues, V. P. Feitosa, S. Sauro, G. Mele, L. Carbone, S. E. Mazzetto, L. K. Rodrigues and P. B. A. Fechine, *Dent. Mater.*, 2016, **32**, 784–793.
- 107 M. Zhang, L. B. He, R. A. M. Exterkate, L. Cheng, J. Y. Li, J. M. ten Cate, W. Crielaard and D. M. Deng, *J. Dent. Res.*, 2015, **94**, 602–607.
- 108 W. Luo, Y. Huang, X. Zhou, Q. Han, X. Peng, B. Ren, J. Li, M. Li and L. Cheng, *Dent. Mater.*, 2020, **36**, e207–e216.
- 109 Y. Huang, Q. Han, X. Peng, B. Ren, J. Li, X. Zhou, M. Li and L. Cheng, *J. Dent. Res.*, 2023, **102**, 777–784.
- 110 J. Yu, L. Yi, R. Guo, J. Guo, H. Yang and C. Huang, *Int. J. Nanomed.*, 2021, **16**, 3041–3057.
- 111 W. Guo, Y. Li, S. Wang, Y. Wang, C. Li, Y. Jin, Y. Li, X. Chen and W. Miao, *Colloids Surf., B*, 2023, **225**, 113242.
- 112 R. Wang, C. Jia, N. Zheng, S. Liu, Z. Qi, R. Wang, L. Zhang, Y. Niu and S. Pan, *Photodiagn. Photodyn. Ther.*, 2023, **42**, 103141.
- 113 R. Yuan, Y. Zhang, L. Liao, Y. Ge, W. Li and Q. Zhi, *Int. J. Nanomed.*, 2023, **18**, 4933–4947.
- 114 Q. Li, J. Liu, H. Liu, Y. Sun, Y. Xu, K. Wang, W. Huang, L. Liao and X. Wang, *Bioact. Mater.*, 2023, **29**, 72–84.
- 115 P. Yang, *Macromol. Biosci.*, 2012, **12**, 1053–1059.
- 116 D. Wang, Y. Ha, J. Gu, Q. Li, L. Zhang and P. Yang, *Adv. Mater.*, 2016, **28**, 7414–7423.
- 117 J. Gu, Y. Su, P. Liu, P. Li and P. Yang, *ACS Appl. Mater. Interfaces*, 2017, **9**, 198–210.
- 118 Y. Ha, J. Yang, F. Tao, Q. Wu, Y. Song, H. Wang, X. Zhang and P. Yang, *Adv. Funct. Mater.*, 2018, **28**, 1704476.
- 119 C. Li, D. Lu, J. Deng, X. Zhang and P. Yang, *Adv. Mater.*, 2019, **31**, 1903973.
- 120 X. Yang, J. Guo, B. Hu, Z. Li, M. Wu, H. Guo, X. Huang, X. Liu, X. Guo, P. Liu, Y. Chen, S. Li, Y. Gu, H. Wu, K. Xuan and P. Yang, *Adv. Healthcare Mater.*, 2022, **11**, 2200872.
- 121 Z. Fang, Y. Zhang, C. Y. Cao, Q. L. Li and H. M. Wong, *Mater. Des.*, 2022, **220**, 110891.
- 122 X. Hu, J. Tian, C. Li, H. Su, R. Qin, Y. Wang, X. Cao and P. Yang, *Adv. Mater.*, 2020, **32**, 2000128.
- 123 D. Lu, F. Li, C. Zhao, Y. Ye, X. Zhang, P. Yang and X. Zhang, *J. Dent. Res.*, 2023, **102**, 1315–1325.
- 124 B. Sun, J. Sun, K. Zhang, Y. Pang, C. Zhi, F. Li, Y. Ye, J. Wang, Y. Liu, J. Deng, P. Yang and X. Zhang, *Acta Biomater.*, 2024, **188**, 393–405.

