

PAPER

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *J. Mater. Chem. A*, 2025, **13**, 29060

Lanthanide L-edge spectroscopy of high-entropy oxides: insights into valence and phase stability

Gerald R. Bejger,^a Mary Kathleen Caucci,^b Saeed S. I. Almishal,^c Billy Yang,^c Jon-Paul Maria,^c Susan B. Sinnott^{bcde} and Christina M. Rost^{id*ac}

High-entropy oxides (HEOs) are a promising class of multicomponent ceramics with tunable structural and electronic properties. In this study, we investigate the local electronic structure of rare-earth HEOs in the (Ce, Sm, Pr, La, Y)O₂ system using X-ray absorption spectroscopy (XAS). By systematically increasing the Ce concentration, we observe a phase transition from bixbyite to fluorite, tracked by X-ray diffraction (XRD) and corroborated by L-edge XANES analysis of La, Sm, Ce, and Pr. The oxidation states of La and Sm remain trivalent, while Ce exhibits a minor Ce³⁺ fraction and Pr shows a consistent mixed-valence state. Density functional theory (DFT) calculations with Bader charge analysis support these findings and reveal that the phase transition is driven by compositional effects rather than cation redox. Our combined experimental and computational approach provides new insights into structure-valence correlations in RE-HEOs and their implications for ionic transport and phase stability.

Received 12th May 2025
Accepted 30th July 2025

DOI: 10.1039/d5ta03815d

rsc.li/materials-a^aDepartment of Materials Science and Engineering, Virginia Polytechnic Institute and State University, Blacksburg, VA 24060, USA. E-mail: cmrost@vt.edu^bDepartment of Chemistry, The Pennsylvania State University, University Park, PA 16802, USA^cDepartment of Materials Science and Engineering, The Pennsylvania State University, University Park, PA 16802, USA^dMaterials Research Institute, The Pennsylvania State University, University Park, PA 16802, USA^eInstitute for Computational and Data Science, The Pennsylvania State University, University Park, PA 16802, USA

Christina M. Rost

Dr. Christina Rost is an Assistant Professor of Materials Science and Engineering at Virginia Tech and a pioneer in high-entropy ceramics. Her research leverages disorder to create materials with tunable properties for advanced technologies. She has co-authored 40 peer-reviewed publications totaling over 5,000 citations and received the 2025 NSF CAREER Award. Dr. Rost holds a Ph.D. from NC State University and previously held

positions at James Madison University and the University of Virginia. She actively serves in the American Ceramic Society and on review panels at the Advanced Photon Source, contributing broadly to materials science and spectroscopy communities.

Introduction

Harnessing compositional complexity offers an unprecedented route to tailor electronic, ionic, and thermal functionalities for next-generation energy, catalysis, and electronic materials.¹ High-entropy materials, first conceptualized independently by Yeh² and Cantor³ in 2004, incorporate five or more principal cations into a crystalline lattice, enabling the formation of unique compositional phases and uncharted space over unique material properties. This concept was later extended to oxides in 2015 by Rost *et al.*,⁴ who demonstrated the stabilization of what would otherwise be a thermodynamically unfavorable mixture of oxide components. The resulting high entropy oxides exhibit unique electronic,^{5,6} ionic,⁷ and thermal properties,⁸ positioning them as promising candidates for a wide range of advanced applications. The compositional complexity of these materials can influence the electronic structure due to the cation diversity which in turn introduces varying orbital energies. This elemental diversity could result in a narrowing or broadening of the band gap.

Rare earth oxides commonly adopt fluorite or bixbyite structures, with CeO₂ as a prototypical fluorite-phase oxide. Fluorite rare earth oxides support high oxygen ionic conductivity due to their ability to form oxygen vacancies, especially when doped with aliovalent cations like Gd³⁺ or Sm³⁺.⁹ Ce and Pr exhibit mixed valence (Ce⁴⁺/Ce³⁺, Pr³⁺/Pr⁴⁺), enabling redox activity that supports catalytic and electronic transport applications.¹⁰ Reduced CeO_{2-δ} supports polaron hopping between Ce³⁺ and Ce⁴⁺, enabling memristive behavior, particularly in thin-film devices where electric fields rearrange vacancies to form or disrupt conductive paths.^{11,12} The rare-earth (RE)

The stability of bixbyite and fluorite crystal structures is strongly influenced by the valence state, preferred coordination environment, ionic size of the constituent cations, and thermal history.¹⁷ Fluorite ($Fm\bar{3}m$) favors cations with higher oxidation states (typically 4+) and eightfold coordination,¹⁸ while bixbyite including, type C $Ia\bar{3}$ stabilizes lower valence (3+) cations in distorted sixfold coordination.¹⁹ As the average cation charge increases, as in Ce-rich compositions, the fluorite phase becomes thermodynamically preferred at high enough temperatures, whereas 3+ dominated rare-earth-rich compositions favor bixbyite.^{20,21} Size mismatch also plays a critical role: fluorite tolerates more size disparity among cations than bixbyite.²² These crystal chemical trends manifest clearly in phase field maps, where increasing Ce concentration drives a transition from bixbyite to fluorite structure. Solubility rules similarly reflect these factors, with high solubility achieved when cation charge and radius are closely matched to the host lattice. Understanding the interplay of these parameters is essential for predicting phase stability and tailoring the synthesis of multi-component oxides. The bixbyite structure can be described as a derivative of the fluorite structure, where the lattice parameter is doubled, and with more unoccupied anion sites relative to the fluorite structure.²³ The fluorite structure is known for increased oxygen ionic conductivity when doped with lower valence elements such as Sm, the ionic conductivity increases substantially.⁹

X-ray photoelectron spectroscopy (XPS) from both Djenadic and Riley's work suggested that Ce occupies an oxidation state

of nearly 4+, while Pr occupied a mixed state between 3+ and 4+ in the equimolar sample. Due to the overlap of 3+ and 4+ peaks in XPS for both Ce and Pr, deconvolution is difficult. Despite the importance of accurate electronic and structural characterization, much of the current understanding relies on limited or surface-sensitive techniques for resolving these complexities. To uncover the cation environment and structural nature of these high-entropy oxides, more powerful, element-specific probes, such as X-ray absorption measurements, are necessary. Recent studies¹⁷ highlight the utility of L-edge XAS in understanding metastable materials.

In this work, we investigate the valence state and coordination environment of the elements in $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$, where Ce content was increased as $x = 20, 32.5$, and 40%, with other elements maintained in an equimolar amount using X-ray absorption fine structure spectroscopy (XAFS). This element-specific technique is promising for HEO analysis, as it probes the local electronic structure of atoms in the sample, providing information on cation charge state and coordination environment through analysis of the near-edge fine structure (XANES).

Increasing the Ce concentration in $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$, where $x = 20, 32.5$ and 40% , results in a phase transition from the bixbyite to fluorite structure. To investigate this transition, we performed XAFS measurements of the La, Ce, Pr, and Sm L_3 absorption edges in the series $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ ($x = 20, 32.5$ and 40%) and selected standards. This region of the XAFS provides invaluable information on the bonding environment and valence state of the measured elements. La and Sm are mainly trivalent elements, so we investigated their absorption edges for coordination number, while we examined Ce and Pr for oxidation state. To further explore the electronic structure and oxidation states of the cations, density functional theory (DFT) calculations were employed, offering a complementary theoretical framework to the experimental observations. While previous studies qualitatively reported mixed valence behavior using XPS or indirect inference, our work provides a quantitative analysis of Ce^{3+} content *via* L-edge XANES, complemented by DFT-based Bader charge modeling. This dual approach allows one to resolve bulk valence states and local coordination environments more precisely.

Experimental methods

High-entropy oxide samples were synthesized *via* a conventional solid-state reaction method. Stoichiometric amounts of the precursor oxides; La_2O_3 (99.99%), CeO_2 (99.99%), Sm_2O_3 (99.99%), Pr_6O_{11} (99.99%), and Y_2O_3 (99.99%) were mixed to achieve the desired composition. The mixed powders were then milled in methanol in a vibratory mill with Y-stabilized ZrO_2 (YSZ) milling media (2 mm, 3 mm, and 5 mm in near equal proportions) to promote homogeneity and reduce particle size. Following milling, the powders were compacted into 1.27 cm diameter pellets and reactively sintered at 1400 °C for 48 hours in air to promote phase formation and crystallization. After sintering, the samples were air-quenched to preserve the high-temperature phase. These pellets were characterized *via* X-ray diffraction (XRD) before and after being ground in an agate



To model the disordered oxide compositions, seven 96-atom fluorite supercells ($Fm\bar{3}m$) were constructed using $2 \times 2 \times 2$ conventional unit cells of $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ with Ce concentrations $x = 0.22, 0.25, 0.31, 0.34, 0.38, 0.50$, and 0.81 . The 32-site cation sublattices in each supercell were populated using the special quasi-random structure (SQS) approach,³⁵ implemented *via* the Integrated Cluster Expansion Toolkit (ICET).³⁶ Identical cation configurations were applied to generate the corresponding bixbyite ($Ia\bar{3}$) supercells, which also contain 32 cations per conventional unit cell. For each composition, several oxygen vacancy concentrations (δ) were examined, as listed in Table S2. In fluorite structures, oxygen vacancies were introduced randomly. In contrast, oxygen vacancies in bixbyite structures were restricted to the Wyckoff $8b$ positions, in accordance with the crystallographic site symmetry. For each δ value, two supercells with different anion configurations were used to capture the effects of local vacancy arrangement on the electronic structure. The δ values were selected to maintain overall charge neutrality, assuming Ce^{4+} , La^{3+} , Sm^{3+} , Y^{3+} , and a mixed $\text{Pr}^{4+/3+}$ oxidation state with a target ratio of approximately 2 : 1, consistent with prior experimental evidence¹⁵ and applied as closely as possible within the stoichiometric limitations of the supercells. The RE valences are not constraints imposed within the DFT calculations, but rather assumptions used to define δ .

Results and discussion

XRD results for the Ce concentration series of $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_2$ are shown in Fig. 1. The diffraction patterns reveal a clear structural evolution as the Ce content increases. At 20% Ce concentration, the diffraction pattern exhibits characteristic peaks corresponding to the bixbyite ($Ia\bar{3}$) phase, similarly to ref. 13 and 16. As the Ce content increases to 32.5%, bixbyite-related peaks weaken, suggesting a transition toward the fluorite ($Fm\bar{3}m$) phase. By 40% Ce concentration, the bixbyite peaks disappear entirely, and the diffraction pattern aligns fully with that of the fluorite phase, indicating a complete transformation. The disappearance of bixbyite-related peaks and the stabilization of fluorite symmetry confirm that increasing Ce content plays a crucial role in driving the structural transition from bixbyite to fluorite.




Fig. 1 X-ray diffraction results of $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$, shows that increasing the Ce content of the composition to 40% results in a single-phase fluorite structure. The black stars denote peaks related to the bixbyite, $la\bar{3}$ symmetry. The main fluorite $Fm\bar{3}m$ peak indices are indexed at the top of the figure.

Lanthanide valence states from XANES

La absorption edge

XAFS results for the lanthanum (La) L_3 absorption edges, and their second derivatives, of the Ce concentration series and measured standards are shown in Fig. 2a and b, respectively. The L_3 absorption edge of La mainly corresponds to the excitation of a 2p core electron to unoccupied d states. The edge position of the XANES region can indicate oxidation state, and it is seen that the edge position of La in the HEO series is similar to that of the measured 3+ standards. This can be visualized by using the maximum of the first derivative, shown in Fig. S1. La^{3+}

has an electron configuration with no f electrons, therefore the shape of the white line in the XANES spectra should reflect the empty 5d orbital and can be used to investigate local environment. The shape of the white line has distinct features that can hint at coordination environment. As seen in the RE-HEOs and the La doped Ce standard, a shoulder is present on the white line. We attribute this feature to the ligand-field splitting of the 5d orbital.³⁷ The second derivatives of the absorption spectra show 2 peaks, which supports this reasoning. The shorter shoulder being on the pre-edge is consistent with expected d orbital splitting for a fluorite-like structure, where the e_g band is at a lower energy level than the t_{2g} band.³⁸ Based off the first minimum in the second derivative shown in Fig. 2b, the splitting energy remains consistent throughout the addition of Ce, suggesting a consistent coordination environment.

Sm absorption edge. Fig. 3a and b show the Sm L_3 and Sm L_1 absorption edges, respectively. Based on the edge energy, Sm also maintains a 3+ oxidation state throughout the increasing Ce concentration series. However, the splitting of the white line is not observed, as the presence of f electrons implies stronger electron shielding, and the ionic radius of Sm^{3+} is less than that of La^{3+} , which would lead to less d orbital splitting.^{39,40} Instead of noticeable d-orbital splitting as seen on the La L_3 absorption edge, the Sm L_3 white line for all measured samples is a single broad, near symmetric peak. This peak is attributed to an electric dipole transition from 2p to 5d states.⁴¹ The combination of the L_3 and L_1 Sm absorption edges can be fit to provide insight into the potential local environment. This is because the L_3 edge exhibits broadening as the width is associated with d band broadening.^{41,42} The pre-edge feature on the L_1 edge is attributed to an electronic transition generated by the hybridization of p and d states and the degree of hybridization should reflect the first coordination shell disorder around the Sm cation.⁴¹ A fitting procedure, similar to what was done by Asakura *et al.*,⁴¹ was performed to gain insight into the local environment of Sm. For the L_3 edge, an arctangent step function was used to represent the excitation to continuum, while a single




Fig. 2 La L_3 absorption edge (a) and second derivative (b) in $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ and measured standards.




Fig. 3 (a) and (b): Sm L_3 and Sm L_1 , respectively, absorption edge of Sm in $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ and measured standards.



pseudo-Voigt function was used to fit the white line. For the L_1 edge, the pre-edge feature was fit with a gaussian and a linear plus Lorentzian function. Examples of the fitting procedure are shown in Fig. S2. The Sm L_1 edge of the HEO series had weak intensity due to the low concentration of Sm and absorption effects of the other cations in the material. Because of this, only the full width half max (FWHM) of the Sm L_3 edge of the HEO samples were fit and plotted on a line of best fit to gain insight to the potential local environment of Sm. Fig. 4 illustrates the relationship between the Sm L_3 FWHM and the Sm L_1 peak area for a series of Sm-containing oxides, including the HEO samples and standard reference compounds. The trend observed in the standards suggests a correlation between the broadening of the Sm L_3 edge and the Sm L_1 peak area, as seen by Asakura.⁴¹ Notably, the L_3 FWHM of the 40% Ce-substituted sample aligns closely with $(\text{Sm}_{0.2}\text{Ce}_{0.8})\text{O}_2$, a fluorite-structured standard. This suggests that at higher Ce concentrations, the Sm environment in the HEO system adopts a local electronic structure characteristic of the fluorite phase. This supports the XRD findings that indicate a fluorite-dominant structure at 40% Ce. In contrast, the lower Ce concentration samples (20% and 32.5%) deviate slightly from this trend, implying a more disordered environment, consistent with the presence of bixbyite-like features observed in XRD.

Ce absorption edge. The Ce L_3 edge energy of the HEO samples closely aligns with that of the CeO_2 standard, which is primarily Ce^{4+} . However, CeO_2 is known to contain trace amounts of Ce^{3+} due to the presence of oxygen vacancies, leading to a small contribution from reduced cerium species.⁴³ This suggests that the Ce oxidation state in the HEO may also include a minor Ce^{3+} component, making a more detailed spectral analysis to quantify its contribution necessary. To estimate the average oxidation state of Ce as its concentration increases, Ce L_3 absorption edge fitting was performed using

a series of four Gaussian functions, following the method outlined in ref. 44. An example of this fitting is shown in Fig. 5b. These four Gaussians correspond to distinct electronic transitions in the Ce L_3 edge spectrum and are labeled as peaks A, B, C, and D in Fig. 5a. Peak A is a pre-edge feature that is attributed to final states with delocalized d character. Peak B is associated with Ce 3+ and is assigned to the Ce transition from 2p to $4f^{1.5}d$. Peaks C and D are associated with Ce^{4+} final states of $2p4f^{0.5}d$ and $2p4f^{1.5}dL$, respectively, where L denotes an oxygen ligand 2p hole.⁴⁴ Fitting these peaks and taking a ratio of peak area, it is possible to estimate the percentage of Ce^{3+} that is present in the RE-HEO series. Peak fitting R^2 values are provided in SI Table S4 to support the quality of the multi-Gaussian and Lorentzian fits applied to the Ce and Pr edges. The results, shown in Table 1, indicate that Ce maintains a mixed valence state across all measured compositions, with approximately 10% Ce^{3+} present consistently, regardless of total Ce concentration. This observation is in agreement with prior X-ray photoelectron spectroscopy (XPS) studies on $(\text{LaCePrSmY})\text{O}_{2-\delta}$, which also found evidence of a small but stable Ce^{3+} fraction.¹⁶

Pr absorption edge. Similar to the approach used for Ce, the Pr L_3 edge exhibits three distinct peaks labeled A, B, and C, shown in Fig. 6a. Peak A corresponds to the Pr^{3+} (2p to $4f^2$) transition, while peaks B and C are associated with Pr^{4+} states, specifically assigned to 2p to $4f^1$ and 2p to $4f^2L$ transitions, where L represents an oxygen ligand hole.⁴⁵ To quantify the Pr valence state, the absorption edge was fitted using a series of Lorentzian functions, and the intensity ratio I_C/I_A was used as an indicator of the relative Pr^{3+} fraction, shown in Fig. 6b.⁴⁵ The estimated valence states for the RE-HEO samples are presented in Table 1. The reference standards Pr_6O_{11} and Pr_2O_3 , have a known valence of $\text{Pr}^{3.667+}$ and Pr^{3+} respectively. The results indicate that the estimated Pr oxidation states for all measured RE-HEO compositions remain consistently between 3.5 and 3.6, with $x = 20$ and 32.5% closely aligning with the Pr_6O_{11} reference




Fig. 4 Correlation between the pre-edge peak area of Sm L_1 edge XANES spectra and the FWHM of the white line of Sm L_3 edge XANES. HEO samples are labeled as stars while standards are labeled as squares.




Fig. 5 (a) Ce L_3 absorption edge of Ce in $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ and measured standards, peaks used for fitting labeled A–D and are defined in the text. (b) Example of fitting procedure for the Ce L_3 edge on CeO_2 .

Sample	CeO ₂	$x = 20\%$	$x = 32.5\%$	$x = 40\%$
% Ce ³⁺	9.2 ± 3.0	10.9 ± 3.1	9.6 ± 3.4	11.7 ± 3.6
% Ce ⁴⁺ added	—	17.82	29.38	35.32
Pr estimated valence	—	3.60 ± 0.09	3.54 ± 0.1	3.56 ± 0.09




Fig. 6 (a) Pr L₃ absorption of Pr in Ce_x(SmPrLaY)_{1-x}O_{2-δ} and measured standards and (b) an example of fitting procedure performed on Pr₆O₁₁.

We also tested the viability of measuring the absorption coefficient of these HEOs in house on an EasyXAFS 300+ (Renton, WA).⁴⁶ The operational details are outlined in SI, along with SI Fig. S3 which shows the absorption spectra from in house measurements compared to beamline measurements. XRD and XAFS measurements consistently reveal a Ce-driven structural transition from the bixbyite ($Ia\bar{3}$) to fluorite ($Fm\bar{3}m$) phase across the $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ series. At a Ce concentration of 40%, bixbyite-related diffraction peaks disappear, and XANES analysis of the Sm environment indicates a transition to fluorite-like coordination. These results demonstrate that increasing Ce concentration induces both a global symmetry change and a local coordination reorganization. Throughout the series, La and Sm maintain stable trivalent oxidation states. The XANES spectra for La exhibit minimal changes in ligand-field features, suggesting a robust and unperturbed coordination environment, while Sm shows decreasing local disorder at higher Ce concentrations, consistent with the adoption of the more ordered fluorite structure. Ce remains predominantly tetravalent, with a minor, constant Ce^{3+} component, and Pr

retains a mixed valence across compositions. XANES analysis indicates that the structural transition is not oxidation state dependent but is instead driven by compositional effects, specifically the increasing fraction of Ce^{4+} and its associated preference for fluorite-type coordination. The relatively consistent Ce^{3+} content suggests that oxygen vacancy concentrations remain largely constant across the series. The persistence of oxygen vacancies may have important implications for tuning ionic conductivity and redox behavior in high-entropy oxide systems.

Computational insights from Bader charge analysis

DFT Bader analysis

Bader charge analysis was performed to assign the total oxidation states associated with each rare-earth cation across a series of $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$ compositions, spanning both bixbyite and fluorite structures. The δ values are chosen with the assumption of Ce^{4+} , La^{3+} , Sm^{3+} , Y^{3+} , and a mixed $\text{Pr}^{4+/3+}$ oxidation state, in an approximate 2:1 ratio. The atomic charges are subsequently taken as the average of the Bader charges on the rare-earth cations in each supercell. Fig. 7 shows the average and individual Bader charges for Ce, Pr, La, Sm, and Y as a function of Ce content, with comparisons between fluorite and bixbyite phases. The computed Bader charges are systematically lower than the nominal 3+ or 4+ oxidation states, reflecting the delocalization of electronic charge and the partial covalency of metal-oxygen bonds involving O 2p electrons, consistent with prior observations.^{47,48} The computed average charges in Fig. 7a reveal that all the cations maintain nearly constant oxidation states across all compositions, indicating that changes in Ce concentration alone do not appreciably alter the oxidation state of these cations. La, Sm, and Y show consistent trivalent character in Fig. 7d-f, respectively. Among these, Y and La exhibit the least variation, while Sm shows slightly broader but still centered distributions near 3+. In contrast, Pr and Ce exhibit more complex behavior. Pr shows a larger distribution of Bader charges in Fig. 7c, with many values falling between the 3+ and 4+ reference lines, indicating a mixed valence state. Ce remains largely in the 4+ oxidation state across all compositions, with only a minor population of cations approaching the 3+ reference line (Fig. 7b). This result aligns closely with the experimental XANES data, which identified Ce^{4+} as the dominant oxidation state with a small Ce^{3+} component, and supports the mixed-valent nature of Pr.

The DFT calculations are performed without enforcing specific oxidation states, allowing the system to self-consistently redistribute the charge freely in response to chosen δ values. To clarify the influence of δ and the underlying oxidation state assumptions, Fig. S4 shows the average Bader charges as a function of Ce concentration under three scenarios: Pr assumed to be entirely 3+, entirely 4+, or a mixed 3+/4+ species. Ce concentration alone does not significantly affect the resulting Bader charges of any RE species. However, increasing δ leads to a measurable decrease in Pr Bader charge, consistent




Fig. 7 (a) Average Bader charges of Ce, Pr, La, Sm, and Y as a function of Ce concentration in $\text{Ce}_x(\text{SmPrLaY})_{1-x}\text{O}_{2-\delta}$. Lines are included to guide the eye. (b–f) Distributions of individual cation Bader charges for Ce, Pr, La, Sm, and Y, comparing fluorite and bixbyite structures. Horizontal solid lines mark reference Bader charges from the corresponding binary oxides: +3 for La, Sm, Y and both +3/+4 for Ce and Pr.

with its known redox activity, and highlights Pr's role in accommodating charge redistribution in response to oxygen non-stoichiometry.

Comparison between fluorite and bixbyite structures reveals similar charge trends across all cations. Although fluorite supercells show slightly greater variation in Bader charges for some elements, the overall oxidation state distributions remain comparable. This supports the premise that the phase transition observed experimentally—from bixbyite to fluorite with increasing Ce content—does not arise from significant cation redox activity but is instead driven by configurational entropy and the evolution of anion sublattice disorder. Taken together, the DFT-derived Bader analysis reinforces the XANES observation that RE cation valence states are largely invariant with composition. This highlights the important role of oxygen sublattice dynamics, rather than cation redox, in maintaining charge balance across this high-entropy oxide series. When stabilizing the fluorite symmetry with unoccupied oxygen lattice site, it is expected, given that the fluorite structure already can host ionic conductivity, that an increase in unoccupied lattice sites will enhance ionic conductivity further.

Conclusions and further work

This study investigated the impact of Ce concentration on the structural and charge distribution of $(\text{CeSmPrLaY})\text{O}_2$ high-

entropy oxides. X-ray diffraction (XRD) confirmed a phase transition from bixbyite to fluorite symmetry with increasing Ce content. XAS analysis further revealed the preservation of La^{3+} and Sm^{3+} oxidation states, while Ce maintained a minor Ce^{3+} fraction and Pr exhibited a relatively stable mixed valence. The correlation between cation oxidation states and phase evolution highlights the role of configurational entropy in stabilizing fluorite-like structures. DFT-based Bader charge analysis supports these findings by confirming the stability of most RE cation charge states and revealing only subtle variations in Ce and Pr oxidation behavior across the composition range. Since the cation valences remain consistent across compositions, it is likely that the anion sublattice plays a role in maintaining electroneutrality.

These findings aim to enhance the fundamental understanding of RE-HEOs and their role in phase stability and influence on electronic structure. The ability to decouple oxidation state changes from structural transitions provides an important lens for designing HEOs where valence stability is required. The consistency of trivalent and mixed-valent states of cations across phase transitions, combined with fluorite's known vacancy transport behavior, positions these RE-HEOs as promising materials for solid oxide fuel cell electrolytes, redox catalysis, and memristive applications. Further studies should explore the role of oxygen vacancies in more detail, particularly how they influence ionic transport and local bonding in the



G. R. B. and C. M. R. developed the experimental plan, synthesized all standard compositions, secured beam time, and performed all spectroscopy experiments. S. S. I. A., B. Y., and J.-P. M. synthesized high entropy compositions. M. K. C. and S. B. S performed computational analysis. All authors contributed to the writing of results.

The authors declare no competing financial interest.

The data supporting the findings in this study are available from the corresponding author upon reasonable request.

Supplementary information includes tables detailing standards, compositions, and fitting parameters; figures showing representative XANES fittings, Bader charge analyses, XPS spectra, and comparisons between synchrotron and laboratory data; as well as supporting references for data analysis methods. See DOI: <https://doi.org/10.1039/d5ta03815d>.

The authors gratefully acknowledge support from the National Science Foundation through the Materials Research Science and Engineering Center DMR 2011839. This research used the beamline 12-BM of the Advanced Photon Source, a U.S. Department of Energy (DOE) Office of Science user facility operated for the DOE Office of Science by Argonne National Laboratory under Contract No. DE-AC02-06CH11357. This work used shared facilities at the Nanoscale Characterization and Fabrication Laboratory (NCFL), which is funded and managed by Virginia Tech's Institute for Critical Technology and Applied Science. Additional support is provided by the Virginia Tech National Center for Earth and Environmental Nanotechnology Infrastructure (NanoEarth), a member of the National Nanotechnology Coordinated Infrastructure (NNCI), supported by NSF (ECCS 1542100 and ECCS 2025151). Special thanks to Dr Weinan Leng at NCFL for his assistance performing XPS measurements.

- 1 G. N. Kotsonis, *et al.*, High-entropy oxides: Harnessing crystalline disorder for emergent functionality, *J. Am. Ceram. Soc.*, 2023, **106**(10), 5587–5611, DOI: [10.1111/jace.19252](#).
- 2 J.-W. Yeh, *et al.*, Nanostructured High-Entropy Alloys with Multiple Principal Elements: Novel Alloy Design Concepts and Outcomes, *Adv. Eng. Mater.*, 2004, **6**(5), 299–303, DOI: [10.1002/adem.200300567](#).
- 3 B. Cantor, I. T. H. Chang, P. Knight and A. J. B. Vincent, Microstructural development in equiatomic multicomponent alloys, *Mater. Sci. Eng., A*, 2004, **375**(377), 213–218, DOI: [10.1016/j.msea.2003.10.257](#).
- 4 C. M. Rost, *et al.*, Entropy-stabilized oxides, *Nat. Commun.*, 2015, **6**(1), 8485, DOI: [10.1038/ncomms9485](#).
- 5 D. Bérardan, S. Franger, D. Dragoë, A. K. Meena and N. Dragoë, Colossal dielectric constant in high entropy oxides, *Phys. Status Solidi RRL*, 2016, **10**(4), 328–333, DOI: [10.1002/pssr.201600043](#).
- 6 S. S. I. Almishal, *et al.*, Chemically-Disordered Transparent Conductive Perovskites With High Crystalline Fidelity, *Adv. Sci.*, 2025, e09868, DOI: [10.1002/advs.202509868](#).
- 7 D. Bérardan, S. Franger, A. K. Meena and N. Dragoë, Room temperature lithium superionic conductivity in high entropy oxides, *J. Mater. Chem. A*, 2016, **4**(24), 9536–9541, DOI: [10.1039/C6TA03249D](#).
- 8 J. L. Braun, *et al.*, Charge-Induced Disorder Controls the Thermal Conductivity of Entropy-Stabilized Oxides, *Adv. Mater.*, 2018, **30**(51), 1805004, DOI: [10.1002/adma.201805004](#).
- 9 H. Yahiro, Y. Eguchi, K. Eguchi and H. Arai, Oxygen ion conductivity of the ceria-samarium oxide system with fluorite structure, *J. Appl. Electrochem.*, 1988, **18**(4), 527–531, DOI: [10.1007/BF01022246](#).
- 10 H. L. Tuller and A. S. Nowick, Doped Ceria as a Solid Oxide Electrolyte, *J. Electrochem. Soc.*, 1975, **122**(2), 255, DOI: [10.1149/1.2134190](#).
- 11 L. Sun, X. Hao, Q. Meng, L. Wang, F. Liu and M. Zhou, Polaronic Resistive Switching in Ceria-Based Memory Devices, *Adv. Electron. Mater.*, 2019, **5**(10), 1900271, DOI: [10.1002/aelm.201900271](#).
- 12 A. Younis, D. Chu and S. Li, Oxygen level: the dominant of resistive switching characteristics in cerium oxide thin films, *J. Phys. Appl. Phys.*, 2012, **45**(35), 355101, DOI: [10.1088/0022-3727/45/35/355101](#).
- 13 R. Djenadic, *et al.*, Multicomponent equiatomic rare earth oxides, *Mater. Res. Lett.*, 2017, **5**(2), 102–109, DOI: [10.1080/21663831.2016.1220433](#).
- 14 K. George, *High-Entropy Oxides: Epitaxial Growth, Kinetic Dependencies, and Linear Optical Properties*, The Pennsylvania State University, 2022.
- 15 A. Sarkar, *et al.*, Multicomponent equiatomic rare earth oxides with a narrow band gap and associated praseodymium multivalency, *Dalton Trans.*, 2017, **46**(36), 12167–12176, DOI: [10.1039/C7DT02077E](#).

- This journal is © The Royal Society of Chemistry 2025

- 46 E. P. Jahrman, *et al.*, An improved laboratory-based x-ray absorption fine structure and x-ray emission spectrometer for analytical applications in materials chemistry research, *Rev. Sci. Instrum.*, 2019, **90**(2), 024106, DOI: [10.1063/1.5049383](https://doi.org/10.1063/1.5049383).
- 47 T. A. Manz and D. S. Sholl, Methods for Computing Accurate Atomic Spin Moments for Collinear and Noncollinear Magnetism in Periodic and Nonperiodic Materials, *J. Chem. Theory Comput.*, 2011, **7**(12), 4146–4164, DOI: [10.1021/ct200539n](https://doi.org/10.1021/ct200539n).
- 48 S. Li, Y. Li, M. Bäumer and L. V. Moskaleva, Assessment of PBE + U and HSE06 methods and determination of optimal parameter U for the structural and energetic properties of rare earth oxides, *J. Chem. Phys.*, 2020, **153**(16), 164710, DOI: [10.1063/5.0024499](https://doi.org/10.1063/5.0024499).

