


Cite this: *Nanoscale*, 2023, **15**, 16010

First principles insights into stability of defected MXenes in water

Haohong Song ^a and De-en Jiang ^{a,b}

Received 30th May 2023,
Accepted 1st September 2023

DOI: 10.1039/d3nr02538a

rsc.li/nanoscale

Two-dimensional transition metal carbides and nitrides, known as MXenes, have demonstrated remarkable performance in electrochemical energy storage and various other applications. Despite their potential, MXenes exhibit instability in aqueous solutions, and the role of defects in their aqueous stability is unclear. In this study, we report on the interfacial chemistry between water and defected $\text{Ti}_3\text{C}_2\text{O}_2$ MXene at room temperature using first principles molecular dynamics simulations. We investigate how defects such as O vacancy, Ti vacancy, F terminal groups, and Ti–O vacancy pair influence the chemical interaction of water molecules with the basal plane of $\text{Ti}_3\text{C}_2\text{O}_2$. Our results show that water molecules can repair the surface O vacancies, by dissociating to hydroxide and hydronium. On the other hand, F terminal groups cannot effectively block water chemisorption on the surface Ti, while Ti vacancies behave as a spectator species on the surface with respect to interaction with water. $\text{Ti}_3\text{C}_2\text{O}_2$ with a Ti–O vacancy pair is found to behave like $\text{Ti}_3\text{C}_2\text{O}_2$ with an O vacancy where a water molecule dissociates and refills the vacancy. These findings enrich our understanding of water interaction with defects on the MXene surfaces.

Introduction

Two-dimensional (2D) materials are an exciting area of research due to their unique properties and potential applications.^{1,2} Over the past decade, the MXenes as 2D carbides and nitrides have received increasing attention.³ These materials are characterized by the general formula $\text{M}_{n+1}\text{X}_n\text{T}_x$ ($n = 1, 2, 3$, or 4), where M represents transition metal, X carbon and/or nitrogen, and T surface termination ($-\text{OH}$, $-\text{O}$, and/or $-\text{F}$).³ Due to their highly tunable compositions and electronic structure, as well as diverse surface chemistry,⁴ MXenes have shown great potential for a variety of applications, including supercapacitors,^{5,6} lithium-ion batteries,^{7–9} photoelectric devices,¹⁰ sensors,¹¹ detectors,¹² membranes,^{13,14} and catalysts.^{15–17}

Defects can impart new functionalities and augment MXenes' electrochemical behavior, which may be beneficial for applications such as electrocatalysis and energy storage.^{18,19} For instance, the introduction of ruthenium doping in Mo_2CT_x was found to significantly enhance the electrocatalytic activity for the nitrogen reduction reaction.²⁰ Defect-engineered Ti_2CT_2 monolith enabled interfacial photo-thermal catalysis for high-yield solar hydrogen generation.²¹ Phosphorus doped $\text{Ti}_3\text{C}_2\text{T}_x$ MXene electrodes can increase the

capacitance.²² Ti defects and C defects in MXenes can affect the electronic transport behavior of MXene-based sensors.²³ Moreover, MXenes with vacancy ordering have been prepared.^{17,24,25}

On the other hand, the tendency of MXenes to convert to oxides over time has been a major concern,²⁶ resulting in structural degradation and loss of performance.^{27–30} MXenes are susceptible to degradation in aqueous media and previous simulations³¹ suggested that water can attack the surface Ti atoms of a purely O-terminated $\text{Ti}_3\text{C}_2\text{O}_2$ basal plane, leading to the hydrolysis of MXene. This finding from first principles molecular dynamics simulations corroborates the experimentally observed degradation trends of $\text{Ti}_3\text{C}_2\text{T}_x$ and other MXenes in different solution/gas environments.^{27–30} Furthermore, in both battery and capacitor systems, the contact of MXene with water is often unavoidable when aqueous electrolytes are employed.¹⁹ Thus, it is desirable to know how defects on MXene surfaces would further impact their aqueous stability and one hopes that introduction of defects can modify their surface chemistry and electronic characteristics, leading to improved resistance to degradation.

In this study, our goal is to use $\text{Ti}_3\text{C}_2\text{O}_2$ as a representative MXene material and perform first principles molecular dynamics simulations to investigate the chemical behavior of water at the interface with different types of defects. First principles methods have played an important role in understanding electrode–electrolyte interfaces^{32–34} and MXenes/anti-MXenes properties.^{35,36} Below we explain our methods and models.

^aInterdisciplinary Materials Science Program, Vanderbilt University, Nashville, TN 37235, USA

^bDepartment of Chemical and Biomolecular Engineering, Vanderbilt University, Nashville, TN 37235, USA. E-mail: de-en.jiang@vanderbilt.edu





Fig. 2 (a) Top view of $\text{Ti}_3\text{C}_2\text{O}_{1.33}\text{F}_{0.67}$ where F replaces four O atoms out of 12 on both surfaces of $\text{Ti}_3\text{C}_2\text{O}_2$. (b) Closest contact between water molecules and surface Ti atoms, as measured the minimum Ti–O distance, over time for different amount of terminal F groups on the surface (1F to 4F mean that F replaces one to four O atoms out of 12 on both surfaces of $\text{Ti}_3\text{C}_2\text{O}_2$, corresponding to chemical compositions of $\text{Ti}_3\text{C}_2\text{O}_{1.83}\text{F}_{0.17}$ to $\text{Ti}_3\text{C}_2\text{O}_{1.33}\text{F}_{0.67}$).

When there is no chemical interaction between water and the MXene surface, the distance should be above 3.0 Å. On the other hand, the distance would be below 2.0 Å when water chemisorbs on Ti to initiate a chemical attack. From Fig. 2b, one can see that the time of water chemisorption generally increases with the coverage of F terminal groups, even though the difference between 1F and 2F is not significant (2F happened ahead of 1F). Fig. 3 shows snapshots of water attacking a surface Ti in the case of $\text{Ti}_3\text{C}_2\text{O}_{1.5}\text{F}_{0.5}$ (where F replaces three O out of 12 on one surface of $\text{Ti}_3\text{C}_2\text{O}_2$). One can see that water chemisorbs on a surface Ti first (dashed circle in Fig. 3b), followed by water dissociation and Ti pullout by –OH (dashed circles and insets in Fig. 3c and d). This behavior is similar to

that of water on $\text{Ti}_3\text{C}_3\text{O}_2$.³¹ In the case of the highest F coverage examined with four F groups on the surface, no water chemisorption was observed due to the limitation of our simulation timescale (~30 ps). In other words, the F terminal group can passivate the MXene surface to a certain extent against water attack, but is unlikely to be very effective in preventing water in getting close to some surface Ti. Hence, our results suggest that oxidation by water are less likely at very high coverages of –F groups on the MXene surface.

Ti vacancies on $\text{Ti}_3\text{C}_2\text{O}_2$

It has been found that Ti vacancies are prevalent in the mono-layer flakes and that their concentration can be controlled by




Fig. 3 Interaction of $\text{Ti}_3\text{C}_2\text{O}_{1.5}\text{F}_{0.5}$ (where F replaces three O atoms out of 12 on both surfaces of $\text{Ti}_3\text{C}_2\text{O}_2$) with water from FPMD trajectory: upper panel, top view; lower panel, side view. Black circles and insets indicate the site where water attacks surface Ti; red dashed boxes in (c)–(e) indicate hydronium ions. Ti, blue; O, red; C, gray; F, green; H, white.






Fig. 4 Interaction of Ti vacancy in $\text{Ti}_3\text{C}_2\text{O}_2$ with water from FPMD trajectory: upper panel, top view (Ti vacancy indicated by a dashed blue circle); lower panel, side view (the Ti vacancy is on the lower surface, as indicated in f). Black circles and insets indicate the site where water attacks surface Ti; red dashed box in (f) indicates hydronium ions.

the etchant concentration during preparation.⁴⁷ We investigated water interaction with a Ti vacancy created on the surface of $\text{Ti}_3\text{C}_2\text{O}_2$ (Fig. 4) and found that the water behavior is similar to that on defect-free $\text{Ti}_3\text{C}_2\text{O}_2$: it starts with reversible water adsorption on Ti (Fig. 4a–e); then irreversible water adsorption on Ti and water dissociation take place (Fig. 4f). So $\text{Ti}_3\text{C}_2\text{O}_2$ MXene with surface Ti vacancies is as susceptible as defect-free $\text{Ti}_3\text{C}_2\text{O}_2$ toward water attack. In other words, with or without surface Ti vacancies, attack of the MXene surfaces by water is equally likely.

Ti–O cluster vacancies on $\text{Ti}_3\text{C}_2\text{O}_2$

We also tested the scenario of Ti–O cluster vacancies on $\text{Ti}_3\text{C}_2\text{O}_2$. The simplest case would be a Ti–O vacancy pair as

shown in Fig. 5a upper panel. We found that the water behavior in this case is similar to that on $\text{Ti}_3\text{C}_2\text{O}_2$ with just an O vacancy: a water molecule refills the O vacancy and dissociates to –OH and a proton that binds with another water to form a hydronium ion (Fig. 5b and c), and then the hydrogen-bond network reorganizes by pointing O–H groups toward the MXene surfaces to facilitate reversible proton transfer between the surface O atoms and the water layer (Fig. 5c–e). The newly formed –OH group on the original O vacancy is indicated by black dashed circles in Fig. 5c–e, while the hydronium ion (red dashed box in Fig. 5c upper panel) soon protonates a surface O atom to form a hydroxyl on the top surface (green circles in the lower panel of Fig. 5d and e). The Ti vacancy behaves as a spectator defect, not interacting directly with either O, –OH, or water.




Fig. 5 Interaction of Ti–O vacancy pair on $\text{Ti}_3\text{C}_2\text{O}_2$ with water from FPMD trajectory: upper panel, top view (Ti and O vacancies indicated by dashed blue and red circles, respectively); lower panel, side view (the Ti–O vacancy pair is on the lower surface). Black circles indicate the site where water reacts with the surface O vacancy and leaves an –OH group on the surface; green circles in (d and e) indicate –OH formed by reversible proton transfer between surface O and a hydronium ion indicated by a red dashed box in (c).



- 20 W. Peng, M. Luo, X. Xu, K. Jiang, M. Peng, D. Chen, T. S. Chan and Y. Tan, *Adv. Energy Mater.*, 2020, **10**, 2001364.
- 21 Q. Zhang, L. Li, H. Zhang, N. He, B. Wang, D. Ying, X. Zhang, B. Jiang and D. Tang, *Cell Rep. Phys. Sci.*, 2022, **3**, 100877.
- 22 K. Liu, Q. Xia, L. Si, Y. Kong, N. Shinde, L. Wang, J. Wang, Q. Hu and A. Zhou, *Electrochim. Acta*, 2022, **435**, 141372.
- 23 Y. Ma, Y. Cheng, J. Wang, S. Fu, M. Zhou, Y. Yang, B. Li, X. Zhang and C. W. Nan, *InfoMat*, 2022, **4**, e12328.
- 24 Q. Tao, M. Dahlqvist, J. Lu, S. Kota, R. Meshkian, J. Halim, J. Palisaitis, L. Hultman, M. W. Barsoum, P. O. A. Persson and J. Rosen, *Nat. Commun.*, 2017, **8**, 14949.
- 25 R. Meshkian, M. Dahlqvist, J. Lu, B. Wickman, J. Halim, J. Thornberg, Q. Tao, S. Li, S. Intikhab, J. Snyder, M. W. Barsoum, M. Yildizhan, J. Palisaitis, L. Hultman, P. O. A. Persson and J. Rosen, *Adv. Mater.*, 2018, **30**, e1706409.
- 26 F. Cao, Y. Zhang, H. Wang, K. Khan, A. K. Tareen, W. Qian, H. Zhang and H. Agren, *Adv. Mater.*, 2022, **34**, e2107554.
- 27 S. Huang and V. N. Mochalin, *ACS Nano*, 2020, **14**, 10251–10257.
- 28 S. Huang and V. N. Mochalin, *Inorg. Chem.*, 2019, **58**, 1958–1966.
- 29 A. Lipatov, M. Alhabeb, M. R. Lukatskaya, A. Boson, Y. Gogotsi and A. Sinitskii, *Adv. Electron. Mater.*, 2016, **2**, 1600255.
- 30 C. J. Zhang, S. Pinilla, N. McEvoy, C. P. Cullen, B. Anasori, E. Long, S.-H. Park, A. Seral-Ascaso, A. Shmeliov, D. Krishnan, C. Morant, X. Liu, G. S. Duesberg, Y. Gogotsi and V. Nicolosi, *Chem. Mater.*, 2017, **29**, 4848–4856.
- 31 T. Wu, P. R. C. Kent, Y. Gogotsi and D.-e. Jiang, *Chem. Mater.*, 2022, **34**, 4975–4982.
- 32 C. Zhan, W. Sun, Y. Xie, D. E. Jiang and P. R. C. Kent, *ACS Appl. Mater. Interfaces*, 2019, **11**, 24885–24905.
- 33 T. A. Pham, K. E. Kweon, A. Samanta, M. T. Ong, V. Lordi and J. E. Pask, *J. Phys. Chem. C*, 2020, **124**, 21985–21992.
- 34 B. C. Wood, T. Ogitsu, M. Otani and J. Biener, *J. Phys. Chem. C*, 2013, **118**, 4–15.
- 35 T. Wu and D.-e. Jiang, *MRS Bull.*, 2023, **48**, 253–260.
- 36 J. Gu, Z. Zhao, J. Huang, B. G. Sumpter and Z. Chen, *ACS Nano*, 2021, **15**, 6233–6242.
- 37 G. Kresse and J. Furthmüller, *Comput. Mater. Sci.*, 1996, **6**, 15–50.
- 38 G. Kresse and J. Furthmüller, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1996, **54**, 11169–11186.
- 39 P. E. Blöchl, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1994, **50**, 17953–17979.
- 40 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, **77**, 3865–3868.
- 41 S. Grimme, J. Antony, S. Ehrlich and H. Krieg, *J. Chem. Phys.*, 2010, **132**, 154104.
- 42 W. G. Hoover, *Phys. Rev. A*, 1985, **31**, 1695–1697.
- 43 S. Nosé, *J. Chem. Phys.*, 1984, **81**, 511–519.
- 44 Y. Sun, C. Zhan, P. R. C. Kent, M. Naguib, Y. Gogotsi and D. E. Jiang, *ACS Appl. Mater. Interfaces*, 2020, **12**, 763–770.
- 45 M. Naguib, O. Mashtalir, J. Carle, V. Presser, J. Lu, L. Hultman, Y. Gogotsi and M. W. Barsoum, *ACS Nano*, 2012, **6**, 1322–1331.
- 46 M. A. Hope, A. C. Forse, K. J. Griffith, M. R. Lukatskaya, M. Ghidui, Y. Gogotsi and C. P. Grey, *Phys. Chem. Chem. Phys.*, 2016, **18**, 5099–5102.
- 47 X. Sang, Y. Xie, M.-W. Lin, M. Alhabeb, K. L. Van Aken, Y. Gogotsi, P. R. C. Kent, K. Xiao and R. R. Unocic, *ACS Nano*, 2016, **10**, 9193–9200.
- 48 S. Batzner, A. Musaelian, L. Sun, M. Geiger, J. P. Mailoa, M. Kornbluth, N. Molinari, T. E. Smidt and B. Kozinsky, *Nat. Commun.*, 2022, **13**, 2453.
- 49 L. Zhang, J. Han, H. Wang, R. Car and W. E, *Phys. Rev. Lett.*, 2018, **120**, 143001.

